

Draft Programmatic Environmental Impact Statement for
**Solar Energy Development
in Six Southwestern States**



Volume 6
Chapter 12: New Mexico Proposed Solar Energy Zones

On the cover:

Typical Solar Fields for Various Technology Types (clockwise from upper left):
Solar Parabolic Trough (Source: Hosoya et al. 2008),
Solar Power Tower (Credit: Sandia National Laboratories. Source: NREL 2010a),
Photovoltaic (Credit: Arizona Public Service. Source: NREL 2010b), and
Dish Engine (Credit: R. Montoya. Source: Sandia National Laboratories 2008).
Reference citations are available in Chapter 1.

Background photo: Parabolic trough facility from an elevated viewpoint
(Credit: Argonne National Laboratory)

Draft Programmatic Environmental Impact Statement (PEIS) for Solar Energy Development in Six Southwestern States (DES 10-59; DOE/EIS-0403)

Responsible Agencies: The U.S. Department of the Interior (DOI) Bureau of Land Management (BLM) and the U.S. Department of Energy (DOE) are co-lead agencies. Nineteen cooperating agencies participated in the preparation of this PEIS: U.S. Department of Defense; U.S. Bureau of Reclamation; U.S. Fish and Wildlife Service; U.S. National Park Service; U.S. Environmental Protection Agency, Region 9; U.S. Army Corps of Engineers, South Pacific Division; Arizona Game and Fish Department; California Energy Commission; California Public Utilities Commission; Nevada Department of Wildlife; N-4 Grazing Board, Nevada; Utah Public Lands Policy Coordination Office; Clark County, Nevada, including Clark County Department of Aviation; Dona Ana County, New Mexico; Esmeralda County, Nevada; Eureka County, Nevada; Lincoln County, Nevada; Nye County, Nevada; and Saguache County, Colorado.

Locations: Arizona, California, Colorado, Nevada, New Mexico, and Utah.

Contacts: *For further information about this PEIS, contact:* Linda Resseguie, BLM Washington Office, e-mail: linda_resseguie@blm.gov, phone: (202) 912-7337; or Jane Summerson, DOE Solar PEIS Document Manager, e-mail: jane.summerson@ee.doe.gov, phone: (202) 287-6188; or visit the PEIS Web site at <http://solareis.anl.gov>.

Abstract: The BLM and DOE are considering taking actions to facilitate solar energy development in compliance with various orders, mandates, and agency policies. For the BLM, these actions include the evaluation of a new BLM Solar Energy Program applicable to all utility-scale solar energy development on BLM-administered lands in six southwestern states (Arizona, California, Colorado, Nevada, New Mexico, and Utah). For DOE, they include the evaluation of developing new program guidance relevant to DOE-supported solar projects. The Draft PEIS assesses the environmental, social, and economic effects of the agencies' proposed actions and alternatives.

For the BLM, the Draft PEIS analyzes a no action alternative, under which solar energy development would continue on BLM-administered lands in accordance with the terms and conditions of the BLM's existing solar energy policies, and two action alternatives for implementing a new BLM Solar Energy Program. Under the solar energy development program alternative (BLM's preferred alternative), the BLM would establish a new Solar Energy Program of administration and authorization policies and required design features and would exclude solar energy development from certain BLM-administered lands. Under this alternative, approximately 22 million acres of BLM-administered lands would be available for right-of-way (ROW) application. A subset of these lands, about 677,400 acres, would be identified as solar energy zones (SEZs), or areas where the BLM would prioritize solar energy and associated transmission infrastructure development. Under the SEZ program alternative, the same policies and design features would be adopted, but development would be excluded from all BLM-administered lands except those located within the SEZs.

For DOE, the Draft PEIS analyzes a no action alternative, under which DOE would continue to conduct environmental reviews of DOE-funded solar projects on a case-by-case basis, and one action alternative, under which DOE would develop programmatic guidance to further integrate environmental considerations into its analysis and selection of solar projects that it will support.

The EPA Notice of Availability (NOA) of the Draft PEIS was published in the *Federal Register* on December 17, 2010. Comments on the Draft PEIS are due by March 17, 2011.

SOLAR PEIS CONTENTS

VOLUME 1

Reader's Guide

Executive Summary

Chapter 1: Introduction

Chapter 2: Description of Alternatives and Reasonably Foreseeable Development Scenario

Chapter 3: Overview of Solar Energy Power Production Technologies, Development, and Regulation

Chapter 4: Affected Environment

Chapter 5: Impacts of Solar Energy Development and Potential Mitigation Measures

Chapter 6: Analysis of BLM's Solar Energy Development Alternatives

Chapter 7: Analysis of DOE's Alternatives

Chapter 14: Consultation and Coordination Undertaken To Support Preparation of the PEIS

Chapter 15: List of Preparers

Chapter 16: Glossary

VOLUME 2

Chapter 8: Affected Environment and Impact Assessment for Proposed Solar Energy Zones in Arizona

VOLUME 3, Parts 1 and 2

Chapter 9: Affected Environment and Impact Assessment for Proposed Solar Energy Zones in California

VOLUME 4

Chapter 10: Affected Environment and Impact Assessment for Proposed Solar Energy Zones in Colorado

VOLUME 5, Parts 1 and 2

Chapter 11: Affected Environment and Impact Assessment for Proposed Solar Energy Zones in Nevada

VOLUME 6

Chapter 12: Affected Environment and Impact Assessment for Proposed Solar Energy Zones in New Mexico

VOLUME 7

Chapter 13: Affected Environment and Impact Assessment for Proposed Solar Energy Zones in Utah

VOLUME 8

Appendix A: Current and Proposed Bureau of Land Management Solar Energy Development Policies and Design Features

Appendix B: Active Solar Applications

Appendix C: Proposed BLM Land Use Plan Amendments under the BLM Action Alternatives of the Solar Energy Development Programmatic Environmental Impact Statement

Appendix D: Summary of Regional Initiatives and State Plans for Solar Energy Development and Transmission Development to Support Renewable Energy Development

Appendix E: Methods for Estimating Reasonably Foreseeable Development Scenarios for Solar Energy Development

Appendix F: Solar Energy Technology Overview

Appendix G: Transmission Constraint Analysis

Appendix H: Federal, State, and County Requirements Potentially Applicable to Solar Energy Projects

Appendix I: Ecoregions of the Six-State Study Area and Land Cover Types of the Proposed Solar Energy Zones

Appendix J: Special Status Species Associated with BLM's Alternatives in the Six-State Study Area

Appendix K: Government-to-Government and Cultural Resource Consultations

Appendix L: GIS Data Sources and Methodology

Appendix M: Methodologies and Data Sources for the Analysis of Impacts of Solar Energy Development on Resources

Appendix N: Viewshed Maps for Proposed Solar Energy Zones

Reader's Guide

The detailed analysis of the proposed solar energy zones (SEZs) in New Mexico, provided in Sections 12.1 through 12.3, will be used to inform BLM decisions regarding the size, configuration, and/or management of these SEZs. These sections also include proposed mitigation requirements (termed "SEZ-specific design features"). Please note that the SEZ-specific summaries of Affected Environment use the descriptions of Affected Environment for the six-state study area presented in Chapter 4 of the PEIS as a basis. Also note that the SEZ-specific design features have been proposed with consideration of the general impact analyses for solar energy facilities presented in Chapter 5, and on the assumption that all programmatic design features presented in Appendix A, Section A.2.2, will be required for projects that will be located within the SEZs.

BLM will implement its SEZ-specific decisions through the BLM Record of Decision for the Final PEIS. Comments received during the review period for the Draft PEIS will inform BLM decisions.

This page intentionally left blank.

VOLUME 6 CONTENTS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

NOTATION.....	lxi
ENGLISH/METRIC AND METRIC/ENGLISH EQUIVALENTS	liii
12 AFFECTED ENVIRONMENT AND IMPACT ASSESSMENT FOR PROPOSED SOLAR ENERGY ZONES IN NEW MEXICO.....	12.1-1
12.1 Afton.....	12.1-1
12.1.1 Background and Summary of Impacts.....	12.1-1
12.1.1.1 General Information.....	12.1-1
12.1.1.2 Development Assumptions for the Impact Analysis	12.1-3
12.1.1.3 Summary of Major Impacts and SEZ-Specific Design Features.....	12.1-4
12.1.2 Lands and Realty	12.1-23
12.1.2.1 Affected Environment.....	12.1-23
12.1.2.2 Impacts.....	12.1-23
12.1.2.2.1 Construction and Operations.....	12.1-23
12.1.2.2.2 Transmission Facilities and Other Off-Site Infrastructure.....	12.1-24
12.1.2.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.1-25
12.1.3 Specially Designated Areas and Lands with Wilderness Characteristics.....	12.1-27
12.1.3.1 Affected Environment.....	12.1-27
12.1.3.2 Impacts.....	12.1-29
12.1.3.2.1 Construction and Operations.....	12.1-29
12.1.3.2.2 Transmission Facilities and Other Off-Site Infrastructure.....	12.1-38
12.1.3.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.1-38
12.1.4 Rangeland Resources.....	12.1-41
12.1.4.1 Livestock Grazing.....	12.1-41
12.1.4.1.1 Affected Environment.....	12.1-41
12.1.4.1.2 Impacts.....	12.1-42
12.1.4.1.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.1-43
12.1.4.2 Wild Horses and Burros.....	12.1-43
12.1.4.2.1 Affected Environment.....	12.1-43
12.1.4.2.2 Impacts.....	12.1-44
12.1.4.2.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.1-44
12.1.5 Recreation.....	12.1-45
12.1.5.1 Affected Environment.....	12.1-45

CONTENTS (Cont.)

1
2
3

4	12.1.5.2	Impacts.....	12.1-45
5		12.1.5.2.1 Construction and Operations.....	12.1-45
6		12.1.5.2.2 Transmission Facilities and Other	
7		Off-Site Infrastructure.....	12.1-46
8	12.1.5.3	SEZ-Specific Design Features and Design Feature	
9		Effectiveness.....	12.1-46
10	12.1.6	Military and Civilian Aviation.....	12.1-47
11		12.1.6.1 Affected Environment.....	12.1-47
12		12.1.6.2 Impacts.....	12.1-47
13		12.1.6.3 SEZ-Specific Design Features and Design Feature	
14		Effectiveness.....	12.1-47
15	12.1.7	Geologic Setting and Soil Resources.....	12.1-49
16		12.1.7.1 Affected Environment.....	12.1-49
17		12.1.7.1.1 Geologic Setting.....	12.1-49
18		12.1.7.1.2 Soil Resources.....	12.1-60
19		12.1.7.2 Impacts.....	12.1-65
20		12.1.7.3 SEZ-Specific Design Features and Design Feature	
21		Effectiveness.....	12.1-65
22	12.1.8	Minerals.....	12.1-67
23		12.1.8.1 Affected Environment.....	12.1-67
24		12.1.8.2 Impacts.....	12.1-67
25		12.1.8.3 SEZ-Specific Design Features and Design Feature	
26		Effectiveness.....	12.1-68
27	12.1.9	Water Resources.....	12.1-69
28		12.1.9.1 Affected Environment.....	12.1-69
29		12.1.9.1.1 Surface Waters.....	12.1-69
30		12.1.9.1.2 Groundwater.....	12.1-71
31		12.1.9.1.3 Water Use and Water Rights	
32		Management.....	12.1-73
33		12.1.9.2 Impacts.....	12.1-74
34		12.1.9.2.1 Land Disturbance Impacts on Water	
35		Resources.....	12.1-75
36		12.1.9.2.2 Water Use Requirements for Solar	
37		Energy Technologies.....	12.1-75
38		12.1.9.2.3 Off-Site Impacts: Roads and	
39		Transmission Lines.....	12.1-79
40		12.1.9.2.4 Summary of Impacts on Water	
41		Resources.....	12.1-79
42		12.1.9.3 SEZ-Specific Design Features and Design Feature	
43		Effectiveness.....	12.1-80
44	12.1.10	Vegetation.....	12.1-81
45		12.1.10.1 Affected Environment.....	12.1-81
46		12.1.10.2 Impacts.....	12.1-90

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

	12.1.10.2.1	Impacts on Native Species	12.1-90
	12.1.10.2.2	Impacts from Noxious Weeds and Invasive Plant Species	12.1-92
	12.1.10.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.1-93
12.1.11		Wildlife and Aquatic Biota	12.1-95
	12.1.11.1	Amphibians and Reptiles	12.1-96
	12.1.11.1.1	Affected Environment	12.1-96
	12.1.11.1.2	Impacts	12.1-96
	12.1.11.1.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.1-103
	12.1.11.2	Birds	12.1-104
	12.1.11.2.1	Affected Environment	12.1-104
	12.1.11.2.2	Impacts	12.1-120
	12.1.11.2.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.1-121
	12.1.11.3	Mammals	12.1-121
	12.1.11.3.1	Affected Environment	12.1-121
	12.1.11.3.2	Impacts	12.1-125
	12.1.11.3.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.1-137
	12.1.11.4	Aquatic Biota	12.1-137
	12.1.11.4.1	Affected Environment	12.1-137
	12.1.11.4.2	Impacts	12.1-138
	12.1.11.4.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.1-140
12.1.12		Special Status Species	12.1-141
	12.1.12.1	Affected Environment	12.1-142
	12.1.12.1.1	Species Listed under the Endangered Species Act That Could Occur in the Affected Area	12.1-143
	12.1.12.1.2	Species That Are Candidates for Listing under the ESA	12.1-161
	12.1.12.1.3	Species That Are under Review for Listing under the ESA	12.1-161
	12.1.12.1.4	BLM-Designated Sensitive Species	12.1-161
	12.1.12.1.5	State-Listed Species	12.1-166
	12.1.12.1.6	Rare Species	12.1-167
	12.1.12.2	Impacts	12.1-168
	12.1.12.2.1	Impacts on Species Listed under the ESA	12.1-169

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

	12.1.12.2.2 Impacts on Species That Are Candidates for Listing under the ESA	12.1-171
	12.1.12.2.3 Impacts on Species That Are under Review for Listing under the ESA	12.1-172
	12.1.12.2.4 Impacts on BLM-Designated Sensitive Species	12.1-172
	12.1.12.2.5 Impacts on State-Listed Species	12.1-182
	12.1.12.2.6 Impacts on Rare Species	12.1-184
	12.1.12.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.1-185
12.1.13	Air Quality and Climate	12.1-187
	12.1.13.1 Affected Environment	12.1-187
	12.1.13.1.1 Climate	12.1-187
	12.1.13.1.2 Existing Air Emissions	12.1-190
	12.1.13.1.3 Air Quality	12.1-191
	12.1.13.2 Impacts	12.1-192
	12.1.13.2.1 Construction	12.1-194
	12.1.13.2.2 Operations	12.1-198
	12.1.13.2.3 Decommissioning/Reclamation	12.1-199
	12.1.13.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.1-199
12.1.14	Visual Resources	12.1-201
	12.1.14.1 Affected Environment	12.1-201
	12.1.14.2 Impacts	12.1-206
	12.1.14.2.1 Impacts on the Proposed Afton SEZ	12.1-208
	12.1.14.2.2 Impacts on Lands Surrounding the Proposed Afton SEZ	12.1-209
	12.1.14.2.3 Summary of Visual Resource Impacts for the Proposed Afton SEZ	12.1-295
	12.1.14.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.1-297
12.1.15	Acoustic Environment	12.1-301
	12.1.15.1 Affected Environment	12.1-301
	12.1.15.2 Impacts	12.1-301
	12.1.15.2.1 Construction	12.1-302
	12.1.15.2.2 Operations	12.1-304
	12.1.15.2.3 Decommissioning/Reclamation	12.1-307
	12.1.15.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.1-307
12.1.16	Paleontological Resources	12.1-309
	12.1.16.1 Affected Environment	12.1-309
	12.1.16.2 Impacts	12.1-310

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

	12.1.16.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.1-310
	12.1.17 Cultural Resources	12.1-313
	12.1.17.1 Affected Environment.....	12.1-313
	12.1.17.1.1 Prehistory	12.1-313
	12.1.17.1.2 Ethnohistory	12.1-314
	12.1.17.1.3 History	12.1-316
	12.1.17.1.4 Traditional Cultural Properties— Landscape.....	12.1-319
	12.1.17.1.5 Cultural Surveys and Known Archaeological and Historical Resources	12.1-319
	12.1.17.2 Impacts.....	12.1-322
	12.1.17.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.1-322
	12.1.18 Native American Concerns	12.1-323
	12.1.18.1 Affected Environment.....	12.1-323
	12.1.18.1.1 Territorial Boundaries	12.1-324
	12.1.18.1.2 Plant Resources	12.1-324
	12.1.18.1.3 Other Resources	12.1-325
	12.1.18.2 Impacts.....	12.1-327
	12.1.18.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.1-328
	12.1.19 Socioeconomics	12.1-329
	12.1.19.1 Affected Environment.....	12.1-329
	12.1.19.1.1 ROI Employment	12.1-329
	12.1.19.1.2 ROI Unemployment.....	12.1-331
	12.1.19.1.3 ROI Urban Population.....	12.1-331
	12.1.19.1.4 ROI Urban Income	12.1-331
	12.1.19.1.5 ROI Population.....	12.1-332
	12.1.19.1.6 ROI Income	12.1-332
	12.1.19.1.7 ROI Housing	12.1-334
	12.1.19.1.8 ROI Local Government Organizations	12.1-334
	12.1.19.1.9 ROI Community and Social Services	12.1-334
	12.1.19.1.10 ROI Social Structure and Social Change.....	12.1-336
	12.1.19.1.11 ROI Recreation.....	12.1-339
	12.1.19.2 Impacts.....	12.1-340
	12.1.19.2.1 Common Impacts	12.1-340
	12.1.19.2.2 Technology-Specific Impacts.....	12.1-341
	12.1.19.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.1-350
	12.1.20 Environmental Justice.....	12.1-351

CONTENTS (Cont.)

1			
2			
3			
4		12.1.20.1	Affected Environment..... 12.1-351
5		12.1.20.2	Impacts..... 12.1-353
6		12.1.20.3	SEZ-Specific Design Features and Design Feature
7			Effectiveness..... 12.1-356
8	12.1.21	Transportation.....	12.1-357
9		12.1.21.1	Affected Environment..... 12.1-357
10		12.1.21.2	Impacts..... 12.1-359
11		12.1.21.3	SEZ-Specific Design Features and Design
12			Feature Effectiveness..... 12.1-361
13	12.1.22	Cumulative Impacts.....	12.1-363
14		12.1.22.1	Geographic Extent of the Cumulative Impacts
15			Analysis..... 12.1-363
16		12.1.22.2	Overview of Ongoing and Reasonably Foreseeable
17			Future Actions..... 12.1-365
18		12.1.22.2.1	Energy Production and Distribution..... 12.1-365
19		12.1.22.2.2	Other Actions..... 12.1-369
20		12.1.22.3	General Trends..... 12.1-372
21		12.1.22.3.1	Population Growth..... 12.1-372
22		12.1.22.3.2	Energy Demand..... 12.1-373
23		12.1.22.3.3	Water Availability..... 12.1-373
24		12.1.22.3.4	Climate Change..... 12.1-374
25		12.1.22.4	Cumulative Impacts on Resources..... 12.1-374
26		12.1.22.4.1	Lands and Realty..... 12.1-375
27		12.1.22.4.2	Specially Designated Areas and Lands
28			with Wilderness Characteristics..... 12.1-376
29		12.1.22.4.3	Rangeland Resources..... 12.1-376
30		12.1.22.4.4	Recreation..... 12.1-377
31		12.1.22.4.5	Military and Civilian Aviation..... 12.1-377
32		12.1.22.4.6	Soil Resources..... 12.1-377
33		12.1.22.4.7	Minerals..... 12.1-378
34		12.1.22.4.8	Water Resources..... 12.1-378
35		12.1.22.4.9	Vegetation..... 12.1-379
36		12.1.22.4.10	Wildlife and Aquatic Biota..... 12.1-380
37		12.1.22.4.11	Special Status Species..... 12.1-381
38		12.1.22.4.12	Air Quality and Climate..... 12.1-382
39		12.1.22.4.13	Visual Resources..... 12.1-382
40		12.1.22.4.14	Acoustic Environment..... 12.1-383
41		12.1.22.4.15	Paleontological Resources..... 12.1-384
42		12.1.22.4.16	Cultural Resources..... 12.1-384
43		12.1.22.4.17	Native American Concerns..... 12.1-385
44		12.1.22.4.18	Socioeconomics..... 12.1-385
45		12.1.22.4.19	Environmental Justice..... 12.1-386
46		12.1.22.4.20	Transportation..... 12.1-386

CONTENTS (Cont.)

1
2
3

4	12.1.23	References.....	12.1-389
5	12.2	Mason Draw.....	12.2-1
6	12.2.1	Background and Summary of Impacts.....	12.2-1
7	12.2.1.1	General Information.....	12.2-1
8	12.2.1.2	Development Assumptions for the Impact Analysis	12.2-3
9	12.2.1.3	Summary of Major Impacts and SEZ-Specific	
10		Design Features.....	12.2-4
11	12.2.2	Lands and Realty	12.2-17
12	12.2.2.1	Affected Environment.....	12.2-17
13	12.2.2.2	Impacts.....	12.2-17
14	12.2.2.2.1	Construction and Operations.....	12.2-17
15	12.2.2.2.2	Transmission Facilities and Other	
16		Off-Site Infrastructure.....	12.2-17
17	12.2.2.3	SEZ-Specific Design Features and Design Feature	
18		Effectiveness.....	12.2-18
19	12.2.3	Specially Designated Areas and Lands with Wilderness	
20		Characteristics.....	12.2-19
21	12.2.3.1	Affected Environment.....	12.2-19
22	12.2.3.2	Impacts.....	12.2-20
23	12.2.3.2.1	Construction and Operations.....	12.2-20
24	12.2.3.2.2	Transmission Facilities and Other	
25		Off-Site Infrastructure.....	12.2-28
26	12.2.3.3	SEZ-Specific Design Features and Design Feature	
27		Effectiveness.....	12.2-29
28	12.2.4	Rangeland Resources.....	12.2-31
29	12.2.4.1	Livestock Grazing.....	12.2-31
30	12.2.4.1.1	Affected Environment.....	12.2-31
31	12.2.4.1.2	Impacts.....	12.2-31
32	12.2.4.1.3	SEZ-Specific Design Features and	
33		Design Feature Effectiveness.....	12.2-32
34	12.2.4.2	Wild Horses and Burros.....	12.2-32
35	12.2.4.2.1	Affected Environment.....	12.2-32
36	12.2.4.2.2	Impacts.....	12.2-33
37	12.2.4.2.3	SEZ-Specific Design Features and	
38		Design Feature Effectiveness.....	12.2-33
39	12.2.5	Recreation.....	12.2-35
40	12.2.5.1	Affected Environment.....	12.2-35
41	12.2.5.2	Impacts.....	12.2-35
42	12.2.5.2.1	Construction and Operations.....	12.2-35
43	12.2.5.2.2	Transmission Facilities and Other	
44		Off-Site Infrastructure.....	12.2-36
45	12.2.5.3	SEZ-Specific Design Features and Design Feature	
46		Effectiveness.....	12.2-36

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

12.2.6	Military and Civilian Aviation.....	12.2-37
	12.2.6.1 Affected Environment.....	12.2-37
	12.2.6.2 Impacts.....	12.2-37
	12.2.6.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.2-37
12.2.7	Geologic Setting and Soil Resources.....	12.2-39
	12.2.7.1 Affected Environment.....	12.2-39
	12.2.7.1.1 Geologic Setting.....	12.2-39
	12.2.7.1.2 Soil Resources.....	12.2-49
	12.2.7.2 Impacts.....	12.2-53
	12.2.7.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.2-53
12.2.8	Minerals.....	12.2-55
	12.2.8.1 Affected Environment.....	12.2-55
	12.2.8.2 Impacts.....	12.2-55
	12.2.8.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.2-55
12.2.9	Water Resources.....	12.2-57
	12.2.9.1 Affected Environment.....	12.2-57
	12.2.9.1.1 Surface Waters.....	12.2-57
	12.2.9.1.2 Groundwater.....	12.2-59
	12.2.9.1.3 Water Use and Water Rights Management.....	12.2-61
	12.2.9.2 Impacts.....	12.2-62
	12.2.9.2.1 Land Disturbance Impacts on Water Resources.....	12.2-62
	12.2.9.2.2 Water Use Requirements for Solar Energy Technologies.....	12.2-63
	12.2.9.2.3 Off-Site Impacts: Roads and Transmission Lines.....	12.2-66
	12.2.9.2.4 Summary of Impacts on Water Resources.....	12.2-67
	12.2.9.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.2-67
12.2.10	Vegetation.....	12.2-69
	12.2.10.1 Affected Environment.....	12.2-69
	12.2.10.2 Impacts.....	12.2-76
	12.2.10.2.1 Impacts on Native Species.....	12.2-77
	12.2.10.2.2 Impacts from Noxious Weeds and Invasive Plant Species.....	12.2-79
	12.2.10.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.2-79
12.2.11	Wildlife and Aquatic Biota.....	12.2-81

CONTENTS (Cont.)

1			
2			
3			
4	12.2.11.1	Amphibians and Reptiles.....	12.2-82
5		12.2.11.1.1 Affected Environment.....	12.2-82
6		12.2.11.1.2 Impacts.....	12.2-82
7		12.2.11.1.3 SEZ-Specific Design Features and	
8		Design Feature Effectiveness.....	12.2-91
9	12.2.11.2	Birds.....	12.2-92
10		12.2.11.2.1 Affected Environment.....	12.2-92
11		12.2.11.2.2 Impacts.....	12.2-93
12		12.2.11.2.3 SEZ-Specific Design Features and	
13		Design Feature Effectiveness.....	12.2-109
14	12.2.11.3	Mammals.....	12.2-110
15		12.2.11.3.1 Affected Environment.....	12.2-110
16		12.2.11.3.2 Impacts.....	12.2-113
17		12.2.11.3.3 SEZ-Specific Design Features and	
18		Design Feature Effectiveness.....	12.2-126
19	12.2.11.4	Aquatic Biota.....	12.2-127
20		12.2.11.4.1 Affected Environment.....	12.2-127
21		12.2.11.4.2 Impacts.....	12.2-128
22		12.2.11.4.3 SEZ-Specific Design Features and	
23		Design Feature Effectiveness.....	12.2-128
24	12.2.12	Special Status Species.....	12.2-131
25		12.2.12.1 Affected Environment.....	12.2-132
26		12.2.12.1.1 Species Listed under the Endangered	
27		Species Act That Could Occur in the	
28		Affected Area.....	12.2-146
29		12.2.12.1.2 Species That Are Candidates for	
30		Listing under the ESA.....	12.2-147
31		12.2.12.1.3 Species That Are under Review for	
32		Listing under the ESA.....	12.2-147
33		12.2.12.1.4 BLM-Designated Sensitive Species.....	12.2-147
34		12.2.12.1.5 State-Listed Species.....	12.2-151
35		12.2.12.1.6 Rare Species.....	12.2-153
36	12.2.12.2	Impacts.....	12.2-153
37		12.2.12.2.1 Impacts on Species Listed under the	
38		ESA.....	12.2-154
39		12.2.12.2.2 Impacts on Species That Are	
40		Candidates for Listing under the ESA.....	12.2-156
41		12.2.12.2.3 Impacts on Species That Are under	
42		Review for Listing under the ESA.....	12.2-156
43		12.2.12.2.4 Impacts on BLM-Designated	
44		Sensitive Species.....	12.2-156
45		12.2.12.2.5 Impacts on State-Listed Species.....	12.2-164
46		12.2.12.2.6 Impacts on Rare Species.....	12.2-166

CONTENTS (Cont.)

1
2
3
4 12.2.12.3 SEZ-Specific Design Features and Design Feature
5 Effectiveness 12.2-166
6 12.2.13 Air Quality and Climate..... 12.2-169
7 12.2.13.1 Affected Environment..... 12.2-169
8 12.2.13.1.1 Climate 12.2-169
9 12.2.13.1.2 Existing Air Emissions..... 12.2-172
10 12.2.13.1.3 Air Quality 12.2-173
11 12.2.13.2 Impacts..... 12.2-174
12 12.2.13.2.1 Construction 12.2-176
13 12.2.13.2.2 Operations 12.2-179
14 12.2.13.2.3 Decommissioning/Reclamation 12.2-181
15 12.2.13.3 SEZ-Specific Design Features and Design Feature
16 Effectiveness 12.2-181
17 12.2.14 Visual Resources..... 12.2-183
18 12.2.14.1 Affected Environment..... 12.2-183
19 12.2.14.2 Impacts..... 12.2-188
20 12.2.14.2.1 Impacts on the Proposed Mason
21 Draw SEZ..... 12.2-188
22 12.2.14.2.2 Impacts on Lands Surrounding the
23 Proposed Mason Draw SEZ..... 12.2-190
24 12.2.14.2.3 Summary of Visual Resource Impacts
25 for the Proposed Mason Draw SEZ 12.2-232
26 12.2.14.3 SEZ-Specific Design Features and Design Feature
27 Effectiveness 12.2-233
28 12.2.15 Acoustic Environment 12.2-235
29 12.2.15.1 Affected Environment..... 12.2-235
30 12.2.15.2 Impacts..... 12.2-235
31 12.2.15.2.1 Construction 12.2-236
32 12.2.15.2.2 Operations 12.2-237
33 12.2.15.2.3 Decommissioning/Reclamation 12.2-240
34 12.2.15.3 SEZ-Specific Design Features and Design Feature
35 Effectiveness 12.2-241
36 12.2.16 Paleontological Resources 12.2-243
37 12.2.16.1 Affected Environment..... 12.2-243
38 12.2.16.2 Impacts..... 12.2-243
39 12.2.16.3 SEZ-Specific Design Features and Design Feature
40 Effectiveness 12.2-244
41 12.2.17 Cultural Resources 12.2-245
42 12.2.17.1 Affected Environment..... 12.2-245
43 12.2.17.1.1 Prehistory 12.2-245
44 12.2.17.1.2 Ethnohistory 12.2-245
45 12.2.17.1.3 History 12.2-246
46

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

	12.2.17.1.4 Traditional Cultural Properties— Landscape.....	12.2-246
	12.2.17.1.5 Cultural Surveys and Known Archaeological and Historical Resources	12.2-247
	12.2.17.2 Impacts.....	12.2-248
	12.2.17.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.2-250
	12.2.18 Native American Concerns.....	12.2-251
	12.2.18.1 Affected Environment.....	12.2-251
	12.2.18.1.1 Territorial Boundaries	12.2-252
	12.2.18.1.2 Plant Resources	12.2-252
	12.2.18.1.3 Other Resources	12.2-253
	12.2.18.2 Impacts.....	12.2-254
	12.2.18.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.2-255
	12.2.19 Socioeconomics	12.2-257
	12.2.19.1 Affected Environment.....	12.2-257
	12.2.19.1.1 ROI Employment	12.2-257
	12.2.19.1.2 ROI Unemployment	12.2-259
	12.2.19.1.3 ROI Urban Population.....	12.2-260
	12.2.19.1.4 ROI Urban Income.....	12.2-260
	12.2.19.1.5 ROI Population.....	12.2-261
	12.2.19.1.6 ROI Income	12.2-261
	12.2.19.1.7 ROI Housing	12.2-263
	12.2.19.1.8 ROI Local Government Organizations	12.2-264
	12.2.19.1.9 ROI Community and Social Services	12.2-264
	12.2.19.1.10 ROI Social Structure and Social Change.....	12.2-266
	12.2.19.1.11 ROI Recreation.....	12.2-268
	12.2.19.2 Impacts.....	12.2-269
	12.2.19.2.1 Common Impacts	12.2-269
	12.2.19.2.2 Technology-Specific Impacts.....	12.2-271
	12.2.19.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.2-280
	12.2.20 Environmental Justice.....	12.2-281
	12.2.20.1 Affected Environment.....	12.2-281
	12.2.20.2 Impacts.....	12.2-283
	12.2.20.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.2-286
	12.2.21 Transportation.....	12.2-287
	12.2.21.1 Affected Environment.....	12.2-287
	12.2.21.2 Impacts.....	12.2-287

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

12.2.21.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.2-291
12.2.22	Cumulative Impacts	12.2-293
12.2.22.1	Geographic Extent of the Cumulative Impacts Analysis	12.2-293
12.2.22.2	Overview of Ongoing and Reasonably Foreseeable Future Actions.....	12.2-295
12.2.22.2.1	Energy Production and Distribution.....	12.2-295
12.2.22.2.2	Other Actions	12.2-298
12.2.22.3	General Trends.....	12.2-303
12.2.22.3.1	Population Growth	12.2-303
12.2.22.3.2	Energy Demand.....	12.2-303
12.2.22.3.3	Water Availability	12.2-303
12.2.22.3.4	Climate Change.....	12.2-304
12.2.22.4	Cumulative Impacts on Resources.....	12.2-305
12.2.22.4.1	Lands and Realty.....	12.2-305
12.2.22.4.2	Specially Designated Areas and Lands with Wilderness Characteristics.....	12.2-306
12.2.22.4.3	Rangeland Resources	12.2-306
12.2.22.4.4	Recreation	12.2-307
12.2.22.4.5	Military and Civilian Aviation.....	12.2-307
12.2.22.4.6	Soil Resources.....	12.2-307
12.2.22.4.7	Minerals.....	12.2-308
12.2.22.4.8	Water Resources.....	12.2-308
12.2.22.4.9	Vegetation	12.2-309
12.2.22.4.10	Wildlife and Aquatic Biota	12.2-310
12.2.22.4.11	Special Status Species.....	12.2-311
12.2.22.4.12	Air Quality and Climate.....	12.2-312
12.2.22.4.13	Visual Resources.....	12.2-313
12.2.22.4.14	Acoustic Environment.....	12.2-314
12.2.22.4.15	Paleontological Resources	12.2-314
12.2.22.4.16	Cultural Resources	12.2-314
12.2.22.4.17	Native American Concerns	12.2-315
12.2.22.4.18	Socioeconomics.....	12.2-315
12.2.22.4.19	Environmental Justice	12.2-316
12.2.22.4.20	Transportation	12.2-317
12.2.23	References.....	12.2-319
12.3	Red Sands.....	12.3-1
12.3.1	Background and Summary of Impacts.....	12.3-1
12.3.1.1	General Information.....	12.3-1
12.3.1.2	Development Assumptions for the Impact Analysis	12.3-3

CONTENTS (Cont.)

1			
2			
3			
4		12.3.1.3	Summary of Major Impacts and SEZ-Specific
5			Design Features..... 12.3-4
6	12.3.2		Lands and Realty 12.3-19
7		12.3.2.1	Affected Environment..... 12.3-19
8		12.3.2.2	Impacts..... 12.3-19
9			12.3.2.2.1 Construction and Operations..... 12.3-19
10			12.3.2.2.2 Transmission Facilities and Other
11			Off-Site Infrastructure 12.3-20
12		12.3.2.3	SEZ-Specific Design Features and Design Feature
13			Effectiveness 12.3-20
14	12.3.3		Specially Designated Areas and Lands with Wilderness
15			Characteristics..... 12.3-21
16		12.3.3.1	Affected Environment..... 12.3-21
17		12.3.3.2	Impacts..... 12.3-23
18			12.3.3.2.1 Construction and Operations..... 12.3-23
19			12.3.3.2.2 Transmission Facilities and Other
20			Off-Site Infrastructure 12.3-27
21		12.3.3.3	SEZ-Specific Design Features and Design Feature
22			Effectiveness 12.3-27
23	12.3.4		Rangeland Resources 12.3-29
24		12.3.4.1	Livestock Grazing..... 12.3-29
25			12.3.4.1.1 Affected Environment..... 12.3-29
26			12.3.4.1.2 Impacts 12.3-30
27			12.3.4.1.3 SEZ-Specific Design Features and
28			Design Feature Effectiveness 12.3-32
29		12.3.4.2	Wild Horses and Burros..... 12.3-32
30			12.3.4.2.1 Affected Environment..... 12.3-32
31			12.3.4.2.2 Impacts 12.3-32
32			12.3.4.2.3 SEZ-Specific Design Features and
33			Design Feature Effectiveness 12.3-33
34	12.3.5		Recreation 12.3-35
35		12.3.5.1	Affected Environment..... 12.3-35
36		12.3.5.2	Impacts..... 12.3-35
37			12.3.5.2.1 Construction and Operations..... 12.3-35
38			12.3.5.2.2 Transmission Facilities and Other
39			Off-Site Infrastructure 12.3-36
40		12.3.5.3	SEZ-Specific Design Features and Design Feature
41			Effectiveness 12.3-36
42	12.3.6		Military and Civilian Aviation..... 12.3-37
43		12.3.6.1	Affected Environment..... 12.3-37
44		12.3.6.2	Impacts..... 12.3-37
45			12.3.6.2.1 Construction and Operations..... 12.3-37
46			

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

	12.3.6.2.2	Transmission Facilities and Other Off-Site Infrastructure	12.3-38
	12.3.6.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-38
	12.3.7	Geologic Setting and Soil Resources	12.3-39
	12.3.7.1	Affected Environment	12.3-39
	12.3.7.1.1	Geologic Setting	12.3-39
	12.3.7.1.2	Soil Resources	12.3-49
	12.3.7.2	Impacts	12.3-49
	12.3.7.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-55
	12.3.8	Minerals	12.3-57
	12.3.8.1	Affected Environment	12.3-57
	12.3.8.2	Impacts	12.3-57
	12.3.8.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-57
	12.3.9	Water Resources	12.3-59
	12.3.9.1	Affected Environment	12.3-59
	12.3.9.1.1	Surface Waters	12.3-59
	12.3.9.1.2	Groundwater	12.3-61
	12.3.9.1.3	Water Use and Water Rights Management	12.3-63
	12.3.9.2	Impacts	12.3-65
	12.3.9.2.1	Land Disturbance Impacts on Water Resources	12.3-66
	12.3.9.2.2	Water Use Requirements for Solar Energy Technologies	12.3-66
	12.3.9.2.3	Off-Site Impacts: Roads and Transmission Lines	12.3-70
	12.3.9.2.4	Summary of Impacts on Water Resources	12.3-70
	12.3.9.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-71
	12.3.10	Vegetation	12.3-73
	12.3.10.1	Affected Environment	12.3-73
	12.3.10.2	Impacts	12.3-80
	12.3.10.2.1	Impacts on Native Species	12.3-81
	12.3.10.2.2	Impacts from Noxious Weeds and Invasive Plant Species	12.3-83
	12.3.10.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-84
	12.3.11	Wildlife and Aquatic Biota	12.3-85
	12.3.11.1	Amphibians and Reptiles	12.3-86

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

12.3.11.1.1	Affected Environment.....	12.3-86
12.3.11.1.2	Impacts	12.3-86
12.3.11.1.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-93
12.3.11.2	Birds.....	12.3-94
12.3.11.2.1	Affected Environment.....	12.3-94
12.3.11.2.2	Impacts	12.3-95
12.3.11.2.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-107
12.3.11.3	Mammals	12.3-108
12.3.11.3.1	Affected Environment.....	12.3-108
12.3.11.3.2	Impacts	12.3-109
12.3.11.3.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-123
12.3.11.4	Aquatic Biota.....	12.3-124
12.3.11.4.1	Affected Environment.....	12.3-124
12.3.11.4.2	Impacts	12.3-125
12.3.11.4.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-126
12.3.12	Special Status Species.....	12.3-127
12.3.12.1	Affected Environment.....	12.3-127
12.3.12.1.1	Species Listed under the Endangered Species Act That Could Occur in the Affected Area	12.3-146
12.3.12.1.2	Species That Are Candidates for Listing under the ESA	12.3-149
12.3.12.1.3	Species That Are under Review for Listing under the ESA	12.3-149
12.3.12.1.4	BLM-Designated Sensitive Species.....	12.3-149
12.3.12.1.5	State-Listed Species	12.3-155
12.3.12.1.6	Rare Species	12.3-157
12.3.12.2	Impacts.....	12.3-157
12.3.12.2.1	Impacts on Species Listed under the ESA	12.3-158
12.3.12.2.2	Impacts on Species That Are Candidates for Listing under the ESA	12.3-161
12.3.12.2.3	Impacts on Species That Are under Review for Listing under the ESA	12.3-161
12.3.12.2.4	Impacts on BLM-Designated Sensitive Species	12.3-162
12.3.12.2.5	Impacts on State-Listed Species.....	12.3-174
12.3.12.2.6	Impacts on Rare Species	12.3-176

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

	12.3.12.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.3-176
	12.3.13 Air Quality and Climate.....	12.3-179
	12.3.13.1 Affected Environment.....	12.3-179
	12.3.13.1.1 Climate	12.3-179
	12.3.13.1.2 Existing Air Emissions.....	12.3-182
	12.3.13.1.3 Air Quality	12.3-183
	12.3.13.2 Impacts.....	12.3-184
	12.3.13.2.1 Construction	12.3-186
	12.3.13.2.2 Operations	12.3-189
	12.3.13.2.3 Decommissioning/Reclamation	12.3-191
	12.3.13.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.3-191
	12.3.14 Visual Resources.....	12.3-193
	12.3.14.1 Affected Environment.....	12.3-193
	12.3.14.2 Impacts.....	12.3-198
	12.3.14.2.1 Impacts on the Proposed Red Sands SEZ.....	12.3-200
	12.3.14.2.2 Impacts on Lands Surrounding the Proposed Red Sands SEZ.....	12.3-201
	12.3.14.2.3 Summary of Visual Resource Impacts for the Proposed Red Sands SEZ	12.3-240
	12.3.14.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.3-241
	12.3.15 Acoustic Environment	12.3-243
	12.3.15.1 Affected Environment.....	12.3-243
	12.3.15.2 Impacts.....	12.3-244
	12.3.15.2.1 Construction	12.3-244
	12.3.15.2.2 Operations	12.3-246
	12.3.15.2.3 Decommissioning/Reclamation	12.3-249
	12.3.15.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.3-249
	12.3.16 Paleontological Resources	12.3-251
	12.3.16.1 Affected Environment.....	12.3-251
	12.3.16.2 Impacts.....	12.3-251
	12.3.16.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.3-252
	12.3.17 Cultural Resources.....	12.3-253
	12.3.17.1 Affected Environment.....	12.3-253
	12.3.17.1.1 Prehistory	12.3-253
	12.3.17.1.2 Ethnohistory	12.3-254
	12.3.17.1.3 History	12.3-256

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

	12.3.17.1.4 Traditional Cultural Properties— Landscape.....	12.3-257
	12.3.17.1.5 Cultural Surveys and Known Archaeological and Historical Resources	12.3-258
	12.3.17.2 Impacts.....	12.3-260
	12.3.17.3 SEZ-Specific Design Features and Design Feature Effectiveness	12.3-261
	12.3.18 Native American Concerns.....	12.3-263
	12.3.18.1 Affected Environment.....	12.3-263
	12.3.18.1.1 Territorial Boundaries	12.3-264
	12.3.18.1.2 Plant Resources	12.3-264
	12.3.18.1.3 Other Resources	12.3-266
	12.3.18.2 Impacts.....	12.3-267
	12.3.18.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.3-268
	12.3.19 Socioeconomics	12.3-269
	12.3.19.1 Affected Environment.....	12.3-269
	12.3.19.1.1 ROI Employment	12.3-269
	12.3.19.1.2 ROI Unemployment	12.3-271
	12.3.19.1.3 ROI Urban Population.....	12.3-271
	12.3.19.1.4 ROI Urban Income.....	12.3-272
	12.3.19.1.5 ROI Population.....	12.3-273
	12.3.19.1.6 ROI Income	12.3-273
	12.3.19.1.7 ROI Housing	12.3-275
	12.3.19.1.8 ROI Local Government Organizations	12.3-276
	12.3.19.1.9 ROI Community and Social Services	12.3-276
	12.3.19.1.10 ROI Social Structure and Social Change.....	12.3-278
	12.3.19.1.11 ROI Recreation.....	12.3-280
	12.3.19.2 Impacts.....	12.3-281
	12.3.19.2.1 Common Impacts	12.3-281
	12.3.19.2.2 Technology-Specific Impacts.....	12.3-283
	12.3.19.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.3-292
	12.3.20 Environmental Justice.....	12.3-293
	12.3.20.1 Affected Environment.....	12.3-293
	12.3.20.2 Impacts.....	12.3-295
	12.3.20.3 SEZ-Specific Design Features and Design Feature Effectiveness.....	12.3-298
	12.3.21 Transportation.....	12.3-299
	12.3.21.1 Affected Environment.....	12.3-299
	12.3.21.2 Impacts.....	12.3-301

CONTENTS (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

12.3.21.3	SEZ-Specific Design Features and Design Feature Effectiveness	12.3-303
12.3.22	Cumulative Impacts	12.3-305
12.3.22.1	Geographic Extent of the Cumulative Impacts Analysis	12.3-305
12.3.22.2	Overview of Ongoing and Reasonably Foreseeable Future Actions.....	12.3-307
12.3.22.2.1	Energy Production and Distribution.....	12.3-307
12.3.22.2.2	Other Actions	12.3-309
12.3.22.3	General Trends.....	12.3-315
12.3.22.3.1	Population Growth	12.3-315
12.3.22.3.2	Energy Demand.....	12.3-316
12.3.22.3.3	Water Availability	12.3-316
12.3.22.3.4	Climate Change.....	12.3-316
12.3.22.4	Cumulative Impacts on Resources.....	12.3-317
12.3.22.4.1	Lands and Realty.....	12.3-318
12.3.22.4.2	Specially Designated Areas and Lands with Wilderness Characteristics.....	12.3-319
12.3.22.4.3	Rangeland Resources	12.3-319
12.3.22.4.4	Recreation	12.3-319
12.3.22.4.5	Military and Civilian Aviation.....	12.3-320
12.3.22.4.6	Soil Resources.....	12.3-320
12.3.22.4.7	Minerals.....	12.3-320
12.3.22.4.8	Water Resources.....	12.3-321
12.3.22.4.9	Vegetation	12.3-322
12.3.22.4.10	Wildlife and Aquatic Biota	12.3-323
12.3.22.4.11	Special Status Species.....	12.3-324
12.3.22.4.12	Air Quality and Climate.....	12.3-324
12.3.22.4.13	Visual Resources.....	12.3-325
12.3.22.4.14	Acoustic Environment.....	12.3-326
12.3.22.4.15	Paleontological Resources	12.3-327
12.3.22.4.16	Cultural Resources	12.3-327
12.3.22.4.17	Native American Concerns	12.3-327
12.3.22.4.18	Socioeconomics.....	12.3-328
12.3.22.4.19	Environmental Justice	12.3-329
12.3.22.4.20	Transportation	12.3-329
12.3.23	References.....	12.3-331

FIGURES

12.1.1.1-1	Proposed Afton SEZ	12.1-2
------------	--------------------------	--------

FIGURES (Cont.)

1			
2			
3			
4	12.1.3.1-1	Specially Designated Areas in the Vicinity of the Proposed Afton SEZ.....	12.1-28
5			
6			
7	12.1.7.1-1	Physiographic Features of the Mesilla Basin.....	12.1-50
8			
9	12.1.7.1-2	Generalized Geologic Cross Section across Mesilla Basin	12.1-51
10			
11	12.1.7.1-3	Geologic Map of the Mesilla Basin	12.1-53
12			
13	12.1.7.1-4	General Terrain of the Proposed Afton SEZ.....	12.1-55
14			
15	12.1.7.1-5	Quaternary Faults in the Mesilla Basin.....	12.1-57
16			
17	12.1.7.1-6	Soil Map for the Proposed Afton SEZ.....	12.1-60
18			
19	12.1.9.1-1	Surface Water Features near the Proposed Afton SEZ.....	12.1-70
20			
21	12.1.10.1-1	Land Cover Types within the Proposed Afton SEZ	12.1-83
22			
23	12.1.11.3-1	Density of Mule Deer within the Proposed Afton SEZ Region	12.1-123
24			
25	12.1.11.3-2	Location of the Proposed Afton SEZ Relative to the Mapped Range of Pronghorn	12.1-124
26			
27			
28	12.1.12.1-1	Known or Potential Occurrences of Species Listed as Endangered or Threatened under the ESA, Candidates for Listing under the ESA, or Species under Review for ESA Listing in the Affected Area of the Proposed Afton SEZ	12.1-144
29			
30			
31			
32			
33	12.1.13.1-1	Wind Rose at 33 ft at the Las Cruces International Airport, New Mexico, 2005 to 2009.....	12.1-188
34			
35			
36	12.1.14.1-1	Proposed Afton SEZ and Surrounding Lands.....	12.1-202
37			
38	12.1.14.1-2	Approximately 120° Panoramic View of the Proposed Afton SEZ from Location Near Northern SEZ Boundary Facing East toward Organ Mountains	12.1-204
39			
40			
41			
42	12.1.14.1-3	Approximately 180° Panoramic View of the Proposed Afton SEZ from Little Mountain Facing West, with Mt. Riley and West Potrillo Mountains at Left, Florida Mountains at Center, and Sleeping Lady Hills and Las Uvas Mountains at Far Right.....	12.1-204
43			
44			
45			
46			

FIGURES (Cont.)

1

2

3

4 12.1.14.1-4 Approximately 120° Panoramic View of the Proposed Afton SEZ
5 from West Central Portion of SEZ Facing Southeast, with Organ
6 Mountains at Left..... 12.1-204
7

8 12.1.14.1-5 Visual Resource Inventory Values for the Proposed Afton SEZ
9 and Surrounding Lands..... 12.1-205
10

11 12.1.14.1-6 Visual Resource Management Classes for the Proposed Afton SEZ
12 and Surrounding Lands..... 12.1-207
13

14 12.1.14.2-1 Viewshed Analyses for the Proposed Afton SEZ and Surrounding
15 Lands, Assuming Solar Technology Heights of 24.6 ft, 38 ft,
16 150 ft, and 650 ft..... 12.1-210
17

18 12.1.14.2-2 Overlay of Selected Sensitive Visual Resource Areas onto Combined
19 650-ft and 24.6-ft Viewsheds for the Proposed Afton SEZ..... 12.1-212
20

21 12.1.14.2-3 Google Earth Visualization of the Proposed Afton SEZ and
22 Surrounding Lands, with Power Tower Wireframe Models,
23 as Seen from a Viewpoint in the North Central Portion of
24 Prehistoric Trackways National Monument 12.1-216
25

26 12.1.14.2-4 Google Earth Visualization of the Proposed Afton SEZ and
27 Surrounding Lands, with Power Tower Wireframe Models,
28 as Seen from a Viewpoint in the North Central Portion of
29 Prehistoric Trackways National Monument 12.1-218
30

31 12.1.14.2-5 Google Earth Visualization of the Proposed Afton SEZ and
32 Surrounding Lands, with Power Tower Wireframe Models,
33 as Seen from a Viewpoint in the Southern Portion of
34 Prehistoric Trackways National Monument 12.1-220
35

36 12.1.14.2-6 Google Earth Visualization of the Proposed Afton SEZ and
37 Surrounding Lands, with Power Tower Wireframe Models,
38 as Seen from Viewpoint in Northwestern Portion of Aden
39 Lava Flow WSA 12.1-223
40

41 12.1.14.2-7 Google Earth Visualization of the Proposed Afton SEZ and
42 Surrounding Lands, with Power Tower Wireframe Models,
43 as Seen from Viewpoint in Southeastern Portion of Aden
44 Lava Flow WSA 12.1-224
45
46

FIGURES (Cont.)

1

2

3

4 12.1.14.2-8 Google Earth Visualization of the Proposed Afton SEZ and
5 Surrounding Lands, with Power Tower Wireframe Models,
6 as Seen from Viewpoint on Baylor Peak within Organ
7 Mountains WSA..... 12.1-228
8

9 12.1.14.2-9 Google Earth Visualization of the Proposed Afton SEZ and
10 Surrounding Lands, with Power Tower Wireframe Models,
11 as Seen from Viewpoint near Baylor Canyon Road within
12 Organ Mountains WSA..... 12.1-229
13

14 12.1.14.2-10 Google Earth Visualization of the Proposed Afton SEZ and
15 Surrounding Lands, with Power Tower Wireframe Models,
16 as Seen from Viewpoint near Modoc Mine in Organ
17 Needles WSA..... 12.1-231
18

19 12.1.14.2-11 Google Earth Visualization of the Proposed Afton SEZ and
20 Surrounding Lands, with Power Tower Wireframe Models,
21 as Seen from Viewpoint on Dripping Springs Road Adjacent
22 to Organ Needles WSA..... 12.1-233
23

24 12.1.14.2-12 Google Earth Visualization of the Proposed Afton SEZ and
25 Surrounding Lands, with Power Tower Wireframe Models,
26 as Seen from Viewpoint within Pena Blanca WSA..... 12.1-235
27

28 12.1.14.2-13 Google Earth Visualization of the Proposed Afton SEZ and
29 Surrounding Lands, with Power Tower Wireframe Models,
30 as Seen from a Viewpoint in Far Southern Portion of Robledo
31 Mountains WSA..... 12.1-237
32

33 12.1.14.2-14 Google Earth Visualization of the Proposed Afton SEZ and
34 Surrounding Lands, with Power Tower Wireframe Models,
35 as Seen from a Viewpoint in the West-Central Portion of
36 Robledo Mountains WSA..... 12.1-239
37

38 12.1.14.2-15 Google Earth Visualization of the Proposed Afton SEZ and
39 Surrounding Lands, with Power Tower Wireframe Models,
40 as Seen from Mt. Riley in the West Potrillo Mountains/
41 Mt. Riley WSA 12.1-241
42

43 12.1.14.2-16 Google Earth Visualization of the Proposed Afton SEZ
44 and Surrounding Lands, with Power Tower Wireframe Models,
45 as Seen from Unnamed Hill in the Northern Portion of West
46 Potrillo Mountains WSA..... 12.1-243

FIGURES (Cont.)

1
2
3
4 12.1.14.2-17 Google Earth Visualization of the Proposed Afton SEZ and
5 Surrounding Lands, with Power Tower Wireframe Models,
6 as Seen from a Viewpoint in the Far Northeastern Portion
7 of the Aden Hills SRMA..... 12.1-246
8
9 12.1.14.2-18 Google Earth Visualization of the Proposed Afton SEZ and
10 Surrounding Lands, with Power Tower Wireframe Models,
11 as Seen from a Viewpoint in the Northwest Portion of the
12 Aden Hills SRMA..... 12.1-248
13
14 12.1.14.2-19 Google Earth Visualization of the Proposed Afton SEZ and
15 Surrounding Lands, with Power Tower Wireframe Models,
16 as Seen from an OHV Road in the Southern Portion of the
17 Dona Ana SRMA..... 12.1-250
18
19 12.1.14.2-20 Google Earth Visualization of the Proposed Afton SEZ and
20 Surrounding Lands, with Power Tower Wireframe Models,
21 as Seen from the Summit of Dona Ana Peak in the
22 Dona Ana SRMA..... 12.1-252
23
24 12.1.14.2-21 Google Earth Visualization of the Proposed Afton SEZ and
25 Surrounding Lands, with Power Tower Wireframe Models,
26 as Seen from a Point Northeast of Modoc Mine in Organ/
27 Franklin Mountains ACEC 12.1-256
28
29 12.1.14.2-22 Google Earth Visualization of the Proposed Afton SEZ and
30 Surrounding Lands, with Power Tower Wireframe Models,
31 as Seen from a Transmission Line Road West of the Organ/
32 Franklin Mountains ACEC 12.1-257
33
34 12.1.14.2-23 Google Earth Visualization of the Proposed Afton SEZ and
35 Surrounding Lands, with Power Tower Wireframe Models,
36 as Seen from the Peak of North Anthony’s Nose in the
37 Organ/Franklin Mountains ACEC 12.1-259
38
39 12.1.14.2-24 Google Earth Visualization of the Proposed Afton SEZ and
40 Surrounding Lands, with Power Tower Wireframe Models,
41 as Seen from Mesilla Plaza National Historic Landmark..... 12.1-262
42
43 12.1.14.2-25 Google Earth Visualization of the Proposed Afton SEZ and
44 Surrounding Lands, with Power Tower Wireframe Models,
45 as Seen from Kilbourne Hole National Natural Landmark 12.1-264
46

FIGURES (Cont.)

1

2

3

4 12.1.14.2-26 Google Earth Visualization of the Proposed Afton SEZ and
5 Surrounding Lands, with Power Tower Wireframe Models,
6 as Seen from the El Camino Real de Tierra Adentro
7 National Historic Trail near Berino 12.1-268
8

9 12.1.14.2-27 Google Earth Visualization of the Proposed Afton SEZ and
10 Surrounding Lands, with Power Tower Wireframe Models,
11 as Seen from the El Camino Real de Tierra Adentro National
12 Historic Trail in Mesquite..... 12.1-270
13

14 12.1.14.2-28 Google Earth Visualization of the Proposed Afton SEZ and
15 Surrounding Lands, with Power Tower Wireframe Models,
16 as Seen from the Butterfield Trail about 6 mi North of the SEZ..... 12.1-276
17

18 12.1.14.2-29 Google Earth Visualization of the Proposed Afton SEZ and
19 Surrounding Lands, with Power Tower Wireframe Models,
20 as Seen from the Butterfield Trail near the Sleeping
21 Lady Mountains 12.1-278
22

23 12.1.14.2-30 Google Earth Visualization of the Proposed Afton SEZ and
24 Surrounding Lands, with Power Tower Wireframe Models,
25 as Seen from the Dona Ana Interchange on I-25..... 12.1-281
26

27 12.1.14.2-31 Google Earth Visualization of the Proposed Afton SEZ and
28 Surrounding Lands, with Power Tower Wireframe Models,
29 as Seen from the I-10–I-25 Interchange in Las Cruces..... 12.1-284
30

31 12.1.14.2-32 Google Earth Visualization of the Proposed Afton SEZ and
32 Surrounding Lands, with Power Tower Wireframe Models,
33 as Seen from I-10 at Anthony, New Mexico 12.1-287
34

35 12.1.14.2-33 Google Earth Visualization of the Proposed Afton SEZ and
36 Surrounding Lands, with Power Tower Wireframe Models,
37 as Seen from the Vado Interchange of I-10 12.1-288
38

39 12.1.14.2-34 Google Earth Visualization of the Proposed Afton SEZ and
40 Surrounding Lands, with Power Tower Wireframe Models,
41 as Seen from I-10 near Crawford Boulevard Interchange at
42 Las Cruces Municipal Airport 12.1-291
43

44 12.1.14.3-1 Areas within and around the Proposed Afton SEZ Affected by
45 SEZ-Specific Distance-Based Visual Impact Design Features 12.1-299
46

FIGURES (Cont.)

1

2

3

4 12.1.20.1-1 Minority Population Groups within the 50-mi Area Surrounding

5 the Proposed Afton SEZ 12.1-354

6

7 12.1.20.1-2 Low-Income Population Groups within the 50-mi Radius

8 Surrounding the Proposed Afton SEZ 12.1-355

9

10 12.1.21.1-1 Local Transportation Network Serving the Proposed Afton SEZ 12.1-358

11

12 12.1.22.2-1 Locations of Renewable Energy Project ROW Applications

13 within a 50-mi Radius of the Proposed Afton SEZ 12.1-367

14

15 12.2.1.1-1 Proposed Mason Draw SEZ..... 12.2-2

16

17 12.2.3.1-1 Specially Designated Areas in the Vicinity of the Proposed Mason

18 Draw SEZ..... 12.2-21

19

20 12.2.7.1-1 Physiographic Features along the Eastern Edge of the Mimbres

21 Basin near the Proposed Mason Draw SEZ..... 12.2-40

22

23 12.2.7.1-2 Geologic Map of the Eastern Edge of the Mimbres Basin near the

24 Proposed Mason Draw SEZ..... 12.2-41

25

26 12.2.7.1-3 General Terrain of the Proposed Mason Draw SEZ 12.2-44

27

28 12.2.7.1-4 Quaternary Faults along the Eastern Edge of the Mimbres Basin 12.2-45

29

30 12.2.7.1-5 Soil Map for the Proposed Mason Draw SEZ 12.2-49

31

32 12.2.9.1-1 Surface Water Features near the Proposed Mason Draw SEZ 12.2-58

33

34 12.2.10.1-1 Land Cover Types within the Proposed Mason Draw SEZ..... 12.2-71

35

36 12.2.11.3-1 Density of Mule Deer within the Proposed Mason Draw SEZ Region 12.2-111

37

38 12.2.11.3-2 Location of the Proposed Mason Draw SEZ Relative to the Mapped

39 Range of Pronghorn 12.2-112

40

41 12.2.12.1-1 Known or Potential Occurrences of Species Listed as Endangered or

42 Threatened under the ESA, Candidates for Listing under the ESA, or

43 Species under Review for ESA Listing in the Affected Area of the

44 Proposed Mason Draw SEZ..... 12.2-133

45

46

FIGURES (Cont.)

1

2

3

4 12.2.13.1-1 Wind Rose at 33 ft at the Las Cruces International Airport,
5 New Mexico, 2005 to 2009..... 12.2-170

6

7 12.2.14.1-1 Proposed Mason Draw SEZ and Surrounding Lands 12.2-184

8

9 12.2.14.1-2 Approximately 120° Panoramic View of the Proposed Mason Draw
10 SEZ from the Northwestern Portion of the SEZ, Facing Southeast,
11 Including Sleeping Lady Hills at Far Left and West Potrillo
12 Mountains at Right..... 12.2-186

13

14 12.2.14.1-3 Approximately 180° Panoramic View of the Proposed Mason Draw
15 SEZ from the Western Portion of the SEZ, Facing Southeast,
16 Including Sleeping Lady Hills at Far Left and West Potrillo
17 Mountains at Right..... 12.2-186

18

19 12.2.14.1-4 Photograph of the Proposed Mason Draw SEZ from the Northwest
20 Portion of the SEZ Facing Northwest toward Sierra de Las Uvas
21 and Butterfield Trail..... 12.2-186

22

23 12.2.14.1-5 Visual Resource Inventory Values for the Proposed Mason Draw
24 SEZ and Surrounding Lands..... 12.2-187

25

26 12.2.14.1-6 Visual Resource Management Classes for the Proposed Mason Draw
27 SEZ and Surrounding Lands..... 12.2-189

28

29 12.2.14.2-1 Viewshed Analyses for the Proposed Mason Draw SEZ and
30 Surrounding Lands, Assuming Solar Technology Heights of
31 24.6 ft, 38 ft, 150 ft, and 650 ft..... 12.2-192

32

33 12.2.14.2-2 Overlay of Selected Sensitive Visual Resource Areas onto Combined
34 650-ft and 24.6-ft Viewsheds for the Proposed Mason Draw SEZ 12.2-193

35

36 12.2.14.2-3 Google Earth Visualization of the Proposed Mason Draw SEZ
37 and Surrounding Lands, with Power Tower Wireframe Models,
38 as Seen from a Volcanic Cone in the Northwest Portion
39 of the Aden Lava Flow WSA..... 12.2-199

40

41 12.2.14.2-4 Google Earth Visualization of the Proposed Mason Draw SEZ and
42 Surrounding Lands, with Power Tower Wireframe Models, as Seen
43 from a High Ridge in the Southeastern Portion of the Las Uvas
44 Mountains WSA..... 12.2-201

45

46

FIGURES (Cont.)

1

2

3

4 12.2.14.2-5 Google Earth Visualization of the Proposed Mason Draw SEZ and
5 Surrounding Lands, with Power Tower Wireframe Models, as Seen
6 from a Communication Site on Lookout Peak in the Northern
7 Portion of Robledo Mountains WSA..... 12.2-203
8

9 12.2.14.2-6 Google Earth Visualization of the Proposed Mason Draw SEZ and
10 Surrounding Lands, with Power Tower Wireframe Models, as Seen
11 from an Unnamed Summit in the Northern Portion of West Potrillo
12 Mountains WSA..... 12.2-205
13

14 12.2.14.2-7 Google Earth Visualization of the Proposed Mason Draw SEZ and
15 Surrounding Lands, with Power Tower Wireframe Models, as Seen
16 from a Hill in the Northern Portion of Aden Hills SRMA 12.2-208
17

18 12.2.14.2-8 Google Earth Visualization of the Proposed Mason Draw SEZ and
19 Surrounding Lands, with Power Tower Wireframe Models, as Seen
20 from a Point in the Far Northeastern Portion of Aden Hills SRMA..... 12.2-209
21

22 12.2.14.2-9 Google Earth Visualization of the Proposed Mason Draw SEZ and
23 Surrounding Lands, with Power Tower Wireframe Models, as Seen
24 from the Butterfield Trail North of the SEZ 12.2-219
25

26 12.2.14.2-10 Google Earth Visualization of the Proposed Mason Draw SEZ and
27 Surrounding Lands, with Power Tower Wireframe Models, as Seen
28 from the Butterfield Trail North of the SEZ’s Western Boundary 12.2-221
29

30 12.2.14.2-11 Google Earth Visualization of the Proposed Mason Draw SEZ and
31 Surrounding Lands, with Power Tower Wireframe Models, as Seen
32 from the Butterfield Trail near the Westernmost Extent of the
33 Proposed Mason Draw SEZ Viewshed..... 12.2-223
34

35 12.2.14.2-12 Google Earth Visualization of the Proposed Mason Draw SEZ and
36 Surrounding Lands, with Power Tower Wireframe Models, as Seen
37 from I-10 South of the Sleeping Lady Hills..... 12.2-227
38

39 12.2.14.2-13 Google Earth Visualization of the Proposed Mason Draw SEZ and
40 Surrounding Lands, with Power Tower Wireframe Models, as Seen
41 from I-10 South of the SEZ 12.2-229
42

43 12.2.20.1-1 Minority Population Groups within the 50-mi Area Surrounding
44 the Proposed Mason Draw SEZ..... 12.2-284
45
46

FIGURES (Cont.)

1

2

3

4 12.2.20.1-2 Low-Income Population Groups within the 50-mi Radius

5 Surrounding the Proposed Mason Draw SEZ..... 12.2-285

6

7 12.2.21.1-1 Local Transportation Network Serving the Proposed Mason Draw

8 SEZ 12.2-288

9

10 12.2.22.2-1 Locations of Renewable Energy Project ROW Applications within a

11 50-mi Radius of the Proposed Mason Draw SEZ..... 12.2-299

12

13 12.3.1.1-1 Proposed Red Sands SEZ..... 12.3-2

14

15 12.3.3.1-1 Specially Designated Areas in the Vicinity of the Proposed Red

16 Sands SEZ..... 12.3-22

17

18 12.3.7.1-1 Physiographic Features of the Tularosa Basin..... 12.3-40

19

20 12.3.7.1-2 Generalized Cross Section across Tularosa Basin near the Proposed

21 Red Sands SEZ 12.3-41

22

23 12.3.7.1-3 Geologic Map of the Tularosa Basin near the Proposed Red Sands

24 SEZ 12.3-42

25

26 12.3.7.1-4 General Terrain of the Proposed Red Sands SEZ..... 12.3-45

27

28 12.3.7.1-5 Quaternary Faults in the Tularosa Basin..... 12.3-46

29

30 12.3.7.1-6 Soil Map for the Proposed Red Sands SEZ 12.3-50

31

32 12.3.9.1-1 Surface Water Features near the Proposed Red Sands SEZ 12.3-60

33

34 12.3.10.1-1 Land Cover Types within the Proposed Red Sands SEZ..... 12.3-75

35

36 12.3.11.3-1 Density of Mule Deer within the Proposed Red Sands SEZ Region..... 12.3-110

37

38 12.3.11.3-2 Location of the Proposed Red Sands SEZ Relative to the Mapped

39 Range of Pronghorn 12.3-111

40

41 12.3.12.1-1 Known or Potential Occurrences of Species Listed as Endangered or

42 Threatened under the ESA, Candidates for Listing under the ESA,

43 or Species under Review for ESA Listing in the Affected Area of

44 the Proposed Red Sands SEZ..... 12.3-147

45

46

FIGURES (Cont.)

1

2

3

4 12.3.13.1-1 Wind Rose at 33 ft at the Alamogordo White Sands Regional

5 Airport, New Mexico, 2005 to 2009 12.3-180

6

7 12.3.14.1-1 Proposed Red Sands SEZ and Surrounding Lands 12.3-194

8

9 12.3.14.1-2 Approximately 120° Panoramic View of the Proposed Red Sands

10 SEZ from the Southeastern Corner of the SEZ Facing Northwest,

11 San Andres Mountains at Left 12.3-196

12

13 12.3.14.1-3 Approximately 180° Panoramic View of the Proposed Red Sands

14 SEZ from the Central Portion of the SEZ Facing Northeast, with

15 Lone Butte at Left and Sacramento Escarpment at Center 12.3-196

16

17 12.3.14.1-4 Approximately 120° Panoramic View of the Proposed Red Sands

18 SEZ from the Western Portion of the SEZ Facing Southwest,

19 Including Twin Buttes at Right and San Andres Mountains at

20 Left Center 12.3-196

21

22 12.3.14.1-5 Visual Resource Inventory Values for the Proposed Red Sands

23 SEZ and Surrounding Lands 12.3-197

24

25 12.3.14.1-6 Visual Resource Management Classes for the Proposed Red Sands

26 SEZ and Surrounding Lands 12.3-199

27

28 12.3.14.2-1 Viewshed Analyses for the Proposed Red Sands SEZ and

29 Surrounding Lands, Assuming Solar Technology Heights of 24.6 ft,

30 38 ft, 150 ft, and 650 ft 12.3-202

31

32 12.3.14.2-2 Overlay of Selected Sensitive Visual Resource Areas onto Combined

33 650-ft and 24.6-ft Viewsheds for the Proposed Red Sands SEZ 12.3-204

34

35 12.3.14.2-3 Google Earth Visualization of the Proposed Red Sands SEZ and

36 Surrounding Lands, with Power Tower Wireframe Models, as Seen

37 from a Point in the Northern Portion of the White Sands National

38 Monument 12.3-208

39

40 12.3.14.2-4 Google Earth Visualization of the Proposed Red Sands SEZ and

41 Surrounding Lands, with Power Tower Wireframe Models, as Seen

42 from the White Sands National Monument Visitor Center on

43 U.S. 70 12.3-210

44

45

FIGURES (Cont.)

1

2

3

4 12.3.14.2-5 Google Earth Visualization of the Proposed Red Sands SEZ and
5 Surrounding Lands, with Power Tower Wireframe Models, as Seen
6 from the White Sands National Monument Nature Center on
7 Dune Drive..... 12.3-212
8

9 12.3.14.2-6 Google Earth Visualization of the Proposed Red Sands SEZ and
10 Surrounding Lands, with Power Tower Wireframe Models, as Seen
11 from a Point in the Northwestern Portion of the Culp Canyon WSA..... 12.3-214
12

13 12.3.14.2-7 Google Earth Visualization of the Proposed Red Sands SEZ and
14 Surrounding Lands, with Power Tower Wireframe Models, as Seen
15 from a Point in the Northern Portion of the Sacramento Escarpment
16 ACEC..... 12.3-217
17

18 12.3.14.2-8 Google Earth Visualization of the Proposed Red Sands SEZ and
19 Surrounding Lands, with Power Tower Wireframe Models, as Seen
20 from a High-Elevation Viewpoint in the Central Portion of the
21 Sacramento Escarpment ACEC 12.3-219
22

23 12.3.14.2-9 Google Earth Visualization of the Proposed Red Sands SEZ and
24 Surrounding Lands, with Power Tower Wireframe Models, as Seen
25 from San Andres Canyon in the Southern Portion of the Sacramento
26 Escarpment ACEC 12.3-221
27

28 12.3.14.2-10 Google Earth Visualization of the Proposed Red Sands SEZ and
29 Surrounding Lands, with Power Tower Wireframe Models, as Seen
30 from an Unnamed Ridge within the San Andres Mountains NWR..... 12.3-223
31

32 12.3.14.2-11 Google Earth Visualization of the Proposed Red Sands SEZ and
33 Surrounding Lands, with Power Tower Wireframe Models, as Seen
34 from Viewpoint within the San Andres Mountains NWR..... 12.3-225
35

36 12.3.14.2-12 Google Earth Visualization of the Proposed Red Sands SEZ and
37 Surrounding Lands, with Power Tower Wireframe Models, as Seen
38 from U.S. 70 within the SEZ 12.3-230
39

40 12.3.14.2-13 Google Earth Visualization of the Proposed Red Sands SEZ and
41 Surrounding Lands, with Power Tower Wireframe Models, as Seen
42 from U.S. 54 at Boles Acres 12.3-234
43

44 12.3.14.2-14 Google Earth Visualization of the Proposed Red Sands SEZ and
45 Surrounding Lands, with Power Tower Wireframe Models, as Seen
46 from U.S. 54 Adjacent to the SEZ Boundary 12.3-236

FIGURES (Cont.)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

12.3.14.2-15 Google Earth Visualization of the Proposed Red Sands SEZ and Surrounding Lands, with Power Tower Wireframe Models, as Seen from Subdivision in Alamogordo 12.3-238

12.3.20.1-1 Minority Population Groups within the 50-mi Area Surrounding the Proposed Red Sands SEZ..... 12.3-296

12.3.20.1-2 Low-Income Population Groups within the 50-mi Radius Surrounding the Proposed Red Sands SEZ..... 12.3-297

12.3.21.1-1 Local Transportation Network Serving the Proposed Red Sands SEZ..... 12.3-300

12.3.22.2-1 Locations of Renewable Energy Project ROW Applications within a 50-mi Radius of the Proposed Red Sands SEZ..... 12.3-311

TABLES

12.1.1.2-1 Proposed Afton SEZ—Assumed Development Acreages, Solar MW Output, Access Roads, and Transmission Line ROWs 12.1-4

12.1.1.3-1 Summary of Impacts of Solar Energy Development within the Proposed Afton SEZ and SEZ-Specific Design Features..... 12.1-5

12.1.3.2-1 Potentially Affected Sensitive Visual Resources within a 25-mi Viewshed of the Proposed Afton SEZ 12.1-30

12.1.4.1-1 Grazing Allotments within the Proposed Afton SEZ 12.1-41

12.1.7.1-1 Summary of Soil Map Units within the Proposed Afton SEZ..... 12.1-61

12.1.9.2-1 Estimated Water Requirements during the Peak Construction Year for the Proposed Afton SEZ..... 12.1-77

12.1.9.2-2 Estimated Water Requirements during Operations at the Proposed Afton SEZ 12.1-78

12.1.10.1-1 Land Cover Types within the Potentially Affected Area of the Proposed Afton SEZ and Potential Impacts 12.1-84

12.1.10.1-2 Designated Noxious Weeds of New Mexico Occurring in Dona Ana County 12.1-89

TABLES (Cont.)

1

2

3

4 12.1.11.1-1 Habitats, Potential Impacts, and Potential Mitigation for

5 Representative Amphibian and Reptile Species That Could

6 Occur on or in the Affected Area of the Proposed Afton SEZ 12.1-97

7

8 12.1.11.2-1 Habitats, Potential Impacts, and Potential Mitigation for

9 Representative Bird Species That Could Occur on or in the

10 Affected Area of the Proposed Afton SEZ 12.1-106

11

12 12.1.11.3-1 Habitats, Potential Impacts, and Potential Mitigation for

13 Representative Mammal Species That Could Occur on or in

14 the Affected Area of the Proposed Afton SEZ 12.1-126

15

16 12.1.12.1-1 Habitats, Potential Impacts, and Potential Mitigation for Special

17 Status Species That Could Be Affected by Solar Energy

18 Development on the Proposed Afton SEZ..... 12.1-145

19

20 12.1.13.1-1 Annual Emissions of Criteria Pollutants and VOCs in Dona Ana

21 County, New Mexico, Encompassing the Proposed Afton SEZ, 2002 12.1-190

22

23 12.1.13.1-2 NAAQS, SAAQS, and Background Concentration Levels

24 Representative of the Proposed Afton SEZ in Dona Ana County,

25 New Mexico, 2004 to 2008..... 12.1-193

26

27 12.1.13.2-1 Maximum Air Quality Impacts from Emissions Associated with

28 Construction Activities for the Proposed Afton SEZ 12.1-196

29

30 12.1.13.2-2 Annual Emissions from Combustion-Related Power Generation

31 Avoided by Full Solar Development of the Proposed Afton SEZ..... 12.1-197

32

33 12.1.14.2-1 Selected Potentially Affected Sensitive Visual Resources within

34 25-mi Viewshed of the Proposed Afton SEZ, Assuming a Target

35 Height of 650 ft..... 12.1-214

36

37 12.1.14.3-1 VRM Class Objectives..... 12.1-298

38

39 12.1.17.1-1 National Register Properties within 25 mi of the Proposed

40 Afton SEZ in Dona Ana County..... 12.1-321

41

42 12.1.18-1 Federally Recognized Tribes with Traditional Ties to the

43 Proposed Afton SEZ 12.1-323

44

45 12.1.18.1-1 Plant Species Important to Native Americans Observed or

46 Likely To Be Present in the Proposed Afton SEZ 12.1-326

TABLES (Cont.)

1
2
3

4	12.1.18.1-2	Animal Species Used by Native Americans Whose Range Includes the Proposed Afton SEZ.....	12.1-327
5			
6			
7	12.1.19.1-1	Employment in the ROI for the Proposed Afton SEZ.....	12.1-329
8			
9	12.1.19.1-2	Employment by Sector in the ROI for the Proposed Afton SEZ, 2006....	12.1-330
10			
11	12.1.19.1-3	Unemployment Rates in the ROI for the Proposed Afton SEZ.....	12.1-331
12			
13	12.1.19.1-4	Urban Population and Income in the ROI for the Proposed Afton SEZ.....	12.1-332
14			
15			
16	12.1.19.1-5	Population in the ROI for the Proposed Afton SEZ.....	12.1-333
17			
18	12.1.19.1-6	Personal Income in the ROI for the Proposed Afton SEZ.....	12.1-333
19			
20	12.1.19.1-7	Housing Characteristics in the ROI for the Proposed Afton SEZ.....	12.1-335
21			
22	12.1.19.1-8	Local Government Organizations and Social Institutions in the ROI for the Proposed Afton SEZ.....	12.1-336
23			
24			
25	12.1.19.1-9	School District Data for the ROI for the Proposed Afton SEZ, 2007.....	12.1-336
26			
27	12.1.19.1-10	Physicians in the ROI for the Proposed Afton SEZ, 2007.....	12.1-337
28			
29	12.1.19.1-11	Public Safety Employment in the ROI for the Proposed Afton SEZ.....	12.1-337
30			
31	12.1.19.1-12	County and ROI Crime Rates for the Proposed Afton SEZ.....	12.1-338
32			
33	12.1.19.1-13	Data on Alcoholism, Drug Use, Mental Health, and Divorce in the ROI for the Proposed Afton SEZ.....	12.1-338
34			
35			
36	12.1.19.1-14	Recreation Sector Activity in the ROI for the Proposed Afton SEZ, 2007.....	12.1-339
37			
38			
39	12.1.19.2-1	ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Afton SEZ with Trough Facilities.....	12.1-343
40			
41			
42	12.1.19.2-2	ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Afton SEZ with Power Tower Facilities.....	12.1-346
43			
44			
45	12.1.19.2-3	ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Afton SEZ with Dish Engine Facilities.....	12.1-347
46			

TABLES (Cont.)

1

2

3

4 12.1.19.2-4 ROI Socioeconomic Impacts Assuming Full Build-out
5 of the Proposed Afton SEZ with PV Facilities 12.1-349

6

7 12.1.20.1-1 Minority and Low-Income Populations within the 50-mi Radius
8 Surrounding the Proposed Afton SEZ 12.1-353

9

10 12.1.21.1-1 AADT on Major Roads near the Proposed Afton SEZ for 2008 12.1-359

11

12 12.1.21.1-2 Airports Open to the Public in the Vicinity of the Proposed
13 Afton SEZ 12.1-360

14

15 12.1.22.1-1 Geographic Extent of the Cumulative Impacts Analysis
16 by Resource Area: Proposed Afton SEZ 12.1-364

17

18 12.1.22.2-1 Reasonably Foreseeable Future Actions Related to Energy
19 Development and Distribution near the Proposed Afton SEZ 12.1-366

20

21 12.1.22.2-2 Pending Renewable Energy Project ROW Applications on
22 BLM-Administered Land within 50 mi of the Proposed Afton SEZ 12.1-368

23

24 12.1.22.2-3 Other Major Actions near the Proposed Afton SEZ 12.1-370

25

26 12.2.1.2-1 Proposed Mason Draw SEZ—Assumed Development Acreages,
27 Solar MW Output, Access Roads, and Transmission Line ROWs 12.2-4

28

29 12.2.1.3-1 Summary of Impacts of Solar Energy Development within the
30 Proposed Mason Draw SEZ and SEZ-Specific Design Features 12.2-5

31

32 12.2.3.2-1 Potentially Affected Sensitive Visual Resources within a 25-mi
33 Viewshed of the Proposed Mason Draw SEZ, Assuming Power
34 Tower Technology with a Target Height of 650 ft 12.2-22

35

36 12.2.7.1-1 Summary of Soil Map Units within the Proposed Mason Draw SEZ 12.2-50

37

38 12.2.9.2-1 Estimated Water Requirements during the Peak Construction
39 Year for the Proposed Mason Draw SEZ 12.2-64

40

41 12.2.9.2-2 Estimated Water Requirements during Operations at the Proposed
42 Mason Draw SEZ 12.2-65

43

44 12.2.10.1-1 Land Cover Types within the Potentially Affected Area
45 of the Proposed Mason Draw SEZ and Potential Impacts 12.2-72

46

TABLES (Cont.)

1

2

3

4 12.2.10.1-2 Designated Noxious Weeds of New Mexico Occurring

5 in Dona Ana County 12.2-76

6

7 12.2.11.1-1 Habitats, Potential Impacts, and Potential Mitigation for

8 Representative Amphibian and Reptile Species That Could

9 Occur on or in the Affected Area of the Proposed Mason

10 Draw SEZ..... 12.2-83

11

12 12.2.11.2-1 Habitats, Potential Impacts, and Potential Mitigation for

13 Representative Bird Species That Could Occur on or in the

14 Affected Area of the Proposed Mason Draw SEZ..... 12.2-94

15

16 12.2.11.3-1 Habitats, Potential Impacts, and Potential Mitigation for

17 Representative Mammal Species That Could Occur on or

18 in the Affected Area of the Proposed Mason Draw SEZ..... 12.2-114

19

20 12.2.12.1-1 Habitats, Potential Impacts, and Potential Mitigation for Special

21 Status Species That Could Be Affected by Solar Energy

22 Development on the Proposed Mason Draw SEZ 12.2-134

23

24 12.2.13.1-1 Annual Emissions of Criteria Pollutants and VOCs in Dona Ana

25 County, New Mexico, Encompassing the Proposed Mason Draw

26 SEZ, 2002 12.2-172

27

28 12.2.13.1-2 NAAQS, SAAQS, and Background Concentration Levels

29 Representative of the Proposed Mason Draw SEZ in Dona Ana

30 County, New Mexico, 2004 to 2008..... 12.2-175

31

32 12.2.13.2-1 Maximum Air Quality Impacts from Emissions Associated with

33 Construction Activities for the Proposed Mason Draw SEZ 12.2-178

34

35 12.2.13.2-2 Annual Emissions from Combustion-Related Power Generation

36 Avoided by Full Solar Development of the Proposed Mason Draw

37 SEZ 12.2-180

38

39 12.2.14.2-1 Selected Potentially Affected Sensitive Visual Resources within a

40 25-mi Viewshed of the Proposed Mason Draw SEZ, Assuming

41 a Target Height of 650 ft..... 12.2-195

42

43 12.2.17.1-1 National Register Properties within 25 mi of the Proposed Mason

44 Draw SEZ in Dona Ana County 12.2-249

45

46

TABLES (Cont.)

1

2

3

4 12.2.18.1-1 Federally Recognized Tribes with Traditional Ties to the Proposed
5 Mason Draw SEZ..... 12.2-251

6

7 12.2.18.1-2 Plant Species Observed or Likely To Be Present in the Proposed
8 Mason Draw SEZ That Were Important to Native Americans..... 12.2-253

9

10 12.2.18.3-1 Animal Species Used by Native Americans Whose Range
11 Includes the Proposed Mason Draw SEZ 12.2-254

12

13 12.2.19.1-1 ROI Employment in the Proposed Mason Draw SEZ 12.2-257

14

15 12.2.19.1-2 ROI Employment in the Proposed Mason Draw SEZ by Sector,
16 2006..... 12.2-258

17

18 12.2.19.1-3 ROI Unemployment Rates for the Proposed Mason Draw SEZ..... 12.2-259

19

20 12.2.19.1-4 ROI Urban Population and Income for the Proposed Mason Draw
21 SEZ 12.2-260

22

23 12.2.19.1-5 ROI Population for the Proposed Mason Draw SEZ..... 12.2-261

24

25 12.2.19.1-6 ROI Personal Income for the Proposed Mason Draw SEZ..... 12.2-262

26

27 12.2.19.1-7 ROI Housing Characteristics for the Proposed Mason Draw SEZ..... 12.2-263

28

29 12.2.19.1-8 ROI Local Government Organizations and Social Institutions in the
30 Proposed Mason Draw SEZ..... 12.2-264

31

32 12.2.19.1-9 ROI School District Data for the Proposed Mason Draw SEZ, 2007..... 12.2-265

33

34 12.2.19.1-10 Physicians in the Proposed Mason Draw SEZ ROI, 2007..... 12.2-266

35

36 12.2.19.1-11 Public Safety Employment in the Proposed Mason Draw SEZ ROI..... 12.2-266

37

38 12.2.19.1-12 County and ROI Crime Rates for the Proposed Mason Draw
39 SEZ ROI..... 12.2-267

40

41 12.2.19.1-13 Alcoholism, Drug Use, Mental Health, and Divorce
42 in the Proposed Mason Draw SEZ ROI..... 12.2-268

43

44 12.2.19.1-14 Recreation Sector Activity in the Proposed Mason Draw
45 SEZ ROI, 2007..... 12.2-269

46

TABLES (Cont.)

1

2

3

4 12.2.19.2-1 ROI Socioeconomic Impacts Assuming Full Build-out

5 of the Proposed Mason Draw SEZ with Trough Facilities 12.2-272

6

7 12.2.19.2-2 ROI Socioeconomic Impacts Assuming Full Build-out

8 of the Proposed Mason Draw SEZ with Power Tower Facilities 12.2-275

9

10 12.2.19.2-3 ROI Socioeconomic Impacts Assuming Full Build-out

11 of the Proposed Mason Draw SEZ with Dish Engine Facilities 12.2-277

12

13 12.2.19.2-4 ROI Socioeconomic Impacts Assuming Full Build-out

14 of the Proposed Mason Draw SEZ with PV Facilities 12.2-279

15

16 12.2.20.1-1 Minority and Low-Income Populations within the 50-mi Radius

17 Surrounding the Proposed Mason Draw SEZ 12.2-283

18

19 12.2.21.1-1 AADT for 2008 on Major Roads near the Proposed Mason Draw

20 SEZ 12.2-289

21

22 12.2.21.1-2 Airports Open to the Public in the Vicinity of the Proposed Mason

23 Draw SEZ 12.2-290

24

25 12.2.22.1-1 Geographic Extent of the Cumulative Impacts Analysis

26 by Resource Area: Proposed Mason Draw SEZ 12.2-294

27

28 12.2.22.2-1 Reasonably Foreseeable Future Actions Related to Energy

29 Development and Distribution near the Proposed Mason Draw SEZ 12.2-296

30

31 12.2.22.2-2 Pending Renewable Energy Project ROW Applications on BLM-

32 Administered Land within 50-mi of the Mason Draw SEZ 12.2-297

33

34 12.2.22.2-3 Other Major Actions near the Proposed Mason Draw SEZ 12.2-300

35

36 12.3.1.2-1 Proposed Red Sands SEZ—Assumed Development Acreages,

37 Solar MW Output, Access Roads, and Transmission Line ROWs 12.3-4

38

39 12.3.1.3-1 Summary of Impacts of Solar Energy Development within the

40 Proposed Red Sands SEZ and SEZ-Specific Design Features 12.3-5

41

42 12.3.3.2-1 Potentially Affected Sensitive Visual Resources within a 25-mi

43 Viewshed of the Proposed Red Sands SEZ, Assuming a Target

44 Height of 650 ft 12.3-24

45

46 12.3.4.1-1 Grazing Allotments within the Proposed Red Sands SEZ 12.3-29

TABLES (Cont.)

1

2

3

4 12.3.7.1-1 Summary of Soil Map Units within the Proposed Red Sands SEZ 12.3-51

5

6 12.3.9.2-1 Estimated Water Requirements during the Peak Construction Year
7 for the Proposed Red Sands SEZ 12.3-68

8

9 12.3.9.2-2 Estimated Water Requirements during Operations at the Proposed
10 Red Sands SEZ 12.3-68

11

12 12.3.10.1-1 Land Cover Types within the Potentially Affected Area of the
13 Proposed Red Sands SEZ and Potential Impacts 12.3-76

14

15 12.3.10.1-2 Designated Noxious Weeds of New Mexico Occurring in Otero
16 County 12.3-81

17

18 12.3.11.1-1 Habitats, Potential Impacts, and Potential Mitigation for
19 Representative Amphibian and Reptile Species That Could Occur
20 on or in the Affected Area of the Proposed Red Sands SEZ 12.3-87

21

22 12.3.11.2-1 Habitats, Potential Impacts, and Potential Mitigation for
23 Representative Bird Species That Could Occur on or
24 in the Affected Area of the Proposed Red Sands SEZ 12.3-96

25

26 12.3.11.3-1 Habitats, Potential Impacts, and Potential Mitigation for
27 Representative Mammal Species That Could Occur on or
28 in the Affected Area of the Proposed Red Sands SEZ 12.3-112

29

30 12.3.12.1-1 Habitats, Potential Impacts, and Potential Mitigation for Special
31 Status Species That Could Be Affected by Solar Energy
32 Development on the Proposed Red Sands SEZ 12.3-129

33

34 12.3.13.1-1 Annual Emissions of Criteria Pollutants and VOCs
35 in Otero County, New Mexico, Encompassing the
36 Proposed Red Sands SEZ, 2002 12.3-182

37

38 12.3.13.1-2 NAAQS, SAAQS, and Background Concentration Levels
39 Representative of the Proposed Red Sands SEZ in Otero County,
40 New Mexico, 2004 to 2008 12.3-185

41

42 12.3.13.2-1 Maximum Air Quality Impacts from Emissions Associated with
43 Construction Activities for the Proposed Red Sands SEZ 12.3-187

44

45

TABLES (Cont.)

1

2

3

4 12.3.13.2-2 Annual Emissions from Combustion-Related Power Generation

5 Avoided by Full Solar Development of the Proposed Red Sands

6 SEZ 12.3-190

7

8 12.3.14.2-1 Selected Potentially Affected Sensitive Visual Resources within

9 25-mi Viewshed of the Proposed Red Sands SEZ, Assuming

10 a Target Height of 650 ft..... 12.3-205

11

12 12.3.17.1-1 National Register Properties within 25 mi of the Red Sands SEZ

13 in Otero and Dona Ana County 12.3-260

14

15 12.3.18-1 Federally Recognized Tribes with Traditional Ties to the Proposed

16 Red Sands SEZ 12.3-263

17

18 12.3.18.1-1 Plant Species Important to Native Americans Observed or

19 Likely To Be Present in the Proposed Red Sands SEZ 12.3-265

20

21 12.3.18.1-2 Animal Species used by Native Americans whose Range Includes

22 the Proposed Red Sands SEZ..... 12.3-267

23

24 12.3.19.1-1 ROI Employment in the Proposed Red Sands SEZ 12.3-269

25

26 12.3.19.1-2 ROI Employment in the Proposed Red Sands SEZ by Sector, 2006..... 12.3-270

27

28 12.3.19.1-3 ROI Unemployment Rates for the Proposed Red Sands SEZ 12.3-271

29

30 12.3.19.1-4 ROI Urban Population and Income for the Proposed Red Sands SEZ..... 12.3-272

31

32 12.3.19.1-5 ROI Population for the Proposed Red Sands SEZ..... 12.3-273

33

34 12.3.19.1-6 ROI Personal Income for the Proposed Red Sands SEZ 12.3-274

35

36 12.3.19.1-7 ROI Housing Characteristics for the Proposed Red Sands SEZ..... 12.3-275

37

38 12.3.19.1-8 ROI Local Government Organizations and Social Institutions for

39 the Proposed Red Sands SEZ..... 12.3-276

40

41 12.3.19.1-9 ROI School District Data for the Proposed Red Sands SEZ, 2007 12.3-277

42

43 12.3.19.1-10 Physicians in the Proposed Red Sands SEZ ROI, 2007..... 12.3-278

44

45 12.3.19.1-11 Public Safety Employment in the Proposed Red Sands SEZ ROI..... 12.3-278

46

TABLES (Cont.)

1

2

3

4 12.3.19.1-12 County and ROI Crime Rates for the Proposed Red Sands SEZ ROI..... 12.3-279

5

6 12.3.19.1-13 Alcoholism, Drug Use, Mental Health, and Divorce in the

7 Proposed Red Sands SEZ ROI..... 12.3-280

8

9 12.3.19.1-14 ROI Recreation Sector Activity in the Proposed Red Sands

10 SEZ, 2007 12.3-281

11

12 12.3.19.2-1 ROI Socioeconomic Impacts Assuming Full Build-out of the

13 Proposed Red Sands SEZ with Trough Facilities 12.3-284

14

15 12.3.19.2-2 ROI Socioeconomic Impacts Assuming Full Build-out of the

16 Proposed Red Sands SEZ with Power Tower Facilities 12.3-287

17

18 12.3.19.2-3 ROI Socioeconomic Impacts Assuming Full Build-out of the

19 Proposed Red Sands SEZ with Dish Engine Facilities 12.3-289

20

21 12.3.19.2-4 ROI Socioeconomic Impacts Assuming Full Build-out of the

22 Proposed Red Sands SEZ with PV Facilities..... 12.3-291

23

24 12.3.20.1-1 Minority and Low-Income Populations within the 50-mi Radius

25 Surrounding the Proposed Red Sands SEZ..... 12.3-295

26

27 12.3.21.1-1 2008 AADT on Major Roads near the Proposed Red Sands SEZ..... 12.3-301

28

29 12.3.21.1-2 Airports Open to the Public in the Vicinity of the Proposed Red

30 Sands SEZ..... 12.3-302

31

32 12.3.22.1-1 Geographic Extent of the Cumulative Impacts Analysis

33 by Resource Area for the Proposed Red Sands SEZ 12.3-306

34

35 12.3.22.2-1 Reasonably Foreseeable Future Actions Related to Energy

36 Development and Distribution near the Proposed Red Sands SEZ 12.3-308

37

38 12.3.22.2-2 Pending Renewable Energy Project ROW Applications on BLM-

39 Administered Land within 50 mi of the Red Sands SEZ..... 12.3-310

40

41 12.3.22.2-3 Other Major Actions near the Proposed Red Sands SEZ 12.3-313

42

1
2
3
4
5
6
7
8
9
10
11
12
13
14

This page intentionally left blank.

1 **NOTATION**

2
3
4 The following is a list of acronyms and abbreviations, chemical names, and units of
5 measure used in this document. Some acronyms used only in tables may be defined only in those
6 tables.
7

8
9 **GENERAL ACRONYMS AND ABBREVIATIONS**

10

11	AADT	annual average daily traffic
12	AASHTO	American Association of State Highway and Transportation Officials
13	AC	alternating current
14	ACC	air-cooled condenser
15	ACEC	Area of Critical Environmental Concern
16	ADEQ	Arizona Department of Environmental Quality
17	ADOT	Arizona Department of Transportation
18	ADWR	Arizona Department of Water Resources
19	AERMOD	AMS/EPA Regulatory Model
20	AFC	Application for Certification
21	AGL	above ground level
22	AIRFA	American Indian Religious Freedom Act
23	AMA	active management area
24	AML	animal management level
25	ANHP	Arizona National Heritage Program
26	APE	area of potential effect
27	APLIC	Avian Power Line Interaction Committee
28	APP	Avian Protection Plan
29	AQCR	Air Quality Control Region
30	AQRV	air quality-related value
31	ARB	Air Resources Board
32	ARRA	American Recovery and Reinvestment Act of 2009
33	ARRTIS	Arizona Renewable Resource and Transmission Identification Subcommittee
34	ARS	Agricultural Research Service
35	ARZC	Arizona and California
36	ATSDR	Agency for Toxic Substances and Disease Registry
37	AUM	animal unit month
38	AVWS	Audio Visual Warning System
39	AWBA	Arizona Water Banking Authority
40	AWEA	American Wind Energy Association
41	AWRM	Active Water Resource Management
42	AZ DOT	Arizona Department of Transportation
43	AZDA	Arizona Department of Agriculture
44	AZGFD	Arizona Game and Fish Department
45	AZGS	Arizona Geological Survey

46

1	BA	biological assessment
2	BAP	base annual production
3	BEA	Bureau of Economic Analysis
4	BISON-M	Biota Information System of New Mexico
5	BLM	Bureau of Land Management
6	BMP	best management practice
7	BNSF	Burlington Northern Santa Fe
8	BO	biological opinion
9	BOR	U.S. Bureau of Reclamation
10	BPA	Bonneville Power Administration
11	BRAC	Blue Ribbon Advisory Council on Climate Change
12	BSE	Beacon Solar Energy
13	BSEP	Beacon Solar Energy Project
14	BTS	Bureau of Transportation Statistics
15		
16	CAA	Clean Air Act
17	CAAQS	California Air Quality Standards
18	Caltrans	California Department of Transportation
19	C-AMA	California-Arizona Maneuver Area
20	CAP	Central Arizona Project
21	CARB	California Air Resources Board
22	CAReGAP	California Regional Gap Analysis Project
23	CASQA	California Stormwater Quality Association
24	CASTNET	Clean Air Status and Trends NETwork
25	CAWA	Colorado Agricultural Water Alliance
26	CCC	Civilian Conservation Corps
27	CDC	Centers for Disease Control and Prevention
28	CDCA	California Desert Conservation Area
29	CDFG	California Department of Fish and Game
30	CDOT	Colorado Department of Transportation
31	CDOW	Colorado Division of Wildlife
32	CDPHE	Colorado Department of Public Health and Environment
33	CDWR	California Department of Water Resources
34	CEC	California Energy Commission
35	CEQ	Council on Environmental Quality
36	CES	constant elasticity of substitution
37	CESA	California Endangered Species Act
38	CESF	Carrizo Energy Solar Farm
39	CFR	<i>Code of Federal Regulations</i>
40	CGE	computable general equilibrium
41	CIRA	Cooperative Institute for Research in the Atmosphere
42	CLFR	compact linear Fresnel collector
43	CPC	Center for Plant Conservation
44	CNDDDB	California Natural Diversity Database
45	CNEL	community noise equivalent level
46	CNHP	Colorado National Heritage Program

1	Colorado DWR	Colorado Department of Water Resources
2	CPUC	California Public Utilities Commission
3	CPV	concentrating photovoltaic
4	CRBSCF	Colorado River Basin Salinity Control Forum
5	CREZ	competitive renewable energy zone
6	CRSCP	Colorado River Salinity Control Program
7	CSA	Candidate Study Area
8	CSC	Coastal Services Center
9	CSFG	carbon-sequestration fossil generation
10	CSP	concentrating solar power
11	CSQA	California Stormwater Quality Association
12	CSRI	Cultural Systems Research, Incorporated
13	CTG	combustion turbine generator
14	CTPG	California Transmission Planning Group
15	CTSR	Cumbres & Toltec Scenic Railroad
16	CUP	Conditional Use Permit
17	CVP	Central Valley Project
18	CWA	Clean Water Act
19	CWCB	Colorado Water Conservation Board
20	CWHRS	California Wildlife Habitat Relationship System
21		
22	DC	direct current
23	DHS	U.S. Department of Homeland Security
24	DNA	Determination of NEPA Adequacy
25	DNI	direct normal insulation
26	DNL	day-night average sound level
27	DoD	U.S. Department of Defense
28	DOE	U.S. Department of Energy
29	DOI	U.S. Department of the Interior
30	DOL	U.S. Department of Labor
31	DOT	U.S. Department of Transportation
32	DRECP	California Desert Renewable Energy Conservation Plan
33	DSM	demand side management
34	DTC/C-AMA	Desert Training Center/California–Arizona Maneuver Area
35	DWMA	Desert Wildlife Management Area
36		
37	EA	environmental assessment
38	ECAR	East Central Area Reliability Coordination Agreement
39	ECOS	Environmental Conservation Online System (USFWS)
40	EERE	Energy Efficiency and Renewable Energy (DOE)
41	Eg	band gap energy
42	EIA	Energy Information Administration
43	EIS	environmental impact statement
44	EISA	Energy Independence and Security Act of 2007
45	EMF	electromagnetic field
46	E.O.	Executive Order

1	EPA	U.S. Environmental Protection Agency
2	EPRI	Electric Power Research Institute
3	EQIP	Environmental Quality Incentives Program
4	ERCOT	Electric Reliability Council of Texas
5	ERO	Electric Reliability Organization
6	ERS	Economic Research Service
7	ESA	Endangered Species Act of 1973
8	ESRI	Environmental Systems Research Institute
9		
10	FAA	Federal Aviation Administration
11	FBI	Federal Bureau of Investigation
12	FEMA	Federal Emergency Management Agency
13	FERC	Federal Energy Regulatory Commission
14	FHWA	Federal Highway Administration
15	FIRM	Flood Insurance Rate Map
16	FLPMA	Federal Land Policy and Management Act of 1976
17	FONSI	Finding of No Significant Impact
18	FR	<i>Federal Register</i>
19	FRCC	Florida Reliability Coordinating Council
20	FSA	Final Staff Assessment
21	FTE	full-time equivalent
22	FY	fiscal year
23		
24	G&TM	Generation and Transmission Modeling
25	GCRP	U.S. Global Climate Research Program
26	GDA	generation development area
27	GHG	greenhouse gas
28	GIS	geographic information system
29	GPS	global positioning system
30	GTM	Generation and Transmission Model
31	GUAC	Groundwater Users Advisory Council
32	GWP	global warming potential
33		
34	HA	herd area
35	HAP	hazardous air pollutant
36	HAZCOM	hazard communication
37	HCE	heat collection element
38	HCP	Habitat Conservation Plan
39	HMA	Herd Management Area
40	HMMH	Harris Miller Miller & Hanson, Inc.
41	HRSG	heat recovery steam generator
42	HSPD	Homeland Security Presidential Directive
43	HTF	heat transfer fluid
44	HVAC	heating, ventilation, and air-conditioning
45		
46		

1	I	Interstate
2	IARC	International Agency for Research on Cancer
3	IBA	important bird area
4	ICE	internal combustion engine
5	ICWMA	Imperial County Weed Management Area
6	IEC	International Electrochemical Commission
7	IFR	instrument flight rule
8	IID	Imperial Irrigation District
9	IM	Instruction Memorandum
10	IMPS	Iron Mountain Pumping Station
11	IMS	interim mitigation strategy
12	INA	Irrigation Non-Expansion Area
13	IOP	Interagency Operating Procedure
14	IOU	investor-owned utility
15	IPPC	Intergovernmental Panel on Climate Change
16	ISA	Independent Science Advisor; Instant Study Area
17	ISB	Intermontane Seismic Belt
18	ISCC	integrated solar combined cycle
19	ISDRA	Imperial Sand Dunes Recreation Area
20	ISEGS	Ivanpah Solar Energy Generating System
21	ITP	incidental take permit
22	IUCNNR	International Union for Conservation of Nature and Natural Resources
23	IUCNP	International Union for Conservation of Nature Pakistan
24		
25	KGA	known geothermal resources area
26	KML	keyhole markup language
27	KOP	key observation point
28	KSLA	known sodium leasing area
29		
30	LCC	Landscape Conservation Cooperative
31	LCOE	levelized cost of energy
32	L _{dn}	day-night average sound level
33	LDWMA	Low Desert Weed Management Area
34	L _{eq}	equivalent sound pressure level
35	LLA	limited land available
36	LLRW	low-level radioactive waste (waste classification)
37	LRG	Lower Rio Grande
38	LSA	lake and streambed alteration
39	LSE	load-serving entity
40	LTVA	long-term visitor area
41		
42	MAAC	Mid-Atlantic Area Council
43	MAIN	Mid-Atlantic Interconnected Network
44	MAPP	methyl acetylene propadiene stabilizer; Mid-Continent Area Power Pool
45	MCAS	Marine Corps Air Station
46	MCL	maximum contaminant level

1	MFP	Management Framework Plan
2	MIG	Minnesota IMPLAN Group
3	MLA	maximum land available
4	MOA	military operating area
5	MOU	Memorandum of Understanding
6	MPDS	maximum potential development scenario
7	MRA	Multiple Resource Area
8	MRI	Midwest Research Institute
9	MRO	Midwest Reliability Organization
10	MSDS	Material Safety Data Sheet
11	MSL	mean sea level
12	MTR	military training route
13	MWA	Mojave Water Agency
14	MWD	Metropolitan Water District
15	MWMA	Mojave Weed Management Area
16		
17	NAAQS	National Ambient Air Quality Standards
18	NADP	National Atmospheric Deposition Program
19	NAGPRA	Native American Graves Protection and Repatriation Act
20	NAHC	Native American Heritage Commission (California)
21	NAIC	North American Industrial Classification System
22	NASA	National Aeronautics and Space Administration
23	NCA	National Conservation Area
24	NCCAC	Nevada Climate Change Advisory Committee
25	NCDC	National Climatic Data Center
26	NCES	National Center for Education Statistics
27	NDCNR	Nevada Department of Conservation and Natural Resources
28	NDEP	Nevada Division of Environmental Protection
29	NDOT	Nevada Department of Transportation
30	NDOW	Nevada Department of Wildlife
31	NDWP	Nevada Division of Water Planning
32	NDWR	Nevada Division of Water Resources
33	NEAP	Natural Events Action Plan
34	NEC	National Electric Code
35	NED	National Elevation Database
36	NEP	Natural Events Policy
37	NEPA	National Environmental Policy Act of 1969
38	NERC	North American Electricity Reliability Corporation
39	NHA	National Heritage Area
40	NHNM	National Heritage New Mexico
41	NHPA	National Historic Preservation Act of 1966
42	NID	National Inventory of Dams
43	NM DOT	New Mexico Department of Transportation
44	NLCS	National Landscape Conservation System
45	NMAC	<i>New Mexico Administrative Code</i>
46	NMBGMR	New Mexico Bureau of Geology and Mineral Resources

1	NMDGF	New Mexico Department of Game and Fish
2	NMED	New Mexico Environment Department
3	NMED-AQB	New Mexico Environment Department-Air Quality Board
4	NMFS	National Marine Fisheries Service
5	NMOSE	New Mexico Office of the State Engineer
6	NMSU	New Mexico State University
7	NNHP	Nevada Natural Heritage Program
8	NNL	National Natural Landmark
9	NNSA	National Nuclear Security Administration
10	NOA	Notice of Availability
11	NOAA	National Oceanic and Atmospheric Administration
12	NOI	Notice of Intent
13	NPDES	National Pollutant Discharge Elimination System
14	NP	National Park
15	NPL	National Priorities List
16	NPS	National Park Service
17	NRA	National Recreation Area
18	NRCS	Natural Resources Conservation Service
19	NREL	National Renewable Energy Laboratory
20	NRHP	<i>National Register of Historic Places</i>
21	NRS	<i>Nevada Revised Statutes</i>
22	NSC	National Safety Council
23	NSO	no surface occupancy
24	NSTC	National Science and Technology Council
25	NTS	Nevada Test Site
26	NTTR	Nevada Test and Training Range
27	NVCRS	Nevada Cultural Resources Inventory System
28	NV DOT	Nevada Department of Transportation
29	NWCC	National Wind Coordinating Committee
30	NWI	National Wetlands Inventory
31	NWPP	Northwest Power Pool
32	NWR	National Wildlife Refuge
33	NWSRS	National Scenic River System
34		
35	O&M	operation and maintenance
36	ODFW	Oregon Department of Fish and Wildlife
37	OHV	off-highway vehicle
38	ONA	Outstanding Natural Area
39	ORC	organic Rankine cycle
40	OSE/ISC	Office of the State Engineer/Interstate Stream Commission
41	OSHA	Occupational Safety and Health Administration
42	OTA	Office of Technology Assessment
43		
44	PA	Programmatic Agreement
45	PAD	Preliminary Application Document
46	PAH	polycyclic aromatic hydrocarbon

1	PAT	peer analysis tool
2	PCB	polychlorinated biphenyl
3	PCM	purchase change material
4	PCS	power conditioning system
5	PCU	power converting unit
6	PEIS	programmatic environmental impact statement
7	PFYC	potential fossil yield classification
8	PIER	Public Interest Energy Research
9	P.L.	Public Law
10	PLSS	Public Land Survey System
11	PM	particulate matter
12	PM _{2.5}	particulate matter with a mean aerodynamic diameter of 2.5 µm or less
13	PM ₁₀	particulate matter with a mean aerodynamic diameter of 10 µm or less
14	POD	plan of development
15	POU	publicly owned utility
16	PPA	Power Purchase Agreement
17	PPE	personal protective equipment
18	PSD	Prevention of Significant Deterioration
19	PURPA	Public Utility Regulatory Policy Act
20	PV	photovoltaic
21	PVID	Palo Verde Irrigation District
22	PWR	public water reserve
23		
24	QRA	qualified resource area
25		
26	R&I	relevance and importance
27	RCI	residential, commercial, and industrial (sector)
28	RCRA	Resource Conservation and Recovery Act of 1976
29	RD&D	research, development, and demonstration; research, development, and
30		deployment
31	RDBMS	Relational Database Management System
32	RDEP	Restoration Design Energy Project
33	REA	Rapid Ecoregional Assessment
34	REAT	Renewable Energy Action Team
35	REDI	Renewable Energy Development Infrastructure
36	ReEDS	Regional Energy Deployment System
37	REPG	Renewable Energy Policy Group
38	RETA	Renewable Energy Transmission Authority
39	RETAAC	Renewable Energy Transmission Access Advisory Committee
40	RETI	Renewable Energy Transmission Initiative
41	REZ	renewable energy zone
42	RF	radio frequency
43	RFC	Reliability First Corporation
44	RFDS	reasonably foreseeable development scenario
45	RGP	Rio Grande Project
46	RGWCD	Rio Grande Water Conservation District

1	RMP	Resource Management Plan
2	RMPA	Rocky Mountain Power Area
3	RMZ	Resource Management Zone
4	ROD	Record of Decision
5	ROI	region of influence
6	ROS	recreation opportunity spectrum
7	ROW	right-of-way
8	RPG	renewable portfolio goal
9	RPS	Renewable Portfolio Standard
10	RRC	Regional Reliability Council
11	RSEP	Rice Solar Energy Project
12	RSI	Renewable Systems Interconnection
13	RTTF	Renewable Transmission Task Force
14	RV	recreational vehicle
15		
16	SAAQS	State Ambient Air Quality Standards
17	SAMHSA	Substance Abuse and Mental Health Services Administration
18	SCADA	supervisory control and data acquisition
19	SCE	Southern California Edison
20	SCRMA	Special Cultural Resource Management Area
21	SDRREG	San Diego Regional Renewable Energy Group
22	SDWA	Safe Drinking Water Act of 1974
23	SEGIS	Solar Energy Grid Integration System
24	SEGS	Solar Energy Generating System
25	SEI	Sustainable Energy Ireland
26	SEIA	Solar Energy Industrial Association
27	SES	Stirling Energy Systems
28	SETP	Solar Energy Technologies Program (DOE)
29	SEZ	solar energy zone
30	SHPO	State Historic Preservation Office(r)
31	SIP	State Implementation Plan
32	SLRG	San Luis & Rio Grande
33	SMA	Special Management Area
34	SMP	suggested management practice
35	SNWA	Southern Nevada Water Authority
36	SPP	Southwest Power Pool
37	SRMA	Special Recreation Management Area
38	SSA	Socorro Seismic Anomaly
39	SSI	self-supplied industry
40	ST	solar thermal
41	STG	steam turbine generator
42	SUA	special use airspace
43	SWAT	Southwest Area Transmission
44	SWIP	Southwest Intertie Project
45	SWPPP	Stormwater Pollution Prevention Plan
46	SWReGAP	Southwest Regional Gap Analysis Project
47		

1	TAP	toxic air pollutant
2	TCC	Transmission Corridor Committee
3	TDS	total dissolved solids
4	TEPPC	Transmission Expansion Planning Policy Committee
5	TES	thermal energy storage
6	TSA	Transportation Security Administration
7	TSCA	Toxic Substances Control Act of 1976
8	TSDF	treatment, storage, and disposal facility
9	TSP	total suspended particulates
10		
11	UACD	Utah Association of Conservation Districts
12	UBWR	Utah Board of Water Resources
13	UDA	Utah Department of Agriculture
14	UDEQ	Utah Department of Environmental Quality
15	UDNR	Utah Department of Natural Resources
16	UDOT	Utah Department of Transportation
17	UDWQ	Utah Division of Water Quality
18	UDWR	Utah Division of Wildlife Resources
19	UGS	Utah Geological Survey
20	UNEP	United Nations Environmental Programme
21	UNPS	Utah Native Plant Society
22	UP	Union Pacific
23	UREZ	Utah Renewable Energy Zone
24	USACE	U.S. Army Corps of Engineers
25	USC	<i>United States Code</i>
26	USDA	U.S. Department of Agriculture
27	USFS	U.S. Forest Service
28	USFWS	U.S. Fish and Wildlife Service
29	USGS	U.S. Geological Survey
30	Utah DWR	Utah Division of Water Rights
31	UTTR	Utah Test and Training Range
32	UWS	Underground Water Storage, Savings and Replenishment Act
33		
34	VACAR	Virginia-Carolinas Subregion
35	VCRS	Visual Contrast Rating System
36	VFR	visual flight rule
37	VOC	volatile organic compound
38	VRI	Visual Resource Inventory
39	VRM	Visual Resource Management
40		
41	WA	Wilderness Area
42	WAPA	Western Area Power Administration
43	WECC	Western Electricity Coordinating Council
44	WECC CAN	Western Electricity Coordinating Council – Canada
45	WEG	wind erodibility group
46	WGA	Western Governors’ Association

1	WGFD	Wyoming Game and Fish Department
2	WHA	wildlife habitat area
3	WHO	World Health Organization
4	WRAP	Water Resources Allocation Program; Western Regional Air Partnership
5	WRCC	Western Regional Climate Center
6	WREZ	Western Renewable Energy Zones
7	WRRRI	Water Resources Research Institute
8	WSA	Wilderness Study Area
9	WSC	wildlife species of special concern
10	WSMR	White Sands Missile Range
11	WSR	Wild and Scenic River
12	WSRA	Wild and Scenic Rivers Act of 1968
13	WWII	World War II
14		
15	YPG	Yuma Proving Ground
16		
17	ZITA	zone identification and technical analysis
18	ZLD	zero liquid discharge
19		
20		

21 **CHEMICALS**

23	CH ₄	methane	NO ₂	nitrogen dioxide
24	CO	carbon monoxide	NO _x	nitrogen oxides
25	CO ₂	carbon dioxide		
26	CO _{2e}	carbon dioxide equivalent	O ₃	ozone
27				
28	H ₂ S	hydrogen sulfide	Pb	lead
29	Hg	mercury		
30			SF ₆	sulfur hexafluoride
31	N ₂ O	nitrous oxide	SO ₂	sulfur dioxide
32	NH ₃	ammonia	SO _x	sulfur oxides
33				

35 **UNITS OF MEASURE**

37	ac-ft	acre-foot (feet)	°F	degree(s) Fahrenheit
38	bhp	brake horsepower	ft	foot (feet)
39			ft ²	square foot (feet)
40	°C	degree(s) Celsius	ft ³	cubic foot (feet)
41	cf	cubic foot (feet)		
42	cfs	cubic foot (feet) per second	g	gram(s)
43	cm	centimeter(s)	gal	gallon(s)
44			GJ	gigajoule(s)
45	dB	decibel(s)	gpcd	gallon per capita per day
46	dBA	A-weighted decibel(s)	gpd	gallon(s) per day

1	gpm	gallon(s) per minute	Mgal	million gallons
2	GW	gigawatt(s)	mi	mile(s)
3	GWh	gigawatt hour(s)	mi ²	square mile(s)
4	GWh/yr	gigawatt hour(s) per year	min	minute(s)
5			mm	millimeter(s)
6	h	hour(s)	MMt	million metric ton(s)
7	ha	hectare(s)	MPa	megapascal(s)
8	Hz	hertz	mph	mile(s) per hour
9			MW	megawatt(s)
10	in.	inch(es)	MWe	megawatt(s) electric
11			MWh	megawatt-hour(s)
12	J	joule(s)		
13			ppm	part(s) per million
14	K	degree(s) Kelvin	psi	pound(s) per square inch
15	kcal	kilocalorie(s)	psia	pound(s) per square inch absolute
16	kg	kilogram(s)		
17	kHz	kilohertz	rpm	rotation(s) per minute
18	km	kilometer(s)		
19	km ²	square kilometer(s)	s	second(s)
20	kPa	kilopascal(s)	scf	standard cubic foot (feet)
21	kV	kilovolt(s)		
22	kVA	kilovolt-ampere(s)	TWh	terawatt hours
23	kW	kilowatt(s)		
24	kWh	kilowatt-hour(s)	VdB	vibration velocity decibel(s)
25	kWp	kilowatt peak		
26			W	watt(s)
27	L	liter(s)		
28	lb	pound(s)	yd ²	square yard(s)
29			yd ³	cubic yard(s)
30	m	meter(s)	yr	year(s)
31	m ²	square meter(s)		
32	m ³	cubic meter(s)	µg	microgram(s)
33	mg	milligram(s)	µm	micrometer(s)

ENGLISH/METRIC AND METRIC/ENGLISH EQUIVALENTS

The following table lists the appropriate equivalents for English and metric units.

Multiply	By	To Obtain
<i>English/Metric Equivalents</i>		
acres	0.004047	square kilometers (km ²)
acre-feet (ac-ft)	1.234	cubic meters (m ³)
cubic feet (ft ³)	0.02832	cubic meters (m ³)
cubic yards (yd ³)	0.7646	cubic meters (m ³)
degrees Fahrenheit (°F) -32	0.5555	degrees Celsius (°C)
feet (ft)	0.3048	meters (m)
gallons (gal)	3.785	liters (L)
gallons (gal)	0.003785	cubic meters (m ³)
inches (in.)	2.540	centimeters (cm)
miles (mi)	1.609	kilometers (km)
miles per hour (mph)	1.609	kilometers per hour (kph)
pounds (lb)	0.4536	kilograms (kg)
short tons (tons)	907.2	kilograms (kg)
short tons (tons)	0.9072	metric tons (t)
square feet (ft ²)	0.09290	square meters (m ²)
square yards (yd ²)	0.8361	square meters (m ²)
square miles (mi ²)	2.590	square kilometers (km ²)
yards (yd)	0.9144	meters (m)
<i>Metric/English Equivalents</i>		
centimeters (cm)	0.3937	inches (in.)
cubic meters (m ³)	0.00081	acre-feet (ac-ft)
cubic meters (m ³)	35.31	cubic feet (ft ³)
cubic meters (m ³)	1.308	cubic yards (yd ³)
cubic meters (m ³)	264.2	gallons (gal)
degrees Celsius (°C) +17.78	1.8	degrees Fahrenheit (°F)
hectares (ha)	2.471	acres
kilograms (kg)	2.205	pounds (lb)
kilograms (kg)	0.001102	short tons (tons)
kilometers (km)	0.6214	miles (mi)
kilometers per hour (kph)	0.6214	miles per hour (mph)
liters (L)	0.2642	gallons (gal)
meters (m)	3.281	feet (ft)
meters (m)	1.094	yards (yd)
metric tons (t)	1.102	short tons (tons)
square kilometers (km ²)	247.1	acres
square kilometers (km ²)	0.3861	square miles (mi ²)
square meters (m ²)	10.76	square feet (ft ²)
square meters (m ²)	1.196	square yards (yd ²)

1
2
3
4

5

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12 AFFECTED ENVIRONMENT AND IMPACT ASSESSMENT FOR**
2 **PROPOSED SOLAR ENERGY ZONES IN NEW MEXICO**

3
4
5 **12.1 AFTON**

6
7
8 **12.1.1 Background and Summary of Impacts**

9
10
11 **12.1.1.1 General Information**

12
13 The proposed Afton solar energy zone (SEZ) is located in Dona Ana County in southern
14 New Mexico, 21 mi (34 km) north of the border with Mexico and 3 mi (5 km) southeast of the
15 proposed Mason Draw SEZ (Figure 12.1.1.1-1). The SEZ has a total area of 77,623 acres
16 (314 km²). In 2008, the county population was 206,486. The towns of Las Cruces, Mesilla,
17 Mesquite, University Park, and Vado are all within a 5-mi (8-km) radius of the SEZ. Las Cruces
18 is the largest, with a population of approximately 90,000.


19
20 The nearest major road access to the SEZ is via Interstate-10 (I-10), which runs east–west
21 along the northern border of the Afton SEZ. The Burlington Northern Santa Fe (BNSF) Railroad
22 runs east of the SEZ with stops in Las Cruces, Mesilla Park, Mesquite, Vado, and Berino, all
23 within about 1 to 5 mi (1.6 to 8 km) of the SEZ. The nearest public airport is Las Cruces
24 International Airport located directly north of the SEZ and does not have regularly scheduled
25 passenger service. The nearest larger airport, the El Paso International Airport, is approximately
26 58 mi (93 km) to the southeast of the SEZ.

27
28 A 345-kV transmission line passes through the SEZ. It is assumed that this existing
29 transmission line could potentially provide access from the SEZ to the transmission grid
30 (see Section 12.1.1.1.2).

31
32 There is one right-of-way (ROW) application for a solar project within the SEZ, and one
33 ROW application for a wind project that would be located within 50 mi (80 km) of the SEZ.
34 These applications are discussed in Section 12.1.22.2.1.

35
36 The proposed Afton SEZ is undeveloped and rural. The SEZ is located in the West Mesa
37 of the Mesilla Basin bordered on the north by the Rough and Ready Hills and the Robledo
38 Mountain; on the west by the Sleeping Lady Hills, Aden Hills, and the West Potrillo Mountains;
39 and on the east by the Mesilla Valley. Land within the SEZ is undeveloped scrubland
40 characteristic of a semiarid basin.

41
42 The proposed Afton SEZ and other relevant information are shown in Figure 12.1.1.1-1.
43 The criteria used to identify the SEZ as an appropriate location for solar energy development
44 included proximity to existing transmission lines or designated corridors, proximity to existing
45 roads, a slope of generally less than 2%, and an area of more than 2,500 acres (10 km²). In



1

2 **FIGURE 12.1.1.1-1 Proposed Afton SEZ**

1 addition, the area was identified as being relatively free of other types of conflicts, such as
2 U.S. Fish and Wildlife Service (USFWS)-designated critical habitat for threatened and
3 endangered species, Areas of Critical Environmental Concern (ACECs), Special Recreation
4 Management Area (SRMAs), and National Landscape Conservation System (NLCS) lands
5 (see Section 2.2.2.2 for the complete list of exclusions). Although these classes of restricted
6 lands were excluded from the proposed Afton SEZ, other restrictions might be appropriate. The
7 analyses in the following sections evaluate the affected environment and potential impacts
8 associated with utility-scale solar energy development in the proposed SEZ for important
9 environmental, cultural, and socioeconomic resources.

10
11 As initially announced in the *Federal Register* on June 30, 2009, the proposed Afton
12 SEZ encompassed 55,810 acres (226 km²). Subsequent to the study area scoping period, the
13 boundaries of the proposed Afton SEZ were altered substantially after further observations by
14 the U.S. Department of the Interior (DOI) Bureau of Land Management (BLM) District Office
15 indicating that the additional area met all criteria for solar development. The revised SEZ is
16 approximately 21,813 acres (4 km²) larger than the original SEZ as published in June 2009.

17 18 19 **12.1.1.2 Development Assumptions for the Impact Analysis**

20
21 Maximum solar development of the Afton SEZ is assumed to be 80% of the SEZ area
22 over a period of 20 years, a maximum of 62,098 acres (251 km²). These values are shown in
23 Table 12.1.1.2-1, along with other development assumptions. Full development of the Afton SEZ
24 would allow development of facilities with an estimated total of 6,900 MW of electrical power
25 capacity if power tower, dish engine, or PV technologies were used, assuming 9 acres/MW
26 (0.04 km²/MW) of land required, and an estimated 12,420 MW of power if solar trough
27 technologies were used, assuming 5 acres/MW (0.02 km²/MW) of land required.

28
29 Availability of transmission from SEZs to load centers will be an important consideration
30 for future development in SEZs. The nearest existing transmission line is a 345-kV line that runs
31 through the SEZ. It is possible that this existing line could be used to provide access from the
32 SEZ to the transmission grid, but the 345-kV capacity of that line would be inadequate for
33 6,900 to 12,420 MW of new capacity (a 500-kV line can accommodate approximately the load
34 of one 700-MW facility). At full build-out capacity, it is clear that substantial new transmission
35 and/or upgrades of existing transmission lines would be required to bring electricity from the
36 proposed Afton SEZ to load centers; however, at this time the location and size of such new
37 transmission facilities are unknown. Generic impacts of transmission and associated
38 infrastructure construction and of line upgrades for various resources are discussed in Chapter 5.
39 Project-specific analyses would need to identify the specific impacts of new transmission
40 construction and line upgrades for any projects proposed within the SEZ.

41
42 For the purposes of analysis in the PEIS, it was assumed that the existing 345-kV
43 transmission line which passes through the SEZ could provide initial access to the transmission
44 grid, and thus no additional acreage disturbance for transmission line access was assessed.
45 Access to the existing transmission line was assumed, without additional information on whether
46 this line would be available for connection of future solar facilities. If a connecting transmission

TABLE 12.1.1.2-1 Proposed Afton SEZ—Assumed Development Acreages, Solar MW Output, Access Roads, and Transmission Line ROWs

Total Acreage and Assumed Developed Acreage (80% of Total)	Assumed Maximum SEZ Output for Various Solar Technologies	Distance to Nearest State, U.S. or Interstate Highway	Distance and Capacity of Nearest Existing Transmission Line	Area of Assumed Transmission Line ROW and Road ROW	Distance to Nearest Designated Corridor ^d
77,623 acres and 62,098 acres ^a	6,900 MW ^b and 12,420 MW ^c	I-10 0 mi ^e	0 mi and 345 kV	0 acres; 0 acres	Adjacent

- ^a To convert acres to km², multiply by 0.004047.
- ^b Maximum power output if the SEZ were fully developed using power tower, dish engine, or PV technologies, assuming 9 acres/MW (0.04 km²/MW) of land required.
- ^c Maximum power output if the SEZ were fully developed using solar trough technologies, assuming 5 acres/MW (0.02 km²/MW) of land required.
- ^d BLM-designated corridors are developed for federal land use planning purposes only and are not applicable to state-owned or privately owned land.
- ^e To convert mi to km, multiply by 1.609.

1
2
3 line were constructed in the future to connect facilities within the SEZ to a different, off-site, grid
4 location from the one assumed here, site developers would need to determine the impacts from
5 construction and operation of that line. In addition, developers would need to determine the
6 impacts of line upgrades if they are needed.

7
8 Existing road access to the proposed Afton SEZ should be adequate to support
9 construction and operation of solar facilities, because I-10 runs from east to west along the
10 northern border of the SEZ. Thus, no additional road construction outside of the SEZ is assumed
11 to be required to support solar development.

12
13
14 **12.1.1.3 Summary of Major Impacts and SEZ-Specific Design Features**

15
16 In this section, the impacts and SEZ-specific design features assessed in Sections 12.1.2
17 through 12.1.21 for the proposed Afton SEZ are summarized in tabular form. Table 12.1.1.3-1
18 is a comprehensive list of impacts discussed in these sections; the reader may reference the
19 applicable sections for detailed support of the impact assessment. Section 12.1.22 discusses
20 potential cumulative impacts from solar energy development in the proposed SEZ.

21
22 Only those design features specific to the proposed Afton SEZ are included in
23 Sections 12.1.2 through 12.1.21 and in the summary table. The detailed programmatic design
24 features for each resource area to be required under BLM’s Solar Energy Program are presented
25 in Appendix A, Section A.2.2. These programmatic design features would also be required for
26 development in this and other SEZs.

TABLE 12.1.1.3-1 Summary of Impacts of Solar Energy Development within the Proposed Afton SEZ and SEZ-Specific Design Features^a

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Lands and Realty	<p>Full development of the SEZ could disturb up to 62,098 acres (251 km²). Development of the SEZ for utility-scale solar energy production would establish a very large industrial area that would exclude many existing and potential uses of the land, perhaps in perpetuity. Utility-scale solar energy development would be a new and dominant land use in the area.</p> <p>The existing Section 368b corridor is heavily used and may need additional capacity in the future, and allowing solar facilities on both sides of the corridor development would limit the ability to add future corridor capacity.</p>	None.
Specially Designated Areas and Lands with Wilderness Characteristics	<p>Wilderness characteristics in the Aden Lava Flow would be adversely affected.</p> <p>Wilderness characteristics in the Organ Mountains, Organ Needles, Pena Blanca, Robledo Mountains, and West Potrillo Mountains/Mount Riley WSAs would be adversely affected.</p> <p>Scenic values and recreation use in the Organ/Franklin SRMA/ACEC, Robledo Mountains ACEC, in Prehistoric Trackways National Monument, Mesilla Plaza, and along the El Camino Real and the El Camino Real de Tierra Adentro would be adversely affected.</p>	<p>Pending congressional review of the BLM recommendations for wilderness designations, restricting or eliminating solar development in portions of the visible area of the SEZ within 5 mi (8 km) of the Aden Lava Flow WSA is recommended to avoid impacts on wilderness characteristics in the WSA.</p> <p>The eastern boundary of the SEZ should be restricted to the top of West Mesa to avoid the area sloping to the east, which is more highly visible to the national historic trail, Mesilla Plaza, and to the scenic byway.</p> <p>The height of solar facilities in the SEZ should be restricted to reduce the adverse impact on the specially designated areas within the viewshed of the SEZ.</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Rangeland Resources: Livestock Grazing	The grazing permits for the Black Mesa, Home Ranch, and Little Black Mountain allotments would be cancelled, and the permittees would be displaced.	None.
	The grazing permits for the Aden Hills, Corralitos Ranch, and La Mesa allotments would be reduced.	Development of range improvements to mitigate the loss of AUMs in the Aden Hills, Corralitos Ranch, and La Mesa allotments should be considered.
	A maximum of 5,841 AUMs would be lost among the six allotments.	Consideration should also be given to adding portions of the Home Ranch and Black Mesa allotments outside of, and on the southwestern side of the SEZ, to the Aden Hills and West La Mesa allotments.
Rangeland Resources: Wild Horses and Burros	None.	None.
Recreation	Areas developed for solar energy production would be closed to recreational use.	None.
	Recreation resources and use in 6 WSAs within 25 mi (40 km) of the SEZ, the Organ/Franklin SRMA/ACEC, Robledo Mountains ACEC, and the Prehistoric Trackways National Monument likely would be adversely affected and would not be completely mitigated.	The height of solar facilities in the SEZ should be restricted to reduce the adverse impact on the specially designated areas within the viewshed of the SEZ.
Military and Civilian Aviation	<i>Military airspace</i>	None.
	<i>Civilian aviation facilities</i>	Because Las Cruces International Airport is within 3 mi (4.8 km) of the SEZ, project developers must provide necessary safety restriction information to the FAA addressing required distances from flight paths, hazard lighting of facilities, impacts on radar performance, and other requirements.

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Geologic Setting and Soil Resources	Impacts on soil resources would occur mainly as a result of ground-disturbing activities (e.g., grading, excavating, and drilling), especially during the construction phase. Impacts include soil compaction, soil horizon mixing, soil erosion and deposition by wind, soil erosion by water and surface runoff, sedimentation, and soil contamination. These impacts may be impacting factors for other resources (e.g., air quality, water quality, and vegetation).	None.
Minerals (fluids, solids, and geothermal resources)	None.	None.
Water Resources	<p>Ground-disturbance activities (affecting 11.6% of the total area in the peak construction year) could affect surface water quality due to surface runoff, sediment erosion, and contaminant spills.</p> <p>Construction activities may require up to 5,372 ac-ft (6.6 million m³) of water during the peak construction year.</p> <p>Construction activities would generate as high as 222 ac-ft (274,000 m³) of sanitary wastewater.</p> <p>Assuming full development of the SEZ, operations would use the following amounts of water:</p> <ul style="list-style-type: none"> For parabolic trough facilities (12,420-MW capacity), 8,868 to 18,804 ac-ft/yr (10.9 million to 23.2 million m³/yr) for dry-cooled systems; 62,272 to 186,469 ac-ft/yr (76.8 million to 230 million m³/yr) for wet-cooled systems. 	<p>Water resource analysis indicates that wet-cooling and dry-cooling options would not be feasible; other technologies should incorporate water conservation measures.</p> <p>Land-disturbance activities should minimize impacts on ephemeral streams located within the proposed SEZ.</p> <p>Siting of solar facilities and construction activities should avoid the areas identified as within a 100-year floodplain that total 1,654 acres (6.7 km²) within the proposed SEZ.</p> <p>Groundwater management/rights should be coordinated with the NMOSE with respect to the Lower Rio Grande AWRM priority basin.</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
<p>Water Resources (Cont.)</p>	<ul style="list-style-type: none"> • For power tower facilities (6,900-MW capacity), 4,907 to 10,427 ac-ft/yr (6.1 million to 12.9 million m³/yr) for dry-cooled systems; 34,576 to 103,575 ac-ft/yr (42.6 million to 128 million m³/yr) for wet-cooled systems. • For dish engine facilities (6,900-MW capacity), 3,527 ac-ft/yr (4.4 million m³/yr). • For PV facilities (6,900-MW capacity), 353 ac-ft/yr (435,000 m³/yr). Assuming full development of the SEZ, operations would generate up to 174 ac-ft/yr (215,000 m³/yr) of sanitary wastewater, and as much as 3,528 ac-ft/yr (4.4 million m³/yr) of blowdown water. 	<p>Groundwater monitoring and production wells should be constructed in accordance with state standards.</p> <p>Stormwater management BMPs should be implemented according to the guidance provided by the New Mexico Environment Department.</p> <p>Water for potable uses would have to meet or be treated to meet water quality standards as defined by the EPA.</p>
<p>Vegetation^b</p>	<p>Approximately 80% of the SEZ (62,098 acres [251 km²]) would be cleared of vegetation with full development of the SEZ; dune habitats would likely be affected; re-establishment of plant communities in disturbed areas would likely be very difficult because of the arid conditions.</p> <p>Indirect effects outside the SEZ boundaries would have the potential to degrade affected plant communities and may reduce biodiversity by promoting the decline or elimination of species sensitive to disturbance.</p> <p>Noxious weeds could become established in disturbed areas and colonize adjacent undisturbed habitats, thus reducing restoration success and potentially resulting in widespread habitat degradation.</p> <p>Grading could result in direct impacts on the wetlands within the SEZ and could potentially alter wetland plant communities and affect wetland function. In addition, project-related reductions in groundwater inflows to wetlands inside and outside the SEZ could alter wetland hydrologic</p>	<p>An Integrated Vegetation Management Plan, addressing invasive species control, and an Ecological Resources Mitigation and Monitoring Plan, addressing habitat restoration, should be approved and implemented to increase the potential for successful restoration of desert scrub, dune, steppe, grassland communities, and other affected habitats, and minimize the potential for the spread of invasive species. Invasive species control should focus on biological and mechanical methods where possible to reduce the use of herbicides.</p> <p>All wetland, dry wash, playa, riparian, succulent, and dune communities within the SEZ should be avoided to the extent practicable, and any impacts minimized and mitigated. Any yucca, agave, ocotillo, cacti (including <i>Opuntia</i> spp., <i>Cylindropuntia</i> spp., and <i>Echinocactus</i> spp.) and other succulent plant species</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Vegetation ^b (Cont.)	<p>characteristics and plant communities. Grading could affect dry wash, dry wash woodland, and riparian communities within the SEZ. Alteration of surface drainage patterns or hydrology could adversely affect downstream communities.</p>	<p>that cannot be avoided should be salvaged. A buffer area should be maintained around wetland, dry wash, playa, and riparian habitats to reduce the potential for impacts.</p> <p>Appropriate engineering controls should be used to minimize impacts on wetland, dry wash, playa and riparian habitats, including downstream occurrences, resulting from surface water runoff, erosion, sedimentation, altered hydrology, accidental spills, or fugitive dust deposition to these habitats. Appropriate buffers and engineering controls would be determined through agency consultation.</p> <p>Groundwater withdrawals should be limited to reduce the potential for indirect impacts on groundwater-dependent communities, such as wetland or riparian communities associated with the Rio Grande floodplain.</p>
Wildlife: Amphibians and Reptiles ^b	<p>Direct impacts on representative amphibian and reptile species from SEZ development would be moderate (i.e., loss of >1.0 to ≤10% of potentially suitable habitats) for the red-spotted toad, long-nosed leopard lizard, western whiptail, common kingsnake, glossy snake, gophersnake, groundsnake, western diamond-backed snake, and western rattlesnake and small (i.e., loss of ≤1% of potentially suitable habitats) for all other representative amphibian and reptile species. With implementation of design features, indirect impacts would be expected to be negligible for all amphibian and reptile species.</p>	<p>Wash, riparian, playa, rock outcrop, and wetland habitats, which could provide more unique habitats for some amphibian and reptile species, should be avoided.</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Wildlife: Birds ^b	<p>Direct impacts on representative bird species would be moderate (i.e., loss of >1.0 to ≤10% of potentially suitable habitats) for the ash-throated flycatcher, common raven, greater roadrunner, lesser nighthawk, loggerhead shrike, phainopepla, sage sparrow, Scott's oriole, great horned owl, prairie falcon, turkey vulture, mourning dove, and wild turkey and small (i.e., loss of ≤1% of potentially suitable habitats) for all other representative bird species.</p> <p>Other impacts on birds could result from collision with vehicles and infrastructure (e.g., buildings and fences), surface water and sediment runoff from disturbed areas, fugitive dust generated by project activities, noise, lighting, spread of invasive species, accidental spills, and harassment.</p>	<p>The requirements contained within the 2010 Memorandum of Understanding between the BLM and USFWS to promote the conservation of migratory birds will be followed.</p> <p>Take of golden eagles and other raptors should be avoided. Mitigation regarding the golden eagle should be developed in consultation with the USFWS and the NMDGF. A permit may be required under the Bald and Golden Eagle Protection Act.</p> <p>Wash, riparian, playa, rock outcrop, and wetland habitats, which could provide more unique habitats for some bird species, should be avoided.</p>
Wildlife: Mammals ^b	<p>Direct impacts on representative mammal species would be moderate (i.e., loss of >1.0 to ≤10% of potentially suitable habitats) for the cougar, mule deer, coyote, desert cottontail, gray fox, kit fox, striped skunk, deer mouse, Merriam's kangaroo rat, northern grasshopper mouse, Ord's kangaroo rat, round-tailed ground squirrel, southern plains woodrat, and spotted ground squirrel. Loss of potentially suitable habitats for the other representative mammal species would be small (i.e., loss of ≤1% of potentially suitable habitats).</p> <p>Other impacts on mammals could result from collision with vehicles and infrastructure (e.g., fences), surface water and sediment runoff from disturbed areas, fugitive dust generated by project activities, noise, lighting, spread of invasive species, accidental spills, and harassment.</p>	<p>The fencing around the solar energy development should not block the free movement of mammals, particularly big game species.</p> <p>Playa, wash, wetland, and rock outcrop habitats should be avoided.</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Wildlife: Mammals ^b (Cont.)	<p>Other impacts on mammals could result from collision with vehicles and infrastructure (e.g., fences), surface water and sediment runoff from disturbed areas, fugitive dust generated by project activities, noise, lighting, spread of invasive species, accidental spills, and harassment.</p> <p>Indirect impacts on areas outside the SEZ (e.g., impacts caused by dust generation, erosion, and sedimentation) are expected to be negligible with implementation of design features.</p>	
Aquatic Biota	<p>No intermittent or perennial streams, water bodies, or springs are present on the proposed Afton SEZ. There are 20 wetlands present in the Afton SEZ, but they are ephemeral and do not contain aquatic habitat, although they may contain aquatic organisms for brief periods. More detailed information is required to determine the ecological significance of these ponds and to assess the impacts of solar energy development on these features. The Rio Grande River and associated canals and wetlands are located within the area of indirect effects associated with the SEZ. Disturbance of land areas within the SEZ for solar energy facilities could increase the transport of soil into the Rio Grande River and associated wetlands via airborne pathways, potentially increasing turbidity. There is the potential that groundwater withdrawals could reduce surface water levels in streams and wetlands outside of the proposed SEZ. Because of the lack of perennial or intermittent stream connections between the SEZ and the Rio Grande River and associated canals, the potential for introducing contaminants would be small.</p>	<p>Appropriate engineering controls should be implemented to minimize the amount of surface water runoff and fugitive dust that reaches the Rio Grande River and associated wetlands and canals.</p> <p>Wetlands and streams located within the SEZ should be avoided to the extent practicable.</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Special Status Species ^b	<p>A total of 35 special status species could occur in the affected area of the Afton SEZ (area of direct effects within SEZ and area of indirect effects up to 5 mi [8 km] beyond SEZ boundary), based on recorded occurrences or the presence of potentially suitable habitat in the area (Table 12.1.12.1-1). Based on NHNM records and information provided by the BLM Las Cruces District Office, occurrences of six of those species are known to intersect the affected area of the Afton SEZ: sand prickly-pear cactus, smallmouth buffalo, Texas horned lizard, eastern bluebird, fringed myotis, and Townsend’s big-eared bat.</p>	<p>Pre-disturbance surveys should be conducted within the area of direct effects to determine the presence and abundance of special status species. Disturbance to occupied habitats for these species should be avoided or minimized to the extent practicable. If avoiding or minimizing impacts on occupied habitats is not possible for some species, translocation of individuals from areas of direct effect, or compensatory mitigation of direct effects on occupied habitats, could reduce impacts. A comprehensive mitigation strategy for special status species that used one or more of these options to offset the impacts of development should be developed in coordination with the appropriate federal and state agencies.</p> <p>Consultation with the USFWS and NMDGF should be conducted to address the potential for impacts on the following species currently listed as endangered under the ESA: Sneed’s pincushion cactus and northern aplomado falcon. Consultation would identify an appropriate survey protocol, avoidance and minimization measures, and, if appropriate, reasonable and prudent alternatives, reasonable and prudent measures, and terms and conditions for incidental take statements.</p> <p>Coordination with the USFWS and NMDGF should be conducted to address the potential for impacts on the western yellow-billed cuckoo, a candidate species for listing under the ESA. Coordination would identify an appropriate survey protocol, and mitigation, which may include avoidance, minimization, translocation, or compensation.</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Special Status Species ^a (Cont.)		<p>Avoiding or minimizing disturbance to desert grasslands, sand dune habitat and sand transport systems, rocky slopes, cliffs, and outcrops on the SEZ could reduce or eliminate impacts on 18 special status species.</p> <p>Harassment or disturbance of special status species and their habitats in the affected area should be mitigated. This can be accomplished by identifying any additional sensitive areas and implementing necessary protection measures based upon consultation with the USFWS and NMDGF.</p>
Air Quality and Climate	<p><i>Construction:</i> Temporary exceedances of AAQS for 24-hour and annual PM₁₀ and PM_{2.5} concentration levels at the SEZ boundaries and in the immediate surrounding area, including the closest residences adjacent to the northeastern SEZ boundary. Higher concentrations would be limited to the immediate area surrounding the SEZ boundary and would decrease quickly with distance. Modeling indicates that emissions from construction activities are not anticipated to exceed Class I PSD PM₁₀ increments at the nearest federal Class I area (Gila WA). In addition, construction emissions (primarily NO_x emissions) from the engine exhaust from heavy equipment and vehicles has the potential to affect AQRVs (e.g., visibility and acid deposition) at the nearest federal Class I area.</p> <p><i>Operations:</i> Positive impact due to avoided emission of air pollutants from combustion-related power generation: 35 to 64% of total emissions of SO₂, NO_x, Hg, and CO₂ from electric power systems in the state of New Mexico avoided (up to 19,527 tons/yr SO₂, 48,585 tons/yr NO_x, 0.71 ton/yr Hg, and 21,653,000 tons/yr CO₂).</p>	None.

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Visual Resources	<p>The SEZ is in an area of low scenic quality, with cultural disturbances already present. Residents, workers, and visitors to the area may experience visual impacts from solar energy facilities located within the SEZ (as well as any associated access roads and transmission lines) as they travel area roads.</p> <p>Solar development could produce large visual impacts on the SEZ and surrounding lands within the SEZ viewshed due to major modification of the character of the existing landscape.</p> <p>The SEZ is located 6.2 mi (10.0 km) from Prehistoric Trackways National Monument. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by visitors.</p> <p>The SEZ is located 1.4 mi (2.3 km) from the Aden Lava Flow WSA. Because of the open views of the SEZ and its close proximity to the WSA, strong visual contrasts could be observed by WSA visitors.</p> <p>The SEZ is located 14.7 mi (23.7 km) from Organ Mountains WSA. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by WSA visitors.</p> <p>The SEZ is located 13.3 mi (21.4 km) from Organ Needles WSA. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by WSA visitors.</p> <p>The SEZ is located 12.9 mi (20.8 km) from the Pena Blanca WSA. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by WSA visitors.</p>	<p>Within the SEZ, in areas east of a line between the northwest corner of Section 5 of Township 024S Range 001E extending through and beyond the southeast corner of Section 24 of Township 025S Range 001E, visual impacts associated with solar energy development in the SEZ should be consistent with VRM Class II management objectives, as determined from KOPs to be selected by the BLM within the Mesilla Valley west of a line 0.25 mi (0.4 km) east of I-10 (for KOPs south of the I-10–I-25 interchange) or I-25 (for KOPs north of the I-10–I-25 interchange), and east of the toe of the slope of West Mesa.</p> <p>Within the SEZ, the height of power towers should be restricted such that the receiver and any navigation hazard lighting would not be directly visible from points within the Mesilla Valley west of a line 0.25 mi (0.4 km) east of I-10 (for points south of the I-10–I-25 interchange) or I-25 (for points north of the I-10–I-25 interchange), and east of the toe of the slope of West Mesa.</p> <p>Within the SEZ, in areas visible from and within 3 mi (5 km) of the Aden Lava Flow WSA, visual impacts associated with solar energy project operation should be consistent with VRM Class II management objectives, as determined from KOPs to be selected by the BLM within the WSA, and in areas visible from between 3 and 5 mi (5 and 8 km), visual impacts should be consistent with VRM Class III management objectives.</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Visual Resources (Cont.)	<p>The SEZ is located 8.3 mi (13.4 km) from the Robledo Mountains WSA. Because of the open views of the SEZ and elevated viewpoints, strong visual contrasts could be observed by WSA visitors.</p> <p>The SEZ is located 5.7 mi (9.2 km) from the West Potrillo Mountains/Mt. Riley WSA. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by WSA visitors.</p> <p>The SEZ is adjacent to the Aden Hills SRMA. Because of the open views of the SEZ, very strong visual contrasts could be observed by SRMA visitors.</p> <p>The SEZ is located 10.3 mi (16.6 km) from the Dona Ana Mountains SRMA. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by SRMA visitors.</p> <p>The SEZ is located 6.1 mi (9.8 km) from the Organ/Franklin Mountains SRMA. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by SRMA visitors.</p> <p>The SEZ is located 12.9 mi (20.8 km) from the Dona Ana Mountains ACEC. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by ACEC visitors.</p> <p>The SEZ is located 6.1 mi (9.8 km) from Organ/Franklin Mountains ACEC. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by ACEC visitors.</p> <p>The SEZ is located 8.5 mi (13.6 km) from the Robledo Mountains ACEC. Because of the open views of the SEZ and elevated viewpoints, moderate to strong visual contrasts could be observed by ACEC visitors.</p>	

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Visual Resources (Cont.)	<p>The SEZ is located 2.7 mi (4.4 km) from the Mesilla Plaza NHL. Because of the open views of the SEZ along the rim of West Mesa, the elevated position of the SEZ with respect to the NHL, and the close proximity of the SEZ to the NHL, moderate to strong visual contrasts could be observed by NHL visitors.</p> <p>The SEZ is located 9.3 mi (15.0 km) from the Kilbourne Hole NNL. Because of the open views of the SEZ, moderate to strong visual contrasts could be observed by NNL visitors.</p> <p>Approximately 40 mi (64 km) of the El Camino Real de Tierra Adentro National Historic Trail are within the SEZ viewshed. Because of the open views of the SEZ along the rim of West Mesa, and the elevated position of the SEZ with respect to the trail, strong visual contrasts would be expected for some viewpoints on the trail.</p> <p>Approximately 48 mi (77 km) of the El Camino Real National Scenic Byway are within the SEZ viewshed. Because of the open views of the SEZ along the rim of West Mesa, and the elevated position of the SEZ with respect to the byway, strong visual contrasts would be expected for some viewpoints on the byway.</p> <p>Approximately 15 mi (24 km) of the Butterfield Trail are within the SEZ viewshed. Moderate visual contrast would be expected for some viewpoints on the Trail.</p> <p>Approximately 81 mi (130 km) of I-10 are within the SEZ viewshed. Because of the open views of the SEZ along the rim of West Mesa, and the elevated position of the SEZ with respect to the Mesilla Valley, as well as the close proximity of I-10 to the SEZ on West Mesa, strong visual contrast would be expected for some viewpoints on the I-10.</p>	

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Visual Resources (Cont.)	<p>Approximately 23 mi (37 km) of I-25 are within the SEZ viewshed. Because of the open views of the SEZ along the rim of West Mesa, and the elevated position of the SEZ with respect to the Mesilla Valley, strong visual contrast would be expected for some viewpoints on the I-25.</p> <p>Approximately 22 mi (35 km) of U.S. 70 (east of its junction with I-10) are within the SEZ viewshed. Moderate to strong visual contrasts would be expected for some viewpoints on the U.S. 70, east of its junction with I-10.</p> <p>The communities of Las Cruces, University Park, Mesilla (and smaller immediately surrounding communities), Dona Ana, Radium Springs, Organ, Spaceport City, San Miguel, La Mesa, La Union, Mesquite, Vado, Chamberino, Berino, Anthony, and El Paso (Texas) are located within the viewshed of the SEZ, although slight variations in topography and vegetation could provide some screening. Because of the open views of the SEZ along the rim of West Mesa, and the elevated position of the SEZ with respect to the Mesilla Valley, moderate or strong visual contrasts could be observed within Las Cruces, University Park, Mesilla and immediately surrounding communities; San Miguel; La Mesa; Mesquite; Vado; Berino; Dona Ana; and Anthony. Weak visual contrasts could be observed within the other communities.</p>	<p>Noise levels from cooling systems equipped with TES should be managed so that levels at the nearby residences to the northeastern or southeastern SEZ boundary are kept within applicable guidelines. This could be accomplished in several ways, for example, through placing the power block approximately 1 to 2 mi (1.6 to 3 km) or more from residences, limiting operations to a few hours after sunset, and/or installing fan silencers.</p>
Acoustic Environment	<p><i>Construction.</i> For construction of a solar facility located near the northeastern SEZ boundary, estimated noise levels at the nearest residences (next to the northeastern SEZ boundary) would be about 74 dBA, which is well above the typical daytime mean rural background level of 40 dBA. In addition, an estimated 70 dBA L_{dn} at these residences is well above the EPA guidance of 55 dBA L_{dn} for residential areas.</p>	<p>Noise levels from cooling systems equipped with TES should be managed so that levels at the nearby residences to the northeastern or southeastern SEZ boundary are kept within applicable guidelines. This could be accomplished in several ways, for example, through placing the power block approximately 1 to 2 mi (1.6 to 3 km) or more from residences, limiting operations to a few hours after sunset, and/or installing fan silencers.</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Acoustic Environment (Cont.)	<p><i>Operations.</i> For operation of a parabolic trough or power tower facility located near the northeastern SEZ boundary, the predicted noise level would be about 51 dBA at the nearest residences, which is higher than the typical daytime mean rural background level of 40 dBA. If the operation were limited to daytime, 12 hours only, a noise level of about 49 dBA L_{dn} would be estimated for the nearest residences, which is below the EPA guideline of 55 dBA L_{dn} for residential areas. However, in the case of 6-hour TES, the estimated nighttime noise level at the nearest residences would be 61 dBA, which is well above the typical nighttime mean rural background level of 30 dBA. The day-night average noise level is estimated to be about 63 dBA L_{dn}, which is above the EPA guideline of 55 dBA L_{dn} for residential areas.</p> <p>If 80% of the SEZ were developed with dish engine facilities, the estimated noise level at the nearest residences would be about 58 dBA, which is well above the typical daytime mean rural background level of 40 dBA. On the basis of 12-hour daytime operation, the estimated 55 dBA L_{dn} at these residences would be equivalent to the EPA guideline of 55 dBA L_{dn} for residential areas.</p>	Dish engine facilities within the Afton SEZ should be located more than 1 to 2 mi (1.6 to 3 km) from the nearby residences (i.e., the facilities would be located anywhere within the SEZ, except the northeastern and southeastern portions of the proposed SEZ). Direct noise control measures applied to individual dish engine systems could also be used to reduce noise impacts at nearby residences.
Paleontological Resources	The potential for impacts on significant paleontological resources in the proposed Afton SEZ is relatively high, especially in the eastern portions of the SEZ along the edge of the mesa. A paleontological survey will be needed for the PFYC Class 4/5 areas.	The need for and the nature of any SEZ-specific design features would depend on the results of future paleontological investigations. Avoidance of the eastern edge of the SEZ may be warranted if a paleontological survey results in findings similar to those known south of the SEZ.

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Cultural Resources	<p>Direct impacts on significant cultural resources could occur in the proposed Afton SEZ, especially in dune areas and areas close to the Mesilla Valley; however, further investigation is needed. A cultural resources survey of the entire area of potential effects of any project proposed would first need to be conducted to identify archaeological sites, historic structures and features, and traditional cultural properties, and an evaluation would need to follow to determine whether any are eligible for listing in the NRHP.</p> <p>Visual impacts on two trail systems, including a National Historic Trail, would occur. The trails would need to be evaluated for high potential segments to determine the level of impact. Visual impacts would also occur on a National Historic Landmark (Mesilla Plaza).</p>	<p>SEZ-specific design features would be determined during consultations with the New Mexico SHPO and affected Tribes and would depend on the results of future investigations. Coordination with trails associations and historical societies regarding impacts on El Camino Real de Tierra Adentro, the Butterfield Trail, and Mesilla Plaza, as well as other NRHP-listed properties is also recommended.</p>
Native American Concerns	<p>The proposed Afton SEZ falls primarily within the traditional use area of the Chiricahua Apache and elements of the Pueblo of Ysleta del Sur. The SEZ supports plants and habitat of animals traditionally important to these Tribes; however, these plants and habitats are abundant in surrounding areas. The adjacent Florida and Potrillo Mountains were home bases for some Chiricahua groups. Views from these mountains may be of cultural importance. The Pueblo of Ysleta del Sur has expressed a wish to be informed if human burials or other NAGPRA objects are encountered during development of the SEZ.</p>	<p>The need for and nature of SEZ-specific design features would be determined during government-to-government consultation with the affected Tribes.</p>

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Socioeconomics	<p><i>Livestock grazing:</i> Construction and operation of solar facilities could decrease the amount of land available for livestock grazing in the SEZ, resulting in the loss of 102 jobs (total) and \$1.9 million (total) in income in the ROI.</p> <p><i>Construction:</i> A total 1,210 to 16,022 jobs would be added; ROI income would increase by \$66.7 million to \$883.4 million.</p> <p><i>Operations:</i> A total of 192 to 4,513 annual jobs would be added; ROI income would increase by \$6.2 million to \$155.2 million.</p>	
Environmental Justice	<p>There are minority populations, as defined by CEQ guidelines, within the 50-mi (80-km) radius around the boundary of the SEZ. Therefore, any adverse impacts of solar projects, although likely to be small, could disproportionately affect minority populations.</p>	None.
Transportation	<p>The primary transportation impacts are anticipated to be from commuting worker traffic. I-10 provides a regional traffic corridor that would experience small impacts for single projects that may have up to 1,000 workers each day, with an additional 2,000 vehicle trips per day (maximum). Such an increase in approximately 10% of the current traffic on I-10. However, the exits on I-10 might experience moderate impacts with some congestion. State Routes 28 or 478 could experience increased traffic flows and require potential road improvements, depending on the location of site access roads and the percentage of worker commuter traffic using those routes.</p>	None.

TABLE 12.1.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Afton SEZ	SEZ-Specific Design Features
Transportation <i>(Cont.)</i>	If construction of up to three large projects were to occur over the same period of time, there could be up to 6,000 additional vehicle trips per day, assuming no ride-sharing or other mitigation measures. If all site access were from I-10, this would result in a about a 35% increase in traffic on I-10 near the northern border of the SEZ. Such an increase could have a moderate impact on traffic flow during peak commute times.	

Abbreviations: AAQS = ambient air quality standards; ACEC = Area of Critical Environmental Concern; AQRV = Air Quality Related Value; AUM = animal unit month; AWRM = Active Water Resource Management; BLM = Bureau of Land Management; BMP = best management practice; CEQ = Council on Environmental Quality; CO₂ = carbon dioxide; dBA = A-weighted decibel; EPA = U.S. Environmental Protection Agency; ESA = Endangered Species Act; FAA = Federal Aviation Administration; Hg = mercury; KOP = key observation point; L_{dn} = day-night average sound level; NAGPRA = Native American Graves Protection and Repatriation Act; NHL = National Historic Landmark; NHNM = Natural Heritage New Mexico; NMDGF = New Mexico Department of Game and Fish; NMOSE = New Mexico Office of the State Engineer; NNL = National Natural Landmark; NO_x = nitrogen oxides; NRHP = *National Register of Historic Places*; PFYC = potential fossil yield classification; PM_{2.5} = particulate matter with an aerodynamic diameter of 2.5 µm or less; PM₁₀ = particulate matter with an aerodynamic diameter of 10 µm or less; PSD = prevention of significant deterioration; PV= photovoltaic; ROI = region of influence; SEZ = solar energy zone; SHPO = State Historic Preservation Office; SO₂ = sulfur dioxide; SRMA = Special Recreation Management Area; TES = thermal energy storage; USFWS = U.S. Fish and Wildlife Service; VRM = Visual Resource Management; WA = Wilderness Area; WSA = Wilderness Study Area.

- ^a The detailed programmatic design features for each resource area to be required under BLM’s Solar Energy Program are presented in Appendix A, Section A.2.2. These programmatic design features would be required for development in the proposed Afton SEZ.
- ^b The scientific names of all plants, wildlife, aquatic biota, and special status species are provided in Sections 12.1.10 through 12.1.12.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

This page intentionally left blank.

1 **12.1.2 Lands and Realty**

2
3
4 **12.1.2.1 Affected Environment**

5
6 The proposed Afton SEZ is large, rural, and generally undeveloped area located about
7 7 mi (11 km) west of Las Cruces, New Mexico. The SEZ is bordered on the north by several
8 industrial facilities located on private lands fronting on I-10. There is a county juvenile detention
9 facility in the north-central portion of the area and a state prison located on BLM-administered
10 lands near the northwestern corner of the area. Combined with these developments, the presence
11 of I-10 and interstate highway interchange, and the location of the Las Cruces Municipal Airport
12 3 mi (4.8 km) to the north, the general area along the northern border of the SEZ has an
13 industrial character. There are several natural gas pipelines, water wells and pipelines, electric
14 transmission lines, and a flood control project on public lands within the SEZ.

15
16 In the very southern portion of the SEZ, there is a 3,500-ft (1,067-m) wide multi-modal
17 368b transmission corridor that crosses the SEZ in a northwest-southeast direction, which
18 contains numerous gas pipeline ROWs, a fiber optic line, and a county road. The county road
19 transitions from a dirt road on the west side of the area to an asphalt road in the southeastern
20 portion of the area. Just north of this corridor is a 345-kV power line and there are numerous
21 additional powerline ROWs in the southern portion of the SEZ. There is a gas-fired electric
22 generating station and a natural gas pumping station in the southeastern portion of the area on
23 BLM-administered land in the study area. Just north of these facilities on state land is a very tall
24 communications tower. Ranch buildings and facilities are found in two locations on private lands
25 surrounded by the SEZ in the southern portion of the SEZ. There are approximately 18,128 acres
26 (73 km²) of state lands interspersed among and adjacent to the BLM-administered public lands
27 within the SEZ. The interior of the SEZ is accessible via several dirt/gravel roads and four
28 county roads. There are two natural gas pipelines that cross the SEZ in a northeasterly direction
29 that also have roads associated with them.

30
31 As of February 2010, there was one ROW application for a solar energy facility utilizing
32 concentrating solar trough technology within the SEZ (see Section 12.1.22.2).

33
34
35 **12.1.2.2 Impacts**

36
37
38 **12.1.2.2.1 Construction and Operations**

39
40 Full development of the proposed Afton SEZ could disturb up to 62,098 acres (251 km²)
41 of BLM-administered lands (Table 12.1.1.2-1) and would establish a very large industrial area
42 that would exclude many existing and potential uses of the land, perhaps in perpetuity. Although
43 there is industrial development along the northern border of the SEZ and extensive ROW
44 development in the southern portion of the SEZ, since the SEZ is so large, the overall appearance
45 of the SEZ is rural and undeveloped, and utility-scale solar energy development would be a new
46 and discordant land use in the area. It also is possible that the 18,128 acres (73 km²) of state

1 lands located within and adjacent to the SEZ would be developed in the same or a
2 complementary manner as the public lands. Development of industrial or support activities
3 could also be induced on private and additional state lands near the SEZ.
4

5 Current ROW authorizations in the SEZ would not be affected by solar energy
6 development, since they are prior rights. The existing ROWs do remove land from potential
7 solar development within the SEZ. Should the proposed SEZ be identified as an SEZ in the
8 Record of Decision (ROD) for this PEIS, the BLM would still have discretion to authorize
9 additional ROWs in the area until solar energy development was authorized, and then future
10 ROWs would be subject to the rights granted for solar energy development. It is not anticipated
11 that approval of solar energy development within the SEZ would have a significant impact on the
12 amount of public lands available for future ROWs near the area.
13

14 The designated Section 368 transmission corridor in the southern portion of the SEZ
15 occupies about 5,216 acres (21 km²) and would limit solar development in the SEZ, because, to
16 avoid technical or operational interference between transmission and solar energy facilities, solar
17 facilities cannot be constructed under transmission lines or over pipelines. Additionally, this
18 corridor is already heavily used and may need additional capacity in the future, and allowing
19 solar facility development on both sides of the corridor development would limit the ability to
20 add future corridor capacity. Transmission capacity is becoming a more critical factor, and
21 constraining future corridor capacity in this SEZ may have future, but currently unknown,
22 consequences.
23
24

25 ***12.1.2.2.2 Transmission Facilities and Other Off-Site Infrastructure*** 26

27 An existing 345-kV transmission line runs through the SEZ; this line might be available
28 to transport the power produced in this SEZ. Establishing a connection to the existing line would
29 not involve the construction of a new transmission line outside of the SEZ. If a connecting
30 transmission line were constructed in a different location outside of the SEZ in the future, site
31 developers would need to determine the impacts from construction and operation of that line. In
32 addition, developers would need to determine the impacts of line upgrades if they were needed.
33

34 Road access to the SEZ is readily available from the I-10 interchange in the northern
35 portion of the SEZ, so it is anticipated there would be no additional land disturbance outside the
36 SEZ associated with road construction to provide access to the SEZ.
37

38 Roads and power collection lines would be constructed within the SEZ as part of the
39 development of the area.
40
41

1
2
3
4
5
6

12.1.2.3 SEZ-Specific Design Features and Design Feature Effectiveness

No SEZ-specific design features were identified. Implementing the programmatic design features described in Appendix A, Section A.2.2, as required under BLM’s Solar Energy Program would provide adequate mitigation for identified impacts.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

This page intentionally left blank.

12.1.3 Specially Designated Areas and Lands with Wilderness Characteristics

12.1.3.1 Affected Environment

There are 19 specially designated areas within 25 mi (40 km) of the proposed Afton SEZ that potentially could be affected by solar energy development within the SEZ, principally from impacts on scenic, recreation, and/or wilderness resources. Largely because of the proximity to the Las Cruces area, recreation use of many of these specially designated areas is an important attribute. Several of these areas overlap one another in various degrees; for example, the Organ/Franklin Mountains ACEC also is classified as a Special Recreation Management Area (SRMA), and contains three Wilderness Study Areas (WSAs). There are three ACECs—Los Tules, San Diego Mountain, and Uvas Valley—within 25 mi (40 km) of the SEZ that are not considered in this analysis, because they were designated to protect either cultural or biological resources and do not have a scenic component in their designation. Additionally, it is not anticipated that these areas would experience visitation impacts associated with SEZ development. The ACECs included below all have scenic values as one of the components supporting the designation (BLM 1993). The areas include (see Figure 12.1.3.1-1) the following:

- Wilderness Study Areas (WSAs)
 - Aden Lava Flow
 - Las Uvas Mountains
 - Organ Mountains
 - Organ Needles
 - Pena Blanca
 - Robledo Mountains
 - West Potrillo Mountains/Mt. Riley
- Areas of Critical Environmental Concern (ACEC)
 - Dona Ana Mountains
 - Organ/Franklin Mountains
 - Robledo Mountains
- Special Recreation Management Areas (SRMAs)
 - Aden Hills off-highway vehicle (OHV) Area
 - Butterfield Trail
 - Dona Ana Mountains
 - Organ/Franklin Mountains
- National Monument
 - Prehistoric Trackways
- National Natural Landmark
 - Kilbourne Hole




FIGURE 12.1.3.1-1 Specially Designated Areas in the Vicinity of the Proposed Afton SEZ

- 1 • National historic Landmark
- 2 – Mesilla Plaza
- 3
- 4 • National Historic Trail/Scenic Byway
- 5 – El Camino Real de Tierra Adentro
- 6 – El Camino Real de Tierra Adentro National Scenic Byway
- 7

8 While not “specially designated areas,” because of their proximity and elevation relative
9 to the SEZ, portions of Las Cruces and surrounding communities would have clear views of solar
10 energy development in portions of the SEZ. Taller solar facilities would extend the area within
11 which the SEZ would be visible from these communities.

12

13 There are no lands near the SEZ and outside of designated WSAs that have been
14 identified by BLM to be managed to protect wilderness characteristics.

15

16

17 **12.1.3.2 Impacts**

18

19

20 ***12.1.3.2.1 Construction and Operations***

21

22 The primary potential impact on the specially designated areas from solar development
23 within the SEZ would be from visual impacts that could affect scenic, recreation, or wilderness
24 characteristics of the areas. The visual impact would be associated with direct views of the solar
25 facilities and transmission facilities, glint and glare from reflective surfaces, steam plumes,
26 hazard lighting of tall structures, and night lighting of the facilities. For WSAs, visual impacts
27 from solar development could cause the loss of outstanding opportunities for solitude and
28 primitive and unconfined recreation. While the visibility of solar facilities from specially
29 designated areas is relatively easy to determine, the impact of this visibility is difficult to
30 quantify and would vary by solar technology employed, the specific area being affected, and the
31 perception of individuals viewing solar developments while recreating in areas within sight of
32 the SEZ.

33

34 Development of the SEZ, especially full development, would be an important visual
35 component in the viewshed from portions of some of these specially designated areas, as
36 summarized in Table 12.1.3.2-1. The data provided in the table, which shows the area with
37 visibility of development within the SEZ, assumes the use of power tower solar energy
38 technology. Because of the potential height of power tower facilities, they could be the most
39 visible of all the technologies being considered in the PEIS. Viewshed analysis for this SEZ has
40 shown that shorter solar energy facilities would be considerably less visible in some areas than
41 would power tower facilities (Section 12.1.14 provides detail on viewshed analyses discussed in
42 this section). Potential impacts included below are general, and assessment of the visual impact
43 of solar energy projects must be conducted on a site-specific and technology-specific basis to
44 identify impacts accurately.

TABLE 12.1.3.2-1 Potentially Affected Sensitive Visual Resources within a 25-mi (40-km) Viewshed of the Proposed Afton SEZ^a

Feature Type	Feature Name (Total Acreage/Linear Distance)	Feature Area or Linear Distance ^b		
		Visible within 5 mi	Visible between	
			5 and 15 mi	15 and 25 mi
WSAs	Aden Lava Flow (25,978 acres ^a)	12,987 acres (50%) ^c	12,581 acres (48%)	0 acres
	Las Uvas Mountains (11,084 acres)	0 acres	0 acres	903 acres (8%)
	Organ Mountains (7,186 acres)	0 acres	185 acres (3%)	3,676 acres (51%)
	Organ Needles (5,936 acres)	0 acres	546 acres 9%	1,803 acres (30%)
	Pena Blanca (4,648 acres)	0 acres	3,734 acres (80%)	0 acres
	Robledo Mountains (13,049 acres)	0 acres	2,617 acres (20%)	0 acres
	West Potrillo Mountains/Mt. Riley (159,323 acres)	0 acres	46,922 acres (30%)	6,029 acres (4%)
SRMAs	Aden Hills OHV Area (8,054 acres)	7,681 acres (95%)	0 acres	0 acres
	Butterfield Trail	0 mi	14.6 mi ^d	0 mi
	Dona Ana Mountain (8,345 acres)	0 acres	5,226 acres (63%)	154 acres (2%)
	Organ/Franklin Mountains (60,793 acres)	0 acres	35,708 acres (59%)	7,611 acres (13%)
ACECs designated for outstanding scenic values	Dona Ana Mountains (1,427 acres)	0 acres	747 acres (52%)	0 acres
	Organ Mountains/Franklin Mountains (58,512 acres)	0 acres	33,503 acres (57%)	7,598 acres (13%)
	Robledo Mountains (8,659 acres)	0 acres	1,976 acres (23%)	0 acres

TABLE 12.1.3.2-1 (Cont.)

Feature Type	Feature Name (Total Acreage/Linear Distance)	Feature Area or Linear Distance ^b		
		Visible within 5 mi	Visible between	
			5 and 15 mi	15 and 25 mi
National Monument	Prehistoric Trackways (5,280 acres)	0 acres	2,420 acres (46%)	2,420 acres (46%)
National Natural Landmark	Kilbourne Hole (5,480 acres)	0 acres	Yes	0 acres
National Historic Landmark	Mesilla Plaza	Yes		
National Historic Trail	El Camino Real de Tierra Adentro	12.6 mi	24.7 mi	4.6 mi (within U.S.)
National Scenic Byway	El Camino Real (299 mi)	0 mi	27.7 mi	20.0 mi

^a Assuming power tower technology with a height of 650 ft (198.1 m).

^b To convert acres to km², multiply by 0.004047. To convert miles to km, multiply by 1.609.

^c Percentage of total feature acreage or road length viewable.

^d This is the length of trail that may be visible within the specified distance interval. There are several separate segments, not a continuous stretch of trail.

1
2
3 In general, the closer a viewer is to solar development, the greater the effect on an
4 individual's perception of impact. From a visual analysis perspective, the most sensitive viewing
5 distances generally are from 0 to 5 mi (0 to 8 km), but could be farther, depending on other
6 factors. The viewing height above or below a solar energy development area, the size of the solar
7 development area, and the purpose for which people visit an area are also important. Individuals
8 seeking a wilderness or scenic experience within these specially designated areas could be
9 expected to be more adversely affected than those simply traveling along the highway with
10 another destination in mind. In the case of the Afton SEZ, the low-lying location of the SEZ in
11 relation to portions of some of the surrounding specially designated areas would highlight the
12 industrial-like development in the SEZ. The potentially very large size of the area that could be
13 developed for solar energy production would also add to the overall impact.

14
15 The occurrence of glint and glare at solar facilities could potentially cause large, but
16 temporary, increases in brightness and visibility of the facilities. The visual contrast levels
17 projected for sensitive visual resource areas that were used to assess potential impacts on
18 specially designated areas do not account for potential glint and glare effects; however, these
19 effects would be incorporated into a future site- and project-specific assessment that would be
20 conducted for specific proposed utility-scale solar energy projects.

21

1 **Wilderness Study Areas**
2
3

4 **Aden Lava Flow.** The nearest boundary of the WSA is about 1.4 mi (2 km) from the
5 SEZ, and all of the WSA is within about 9 mi (14 km). Solar energy facilities within the SEZ
6 would be visible from almost all of the WSA, and 50% of the area is within 5 mi (8 km) of the
7 SEZ. Because of the WSA's proximity to the SEZ, views from within the WSA would be
8 dominated by the industrial-like development of the SEZ, and wilderness characteristics in the
9 WSA would be adversely affected. Based on visual analysis, restricting the potential solar
10 technologies to those of lower height would reduce, but not eliminate, this potential impact.
11

12
13 **Las Uvas Mountains.** The WSA is located about 21 mi (34 km) northwest of the SEZ,
14 and is partially screened from the SEZ by intervening topography. Only a small percentage of the
15 WSA would have distant views of development in the SEZ, and these would be restricted to the
16 highest elevations in the WSA. Additionally, it is likely that only the tops of power towers would
17 be visible from this area, which, during daylight hours, would show as distant points of light,
18 and at night, flashing lights at the top of the towers would also be visible. None of the solar
19 reflector fields would be visible. Because of the distance and the limited views of the SEZ, it is
20 anticipated that there would be minimal to no impact on wilderness characteristics in this WSA.
21 Based on visual analysis, restricting the solar technologies to those of lower height would
22 eliminate any view of development in the SEZ.
23

24
25 **Organ Mountains and Organ Needles.** Because of their similar location relative to the
26 SEZ, these areas are reviewed together. The WSAs are part of the Organ/Franklin Mountains
27 complex and both of these WSAs are popular recreation destinations, especially in the spring and
28 fall. The boundary of the Organ Mountains WSA is about 15 mi (24 km) from the nearest portion
29 of the SEZ, and the SEZ's visibility extends to a little over 18 mi (29 km) outside the SEZ.
30 Visibility of the SEZ is restricted to a total of about 3,861 acres (16 km²) in the WSA located on
31 the western side of the ridge of the Organ Mountains, and constitutes about 54% of the area. The
32 nearest boundary of the Organ Needles WSA is located a little over 13 mi (21 km) from the SEZ
33 and the visibility of the SEZ from this WSA extends to a little more than 17 mi (27 km). About
34 2,349 acres (10 km²) or 39% of the WSA located on the western side of the ridge of the
35 mountains has visibility of the SEZ.
36

37 In both WSAs, the higher elevations would have open and elevated views of the SEZ,
38 although the distances are long. At these elevations, however, because of the large potential size
39 of the industrial-like solar development, a large part of the horizontal field of view would be
40 occupied by the development, and there would be moderate to strong visual contrasts from the
41 solar energy facilities. Lower elevations within these areas would be partially screened from
42 development in the SEZ, and even where visible, the lower viewing angle would reduce the level
43 of contrast, resulting in less impact within these areas.
44

45 At full development, solar energy facilities would be conspicuous in the viewshed from
46 higher portions of these areas, and it is likely that there would be an adverse effect on wilderness

1 characteristics in these areas. The fact that there is extensive existing urban, agricultural, and
2 commercial development in the Mesilla Valley along the Rio Grande between the WSAs and the
3 SEZ may result in a reduction in the potential impact on wilderness characteristics in these areas.
4 An adverse impact on wilderness characteristics may also result in a lower recreation use of the
5 areas. Because of the elevation of the WSAs above the SEZ, restricting solar technologies to
6 those of lower height would have only a minimal effect in reducing the impacts.

7
8
9 ***Pena Blanca.*** This WSA is situated largely on the western side of the Organ Mountains;
10 and 3,734 acres (15 km²) or about 80% of the area would have clear views of solar development
11 within the SEZ. The nearest boundary of the WSA is located about 13 mi (21 km) from the SEZ,
12 with the visibility of the SEZ extending to about 15 mi (24 km). The SEZ is visible from most of
13 this WSA, at both higher and lower elevations.

14
15 Because of the large potential size of the industrial-like solar development in the SEZ,
16 a large part of the horizontal field of view from the WSA would be occupied by the solar
17 development, and there would be moderate to strong visual contrasts created by the solar
18 energy facilities. For these reasons, it is likely that there would be an adverse impact on
19 wilderness characteristics in this WSA. An adverse impact on wilderness characteristics
20 may also result in a lower recreation use of the area. The fact that there is extensive existing
21 urban, agricultural, and commercial development in the Mesilla Valley along the Rio Grande
22 between the WSA and the SEZ may result in a reduction in the potential impact on wilderness
23 characteristics in this area. Because of the elevation of the WSA over the SEZ, restricting solar
24 technologies to those of lower height would have only a minimal effect in reducing the impacts
25 on wilderness characteristics in this WSA.

26
27
28 ***Robledo Mountains.*** The southern boundary of the WSA is located about 8 mi (13 km)
29 north of the SEZ, and the area of the WSA with visibility of the SEZ extends to about 14 mi
30 (23 km) from the northern border of the SEZ. About 2,617 acres (11 km²), or 20% of the WSA,
31 located on the high peaks and south-facing slopes, would have visibility of solar development
32 within the SEZ. Because of the large size of the SEZ, it would occupy most of the horizontal
33 field of view from the WSA, and solar facilities within the SEZ would likely present strong
34 visual contrasts, likely resulting in adverse impacts on wilderness characteristics, especially in
35 the central and southwestern portions of the WSA. An adverse impact on wilderness
36 characteristics may also result in lower recreation use of the area. Depending on the technology
37 used in the Mason Draw SEZ that is located to the southwest, this WSA would also have views
38 of development within that SEZ. Because of the elevation of the WSA over the Afton SEZ and
39 the relatively flat intervening terrain between the WSA and SEZ, restricting solar technologies
40 to those of lower height would have only a minor effect in reducing the impacts on wilderness
41 characteristics in this WSA.

42
43
44 ***West Potrillo Mountains/Mt. Riley.*** At its closest point, this WSA is located 5.7 mi
45 (9.2 km) from the southwestern border of the SEZ. Areas within the WSA that would have
46 visibility of solar development within the SEZ extend out 22.9 mi (36.9 km) from the boundary

1 of the SEZ. The area of the WSA that would be affected primarily is located in the northeastern
2 corner of the area, and includes about 52,951 acres (214 km²) or 33% of the WSA. Areas closest
3 to the SEZ would be affected more profoundly than those at the farthest distance from the SEZ.
4 However, because of the large size of the SEZ, the horizontal field of view from most of the
5 areas in the viewshed would be filled by solar development, and would likely result in adverse
6 effects on wilderness characteristics. An adverse impact on wilderness characteristics may also
7 result in a lower recreation use of the areas. Portions of the WSA would also have views of solar
8 development in the Mason Draw SEZ. Based on viewshed analysis, restricting solar technologies
9 to those of lower height would reduce the acreage affected within the WSA by as much as 10%.

12 **Special Management Areas**

13
14
15 ***Aden Hills OHV Area.*** The area was established as an “open” area for OHV use and it
16 abuts the western boundary of the SEZ. Most of the area is located at a higher elevation than
17 the SEZ, and about 95% of the area would have good visibility of solar development within the
18 SEZ. The area receives about 10,000 visitor days of use annually (Montoya 2010). Use of an
19 OHV open area is not generally dependent upon scenic quality; rather, attributes like access,
20 challenging terrain, and availability of trails are most important, therefore it is not anticipated
21 that solar development in the SEZ would have any effect on the use of the OHV area. However,
22 depending on the amount of dust generated by OHV activity, and because of the need to keep
23 reflective surfaces of solar facilities clean, OHV use may be incompatible with solar
24 development in portions of the SEZ. BLM does have the ability to close or relocate the open
25 OHV area, or to modify the boundary of the SEZ, so that the impact of dust on solar facilities
26 would be minimized.

27
28
29 ***Butterfield Trail.*** The Butterfield Overland Mail Route, which connected the eastern
30 United States with San Francisco, was designated as a Special Management Area in the
31 Mimbres Resource Management Plan (RMP) in 1993, and is currently being studied for possible
32 designation as a National Historic Trail. The trail comes within 5 mi (8 km) of the northern
33 border of the SEZ, and portions of the trail route would have visibility of solar facilities within
34 the SEZ. The potential impact of solar energy development in the SEZ on the historic setting of
35 the trail and on future management options is currently unknown, and would require site- and
36 project-specific analyses. Portions of the trail also are within the viewshed of the Mason Draw
37 SEZ, and views of solar development within both SEZs could occur.

38
39
40 ***Dona Ana Mountain Special Recreation Management Area (SRMA).*** This is an
41 8,345-acre (34-km²) area with maintained trails used by a wide array of recreationists, including
42 hikers, horseback riders, mountain bikers, and OHV enthusiasts. The SRMA’s closest boundary
43 is about 10.3 mi (16.6 km) northeast of the SEZ. The area of the SRMA with visibility of the
44 SEZ extends out to about 15.7 mi (25.3 km) from the SEZ. About 65% of the SRMA has
45 somewhat distant views of the SEZ, but because of the size of the SEZ, it would occupy almost
46 the full horizontal field of view of the portions of the SRMA in view of the SEZ. Seen from the

1 SRMA, the amount of contrast that would be caused by solar facilities varies from low at lower
2 elevations, to moderate at higher elevations. Because of the distance from SEZ, and the low to
3 moderate levels of contrast, it is anticipated the impact on visitor use in the SRMA would be
4 minimal.
5
6

7 **Organ/Franklin Mountains SRMA.** The SRMA is a 60,793-acre (246-km²) area that
8 extends 29 mi (47 km) north to south along the western slope of the Organ Mountains, and
9 includes the gap between the Organ and Franklin Mountains and all but the northernmost
10 portions of the Franklin Mountains. The eastern border of the SRMA is the Ft. Bliss Military
11 Reservation. The area is near Las Cruces and the communities of the Mesilla Valley, and it
12 is a well-established and important recreation area for these communities, receiving about
13 102,000 visitors a year (Montoya 2010). The area contains developed camping and picnic areas,
14 a visitor center, scenic roads, developed trails, and also includes the Organ, Organ Needles, and
15 Pena Blanca WSAs described above. All but 2,281 acres (9 km²) of the SRMA is also designated
16 as an ACEC. About 71% of the SRMA is within the viewshed of the SEZ, and portions of the
17 northern part of the SRMA rise over 3,000 ft (914 m) above the elevation of the nearest portion
18 of the SEZ. The nearest boundary of the SRMA is 6.1 mi (9.8 km) east of the border of the SEZ,
19 and the area of the SRMA within the viewshed of the SEZ extends to about 18 mi (24 km).
20

21 Visual analysis indicates that—depending on the solar technology employed within the
22 SEZ, and the place within the SRMA from which development in the SEZ is viewed—most of
23 the horizontal field of view from within the SRMA would be occupied by the SEZ, and moderate
24 to strong visual contrast would be expected. While it is difficult to equate this visual impact with
25 impact on recreation use of the SRMA, it is anticipated that because of the proximity and the
26 very large size of the SEZ, recreation use of the SRMA could be reduced. The fact that there is
27 existing urban, agricultural, and commercial development in the Mesilla Valley between the
28 SRMA and the SEZ may result in a reduction in the perception of impact in this SRMA, because
29 the population is already accustomed to the current level of development; however, because of
30 the very large potential size of the industrial-like solar development, there would be a very large
31 change in the character of the viewshed of the SRMA that is anticipated to lead to a reduced
32 level of use. Visual analysis indicates that restricting solar technologies to those of lower height
33 would have only a minimal effect in reducing the impacts on the SRMA.
34
35

36 **Areas of Critical Environmental Concern** 37 38

39 **Dona Ana Mountains.** This 1,427-acre (5.8-km²) ACEC was designated to protect
40 biological, cultural, scenic, and recreation resources. The ACEC is located 12.9 mi (20.8 km)
41 north of the SEZ. The area within the viewshed of the SEZ extends to 14.7 mi (23.7 km) north
42 of the SEZ and includes about 52% of the area. The scenic component of the ACEC described in
43 the Mimbres RMP (BLM 1993) focuses almost solely on the scenic values as seen from outside
44 the ACEC; however, the ACEC is included within the Dona Ana SRMA, which supports a
45 variety of recreation uses and benefits from the scenic component of the ACEC. Impacts on the

1 ACEC would be similar to or slightly less than those identified in the earlier analysis of the
2 SRMA, and are expected to be minimal.
3
4

5 **Organ/Franklin Mountains.** The ACEC consists of 58,512 acres (237 km²) and was
6 designated for the protection of a wide array of resources, including biological, scenic, cultural,
7 special status species, riparian, and recreation resources (BLM 1993). This area is completely
8 included within the boundaries of the SRMA discussed earlier, and the anticipated impacts on
9 the scenic and recreation resources in the ACEC would be the same as those identified for the
10 SRMA. The other resource values for which the area is designated would not be affected.
11
12

13 **Robledo Mountains.** The 8,659-acre (35-km²) ACEC was designated to protect
14 biological, scenic, and recreation resources. The area is completely contained within the southern
15 portion of the Robledo Mountains WSA and the adverse impacts on scenic resources of the
16 ACEC would be similar to those discussed for the WSA. A reduction in the quality of the ACEC
17 scenic resources could also result in a reduced level of recreation use. Biological resources
18 within the ACEC would not be affected.
19
20

21 **National Monument**

22
23

24 **Prehistoric Trackways.** The BLM-administered National Monument was created in 2009
25 to conserve, protect, and enhance the unique and nationally important paleontological, scientific,
26 educational, scenic, and recreational resources and values of the Robledo Mountains in southern
27 New Mexico. The Monument includes a major deposit of Paleozoic Era fossilized footprint
28 megatrackways within approximately 5,280 acres (21.4 km²) (BLM 2010a). The monument also
29 overlaps the southwestern portion of the Robledo Mountains WSA and ACEC. The monument
30 receives about 3,000 visitors per year.
31

32 The southern boundary of the monument is 6.2 mi (10 km) from the northern boundary of
33 the SEZ, and the viewshed that includes the SEZ within the monument extends to 9.6 mi (15 km)
34 from the SEZ boundary. The area of the monument that would have extensive views of the SEZ
35 includes 2,420 acres (10 km²) or about 46% of the area. Because of the large size of the SEZ, it
36 would occupy most of the horizontal field of view from the WSA, and solar facilities within the
37 SEZ would likely present strong visual contrasts, resulting in adverse impacts on scenic values
38 throughout the monument. An adverse impact on scenic values could also result in lower
39 visitation to the area. Depending on the technology used in the Mason Draw SEZ that is located
40 to the southwest, the monument could also have views of development within that SEZ. Because
41 the monument is at a slightly higher elevation than the Afton SEZ and because of the relatively
42 flat terrain between the WSA and SEZ, restricting solar technologies to those of a lower height
43 would have only a minor effect in reducing the impacts on scenic values in the monument.
44
45
46

1 **National Natural Landmark**
2
3

4 *Kilbourne Hole.* The landmark was designated to protect geologic and recreation use of
5 an area of about 5,480 acres (22.2 km²) that surrounds Kilbourne Hole, a volcanic *maar*. The
6 hole is a crater that formed when a volcanic bubble burst on the surface of the earth (BLM 1993).
7 While the designated area surrounding the hole is within about 7 mi (11 km) of the SEZ and is
8 within the viewshed of the SEZ, much of the extensive area in the bottom of the landmark is
9 shielded from the view of the SEZ. However, a trail runs around much of the ridge that
10 surrounds the crater and visitors on the trail would have visibility of the development within the
11 SEZ. Development of the SEZ would not affect the geologic resource, which is the main
12 attraction of the area, but it is anticipated that recreation use of the area may be adversely
13 affected.
14

15
16 **National Historic Landmark**
17
18

19 *Mesilla Plaza.* The plaza is located about 2 mi (3 km) from the northeast corner of the
20 SEZ and would have a clear view of some types of solar development in the eastern portions of
21 the SEZ, especially any facilities developed in the northeastern portion of the area, where the
22 West Mesa slopes to the east towards the community. The view of solar facilities at this distance
23 from the plaza would detract from the setting of the historic site, but the potential impact of this
24 on visitation to the historic plaza is unknown (See Section 12.1.17 for a more complete
25 discussion of the Mesilla Plaza).
26

27
28 **National Historic Trail**
29
30

31 *El Camino Real de Tierra Adentro.* This congressionally designated trail stretches from
32 Mexico City to Santa Fe, New Mexico, and in the vicinity of the SEZ, generally parallels the
33 Rio Grande River. In use from 1598 to 1885, this was the oldest and longest continuously used
34 road in the United States and portions of it are still used today (see Section 12.1.17 for a
35 complete discussion of the NHT). At its nearest approach, the trail passes within 3 mi (5 km)
36 east of the SEZ and within the 25-mi (40-km) zone surrounding the SEZ; people following the
37 trail would have visibility of solar facilities within the SEZ for about 37 mi (60 km). Solar
38 development within the SEZ would occupy an important portion of the viewshed of the trail
39 where it is within 5 mi (8 km) of the SEZ, from the area of Las Cruces to about 18 mi (21 km) to
40 the south. The route of the trail currently passes largely through lands developed for agriculture,
41 residential, and commercial uses, and the scenic context of the trail has been degraded. Whether
42 solar development would be viewed as a negative factor for future management of the trail is
43 unknown. Restricting the height of solar facilities within portions of the SEZ within 5 mi (8 km)
44 of the trail would have a minimal impact in reducing the visibility of solar facilities from the
45 trail, but would reduce visibility in areas beyond that distance both to the north and the south.
46
47

1 **National Scenic Byway**
2
3

4 ***El Camino Real.*** The byway generally traces the route of the National Historic Trail
5 described above in the United States for 299 mi (481 km) from the Mexican border to Santa Fe,
6 New Mexico, and its nearest approach to the boundary of the SEZ is about 3 mi (5 km) in the
7 area east of the SEZ. Within the 25-mi (40-km) zone surrounding the SEZ, the scenic byway
8 would have visibility of solar facilities within the SEZ for about 57 mi (58 km). Solar
9 development within the SEZ would be an important portion of the viewshed where it is within
10 5 mi (8 km) of the SEZ from the area of Las Cruces to about 20 mi (32 km) south. Whether solar
11 development would be viewed as a negative factor by travelers on the scenic byway is unknown.
12 Restricting the height of solar facilities within portions of the SEZ would reduce the visibility of
13 solar facilities from the scenic byway along about 11 mi (18 km) in the southernmost portion of
14 the byway.
15

16
17 ***12.1.3.2 Transmission Facilities and Other Off-Site Infrastructure***
18

19 Because of the availability of an existing transmission line and I-10 on the northern edge
20 of the SEZ, and assuming that additional project-specific analysis would be done for construction
21 of such infrastructure, no assessment of the impacts of such activities outside of the SEZ was
22 conducted (see Section 12.1.1.2). Should additional transmission lines or roads be required
23 outside of the SEZ, there may be additional impacts on specially designated areas.
24

25 There would be construction of access roads and power lines within the SEZ as part of
26 project development.
27

28
29 ***12.1.3.3 SEZ-Specific Design Features and Design Feature Effectiveness***
30

31 Implementing the programmatic design features described in Appendix A, Section A.2.2,
32 as required under BLM’s Solar Energy Program would provide adequate mitigation for some
33 identified impacts. The exceptions would be (1) wilderness characteristics in the Organ
34 Mountains, Organ Needles, Pena Blanca, Robledo Mountains, and West Potrillo Mountains/Mt.
35 Riley WSAs would be adversely affected; and (2) scenic values and recreation use in the
36 Organ/Franklin SRMA/ACEC, Robledo Mountains ACEC, and Prehistoric Trackways National
37 Monument would be adversely affected. Recreation use at Kilbourne Hole may also be adversely
38 affected. These impacts could not be completely mitigated.
39

40 Proposed design features specific to the Afton SEZ include the following:
41

- 42 • Pending congressional review of the BLM recommendations for wilderness
43 designations, restricting or eliminating solar development in portions of the
44 visible area of the SEZ within 5 mi (8 km) of the Aden Lava Flow WSA is
45 recommended to avoid impacts on wilderness characteristics in the WSA.
46
47

1
2
3
4
5
6
7
8
9
10

- The eastern boundary of the SEZ should be restricted to the top of West Mesa to avoid the area sloping to the east, which is more highly visible to the National Historic Trail, Mesilla Plaza, and the scenic byway.
- The height of solar facilities in the SEZ should be restricted to reduce the adverse impacts on the specially designated areas within the viewshed of the SEZ. See Section 12.1.14 for the analysis of the impacts of various height facilities.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

This page intentionally left blank.

1 **12.1.4 Rangeland Resources**

2
3 Rangeland resources include livestock grazing and wild horses and burros, both of
4 which are managed by the BLM. These resources and possible impacts on them from solar
5 development within the proposed Afton SEZ are discussed in Sections 12.1.4.1 and 12.1.4.2.
6

7
8 **12.1.4.1 Livestock Grazing**

9
10
11 **12.1.4.1.1 Affected Environment**

12
13 There are seven grazing allotments that are overlain by the SEZ, but one of these,
14 the West La Mesa allotment, has less than 20 acres (0.08 km²) within the SEZ and is not
15 considered further because there would be no impact caused by the loss of that portion of
16 the allotment. See Table 12.1.4.1-1 for a summary of key allotment information.
17
18

TABLE 12.1.4.1-1 Grazing Allotments within the Proposed Afton SEZ

Allotment	Total Acres ^a	Percentage of Acres in SEZ ^b	Active BLM AUMs ^c	No. of Permittees
Aden Hills	20,534	31	1,310	1
Black Mesa	25,070	81	1,579	1
Corralitos Ranch	183,957	4	13,860	1
Home Ranch	35,931	77	2,149	1
La Mesa	34,720	15	1,782	1
Little Black Mountain	9,330	64	312	1

^a Includes public, state, and private land included in the allotment based on the Allotment Master Reports included in the BLM's Rangeland Administration System (BLM 2008d), dated Mar. 16, 2010.

^b This is the calculated percentage of public lands located in the SEZ of the total allotment acreage.

^c This is the permitted use for the whole allotment including public, state, and private lands.

19
20
21

1 **12.1.4.1.2 Impacts**

2
3
4 **Construction and Operations**

5
6 Should utility-scale solar development occur in the SEZ, grazing would be excluded
7 from the areas developed as provided for in the BLM grazing regulations (43 CFR Part 4100).
8 This would include reimbursement of the permittee for the portion of the value for any range
9 improvements in the area removed from the grazing allotment. The impact of this change in
10 the grazing permits would depend on several factors, including (1) how much of an allotment
11 the permittee might lose to development, (2) how important the specific land lost is to the
12 permittee's overall operation, and (3) the amount of actual forage production that would be lost
13 by the permittee.

14
15 The Black Mesa, Home Ranch, and Little Black Mountain allotments are largely
16 contained within the area of the SEZ, and public lands in the SEZ make up 81%, 77%, and 64%
17 of these allotments, respectively. If full solar development occurs, the federal grazing permits
18 for these allotments would be canceled and the current permittees would be displaced, although
19 grazing permits would be reviewed and revised as solar development proceeds. This would be
20 a major impact on these individual permittees. In the case of the Home Ranch and Little Black
21 Mountain allotments, even though almost 20% and 40% of the allotments, respectively, would
22 remain, the public lands would be split by the solar energy development area, making it very
23 difficult to continue operating. For the purposes of analysis, it is assumed that all of the
24 4,040 AUMs associated with these three allotments would be lost.

25
26 A quantification of the impact on the three remaining grazing allotments would require
27 a specific analysis involving, at a minimum, the three factors identified at the beginning of this
28 section; however, for purposes of this PEIS, a simplified assumption is made that the percentage
29 reduction in authorized AUMs would be the same as the percentage reduction in land area. Using
30 this assumption, there would be a reduction of a total of 1,801 AUMs among the allotments as
31 follows: Aden Hills—446; Corralitos Ranch—792; and La Mesa—563. Among all six of the
32 allotments, there would be a total reduction of 5,841 AUMs.

33
34 In the case of the Corralitos Ranch allotment, it is large enough that it likely would be
35 possible to relocate the 4% loss elsewhere in the allotment, either through a change in grazing
36 management, installation of new range improvements, or a combination of the two. The same
37 may also be true for the La Mesa allotment. In the case of the Aden Hills allotment, the
38 remaining land base likely would not be able to absorb all of the lost use, so there would be an
39 undetermined net loss in AUMs. If it would not be possible to mitigate the anticipated losses,
40 there would be a minor adverse impact on the Corralitos and La Mesa allotments, and a moderate
41 impact on the La Mesa allotment.

42
43 Assuming the loss of a total of 5,841 AUMs as described above, there would be a
44 minimal impact on livestock use within the Las Cruces District from the development of the
45 proposed Afton SEZ. This conclusion is derived from comparing the loss of the 5,841 AUMs
46 with the total BLM-authorized AUMs in the District for grazing year 2009, which totaled

1 413,702 AUMs (BLM 2008d). This represents a loss of about 1.4%. The actual level of impact
2 on the three remaining allotments/permittees would be affected by any mitigation of the
3 anticipated losses that could be accomplished on the remaining public lands in the allotment.
4
5

6 **Transmission Facilities and Other Off-Site Infrastructure**

7

8 Because of the availability of a major transmission line in the SEZ, and I-10 near the
9 SEZ, and assuming that additional project-specific analysis would be done for construction of
10 such infrastructure, no assessment of the impacts of such activities outside of the SEZ was
11 conducted (see Section 12.1.1.2). Should additional transmission lines or roads be required
12 outside of the SEZ, there may be additional impacts on livestock grazing.
13
14

15 ***12.1.4.1.3 SEZ-Specific Design Features and Design Feature Effectiveness***

16

17 Implementing the programmatic design features described in Appendix A, Section A.2.2,
18 as required under BLM's Solar Energy Program would provide adequate mitigation for some
19 identified impacts.
20

21 A proposed design feature specific to the Afton SEZ is the following:
22

- 23 • Development of range improvements to mitigate the loss of AUMs in the
24 Aden Hills, Corralitos Ranch, and La Mesa allotments should be considered.
25 Consideration should also be given to adding portions of the Home Ranch and
26 Black Mesa allotments outside of, and on the southwestern side of the SEZ, to
27 the Aden Hills and West La Mesa allotments.
28
29

30 **12.1.4.2 Wild Horses and Burros**

31
32

33 ***12.1.4.2.1 Affected Environment***

34

35 Section 4.4.2 discusses wild horses (*Equus caballus*) and burros (*E. asinus*) that occur
36 within the six-state study area. Two wild horse and burro herd management areas (HMAs) occur
37 within New Mexico (BLM 2010d). The Bordo Atravesado HMA in Socorro County, the closest
38 HMA to the proposed Afton SEZ, is located about 125 mi (201 km) north of the SEZ.
39

40 In addition to the HMAs managed by the BLM, the USFS has wild horse and burro
41 territories in Arizona, California, Nevada, New Mexico, and Utah, and is the lead management
42 agency that administers 37 of the territories (Giffen 2009; USFS 2007). USFS territories in New
43 Mexico occur primarily in the northern portion of the state, 240 mi (386 km) or more from the
44 proposed Afton SEZ region.
45
46
47

1 **12.1.4.2.2 Impacts**

2
3 Because the proposed Afton SEZ is about 125 mi (201 km) or more from any wild horse
4 and burro HMA managed by BLM and about 240 mi (386 km) from any wild horse and burro
5 territory administered by the USFS, solar energy development within the SEZ would not
6 directly or indirectly affect wild horses and burros that are managed by these agencies.
7

8
9 **12.1.4.2.3 SEZ-Specific Design Features and Design Feature Effectiveness**

10
11 No SEZ-specific design features for solar development within the proposed Afton SEZ
12 would be necessary to protect or minimize impacts on wild horses and burros.
13

1 **12.1.5 Recreation**

2
3
4 **12.1.5.1 Affected Environment**

5
6 The proposed SEZ is very large, with four county roads and other roads and trails
7 providing ready access into and through the area. The area is close to Las Cruces and there is
8 easy access to the area from both I-10 on the north and a county road on the south. The fact
9 that it is public land that is available for recreation use is an important attribute. Although
10 there are no estimates of the level of recreation use, the area supports backcountry driving,
11 OHV use, hiking/walking, birdwatching, and small game hunting for rabbit, quail, and dove.
12 The Aden Hills OHV area is located adjacent to the western boundary of the SEZ and receives
13 about 10,000 visitor days of use per year (Montoya 2010). People using the OHV area also likely
14 leave the designated OHV area and travel on the trails and roads within the SEZ. In the Mimbres
15 RMP (BLM 1993) the area included in the SEZ is in the group of lands designated for OHV and
16 vehicle uses as “Limited, existing roads and trails.”

17
18 As described above in Section 12.1.3, areas such as the Organ/Franklin Mountains and
19 the Robledo Mountains provide substantial recreation use and the designation of these areas in
20 the Mimbres RMP (BLM 1993) reflects recreation use as one of the resource uses supporting the
21 designations. The establishment of the Prehistoric Trackways National Monument in 2009 also
22 includes recreation as one of the reasons for designation. Existing WSAs also provide extensive
23 opportunities for wilderness recreation.

24
25
26 **12.1.5.2 Impacts**

27
28
29 ***12.1.5.2.1 Construction and Operations***

30
31 Recreational users would lose the use of any portions of the SEZ developed for solar
32 energy production. Public access, both vehicular and foot, through areas developed for solar
33 power production, would be closed or rerouted. However, although there are no recreation
34 statistics for this area, it is not anticipated that there would be a significant loss of recreation
35 use caused by development of the proposed SEZ.

36
37 Based on viewshed analysis (see Section 12.1.14), the Afton SEZ would be visible from
38 a wide area and at full development would become a dominating feature of the landscape from
39 many important recreation areas and from within portions of Las Cruces and other adjacent
40 communities. The viewshed analysis also shows that the SEZ would be visible from large
41 portions of surrounding wilderness study areas. While it is difficult to equate the visibility of
42 industrial-type developments such as solar energy facilities to a loss of recreation use, adverse
43 impacts on recreation use within some of the specially designated areas described in
44 Section 12.1.3 is anticipated. This includes the loss of outstanding opportunities for solitude and
45 primitive and unconfined recreation in some wilderness study areas. The extent to which the

1 presence of solar facilities within the viewshed of popular recreation areas would affect
2 recreation use of these areas is unknown.

3
4 Solar development within the SEZ would affect public access along OHV routes
5 designated as open and available for public use. If such routes were identified during project-
6 specific analyses, they would be redesignated as closed (see Section 5.5.1 for more details on
7 how routes coinciding with proposed solar facilities would be treated).

8 9 10 **12.1.5.2 Transmission Facilities and Other Off-Site Infrastructure**

11
12 No additional impact on recreation use associated with construction of transmission
13 facilities or roads is anticipated. Should additional transmission lines be required outside of the
14 SEZ, there may be additional recreation impacts. See Section 12.1.1.2 for the development
15 assumptions underlying this analysis.

16 17 18 **12.1.5.3 SEZ-Specific Design Features and Design Feature Effectiveness**

19
20 Implementing the programmatic design features described in Appendix A, Section A.2.2,
21 as required under BLM's Solar Energy Program would provide adequate mitigation for some
22 identified impacts. Recreation resources in most WSAs within 25 mi (40 km) of the SEZ, the
23 Organ/Franklin SRMA, Robledo Mountains ACEC, and the Prehistoric Trackways National
24 Monument, likely would be adversely affected and would not be completely mitigated.

25
26 The following is a proposed design feature specific to the proposed SEZ:

- 27
28 • The height of solar facilities in the SEZ should be restricted to reduce the
29 adverse impact on the specially designated areas within the viewshed of the
30 SEZ. See visual resources design features for the analysis of the impacts of
31 various heights of facilities.
32

1 **12.1.6 Military and Civilian Aviation**

2
3
4 **12.1.6.1 Affected Environment**

5
6 There are no military training routes or any special use airspace over the proposed Afton
7 SEZ.

8
9 The northern boundary of the SEZ is within 3 mi (5 km) of the Las Cruces International
10 Airport.

11
12
13 **12.1.6.2 Impacts**

14 There would be no impact on military airspace uses.

15
16 While most of the SEZ could be developed for commercial solar energy production with
17 no impacts on civilian aviation, because of the height of the power tower facilities, depending on
18 their height and location in the SEZ these facilities could infringe on airspace required for airport
19 operations. The same is true for any transmission facilities, should any be required in proximity
20 to the airport. Federal Aviation Administration (FAA) regulations would be applicable to the
21 construction and marking of facilities in the SEZ within approach zones to the airport and would
22 prevent conflict with airport operation.
23

24
25
26 **12.1.6.3 SEZ-Specific Design Features and Design Feature Effectiveness**

27
28 The programmatic design features described in Appendix A, Section A.2.2, would
29 require early coordination with the U.S. Department of Defense (DoD) to identify and mitigate,
30 if possible, potential impacts on the use of MTRs.

31
32 The following is a proposed design feature specific to the Afton SEZ:

- 33
34 • Because Las Cruces International Airport is within 3 mi (4.8 km) of the SEZ,
35 project developers must provide necessary safety restriction information to the
36 FAA addressing required distances from flight paths, hazard lighting of
37 facilities, impacts on radar performance, and other requirements.
38

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.1.7 Geologic Setting and Soil Resources**

2
3
4 **12.1.7.1 Affected Environment**

5
6
7 **12.1.7.1.1 Geologic Setting**

8
9
10 **Regional Setting**

11
12 The proposed Afton SEZ is located on the West Mesa of the Mesilla Basin, an alluvium-
13 filled structural basin within the Basin and Range physiographic province in south-central New
14 Mexico (Figure 12.1.7.1-1). West Mesa is bordered on the north by the Rough and Ready Hills
15 and the Robledo Mountains; on the west by the Sleeping Lady Hills, Aden Hills, and the West
16 Potrillo Mountains; and on the east by the Mesilla Valley. The United States–Mexico border
17 marks its southern boundary (Myers and Orr 1985).

18
19 The Mesilla Basin is an axial basin of the Rio Grande rift, a north-trending tectonic
20 feature that extends from south-central Colorado to northern Mexico, crossing (and bisecting)
21 the length of New Mexico. Basins in the rift zone generally follow the course of the Rio Grande
22 (river) and are bounded by normal faults that occur along the rift zone margins. The Mesilla
23 Basin extends about 60 mi (100 km) from the upper Mesilla Valley between the Robledo and
24 Dona Ana Mountains to the U.S.–Mexico border just west of El Paso, Texas. It ranges in width
25 from about 5 mi (8 km) at its northern end (north of Las Cruces) to 25 mi (40 km) in its central
26 part (halfway between Las Cruces and the international border) (Hawley and Lozinsky 1992;
27 Chapin 1988).

28
29 Basin fill consists of late Tertiary to Quaternary sediments of the Santa Fe Group,
30 which are up to 3,800 ft (1,160 m) thick below the Afton SEZ, based on logs of oil test wells
31 drilled in the area, and thin to the north and west (Figure 12.1.7.1-2). The lower and middle
32 units of the Santa Fe Group were deposited during the development of the Rio Grande rift
33 (Miocene to Pliocene), when the basin was an internally drained (bolson) environment; they are
34 predominantly made up of eolian sands and fine-grained basin floor and playa lake sediments
35 intertongued with alluvial fan deposits. The lower Santa Fe Group overlies middle Tertiary
36 (Oligocene to Miocene) volcanic and volcanoclastic sedimentary rocks. Above the lower and
37 middle units are the fluvial-deltaic sands of the upper Santa Fe Group (Pliocene to Pleistocene).
38 These sediments were deposited on a broad plain by the braided channels of the ancestral
39 Rio Grande, which spread across the basin floor and terminated in a large playa lake in north-
40 central Mexico (Bolson de los Muertos). The main component of the upper Santa Fe Group is
41 the Camp Rice Formation; it is well preserved throughout most of the Mesilla Basin, ranging in
42 thickness from about 300 to 700 ft (90 to 215 m). Sediments of the Santa Fe Group, especially
43 the unconsolidated sands and gravels of the middle and upper units, form the most extensive
44 aquifers below the SEZ (Frenzel et al. 1992; Hawley and Lozinsky 1992; Myers and Orr 1985).




FIGURE 12.1.7.1-1 Physiographic Features of the Mesilla Basin




FIGURE 12.1.7.1-2 Generalized Geologic Cross Section (West to East) across Mesilla Basin (modified from Frenzel et al. 1992)

1 Exposed sediments on West Mesa consist mainly of basin fill deposits of the Upper Santa
2 Fe Group (QTs) (Figure 12.1.7.1-3). Post-Santa Fe Group alluvial fan piedmont deposits (Qp) of
3 silt, sand, and gravel occur mainly along mountain fronts and to the northeast of the Afton SEZ
4 where the mesa surface has been cut by the Rio Grande. These sediments also occur along the
5 northeast-trending ridge that cuts across the northwest corner of the SEZ. Tertiary volcanic rocks
6 of basaltic to andesitic composition cap the East and West Potrillo Mountains to the southwest of
7 the SEZ. The oldest rocks in the region are the Middle Proterozoic granitic rocks exposed in
8 parts of the Organ Mountains to the northeast of the Rio Grande. These rocks have been intruded
9 by Tertiary monzonitic and granitic plutons and dikes. Paleozoic sedimentary rocks (mainly
10 carbonates) crop out in the Robledo Mountains to the north and the Organ and Franklin
11 Mountains to the east (Hawley and Lozinsky 1992; Scholle 2003).

14 **Topography**


16 West Mesa is a broad plain with low topographic relief covering an area of about
17 480 acres (1,940 km²). It lies immediately west of the broad Mesilla Valley of the Rio Grande,
18 the primary surface water feature in the Mesilla Basin. The mesa surface sits about 300 to 350 ft
19 (90 m to 110 m) above the river. The mesa (also referred to as “La Mesa”) is an extensive
20 remnant of the basin floor surface that existed before it was incised by the Rio Grande. The
21 eastern edge of the mesa is marked by a steep slope that is heavily dissected by arroyos
22 (ephemeral streams or gullies) that are tributaries to the Rio Grande (Hawley and Lozinsky 1992;
23 Myers and Orr 1985).

25 The proposed Afton SEZ is located a few miles west of the Rio Grande in Dona Ana
26 County (Figure 12.1.7.1-1). Its terrain is fairly flat, with a gentle slope to the southeast, toward
27 the river (Figure 12.1.7.1-4). A northeast-trending ridge, with a maximum relief of about 250 ft
28 (76 m), cuts across the northwest corner of the SEZ. Elevations across the SEZ range from about
29 4,420 ft (1,350 m) at the northwest corner of the site to about 3,830 ft (1,170 m) at its southeast
30 corner. The eastern edge of the southeastern portion of the site, however, has a fairly steep grade
31 and is cut by gullies draining to the Rio Grande.

34 **Geologic Hazards**

36 The types of geologic hazards that could potentially affect solar project sites and their
37 mitigation are discussed in Section 5.7.3 and 5.7.4. The following sections provide a preliminary
38 assessment of these hazards at the proposed Afton SEZ. Solar project developers may need to
39 conduct a geotechnical investigation to assess geologic hazards locally to better identify facility
40 design criteria and site-specific design features to minimize their risk.

43 **Seismicity.** Seismicity in New Mexico is concentrated in the Rio Grande rift valley near
44 Socorro, an area referred to as the Socorro Seismic Anomaly (SSA). The SSA covers an area of
45 about 1.2 million acres (5,000 km²) and accounts for about 23% of earthquakes in New Mexico
46 with magnitudes greater than 2.0. The SSA is thought to be caused by crustal extension



SOL899

FIGURE 12.1.7.1-3 (Cont.)




FIGURE 12.1.7.1-4 General Terrain of the Proposed Afton SEZ

1 occurring above an upwelling magma body about 12 mi (19 km) below the ground surface.
2 Seismic activity outside of the SSA shows some concentration of earthquakes along a prominent
3 topographic lineation (the Socorro fracture zone) that extends from the SSA to the north-
4 northeast into eastern New Mexico. The strongest earthquakes in New Mexico tend to occur near
5 Socorro along the rift valley (Sanford et al. 2002; Sanford and Lin 1998; Balch et al. 2010).
6

7 Several Quaternary faults occur within and adjacent to the proposed Afton SEZ (USGS
8 and NMBGMR 2010). These include the East Robledo and Fitzgerald faults, extending across
9 parts of the SEZ; the Ward Tank fault, to the northwest; the West Robledo and unnamed faults,
10 to the west; and the East Potrillo fault, to the south-southwest (Figure 12.1.7.1-5). The East
11 Robledo fault is a north-northeast-trending normal fault that bounds the western edge of the
12 Mesilla Basin (Figure 12.1.7.1-2) and crosses the western portion of the site. To the north, the
13 fault bounds the east side of the Robledo Mountains, an uplifted block (horst) west of the Rio
14 Grande Valley, with offsets of about 294 ft (90 m). It splays to the south, where displacements of
15 the upper Camp Rice Formation of the Santa Fe Group (early to middle Pleistocene), the upper
16 and lower West Mesa (referred to as “La Mesa” in earlier reports) piedmont surfaces (middle
17 Pleistocene), and older alluvial fan and terrace deposits (middle Pleistocene) place movement
18 along the fault at less than 750,000 years ago. The Fitzgerald fault crosses the southeastern
19 portion of the site and extends to the south. Its strike is inferred from small west-facing scarps
20 and from a linear series of closed basins. Scarp heights on the lower West Mesa surface are
21 estimated to be as much as 65 ft (20 m) in discrete locales, but most of the fault trace is buried by
22 thick eolian deposits. As with the East Robledo fault, displacements of lower West Mesa surface
23 (middle Pleistocene) indicate that movement along the Fitzgerald fault occurred less than
24 750,000 years ago (Machete 1996a,b).
25

26 The north-trending Ward Tank fault is located about 7 mi (11 km) to the northwest of
27 the Afton SEZ (and crosses the proposed Mason Draw SEZ) (Figure 12.1.7.1-5). Most of the
28 movement along the high-angle normal fault occurred in the Tertiary, but offsets of Quaternary
29 surfaces suggest it was reactivated less than 750,000 years ago. The Ward Tank fault bounds the
30 east side of the Sierra de las Uvas Mountains; movement along the fault uplifted and tilted the
31 mountains. Stratigraphic offsets of 2,000 to 2,490 ft (610 to 760 m) occur near Rattlesnake Hills
32 (Machete 1996c).
33

34 The West Robledo fault and a group of unnamed faults and folds (monoclines) occur
35 immediately to the west of the SEZ (crossing portions of the northwest corner of the site). The
36 northeast-trending West Robledo fault extends southwestward from the northern edge of the
37 Robledo Mountains along the west side past Aden Hills and then south through the basalt hills
38 of the West Potrillo Mountains on into Mexico (Figure 12.1.7.1-5). The unnamed faults are high-
39 angle normal faults located within the down-dropped basin between the East and West Robledo
40 faults. There are no detailed studies of these faults, but offsets of the upper West Mesa surface
41 suggest movement along them has not occurred since the early Quaternary, less than
42 1.6 million years ago (Machete 1996d,e).
43

44 The East Potrillo fault is located about 13 mi (21 km) to the south-southwest of the Afton
45 SEZ. The high-angle normal fault bounds the east side of the East Potrillo Mountains and forms
46 east-facing intrabasin scarps on sediment of the Camp Rice Formation (Santa Fe Group) and




FIGURE 12.1.7.1-5 Quaternary Faults in the Mesilla Basin (USGS and NMBMMR 2010; USGS 2010f)

1 younger alluvial fan and piedmont slope deposits on the West Mesa surface. Such displacements
2 place the most recent movement along the fault at less than 130,000 years ago (Machete 1996f).
3

4 From June 1, 2000, to May 31, 2010, only one earthquake was recorded within a 61-mi
5 (100-km) radius of the proposed Afton SEZ (USGS 2010f). The earthquake occurred on
6 November 3, 2007. It was located about 60 mi (100 km) northwest of the SEZ, west of the
7 Cookes Range near the Mimbres River, and registered a Richter magnitude¹ (ML) of 3.1
8 (Figure 12.1.7.1-5). The largest earthquake in the region occurred on April 1, 1977 about 6 mi
9 (10 km) north of the Afton SEZ. The earthquake registered a magnitude of 3.2. Four other
10 earthquakes have occurred in the region since 1977; only the 2007 earthquake had a magnitude
11 greater than 3.0 (USGS 2010f).
12
13

14 **Liquefaction.** The proposed Afton SEZ lies within an area where the peak horizontal
15 acceleration with a 10% probability of exceedance in 50 years is between 0.04 and 0.05 g.
16 Shaking associated with this level of acceleration is generally perceived as moderate; however,
17 potential damage to structures is very light (USGS 2008). Given the very low intensity of ground
18 shaking estimated for the area and the low incidence of historical seismicity in the region, the
19 potential for liquefaction in sediments within and around the Afton SEZ is also likely to be low.
20
21

22 **Volcanic Hazards.** The major volcanic fields in New Mexico are associated with mantle
23 upwelling within two zones of crustal weakness: the Jemez lineament and the Rio Grande rift.
24 The Jemez lineament is defined by a series of Tertiary to Quaternary volcanic vents with a
25 northeast alignment in northern New Mexico. These include the Zuni-Bandera volcanic field,
26 Mount Taylor, the Jemez volcanic field, and the Raton-Clayton volcanic field). Eruptions from
27 vents along the Jemez lineament have occurred within the past 10,000 years. The Jemez
28 Mountains (near Los Alamos) are located at the intersection of the Jemez lineament and the
29 north-trending Rio Grande rift. Rift valley vents nearest the Afton SEZ include Sierra Blanca on
30 the eastern edge of the Tularosa Basin near Mescalero about 100 mi (160 km) to the northeast;
31 and Jornada del Muerto, near Socorro about 130 mi (210 km) to the north. The Mogollon-Datil
32 volcanic field is about 105 mi (170 km) to the northwest. Except for the Valles caldera in the
33 Jemez Mountains, all these volcanoes are considered extinct and unlikely to erupt again. The
34 most likely location of new volcanism in New Mexico is near Socorro, where an extensive
35 magma body 12 mi (19 km) below the ground surface has created a zone of intense seismic
36 activity (the Socorro Seismic Anomaly) (NMBGMR 2006; Wolf and Gardner 1995).
37
38

39 **Slope Stability and Land Subsidence.** The incidence of rock falls and slope failures can
40 be moderate to high along mountain fronts and can present a hazard to facilities on the relatively

¹ Richter scale magnitude (ML) was the original magnitude defined by Richter and Gutenberg for local earthquakes in 1935. It was based on the maximum amplitude recorded on a Wood-Anderson torsion seismograph but is currently calculated for earthquakes with magnitudes ranging from 2 to 6, using modern instruments with adjustments (USGS 2010g).

1 flat terrain of valley floors such as the West Mesa, if they are located at the base of steep slopes.
2 The risk of rock falls and slope failures decreases toward the flat valley center.

3
4 There has been no land subsidence monitoring on the West Mesa to date; however, earth
5 fissures have been documented in the Mimbres Basin about 43 mi (70 km) to the west of the
6 proposed Afton SEZ. The fissures are likely the result of land subsidence caused by compaction
7 of unconsolidated alluvial sediments due to groundwater withdrawal. The maximum subsidence
8 measured was about 14 in. (36 cm) in areas where groundwater levels had declined at least 98 ft
9 (30 m) (Contaldo and Mueller 1991).

10
11
12 **Other Hazards.** Other potential hazards at the proposed Afton SEZ include those
13 associated with soil compaction (restricted infiltration and increased runoff), expanding clay
14 soils (destabilization of structures), and hydro-compactable or collapsible soil (settlement).
15 Disturbance of soil crusts and desert pavement on soil surfaces may increase the likelihood of
16 soil erosion by wind.

17
18 Alluvial fan surfaces, such as those found on the West Mesa, can be the sites of damaging
19 high-velocity “flash” floods and debris flows during periods of intense and prolonged rainfall.
20 The nature of the flooding and sedimentation processes (e.g., stream flow versus debris flow
21 fans) will depend on the specific morphology of the fan (National Research Council 1996).
22 Section 12.1.9.1.1 provides further discussion of flood risks within the Afton SEZ.

23 24 25 **12.1.7.1.2 Soil Resources**

26
27 Soils within the Afton SEZ are predominantly loamy fine sands and fine sands of the
28 Wink-Pintura complex and Onite-Pajarito, Wink-Harrisburg, and Simona-Harrisburg
29 associations, which together make up about 82% of the soil coverage at the site
30 (Figure 12.1.7.1-6). Soil map units within the proposed Afton SEZ are described in
31 Table 12.1.7.1-1. These nearly level to gently undulating soils are derived from eolian sediments
32 and mixed alluvium, typical of soils on the fan piedmonts of the West Mesa. They are
33 characterized as deep and well to excessively drained. Most of the soils on the site have
34 moderate surface runoff potential and moderately rapid to rapid permeability. The water erosion
35 potential is very low to low for all soils at the site except those of the Tencee-Upton association
36 that occur along the steep and dissected slopes of the Rio Grande Valley and the northeast-
37 trending ridge that cuts across the site’s northwest corner (covering about 1.4% of the site). The
38 susceptibility to wind erosion is very high for most soils, with as much as 134 tons (122 metric
39 tons) of soil eroded by wind per acre (4,000 m²) each year. All soils within the SEZ have
40 features that are favorable for fugitive dust formation. Outcrops of basalt (AL) cover about
41 150 acres (0.61 km²), less than 1% of the site (NRCS 2010). Biological soil crusts and desert
42 pavement have not been documented in the SEZ, but may be present.




FIGURE 12.1.7.1-6 Soil Map for the Proposed Afton SEZ (NRCS 2008)

TABLE 12.1.7.1-1 Summary of Soil Map Units within the Proposed Afton SEZ

Map Unit Symbol	Map Unit Name	Water Erosion Potential ^a	Wind Erosion Potential ^b	Description	Acres (% of SEZ)
WP	Wink-Pintura complex (1 to 5% slope)	Very low	Very high (WEG 2) ^c	Consists of about 45% Wink loamy fine sand and 35% Pintura fine sand. Gently undulating to undulating soils between and on dunes on fan piedmonts. Parent material includes eolian deposits and alluvium modified by wind. Deep and well drained, with moderate surface runoff potential and moderately rapid to rapid permeability. Shrink-swell potential is low. Available water capacity is low. Used mainly as rangeland, forestland, or wildlife habitat.	26,249 (34)
OP	Onite-Pajarito association (0 to 5% slope)	Very low	Very high (WEG 2)	Consists of about 40% Onite loamy sand, 30% Pajarito fine sandy loam, and 15% Pintura fine sand. Level to nearly level soils between and on dunes on fan piedmonts. Parent material includes eolian deposits on dunes and mixed alluvium between dunes. Deep and well to excessively well drained, with moderate surface runoff potential and moderately rapid to rapid permeability. Shrink-swell potential is low. Available water capacity is very low to high. Used mainly as rangeland, forestland, or wildlife habitat.	17,799 (23)
WH	Wink-Harrisburg association (1 to 5% slope)	Very low	Very high (WEG 3)	Consists of about 35% Wink fine sandy loam, 25% Harrisburg loamy fine sand, and 20% Simona sandy loam. Gently undulating to undulating soils between and on dunes and on upland ridges and swales on fan piedmonts. Parent material includes eolian deposits and residuum of sandstone, volcanic ash, and shale. Deep and well drained, with moderate surface runoff potential and moderately rapid permeability. Shrink-swell potential is low. Available water capacity is low. Used mainly as rangeland, forestland, or wildlife habitat.	12,530 (16)

TABLE 12.1.7.1-1 (Cont.)

Map Unit Symbol	Map Unit Name	Water Erosion Potential ^a	Wind Erosion Potential ^b	Description	Acres (% of SEZ)
SH	Simona-Harrisburg association (1 to 5% slope)	Low	Very high (WEG 3)	Consists of about 50% Simona sandy loam and 25% Simona sandy loam. Gently undulating to moderately rolling soils on broad fans, fan piedmonts, and desert mesas. Parent material includes eolian deposits from sandstone, volcanic ash, and shale. Shallow to moderately deep and well drained, with high surface runoff potential (slow infiltration rate) and moderately rapid permeability (above caliche hardpan). Shrink-swell potential is low. Available water capacity is very low. Used mainly as rangeland, forestland, or wildlife habitat.	6,809 (9)
BP	Bluepoint-Caliza-Yturbide complex (5 to 40% slope)	Low	Very high (WEG 2)	Consists of about 25% Bluepoint loamy sand (5 to 15% slopes), 25% Caliza gravelly sandy loam, and 20% Yturbide loamy sand. Hilly to very steep and severely dissected soils with gullies on fans and terraces along the Rio Grande Valley. Parent material consists of sandy alluvium modified by wind. Deep and well drained with low surface runoff potential (high infiltration rate) and moderately rapid to rapid permeability. Shrink-swell potential is low. Available water capacity is low to very low. Used mainly as rangeland, forestland, or wildlife habitat.	4,171 (5)
CA	Cacique-Cruces association (0 to 5% slope)	Very low	Very high (WEG 2)	Consists of about 35% Cacique loamy sand, 25% Cruces loamy sand, and 20% Simona loamy sand. Gently undulating to moderately rolling soils on basin floors, alluvial plains, mesa tops, and low ridges. Parent material consists of alluvium (basin floors) and sandy sediment (plains and low ridges). Shallow to moderately deep and well drained, with high surface runoff potential (low infiltration) and moderately rapid permeability. Shrink-swell potential is low to moderate. Available water capacity is low to very low. Used mainly as rangeland, forestland, or wildlife habitat.	3,629 (5)

TABLE 12.1.7.1-1 (Cont.)

Map Unit Symbol	Map Unit Name	Water Erosion Potential ^a	Wind Erosion Potential ^b	Description	Acres (% of SEZ)
BO	Bluepoint loamy sand (1 to 15% slope)	Very low	Very high (WEG 2)	Nearly level to gently sloping soils on dunes, fans, terraces, and ridges along the upper margins of the Rio Grande Valley. Parent material consists of sandy alluvium modified by wind. Deep and somewhat excessively drained, with a low surface runoff potential (high infiltration rate) and rapid permeability. Shrink-swell potential is low to very low. Available water capacity is low. Used mainly as rangeland, pastureland, forestland, or wildlife habitat.	2,740 (4)
OR	Onite-Pintura complex (0 to 5% slope)	Very low	Very high (WEG 2)	Consists of about 50% Onite loamy fine sand and 25% Pintura loamy fine sand. Level to nearly level soils on and between dunes on alluvial fan piedmonts. Parent material includes both eolian deposits (from sandstone) and alluvium. Deep and well drained, with a moderate surface runoff potential and moderately rapid to rapid permeability. Shrink-swell potential is low. Available water capacity is low to moderate. Used mainly as rangeland, forestland, or wildlife habitat.	1,780 (2)
TE	Tencee-Upton association (3 to 15% slope)	Moderate	Low (WEG 4)	Consists of about 35%Tencee very gravelly sandy loam and 20% Upton gravelly sandy loam. Undulating to moderately rolling soils on low ridge tops and side slopes. Parent material consists of gravelly alluvium. Shallow and well drained, with high surface runoff potential (low infiltration rate) and moderate permeability. Shrink-swell potential is low. Available water capacity is very low. Used mainly as rangeland, forestland, or wildlife habitat.	1,071 (1)
Bm	Bluepoint loamy sand (1 to 5% slope)	Very low	Very high (WEG 2)	Nearly level soils on alluvial fans and valley sides. Parent material consists of sandy alluvium modified by wind. Deep and somewhat excessively drained, with low surface runoff potential (high infiltration rate) and rapid permeability. Shrink-swell potential is low. Available water capacity is low to very low. Used mainly as rangeland, pastureland, forestland, or wildlife habitat.	474 (<1)

Footnotes continued on next page

TABLE 12.1.7.1-1 (Cont.)

- ^a Water erosion potential is a qualitative interpretation based on soil properties or combination of properties that contribute to runoff and have low resistance to water erosion processes. The ratings are on a 1.0 scale and take into account soil features such as surface layer particle size, saturated hydraulic conductivity, and high runoff landscapes. A rating of “very high” (>0.9 to ≤ 1.0) indicates that the soil has the greatest relative vulnerability to water erosion; a rating of “very low” (<0.10) indicates that the soil has little or no relative water erosion vulnerability. A rating of “moderate” (>0.35 and ≤ 0.65) indicates the soil has medium relative water erosion vulnerability.
- ^b Wind erosion potential is a qualitative interpretation based on surface soil properties or combination of properties that contribute to the soil’s potential wind erosivity. The ratings are on a 1.0 scale and assume that the affected area is bare, smooth, and has a long distance exposed to the wind. It is not a measure of actual soil loss from erosion. A rating of “very high” (>0.9 to ≤ 1.0) denotes a soil with a surface layer of sandy particles, high carbonate content, low organic matter content, or no coarse fragment protection. A rating of “low” (>0.2 to ≤ 0.4) is given to soils with favorable surface particle size, high organic matter content, or protective coarse fragments.
- ^c WEG = wind erodibility group. WEGs are based on soil texture, content of organic matter, effervescence of carbonates, content of rock fragments, and mineralogy, and take into account soil moisture, surface cover, soil surface roughness, wind velocity and direction, and the length of unsheltered distance (USDA 2004). Groups range in value from 1 (most susceptible to wind erosion) to 8 (least susceptible to wind erosion). The NRCS provides a wind erodibility index, expressed as an erosion rate in tons per acre per year, for each of the wind erodibility groups: WEG 2, 134 tons (122 metric tons) per acre (4,000 m²) per year; and WEGs 3 and 4, 86 tons (78 metric tons) per acre (4,000 m²) per year.

Sources: NRCS (2010); Bolluch and Neher (1980).

1 None of the soils within the Afton SEZ is rated as hydric.² Flooding is not likely for
2 soils at the site, occurring with a frequency of less than once in 500 years. None of the soils is
3 classified as prime or unique farmland (NRCS 2010).
4

6 **12.1.7.2 Impacts**

7
8 Impacts on soil resources would occur mainly as a result of ground-disturbing activities
9 (e.g., grading, excavating, and drilling), especially during the construction phase of a solar
10 project. These include soil compaction, soil horizon mixing, soil erosion and deposition by wind,
11 soil erosion by water and surface runoff, sedimentation, and soil contamination. Such impacts are
12 common to all utility-scale solar energy developments in varying degrees and are described in
13 more detail for the four phases of development in Section 5.7.1.
14

15 Because impacts on soil resources result from ground-disturbing activities in the project
16 area, soil impacts would be roughly proportional to the size of a given solar facility, with larger
17 areas of disturbed soil having a greater potential for impacts than smaller areas (Section 5.7.2).
18 The magnitude of impacts would also depend on the types of components built for a given
19 facility since some components would involve greater disturbance and would take place over a
20 longer timeframe.
21

23 **12.1.7.3 SEZ-Specific Design Features and Design Feature Effectiveness**

24
25 No SEZ-specific design features were identified for soil resources at the proposed Afton
26 SEZ. Implementing the programmatic design features described under both Soils and Air Quality
27 in Appendix A, Section A.2.2, as required under BLM's Solar Energy Program, would reduce
28 the potential for soil impacts during all project phases.
29

² A hydric soil is a soil that formed under conditions of saturation, flooding, or ponding (NRCS 2010).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.1.8 Minerals (Fluids, Solids, and Geothermal Resources)**

2
3
4 **12.1.8.1 Affected Environment**

5
6 As of August 31, 2010, there were no locatable mining claims within the proposed Afton
7 SEZ, nor have there been any claims in the past (BLM and USFS 2010a). The public land within
8 the SEZ has been closed to locatable mineral entry since June 2009, pending the outcome of this
9 solar energy PEIS.

10
11 A two-year lease was recently approved for the sale of scoria (a light weight volcanic
12 rock) from a pit near Santo Tomas Mountain in the far eastern portion of the SEZ.³ The sale
13 covers about 5 acres (0.02 km²). Little Black Mountain in the southeastern part of the SEZ has
14 also had extensive development to produce scoria.

15
16 While there are no active oil and gas leases in the SEZ, most of the area in and around the
17 area has been leased in the past, but the leases have expired (BLM and USFS 2010b). The area
18 remains open for leasing for oil and gas and other leasable minerals, and for disposal of salable
19 minerals. There is no active geothermal leasing or development in or near the SEZ, nor has the
20 area been leased previously (BLM and USFS 2010b). Land within the Afton SEZ is considered
21 prospectively valuable for oil, gas, and geothermal resources (BLM 2008b).

22
23
24 **12.1.8.2 Impacts**

25
26 If the area is identified as a solar energy zone, it would continue to be closed to all
27 incompatible forms of mineral development. It is assumed that future development of oil and gas
28 resources, should any be discovered, would continue to be possible, since such development
29 could occur utilizing directional drilling from outside the SEZ.

30
31 Since the SEZ does not contain existing mining claims, it is also assumed that there
32 would be no future loss of locatable mineral production. The production of common minerals,
33 such as scoria, sand and gravel, and mineral materials used for road construction or other
34 purposes, might take place in areas not directly developed for solar energy production. The
35 current mineral lease near Santo Tomas is an existing right that would not be affected by SEZ
36 development during the lease term. Little Black Mountain is too steep for solar development, so
37 if access is maintained to the area it could be used in the future for mineral material sales.

38
39 The SEZ has had no history of development of geothermal resources. For that reason, it
40 is not anticipated that solar development would adversely affect the development of geothermal
41 resources.

42
43

³ BLM, LR 2000 Report, accessed October 26, 2010.

1
2
3
4
5
6

12.1.8.3 SEZ-Specific Design Features and Design Feature Effectiveness

No SEZ-specific design features are required. Implementing the programmatic design features described in Appendix A, Section A.2.2, as required under BLM’s Solar Energy Program would provide adequate mitigation to protect mineral resources.

1 **12.1.9 Water Resources**

2
3
4 **12.1.9.1 Affected Environment**

5
6 The proposed Afton SEZ is located within the Rio Grande–Mimbres Subregion of the
7 Rio Grande Hydrologic Region (USGS 2010d) and the Basin and Range physiographic province
8 characterized by north-south trending basins flanked by small mountain ranges (Robson and
9 Banta 1995). The proposed SEZ has surface elevations that range from 3,870 to 4,420 ft
10 (1,180 to 1,350 m). The proposed Afton SEZ is located on sloping land between the West
11 Potrillo Mountains to the west, Malpais Lava Field to the southwest, Robledo Mountains to the
12 north, and Mesilla Valley of the Rio Grande to the east (Figure 12.1.9.1-1). Annual precipitation
13 is estimated to be between 6.8 and 9.4 in./yr (17 and 24 cm/yr), with average snowfalls of 3 to
14 4 in./yr (8 to 10 cm/yr) (WRCC 2010a,b). Evaporation in the vicinity of the SEZ is estimated to
15 be 102 in./yr (259 cm/yr) (Cowherd et al. 1988; WRCC 2010c).

16
17
18 **12.1.9.1.1 Surface Waters (Including Drainages, Floodplains, and Wetlands)**

19
20 There are no perennial streams within the proposed Afton SEZ. The Rio Grande River
21 is located between 1.5 and 4.5 mi (2.4 and 7.2 km) to the east of the SEZ in the Mesilla
22 Valley. The West Side Canal branches off from the Rio Grande River in the vicinity of the
23 SEZ and is located less than 1 mi (1.6 km) from the SEZ in some places (Figure 12.1.9.1-1).
24 Several small intermittent pond features are shown on USGS maps of the proposed SEZ
25 (USGS 1978a,b, 1982). On the eastern edge of the SEZ, unnamed ephemeral streams are shown
26 on the USGS maps as occurring in the slopes above the Mesilla Valley (USGS 1978a, 1982).
27 The mean monthly discharge of the Rio Grande River just downstream of Elephant Butte Dam
28 (the gauging station is located more than 60 mi [100 km] north of the proposed Afton SEZ)
29 varies from 234 ft³/s (6,630 L/s) in November to 1,820 ft³/s (51,500 L/s) in June (USGS 2010e;
30 gauge 08361000).

31
32 Flood hazards within the proposed Afton SEZ have been identified to be within the
33 100-year floodplain (Zone A) in some areas; the rest of the area is identified as being beyond
34 the 500-year floodplain (Zone X) (FEMA 2009). Many of the areas identified as being within the
35 100-year floodplain in the SEZ are surface topographic depressions that correspond with the
36 intermittent pond features discussed above. Along the eastern edge of the SEZ, there are linear
37 100-year floodplain features that correspond with the ephemeral wash features described above.
38 The total Zone A floodplain area within the SEZ has been calculated to be 1,654 acres (6.7 km²),
39 and this land will be unavailable for solar facility development. During storm events, intermittent
40 flooding may occur with temporary ponding and erosion, especially in low-lying areas
41 (intermittent pond features) and ephemeral streams.

42
43 Twenty wetlands mapped by the National Wetland Inventory (NWI) occur in the Afton
44 SEZ, totaling approximately 38.5 acres (0.2 km²) (USFWS 2009). These wetlands occur
45 primarily in local depressions; however, several near the eastern margin of the SEZ are
46 associated with the Rio Grande floodplain and tributaries. Wetlands have also been identified




FIGURE 12.1.9.1-1 Surface Water Features near the Proposed Afton SEZ

1 along the Rio Grande River in the vicinity of the proposed Afton SEZ (NMSPD 2010). Further
2 information regarding the wetlands near the SEZ is provided in Section 12.1.10.1.
3
4

5 ***12.1.9.1.2 Groundwater***

6

7 The proposed Afton SEZ is located in the Mesilla Basin, specifically within the
8 northwestern part which is referred to as the West Mesa. The Mesilla Basin occupies about
9 704,000 acres (2,850 km²) and is bounded by the East and West Portillo Mountains, Arden Hills,
10 and Sleeping Lady Hills to the west; the Organ Mountains and Franklin Mountains to the east;
11 the Doña Ana Mountains and Robledo Mountains to the north; and the Sierra de Cristo Rey
12 Mountains to the southeast (Figure 12.1.9.1-1). Groundwater is primarily found in basin-fill
13 deposits that consist of Quaternary age alluvium along the floodplain of the Rio Grande and
14 Quaternary and Tertiary age sediments of the Santa Fe Group (Nickerson and Myers 1993).
15 The Mesilla Basin is considered partially drained with respect to groundwater as it contributes
16 subsurface flow to the Hueco Bolson to the south and receives small amounts of water from the
17 Jornada de Muerto groundwater system to the northeast (Hawley et al. 2001).
18

19 The Rio Grande alluvial deposits are found within the floodplain areas of the Rio Grande
20 that extends over 60 mi (97 km) through the Mesilla Basin and ranging between several hundred
21 feet to 5 mi (8 km) in width (LRGWUO 2004). The Rio Grande alluvium deposits range from
22 50 to 125 ft (15 to 38 m) in thickness and consist of gravel, sand, silt, and clay (Nickerson and
23 Myers 1993). Near the Rio Grande River, the groundwater table can be as little as 10 ft (3 m)
24 below ground level (Witcher et al. 2004). The Rio Grande alluvium extends to within about 3 mi
25 (5 km) of the SEZ's eastern boundary. The majority of the basin-fill deposits within the Mesilla
26 Basin are a part of the Santa Fe Group, which consists of deposits of poorly consolidated
27 sedimentary and volcanic sediments (Frenzel et al. 1992). The thickness of the Santa Fe Group
28 is estimated to range from being very thin at the northern and western boundaries of the basin to
29 more than 5,000 ft (1,524 m), with thicknesses in the areas of the West Mesa ranging from 1,000
30 to 1,500 ft (305 to 457 m) (Nickerson and Myers 1993). A well drilled near the northeast part of
31 the SEZ (Boles No. 1 Federal oil test well, T-24S R-1E S-7) indicates a potentially deeper
32 portion of the Santa Fe Group by the presence of a saturated zone that was measured to be
33 3,440 ft (1,049 m) thick (Myers and Orr 1985).
34

35 The Santa Fe Group is informally divided into upper, middle, and lower
36 hydrostratigraphic units: the upper unit has a thickness of up to 750 ft (229 m) consisting of
37 ancestral Rio Grande channel sands and gravels; the middle unit includes extensive layers of
38 sands interbedded with silty clay and is up to 1,500 ft (457 m) in thickness, and the lower unit
39 has a high clay content and is up to 1,000 ft (305 m) thick (Hawley et al. 2001). The generalized
40 hydrostratigraphic units of the Rio Grande floodplain alluvium and the Santa Fe Group deposits
41 are unconfined and vary with respect to aquifer characteristics (Hawley et al. 2001). Hydraulic
42 conductivity decreases with depth and with typical values that are approximately 70 ft/day
43 (21 m/day) in the Rio Grande alluvium, and from 25 ft/day (8 m/day) in the upper unit of
44 the Santa Fe Group to 12.5 ft/day (4 m/day) in the lower unit of the Santa Fe Group
45 (Frenzel et al. 1992; Nickerson and Myers 1993; CH2M HILL 2002). Aquifer tests indicate
46 that the transmissivity of the Rio Grande alluvium deposits range from 10,000 to 20,000 ft²/day

1 (929 to 1,858 m²/day), and in the Santa Fe Group range from about 10,900 to 40,000 ft²/day
2 (1,013 to 3,716 m²/day) (Creel et al. 1998).

3
4 Groundwater recharge to the Mesilla Basin is primarily from infiltration of Rio Grande
5 flows to floodplain alluvium, as well as mountain-front recharge processes (Nickerson and
6 Myers 1993; Hawley et al. 2001). Basin-wide recharge estimates vary depending on methods
7 used and range from less than 10,000 to 13,000 ac-ft/yr (12.3 million to 16.0 million m³/yr)
8 (Frenzel et al. 1992; Hawley et al. 2001; LRGWUO 2004). Discharge of groundwater from the
9 Mesilla Basin occurs primarily as groundwater extractions, evapotranspiration, and discharge to
10 agricultural ditches (Nickerson and Myers 1993). Quantifying groundwater discharge processes
11 within the Mesilla Basin is difficult because of complex interactions between the surface waters
12 (Rio Grande, tributary streams, and agricultural ditches and canals) and shallow groundwater
13 that vary temporally and are also dependent on upstream reservoir releases to the Rio Grande
14 (Frenzel et al. 1992; LRGWUO 2004). Groundwater flow in the Mesilla Groundwater Basin is
15 generally to the southeast and parallel to flow in the Rio Grande River; however, the direction of
16 groundwater flow is influenced by nearby hydraulic structures such as the Rio Grande, drains,
17 canals, well pumpage, and heavily irrigated fields (LRGWUO 2004). The hydraulic gradient
18 (slope of groundwater surface elevations) has been observed to be 0.002 in the northwest part of
19 the West Mesa (near the proposed SEZ) and approximately 0.0004 near the boundary with
20 Mexico (Witcher et al. 2004).

21
22 A groundwater monitoring network was established in 1987 by the USGS for the Mesilla
23 Basin (Nickerson 1987). Information from this monitoring network, modeling studies, and
24 previous investigations have shown that between 1978 and 2000, groundwater levels in the
25 Mesilla Basin fluctuated by about 5 to 10 ft (1.5 to 3 m) west of the Rio Grande and decreased
26 by 10 to 40 ft (3 to 12 m) east of the Rio Grande primarily because of groundwater extractions
27 around the City of Las Cruces (LRGWUO 2004). The depth to groundwater varies from
28 approximately 10 ft (3 m) near the Rio Grande to 400 ft (122 m) below the land surface
29 (LRGWUO 2004). In the vicinity of the proposed Afton SEZ, the groundwater table is typically
30 between 300 and 400 ft (91 and 122 m) below the land surface; this has remained fairly steady
31 over time (USGS 2010c,e; e.g., well numbers 321248106560001, 320927106531201, and
32 320526106470101).

33
34 Groundwater in the Santa Fe Group beneath the proposed Afton SEZ is fresh to
35 moderately saline. The concentration of total dissolved solids (TDS) concentrations in
36 groundwater increases with depth (Nickerson and Myers 1993). The TDS content of
37 groundwater samples taken from a well near an Afton test hole well (T-25S R-1E S-6) ranged
38 from 755 mg/L at a depth of 635 to 655 ft (194 to 200 m) to 3,300 mg/L at a depth of 2,200 to
39 2,220 ft (671 to 677 m) (Nickerson and Meyers 1993). In addition, higher TDS concentrations
40 are estimated to occur in groundwater in the northwestern part of the SEZ (Myers and Orr 1985).
41 Fluoride concentrations were also found to be above the EPA primary MCL, and manganese
42 and iron concentrations were found to exceed the secondary MCL in the Afton test hole well
43 (USGS 2010e; well number 320924106531201).

1 **12.1.9.1.3 Water Use and Water Rights Management**
2

3 In 2005, 521,000 ac-ft/yr (642 million m³/yr) of water was withdrawn in Dona Aña
4 County; 61% of this came from surface water, and 39% came from groundwater. The largest
5 water use category was agricultural irrigation, at 470,000 ac-ft/yr (580 million m³/yr). Public
6 supply water use accounted for 42,000 ac-ft/yr (52 million m³/yr), with livestock water use
7 accounting for about 6,900 ac-ft/yr (8.5 million m³/yr) (Kenny et al. 2009). Total water use in
8 the West Mesa portion of the Mesilla Basin is not known. The City of Las Cruces has obtained
9 rights to withdraw 13,000 ac-ft/yr (16 million m³/yr) from a planned well field in the West Mesa
10 (City of Las Cruces 2008).
11

12 Water rights in New Mexico are managed using the doctrine of prior appropriation. All
13 waters (both groundwater and surface water) are public and subject to appropriation by a legal
14 entity with plans of beneficial use for the water (BLM 2001). A water right in New Mexico is a
15 legal entity’s right to appropriate water for a specific beneficial use and is defined by seven
16 major elements: owner, point of diversion, place of use, purpose of use, priority date, amount of
17 water, and periods of use. Water rights in New Mexico are administered through the Water
18 Resources Allocation Program (WRAP) under the Office of the State Engineer (NMOSE)
19 (NMOSE 2010d). The WRAP and NMOSE are responsible for both surface water and
20 groundwater appropriations (both novel and transfer of existing water rights). The extent of the
21 NMOSE’s authority to regulate groundwater applies only to groundwater basins that are
22 “declared” underground water basins; however, as of 2005, all groundwater basins within the
23 state had been declared. When assessing water right applications, the WRAP considers the
24 following: the existence of unappropriated waters within the basin, the possibility of impairing
25 existing water rights, whether granting the application would be contrary to the conservation of
26 water within the state, and whether the application would be detrimental to public welfare
27 (BLM 2001).
28

29 In most regions of the state, groundwater and surface water appropriation application
30 procedures are handled in a similar fashion. The criteria for which the applications are evaluated
31 and administered can vary by region or case (NMOSE 2005a, 2006a). For select basins, in
32 addition to the routine evaluations described above, groundwater and surface water rights
33 applications may be subject to water management plans to ensure that the proposed junior water
34 rights will not be detrimental to more senior water rights or impair water conservation efforts in
35 their specific regions (NMOSE 2004). Under the WRAP is the Active Water Resource
36 Management (AWRM) initiative, which is responsible for administering the water management
37 plans in specific basins/regions (NMOSE 2010a). The AWRM is also responsible for prioritizing
38 basins that are in need of conservation and water management plans. For basins deemed
39 “priority,” there are policies set in place that mandate junior water rights be temporarily curtailed
40 in favor of more senior water rights in times of drought or shortage. These priority basins are
41 generally more restrictive in terms of awarding novel water rights and transferring existing water
42 rights (NMOSE 2004). Specific tools to be used in the AWRM initiative are associated with
43 (1) detailed accounting of water use, (2) implementing new or existing regulations, (3) creating
44 water districts for management purposes, and (4) assigning water masters to those districts
45 (NMOSE 2004). The water masters are tasked with prioritizing water rights; this effort is
46 necessary to accurately determine which rights will be curtailed and which will not in a time of

1 water shortage. The process of curtailing junior water rights in favor of more senior ones is
2 called “priority administration” (NMOSE 2010c).

3
4 The proposed Afton SEZ is located within the Lower Rio Grande Basin, which is an
5 AWRM priority basin and includes the following groundwater basins: Mesilla Basin, Hueco
6 Bolson, Palomas Basin, and Jornada del Muerto. Both groundwater and surface waters are fully
7 appropriated within the Lower Rio Grande Basin, which has been involved in an ongoing
8 adjudication since 1986 (LRGWUO 2004). New diversions of surface waters and groundwater
9 would need to be carried out through the transfer of existing water rights, which are mostly
10 associated with irrigated agriculture within the Lower Rio Grande Basin (NMOSE 2006a;
11 King 2007; LRGWUO 1999). All water right transfer applications are reviewed by the WRAP
12 on a case-by-case basis because of the diversity among the basins and regions (NMOSE 2010a).
13 The Rio Grande flows north to south through the Lower Rio Grande Basin region before it is
14 intercepted by the borders of both Texas and Mexico, and water management is significantly
15 affected by regulations, compacts, and treaties relating to the Rio Grande that are described in
16 Section 4.9.1.4.2.

17
18 The Lower Rio Grande Basin includes the growing city of Las Cruces. A study of the
19 Lower Rio Grande Basin region done in 1999 found that on the basis of water use and population
20 growth data, the demand for water in the city of Las Cruces would exceed the total amount of
21 water rights in 2012 under a high-growth scenario and in 2030 under a low-growth scenario
22 (LRGWUO 1999). The Mesilla Basin extends into both Mexico and Texas, but the majority of
23 water taken by both those entities is taken from the adjacent Hueco Bolson. Mexico uses the
24 Hueco Bolson for irrigation and as the primary (and almost exclusive) source of water for the
25 city of Ciudad Juarez. LRGWUO (1999) indicated that the declining levels and low quality of
26 the water in Hueco Bolson in 1999 might lead users to start using groundwater from the
27 Mesilla Basin as an alternative. In addition, the Mesilla Basin has been identified as a priority
28 transboundary aquifer (i.e., an aquifer that has been identified according to its proximity to
29 areas with a high population density, the extent to which it is used, and its susceptibility to
30 contamination) between the United States and Mexico (TCEQ 2005). It is covered by the
31 United States–Mexico Transboundary Aquifer Assessment Act of 2006. The goals of this Act
32 are to characterize, map, and model priority transboundary aquifers along the United States–
33 Mexico border at a level of detail sufficient for the particular aquifer (Hawley and Granados-
34 Olivas 2008). Characterization of the Mesilla Basin is currently being done by the USGS and
35 the Water Resources Research Institute at New Mexico State University (Hawley and
36 Granados-Olivas 2008). The Secretary of the Interior will use this information to update the
37 status of the transboundary aquifer in an interim report (5 years after the Act was enacted) and as
38 part of a final aquifer report in 2016 (United States–Mexico Transboundary Aquifer Assessment
39 Act of 2006).

40 41 42 **12.1.9.2 Impacts**

43
44 Potential impacts on water resources related to utility-scale solar energy development
45 include direct and indirect impacts on surface waters and groundwater. Direct impacts occur at
46 the place of origin and at the time of the proposed activity, while indirect impacts occur away

1 from the place of origin or later in time. Impacts on water resources considered in this analysis
2 are the result of land disturbance activities (construction, final developed site plan, as well as
3 off-site activities such as road and transmission line construction) and water use requirements
4 for solar energy technologies that take place during the four project phases: site characterization,
5 construction, operations, and decommissioning/reclamation. Both land disturbance and
6 consumptive water use activities can affect groundwater and surface water flows, cause
7 drawdown of groundwater surface elevations, modify natural drainage pathways, obstruct natural
8 recharge zones, and alter surface water–wetland–groundwater connectivity. Water quality can
9 also be degraded through the generation of wastewater, chemical spills, increased erosion and
10 sedimentation, and increased salinity (e.g., by the excessive withdrawal from aquifers).

13 ***12.1.9.2.1 Land Disturbance Impacts on Water Resources***

15 Impacts related to land disturbance activities are common to all utility-scale solar
16 energy developments, which are described in more detail for the four phases of development
17 in Section 5.9.1. These impacts will be minimized through the implementation of the
18 programmatic design features described in Appendix A, Section A.2.2. Land disturbance impacts
19 in the vicinity of the Afton SEZ could potentially affect natural groundwater recharge and
20 discharge properties. Tributary washes within the Afton SEZ contribute flow to the Mesilla
21 Valley during major storm events, as evident from channelization patterns. Land surface
22 depressions that act as intermittent pond/lake features within the SEZ may be an important
23 source of recharge to the West Mesa and may also provide habitat within the SEZ.

26 ***12.1.9.2.2 Water Use Requirements for Solar Energy Technologies***

29 **Analysis Assumptions**

31 A detailed description of the water use assumptions for the four utility-scale solar energy
32 technologies (parabolic trough, power tower, dish engine, and PV systems) is presented in
33 Appendix M. Assumptions regarding water use calculations specific to the proposed Afton SEZ
34 include the following:

- 36 • On the basis of a total area of 77,623 acres (314 km²), it is assumed that
37 three solar projects would be constructed during the peak construction year;
- 38 • Water needed for making concrete would come from an off-site source;
- 39 • The maximum land disturbance for an individual solar facility during the peak
40 construction year is 3,000 acres (12 km²);
- 41 • Assumptions on individual facility size and land requirements (Appendix M),
42 along with the assumed number of projects and maximum allowable land
43
44
45

1 disturbance, result in the potential to disturb up to 12% of the SEZ total area
2 during the peak construction year; and

- 3
4 • Water use requirements for hybrid cooling systems are assumed to be on the
5 same order of magnitude as those using dry cooling (see Section 5.9.2.1).

6 7 8 **Site Characterization**

9
10 During site characterization, water would be used mainly for controlling fugitive dust and
11 for providing the workforce potable water supply. Impacts on water resources during this phase
12 of development are expected to be negligible since activities would be limited in area, extent,
13 and duration; water needs could be met by trucking water in from an off-site source.

14 15 16 **Construction**

17
18 During construction, water would be used mainly for fugitive dust suppression and
19 the workforce potable supply. Because there are no significant surface water bodies on the
20 proposed Afton SEZ, the water requirements for construction activities could be met by
21 either trucking water to the sites or by using on-site groundwater resources. Water requirements
22 for dust suppression and potable water supply during the peak construction year, shown in
23 Table 12.1.9.2-1, could be as high as 5,372 ac-ft (6.6 million m³). Groundwater wells would
24 have to yield an estimated 3,330 gal/min (12,600 L/min) to meet the estimated construction
25 water requirements. The availability of groundwater and the impacts of groundwater withdrawal
26 would need to be assessed during the site characterization phase of a solar development project.
27 In addition to groundwater withdrawals, up to 222 ac-ft (273,800 m³) of sanitary wastewater
28 would be generated during the peak construction year and would need to be either treated on-site
29 or sent to an off-site facility. Groundwater quality in the vicinity of the SEZ would need to be
30 tested to verify that the quality would comply with drinking water standards.

31 32 33 **Operations**

34
35 During operations, water would be required for mirror/panel washing, the workforce
36 potable water supply, and cooling (parabolic trough and power tower only) (Table 12.1.9.2-2).
37 Water needs for cooling are a function of the type of cooling used (dry, hybrid, wet). Further
38 refinements to water requirements for cooling would result from the percentage of time that the
39 option was employed (30 to 60% range assumed) and the power of the system. The differences
40 between the water requirements reported in Table 12.1.9.2-2 for the parabolic trough and power
41 tower technologies are attributable to the assumptions about acreage per megawatt. As a result,
42 the water usage for the more-energy-dense parabolic trough technology is estimated to be almost
43 twice as large as that for the power tower technology.

44
45 Water use requirements among the solar energy technologies are a factor of the full
46 build-out capacity for the SEZ as well as assumptions about water use and technology operations

TABLE 12.1.9.2-1 Estimated Water Requirements during the Peak Construction Year for the Proposed Afton SEZ

Activity	Parabolic Trough	Power Tower	Dish Engine	PV
Water use requirements ^a				
Fugitive dust control (ac-ft) ^{b,c}	3,491	5,237	5,237	5,237
Potable supply for workforce (ac-ft)	222	135	56	28
Total water use requirements (ac-ft)	3,713	5,372	5,293	5,265
Wastewater generated				
Sanitary wastewater (ac-ft)	222	135	56	28

^a Assumptions about the water use for fugitive dust control, potable supply for the workforce, and wastewater generation are presented in Table M.9-1 (Appendix M).

^b Fugitive dust control estimation assumes a local pan evaporation rate of 102 in./yr (259 cm/yr) (Cowherd et al. 1988; WRCC 2010b).

^c To convert ac-ft to m³, multiply by 1,234.

1
2
3 discussed in Appendix M. Table 12.1.9.2-2 lists the quantities of water needed for mirror/panel
4 washing, potable water supply, and cooling activities for each solar energy technology. At full
5 build-out capacity, the estimated total water use requirements for non-cooling technologies
6 (i.e., technologies that do not use water for cooling) during operations are 353 and 3,527 ac-ft/yr
7 (435,000 and 4.4 million m³/yr) for the PV and dish engine technologies, respectively. For
8 technologies that use water for cooling (i.e., parabolic trough and power tower), total water needs
9 range from 4,907 ac-ft/yr (6.1 million m³) (power tower for an operating time of 30% using dry
10 cooling) to 186,469 ac-ft/yr (230 million m³/yr) (parabolic trough for an operating time of 60%
11 using wet cooling). Operations would generate up to 174 ac-ft/yr (215,000 m³/yr) of sanitary
12 wastewater. In addition, for wet-cooled technologies, 1,960 to 3,528 ac-ft/yr (2.4 million to
13 4.4 million m³/yr) of cooling system blowdown water would need to be either treated on-site or
14 sent to an off-site facility. Any on-site treatment of wastewater would have to ensure that
15 treatment ponds are effectively lined in order to prevent any groundwater contamination.

16
17 Water demands for full build-out of technologies that require wet cooling are extremely
18 large compared to the overall water balance in the West Mesa. For either a parabolic trough or
19 power tower, the water demands for wet cooling at full build-out would exceed the estimated
20 annual recharge of the Santa Fe Group of 10,000 ac-ft/yr (12.3 million m³/yr) by factors of
21 3.5 and 6.2 for a power tower and parabolic trough, respectively, operating at a level of 30% of
22 the time. If the technologies were operated 60% of the time, the withdrawal rates would exceed
23 recharge by factors of 10.3 and 18.6, respectively. If dry-cooling was used and a facility was
24 operated 30% of the time, a power tower would use about 49% of the annual recharge to the
25 aquifer, and a parabolic trough would use about 89% of the annual recharge. If operations were
26 performed 60% of the time, a power tower system would use a little more than 100% of the
27 annual recharge, and full build-out of a parabolic trough system would exceed the annual
28 recharge by a factor of 1.9.

TABLE 12.1.9.2-2 Estimated Water Requirements during Operations at the Proposed Afton SEZ

Activity	Parabolic Trough	Power Tower	Dish Engine	PV
Full build-out capacity (MW) ^{a, b}	12,420	6,900	6,900	6,900
Water use requirements				
Mirror/panel washing (ac-ft/yr) ^{c, d}	6,210	3,450	3,450	345
Potable supply for workforce (ac-ft/yr)	174	77	77	7.7
Dry cooling (ac-ft/yr) ^e	2,484–12,420	1,380–6,900	NA ^f	NA
Wet cooling (ac-ft/yr) ^e	55,889–180,085	31,049–100,047	NA	NA
Total water use requirements				
Non-cooled technologies (ac-ft/yr)	NA	NA	3,527	353
Dry-cooled technologies (ac-ft/yr)	8,868–18,804	4,907–10,427	NA	NA
Wet-cooled technologies (ac-ft/yr)	62,272–186,469	34,576–103,575	NA	NA
Wastewater Generated				
Blowdown (ac-ft/yr) ^g	3,528	1,960	NA	NA
Sanitary wastewater (ac-ft/yr)	174	77	77	7.7

- ^a Land area for parabolic trough was estimated at 5 acres/MW (0.02 km²/MW); land area for the power tower, dish engine, and PV technologies was estimated at 9 acres/MW (0.04 km²/MW).
- ^b Water needs are linearly related to power. Water usage for any other size project can be estimated by using multipliers provided in Table M.9-2 (Appendix M).
- ^c Value assumes a usage rate of 0.5 ac-ft/yr/MW for mirror washing for parabolic trough, power tower, and dish engine technologies and a rate of 0.05 ac-ft/yr/MW for panel washing for PV systems.
- ^d To convert ac-ft to m³, multiply by 1,234.
- ^e Dry-cooling value assumes 0.2 to 1.0 ac-ft/yr per MW and wet-cooling value assumes 4.5 to 14.5 ac-ft/yr per MW (range in these values represents 30 and 60% operating times) (DOE 2009).
- ^f NA = not applicable.
- ^g Value scaled from 250-MW Beacon Solar project with an annual discharge of 44 gal/min (167 L/min) (AECOM 2009). Blowdown estimates are relevant to wet cooling only.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

The effects of groundwater withdrawal rates on potential groundwater elevations and flow directions would need to be assessed during the site characterization phase of a solar project and during the development of water supply wells. From the perspective of water use requirements, technologies using wet- and dry-cooling would be unfeasible for the full build-out scenario of the proposed Afton SEZ. Groundwater quality in the vicinity of the SEZ would need to be tested to verify that the quality would comply with drinking water standards.

Decommissioning/Reclamation

During decommissioning/reclamation, all surface structures associated with the solar project would be dismantled, and the site would be reclaimed to its preconstruction state.

1 Activities and water needs during this phase would be similar to those during the construction
2 phase (dust suppression and potable supply for workers) and might also include water to
3 establish vegetation in some areas. However, the total volume of water needed is expected to be
4 less. Because quantities of water needed during the decommissioning/reclamation phase would
5 be less than those needed for construction, impacts on surface and groundwater resources also
6 would be less.

9 ***12.1.9.2.3 Off-Site Impacts: Roads and Transmission Lines***

10
11 Impacts associated with the construction of roads and transmission lines primarily deal
12 with water use demands for construction, water quality concerns related to potential chemical
13 spills, and land disturbance effects on the natural hydrology. The extent of the impacts on water
14 resources is proportional to the amount and location of land disturbance needed to connect the
15 proposed SEZ to major roads and existing transmission lines. The proposed Afton SEZ is located
16 adjacent to existing roads and transmission lines as described in Section 12.1.1.2, so it is
17 assumed that impacts would be negligible.

19 20 ***12.1.9.2.4 Summary of Impacts on Water Resources***

21
22 The impacts on water resources associated with developing solar energy at the proposed
23 Afton SEZ are associated with land disturbance effects on the natural hydrology, water quality
24 concerns, and water use requirements for the various solar energy technologies. Land disturbance
25 activities can cause localized erosion and sedimentation issues, as well as alter groundwater
26 recharge and discharge processes. The Afton SEZ contains ephemeral wash features, intermittent
27 pond/lake features, and areas within the 100-year floodplain. These areas are susceptible to
28 increased erosion and sedimentation as a result of solar energy development.

29
30 Impacts related to water use requirements vary depending on the type of solar technology
31 built and, for technologies using cooling systems, the type of cooling (wet, dry, or hybrid) used.
32 Groundwater is the primary water resource available to solar energy facilities in the proposed
33 Afton SEZ. Estimates of groundwater recharge, discharge, and storage processes are not fully
34 quantified for the Mesilla Basin because of the complex interactions between surface waters and
35 groundwater, as discussed previously. However, estimates of groundwater recharge for the
36 Mesilla Basin are on the order of 10,000 ac-ft/yr (12.3 million m³/yr), which is much less than
37 the wet-cooling water requirements needed for full build-out of the proposed SEZ. Even dry-
38 cooling technologies could use from 50 to 100% of the estimated recharge of the Mesilla Basin.
39 From the perspective of water use, wet- and dry-cooled technologies would not be feasible for
40 the full build-out scenario of the proposed Afton SEZ.

41
42 Obtaining water rights for solar energy development may be challenging within the
43 Lower Rio Grande Basin. Both groundwater and surface water are fully appropriated in the
44 basin, and an adjudication of water rights within the basin has been ongoing since 1986. In
45 addition, the City of Las Cruces has obtained rights to withdraw 13,000 ac-ft/yr
46 (16 million m³/yr) from a planned well field in the West Mesa (City of Las Cruces 2008).

1 The combination of this water use with the potential development of the Afton SEZ could put a
2 serious burden on water resources in the West Mesa region of the Mesilla Basin.

3
4 Potable water supplies would need to be tested to confirm that they comply with drinking
5 water standards. Concentrations of TDS, fluoride, iron, and manganese have been found to be
6 elevated above MCLs in some samples taken within the Santa Fe Group aquifer.
7
8

9 **12.1.9.3 SEZ-Specific Design Features and Design Feature Effectiveness**

10
11 The program for solar energy development on BLM-administered lands will require the
12 design features given in Appendix A, Section A.2.2, to be implemented, thus mitigating some
13 impacts on water resources. Programmatic design features would focus on coordinating with
14 federal, state, and local agencies that regulate the use of water resources to meet the requirements
15 of permits and approvals needed to obtain water for development and on conducting
16 hydrological studies to characterize the aquifer from which groundwater would be obtained
17 (including drawdown effects, if a new point of diversion is created). The greatest consideration
18 for mitigating water impacts would be in the selection of solar technologies. The mitigation of
19 impacts would be best achieved by selecting technologies with low water demands.
20

21 Design features specific to the proposed Afton SEZ include the following:

- 22
23 • Water resource analysis indicates that wet-cooling and dry-cooling options
24 would not be feasible, and other technologies should incorporate water
25 conservation measures;
- 26
27 • Land-disturbance activities should minimize impacts on ephemeral streams
28 located within the proposed SEZ;
- 29
30 • Siting of solar facilities and construction activities should avoid the areas
31 identified as being within a 100-year floodplain that total 1,654 acres
32 (6.7 km²) within the proposed SEZ;
- 33
34 • Groundwater management/rights should be coordinated with the NMOSE
35 with respect to the Lower Rio Grande AWRM priority basin;
- 36
37 • Groundwater monitoring and production wells should be constructed in
38 accordance with state standards (NMOSE 2005b);
- 39
40 • Stormwater management BMPs should be implemented according to
41 the guidance provided by the New Mexico Environment Department
42 (NMED 2010); and
- 43
44 • Water for potable uses would have to meet or be treated to meet water
45 quality standards as defined by the EPA (2009d).
46

1 **12.1.10 Vegetation**
2

3 This section addresses vegetation that could occur or is known to occur within the
4 potentially affected area of the proposed Afton SEZ. The affected area considered in this
5 assessment includes the areas of direct and indirect effects. The area of direct effects is defined
6 as the area that would be physically modified during project development (i.e., where ground-
7 disturbing activities would occur) and includes only the SEZ. The area of indirect effects was
8 defined as the area within 5 mi (8 km) of the SEZ boundary where ground-disturbing activities
9 would not occur, but that could be indirectly affected by activities in the area of direct effect.
10

11 Indirect effects considered in the assessment include effects from surface runoff, dust,
12 and accidental spills from the SEZ, but do not include ground-disturbing activities. The potential
13 degree of indirect effects would decrease with increasing distance from the SEZ. This area of
14 indirect effects was identified on the basis of professional judgment and was considered
15 sufficiently large to bound the area that would potentially be subject to indirect effects. The
16 affected area is the area bounded by the areas of direct and indirect effects. These areas are
17 defined and the impact assessment approach is described in Appendix M.
18
19

20 **12.1.10.1 Affected Environment**
21

22 The proposed Afton SEZ is located primarily within the Chihuahuan Basins and Playas
23 Level IV ecoregion (EPA 2007), which supports communities of desert shrubs and grasses on
24 alluvial fans, flat to rolling internally drained basins, and river valleys, and includes areas of
25 saline and alkaline soils, salt flats, sand dunes, and areas of wind-blown sand (Griffith et
26 al. 2006). The dominant species of the desert shrubland is creosotebush (*Larrea tridentata*), with
27 tarbush (*Flourensia cernua*), yuccas (*Yucca* spp.), sand sage (*Artemisia filifolia*), viscid acacia
28 (*Acacia neovernicosa*), tasajillo (*Cylindropuntia leptocaulis*), lechuguilla (*Agave lechuguilla*),
29 and mesquite (*Prosopis* sp.) also occurring frequently. Gypsum areas support gyp grama
30 (*Bouteloua breviseta*), gyp mentzelia (*Mentzelia humulis*), and Torrey ephedra (*Ephedra*
31 *torreyana*). Fourwing saltbush (*Atriplex canescens*), seepweed (*Suaeda* sp.), pickleweed
32 (*Allenrolfea occidentalis*), and alkali sacaton (*Sporobolus airoides*) occur on saline flats and
33 along alkaline playa margins. Cacti, including horse crippler (*Echinocactus texensis*), are
34 common in this ecoregion. Small areas in the eastern portion of the SEZ are located within the
35 Rio Grande Floodplain ecoregion. This ecoregion supports riparian woodlands and shrublands
36 along with agricultural areas (Griffith et al. 2006). Riparian habitats include cottonwood
37 (*Populus* sp.)–willow (*Salix* sp.) communities, along with velvet ash (*Fraxinus velutina*),
38 screwbean mesquite (*Prosopis pubescens*), seep willow (*Baccharis salicifolia*), alkali sacaton,
39 skunkbush (*Rhus trilobata*), and creosotebush. Salt cedar (*Tamarix chinensis*), a woody invasive
40 species, dominates some riparian areas. These ecoregions are located within the Chihuahuan
41 Deserts Level III ecoregion, which is described in Appendix I. Annual precipitation in the
42 Chihuahuan Desert occurs mostly in summer (Brown 1994), and is low in the area of the SEZ,
43 averaging about 9.4 in. (24 cm) at Las Cruces, New Mexico (see Section 12.1.13).
44

45 Areas surrounding the SEZ include these ecoregions as well as the Low Mountains and
46 Bajadas Level IV ecoregion, which includes desert shrub communities with a sparse cover of


1 grasses, with scattered trees at higher elevations (Griffith et al. 2006). Lands southwest of the
2 SEZ, within the area of indirect effects, include the Lava Malpais Level IV ecoregion, which
3 consists of communities of mixed shrubs and grasses on lava flows (Griffith et al. 2006).
4

5 Land cover types described and mapped under the Southwest Regional Gap Analysis
6 Project (SWReGAP) (USGS 2005a) were used to evaluate plant communities in and near the
7 SEZ. Each cover type encompasses a range of similar plant communities. Land cover types
8 occurring within the potentially affected area of the proposed Afton SEZ are shown in
9 Figure 12.1.10.1-1. Table 12.1.10.1-1 lists the surface area of each cover type within the
10 potentially affected area.
11

12 Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub is the predominant cover
13 type within the proposed Afton SEZ. Additional cover types within the SEZ are given in
14 Table 12.1.10.1-1. During a July 2009 visit to the site, the dominant species observed in the
15 desert scrub communities present within the SEZ were creosotebush, honey mesquite (*Prosopis*
16 *glandulosa*), and snakeweed (*Gutierrezia* sp.) Soap tree yucca (*Yucca elata*) is abundant in some
17 areas of the SEZ. Sensitive habitats on the SEZ include wetlands, desert dry washes, playas,
18 riparian areas, cliffs, and sand dunes. The area has a history of livestock grazing, and the plant
19 communities on the SEZ have likely been affected by grazing.
20

21 The area of indirect effects, including the area within 5 mi (8 km) around the SEZ,
22 includes 25 cover types, which are listed in Table 12.1.10.1-1. The predominant cover types are
23 Apacherian-Chihuahuan Mesquite Upland Scrub, Chihuahuan Creosotebush, Mixed Desert and
24 Thorn Scrub, Agriculture, and Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub.
25

26 Nineteen palustrine wetlands mapped by the National Wetland Inventory (NWI) occur in
27 the Afton SEZ and total approximately 45 acres (0.2 km²), and two riverine wetlands total 1.7 mi
28 (2.7 km) (USFWS 2009). NWI maps are produced from high-altitude imagery and are subject to
29 uncertainties inherent in image interpretation (USFWS 2009). Because digitized wetland data is
30 not available for the area of the SEZ, wetlands are not presented here in a separate figure. The
31 palustrine wetlands occur primarily in local depressions; however, several near the eastern
32 margin of the SEZ are associated with the Rio Grande floodplain and tributaries. Palustrine
33 wetlands are relatively shallow freshwater wetlands that often support plant communities of
34 trees, shrubs, emergents, or floating-leaved plants. Sixteen wetlands within the SEZ are classified
35 as palustrine unconsolidated shore wetlands and range from intermittently flooded to temporarily
36 flooded and seasonally flooded. Unconsolidated shore wetlands support sparse plant
37 communities (less than 30% vegetation cover). They range in size from <0.1 to approximately
38 4.5 acres (<0.0004 to 0.02 km²), and total approximately 30.9 acres (0.1 km²). Three are
39 designated as diked/impounded, while five are designated as excavated. One 6.5-acre (0.03-km²)
40 wetland, located in the western portion of the SEZ, is classified as a palustrine flats wetland.
41 Flats are unvegetated or support sparse plant communities. Two riverine wetlands, located in
42 intermittent drainages flowing to the Rio Grande floodplain, are temporarily flooded and total
43 about 1.7 mi (2.7 km) in length. Two Palustrine wetlands with scrub-shrub plant communities
44 occur along the Rio Grande floodplain, range from intermittently flooded to temporarily flooded,
45 and total approximately 7.6 acres (0.03 km²). Cover types occurring on the SEZ, that are
46 typically associated with wetland or riparian areas, include North American Warm



1

2 **FIGURE 12.1.10.1-1 Land Cover Types within the Proposed Afton SEZ (Source: USGS 2004)**

TABLE 12.1.10.1-1 Land Cover Types within the Potentially Affected Area of the Proposed Afton SEZ and Potential Impacts

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		Overall Impact Magnitude ^e
	Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub: Consists of vegetated dunes and sandsheets with open shrublands (generally 10 to 30% plant cover), which include grasses.	51,231 acres ^f (5.9%, 17.4%)	40,947 acres (4.7%)	Moderate
Apacherian-Chihuahuan Mesquite Upland Scrub: Occurs on foothills where deeper soil layers store winter precipitation. Dominant species are western honey mesquite (<i>Prosopis glandulosa</i>) or velvet mesquite (<i>P. velutina</i>) along with succulents and other deep-rooted shrubs. Cover of grasses is low.	15,659 acres (2.9%, 5.5%)	57,580 acres (10.6%)	Moderate
Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub: Occurs in basins and plains as well as the foothill transition zone. Consists of creosotebush (<i>Larrea tridentata</i>) alone or with thornscrub or other desertscrub species, including succulents such as <i>Agave</i> and cacti. Although grasses may be common, shrubs generally have greater cover.	6,302 acres (0.6%, 1.1%)	45,551 acres (4.1%)	Small
Chihuahuan Mixed Salt Desert Scrub: Occurs in saline basins, often on alluvial flats and around playas. Consists of one or more species of <i>Atriplex</i> along with other halophytic plant species. Grasses are present in varying densities.	1,996 acres (3.0%, 8.3%)	3,345 acres (5.0%)	Moderate
North American Warm Desert Active and Stabilized Dune: Consists of unvegetated to sparsely vegetated (generally <10% plant cover) active dunes and sandsheets. Vegetation includes shrubs, forbs, and grasses. Includes unvegetated “blowouts” and stabilized areas.	917 acres (0.7%, 2.0%)	8,652 acres (6.2%)	Small
Chihuahuan Succulent Desert Scrub: Occurs on hot, dry colluvial slopes, upper bajadas, sideslopes, ridges, canyons, hills, and mesas. Includes an abundance of succulent species, such as cacti, <i>Agave</i> , <i>Yucca</i> , and others. Shrubs are generally present, and perennial grasses are sparse.	393 acres (2.9%, 9.0%)	874 acres (6.5%)	Moderate

TABLE 12.1.10.1-1 (Cont.)

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		Overall Impact Magnitude ^e
	Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Apacherian-Chihuahuan Piedmont Semi-Desert Grassland and Steppe: Occurs on gently sloping bajadas, as well as on mesas and steeper piedmont and foothill slopes. Consists of grassland, steppe, and savanna characterized by a high diversity of perennial grasses as well as succulents, such as <i>Agave</i> , sotol (<i>Dasyllirion</i> spp.) and <i>Yucca</i> , and tall shrub/short tree species.	343 acres (<0.1%, 0.1%)	11,924 acres (1.3%)	Small
Chihuahuan Sandy Plains Semi-Desert Grassland: Occurs on sandy plains and sandstone mesas. Consists of grassland and steppe and includes scattered desert shrubs and stem succulents such as <i>Yucca</i> spp.	331 acres (0.8%, 2.6%)	963 acres (2.2%)	Small
North American Warm Desert Volcanic Rockland: Consists of barren and sparsely vegetated (<10% plant cover) areas. Vegetation is variable and typically includes scattered desert shrubs.	196 acres (1.2%, 1.3%)	9,460 acres (55.5%)	Small
North American Warm Desert Riparian Woodland and Shrubland: Occurs along medium to large perennial streams in canyons and desert valleys. Consists of a mix of riparian woodlands and shrublands. Vegetation is dependent upon annual or periodic flooding, along with substrate scouring, and/or a seasonally shallow water table.	64 acres (0.9%, 2.5%)	495 acres (7.3%)	Small
Open Water: Plant or soil cover is generally less than 25%.	15 acres (0.4%, 9.7%)	960 acres (26.3%)	Small
North American Warm Desert Playa: Consists of barren and sparsely vegetated areas (generally <10% plant cover) that are intermittently flooded; salt crusts are common. Sparse shrubs occur around the margins, and patches of grass may form in depressions. In large playas, vegetation forms rings in response to salinity. Herbaceous species may be periodically abundant.	10 acres (0.1%, 0.7%)	98 acres (0.8%)	Small
Agriculture: Areas where pasture/hay or cultivated crops account for more than 20% of total vegetation cover.	9 acres (<0.1%, 1.0%)	42,452 acres (30.6%)	Small

TABLE 12.1.10.1-1 (Cont.)

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		Overall Impact Magnitude ^e
	Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
North American Warm Desert Bedrock Cliff and Outcrop: Occurs on subalpine to foothill steep cliff faces, narrow canyons, rock outcrops, and unstable scree and talus slopes. Consists of barren and sparsely vegetated areas (generally <10% plant cover) with desert species, especially succulents. Lichens are predominant in some areas.	9 acres (0.2%, 0.5%)	132 acres (3.4%)	Small
Chihuahuan Gypsophilous Grassland and Steppe: Occurs on gypsum outcrops and on basins and slopes with sandy gypsiferous and/or alkaline soils. Consists of generally sparse grassland, steppe, or dwarf shrubland.	6 acres (<0.1%, 0.9%)	23 acres (0.1%)	Small
North American Arid West Emergent Marsh: Occurs in natural depressions, such as ponds, or bordering lakes, or slow-moving streams and rivers. Alkalinity is highly variable. The plant community is characterized by herbaceous emergent, submergent, and floating leaved species.	2 acres (0.8%, 3.5%)	22 acres (8.4%)	Small
North American Warm Desert Wash: Consists of intermittently flooded linear or braided strips within desert scrub or grassland landscapes on bajadas, mesas, plains, and basin floors. Although often dry, washes are associated with rapid sheet and gully flow. The vegetation varies from sparse and patchy to moderately dense, and typically occurs along the banks, but may occur within the channel. Shrubs and small trees are typically intermittent to open. Common upland shrubs often occur along the edges.	1 acre (<0.1%, 0.1%)	128 acres (4.3%)	Small
Developed, Medium-High Intensity: Includes housing and commercial/industrial development. Impervious surfaces compose 50–100% of the total land cover.	0 acres	6,323 acres (9.0%)	Small
Developed, Open Space-Low Intensity: Includes housing, parks, golf courses, and other areas planted in developed settings. Impervious surfaces comprise up to 49% of the total land cover.	0 acres	4,506 acres (6.1%)	Small
Inter-Mountain Basins Semi-Desert Shrub Steppe: Generally consists of perennial grasses with an open shrub and dwarf shrub layer.	0 acres	1,603 acres (20.4%)	Small

TABLE 12.1.10.1-1 (Cont.)

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		Overall Impact Magnitude ^e
	Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Madrean Encinal: Occurs on foothills, bajadas, and plateaus and in canyons. Consists of evergreen oak (<i>Quercus</i> spp.) woodlands, which include open woodlands and savannas at lower elevations. Conifers and shrubs may be present. Grasses may be prominent in some areas.	0 acres	111 acres (0.3%)	Small
Madrean Juniper Savanna: Occurs on lower foothills and plains. Consists of widely spaced Madrean juniper (<i>Juniperus</i> spp.) trees, with a moderate to high density of grasses (exceeding 25% cover). Succulents such as <i>Yucca</i> , <i>Agave</i> , or cacti are generally present.	0 acres	458 acres (2.7%)	Small
Madrean Pinyon-Juniper Woodland: Occurs on foothills, mountains, and plateaus. Mexican pinyon (<i>Pinus cembroides</i>), border pinyon (<i>P. discolor</i>), or other trees and shrubs of the Sierra Madres are present. Dominant species may include redberry juniper (<i>Juniperus coahuilensis</i>), alligator juniper (<i>J. deppeana</i>), Pinchot's juniper (<i>J. pinchotii</i>), oneseed juniper (<i>J. monosperma</i>), or twoneedle pinyon (<i>P. edulis</i>). Oaks (<i>Quercus</i> sp.) may be codominant. Understory shrub or graminoid layers may be present.	0 acres	13 acres (<0.1%)	Small
North American Warm Desert Lower Montane Riparian Woodland and Shrubland: Occurs along perennial and seasonally intermittent streams in mountain canyons and valleys. Consists of a mix of woodlands and shrublands.	0 acres	2 acres (<0.1%)	Small
North American Warm Desert Pavement: Consists of unvegetated to very sparsely vegetated (<2% plant cover) areas, usually in flat basins, with ground surfaces of fine to medium gravel coated with "desert varnish." Desert scrub species are usually present. Herbaceous species may be abundant in response to seasonal precipitation.	0 acres	30 acres (0.3%)	Small

Footnotes continued on next page.

TABLE 12.1.10.1-1 (Cont.)

- ^a Land cover descriptions are from USGS (2005a). Full descriptions of land cover types, including plant species, can be found in Appendix I.
- ^b Area in acres, determined from USGS (2004).
- ^c Includes the area of the cover type within the SEZ, the percentage that area represents of all occurrences of that cover type within the SEZ region (i.e., a 50-mi [80-km] radius from the center of the SEZ), and the percentage that area represents of all occurrences of that cover type on BLM lands within the SEZ region. The SEZ region intersects portions of New Mexico, Texas, and northern Mexico. However, the SEZ and affected area occur only in New Mexico.
- ^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary, where ground-disturbing activities would not occur. Indirect effects include effects from surface runoff, dust, and other factors from project developments. The potential degree of indirect effects would decrease with increasing distance away from the SEZ. Includes the area of the cover type within the area of indirect effects and the percentage that area represents of all occurrences of that cover type within the SEZ region.
- ^e Overall impact magnitude categories were based on professional judgment and include (1) *small*: a relatively small proportion ($\leq 1\%$) of the cover type within the SEZ region would be lost; (2) *moderate*: an intermediate proportion (> 1 but $\leq 10\%$) of a cover type would be lost; (3) *large*: $> 10\%$ of a cover type would be lost. Proportion cutoffs were adjusted to account for the fact that 18% of the SEZ region occurs in Mexico.
- ^f To convert acres to km^2 , multiply by 0.004047.

1 Desert Riparian Woodland and Shrubland, Open Water, North American Warm Desert Playa,
 2 North American Arid West Emergent Marsh, and North American Warm Desert Wash. A large
 3 number of wetland areas are mapped within and near the Rio Grande floodplain directly east of
 4 the SEZ, in the area of indirect effects, including palustrine wetlands with emergent plant
 5 communities, scrub-shrub communities, forested communities, and palustrine unconsolidated
 6 shore, as well as riverine wetlands.

7
 8 The State of New Mexico maintains an official list of weed species that are designated
 9 noxious species (NMDA 2009). Table 12.1.10.1-2 provides a summary of the noxious weed
 10 species regulated in New Mexico that are known to occur in Dona Ana County (USDA 2010;
 11 NMSU 2007), which includes the proposed Afton SEZ. No species included in Table 12.1.10.1-2
 12 was observed on the SEZ in July 2009.

13
 14 The New Mexico Department of Agriculture classifies noxious weeds into one of four
 15 categories (NMDA 2009):

- 17 • “Class A species are currently not present in New Mexico, or have limited
 18 distribution. Preventing new infestations of these species and eradicating
 19 existing infestations is the highest priority.”
- 20
 21 • “Class B species are limited to portions of the state. In areas with severe
 22 infestations, management should be designed to contain the infestation and
 23 stop any further spread.”
- 24
 25 • “Class C species are wide-spread in the state. Management decisions for these
 26 species should be determined at the local level, based on feasibility of control
 27 and level of infestation.”

28
 29
**TABLE 12.1.10.1-2 Designated Noxious Weeds of
 New Mexico Occurring in Dona Ana County**

Common Name	Scientific Name	Category
African rue	<i>Peganum harmala</i>	Class B
Camelthorn	<i>Alhagi pseudalhagi</i>	Class A
Hoary cress	<i>Cardaria</i> spp.	Class A
Jointed goatgrass	<i>Aegilops cylindrica</i>	Class C
Malta starthistle	<i>Centaurea melitensis</i>	Class B
Perennial pepperweed	<i>Lepidium latifolium</i>	Class B
Russian knapweed	<i>Acroptilon repens</i>	Class B
Russian olive	<i>Elaeagnus angustifolia</i>	Class C
Sahara mustard	<i>Brassica tournefortii</i>	Watch List
Saltcedar	<i>Tamarix</i> spp.	Class C
Siberian elm	<i>Ulmus pumila</i>	Class C

Sources: NMDA (2009); NMSU (2007); USDA (2010).

- 1 • “Watch List species are species of concern in the state. These species have the
2 potential to become problematic. More data is needed to determine if these
3 species should be listed. When these species are encountered please document
4 their location and contact appropriate authorities.”
5
6

7 **12.1.10.2 Impacts** 8

9 The construction of solar energy facilities within the proposed Afton SEZ would result
10 in direct impacts on plant communities due to the removal of vegetation within the facility
11 footprint during land-clearing and land-grading operations. Approximately 80% of the SEZ
12 (62,098 acres [251.3 km²]) would be expected to be cleared with full development of the SEZ.
13 The plant communities affected would depend on facility locations, and could include any of
14 the communities occurring on the SEZ. Therefore, for the purposes of this analysis, all the area
15 of each cover type within the SEZ is considered to be directly affected by removal with
16 full development of the SEZ.
17

18 Indirect effects (caused, for example, by surface runoff or dust from the SEZ) have the
19 potential to degrade affected plant communities and may reduce biodiversity by promoting the
20 decline or elimination of species sensitive to disturbance. Indirect effects can also cause an
21 increase in disturbance-tolerant species or invasive species. High impact levels could result in
22 the elimination of a community or the replacement of one community type by another.
23

24 Because of the proximity of the Mason Draw and Afton SEZs, a large area of overlap of
25 the area of indirect effects exists, with a portion of the Mason Draw SEZ lying within the area of
26 indirect effects of the Afton SEZ, and a portion of the Afton SEZ lying within the area of indirect
27 effects of the Mason Draw SEZ. The potential for impacts could increase in the area of overlap.
28 The proper implementation of programmatic design features, however, would reduce indirect
29 effects to a minor or small level of impact.
30

31 Possible impacts from solar energy facilities on vegetation that are encountered within
32 the SEZ are described in more detail in Section 5.10.1. Any such impacts would be minimized
33 through the implementation of required programmatic design features described in Appendix A,
34 Section A.2.2 and through any additional mitigation applied. SEZ-specific design features
35 are given in Section 12.1.10.3.
36
37

38 **12.1.10.2.1 Impacts on Native Species** 39

40 The impacts of construction, operation, and decommissioning were considered small
41 if the impact affected a relatively small proportion ($\leq 1\%$) of the cover type in the SEZ region
42 (within 50 mi [80 km] of the center of the SEZ); a moderate impact (>1 but $\leq 10\%$) could affect
43 an intermediate proportion of a cover type; a large impact could affect greater than 10% of a
44 cover type.
45

1 Solar facility construction and operation in the proposed Afton SEZ would primarily
2 affect communities of the Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub cover type.
3 Additional cover types that would be affected within the SEZ include Apacherian-Chihuahuan
4 Mesquite Upland Scrub, Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub, Chihuahuan
5 Mixed Salt Desert Scrub, North American Warm Desert Active and Stabilized Dune,
6 Chihuahuan Succulent Desert Scrub, Apacherian-Chihuahuan Piedmont Semi-Desert Grassland
7 and Steppe, Chihuahuan Sandy Plains Semi-Desert Grassland, North American Warm Desert
8 Volcanic Rockland, North American Warm Desert Riparian Woodland and Shrubland, Open
9 Water, North American Warm Desert Playa, North American Warm Desert Bedrock Cliff and
10 Outcrop, Chihuahuan Gypsophilous Grassland and Steppe, North American Arid West Emergent
11 Marsh, and North American Warm Desert Wash. Although the Agriculture cover type occurs
12 within the SEZ, these areas likely support few native plant communities. Table 12.1.10.1-1
13 summarizes the potential impacts on land cover types resulting from solar energy facilities in the
14 proposed Afton SEZ. Many of these cover types are relatively common in the SEZ region,
15 however, several are relatively uncommon, representing less than 1% of the land area within the
16 SEZ region: Chihuahuan Gypsophilous Grassland and Steppe (0.7%), North American Warm
17 Desert Volcanic Rockland (0.4%), Chihuahuan Succulent Desert Scrub (0.3%), North American
18 Warm Desert Playa (0.3%), North American Warm Desert Riparian Woodland and Shrubland
19 (0.2%), North American Warm Desert Bedrock Cliff and Outcrop (0.09%), North American
20 Warm Desert Wash (0.07%), and North American Arid West Emergent Marsh (0.006%).
21 Wetlands, desert dry washes, playas, riparian areas, cliffs, and sand dunes are sensitive habitats
22 on the SEZ.

23
24 The construction, operation, and decommissioning of solar projects within the proposed
25 Afton SEZ would result in moderate impacts on Chihuahuan Stabilized Coppice Dune and Sand
26 Flat Scrub, Apacherian-Chihuahuan Mesquite Upland Scrub, Chihuahuan Mixed Salt Desert
27 Scrub, and Chihuahuan Succulent Desert Scrub cover types. Solar energy development would
28 result in small impacts on all other cover types in the affected area.

29
30 Disturbance of vegetation in dune communities within the SEZ, such as from heavy
31 equipment operation, could result in the loss of substrate stabilization. Re-establishment of dune
32 species could be difficult, due to the arid conditions and unstable substrates. Because of the arid
33 conditions, re-establishment of desert scrub communities in temporarily disturbed areas would
34 likely be very difficult and might require extended periods of time. In addition, noxious weeds
35 could become established in disturbed areas and colonize adjacent undisturbed habitats, thus
36 reducing restoration success and potentially resulting in widespread habitat degradation.
37 Cryptogamic soil crusts occur in many of the shrubland communities in the region, and likely
38 occur on the SEZ. Damage to these crusts, as by the operation of heavy equipment or other
39 vehicles, can alter important soil characteristics, such as nutrient cycling and availability, and
40 affect plant community characteristics (Lovich and Bainbridge 1999).

41
42 The deposition of fugitive dust from large areas of disturbed soil onto habitats
43 outside a solar project area could result in reduced productivity or changes in plant community
44 composition. Fugitive dust deposition could affect plant communities of each of the cover
45 types occurring within the area of indirect effects identified in Table 12.1.10.1-1.

46

1 Approximately 45 acres (0.2 km²) of palustrine wetlands and about 1.7 mi (2.7 km) of
2 riverine wetlands occur within the Afton SEZ. Grading could result in direct impacts on these
3 wetlands if fill material is placed within wetland areas. Grading near the wetlands in the SEZ
4 could disrupt surface water or groundwater flow characteristics, resulting in changes in the
5 frequency, duration, depth, or extent of inundation or soil saturation, and could potentially alter
6 wetland plant communities and affect wetland function. Increases in surface runoff from a solar
7 energy project site could also affect wetland hydrologic characteristics. The introduction of
8 contaminants into wetlands in or near the SEZ could result from spills of fuels or other materials
9 used on a project site. Soil disturbance could result in sedimentation in wetland areas, which
10 could degrade or eliminate wetland plant communities. Sedimentation effects or hydrologic
11 changes could also extend to wetlands outside of the SEZ, such as those in or near the Rio
12 Grande.
13

14 Grading could also affect dry washes within the SEZ. Some desert dry washes in the SEZ
15 support riparian woodland communities. Alteration of surface drainage patterns or hydrology
16 could adversely affect downstream dry wash communities. Vegetation within these communities
17 could be lost by erosion or desiccation. Communities associated with intermittently flooded
18 areas, such as playas, downgradient from solar projects in the SEZ, could be affected by ground-
19 disturbing activities. Site clearing and grading could result in hydrologic changes, and could
20 potentially alter plant communities and affect community function. Increases in surface runoff
21 from a solar energy project site could also affect hydrologic characteristics of these communities.
22 The introduction of contaminants into these habitats could result from spills of fuels or other
23 materials used on a project site. Soil disturbance could result in sedimentation in these areas,
24 which could degrade or eliminate sensitive plant communities. See Section 12.1.9 for further
25 discussion of impacts on washes.
26

27 Although the use of groundwater within the Afton SEZ for technologies with high water
28 requirements, such as wet-cooling systems, may be unlikely, groundwater withdrawals for such
29 systems could reduce groundwater elevations. Communities that depend on accessible
30 groundwater, such as wetlands and riparian habitats along the Rio Grande floodplain, could
31 become degraded or lost as a result of lowered groundwater levels.
32

33 34 ***12.1.10.2.2 Impacts from Noxious Weeds and Invasive Plant Species*** 35

36 E.O. 13112, “Invasive Species,” directs federal agencies to prevent the introduction of
37 invasive species and provide for their control and to minimize the economic, ecological, and
38 human health impacts of invasive species (*Federal Register*, Volume 64, page 61836,
39 Feb. 8, 1999). Potential impacts of noxious weeds and invasive plant species resulting from solar
40 energy facilities are described in Section 5.10.1. Species designated as noxious weeds in New
41 Mexico and known to occur in Dona Ana County are given in Table 12.1.10.1-2. Despite
42 required programmatic design features to prevent the spread of noxious weeds, project
43 disturbance could potentially increase the prevalence of noxious weeds and invasive species in
44 the affected area of the proposed Afton SEZ, such that weeds could be transported into areas that
45 were previously relatively weed-free, which could result in reduced restoration success and
46 possible widespread habitat degradation.
47

1 Past or present land uses may affect the susceptibility of plant communities to the
2 establishment of noxious weeds and invasive species. Existing roads, grazing, and recreational
3 OHV use within the SEZ area of potential impact would also likely contribute to the
4 susceptibility of plant communities to the establishment and spread of noxious weeds and
5 invasive species. Disturbed areas, including 6,323 acres (25.6 km²) of Developed, Medium-High
6 Intensity and 4,506 acres (18.2 km²) of Developed, Open Space-Low Intensity, occur within the
7 area of indirect effects and may contribute to the establishment of noxious weeds and invasive
8 species.

11 12.1.10.3 SEZ-Specific Design Features and Design Feature Effectiveness

12
13 In addition to programmatic design features, SEZ-specific design features would reduce
14 the potential for impacts on plant communities. While the specifics of some of these practices are
15 best established when considering specific project details, some measures can be identified at
16 this time, as follows.

- 17
18 • An Integrated Vegetation Management Plan, addressing invasive species
19 control, and an Ecological Resources Mitigation and Monitoring Plan,
20 addressing habitat restoration, should be approved and implemented to
21 increase the potential for successful restoration of desert scrub, dune, steppe,
22 grassland communities, and other affected habitats, and minimize the potential
23 for the spread of invasive species. Invasive species control should focus on
24 biological and mechanical methods where possible to reduce the use of
25 herbicides.
- 26
27 • All wetland, dry wash, playa, riparian, succulent, and dune communities
28 within the SEZ should be avoided to the extent practicable, and any impacts
29 minimized and mitigated. Any yucca, agave, ocotillo, cacti (including *Opuntia*
30 spp., *Cylindropuntia* spp., and *Echinocactus* spp.) and other succulent plant
31 species that cannot be avoided should be salvaged. A buffer area should be
32 maintained around wetland, dry wash, playa, and riparian habitats to reduce
33 the potential for impacts.
- 34
35 • Appropriate engineering controls should be used to minimize impacts on
36 wetland, dry wash, playa and riparian habitats, including downstream
37 occurrences, resulting from surface water runoff, erosion, sedimentation,
38 altered hydrology, accidental spills, or fugitive dust deposition to these
39 habitats. Appropriate buffers and engineering controls would be determined
40 through agency consultation.
- 41
42 • Groundwater withdrawals should be limited to reduce the potential for indirect
43 impacts on groundwater-dependent communities, such as wetland or riparian
44 communities associated with the Rio Grande floodplain.
- 45

1 If these SEZ-specific design features are implemented in addition to other programmatic
2 design features, it is anticipated that a high potential for impacts from invasive species and
3 potential impacts on wetland, dry wash, playa, riparian, succulent, and dune communities would
4 be reduced to a minimal potential for impact.
5

1 **12.1.11 Wildlife and Aquatic Biota**
2

3 This section addresses wildlife (amphibians, reptiles, birds, and mammals) and aquatic
4 biota that could occur within the potentially affected area of the proposed Afton SEZ. Wildlife
5 known to occur within 50 mi (80 km) of the SEZ (i.e., the SEZ region) were determined from the
6 SWReGAP (USGS 2007) and the Biota Information System of New Mexico (BISON-M 2010;
7 NMDGF 2010). Land cover types suitable for each species were determined from SWReGAP
8 (USGS 2004, 2005a, 2007) and the South Central Gap Analysis Program (USGS 2010a). The
9 amount of aquatic habitat within the SEZ region was determined by estimating the length of
10 linear perennial stream and canal features and the area of standing water body features
11 (i.e., ponds, lakes, and reservoirs) within 50 mi (80 km) of the SEZ using available GIS surface
12 water datasets.
13

14 The affected area considered in this assessment included the areas of direct and indirect
15 effects. The area of direct effects was defined as the area that would be physically modified
16 during project development (i.e., where ground-disturbing activities would occur) within the
17 SEZ. The maximum developed area within the SEZ would be 62,098 acres (251.3 km²). No
18 areas of direct effects would occur for either a new transmission line or a new access road,
19 because existing transmission line and road corridors are adjacent to or through the SEZ.
20

21 The area of indirect effects was defined as the area within 5 mi (8 km) of the SEZ
22 boundary where ground-disturbing activities would not occur, but that could be indirectly
23 affected by activities in the area of direct effects (e.g., surface runoff, dust, noise, lighting,
24 and accidental spills in the SEZ). Potentially suitable habitat within the SEZ greater than the
25 maximum of 62,098 acres (251.3 km²) of direct effects was also included as part of the area of
26 indirect effects. The potential degree of indirect effects would decrease with increasing distance
27 from the SEZ. The area of indirect effects was identified on the basis of professional judgment
28 and was considered sufficiently large to bound the area that would potentially be subject to
29 indirect effects. These areas of direct and indirect effects are defined and the impact assessment
30 approach is described in Appendix M.
31

32 The primary land cover habitat types within the affected area are Chihuahuan
33 stabilized coppice dune and sand flat scrub, as well as Chihuahuan mesquite desert scrub
34 (Section 12.1.10). Potentially unique habitats in the affected area include cliff and rock outcrops,
35 desert dunes, playas, washes, and aquatic and riparian habitats. There is also approximately
36 42,500 acres (172 km²) of agricultural land cover types in the affected area. A number of
37 wetlands occur within the SEZ and within the area of indirect effects surrounding the SEZ
38 (Section 12.1.10). No aquatic habitats are known to occur on the SEZ; however, the Rio Grande,
39 West Side Canal, and La Union Main Canal are east of the SEZ within the area of indirect effects
40 (see Figure 12.1.9.1-1).
41
42
43

1 **12.1.11.1 Amphibians and Reptiles**

2
3
4 **12.1.11.1.1 Affected Environment**

5
6 This section addresses amphibian and reptile species that are known to occur, or for
7 which potentially suitable habitat occurs, on or within the potentially affected area of the
8 proposed Afton SEZ. The list of amphibian and reptile species potentially present in the SEZ
9 area was determined from species lists available from BISON-M (NMDGF 2010) and range
10 maps and habitat information available from CDFG (2008), NatureServe (2010), and USGS
11 (2007). Land cover types suitable for each species were determined from SWReGAP
12 (USGS 2004, 2005a, 2007) and the South Central Gap Analysis Program (USGS 2010a).
13 See Appendix M for additional information on the approach used.

14
15 More than 10 amphibian species occur in Dona Ana County. Based on species
16 distributions within the area of the SEZ and habitat preferences of the amphibian species,
17 Couch’s spadefoot (*Scaphiopus couchii*), Great Plains toad (*Bufo cognatus*), plains spadefoot
18 (*Spea bombifrons*), and red-spotted toad (*Bufo punctatus*) would be expected to occur within
19 the SEZ (NMDGF 2010; USGS 2007; Stebbins 2003).

20
21 More than 50 reptile species occur within Dona Ana County (NMDGF 2010;
22 USGS 2007; Stebbins 2003). Lizard species expected to occur within the proposed Afton SEZ
23 include the collared lizard (*Crotaphytus collaris*), eastern fence lizard (*Sceloporus undulatus*),
24 Great Plains skink (*Eumeces obsoletus*), long-nosed leopard lizard (*Gambelia wislizenii*), round-
25 tailed horned lizard (*Phrynosoma modestum*), side-blotched lizard (*Uta stansburiana*), and
26 western whiptail (*Cnemidophorus tigris*). Snake species expected to occur within the SEZ are
27 the coachwhip (*Masticophis flagellum*), common kingsnake (*Lampropeltis getula*), glossy snake
28 (*Arizona elegans*), gophersnake (*Pituophis catenifer*), groundsnake (*Sonora semiannulata*),
29 long-nosed snake (*Rhinocheilus lecontei*), and nightsnake (*Hypsiglena torquata*). The most
30 common poisonous snakes that could occur on the SEZ are the western diamond-backed
31 rattlesnake (*Crotalus atrox*) and western rattlesnake (*Crotalus viridis*).

32
33 Table 12.1.11.1-1 provides habitat information for representative amphibian and reptile
34 species that could occur within the proposed Afton SEZ. Special status amphibian and reptile
35 species are addressed in Section 12.1.12.

36
37
38 **12.1.11.1.2 Impacts**

39
40 The types of impacts that amphibians and reptiles could incur from construction,
41 operation, and decommissioning of utility-scale solar energy facilities are discussed in
42 Section 5.10.2.1. Any such impacts would be minimized through the implementation of
43 required programmatic design features described in Appendix A, Section A.2.2, and through
44 any additional mitigation applied. Section 12.1.11.1.3 identifies SEZ-specific design features
45 of particular relevance to the proposed Afton SEZ.

TABLE 12.1.11.1-1 Habitats, Potential Impacts, and Potential Mitigation for Representative Amphibian and Reptile Species That Could Occur on or in the Affected Area of the Proposed Afton SEZ

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Amphibians				
Couch's spadefoot (<i>Scaphiopus couchii</i>)	Desert washes, desert riparian, palm oasis, desert succulent shrub, and desert scrub habitats. Requires pools or potholes with water that lasts longer than 10 to 12 days for breeding sites. About 2,553,700 acres ^g of potentially suitable habitat occurs within the SEZ region.	22,637 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	116,040 acres of potentially suitable habitat (4.5% of available suitable habitat)	Small overall impact. Avoidance of wetland, playa, and wash habitats could reduce impacts.
Great Plains toad (<i>Bufo cognatus</i>)	Prefers desert, grassland, and agricultural habitats. Breeds in shallow temporary pools, quiet areas of streams, marshes, irrigation ditches, and flooded fields. In cold winter months, it burrows underground and becomes inactive. About 983,200 acres of potentially suitable habitat occurs within the SEZ region.	364 acres of potentially suitable habitat lost (0.04% of available potentially suitable habitat) during construction and operations	14,510 acres of potentially suitable habitat (1.5% of available suitable habitat)	Small overall impact. Avoidance of wetland, playa and wash habitats could reduce impacts.
Plains spadefoot (<i>Spea bombifrons</i>)	Common in areas of soft sandy/gravelly soils along stream floodplains. Also occurs in semidesert shrublands. Breeds in deep open-water playa habitats. Usually remains in underground burrows until it rains. About 1,272,700 acres of potentially suitable habitat occurs within the SEZ region.	8,378 acres of potentially suitable habitat lost (0.7% of available potentially suitable habitat) during construction and operations	49,525 acres of potentially suitable habitat (3.9% of available suitable habitat)	Small overall impact. Avoidance of wetland, playa, and wash habitats could reduce impacts.
Red-spotted toad (<i>Bufo punctatus</i>)	Dry, rocky areas at lower elevations near desert springs and persistent pools along rocky arroyos; desert streams and oases; open grassland; scrubland oaks; and dry woodlands. About 3,577,700 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	175,383 acres of potentially suitable habitat (4.9% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.1.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Lizards				
Collared lizard (<i>Crotaphytus collaris</i>)	Level or hilly rocky terrain in a variety of vegetative communities. Typical habitats include lava fields, rocky canyons, slopes, and gullies. About 2,693,400 acres of potentially suitable habitat occurs within the SEZ region.	24,904 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	129,390 acres of potentially suitable habitat (4.8% of available suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts.
Eastern fence lizard (<i>Sceloporus undulatus</i>)	Sunny, rocky habitats of cliffs, talus, old lava flows and cones, canyons, and outcrops. Various vegetation adjacent or among rocks include montane forests, woodlands, semidesert shrubland, and various forbs and grasses. About 2,959,100 acres of potentially suitable habitat occurs within the SEZ region.	27,817 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	143,101 acres of potentially suitable habitat (4.8% of available suitable habitat)	Small overall impact. Avoidance of volcanic rocklands, rocky cliffs, and outcrops could reduce impacts.
Great Plains skink (<i>Eumeces obsoletus</i>)	Creosotebush desert, desert-grasslands, riparian corridors, pinyon-juniper woodlands, and pine-oak woodlands. About 2,843,200 acres of potentially suitable habitat occurs within the SEZ region.	25,825 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	139,801 acres of potentially suitable habitat (4.9% of available suitable habitat)	Small overall impact.
Long-nosed leopard lizard (<i>Gambelia wislizenii</i>)	Desert and semidesert areas with scattered shrubs. Prefers sandy or gravelly flats and plains. Also prefers areas with abundant rodent burrows that they occupy when inactive. About 2,495,700 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (2.5% of available potentially suitable habitat) during construction and operations	161,780 acres of potentially suitable habitat (6.5% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.1.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Lizards (Cont.)				
Round-tailed horned lizard (<i>Phrynosoma modestum</i>)	Desert-grassland and desert shrubland habitats with scrubby vegetation and sandy or gravelly soil. About 2,666,800 acres of potentially suitable habitat occurs within the SEZ region.	24,702 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	119,988 acres of potentially suitable habitat (4.5% of available suitable habitat)	Small overall impact.
Side-blotched lizard (<i>Uta stansburiana</i>)	Arid and semiarid locations with scattered bushes or scrubby trees. Often occurs in sandy washes with scattered rocks and bushes. About 2,669,800 acres of potentially suitable habitat occurs within the SEZ region.	24,703 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	120,116 acres of potentially suitable habitat (4.5% of available suitable habitat)	Small overall impact.
Western whiptail (<i>Cnemidophorus tigris</i>)	Arid and semiarid habitats with sparse plant cover. About 2,627,800 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (2.4% of available potentially suitable habitat) during construction and operations	160,526 acres of potentially suitable habitat (6.1% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Snakes				
Coachwhip (<i>Masticophis flagellum</i>)	Creosotebush desert, shortgrass prairie, shrub-covered flats and hills. Sandy to rocky substrates. Avoids dense vegetation. About 2,845,300 acres of potentially suitable habitat occurs within the SEZ region.	25,625 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	130,266 acres of potentially suitable habitat (4.6% of available potentially suitable habitat)	Small overall impact.

TABLE 12.1.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Snakes (Cont.)				
Common kingsnake (<i>Lampropeltis getula</i>)	Coniferous forests, woodlands, swampland, coastal marshes, river bottoms, farmlands, prairies, chaparral, and deserts. Uses rock outcrops and rodent burrows for cover. About 4,088,800 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	238,967 acres of potentially suitable habitat (5.8% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Glossy snake (<i>Arizona elegans</i>)	Light shrubby to barren deserts, sagebrush flats, grasslands, and chaparral-covered slopes and woodlands. Prefers sandy grasslands, shrublands and woodlands. About 3,586,300 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	185,348 acres of potentially suitable habitat (5.2% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Gophersnake (<i>Pituophis catenifer</i>)	Plains grasslands, sandhills, riparian areas, marshes, edges of ponds and lakes, rocky canyons, semidesert and mountain shrublands, montane woodlands, rural and suburban areas, and agricultural areas. Likely inhabits pocket gopher burrows in winter. About 4,203,900 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	239,609 acres of potentially suitable habitat (5.7% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.1.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Snakes (Cont.)				
Groundsnake (<i>Sonora semiannulata</i>)	Arid and semiarid regions with rocky to sandy soils. River bottoms, desert flats, sand hummocks, and rocky hillsides. About 3,581,800 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	172,775 acres of potentially suitable habitat (4.8% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Long-nosed snake (<i>Rhinocheilus lecontei</i>)	Typically inhabits deserts, dry prairies, and river valleys. Occurs by day and lays eggs underground or rocks. Burrows rapidly in loose soil. Common in desert regions. About 2,769,100 acres of potentially suitable habitat occurs within the SEZ region.	25,675 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	129,120 acres of potentially suitable habitat (4.7% of available suitable habitat)	Small overall impact.
Nightsnake (<i>Hypsiglena torquata</i>)	Arid and semiarid desert flats, plains, and woodlands; areas with rocky and sandy soils are preferred. During cold periods of the year, it seeks refuge underground, in crevices, or under rocks. About 2,929,300 acres of potentially suitable habitat occurs within the SEZ region.	25,956 acres of potentially suitable habitat lost (1.3% of available potentially suitable habitat) during construction and operations	131,229 acres of potentially suitable habitat (4.5% of available potentially suitable habitat)	Moderate overall impact.
Western diamond-backed rattlesnake (<i>Crotalus atrox</i>)	Dry and semidry lowland areas. Usually found in brush-covered plains, dry washes, rock outcrops, and desert foothills. About 4,135,800 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	244,603 acres of potentially suitable habitat (5.9% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.1.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Snakes (Cont.)				
Western rattlesnake (<i>Crotalus viridis</i>)	Most terrestrial habitats. Typically inhabits plains grasslands, sandhills, semidesert and mountain shrublands, riparian areas, and montane woodlands. About 4,098,900 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	240,208 acres of potentially suitable habitat (5.9% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

- ^a Potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.
- ^b Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. A maximum of 62,098 acres of direct effects within the SEZ was assumed.
- ^c Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.
- ^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary. Potentially suitable habitat within the SEZ greater than the maximum of 62,098 acres of direct effects was also added to the area of indirect effects. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from the SEZ, but do not include ground-disturbing activities. The potential degree of indirect effects would decrease with increasing distance from the SEZ.
- ^e Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: ≤1% of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but ≤10% of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: >10% of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects, because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^f Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^g To convert acres to km², multiply by 0.004047.

Sources: CDFG (2008); NatureServe (2010); NMDGF (2010); USGS (2004, 2005a, 2007).

1 The assessment of impacts on amphibian and reptile species is based on available
2 information on the presence of species in the affected area, as presented in Section 12.1.11.1.1,
3 following the analysis approach described in Appendix M. Additional National Environmental
4 Policy Act of 1969 (NEPA) assessments and coordination with state natural resource agencies
5 may be needed to address project-specific impacts more thoroughly. These assessments and
6 consultations could result in additional required actions to avoid or mitigate impacts on
7 amphibians and reptiles (see Section 12.1.11.1.3).
8

9 In general, impacts on amphibians and reptiles would result from habitat disturbance
10 (i.e., habitat reduction, fragmentation, and alteration) and from disturbance, injury, or mortality
11 to individual amphibians and reptiles. On the basis of the magnitude of impacts on amphibians
12 and reptiles summarized in Table 12.1.11.1-1, direct impacts on amphibian and reptile species
13 would be moderate for the red-spotted toad, long-nosed leopard lizard, western whiptail,
14 common kingsnake, glossy snake, gophersnake, groundsnake, western diamond-backed snake,
15 and western rattlesnake, because 1.4 to 2.5% of the potentially suitable habitats identified for
16 these species in the SEZ would be lost. Direct impacts on all other representative amphibian and
17 reptile species would be small, because 0.04 to 0.9% of potentially suitable habitats identified for
18 those species in the SEZ region would be lost. Larger areas of potentially suitable habitats for the
19 amphibian and reptile species occur within the area of potential indirect effects (e.g., up to 6.5%
20 of available habitat for the long-nosed leopard lizard). Other impacts on amphibians and reptiles
21 could result from surface water and sediment runoff from disturbed areas, fugitive dust generated
22 by project activities, accidental spills, collection, and harassment. These indirect impacts are
23 expected to be negligible with implementation of programmatic design features.
24

25 Decommissioning after operations cease could result in short-term negative impacts on
26 individuals and habitats within and adjacent to the SEZ. The negative impacts of
27 decommissioning would be reduced or eliminated as reclamation proceeds. Potentially long-term
28 benefits could accrue as habitats are restored in previously disturbed areas. Section 5.10.2.1.4
29 provides an overview of the impacts of decommissioning and reclamation on wildlife. Of
30 particular importance for amphibian and reptile species would be the restoration of original
31 ground surface contours, soils, and native plant communities associated with semiarid
32 shrublands.
33

34 ***12.1.11.1.3 SEZ-Specific Design Features and Design Feature Effectiveness***

35
36
37 The implementation of required programmatic design features described in Appendix A,
38 Section A.2.2, would reduce the potential for effects on amphibians and reptiles, especially for
39 those species that utilize habitat types that can be avoided (e.g., wetlands, washes and playas).
40 Indirect impacts could be reduced to negligible levels by implementing design features,
41 especially those engineering controls that would reduce runoff, sedimentation, spills, and fugitive
42 dust. While SEZ-specific design features are best established when considering specific project
43 details, one design feature that can be identified at this time is the following:
44

- Wash, riparian, playa, rock outcrop, and wetland habitats, which could provide more unique habitats for some amphibian and reptile species, should be avoided.

If this SEZ-specific design feature is implemented in addition to other programmatic design features, impacts on amphibian and reptile species could be reduced. However, as potentially suitable habitats for a number of the amphibian and reptile species occur throughout much of the SEZ, additional species-specific mitigation of direct effects for those species would be difficult or infeasible.

12.1.11.2 Birds

12.1.11.2.1 Affected Environment

This section addresses bird species that are known to occur, or for which potentially suitable habitat occurs, on or within the potentially affected area of the proposed Afton SEZ. The list of bird species potentially present in the SEZ area was determined from species lists available from the BISON-M (NMDGF 2010) and range maps and habitat information available from CDFG (2008), NatureServe (2010), and USGS (2007). Land cover types suitable for each species were determined from SWReGAP (USGS 2004, 2005a, 2007) and the South Central Gap Analysis Program (USGS 2010a). See Appendix M for additional information on the approach used.

Almost 300 species of birds are reported from Dona Ana County (NMDGF 2010); however, suitable habitats for a number of these species are limited or nonexistent within the proposed Afton SEZ (USGS 2007). Similar to the overview of birds provided for the six-state solar energy study area (Section 4.10.2.2), the following discussion for the SEZ emphasizes the following bird groups: (1) waterfowl, wading birds, and shorebirds; (2) neotropical migrants; (3) birds of prey; and (4) upland game birds.

Waterfowl, Wading Birds, and Shorebirds

As discussed in Section 4.10.2.2.2, waterfowl (ducks, geese, and swans), wading birds (herons and cranes), and shorebirds (avocets, gulls, plovers, rails, sandpipers, stilts, and terns) are among the most abundant groups of birds in the six-state study area. However, within the proposed Afton SEZ, waterfowl, wading birds, and shorebird species would be mostly absent to uncommon. Wetland, playa, and wash habitats within the SEZ may attract shorebird species, but the Rio Grande River, La Union Main Canal, West Side Canal, various intermittent streams, and the intermittent Lake Lucero, located within 50 mi (80 km) of the SEZ, would provide more viable habitat for this group of birds. The killdeer (*Charadrius vociferus*) and least sandpiper (*Calidris minutilla*) are the shorebird species most likely to occur within the SEZ.

1 **Neotropical Migrants**

2
3 As discussed in Section 4.10.2.2.3, neotropical migrants represent the most diverse
4 category of birds within the six-state study area. Species expected to occur within the proposed
5 Afton SEZ include the ash-throated flycatcher (*Myiarchus cinerascens*), black-tailed gnatcatcher
6 (*Polioptila melanura*), black-throated sparrow (*Amphispiza bilineata*), Brewer’s blackbird
7 (*Euphagus cyanocephalus*), cactus wren (*Campylorhynchus brunneicapillus*), common poorwill
8 (*Phalaenoptilus nuttallii*), common raven (*Corvus corax*), Costa’s hummingbird (*Calypte*
9 *costae*), Crissal thrasher (*Toxostoma crissale*), Gila woodpecker (*Melanerpes uropygialis*),
10 greater roadrunner (*Geococcyx californianus*), horned lark (*Eremophila alpestris*), ladder-
11 backed woodpecker (*Picoides scalaris*), lesser nighthawk (*Chordeiles acutipennis*), loggerhead
12 shrike (*Lanius ludovicianus*), Lucy’s warbler (*Vermivora luciae*), phainopepla (*Phainopepla*
13 *nitens*), sage sparrow (*Amphispiza belli*), Say’s phoebe (*Sayornis saya*), Scott’s oriole (*Icterus*
14 *parisorum*), verdin (*Auriparus flaviceps*), western meadowlark (*Sturnella neglecta*), and white-
15 throated swift (*Aeronautes saxatalis*) (NMDGF 2010; USGS 2007).
16
17

18 **Birds of Prey**

19
20 Section 4.10.2.2.4 provides an overview of the birds of prey (raptors, owls, and vultures)
21 within the six-state study area. Raptor species that could occur within the proposed Afton SEZ
22 include the American kestrel (*Falco sparverius*), golden eagle (*Aquila chrysaetos*), great horned
23 owl (*Bubo virginianus*), long-eared owl (*Asio otus*), prairie falcon (*Falco mexicanus*), red-tailed
24 hawk (*Buteo jamaicensis*), and turkey vulture (*Cathartes aura*) (NMDGF 2010; USGS 2007).
25 Several other special status birds of prey are discussed in Section 12.1.12. These include the
26 American peregrine falcon (*Falco peregrinus anatum*), bald eagle (*Haliaeetus leucocephalus*),
27 ferruginous hawk (*Buteo regalis*), northern aplomado falcon (*Falco femoralis septentrionalis*),
28 osprey (*Pandion haliaetus*), and western burrowing owl (*Athene cunicularia*).
29
30

31 **Upland Game Birds**

32
33 Section 4.10.2.2.5 provides an overview of the upland game birds (primarily pheasants,
34 grouse, quail, and doves) that occur within the six-state solar study area. Upland game species
35 that could occur within the proposed Afton SEZ include the Gambel’s quail (*Callipepla*
36 *gambelii*), mourning dove (*Zenaida macroura*), scaled quail (*Callipepla squamata*), white-
37 winged dove (*Zenaida asiatica*), and wild turkey (*Meleagris gallopavo*) (NMDGF 2010;
38 USGS 2007).
39

40 Table 12.1.11.2-1 provides habitat information for representative bird species that could
41 occur within the proposed Afton SEZ. Special status bird species are discussed in
42 Section 12.1.12.
43
44

TABLE 12.1.11.2-1 Habitats, Potential Impacts, and Potential Mitigation for Representative Bird Species That Could Occur on or in the Affected Area of the Proposed Afton SEZ

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Shorebirds				
Killdeer (<i>Charadrius vociferus</i>)	Open areas such as fields, meadows, lawns, mudflats, and shores. Nests on ground in open dry or gravelly locations. About 412,000 acres ^g of potentially suitable habitat occurs within the SEZ region.	36 acres of potentially suitable habitat lost (<0.01% of available potentially suitable habitat) during construction and operations	54,361 acres of potentially suitable habitat (13.2% of potentially suitable habitat)	Small overall impact. Avoidance of wetland, wash, playa, marsh, and shoreline areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Least sandpiper (<i>Calidris minutilla</i>)	Wet meadows, mudflats, flooded fields, lake shores, edge of salt marshes, and river sandbars. About 11,600 acres of potentially suitable habitat occurs within the SEZ region.	66 acres of potentially suitable habitat lost (0.6% of available potentially suitable habitat) during construction and operations	519 acres of potentially suitable habitat (4.5% of available suitable habitat)	Small overall impact. Avoidance of wetland, wash, playa, marsh, and shoreline areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants				
Ash-throated flycatcher (<i>Myiarchus cinerascens</i>)	Common in scrub and woodland habitats including desert riparian and desert washes. Requires hole/cavity for nesting. Uses shrubs or small trees for foraging perches. About 3,547,600 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.8% of available potentially suitable habitat) during construction and operations	174,861 acres of potentially suitable habitat (4.9% of potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Black-tailed gnatcatcher (<i>Polioptila melanura</i>)	Nests in bushes mainly in wooded desert washes with dense mesquite, palo verde, ironwood, and acacia. Also occurs in desert scrub habitat. About 2,628,700 acres of potentially suitable habitat occurs within the SEZ region.	23,222 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	123,835 acres of potentially suitable habitat (4.7% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Black-throated sparrow (<i>Amphispiza bilineata</i>)	Chaparral and desert scrub habitats with sparse to open stands of shrubs. Often in areas with scattered Joshua trees. Nests in thorny shrubs or cactus. About 2,814,100 acres of potentially suitable habitat occurs within the SEZ region.	23,748 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	134,284 acres of potentially suitable habitat (4.8% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Brewer's blackbird (<i>Euphagus cyanocephalus</i>)	Meadows, grasslands, riparian areas, agricultural and urban areas, and occasionally sagebrush in association with prairie dog colonies and other shrublands. Requires dense shrubs for nesting. Roosts in marshes or dense vegetation. In winter, most often near open water and farmyards with livestock. About 1,441,800 acres of potentially suitable habitat occurs within the SEZ region.	755 acres of potentially suitable habitat lost (0.05% of available potentially suitable habitat) during construction and operations	66,710 acres of potentially suitable habitat (4.6% of available suitable habitat)	Small overall impact. Avoidance of grasslands and riparian areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Cactus wren (<i>Campylorhynchus brunneicapillus</i>)	Desert (especially areas with cholla cactus or yucca), mesquite, arid scrub, coastal sage scrub, and trees in towns in arid regions. Nests in <i>Opuntia</i> spp.; twiggy, thorny trees and shrubs; and sometimes in buildings. Nests may be used as winter roost. About 2,102,700 acres of potentially suitable habitat occurs within the SEZ region.	7,112 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	59,106 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Common poorwill (<i>Phalaenoptilus nuttallii</i>)	Scrubby and brushy areas, prairie, desert, rocky canyons, open woodlands, and broken forests. Mostly in arid and semiarid habitats. Nests in open areas on a bare site. About 1,193,700 acres of potentially suitable habitat occurs within the SEZ region.	6,376 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	46,319 acres of potentially suitable habitat (3.9% of potentially suitable habitat)	Small overall impact. Some measure of mitigation also provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Common raven (<i>Corvus corax</i>)	Occurs in most habitats. Trees and cliffs provide cover. Roosts primarily in trees. Nests on cliffs, bluffs, tall trees, or man-made structures. Forages in sparse, open terrain. About 4,062,900 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	231,430 acres of potentially suitable habitat (5.7% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Costa's hummingbird (<i>Calypte costae</i>)	Desert and semidesert areas, arid brushy foothills, and chaparral. Main habitats are desert washes, edges of desert riparian and valley foothill riparian areas, coastal shrub, desert scrub, desert succulent shrub, lower-elevation chaparral, and palm oasis. Also in mountains, meadows, and gardens during migration and winter. Most common in canyons and washes when nesting. Nests are located in trees, shrubs, vines, or cacti. About 2,659,700 acres of potentially suitable habitat occurs within the SEZ region.	24,758 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	120,023 acres of potentially suitable habitat (4.5% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Crissal thrasher (<i>Toxostoma crissale</i>)	Desert scrub, mesquite, tall riparian brush and chaparral; usually beneath dense cover. Nests in low tree or shrubs. About 1,225,200 acres of potentially suitable habitat occurs within the SEZ region.	6,367 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	46,300 acres of potentially suitable habitat (3.8% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Gila woodpecker (<i>Melanerpes uropygialis</i>)	Lower-elevation woodlands, especially those dominated by cottonwoods, along stream courses. About 160,000 acres of potentially suitable habitat occurs within the SEZ region.	64 acres of potentially suitable habitat lost (0.04% of available potentially suitable habitat) during construction and operations	11,326 acres of potentially suitable habitat (7.1% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Greater roadrunner (<i>Geococcyx californianus</i>)	Desert scrub, chaparral, edges of cultivated lands, and arid open areas with scattered brush. Fairly common in many desert habitats. Requires thickets, large bushes, or small trees for shade, refuge, and roosting. Usually nests low in trees, shrubs, or clumps of cactus. Rarely nests on ground. About 4,028,600 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	231,461 acres of potentially suitable habitat (5.7% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Horned lark (<i>Eremophila alpestris</i>)	Common to abundant resident in a variety of open habitats. Breeds in grasslands, sagebrush, semidesert shrublands, and alpine tundra. During migration and winter, inhabits the same habitats other than tundra, and occurs in agricultural areas. Usually occurs where plant density is low and there are exposed soils. About 326,300 acres of potentially suitable habitat occurs in the SEZ region.	2,005 acres of potentially suitable habitat lost (0.6% of available potentially suitable habitat) during construction and operations	47,400 acres of potentially suitable habitat (14.5% of available potentially suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Ladder-backed woodpecker (<i>Picoides scalaris</i>)	Variety of habitats including deserts, arid scrub, riparian woodlands, mesquite, scrub oak, pinyon-juniper woodlands. Digs nest hole in rotted stub or dead or dying branches of various trees. Also nests in saguaro, agave, yucca, fence posts, and utility poles. Nests on ledges; branches of trees, shrubs, and cactus; and holes in trees or walls. About 2,694,900 acres of potentially suitable habitat occurs within the SEZ region.	24,758 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	120,481 acres of potentially suitable habitat (4.5% of potentially suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Lesser nighthawk (<i>Chordeiles acutipennis</i>)	Open country, desert regions, scrub, savanna, and cultivated areas. Usually near water including open marshes, salt ponds, large rivers, rice paddies, and beaches. Roosts on low perches or the ground. Nests in the open on bare sites. About 3,628,100 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	193,572 acres of potentially suitable habitat (5.3% of potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Neotropical Migrants (Cont.)</i>				
Loggerhead shrike (<i>Lanius ludovicianus</i>)	Open country with scattered trees and shrubs, savanna, desert scrub, desert riparian, Joshua tree, and occasionally open woodland habitats. Perches on poles, wires, or fence posts (suitable hunting perches are important aspect of habitat). Nests in shrubs and small trees. About 3,993,000 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	225,212 acres of potentially suitable habitat (5.6% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Lucy's warbler (<i>Vermivora luciae</i>)	Breeds most often in dense lowland riparian mesquite woodlands. Inhabits dry washes, riparian forests, and thorn forests during winter and migration. About 2,579,800 acres of potentially suitable habitat occurs within the SEZ region.	22,369 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	115,804 acres of potentially suitable habitat (4.5% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Phainopepla (<i>Phainopepla nitens</i>)	Desert scrub, mesquite, juniper and oak woodlands, tall brush, washes, riparian woodlands, and orchards. Nests in dense foliage of large shrubs or trees, sometimes in a clump of mistletoe. About 3,883,500 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.6% of available potentially suitable habitat) during construction and operations	222,008 acres of potentially suitable habitat (5.7% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Sage sparrow (<i>Amphispiza belli</i>)	Prefers shrubland, grassland, and desert habitats. The nest, constructed of twigs and grasses, is located either low in a shrub or on the ground. About 1,959,000 acres of potentially suitable habitat occurs within the SEZ region.	25,221 acres of potentially suitable habitat lost (1.3% of available potentially suitable habitat) during construction and operations	118,316 acres of potentially suitable habitat (6.1% of available potentially suitable habitat)	Moderate overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Say's phoebe (<i>Sayornis saya</i>)	Arid open country, deserts, sagebrush plains, dry barren foothills, canyons, cliffs, ranches, and rural homes. Nests in cliff crevices, holes in banks, sheltered ledges, tree cavities, under bridges and roofs, and in mines. About 326,400 acres of potentially suitable habitat occurs within the SEZ region.	18 acres of potentially suitable habitat lost (<0.01% of available potentially suitable habitat) during construction and operations	47,072 acres of potentially suitable habitat (14.4% of potentially suitable habitat)	Small overall impact. Avoidance of cliffs could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Neotropical Migrants (Cont.)</i>				
Scott's oriole (<i>Icterus parisorum</i>)	Yucca, pinyon-juniper, arid oak scrub and palm oases. Foothills, desert slopes of mountains, and more elevated semiarid plains. Nests in trees or yuccas. About 2,433,800 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (2.6% of available potentially suitable habitat) during construction and operations	118,729 acres of potentially suitable habitat (4.9% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Verdin (<i>Auriparus flaviceps</i>)	Desert riparian, desert wash, desert scrub, and alkali desert scrub areas with large shrubs and small trees. Nests in shrubs, small trees, or cactus. About 2,844,200 acres of potentially suitable habitat occurs within the SEZ region.	22,771 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	159,130 acres of potentially suitable habitat (5.6% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Western meadowlark (<i>Sturnella neglecta</i>)	Agricultural areas, especially in winter. Also inhabits native grasslands, croplands, weedy fields, and less commonly in semidesert and sagebrush shrublands. About 1,305,400 acres of potentially suitable habitat occurs within the SEZ region.	755 acres of potentially suitable habitat lost (0.06% of available potentially suitable habitat) during construction and operations	57,484 acres of potentially suitable habitat (4.4% of available suitable habitat)	Small overall impact. Avoidance of desert grassland habitats could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
White-throated swift (<i>Aeronautes saxatalis</i>)	Mountainous country near cliffs and canyons where breeding occurs. Forages over forest and open situations. Nests in rock crevices and canyons, sometimes in buildings. Ranges widely over most terrain and habitats, usually high in the air. About 203,800 acres of potentially suitable habitat occurs within the SEZ region.	73 acres of potentially suitable habitat lost (0.04% of available potentially suitable habitat) during construction and operations	11,471 acres of potentially suitable habitat (5.6% of available suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Birds of Prey				
American kestrel (<i>Falco sparverius</i>)	Occurs in most open habitats, in various shrub and early successional forest habitats, forest openings, and various ecotones. Perches on trees, snags, rocks, utility poles and wires, and fence posts. Uses cavities in trees, snags, rock areas, banks, and buildings for nesting and cover. About 3,163,100 acres of potentially suitable habitat occurs in the SEZ region.	25,308 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	185,704 acres of potentially suitable habitat (5.9% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Birds of Prey (Cont.)				
Golden eagle (<i>Aquila chrysaetos</i>)	Grasslands, shrublands, pinyon-juniper woodlands, and ponderosa pine forests. Occasionally in most other habitats, especially during migration and winter. Nests on cliffs and sometimes trees in rugged areas, with breeding birds ranging widely over surrounding areas. About 3,033,800 acres of potentially suitable habitat occurs in the SEZ region.	25,319 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	175,101 acres of potentially suitable habitat (5.8% of available potentially suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Bald and Golden Eagle Protection Act.
Great horned owl (<i>Bubo virginianus</i>)	Needs large abandoned bird nest or large cavity for nesting. Usually lives on forest edges and hunts in open areas. In desert areas, requires wooded cliff areas for nesting. About 4,256,800 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	252,038 acres of potentially suitable habitat (5.9% of potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Long-eared owl (<i>Asio otus</i>)	Nests and roosts in dense vegetation and hunts in open areas (e.g., creosotebush-bursage flats, desert scrub, grasslands, and agricultural fields). About 1,323,000 acres of potentially suitable habitat occurs within the SEZ region.	416 acres of potentially suitable habitat lost (0.03% of available potentially suitable habitat) during construction and operations	57,058 acres of potentially suitable habitat (4.3% of potentially suitable habitat)	Small overall impact. Avoidance of riparian woodlands could reduce impacts on roosting habitats.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Birds of Prey (Cont.)				
Prairie falcon (<i>Falco mexicanus</i>)	Associated primarily with perennial grasslands, savannahs, rangeland, some agricultural fields, and desert scrub areas. Nests in pothole or well-sheltered ledge on rocky cliff or steep earth embankment. May also nest in man-made excavations on otherwise unsuitable cliffs and old nests of ravens, hawks, and eagles. Forages in large patch areas with low vegetation. May forage over irrigated croplands in winter. About 4,256,800 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	252,038 acres of potentially suitable habitat (5.9% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Red-tailed hawk (<i>Buteo jamaicensis</i>)	Wide variety of habitats from deserts, mountains, and populated valleys. Open areas with scattered, elevated perch sites such as scrub desert, plains and montane grassland, agricultural fields, pastures urban parklands, broken coniferous forests, and deciduous woodland. Nests on cliff ledges or in tall trees. About 2,965,300 acres of potentially suitable habitat occurs in the SEZ region.	25,033 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	168,798 acres of potentially suitable habitat (5.7% of available potentially suitable habitat)	Small overall impact.
Turkey vulture (<i>Cathartes aura</i>)	Occurs in open stages of most habitats that provide adequate cliffs or large trees for nesting, roosting, and resting. Migrates and forages over most open habitats. Will roost communally in trees, exposed boulders, and occasionally transmission line support towers. About 1,891,000 acres of potentially suitable habitat occurs in the SEZ region.	24,432 acres of potentially suitable habitat lost (1.3% of available potentially suitable habitat) during construction and operations	150,431 acres of potentially suitable habitat (8.0% of available potentially suitable habitat)	Moderate overall impact.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Upland Game Birds				
Gambel's quail (<i>Callipepla gambelii</i>)	Deserts, especially in areas with brushy or thorny growth, and adjacent cultivated areas. Usually occurs near water. Nests on the ground under cover of small trees, shrubs, and grass tufts. About 2,803,700 acres of potentially suitable habitat occurs within the SEZ region.	25,104 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	123,202 acres of potentially suitable habitat (4.4% of potentially suitable habitat)	Small overall impact.
Mourning dove (<i>Zenaida macroura</i>)	Habitat generalist, occurring in grasslands, shrublands, croplands, lowland and foothill riparian forests, ponderosa pine forests, deserts, and urban and suburban areas. Rarely in aspen and other forests, coniferous woodlands, and alpine tundra. Nests on ground or in trees. Winters mostly in lowland riparian forests adjacent to cropland. About 4,045,000 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	231,614 acres of potentially suitable habitat (5.7% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Scaled quail (<i>Callipepla squamata</i>)	Desert scrub dominated by mesquite, yucca, and cactus and grasslands. Bare habitat is an important habitat component. About 2,681,700 acres of potentially suitable habitat occurs within the SEZ region.	24,763 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	121,868 acres of potentially suitable habitat (4.5% of available suitable habitat)	Small overall impact.
White-winged dove (<i>Zenaida asiatica</i>)	Desert riparian, wash, succulent shrub, scrub, and Joshua tree habitats; orchards and vineyards, croplands, and pastures. About 2,708,500 acres of potentially suitable habitat occurs within the SEZ region.	25,611 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	128,054 acres of potentially suitable habitat (4.7% of available suitable habitat)	Small overall impact.

TABLE 12.1.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Upland Game Birds (Cont.)				
Wild turkey (<i>Meleagris gallopavo</i>)	Lowland riparian forests, foothill shrubs, pinyon-juniper woodlands, foothill riparian forests, and agricultural areas. About 588,500 acres of potentially suitable habitat occurs within the SEZ region.	15,920 acres of potentially suitable habitat lost (2.7% of available potentially suitable habitat) during construction and operations	69,850 acres of potentially suitable habitat (11.9% of available potentially suitable habitat)	Moderate overall impact.

- ^a Potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.
- ^b Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. A maximum of 62,098 acres of direct effects within the SEZ was assumed.
- ^c Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and maintenance of an altered environment associated with operations.
- ^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary. Potentially suitable habitat within the SEZ greater than the maximum of 62,098 acres of direct effects was also added to the area of indirect effects. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from the SEZ, but do not include ground-disturbing activities. The potential degree of indirect effects would decrease with increasing distance from the SEZ.
- ^e Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: ≤1% of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but ≤10% of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: >10% of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects, because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^f Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^g To convert acres to km², multiply by 0.004047.

Sources: CDFG (2008); NatureServe (2010); NMDGF (2010); USGS (2004, 2005a, 2007).

1 **12.1.11.2.2 Impacts**
2

3 The types of impacts that birds could incur from construction, operation, and
4 decommissioning of utility-scale solar energy facilities are discussed in Section 5.10.2.1. Any
5 such impacts would be minimized through the implementation of required programmatic design
6 features described in Appendix A, Section A.2.2, and through any additional mitigation applied.
7 Section 12.1.11.2.3, below, identifies design features of particular relevance to the proposed
8 Afton SEZ.
9

10 The assessment of impacts on bird species is based on available information on the
11 presence of species in the affected area, as presented in Section 12.1.11.2.1, following the
12 analysis approach described in Appendix M. Additional NEPA assessments and coordination
13 with federal or state natural resource agencies may be needed to address project-specific impacts
14 more thoroughly. These assessments and consultations could result in additional required actions
15 to avoid or mitigate impacts on birds (see Section 12.1.11.2.3).
16

17 In general, impacts on birds would result from habitat disturbance (i.e., habitat reduction,
18 fragmentation, and alteration) and from disturbance, injury, or mortality to individual birds.
19 Table 12.1.11.2-1 summarizes the magnitude of potential impacts on representative bird species
20 resulting from solar energy development in the proposed Afton SEZ. Direct impacts on
21 representative bird species would be moderate for the ash-throated flycatcher, common raven,
22 greater roadrunner, lesser nighthawk, loggerhead shrike, phainopepla, sage sparrow, Scott's
23 oriole, great horned owl, prairie falcon, turkey vulture, mourning dove, and wild turkey, as 1.3 to
24 2.7% of the potentially suitable habitats identified for these species in the SEZ would be lost.
25 Direct impacts on all other representative bird species would be small, as less than 0.01 to 0.9%
26 of potentially suitable habitats identified for those species in the SEZ region would be lost.
27 Larger areas of potentially suitable habitats for the bird species occur within the area of potential
28 indirect effects (e.g., up to 14.5% of available habitat for the horned lark) (Table 12.1.11.2-1).
29 Other impacts on birds could result from collision with vehicles and infrastructure (e.g.,
30 buildings and fences), surface water and sediment runoff from disturbed areas, fugitive dust
31 generated by project activities, noise, lighting, spread of invasive species, accidental spills, and
32 harassment. Indirect impacts on areas outside the SEZ (e.g., impacts caused by dust generation,
33 erosion, and sedimentation) are expected to be negligible with implementation of programmatic
34 design features.
35

36 Decommissioning after operations cease could result in short-term negative impacts on
37 individuals and habitats within and adjacent to the SEZ. The negative impacts of
38 decommissioning would be reduced or eliminated as reclamation proceeds. Potentially long-term
39 benefits could accrue as habitats are restored in previously disturbed areas. Section 5.10.2.1.4
40 provides an overview of the impacts of decommissioning and reclamation on wildlife. Of
41 particular importance for bird species would be the restoration of original ground surface
42 contours, soils, and native plant communities associated with semiarid shrublands.
43
44
45

1 **12.1.11.2.3 SEZ-Specific Design Features and Design Feature Effectiveness**
2

3 The successful implementation of programmatic design features presented in
4 Appendix A, Section A.2.2, would reduce the potential for effects on birds, especially for those
5 species that depend on habitat types that can be avoided (e.g., riparian areas, wetlands, and
6 washes). Indirect impacts could be reduced to negligible levels by implementing design features,
7 especially those engineering controls that would reduce runoff, sedimentation, spills, and fugitive
8 dust. While SEZ-specific design features important for reducing impacts on birds are best
9 established when project details are being considered, the following design features can be
10 identified at this time:

- 11
- 12 • For solar energy developments within the SEZ, the requirements contained
13 within the 2010 Memorandum of Understanding between the BLM and
14 USFWS to promote the conservation of migratory birds will be followed.
 - 15
 - 16 • Take of golden eagles and other raptors should be avoided. Mitigation
17 regarding the golden eagle should be developed in consultation with the
18 USFWS and the NMDGF. A permit may be required under the Bald and
19 Golden Eagle Protection Act.
 - 20
 - 21 • Wash, riparian, playa, rock outcrops, and wetland areas, which could provide
22 unique habitats for some bird species, should be avoided.
 - 23

24 If these SEZ-specific design features are implemented in addition to programmatic design
25 features, impacts on bird species could be reduced. However, because potentially suitable
26 habitats for a number of the bird species occur throughout much of the SEZ, additional species-
27 specific mitigation of direct effects for those species would be difficult or infeasible.

28

29

30 **12.1.11.3 Mammals**

31

32

33 **12.1.11.3.1 Affected Environment**

34

35 This section addresses mammal species that are known to occur, or for which potentially
36 suitable habitat occurs, on or within the potentially affected area of the proposed Afton SEZ.
37 The list of mammal species potentially present in the SEZ area was determined from species
38 lists available from the BISON-M (NMDGF 2010) and range maps and habitat information
39 available from CDFG (2008), NatureServe (2010), and USGS (2007). Land cover types suitable
40 for each species were determined from SWReGAP (USGS 2004, 2005a, 2007) and the South
41 Central Gap Analysis Program (USGS 2010a). See Appendix M for additional information on
42 the approach used.

43

44 More than 75 species of mammals are reported from Dona Ana County (NMDGF 2010);
45 however, suitable habitats for a number of these species are limited or nonexistent within the
46 proposed Afton SEZ (USGS 2007). Similar to the overview of mammals provided for the six-

1 state study area (Section 4.10.2.3), the following discussion for the SEZ emphasizes big game
2 and other mammal species that (1) have key habitats within or near the SEZ, (2) are important to
3 humans (e.g., big game, small game, and furbearer species), and/or (3) are representative of other
4 species that share important habitats.


7 **Big Game**

9 The big game species that could occur within the vicinity of the proposed Afton SEZ are
10 the cougar (*Puma concolor*), desert bighorn sheep (*Ovis canadensis mexicana*), elk (*Cervis*
11 *canadensis*), mule deer (*Odocoileus hemionus*), and pronghorn (*Antilocapra americana*)
12 (NMDGF 2010; USGS 2007). Because of its special species status, the desert bighorn sheep is
13 addressed in Section 12.1.12. No potentially suitable habitat for elk occurs within the area of
14 direct or indirect effects for the SEZ. Potentially suitable habitat for the cougar occurs
15 throughout the SEZ. Figure 12.1.11.3-1 shows the location of the SEZ relative to where mule
16 deer are rare or absent and where they occur at a density of less than 10 deer/mi² (<4 deer/km²).
17 Figure 12.1.11.3-2 shows the location of the SEZ relative to the mapped range of pronghorn.

20 **Other Mammals**

22 A number of small game and furbearer species occur within the area of the proposed
23 Afton SEZ. Species that could occur within the area of the SEZ include the American badger
24 (*Taxidea taxus*), black-tailed jackrabbit (*Lepus californicus*), bobcat (*Lynx rufus*), coyote (*Canis*
25 *latrans*), desert cottontail (*Sylvilagus audubonii*), gray fox (*Urocyon cinereoargenteus*), javelina
26 (*Pecari tajacu*), kit fox (*Vulpes macrotis*), ringtail (*Bassariscus astutus*), and striped skunk
27 (*Mephitis mephitis*) (NMDGF 2010; USGS 2007).

29 The nongame (small) mammals include rodents, bats, and shrews. Representative
30 species for which potentially suitable habitat occurs within the proposed Afton SEZ include
31 Botta's pocket gopher (*Thomomys bottae*), cactus mouse (*Peromyscus eremicus*), canyon
32 mouse (*Peromyscus crinitus*), deer mouse (*P. maniculatus*), desert pocket mouse (*Chaetodipus*
33 *penicillatus*), desert shrew (*Notiosorex crawfordi*), Merriam's kangaroo rat (*Dipodomys*
34 *merriami*), northern grasshopper mouse (*Onychomys leucogaster*), Ord's kangaroo rat
35 (*Dipodomys ordii*), round-tailed ground squirrel (*Spermophilus tereticaudus*), southern plains
36 woodrat (*Neotoma micropus*), spotted ground squirrel (*Spermophilus pilosoma*), western
37 harvest mouse (*Reithrodontomys megalotis*), and white-tailed antelope squirrel
38 (*Ammospermophilus leucurus*) (NMDGF 2010; USGS 2007). Bat species that may occur within
39 the area of the SEZ include the big brown bat (*Eptesicus fuscus*), Brazilian free-tailed bat
40 (*Tadarida brasiliensis*), California myotis (*Myotis californicus*), silver-haired bat (*Lasionycteris*
41 *noctivagans*), spotted bat (*Euderma maculatum*), and western pipistrelle (*Parastrellus hesperus*)
42 (NMDGF 2010; USGS 2007). However, roost sites for the bat species (e.g., caves, hollow trees,
43 rock crevices, or buildings) would be limited to absent within the SEZ. Special status bat species
44 that could occur within the SEZ area are addressed in Section 12.1.12.




1

2

3

FIGURE 12.1.11.3-1 Density of Mule Deer within the Proposed Afton SEZ Region (Source: BLM 2009a)



1
2
3
4

FIGURE 12.1.11.3-2 Location of the Proposed Afton SEZ Relative to the Mapped Range of Pronghorn (Source: BLM 2009b)

1 Table 12.1.11.3-1 provides habitat information for representative mammal species that
2 could occur within the proposed Afton SEZ. Special status mammal species are discussed in
3 Section 12.1.12.

6 **12.1.11.3.2 Impacts**

7
8 The types of impacts that mammals could incur from construction, operation, and
9 decommissioning of utility-scale solar energy facilities are discussed in Section 5.10.2.1. Any
10 such impacts would be minimized through the implementation of required programmatic design
11 features described in Appendix A, Section A.2.2, and through any additional mitigation applied.
12 Section 12.1.11.3.3, below, identifies design features of particular relevance to mammals for the
13 proposed Afton SEZ.

14
15 The assessment of impacts on mammal species is based on available information on
16 the presence of species in the affected area, as presented in Section 12.1.11.3.1, following the
17 analysis approach described in Appendix M. Additional NEPA assessments and coordination
18 with state natural resource agencies may be needed to address project-specific impacts more
19 thoroughly. These assessments and consultations could result in additional required actions to
20 avoid or mitigate impacts on mammals (see Section 12.1.11.3.3).

21
22 Table 12.1.11.3-1 summarizes the magnitude of potential impacts on representative
23 mammal species resulting from solar energy development (with the inclusion of programmatic
24 design features) in the proposed Afton SEZ.

26 27 **Cougar**

28
29 Up to 62,098 acres (251.3 km²) of potentially suitable cougar habitat could be lost by
30 solar energy development within the proposed Afton SEZ. This represents about 1.7% of
31 potentially suitable cougar habitat within the SEZ region. About 178,260 acres (721.4 km²) of
32 potentially suitable cougar habitat occurs within the area of indirect effects. Overall, impacts on
33 cougar from solar energy development in the SEZ would be moderate.

34 35 36 **Elk**

37
38 Potentially suitable elk habitat does not occur within the proposed Afton SEZ. Thus,
39 solar energy development would not directly affect elk habitat. About 111 acres (0.45 km²) of
40 potentially suitable elk habitat occurs within the area of indirect effects. This is only about 0.2%
41 of potentially suitable elk habitat within the SEZ region. Overall, impacts on elk from solar
42 energy development in the SEZ would be small to none.

TABLE 12.1.11.3-1 Habitats, Potential Impacts, and Potential Mitigation for Representative Mammal Species That Could Occur on or in the Affected Area of the Proposed Afton SEZ

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Big Game Cougar (<i>Puma concolor</i>)	Most common in rough, broken foothills and canyon country, often in association with montane forests, shrublands, and pinyon-juniper woodlands. About 3,674,700 acres ^g of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	178,257 acres of potentially suitable habitat (4.9% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Elk (<i>Cervus canadensis</i>)	Semi-open forest, mountain meadows, foothills, plains, valleys, and alpine tundra. Uses open spaces such as alpine pastures, marshy meadows, river flats, brushy clean cuts, forest edges, and semidesert areas. About 58,200 acres of potentially suitable habitat occurs within the SEZ region.	0.0 acres of potentially suitable habitat lost (0.0% of available potentially suitable habitat) during construction and operations	111 acres of potentially suitable habitat (0.2% of available suitable habitat)	Small to no overall impact. No species-specific mitigation is warranted.
Mule deer (<i>Odocoileus hemionus</i>)	Most habitats including coniferous forests, desert shrub, chaparral, and grasslands with shrubs. Greatest densities in shrublands on rough, broken terrain that provides abundant browse and cover. About 4,146,200 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	234,913 acres of potentially suitable habitat (5.7% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Pronghorn (<i>Antilocapra americana</i>)	Grasslands and semidesert shrublands on rolling topography that affords good visibility. Most abundant in shortgrass or midgrass prairies and least common in xeric habitats. About 1,289,800 acres of potentially suitable habitat occurs in the SEZ region.	751 acres of potentially suitable habitat lost (0.06% of available potentially suitable habitat) during construction and operations	57,445 acres of potentially suitable habitat (4.5% of available potentially suitable habitat)	Small overall impact.

TABLE 12.1.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Small Game and Furbearers				
American badger (<i>Taxidea taxus</i>)	Open grasslands and deserts, meadows in subalpine and montane forests, alpine tundra. Digs burrows in friable soils. Most common in areas with abundant populations of ground squirrels, prairie dogs, and pocket gophers. About 2,715,600 acres of potentially suitable habitat occurs in the SEZ region.	24,765 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	122,001 acres of potentially suitable habitat (4.5% of available potentially suitable habitat)	Small overall impact.
Black-tailed jackrabbit (<i>Lepus californicus</i>)	Open plains, fields, and deserts with scattered thickets or patches of shrubs. Also open, early stages of forests and chaparral habitats. Rests during the day in shallow depressions, and uses shrubs for cover. About 3,129,800 acres of potentially suitable habitat occurs in the SEZ region.	23,703 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	174,502 acres of potentially suitable habitat (5.6% of available potentially suitable habitat)	Small overall impact.
Bobcat (<i>Lynx rufus</i>)	Most habitats except subalpine coniferous forest and montane meadow grasslands. Most common in rocky country from deserts through ponderosa forests. About 1,665,800 acres of potentially suitable habitat occurs in the SEZ region.	16,793 acres of potentially suitable habitat lost (1.0% of available potentially suitable habitat) during construction and operations	78,679 acres of potentially suitable habitat (4.7% of available potentially suitable habitat)	Small overall impact.
Coyote (<i>Canis latrans</i>)	All habitats at all elevations. Least common in dense coniferous forest. Where human control efforts occur, they are restricted to broken, rough country with abundant shrub cover and a good supply of rabbits or rodents. About 4,246,200 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	250,504 acres of potentially suitable habitat (5.9% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.1.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Small Game and Furbearers (Cont.)</i>				
Desert cottontail (<i>Sylvilagus audubonii</i>)	Abundant to common in grasslands, open forests, and desert shrub habitats. Can occur in areas with minimal vegetation as long as adequate cover (e.g., rock piles, fallen logs, fence rows) is present. Thickets and patches of shrubs, vines, and brush also used as cover. About 3,916,000 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.6% of available potentially suitable habitat) during construction and operations	223,357 acres of potentially suitable habitat (5.7% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Gray fox (<i>Urocyon cinereoargenteus</i>)	Deserts, open forests, and brush. Prefers wooded areas, broken country, brushlands, and rocky areas. Tolerant of low levels of residential development. About 4,063,700 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	229,987 acres of potentially suitable habitat (5.7% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Javelina (spotted peccary) (<i>Pecari tajacu</i>)	Often in thickets along creeks and washes. Beds in caves, mines, boulder fields, and dense stands of brush. May visit a water hole on a daily basis. About 2,687,900 acres of potentially suitable habitat occurs within the SEZ region.	22,700 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	118,828 acres of potentially suitable habitat (4.4% of available suitable habitat)	Small overall impact.

TABLE 12.1.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Small Game and Furbearers (Cont.)</i>				
Kit fox (<i>Vulpes macrotis</i>)	Desert and semidesert areas with relatively open vegetative cover and soft soils. Seek shelter in underground burrows. About 3,729,800 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	187,237 acres of potentially suitable habitat (5.0% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Ringtail (<i>Bassariscus astutus</i>)	Usually in rocky areas with cliffs or crevices for daytime shelter, desert scrub, chaparral, pine-oak and conifer woodlands. About 3,146,000 acres of potentially suitable habitat occurs within the SEZ region.	24,977 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	184,852 acres of potentially suitable habitat (5.9% of available suitable habitat)	Small overall impact.
Striped skunk (<i>Mephitis mephitis</i>)	Occurs in most habitats other than alpine tundra. Common at lower elevations, especially in and near cultivated fields and pastures. Generally inhabits open country in woodlands, brush areas, and grasslands, usually near water. Dens under rocks, logs, or buildings. About 4,076,800 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat) during construction and operations	230,548 acres of potentially suitable habitat (5.7% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.1.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals</i>				
Big brown bat (<i>Eptesicus fuscus</i>)	Most habitats from lowland deserts to timberline meadows. Roosts in hollow trees, rock crevices, mines, tunnels, and buildings. About 3,121,600 acres of potentially suitable habitat occurs in the SEZ region.	24,732 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	175,855 acres of potentially suitable habitat (5.6% of available potentially suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts on roosting habitats.
Botta's pocket gopher (<i>Thomomys bottae</i>)	Variety of habitats including shortgrass plains, oak savanna, agricultural lands, and deserts. Burrows are more common in disturbed areas such as roadways and stream floodplains. About 2,724,500 acres of potentially suitable habitat occurs in the SEZ region.	24,700 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	121,610 acres of potentially suitable habitat (4.5% of available potentially suitable habitat)	Small overall impact.
Brazilian free-tailed bat (<i>Tadarida brasiliensis</i>)	Cliffs, deserts, grasslands, old fields, savannas, shrublands, woodlands, and suburban/urban areas. Roosts in buildings, caves, and hollow trees. May roost in rock crevices, bridges, signs, or cliff swallow nests during migration. Large maternity colonies inhabit caves, buildings, culverts, and bridges. About 3,270,500 acres of potentially suitable habitat occurs in the SEZ region.	25,699 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	184,172 acres of potentially suitable habitat (5.6% of available potentially suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts on roosting habitats.
Cactus mouse (<i>Peromyscus eremicus</i>)	Variety of areas including desert scrub, semidesert chaparral, desert wash, semidesert grassland, and cliff and canyon habitats. About 2,719,600 acres of potentially suitable habitat occurs in the SEZ region.	23,101 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	119,747 acres of potentially suitable habitat (4.4% of available potentially suitable habitat)	Small overall impact.

TABLE 12.1.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
California myotis (<i>Myotis californicus</i>)	Desert scrub, semidesert shrublands, lowland riparian, swamps, riparian suburban areas, plains grasslands, scrub-grasslands, woodlands, and forests. Roosts in caves, mine tunnels, hollow trees, and loose rocks. About 2,739,600 acres of potentially suitable habitat occurs in the SEZ region.	24,775 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	12,261 acres of potentially suitable habitat (4.5% of available potentially suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts on roosting habitats.
Canyon mouse (<i>Peromyscus crinitus</i>)	Associated with rocky substrates in a variety of habitats, including desert scrub, sagebrush shrublands, woodlands, cliffs and canyons, and volcanic rock and cinder lands. Source of free water not required. About 1,006,600 acres of potentially suitable habitat occurs within the SEZ region.	603 acres of potentially suitable habitat lost (0.06% of available potentially suitable habitat) during construction and operations	22,339 acres of potentially suitable habitat (2.2% of available suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts.
Deer mouse (<i>Peromyscus maniculatus</i>)	Tundra; alpine and subalpine grasslands; plains grasslands; open, sparsely vegetated deserts; warm temperate swamps and riparian forests; and Sonoran desert scrub habitats. About 3,926,800 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.6% of available potentially suitable habitat) during construction and operations	220,742 acres of potentially suitable habitat (5.6% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Desert pocket mouse (<i>Chaetodipus penicillatus</i>)	Sparsely vegetated sandy deserts. Prefers rock-free bottomland soils along rivers and streams. Sleeps and rears young in underground burrows. About 2,606,700 acres of potentially suitable habitat occurs within the SEZ region.	22,708 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat) during construction and operations	118,291 acres of potentially suitable habitat (4.5% of available potentially suitable habitat)	Small overall impact.

TABLE 12.1.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Desert shrew (<i>Notiosorex crawfordi</i>)	Generally found in arid areas with adequate cover for nesting and resting. Deserts, semiarid grasslands with scattered cactus and yucca, chaparral slopes, alluvial fans, sagebrush, gullies, juniper woodlands, riparian areas, and dumps. About 3,144,100 acres of potentially suitable habitat occurs within the SEZ region.	26,032 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat) during construction and operations	174,217 acres of potentially suitable habitat (5.5% of available suitable habitat)	Small overall impact.
Merriam's kangaroo rat (<i>Dipodomys merriami</i>)	Plains grasslands, scrub-grasslands, desert scrub, shortgrass plains, oak and juniper savannahs, mesquite dunes, and creosote flats. About 3,748,100 acres of potentially suitable habitat occurs in the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	186,812 acres of potentially suitable habitat (5.0% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Northern grasshopper mouse (<i>Onychomys leucogaster</i>)	Occurs in grasslands, sagebrush deserts, overgrazed pastures, weedy roadside ditches, sand dunes, and other habitats with sandy soil and sparse vegetation. About 3,740,200 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	182,344 acres of potentially suitable habitat (4.9% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.1.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Ord's kangaroo rat (<i>Dipodomys ordii</i>)	Various habitats ranging from semidesert shrublands and pinyon-juniper woodlands to shortgrass or mixed prairie and silvery wormwood. Also occurs in dry, grazed, riparian areas if vegetation is sparse. Most common on sandy soils that allow for easy digging and construction of burrow systems. About 3,794,900 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.6% of available potentially suitable habitat) during construction and operations	187,253 acres of potentially suitable habitat (4.9% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Round-tailed ground squirrel (<i>Spermophilus tereticaudus</i>)	Optimum habitat includes desert succulent shrub, desert wash, desert scrub, alkali desert scrub, and levees in cropland habitat. Also occurs in urban habitats. Burrows usually at base of shrubs. About 1,557,400 acres of potentially suitable habitat occurs within the SEZ region.	22,025 acres of potentially suitable habitat lost (1.4% of available potentially suitable habitat) during construction and operations	103,628 acres of potentially suitable habitat (6.6% of available suitable habitat)	Moderate overall impact.
Silver-haired bat (<i>Lasionycteris noctivagans</i>)	Urban areas, chaparral, alpine and subalpine grasslands, forests, scrub-grassland, oak savanna, and desert scrub habitats. Roosts under bark, in hollow trees, caves and mines. Forages over clearings and open water. About 2,421,600 acres of potentially suitable habitat occurs within the SEZ region.	9,124 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	76,319 acres of potentially suitable habitat (3.2% of available suitable habitat)	Small overall impact.
Southern plains woodrat (<i>Neotoma micropus</i>)	Semiarid and desert grassland environments. Burrows along the sides of arroyos and favors outwash plains and overgrazed lands. Occurs on rocky, gravelly, and sandy soils. About 3,761,700 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	187,245 acres of potentially suitable habitat (5.0% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.1.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Spotted bat (<i>Euderma maculatum</i>)	Various habitats from desert to montane coniferous forests, mostly in open or scrub areas. Roosts in caves and cracks and crevices in cliffs and canyons. About 1,194,600 acres of potentially suitable habitat occurs within the SEZ region.	6,378 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	46,801 acres of potentially suitable habitat (3.9% of available suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts on roosting habitats.
Spotted ground squirrel (<i>Spermophilus spilosoma</i>)	Arid grasslands and deserts. About 3,679,900 acres of potentially suitable habitat occurs within the SEZ region.	62,098 acres of potentially suitable habitat lost (1.7% of available potentially suitable habitat) during construction and operations	181,672 acres of potentially suitable habitat (4.9% of available suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Western harvest mouse (<i>Reithrodontomys megalotis</i>)	Various habitats including scrub-grasslands, temperate swamps and riparian forests, salt marshes, shortgrass plains, oak savanna, dry fields, agricultural areas, deserts, and desert scrub. Grasses are the preferred cover. About 2,680,200 acres of potentially suitable habitat occurs in the SEZ region.	9,051 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	117,205 acres of potentially suitable habitat (4.4% of available potentially suitable habitat)	Small overall impact.
Western pipistrelle (<i>Parastrellus hesperus</i>)	Deserts and lowlands, desert mountain ranges, desert scrub flats, and rocky canyons. Roosts mostly in rock crevices, sometimes mines and caves, and rarely in buildings. Suitable roosts occur in rocky canyons and cliffs. Most abundant bat in desert regions. About 2,437,700 acres of potentially suitable habitat occurs in the SEZ region.	9,049 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	74,863 acres of potentially suitable habitat (3.1% of available potentially suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts on roosting habitats.

TABLE 12.1.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Nongame (small)				
Mammals (Cont.)				
White-tailed antelope squirrel (<i>Ammospermophilus leucurus</i>)	Low deserts, semidesert and montane shrublands, plateaus, and foothills in areas with sparse vegetation and hard gravelly surfaces. Spends its nights and other periods of inactivity in underground burrows. About 2,168,100 acres of potentially suitable habitat occurs within the SEZ region.	7,379 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	61,175 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact.

- ^a Potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.
- ^b Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. A maximum of 62,098 acres of direct effects within the SEZ was assumed.
- ^c Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and maintenance of an altered environment associated with operations.
- ^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary. Potentially suitable habitat within the SEZ greater than the maximum of 62,098 acres of direct effects was also added to the area of indirect effects. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from the SEZ, but do not include ground-disturbing activities. The potential degree of indirect effects would decrease with increasing distance from the SEZ.
- ^e Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: ≤1% of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but ≤10% of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: >10% of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^f Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^g To convert acres to km², multiply by 0.004047.

Sources: CDFG (2008); NatureServe (2010); NMDGF (2010); USGS (2004, 2005a, 2007).

1 **Mule Deer**

2
3 Based on land cover analyses, up to 62,098 acres (251.3 km²) of potentially suitable mule
4 deer habitat could be lost by solar energy development within the proposed Afton SEZ. This
5 represents about 1.5% of potentially suitable mule deer habitat within the SEZ region. More than
6 234,900 acres (950.6 km²) of potentially suitable mule deer habitat occurs within the area of
7 indirect effects. Based on mapped ranges, up to 62,098 acres (251.3 km²) of mule deer range
8 where deer are rare or absent could be directly impacted by solar energy development in the
9 SEZ. This is 2.4% of such range within the SEZ region. About 325,840 acres (1,319 km²) of
10 this low-density deer range and 4,375 acres (17.7 km²) of higher density mule deer range
11 (i.e., <10 deer/mi² [<4 deer/km²]) occur within the area of indirect effects (Figure 12.1.11.3-1).
12 Overall, impacts on mule deer from solar energy development in the SEZ would be moderate.
13

14
15 **Pronghorn**

16
17 Based on land cover analyses, up to 751 acres (3.0 km²) of potentially suitable pronghorn
18 habitat could be lost by solar energy development within the proposed Afton SEZ. This
19 represents about 0.06% of potentially suitable pronghorn habitat within the SEZ region. About
20 57,445 acres (232.5 km²) of potentially suitable pronghorn habitat occurs within the area of
21 indirect effects. However, the SEZ would not be located within the mapped range of pronghorn,
22 while 3,840 acres (15.5 km²) of its range would be located within the area of indirect effects
23 (Figure 12.1.11.3-2). Overall, impacts on pronghorn from solar energy development in the SEZ
24 would be small.
25

26
27 **Other Mammals**

28
29 Direct impacts on coyote, desert cottontail, gray fox, kit fox, striped skunk, deer mouse,
30 Merriam's kangaroo rat, northern grasshopper mouse, Ord's kangaroo rat, round-tailed ground
31 squirrel, southern plains woodrat, and spotted ground squirrel would be moderate, because 1.4 to
32 1.7% of the potentially suitable habitats identified for these species in the proposed Mason Draw
33 SEZ would be lost. Direct impacts on all other representative mammal species would be small,
34 because 0.06 to 1.0% of potentially suitable habitats identified for those species in the SEZ
35 region would be lost. Larger areas of potentially suitable habitats for the representative mammal
36 species occur within the area of potential indirect effects (e.g., up to 6.6% of available habitat for
37 the round-tailed ground squirrel) (Table 12.1.11.3-1).
38

39
40 **Summary**

41
42 Overall, direct impacts on mammal species from habitat loss would be small to moderate
43 (Table 12.1.11.3-1). Other impacts on mammals could result from collision with vehicles and
44 infrastructure (e.g., fences), surface water and sediment runoff from disturbed areas, fugitive dust
45 generated by project activities, noise, lighting, spread of invasive species, accidental spills, and
46 harassment. Indirect impacts on areas outside the SEZ (e.g., impacts caused by dust generation,

1 erosion, and sedimentation) would be negligible with implementation of programmatic design
2 features.

3
4 Decommissioning after operations cease could result in short-term negative impacts on
5 individuals and habitats within and adjacent to the SEZ. The negative impacts of
6 decommissioning would be reduced or eliminated as reclamation proceeds. Potentially long-term
7 benefits could accrue as habitats are restored in previously disturbed areas. Section 5.10.2.1.4
8 provides an overview of the impacts of decommissioning and reclamation on wildlife. Of
9 particular importance for mammal species would be the restoration of original ground surface
10 contours, soils, and native plant communities associated with semiarid shrublands.

11 12 13 ***12.1.11.3.3 SEZ-Specific Design Features and Design Feature Effectiveness***

14
15 The implementation of required programmatic design features described in Appendix A,
16 Section A.2.2, would reduce the potential for effects on mammals. Indirect impacts could be
17 reduced to negligible levels by implementing design features, especially those engineering
18 controls that would reduce runoff, sedimentation, spills, and fugitive dust. While SEZ-specific
19 design features important for reducing impacts on mammals are best established when
20 considering specific project details, design features that can be identified at this time include
21 the following:

- 22
23 • The fencing around the solar energy development should not block the free
24 movement of mammals, particularly big game species.
- 25
26 • Playa, wash, wetland, and rock outcrop habitats should be avoided.

27
28 If these SEZ-specific design features are implemented in addition to other programmatic
29 design features, impacts on mammals could be reduced. However, potentially suitable habitats
30 for a number of the mammal species occur throughout much of the SEZ; therefore, species-
31 specific mitigation of direct effects for those species would be difficult or infeasible.

32 33 34 ***12.1.11.4 Aquatic Biota***

35 36 37 ***12.1.11.4.1 Affected Environment***

38
39 The proposed Afton SEZ is located in a desert valley where surface waters are
40 typically limited to intermittent washes that contain water for only short periods during or
41 following precipitation. No intermittent or perennial streams or water bodies or springs are
42 present on the proposed Afton SEZ. The National Wetlands Inventory (NWI) mapping
43 (USFWS 2009) indicates 20 intermittent or ephemeral wetlands are present in the Afton
44 SEZ (see Section 12.1.10). Ephemeral streams may also be present on the southeastern corner
45 of the SEZ. Such ephemeral features contain water only following rainfall and typically do not
46 provide aquatic habitat. Although not considered aquatic habitat, nonpermanent ponds may

1 contain invertebrates that are either aquatic opportunists (i.e., species that occupy both temporary
2 and permanent waters) or specialists adapted to living in temporary aquatic environments
3 (Graham 2001). Although most ephemeral pools are populated with widespread species, some
4 can contain species that are endemic to particular geographic regions or even specific pools
5 (Graham 2001). On the basis of information for other ephemeral pools in the American
6 Southwest, ostracods (seed shrimp) and small planktonic crustaceans (e.g., copepods or
7 cladocerans) are expected to be present, and larger branchiopod crustaceans such as fairy shrimp
8 could occur (Graham 2001). Various types of insects that have aquatic larval stages, such as
9 dragonflies and a variety of midges and other fly larvae, may also occur depending on pool
10 longevity, distance to permanent water features, and the abundance of other invertebrates for
11 prey (Graham 2001).

12
13 No perennial or intermittent water bodies are present within the area of indirect effects
14 associated with the proposed Afton SEZ, but 15 mi (24 km) of canals (La Union Main Canal
15 and West Side Canal) and 23 mi (37 km) of the Rio Grande River are located within the area of
16 indirect effects associated with the SEZ. The canals are both supplied by the Rio Grande River.
17 Wetlands occur along the Rio Grande River in the vicinity of the proposed Afton SEZ. The Rio
18 Grande River is a large river system originating in the Rocky Mountains and emptying into the
19 Gulf of Mexico. It is the fifth-longest river in North America. Within the area of indirect effects,
20 land use surrounding the Rio Grande is primarily agricultural and urban. In unimpaired reaches
21 of the Rio Grande north of the Afton SEZ is a diverse community of aquatic insects dominated
22 by mayflies, caddisflies, and dipterans (Crawford et al. 1993). While non-native species like carp
23 (*Cyprinus carpio*), catfish, mosquito fish (*Gambusia affinis*), and white sucker (*Catostomus*
24 *commersonii*) make up a significant proportion of the fish assemblage, native species such as the
25 red shiner (*Cyprinella lutrensis*), longnose dace (*Rhynchithys cataractae*), and flathead chub
26 (*Platygobio gracilis*) are abundant as well (Crawford et al. 1993).

27
28 Outside of the indirect effects area but within 50 mi (80 km) of the proposed Afton South
29 SEZ are approximately 77 mi (124 km) of perennial streams, 74 mi (119 km) of intermittent
30 streams, and 8 mi (13 km) of canals. Also present within 50 mi (80 km) of the SEZ is 4,041 acres
31 (16 km²) of intermittent lake habitat (Lake Lucero). Perennial streams and canals are the only
32 surface water features in the area of direct and indirect effects, and their area represents
33 approximately 31% of the total amount of perennial stream present in the 50-mi (80-km) SEZ
34 region.

35 36 37 **12.1.11.4.2 Impacts**

38
39 Because surface water habitats are a unique feature in the arid landscape in the vicinity
40 of the proposed Afton SEZ, the maintenance and protection of such habitats may be important to
41 the survival of aquatic and terrestrial organisms. The types of impacts that aquatic habitats and
42 biota could incur from the development of utility-scale solar energy facilities are described in
43 detail in Section 5.10.3. Aquatic habitats present on or near the locations selected for
44 construction of solar energy facilities could be affected in a number of ways, including (1) direct
45 disturbance, (2) deposition of sediments, (3) changes in water quantity, and (4) degradation of
46 water quality.

1 No permanent or intermittent water bodies or streams are present within the boundaries
2 of the proposed Afton SEZ, and consequently there would be no direct impacts on aquatic
3 habitats from solar energy development. Intermittent or ephemeral ponds or pools may be
4 present that, while not aquatic habitat, may contain aquatic organisms for brief periods. More
5 detailed information is required to determine the ecological significance of these ponds and to
6 assess the impacts of solar energy development on these features. The Rio Grande River is
7 present in the area of indirect effects, and given the proximity of the Rio Grande River to the
8 SEZ (less than 2 mi [3.2 km]), disturbance of land areas within the SEZ for solar energy
9 facilities could increase the transport of soil into the Rio Grande River and associated wetlands
10 via water- and airborne pathways. Turbidity and sedimentation from sediment deposition may
11 adversely affect aquatic biota if sediment loads are unusually high or last for extended periods
12 of time compared with natural conditions for a given water body. Increased sediment loads can
13 suffocate aquatic vegetation, invertebrates, and fish; decrease the rate of photosynthesis in plants
14 and phytoplankton; decrease fish feeding efficiency; decrease the levels of invertebrate prey;
15 reduce fish spawning success; and adversely affect the survival of incubating fish eggs, larvae,
16 and fry. No perennial or intermittent streams exist in the SEZ that could convey sediments to the
17 Rio Grande River. Any waterborne sediment delivery would be via small ephemeral washes,
18 which are not likely to carry appreciable flows to the Rio Grande. The introduction of airborne
19 sediments into the Rio Grande River could be minimized by site watering, while implementation
20 of measures to control erosion and runoff into aquatic habitats (e.g., silt fences, retention ponds,
21 runoff-control structures, and earthen berms) would reduce the potential for impacts from
22 increased sedimentation.

23
24 In arid environments, reductions in the quantity of water in aquatic habitats are of
25 particular concern. Water quantity in aquatic habitats could also be affected if significant
26 amounts of surface water or groundwater are utilized for power plant cooling water, for washing
27 mirrors, or for other needs. The greatest need for water would occur if technologies employing
28 wet cooling, such as parabolic trough or power tower, were developed at the site; the associated
29 impacts would ultimately depend on the water source used (including groundwater from aquifers
30 at various depths). There are no surface water habitats on the proposed Afton SEZ that could be
31 used to supply water needs. Water demands during normal operations would most likely be met
32 by withdrawing groundwater from wells constructed on-site. Both wet and dry cooling would use
33 a significant portion of available groundwater, potentially affecting water levels in surface water
34 features outside of the proposed SEZ and area of indirect effects, and, as a consequence, aquatic
35 organisms in those habitats (Section 12.1.9). Additional details regarding the volume of water
36 required and the types of organisms present in potentially affected water bodies would be
37 required in order to further evaluate the potential for impacts from water withdrawals.

38
39 As described in Section 5.10.3, water quality in aquatic habitats could be affected by
40 the introduction of contaminants such as fuels, lubricants, or pesticides/herbicides during site
41 characterization, construction, operation, or decommissioning/reclamation for a solar energy
42 facility. However, because of the lack of perennial or intermittent stream connections between
43 the SEZ and the Rio Grande River and associated canals, the potential for introducing
44 contaminants into such water bodies would be small. Intermittent or ephemeral streams, ponds,
45 or pools may be present in the SEZ, and there is the potential for runoff containing contaminants
46 to enter features that, while not aquatic habitat, may contain aquatic organisms. More detailed

1 site surveys for biota in ephemeral and intermittent surface waters would be necessary to
2 determine whether solar energy development activities would result in direct or indirect impacts
3 on aquatic biota. The introduction of contaminants into these ephemeral features can be
4 minimized if the appropriate mitigation measures are used.
5
6

7 ***12.1.11.4.3 SEZ-Specific Design Features and Design Feature Effectiveness*** 8

9 The implementation of required programmatic design features described in Appendix A,
10 Section A.2.2 would greatly reduce or eliminate the potential for effects on aquatic biota and
11 aquatic habitats from development and operation of solar energy facilities. While some SEZ-
12 specific design features are best established when specific project details are being considered,
13 design features that can be identified at this time include the following:
14

- 15 • Appropriate engineering controls should be implemented to minimize the
16 amount of surface water runoff and fugitive dust that reaches the Rio Grande
17 River and associated wetlands and canals.
18
- 19 • Wetlands and streams located within the SEZ should be avoided to the extent
20 practicable.
21

22 If these SEZ-specific design features are implemented in addition to programmatic design
23 features and if the utilization of water from groundwater or surface water sources is adequately
24 controlled to maintain sufficient water levels in aquatic habitats, the potential impacts on aquatic
25 biota and habitats from solar energy development at the proposed Afton SEZ would be
26 negligible.
27

1 **12.1.12 Special Status Species (Threatened, Endangered, Sensitive, and Rare Species)**
2

3 This section addresses special status species that are known to occur, or for which
4 suitable habitat occurs, on or within the potentially affected area of the proposed Afton SEZ.
5 Special status species include the following types of species⁴:
6

- 7 • Species listed as threatened or endangered under the Endangered Species Act
8 (ESA);
9
- 10 • Species that are proposed for listing, under review, or are candidates for
11 listing under the ESA;
12
- 13 • Species that are listed by the BLM as sensitive;
14
- 15 • Species that are listed by the State of New Mexico⁵; and
16
- 17 • Species that have been ranked by the State of New Mexico as S1 or S2, or
18 species of concern by the State of New Mexico or the USFWS, hereafter
19 referred to as “rare” species.
20

21 Special status species known to occur within 50 mi (80 km) of the Afton SEZ center
22 (i.e., the SEZ region) were determined from natural heritage records available through
23 NatureServe Explorer (NatureServe 2010), information provided by the BLM Las Cruces
24 District Office (Hewitt 2009b), New Mexico Rare Plant Technical Council (1999), BISON-M
25 (NMDGF 2010), Natural Heritage New Mexico (NHNM) (McCollough 2009), Southwest
26 Regional Gap Analysis Project (SWReGAP) (USGS 2004, 2005a, 2007), South Central GAP
27 Analysis Program (SCReGAP) (USGS 2010a), Texas GAP Analysis Program (USGS 2010b),
28 and the USFWS Environmental Conservation Online System (ECOS) (USFWS 2010).
29 Information reviewed consisted of county-level occurrences as determined from Nature Serve
30 and BISON-M, quad-level occurrences provided by the NHNM, and modeled land cover types
31 and predicted suitable habitats for the species within the 50-mi (80-km) region as determined
32 from SWReGAP and SCReGAP. The 50-mi (80-km) SEZ region intersects Dona Ana, Luna,
33 Otero, and Sierra Counties in New Mexico, as well as El Paso County, Texas, and Chihuahua,
34 Mexico. However, the SEZ and affected area occur only in Dona Ana County. See Appendix M
35 for additional information on the approach used to identify species that could be affected by
36 development within the SEZ.
37
38
39

⁴ See Section 4.6.4 for definitions of these species categories. Note that some of the categories of species included here do not fit BLM’s definition of special status species as defined in BLM Manual 6840 (BLM 2008). These species are included here to ensure broad consideration of species that may be most vulnerable to impacts.

⁵ State listed species for the state of New Mexico are those plants listed as endangered under the Endangered Plant Species Act (NMSA 1978 § 75-6-1) or wildlife listed as threatened or endangered by the Wildlife Conservation Act (NMSA 1978 § 17-2-37).

1 **12.1.12.1 Affected Environment**
2

3 The affected area considered in the assessment included the areas of direct and indirect
4 effects. The area of direct effects was defined as the area that would be physically modified
5 during project development (i.e., where ground-disturbing activities would occur). For the
6 proposed Afton SEZ, the area of direct effect included only the SEZ itself. Because of the
7 proximity of existing infrastructure, the impacts of construction and operation of transmission
8 lines outside of the SEZ are not assessed, assuming that the existing transmission infrastructure
9 might be used to connect some new solar facilities to load centers, and that additional project-
10 specific analysis would be conducted for new transmission construction or line upgrades.
11 Similarly, the impacts of construction or upgrades to access roads were not assessed for this
12 SEZ because of the proximity of I-10 (see Section 12.1.1.2 for a discussion of development
13 assumptions for this SEZ). The area of indirect effects was defined as the area within 5 mi
14 (8 km) of the SEZ boundary. Indirect effects considered in the assessment included effects from
15 groundwater withdrawals, surface runoff, dust, noise, lighting, and accidental spills from the
16 SEZ, but do not include ground-disturbing activities. For the most part, the potential magnitude
17 of indirect effects would decrease with increasing distance away from the SEZ. This area of
18 indirect effect was identified on the basis of professional judgment and was considered
19 sufficiently large to bound the area that would potentially be subject to indirect effects. The
20 affected area includes both the direct and indirect effects areas.
21

22 The primary land cover habitat types within the affected area are Chihuahuan
23 stabilized coppice dune and sand flat scrub, as well as Chihuahuan mesquite desert scrub
24 (see Section 12.1.10). Potentially unique habitats in the affected area in which special status
25 species may reside include cliff and rock outcrops, desert dunes, playas, washes, and riparian
26 and aquatic habitats. There are also approximately 42,500 acres (172 km²) of agricultural land
27 cover types in the affected area. There are no aquatic habitats known to occur on the SEZ;
28 however, the Rio Grande flows through the area of indirect effects (Figure 12.1.12.1-1).
29

30 All special status species that are known to occur within the Afton SEZ region
31 (i.e., within 50 mi [80 km] of the center of the SEZ) are listed, with their status, nearest recorded
32 occurrence, and habitats in Appendix J. Of these species, there are 35 that could be affected by
33 solar energy development on the SEZ, on the basis of recorded occurrences or the presence of
34 potentially suitable habitat in the area. These species, their status, and their habitats are presented
35 in Table 12.1.12.1-1. For many of the species listed in the table (especially plants), their
36 predicted potential occurrence in the affected area is based only on a general correspondence
37 between mapped land cover types and descriptions of species habitat preferences. This overall
38 approach to identifying species in the affected area probably overestimates the number of species
39 that actually occur in the affected area. For many of the species identified as having potentially
40 suitable habitat in the affected area, the nearest known occurrence is over 20 mi (32 m) away
41 from the SEZ.
42

43 Based on NHHM records and information provided by the BLM Las Cruces District
44 Office, occurrences for the following 6 special status species intersect the affected area of the
45 Afton SEZ: sand prickly-pear cactus, smallmouth buffalo, Texas horned lizard, eastern bluebird,
46 fringed myotis, and Townsend's big-eared bat. These species are indicated in bold text in

1 Table 12.1.12.1-1. There are no groundwater-dependent species in the vicinity of the SEZ based
2 upon NHNM records, comments provided by the USFWS (Stout 2009), and the evaluation of
3 groundwater resources in the Afton SEZ region (Section 12.1.9).
4
5

6 ***12.1.12.1.1 Species Listed under the Endangered Species Act That Could Occur in the*** 7 ***Affected Area*** 8

9 In scoping comments on the proposed Afton SEZ (Stout 2009), the USFWS expressed
10 concern for impacts of project development within the SEZ on habitat for the northern aplomado
11 falcon—a species listed as endangered under the ESA. In addition to this species, the Sneed’s
12 pincushion cactus—listed as endangered under the ESA—may also occur in the affected area
13 of the Afton SEZ. These two species are discussed below and information on their habitat is
14 presented in Table 12.1.12.1-1; additional basic information on life history, habitat needs, and
15 threats to populations of these species is provided in Appendix J.
16
17


18 **Sneed’s Pincushion Cactus** 19

20 The Sneed’s pincushion cactus is a perennial cactus that is listed as endangered under
21 the ESA. This species is endemic to a range of less than 100 mi (160 km) between Las Cruces,
22 New Mexico, and El Paso, Texas. This species is primarily known to occur in limestone cracks
23 of broken terrain on steep slopes at elevations between 4,000 and 6,000 ft (1,220 and 1,800 m).
24 The nearest recorded occurrences of this species are approximately 10 mi (16 km) southeast
25 of the SEZ. The USFWS did not identify the Sneed’s pincushion cactus in scoping comments
26 on the proposed Afton SEZ (Stout 2009); however, approximately 141 acres (0.6 km²) of
27 potentially suitable habitat (rocky slopes and cliffs) may occur in the affected area of the SEZ
28 (Figure 12.1.12.1-1; Table 12.1.12.1-1). Critical habitat for this species has not been designated.
29
30

31 **Northern Aplomado Falcon** 32

33 The northern aplomado falcon is a raptor that is listed as endangered under the ESA. This
34 species is known to occur in Chihuahuan grassland habitats in southern New Mexico, western
35 Texas, and northern Mexico. Suitable habitats include rangeland, savannas, and semiarid
36 grasslands with scattered trees, mesquite (*Prosopis glandulosa*), and *Yucca* spp. Within these
37 areas, the northern aplomado falcon feeds primarily on small birds and infrequently on small
38 mammals and reptiles. Nests are located in old nests of other bird species (usually raptors or
39 ravens).
40

41 In scoping comments on the Afton SEZ, the USFWS discussed the potential for northern
42 aplomado falcons to occur in the affected area, because natural and reintroduced populations
43 may occur within the SEZ region (Stout 2009). Reintroductions of northern aplomado falcons in
44 southern New Mexico under section 10(j) of the ESA began in 2006. According to the USFWS,
45 northern aplomado falcon populations may occur on the SEZ and throughout the affected area
46 of the proposed Afton SEZ in areas of Chihuahuan desert grassland, especially where scattered



1

2 **FIGURE 12.1.12.1-1 Known or Potential Occurrences of Species Listed as Endangered or**
 3 **Threatened under the ESA, Candidates for Listing under the ESA, or Species under Review**
 4 **for ESA Listing in the Affected Area of the Proposed Afton SEZ (Sources: Hewitt 2009b;**
 5 **USGS 2007)**

TABLE 12.1.12.1-1 Habitats, Potential Impacts, and Potential Mitigation for Special Status Species That Could Be Affected by Solar Energy Development on the Proposed Afton SEZ

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Plants						
Alamo beardtongue	<i>Penstemon alamosensis</i>	FWS-SC; NM-SC	Sacramento and San Andres Mountains in Dona Ana and Otero Counties, New Mexico, as well as the Hueco Mountains in El Paso County, Texas, in sheltered rocky areas, canyon sides, and canyon bottoms on limestone substrate. Elevations range between 4,300 and 5,300 ft. ^h Nearest recorded occurrence is 29 mi ⁱ northeast of the SEZ. About 4,500 acres ^j of potentially suitable habitat occurs in the SEZ region.	9 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat)	132 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to rocky cliffs and outcrops on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect, translocation of individuals from the area of direct effect, or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Arizona coralroot	<i>Hexalectris spicata</i> var. <i>arizonica</i>	BLM-S; NM-E; FWS-SC; NM-S2	Oak and pinyon-juniper woodland communities in areas of heavy leaf litter. Known to occur in Dona Ana County, New Mexico. About 47,500 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	13 acres of potentially suitable habitat (<0.1% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Plants (Cont.)						
Desert night-blooming cereus	<i>Peniocereus greggii</i> var. <i>greggii</i>	BLM-S; NM-E; FWS-SC; NM-S1	Sandy to silty gravelly soils in desert grassland communities, gravelly flats, and washes. Nearest recorded occurrence is 6 mi north of the SEZ. About 1,052,000 acres of potentially suitable habitat occurs in the SEZ region.	680 acres of potentially suitable habitat lost (0.1% of available potentially suitable habitat)	13,070 acres of potentially suitable habitat (1.2% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to desert grassland habitats on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect, translocation of individuals from the area of direct effect, or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Grama grass cactus	<i>Sclerocactus papyracanthus</i>	BLM-S	Pinyon-juniper woodlands and desert grasslands on sandy soils at elevations between 4,900 and 7,200 ft. Nearest recorded occurrence is 29 mi northeast of the SEZ. About 1,037,800 acres of potentially suitable habitat occurs in the SEZ region.	680 acres of potentially suitable habitat lost (0.1% of available potentially suitable habitat)	12,900 acres of potentially suitable habitat (1.2% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to desert grassland habitats on the SEZ could reduce impacts. See desert night-blooming cereus for a list of other applicable mitigations.
Marble Canyon rockcress	<i>Sibara grisea</i>	BLM-S; FWS-SC; NM-SC	Rock crevices and the bases of limestone cliffs in chaparral and pinyon-juniper woodland communities at elevations between 4,500 and 6,000 ft. Known to occur in Dona Ana County, New Mexico. About 82,700 acres of potentially suitable habitat occurs in the SEZ region.	9 acres of potentially suitable habitat lost (<0.1% of available potentially suitable habitat)	600 acres of potentially suitable habitat (0.7% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to rocky cliffs and outcrops on the SEZ could reduce impacts. See Alamo beardtongue for a list of other applicable mitigations.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Plants (Cont.)						
Mosquito plant	<i>Agastache cana</i>	FWS-SC; NM-SC	Rock crevices of granite cliffs or in canyon habitats at the lower edge of the pinyon-juniper zone. Elevations range between 4,600 and 5,900 ft. Known to occur in Dona Ana County, New Mexico. About 4,500 acres of potentially suitable habitat occurs in the SEZ region.	9 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat)	132 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to rocky cliffs and outcrops on the SEZ could reduce impacts. See Alamo beardtongue for a list of other applicable mitigations.
New Mexico rock daisy	<i>Perityle staurophylla</i> var. <i>staurophylla</i>	BLM-S; FWS-SC; NM-SC	Endemic to south-central New Mexico in crevices of limestone cliffs and boulders at elevations between 4,900 and 7,000 ft. Known to occur in Dona Ana County, New Mexico. About 4,400 acres of potentially suitable habitat occurs in the SEZ region.	9 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat)	132 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to rocky cliffs and outcrops on the SEZ could reduce impacts. See Alamo beardtongue for a list of other applicable mitigations.
Sand prickly-pear cactus ^k	<i>Opuntia arenaria</i> ^k	NM-E; FWS-SC; NM-S2	Sandy areas, particularly semi-stabilized sand dunes among open Chihuahuan desert scrub, often associated with sparse cover of grasses at elevations between 3,800 and 4,300 ft. Known to occur on the SEZ and in other portions of the affected area. About 913,000 acres of potentially suitable habitat occurs in the SEZ region.	51,500 acres of potentially suitable habitat lost (5.6% of available potentially suitable habitat)	41,900 acres of potentially suitable habitat (4.6% of available potentially suitable habitat)	Moderate overall impact. Avoiding or minimizing disturbance to sand dunes and sand transport systems on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect, translocation of individuals from the area of direct effect, or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Plants (Cont.)						
Sandberg pincushion cactus	<i>Escobaria sandbergii</i>	FWS-SC; NM-SC; NM-S2	San Andres and Fra Cristobal Mountains in Dona Ana and Sierra Counties, New Mexico, on rocky limestone soils in Chihuahuan desert scrub and open oak and pinyon-juniper woodlands at elevations between 4,200 and 7,400 ft. Known to occur in Dona Ana County, New Mexico. About 2,676,500 acres of potentially suitable habitat occurs in the SEZ region.	62,000 acres of potentially suitable habitat lost (2.3% of available potentially suitable habitat)	162,250 acres of potentially suitable habitat (6.1% of available potentially suitable habitat)	Moderate overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect, translocation of individuals from the area of direct effect, or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Sandhill goosefoot	<i>Chenopodium cycloides</i>	BLM-S; NM-S2	Open sandy areas, frequently along the edges of sand dunes. Known to occur in Dona Ana County, New Mexico. About 1,009,000 acres of potentially suitable habitat occurs in the SEZ region.	52,000 acres of potentially suitable habitat lost (5.2% of available potentially suitable habitat)	49,600 acres of potentially suitable habitat (4.9% of available potentially suitable habitat)	Moderate overall impact. Avoiding or minimizing disturbance to sand dunes on the SEZ could reduce impacts. See sand prickly-pear cactus for a list of other applicable mitigations.
Sneed's pincushion cactus	<i>Escobaria sneedii</i> var. <i>sneedii</i>	ESA-E; NM-E; NM-S2	Limestone cracks of broken terrain on steep slopes and on limestone edges and rocky slopes in mountainous regions at elevations between 4,000 and 6,000 ft. Nearest recorded occurrences are approximately 10 mi southeast of the SEZ. About 4,500 acres of potentially suitable habitat occurs in the SEZ region.	9 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat)	132 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to rocky cliffs and outcrops on the SEZ could reduce impacts. See Alamo beardtongue for a list of other applicable mitigations. The potential for impact and need for mitigation should be determined in consultation with the USFWS and the NMDGF.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Plants (Cont.)						
Villard pincushion cactus	<i>Escobaria villardii</i>	BLM-S; NM-E; FWS-SC; NM-S2	Franklin and Sacramento Mountains in Otero and Dona Ana Counties, New Mexico on loamy soils of desert grassland on broad limestone benches at elevations between 4,500 and 6,500 ft. Known to occur in Dona Ana County, New Mexico. About 1,038,000 acres of potentially suitable habitat occurs in the SEZ region.	680 acres of potentially suitable habitat lost (0.1% of available potentially suitable habitat)	12,900 acres of potentially suitable habitat (1.2% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to desert grassland habitats on the SEZ could reduce impacts. See desert night-blooming cereus for a list of other applicable mitigations.
Invertebrates						
Samalayuca Dune grasshopper	<i>Cibolacris samalayucae</i>	NM-SC	Open sand dune habitats. Known to occur in Dona Ana County, New Mexico. About 1,009,000 acres of potentially suitable habitat occurs in the SEZ region.	2,100 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat)	99,600 acres of potentially suitable habitat (9.9% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to sand dunes and sand transport systems on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Anthony blister beetle	<i>Lytta mirifica</i>	BLM-S; FWS-SC; NM-SC	On flowering plants, often in agricultural areas where the species may be a pest of certain crops. Known to occur in Dona Ana County, New Mexico. About 138,500 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	42,500 acres of potentially suitable habitat (30.6% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
<i>Invertebrates (Cont.)</i>						
Shotwell's range grasshopper	<i>Shotwellia isleta</i>	NM-SC	Non-saline playas that are composed of clay soils. Known to occur in Dona Ana County, New Mexico. About 12,000 acres of potentially suitable habitat occurs in the SEZ region.	10 acres of potentially suitable habitat lost (0.1% of available potentially suitable habitat)	100 acres of potentially suitable habitat (0.8% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to playa habitats on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
<i>Fish</i>						
Smallmouth buffalo	<i>Ictiobus bubalus</i>	NM-S2	Native to the Rio Grande and Pecos River in larger pools of higher order rivers with low-velocity current and abundant aquatic vegetation. Prefers clean to moderately turbid, deep, warm waters. Nearest quad-level occurrence is from the Rio Grande, approximately 4 mi east of the SEZ. About 79 mi of potentially suitable habitat in the Rio Grande occurs in the SEZ region.	0 miles	23 mi of potentially suitable habitat in the Rio Grande (29.1% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Reptiles Texas horned lizard	<i>Phrynosoma cornutum</i>	BLM-S	Flat, open, generally dry habitats with little plant cover, except for bunchgrass, cactus, and desert scrub in areas of sandy or gravelly soil. Nearest quad-level occurrence intersects the affected area within 5 mi north of the SEZ. About 3,844,800 acres of potentially suitable habitat occurs in the SEZ region.	77,500 acres of potentially suitable habitat lost (2.0% of available potentially suitable habitat)	182,300 acres of potentially suitable habitat (4.7% of available potentially suitable habitat)	Moderate overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect, translocation of individuals from areas of direct effect, or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Birds American peregrine falcon	<i>Falco peregrinus anatum</i>	BLM-S; NM-T	Year-round resident in the SEZ region. Open habitats, including deserts, shrublands, and woodlands that are associated with high, near-vertical cliffs and bluffs above 200 ft. When not breeding, activity is concentrated in areas with ample prey, such as farmlands, marshes, lakes, rivers, and urban areas. Known to occur in Dona Ana County, New Mexico. About 1,997,000 acres of potentially suitable habitat occurs in the SEZ region.	23,000 acres of potentially suitable foraging or nesting habitat lost (1.2% of available potentially suitable habitat)	159,500 acres of potentially suitable habitat (8.0% of available potentially suitable habitat)	Moderate overall impact on foraging and nesting habitat. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied nests in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
<i>Birds (Cont.)</i>						
Bald eagle	<i>Haliaeetus leucocephalus</i>	BLM-S; NM-T; FWS-SC	Winter resident in the SEZ region. Large bodies of water or free-flowing rivers with abundant fish and waterfowl prey. Wintering areas are associated with open water. May occasionally forage in arid shrubland habitats. Known to occur in Dona Ana County, New Mexico. About 1,277,000 acres of potentially suitable habitat occurs in the SEZ region.	840 acres of potentially suitable foraging habitat lost (0.1% of available potentially suitable habitat)	67,250 acres of potentially suitable habitat (5.3% of available potentially suitable habitat)	Small overall impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.
Bell's vireo	<i>Vireo bellii</i>	NM-T; FWS-SC; NM-S2	Summer breeding resident in the SEZ region. Dense shrublands or woodlands along lower elevation riparian areas among willows, scrub oak, and mesquite. May potentially nest in any successional stage with dense understory vegetation. Known to occur in Dona Ana County, New Mexico. About 386,000 acres of potentially suitable habitat occurs in the SEZ region.	11,300 acres of potentially suitable habitat lost (2.9% of available potentially suitable habitat)	19,600 acres of potentially suitable habitat (5.1% of available potentially suitable habitat)	Moderate overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied nests in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
<i>Birds (Cont.)</i> Dickcissel	<i>Spiza americana</i>	NM-S1	Summer breeding resident in SEZ region. Grassland, meadows, savanna, cultivated lands, brushy fields. Nests on the ground in grass, tall weeds, or in low shrubs or trees. Prefers habitat with dense, moderate to tall vegetation and moderately deep litter. Suitable habitats are found in old fields, hayfields, fencerows, hedgerows, road rights-of-way, planted cover, and moderately grazed prairie. Known to occur in Dona Ana County, New Mexico. About 233,000 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	42,600 acres of potentially suitable habitat (18.3% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Eastern bluebird	<i>Sialia sialis</i>	NM-S1	Year-round resident in the SEZ region. Forest edges, open woodlands, and partly open situations with scattered trees, in coniferous or deciduous forest and riparian woodland. Nests in natural cavities, old woodpecker holes, and bird boxes. Nearest quad-level occurrence intersects the affected area within 5 mi east of the SEZ. About 850,000 acres of potentially suitable habitat occurs in the SEZ region.	16,000 acres of potentially suitable habitat lost (1.9% of available potentially suitable habitat)	60,300 acres of potentially suitable habitat (7.1% of available potentially suitable habitat)	Moderate overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied nests in the area of direct effects or compensatory mitigation of direct effects or occupied habitat could reduce impacts.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
<i>Birds (Cont.)</i>						
Ferruginous hawk	<i>Buteo regalis</i>	BLM-S; NM-S2	Winter resident in grasslands, sagebrush and saltbrush habitats, and the periphery of pinyon-juniper woodlands. Known to occur in Dona Ana County, New Mexico. About 131,300 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	42,800 acres of potentially suitable habitat (32.6% of available potentially suitable habitat)	Small overall impact on foraging habitat only; no direct impact. No species-specific mitigation is warranted.
Gray vireo	<i>Vireo vicinior</i>	NM-T; NM-S2	Summer breeding resident in the SEZ region. Semiarid, shrubby habitats, especially mesquite and brushy pinyon-juniper woodlands; also chaparral, desert scrub, thorn scrub, oak-juniper woodland, pinyon-juniper, mesquite, and dry chaparral. Nests in shrubs or trees. Known to occur in Dona Ana County, New Mexico. About 549,500 acres of potentially suitable habitat occurs in the SEZ region.	16,000 acres of potentially suitable habitat lost (2.9% of available potentially suitable habitat)	58,500 acres of potentially suitable habitat (10.6% of available potentially suitable habitat)	Moderate overall impact on foraging and nesting habitat. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied nests in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Birds (Cont.)						
Northern aplomado falcon	<i>Falco femoralis septentrionalis</i>	ESA-E; NM-E; NM-S1	Year-round resident in the SEZ region. Open rangeland and savanna, semiarid grasslands with scattered trees, mesquite, and yucca. Nests in old stick nests of other raptors or ravens that are located in trees or shrubs in desert grassland. Nearest occurrences are 9 mi west of the SEZ. About 2,138,000 acres of potentially suitable habitat occurs in the SEZ region.	9,400 acres of potentially suitable foraging or nesting habitat lost (0.4% of available potentially suitable habitat)	62,700 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact on foraging and nesting habitat. Avoiding or minimizing disturbance to desert grasslands on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoiding or minimizing disturbance to occupied nests in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts. The potential for impact and need for mitigation should be determined in consultation with the USFWS and NMDGF.
Osprey	<i>Pandion haliaetus</i>	NM-SC; NM-S2	Winter resident in the SEZ region. Along rivers, lakes, reservoirs, and seacoasts. Typically build large stick nests on living or dead trees and also use numerous manmade structures such as utility poles, wharf pilings, windmills, and channel markers. Nests are usually near or above water. Known to occur in Dona Ana County, New Mexico. About 9,300 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	1,500 acres of potentially suitable habitat (15.9% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Birds (Cont.)						
Western burrowing owl	<i>Athene cunicularia</i>	BLM-S; FWS-SC; NM-SC	Year-round resident in the SEZ region. Open grasslands and prairies, as well as disturbed sites such as golf courses, cemeteries, and airports throughout the SEZ region. Nests in burrows constructed by mammals (prairie dog, badger, etc.). Known to occur in Dona Ana County, New Mexico. About 3,800,000 acres of potentially suitable habitat occurs in the SEZ region.	77,300 acres of potentially suitable habitat lost (2.0% of available potentially suitable habitat)	218,800 acres of potentially suitable habitat (5.8% of available potentially suitable habitat)	Moderate overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied burrows in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Western yellow-billed cuckoo	<i>Coccyzus americanus occidentalis</i>	ESA-C; NM-SC	Summer breeding resident in the SEZ region. Riparian obligate, usually found in large tracts of cottonwood/willow habitats with dense sub-canopies. Known to occur in Dona Ana County, New Mexico. About 9,300 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	71 acres of potentially suitable habitat (0.8% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Mammals						
Desert bighorn sheep	<i>Ovis canadensis mexicana</i>	NM-T; NM-SC; NM-S1	Open, steep rocky terrain in mountainous habitats in desert regions. Rarely uses desert lowlands, but may use them as corridors for travel between mountain ranges. Known to occur in Dona Ana County, New Mexico. About 208,500 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	1,650 acres of potentially suitable habitat (0.8% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
<i>Mammals (Cont.)</i>						
Fringed myotis	<i>Myotis thysanodes</i>	BLM-S	Year-round resident in the SEZ region. Wide range of habitats including lowland riparian, desert shrub, pinyon-juniper, and sagebrush habitats. Roosts in buildings and caves. Nearest quad-level occurrence intersects the affected area about 5 mi north of the SEZ. About 3,040,800 acres of potentially suitable habitat occurs in the SEZ region.	25,600 acres of potentially suitable habitat lost (0.8% of available potentially suitable habitat)	178,200 acres of potentially suitable habitat (5.9% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied roosts in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Long-legged myotis	<i>Myotis volans</i>	BLM-S	Year-round resident in the SEZ region. Primarily in montane coniferous forests; also riparian and desert habitats. Hibernates in caves and mines. Roosts in abandoned buildings, rock crevices, and under bark of trees. Known to occur in Dona Ana County, New Mexico. About 2,705,000 acres of potentially suitable habitat occurs in the SEZ region.	25,250 acres of potentially suitable habitat lost (0.9% of available potentially suitable habitat)	127,800 acres of potentially suitable habitat (4.7% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied roosts in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Mammals (Cont.)						
Townsend's big-eared bat	<i>Corynorhinus townsendii</i>	BLM-S; FWS-SC; NM-SC	Year-round resident in the SEZ region. Near forests and shrubland habitats below 9,000 ft elevation. Roosts and hibernates in caves, mines, and buildings. Nearest quad-level occurrence intersects the affected area about 5 mi north of the SEZ. About 2,627,600 acres of potentially suitable habitat occurs in the SEZ region.	10,400 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat)	127,500 acres of potentially suitable habitat (4.9% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied roosts in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Western red bat	<i>Lasiurus blossevillii</i>	FWS-SC; NM-S2	Year-round resident in the SEZ region. Forages in riparian and other wooded areas. Roosts primarily in cottonwood trees along riparian areas, but also in fruit orchards. Known to occur in Dona Ana County, New Mexico. About 43,700 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	640 acres of potentially suitable habitat (1.5% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Western small-footed myotis	<i>Myotis ciliolabrum</i>	BLM-S	Year-round resident in the SEZ region. Variety of woodlands and riparian habitats at elevations below 9,000 ft. Roosts in caves, buildings, mines, and crevices of cliff faces. Known to occur in Dona Ana County, New Mexico. About 3,805,400 acres of potentially suitable habitat occurs in the SEZ region.	76,400 acres of potentially suitable habitat lost (2.0% of available potentially suitable habitat)	218,675 acres of potentially suitable habitat (5.7% of available potentially suitable habitat)	Moderate overall impact habitat. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied roosts in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.1.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Indirect Effects (Outside SEZ) ^e	
Mammals (Cont.)						
Yellow-faced pocket gopher	<i>Cratogeomys castanops</i>	NM-S2	Deep sandy or silty soils that are relatively free of rocks. Prefers deep firm soils, rich soils of river valleys and streams, agricultural land (orchards, gardens, potato fields and other croplands), and meadows. Also in mesquite-creosote habitat. Constructs shallow foraging burrows and deeper ones between nest and food cache. Known to occur in Dona Ana County, New Mexico. About 1,625,000 acres of potentially suitable habitat occurs in the SEZ region.	25,400 acres of potentially suitable habitat lost (1.6% of available potentially suitable habitat)	150,800 acres of potentially suitable habitat (9.3% of available potentially suitable habitat)	Moderate overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats on the SEZ or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

^a BLM-S = listed as a sensitive species by the BLM; ESA-C = candidate for listing under the ESA; ESA-E listed as endangered under the ESA; FWS-SC = USFWS species of concern; NM-E = listed as endangered by the State of New Mexico; NM-T = listed as threatened by the State of New Mexico; NM-S1 = ranked as S1 in the State of New Mexico; NM-S2 = ranked as S2 in the State of New Mexico; NM-SC = species of concern in the State of New Mexico.

^b For plant species, potentially suitable habitat was determined by using land cover types from SWReGAP and SCReGAP. For terrestrial vertebrate species, potentially suitable habitat was determined by using habitat suitability and land cover models from SWReGAP and the Texas Gap Analysis Program. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.

^c Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. Impacts of access road and transmission line construction, upgrade, or operation are not assessed in this evaluation due to the proximity of existing infrastructure to the SEZ.

^d Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.

Footnotes continued on next page.

TABLE 12.1.12.1-1 (Cont.)

- ^e Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary where ground-disturbing activities would not occur. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from project developments. The potential degree of indirect effects would decrease with increasing distance away from the SEZ.
- ^f Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: $\leq 1\%$ of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: > 1 but $\leq 10\%$ of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: $> 10\%$ of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects because those effects would be difficult to mitigate. Design features would reduce most indirect effects to negligible levels.
- ^g Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^h To convert ft to m, multiply by 0.3048.
- ⁱ To convert mi to km, multiply by 1.609.
- ^j To convert acres to km², multiply by 0.004047.
- ^k Species in bold text have been recorded or have designated critical habitat within 5 mi (8 km) of the SEZ boundary.

1 yucca, mesquite, and cactus are present. According to information provided by the BLM Las
2 Cruces District Office (Hewitt 2009b), suitable grassland habitat for this species does not occur
3 on the SEZ, but very suitable habitat may occur in the area of indirect effects west of the SEZ
4 (as determined by a field-validated habitat suitability model for this species). The species is
5 known to occur as near as 9 mi (14 km) west of the SEZ (Figure 12.1.12.1-1; Table 12.1.12.1-1).
6 According to the SWReGAP habitat suitability model, approximately 9,400 acres (38 km²) and
7 62,700 acres (38 km²) of potentially suitable habitat may occur on the SEZ and within the area
8 of indirect effects, respectively. On the basis of SWReGAP land cover data, approximately
9 680 acres (2.4 km²) of Chihuahuan grassland habitat occurs on the SEZ. This habitat could
10 represent foraging and nesting habitat. Based upon this information, it is concluded that portions
11 of the Afton SEZ may provide marginally suitable habitat for the northern aplomado falcon.
12 Critical habitat for this species has not been designated. The Texas Gap Analysis Program does
13 not include a habitat suitability model for the northern aplomado falcon.

14 15 16 ***12.1.12.1.2 Species That Are Candidates for Listing under the ESA*** 17

18 In scoping comments on the proposed Afton SEZ (Stout 2009), the USFWS did not
19 mention any species that are candidates for listing under the ESA that may be affected by
20 solar energy development on the Afton SEZ. However, the western yellow-billed cuckoo is a
21 candidate for listing under the ESA and has the potential to occur in the affected area. The
22 western yellow-billed cuckoo is a neotropical migrant bird that inhabits large riparian woodlands
23 in the western United States and is known to occur in Dona Ana County, New Mexico. Although
24 the SWReGAP habitat suitability model for the western yellow-billed cuckoo does not identify
25 any suitable habitat for this species within the SEZ, approximately 71 acres (0.3 km²) of riparian
26 habitat occurs within the area of indirect effects along the Rio Grande (Figure 12.1.12.1-1;
27 Table 12.1.12.1-1). Additional basic information on life history, habitat needs, and threats to
28 populations of this species is provided in Appendix J.

29 30 31 ***12.1.12.1.3 Species That Are under Review for Listing under the ESA*** 32

33 In scoping comments on the proposed Afton SEZ (Stout 2009), the USFWS did not
34 mention any species that are under review for listing under the ESA that may be affected by solar
35 energy development on the Afton SEZ. On the basis of known occurrences and the presence of
36 potentially suitable habitat, there are no species under review for ESA listing that may occur in
37 the affected area of the Afton SEZ.

38 39 40 ***12.1.12.1.4 BLM-Designated Sensitive Species*** 41

42 There are 17 BLM-designated sensitive species that may occur in the affected area of
43 the Afton SEZ (Table 12.1.12.1-1), including the following (1) plants: Arizona coralroot, desert
44 night-blooming cereus, grama grass cactus, Marble Canyon rockcress, New Mexico rock daisy,
45 sandhill goosefoot, and Villard pincushion cactus; (2) invertebrate: Anthony blister beetle;
46 (3) reptile: Texas horned lizard; (4) birds: American peregrine falcon, bald eagle, ferruginous

1 hawk, and western burrowing owl; and (5) mammals: fringed myotis, long-legged myotis,
2 Townsend’s big-eared bat, and western small-footed myotis. Of these BLM-designated sensitive
3 species with potentially suitable habitat in the affected area, only quad-level occurrences of the
4 Texas horned lizard and fringed myotis intersect the affected area of the Afton SEZ. Habitats in
5 which BLM-designated sensitive species are found, the amount of potentially suitable habitat in
6 the affected area, and known locations of the species relative to the SEZ are presented in
7 Table 12.1.12.1-1. These species as related to the SEZ are described in the remainder of this
8 section. Additional life history information for these species is provided in Appendix J.
9

10
11 **Arizona Coralroot**
12

13 The Arizona coralroot is a perennial herb that is known from Arizona, New Mexico, and
14 Texas. It occurs in oak and pinyon-juniper woodland communities in areas with heavy leaf litter.
15 This species is known to occur in Dona Ana County, New Mexico. According to the SWReGAP
16 land cover model, potentially suitable woodland habitat does not occur on the SEZ. However,
17 potentially suitable woodland habitat may occur in the area of indirect effects within 5 mi (8 km)
18 of the SEZ (Table 12.1.12.1-1).
19

20
21 **Desert Night-Blooming Cereus**
22

23 The desert night-blooming cereus is a perennial shrub-like cactus that is known from
24 southern Arizona, New Mexico, and Texas. It occurs in sandy to silty soils in desert grassland
25 communities, flats, and washes. The nearest recorded occurrence of this species is approximately
26 6 mi (10 km) north of the SEZ. Although it is not known to occur in the affected area, potentially
27 suitable desert grassland and wash habitat may occur on the SEZ and in other portions of the
28 affected area (Table 12.1.12.1-1).
29

30
31 **Grama Grass Cactus**
32

33 The grama grass cactus is a perennial shrub-like cactus that is known from southern
34 Arizona, New Mexico, and Texas. It occurs in pinyon-juniper woodlands and desert grasslands
35 on sandy soils. The nearest recorded occurrence of this species is approximately 29 mi (46 km)
36 northeast of the SEZ. Although it is not known to occur in the affected area, potentially suitable
37 desert grassland habitat may occur on the SEZ and in other portions of the affected area
38 (Table 12.1.12.1-1).
39

40
41 **Marble Canyon Rockcress**
42

43 The Marble Canyon rockcress is an annual herb that is known from southern New
44 Mexico and Texas. It occurs in rock crevices and at the bases of limestone cliffs in chaparral and
45 pinyon-juniper communities at elevations between 4,500 and 6,000 ft (1,350 and 1,800 m). This
46 species is known to occur in Dona Ana County, New Mexico. According to the SWReGAP land

1 cover model, potentially suitable rocky cliff and outcrop habitat may occur on the SEZ and other
2 portions of the affected area (Table 12.1.12.1-1).

3 4 5 **New Mexico Rock Daisy**

6
7 The New Mexico rock daisy is a perennial herb that is endemic to south-central New
8 Mexico. It occurs in crevices of limestone cliffs and boulders at elevations between 4,900 and
9 7,000 ft (1,500 and 2,100 m). This species is known to occur in Dona Ana County, New Mexico.
10 According to the SWReGAP land cover model, potentially suitable rocky cliff and outcrop
11 habitat may occur on the SEZ and other portions of the affected area (Table 12.1.12.1-1).

12 13 14 **Sandhill Goosefoot**

15
16 The sandhill goosefoot is an annual herb that ranges from Nebraska south to New Mexico
17 and Texas. It occurs in open sandy habitats, frequently along desert sand dunes. This species is
18 known to occur in Dona Ana County, New Mexico. According to the SWReGAP land cover
19 model, potentially suitable sand dune habitat may occur on the SEZ and other portions of the
20 affected area (Table 12.1.12.1-1).

21 22 23 **Villard Pincushion Cactus**

24
25 The Villard pincushion cactus is a perennial shrub in the cactus family that is known
26 from the Franklin and Sacramento Mountains in southern New Mexico. It occurs on loamy soils
27 on limestone benches in desert grassland at elevations between 4,500 and 6,500 ft (1,370 and
28 2,000 m). This species is known to occur in Dona Ana County, New Mexico. According to the
29 SWReGAP land cover model, potentially suitable desert grassland habitat may occur on the SEZ
30 and other portions of the affected area (Table 12.1.12.1-1).

31 32 33 **Anthony Blister Beetle**

34
35 The Anthony blister beetle is an insect known only from New Mexico. This species
36 occurs on flowering plants, particularly in agricultural areas, where adults are sometimes
37 considered to be crop pests. This species is known to occur in Dona Ana County, New Mexico.
38 Suitable habitat for this species does not occur on the SEZ. However, according to the
39 SWReGAP land cover model, potentially suitable agricultural habitat may occur in the area of
40 indirect effects (Table 12.1.12.1-1).

41 42 43 **Texas Horned Lizard**

44
45 The Texas horned lizard is widespread in the south-central United States and northern
46 Mexico. This lizard inhabits open arid and semiarid regions on sandy substrates and sparse

1 vegetation. Vegetation in suitable habitats includes grasses, cacti, or scattered brush or scrubby
2 trees. The nearest quad-level occurrences of this species intersect the affected area about 5 mi
3 (8 km) north of the SEZ. According to the SWReGAP habitat suitability model, potentially
4 suitable habitat for this species occurs on the SEZ and throughout portions of the affected area
5 (Table 12.1.12.1-1).

6 7 8 **American Peregrine Falcon** 9

10 The American peregrine falcon occurs throughout the western United States from areas
11 with high vertical cliffs and bluffs that overlook large open areas such as deserts, shrublands,
12 and woodlands. Nests are usually constructed on rock outcrops and cliff faces. Foraging habitat
13 varies from shrublands and wetlands to farmland and urban areas. This species is known to
14 occur in Dona Ana County, New Mexico. According to the SWReGAP habitat suitability
15 model, potentially suitable year-round foraging and nesting habitat for the American peregrine
16 falcon may occur within the affected area of the Afton SEZ. On the basis of an evaluation of
17 SWReGAP land cover types, potentially suitable nesting habitat (cliffs or outcrops) may occur
18 on the SEZ (9 acres [$<0.1 \text{ km}^2$]) and other portions of the affected area (132 acres [0.5 km^2]).
19
20

21 **Bald Eagle** 22

23 The bald eagle primarily occurs in riparian habitats associated with larger permanent
24 water bodies such as lakes, rivers, and reservoirs. However, it may occasionally forage in
25 arid shrubland habitats. This species is known to occur in Dona Ana County, New Mexico.
26 According to the SWReGAP habitat suitability model, potentially suitable winter foraging
27 habitat for this species may occur in the affected area of the Afton SEZ (Table 12.1.12.1-1).
28 On the basis of an investigation of SWReGAP land cover types, there is relatively little aquatic
29 and riparian habitat (<100 acres [$<0.4 \text{ km}^2$]) on the SEZ, and most of the potentially suitable
30 foraging habitat on the SEZ is represented by shrubland. Approximately 1,550 acres (6 km^2) of
31 aquatic and riparian foraging habitat, primarily associated with the Rio Grande, occurs in the
32 area of indirect effects.
33
34

35 **Ferruginous Hawk** 36

37 The ferruginous hawk occurs throughout the western United States. According to the
38 SWReGAP habitat suitability model, only potentially suitable winter foraging habitat for this
39 species occurs within the affected area of the Afton SEZ. This species inhabits open grasslands,
40 sagebrush flats, desert scrub, and the edges of pinyon-juniper woodlands. It is known to occur in
41 Dona Ana County, New Mexico. According to the SWReGAP habitat suitability model, suitable
42 habitat for this species does not occur within the area of direct effects; however, potentially
43 suitable foraging habitat occurs in portions of the area of indirect effects outside of the SEZ
44 (Table 12.1.12.1-1).
45
46

1 **Western Burrowing Owl**
2

3 The western burrowing owl forages in grasslands, shrublands, and open disturbed areas,
4 and nests in burrows usually constructed by mammals. According to the SWReGAP habitat
5 suitability model for the western burrowing owl, potentially suitable year-round foraging and
6 nesting habitat may occur in the affected area of the Afton SEZ. This species is known to
7 occur in Dona Ana County, New Mexico. Potentially suitable foraging and breeding habitat is
8 expected to occur on the SEZ and in other portions of the affected area (Table 12.1.12.1-1).
9 The availability of nest sites (burrows) within the affected area has not been determined, but
10 shrubland habitat that may be suitable for either foraging or nesting occurs throughout the
11 affected area.
12

13
14 **Fringed Myotis**
15

16 The fringed myotis is a year-round resident in the Afton SEZ region, where it occurs in a
17 variety of habitats, including riparian, shrubland, sagebrush, and pinyon-juniper woodlands. The
18 species roosts in buildings and caves. The nearest quad-level occurrence of this species intersects
19 the affected area about 5 mi (8 km) north of the SEZ. The SWReGAP habitat suitability model
20 for the species indicates that potentially suitable foraging or roosting habitat may occur on the
21 SEZ and in other portions of the affected area (Table 12.1.12.1-1). On the basis of an evaluation
22 of SWReGAP land cover types, potentially suitable roosting habitat (cliffs or outcrops) may
23 occur on the SEZ (9 acres [$<0.1 \text{ km}^2$]) and other portions of the affected area (132 acres
24 [0.5 km^2]).
25

26
27 **Long-Legged Myotis**
28

29 The long-legged myotis is a year-round resident in the Afton SEZ region, where it is
30 primarily known from montane coniferous forests. The species is also known to forage in desert
31 shrublands. The species roosts in buildings, caves, mines, and rock crevices. It is known to occur
32 in Dona Ana County, New Mexico. The SWReGAP habitat suitability model for the species
33 indicates that potentially suitable foraging or roosting habitat may occur on the SEZ and in other
34 portions of the affected area (Table 12.1.12.1-1). On the basis of an evaluation of SWReGAP
35 land cover types, potentially suitable roosting habitat (cliffs or outcrops) may occur on the SEZ
36 (9 acres [$<0.1 \text{ km}^2$]) and other portions of the affected area (132 acres [0.5 km^2]).
37

38
39 **Townsend's Big-Eared Bat**
40

41 The Townsend's big-eared bat is a year-round resident in the Afton SEZ region, where it
42 forages in a wide variety of desert and non-desert habitats. The species roosts in caves, mines,
43 tunnels, buildings, and other manmade structures. The nearest quad-level occurrence of this
44 species intersects the affected area about 5 mi (8 km) north of the SEZ. According to the
45 SWReGAP habitat suitability model, potentially suitable year-round foraging or roosting habitat
46 for this species may occur on the SEZ and other portions of the affected area (Table 12.1.12.1-1).

1 On the basis of an evaluation of SWReGAP land cover types, potentially suitable roosting
2 habitat (cliffs or outcrops) may occur on the SEZ (9 acres [$<0.1 \text{ km}^2$]) and other portions of the
3 affected area (132 acres [0.5 km^2]).
4
5

6 **Western Small-Footed Myotis**

7

8 The western small-footed myotis is a year-round resident in the Afton SEZ region, where
9 it occupies a wide variety of desert and non-desert habitats including cliffs and rock outcrops,
10 grasslands, shrubland, and mixed woodlands. The species roosts in caves, mines, and tunnels,
11 beneath boulders or loose bark, buildings, and in other manmade structures. This species is
12 known to occur in Dona Ana County, New Mexico. According to the SWReGAP habitat
13 suitability model, potentially suitable year-round foraging or roosting habitat for this species
14 may occur on the SEZ and other portions of the affected area (Table 12.1.12.1-1). On the basis
15 of an evaluation of SWReGAP land cover types, potentially suitable roosting habitat (cliffs or
16 outcrops) may occur on the SEZ (9 acres [$<0.1 \text{ km}^2$]) and other portions of the affected area
17 (132 acres [0.5 km^2]).
18
19

20 **12.1.12.1.5 State-Listed Species**

21

22 There are 10 species listed by the State of New Mexico that may occur in the Afton SEZ
23 affected area (Table 12.1.12.1-1). These state-listed species include the following (1) plants:
24 Arizona coralroot, desert night-blooming cereus, sand prickly-pear cactus, and Sneed's
25 pincushion cactus; (2) birds: American peregrine falcon, bald eagle, Bell's vireo, gray vireo,
26 and northern aplomado falcon; and (3) mammal: desert bighorn sheep. All of these species are
27 protected in New Mexico under the Endangered Plant Species Act (NMSA 1978 Section 75-6-1)
28 or the Wildlife Conservation Act (NMSA 1978 Section 17-2-37). Of these species, the following
29 four species have not been previously described due to their status under the ESA or BLM
30 (Sections 12.1.12.1.1 or 12.1.12.1.4): sand prickly-pear cactus, Bell's vireo, gray vireo, and
31 desert bighorn sheep. These species as related to the SEZ are described in this section and
32 Table 12.1.12.1-1. Additional life history information for these species is provided in
33 Appendix J.
34
35

36 **Sand Prickly-Pear Cactus**

37

38 The sand prickly-pear cactus occurs from southern New Mexico and western Texas. This
39 species is listed as endangered in the State of New Mexico. It occurs in semi-stabilized sand
40 dunes in the Chihuahuah Desert region in areas of sparse grass cover. This species is known to
41 occur on the Afton SEZ and in other locations throughout the area of indirect effects. According
42 to the SWReGAP land cover model, potentially suitable desert dune habitat occurs on the SEZ
43 and other portions of the affected area (Table 12.1.12.1-1).
44
45
46

1 **Bell's Vireo**

2
3 The Bell's vireo is a small neotropical migrant songbird that is widespread in the central
4 and southwestern United States and northern Mexico. This species is listed as threatened in the
5 State of New Mexico. According to the SWReGAP habitat suitability model, this species may
6 occur throughout the SEZ region as a summer breeding resident. Breeding and foraging habitat
7 for this species consists of dense shrub-scrub vegetation such as riparian woodlands where there
8 is an abundance of willows, scrub-oak communities, and mesquite woodlands. This species is
9 known to occur in Dona Ana County, New Mexico, and potentially suitable foraging or nesting
10 habitat may occur on the SEZ or in other portions of the affected area (Table 12.1.12.1-1).

11
12
13 **Gray Vireo**

14
15 The gray vireo is a small neotropical migrant songbird that occurs in the southwestern
16 United States and northern Mexico. This species is listed as threatened in the State of New
17 Mexico. According to the SWReGAP habitat suitability model, this species may occur
18 throughout the SEZ region as a summer breeding resident. Breeding and foraging habitat for this
19 species consists of semiarid shrublands, pinyon-juniper woodlands, oak-scrub woodlands, and
20 chaparral habitats. This species is known to occur in Dona Ana County, New Mexico, and
21 potentially suitable foraging or nesting habitat may occur on the SEZ or in other portions of the
22 affected area (Table 12.1.12.1-1).

23
24
25 **Desert Bighorn Sheep**

26
27 The desert bighorn sheep (*Ovis canadensis mexicana*) is currently listed as threatened
28 in the State of New Mexico. It is one of several subspecies of bighorn sheep that occurs in the
29 southwestern United States. This subspecies is known to occur in eastern Arizona, New Mexico,
30 and Texas. Within the State of New Mexico, desert bighorn sheep inhabit visually open, rocky,
31 desert mountain ranges in the southern portion of the state. The species rarely uses desert
32 lowlands and valleys, but these areas may be occasionally used as movement corridors between
33 mountain ranges. This species is known to occur in Dona Ana County, New Mexico. According
34 to the SWReGAP habitat suitability model, potentially suitable habitat for this species does not
35 occur on the SEZ; however, potentially suitable habitat may occur in the area of indirect effects
36 within 5 mi (8 km) of the SEZ (Table 12.1.12.1-1).

37
38
39 **12.1.12.1.6 Rare Species**

40
41 There are 30 rare species (i.e., state rank of S1 or S2 in New Mexico or a species
42 of concern by the USFWS or state of New Mexico) that may be affected by solar energy
43 development on the Afton SEZ (Table 12.1.12.1-1). Of these species, there are 11 rare
44 species that have not been discussed previously. These include the following (1) plants:
45 Alamo beardtongue, mosquito plant, and Sandberg pincushion; (2) invertebrates: Samalayuca
46 Dune grasshopper and Shotwell's range grasshopper; (3) fish: smallmouth buffalo; (4) birds:

1 dickcissel, eastern bluebird, and osprey; and (5) mammals: western red bat and yellow-faced
2 pocket gopher. These species as related to the SEZ are described in Table 12.1.12.1-1.
3
4

5 **12.1.12.2 Impacts**

6

7 The potential for impacts on special status species from utility-scale solar energy
8 development within the proposed Afton SEZ is presented in this section. The types of impacts
9 special status species could incur from construction and operation of utility-scale solar energy
10 facilities are discussed in Section 5.10.4.
11

12 The assessment of impacts on special status species is based on available information
13 on the presence of species in the affected area as presented in Section 12.1.12.1 following the
14 analysis approach described in Appendix M. It is assumed that, prior to development, surveys
15 would be conducted to determine the presence of special status species and their habitats in and
16 near areas where ground-disturbing activities would occur. Additional NEPA assessments, ESA
17 consultations, and coordination with state natural resource agencies may be needed to address
18 project-specific impacts more thoroughly. These assessments and consultations could result in
19 additional required actions to avoid, minimize, or mitigate impacts on special status species
20 (see Section 12.1.12.3).
21

22 Solar energy development within the Afton SEZ could affect a variety of habitats
23 (see Sections 12.1.9 and 12.1.10). These impacts on habitats could in turn affect special status
24 species that are dependent on those habitats. Based on NHNM records and information provided
25 by the BLM Las Cruces District Office, occurrences for the following five special status species
26 intersect the Afton affected area: sand prickly-pear cactus, smallmouth buffalo, Texas horned
27 lizard, eastern bluebird, and fringed myotis. Suitable habitat for each of these species may occur
28 in the affected area. Other special status species may occur on the SEZ or within the affected
29 area based on the presence of potentially suitable habitat. As discussed in Section 12.1.12.1, this
30 approach to identifying the species that could occur in the affected area probably overestimates
31 the number of species that actually occur in the affected area, and may therefore overestimate
32 impacts on some special status species.
33

34 Potential direct and indirect impacts on special status species within the SEZ and in the
35 area of indirect effects outside the SEZ are presented in Table 12.1.12.1-1. In addition, the
36 overall potential magnitude of impacts on each species (assuming design features are in place)
37 is presented along with any potential species-specific mitigation measures that could further
38 reduce impacts.
39

40 Impacts on special status species could occur during all phases of development
41 (construction, operation, and decommissioning and reclamation) of a utility-scale solar energy
42 project within the SEZ. Construction and operation activities could result in short- or long-term
43 impacts on individuals and their habitats, especially if these activities are sited in areas where
44 special status species are known to or could occur. As presented in Section 12.1.1.2, impacts of
45 access road and transmission line construction, upgrade, or operation are not assessed in this
46 evaluation due to the proximity of existing infrastructure to the SEZ.
47

1 Direct impacts would result from habitat destruction or modification. It is assumed that
2 direct impacts would occur only within the SEZ where ground-disturbing activities are expected
3 to occur. Indirect impacts could result from surface water and sediment runoff from disturbed
4 areas, fugitive dust generated by project activities, accidental spills, harassment, and lighting. No
5 ground-disturbing activities associated with project developments are anticipated to occur within
6 the area of indirect effects. Decommissioning of facilities and reclamation of disturbed areas
7 after operations cease could result in short-term negative impacts on individuals and habitats
8 adjacent to project areas, but long-term benefits would accrue if original land contours and native
9 plant communities were restored in previously disturbed areas.

10
11 The successful implementation of design features (discussed in Appendix A) would
12 reduce direct impacts on some special status species, especially those that depend on habitat
13 types that can be easily avoided (e.g., desert dunes, washes, and grasslands). Indirect impacts on
14 special status species could be reduced to negligible levels by implementing design features,
15 especially those engineering controls that would reduce groundwater consumption, runoff,
16 sedimentation, spills, and fugitive dust.

17 18 19 ***12.1.12.2.1 Impacts on Species Listed under the ESA***

20
21 In scoping comments on the proposed Afton SEZ (Stout 2009), the USFWS expressed
22 concern for impacts of project development within the SEZ on the northern aplomado falcon—
23 a bird species listed as endangered under the ESA. In addition to this species, the Sneed’s
24 pincushion cactus—also listed as endangered under the ESA—may be affected by project
25 developments on the SEZ. Impacts on these species are discussed below and summarized in
26 Table 12.1.12.1-1.

27 28 29 **Sneed’s Pincushion Cactus**

30
31 The Sneed’s pincushion cactus is endemic to a small region between Las Cruces, New
32 Mexico, and El Paso, Texas. It inhabits limestone cracks of broken terrain on steep rocky slopes
33 and is known to occur within 10 mi (16 km) southeast of the Afton SEZ (Figure 12.1.12.1-1).
34 According to the SWReGAP land cover model, approximately 9 acres (<0.1 km²) of potentially
35 suitable habitat within the SEZ could be directly affected by construction and operations of solar
36 energy development on the Afton SEZ. This direct effects area represents about 0.2% of
37 available suitable habitat in the region. About 132 acres (0.5 km²) of suitable habitat occurs in
38 the area of potential indirect effects; this area represents about 3.0% of the available suitable
39 habitat in the region (Table 12.1.12.1-1).

40
41 The overall impact on the Sneed’s pincushion cactus from construction, operation, and
42 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
43 because less than 1% of potentially suitable habitat for this species occurs in the area of direct
44 effects. The implementation of design features is expected to be sufficient to reduce indirect
45 impacts to negligible levels.

1 Avoiding or minimizing disturbance to all rocky cliffs, slopes, and outcrops on the SEZ
2 could reduce direct impacts on the Sneed’s pincushion cactus. It is considered unlikely that these
3 areas of relatively high relief would be suitable for development. For this species and other
4 special status plants, impacts could be reduced by conducting pre-disturbance surveys and
5 avoiding or minimizing disturbance to occupied habitats in the area of direct effects. If avoidance
6 or minimization is not a feasible option, plants could be translocated from the area of direct
7 effects to protected areas that would not be affected directly or indirectly by future development.
8 Alternatively, or in combination with translocation, a compensatory mitigation plan could be
9 developed and implemented to mitigate direct effects on occupied habitats. Compensation could
10 involve the protection and enhancement of existing occupied or suitable habitats to compensate
11 for habitats lost to development. A comprehensive mitigation strategy that used one or more of
12 these options could be designed to completely offset the impacts of development.
13

14 Development of actions to reduce impacts (e.g., reasonable and prudent alternatives,
15 reasonable and prudent measures, and terms and conditions) on the Sneed’s pincushion cactus,
16 including development of a survey protocol, avoidance measures, minimization measures, and,
17 potentially, compensatory mitigation, would require formal consultation with the USFWS per
18 Section 7 of the ESA. Consultation may also be used to authorize incidental take statements per
19 Section 10 of the ESA (if necessary). Consultation with New Mexico Department of Game and
20 Fish (NMDGF) should also occur to determine any state mitigation requirements.
21
22

23 **Northern Aplomado Falcon**

24

25 The northern aplomado falcon inhabits Chihuahuan grasslands in southern New Mexico,
26 western Texas, and northern Mexico and is known to occur approximately 9 mi (14 km) west
27 of the SEZ (Figure 12.1.12.1-1). According to the SWReGAP habitat suitability model,
28 approximately 9,400 acres (38 km²) of potentially suitable habitat within the SEZ could be
29 directly affected by construction and operations of solar energy development on the Afton SEZ.
30 This direct effects area represents about 0.4% of available suitable habitat in the region. About
31 62,700 acres (254 km²) of suitable habitat occurs in the area of potential indirect effects; this
32 area represents about 2.9% of the available suitable habitat in the region (Table 12.1.12.1-1).
33 On the basis of SWReGAP land cover data, approximately 680 acres (2.4 km²) of Chihuahuan
34 grassland habitat occurs on the SEZ. However, the field-verified habitat suitability model
35 provided by the BLM Las Cruces District Office indicates that, in areas where field validation
36 was conducted, suitable grassland habitat for this species does not occur on the SEZ. Based on
37 this information, it is concluded that the grasslands on the Afton SEZ provide only marginally
38 suitable habitat for the northern aplomado falcon. The Texas Gap Analysis Program does not
39 include a habitat suitability model for the northern aplomado falcon.
40

41 The overall impact on the northern aplomado falcon from construction, operation, and
42 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
43 because the amount of potentially suitable foraging and nesting habitat for this species in the area
44 of direct effects represents less than 1% of potentially suitable foraging habitat in the SEZ
45 region. The implementation of design features is expected to be sufficient to reduce indirect
46 impacts on this species to negligible levels.
47

1 Avoiding or minimizing disturbance to desert grassland habitat on the SEZ could reduce
2 direct impacts on the northern aplomado falcon to negligible levels. Impacts could also be
3 reduced by conducting pre-disturbance surveys and avoiding or minimizing disturbance to
4 occupied nests in the area of direct effects. If avoidance or minimization is not a feasible option,
5 a compensatory mitigation plan could be developed and implemented to mitigate direct effects
6 on occupied habitats. Compensation could involve the protection and enhancement of existing
7 occupied or suitable habitats to compensate for habitats lost to development. A comprehensive
8 mitigation strategy that used one or both of these options could be designed to completely offset
9 the impacts of development. The need for mitigation, other than design features, should be
10 determined by conducting pre-disturbance surveys for the species and its habitat in the area of
11 direct effects.

12
13 Development of actions to reduce impacts (e.g., reasonable and prudent alternatives,
14 reasonable and prudent measures, and terms and conditions) on the northern aplomado falcon,
15 including development of a survey protocol, avoidance measures, minimization measures, and,
16 potentially, compensatory mitigation, would require consultation with the USFWS per Section 7
17 of the ESA. This consultation may also be used to develop incidental take statements per
18 Section 10 of the ESA (if necessary). Consultation with NMDGF should also occur to determine
19 any state mitigation requirements.

20 21 22 ***12.1.12.2 Impacts on Species That Are Candidates for Listing under the ESA***

23
24 In scoping comments on the proposed Afton SEZ (Stout 2009), the USFWS did not
25 mention any species that are candidates for listing under the ESA that may occur in the affected
26 area of the Afton SEZ. However, the western yellow-billed cuckoo is a candidate species under
27 the ESA and may potentially occur in the affected area of the SEZ. Impacts on this species are
28 discussed below and summarized in Table 12.1.12.1-1.

29
30 The western yellow-billed cuckoo is known to occur in Dona Ana County, New Mexico
31 and potentially suitable habitat occurs in the affected area of the Afton SEZ in riparian areas
32 along the Rio Grande (Figure 12.1.12.1-1). According to the SWReGAP habitat suitability
33 model, suitable habitat for this species does not occur on the SEZ. However, the SWReGAP
34 habitat suitability model indicates approximately 71 acres (0.3 km²) of potentially suitable
35 habitat in the area of indirect effects. This indirect effects area represents about 0.8% of the
36 available suitable habitat in the region (Table 12.1.12.1-1).

37
38 The overall impact on the western yellow-billed cuckoo from construction, operation, and
39 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
40 because no potentially suitable habitat for this species occurs in the area of direct effects, and
41 only indirect effects are possible. The implementation of design features is expected to be
42 sufficient to reduce indirect impacts to negligible levels.

1 ***12.1.12.2.3 Impacts on Species That Are under Review for Listing under the ESA***
2

3 In scoping comments on the proposed Afton SEZ (Stout 2009), the USFWS did not
4 mention any species that are under review for listing under the ESA that may be impacted by
5 solar energy development on the Afton SEZ. On the basis of known occurrences and the
6 presence of potentially suitable habitat, there are no species under review for ESA listing that
7 may occur in the affected area of the Afton SEZ.
8

9
10 ***12.1.12.2.4 Impacts on BLM-Designated Sensitive Species***
11

12 There are 17 BLM-designated sensitive species that were not previously discussed as
13 listed under the ESA, candidates, or under review for ESA listing. Impacts on these BLM-
14 designated sensitive species that may be affected by solar energy development on the Afton
15 SEZ are discussed below.
16

17
18 **Arizona Coralroot**
19

20 The Arizona coralroot is not known to occur in the affected area of the Afton SEZ and
21 suitable habitat does not occur on the SEZ; however, approximately 13 acres (<0.1 km²) of
22 potentially suitable pinyon-juniper woodland habitat occurs in the area of indirect effects within
23 5 mi (8 km) of the SEZ; this area represents less than 0.1% of the available suitable habitat in the
24 SEZ region (Table 12.1.12.1-1).
25

26 The overall impact on the Arizona coralroot from construction, operation, and
27 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
28 because no potentially suitable habitat for this species occurs in the area of direct effects, and
29 only indirect effects are possible. The implementation of design features is expected to be
30 sufficient to reduce indirect impacts to negligible levels.
31

32
33 **Desert Night-Blooming Cereus**
34

35 The desert night-blooming cereus is known to occur about 6 mi (10 km) north of the
36 Afton SEZ and potentially suitable habitat occurs in the affected area. Approximately 680 acres
37 (3 km²) of potentially suitable desert grassland habitat on the SEZ may be directly affected by
38 construction and operations of solar energy development on the SEZ (Table 12.1.12.1-1).
39 This direct effects area represents 0.1% of available suitable habitat in the region. About
40 13,070 acres (53 km²) of potentially suitable grassland habitat occurs in the area of potential
41 indirect effects; this area represents about 1.2% of the available suitable habitat in the SEZ
42 region (Table 12.1.12.1-1).
43

44 The overall impact on the desert night-blooming cactus from construction, operation, and
45 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
46 because less than 1% of potentially suitable habitat for this species occurs in the area of direct

1 effects. The implementation of design features is expected to be sufficient to reduce indirect
2 impacts to negligible levels.

3
4 Avoiding or minimizing disturbance to desert grassland habitat in the area of direct
5 effects could reduce direct impacts on this species. In addition, impacts could be reduced by
6 conducting pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats
7 in the area of direct effects. If avoidance or minimization is not a feasible option, plants could be
8 translocated from the area of direct effects to protected areas that would not be affected directly
9 or indirectly by future development. Alternatively, or in combination with translocation, a
10 compensatory mitigation plan could be developed and implemented to mitigate direct effects on
11 occupied habitats. Compensation could involve the protection and enhancement of existing
12 occupied or suitable habitats to compensate for habitats lost to development. A comprehensive
13 mitigation strategy that used one or more of these options could be designed to completely offset
14 the impacts of development.

15 16 17 **Grama Grass Cactus**

18
19 The grama grass cactus is known to occur about 29 mi (46 km) northeast of the Afton
20 SEZ and potentially suitable habitat occurs in the affected area. Approximately 680 acres
21 (3 km²) of potentially suitable desert grassland habitat on the SEZ may be directly affected by
22 construction and operations of solar energy development on the SEZ (Table 12.1.12.1-1). This
23 direct effects area represents 0.1% of available suitable habitat in the region. About 12,900 acres
24 (52 km²) of potentially suitable grassland habitat occurs in the area of potential indirect effects;
25 this area represents about 1.2% of the available suitable habitat in the SEZ region
26 (Table 12.1.12.1-1).

27
28 The overall impact on the grama grass cactus from construction, operation, and
29 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
30 because less than 1% of potentially suitable habitat for this species occurs in the area of direct
31 effects. The implementation of design features is expected to be sufficient to reduce indirect
32 impacts to negligible levels.

33
34 Avoiding or minimizing disturbance to desert grassland habitat in the area of direct
35 effects and the implementation of mitigation measures described previously for the desert night-
36 blooming cereus could reduce direct impacts on this species to negligible levels. The need for
37 mitigation, other than design features, should be determined by conducting pre-disturbance
38 surveys for the species and its habitat on the SEZ.

39 40 41 **Marble Canyon Rockcress**

42
43 The Marble Canyon rockcress is not known to occur in the affected area of the Afton
44 SEZ. However, the species is known to occur in Dona Ana County, New Mexico, and
45 approximately 9 acres (<0.1 km²) of potentially suitable rocky cliff and outcrop habitat on the
46 SEZ may be directly affected by construction and operations of solar energy development on the

1 SEZ. This direct effects area represents less than 0.1% of available suitable habitat in the region.
2 Approximately 600 acres (2 km²) of potentially suitable habitat occurs in the area of indirect
3 effects within 5 mi (8 km) outside of the SEZ; this area represents 0.7% of the available suitable
4 habitat in the SEZ region (Table 12.1.12.1-1).

5
6 The overall impact on the Marble Canyon rockcress from construction, operation, and
7 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
8 because less than 1% of potentially suitable habitat (rocky cliffs and outcrops) for this species
9 occurs in the area of direct effects. In addition, it is considered unlikely that these areas of
10 relatively high relief would be suitable for development. The implementation of design features
11 is expected to be sufficient to reduce indirect impacts to negligible levels.

12
13 Avoiding or minimizing disturbance to rocky cliff and outcrop habitat in the area of
14 direct effects could reduce direct impacts on this species. In addition, impacts could be reduced
15 by conducting pre-disturbance surveys and avoiding or minimizing disturbance to occupied
16 habitats in the area of direct effects. If avoidance or minimization is not a feasible option, plants
17 could be translocated from the area of direct effects to protected areas that would not be affected
18 directly or indirectly by future development. Alternatively, or in combination with translocation,
19 a compensatory mitigation plan could be developed and implemented to mitigate direct effects
20 on occupied habitats. Compensation could involve the protection and enhancement of existing
21 occupied or suitable habitats to compensate for habitats lost to development. A comprehensive
22 mitigation strategy that used one or more of these options could be designed to completely offset
23 the impacts of development.

24 25 26 **New Mexico Rock Daisy**

27
28 The New Mexico rock daisy is not known to occur in the affected area of the Afton SEZ.
29 However, the species is known to occur in Dona Ana County, New Mexico, and approximately
30 9 acres (<0.1 km²) of potentially suitable rocky cliff and outcrop habitat on the SEZ may be
31 directly affected by construction and operations of solar energy development on the SEZ. This
32 direct effects area represents 0.2% of available suitable habitat in the region. Approximately
33 132 acres (0.5 km²) of potentially suitable habitat occurs in the area of indirect effects within
34 5 mi (8 km) outside of the SEZ; this area represents 3.0% of the available suitable habitat in the
35 SEZ region (Table 12.1.12.1-1).

36
37 The overall impact on the New Mexico rock daisy from construction, operation, and
38 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
39 because less than 1% of potentially suitable habitat (rock cliffs and outcrops) for this species
40 occurs in the area of direct effects. In addition, it is considered unlikely that these areas of
41 relatively high relief would be suitable for development. The implementation of design features
42 is expected to be sufficient to reduce indirect impacts to negligible levels.

43
44 Avoiding or minimizing disturbance to rocky cliff and outcrop habitat in the area of
45 direct effects and the implementation of mitigation measures described previously for the Marble
46 Canyon rockcress could reduce direct impacts on this species to negligible levels. The need for

1 mitigation, other than design features, should be determined by conducting pre-disturbance
2 surveys for the species and its habitat on the SEZ.

3 4 5 **Sandhill Goosefoot**

6
7 The sandhill goosefoot is not known to occur in the affected area of the Afton SEZ.
8 However, the species is known to occur in Dona Ana County, New Mexico, and approximately
9 52,000 acres (210 km²) of potentially suitable desert sand dune habitat on the SEZ may be
10 directly affected by construction and operations of solar energy development on the SEZ. This
11 direct effects area represents 5.2% of available suitable habitat in the region. Approximately
12 49,600 acres (201 km²) of potentially suitable habitat occurs in the area of indirect effects within
13 5 mi (8 km) outside of the SEZ; this area represents 4.9% of the available suitable habitat in the
14 SEZ region (Table 12.1.12.1-1).

15
16 The overall impact on the sandhill goosefoot from construction, operation, and
17 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
18 moderate because greater than 1% but less than 10% of potentially suitable habitat for this
19 species occurs in the area of direct effects. The implementation of design features is expected
20 to be sufficient to reduce indirect impacts to negligible levels.

21
22 Avoiding or minimizing disturbance of sand dunes, other sandy areas, and sand transport
23 systems on the SEZ could reduce direct impacts on this species. In addition, impacts could be
24 reduced by conducting pre-disturbance surveys and avoiding or minimizing disturbance to
25 occupied habitats in the area of direct effects. If avoidance or minimization is not a feasible
26 option, plants could be translocated from the area of direct effects to protected areas that would
27 not be affected directly or indirectly by future development. Alternatively, or in combination
28 with translocation, a compensatory mitigation plan could be developed and implemented to
29 mitigate direct effects on occupied habitats. Compensation could involve the protection and
30 enhancement of existing occupied or suitable habitats to compensate for habitats lost to
31 development. A comprehensive mitigation strategy that used one or more of these options
32 could be designed to completely offset the impacts of development.

33 34 35 **Villard Pincushion Cactus**

36
37 The Villard pincushion cactus is not known to occur in the affected area of the Afton
38 SEZ. However, the species is known to occur in Dona Ana County, New Mexico, and
39 approximately 680 acres (3 km²) of potentially suitable desert grassland habitat on the SEZ may
40 be directly affected by construction and operations of solar energy development on the SEZ
41 (Table 12.1.12.1-1). This direct effects area represents 0.1% of available suitable habitat in the
42 region. About 12,900 acres (52 km²) of potentially suitable grassland habitat occurs in the area
43 of potential indirect effects; this area represents about 1.2% of the available suitable habitat in
44 the SEZ region (Table 12.1.12.1-1).

1 The overall impact on the Villard pincushion cactus from construction, operation, and
2 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
3 because less than 1% of potentially suitable habitat for this species occurs in the area of direct
4 effects. The implementation of design features is expected to be sufficient to reduce indirect
5 impacts to negligible levels.

6
7 Avoiding or minimizing disturbance of desert grassland in the area of direct effects and
8 the implementation of mitigation measures described previously for the desert night-blooming
9 cereus could reduce direct impacts on this species to negligible levels. The need for mitigation,
10 other than design features, should be determined by conducting pre-disturbance surveys for the
11 species and its habitat on the SEZ.

12 13 14 **Anthony Blister Beetle**

15
16 The Anthony blister beetle is known to occur in Dona Ana County, New Mexico.
17 According to the SWReGAP land cover model, suitable habitat for this species does not occur
18 on the SEZ. However, about 42,500 acres (172 km²) of potentially suitable agricultural habitat
19 occurs in the area of potential indirect effects; this area represents about 30.6% of the available
20 suitable habitat in the SEZ region (Table 12.1.12.1-1).

21
22 The overall impact on the Anthony blister beetle from construction, operation, and
23 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
24 because no potentially suitable habitat for this species occurs in the area of direct effects, and
25 only indirect effects are possible. The implementation of design features is expected to be
26 sufficient to reduce indirect impacts to negligible levels.

27 28 29 **Texas Horned Lizard**

30
31 The Texas horned lizard is known to occur in the affected area of the Afton SEZ.
32 Approximately 77,500 acres (314 km²) of potentially suitable habitat on the SEZ could be
33 directly affected by construction and operations (Table 12.1.12.1-1). This direct impact area
34 represents about 2.0% of potentially suitable habitat in the SEZ region. About 182,300 acres
35 (738 km²) of potentially suitable habitat occurs in the area of indirect effects; this area represents
36 about 4.7% of the potentially suitable habitat in the SEZ region (Table 12.1.12.1-1).

37
38 The overall impact on the Texas horned lizard from construction, operation, and
39 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
40 moderate because the amount of potentially suitable foraging habitat for this species in the area
41 of direct effects represents greater than 1% but less than 10% of potentially suitable habitat in the
42 SEZ region. The implementation of design features is expected to be sufficient to reduce indirect
43 impacts on this species to negligible levels.

44
45 Avoidance of all potentially suitable habitats to mitigate impacts on the Texas horned
46 lizard is not feasible because potentially suitable desert scrub habitat is widespread throughout

1 the area of direct effect. However, direct impacts could be reduced by conducting
2 pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area
3 of direct effects. If avoidance or minimization is not a feasible option, individuals could be
4 translocated from the area of direct effects to protected areas that would not be affected directly
5 or indirectly by future development. Alternatively, or in combination with translocation, a
6 compensatory mitigation plan could be developed and implemented to mitigate direct effects on
7 occupied habitats. Compensation could involve the protection and enhancement of existing
8 occupied or suitable habitats to compensate for habitats lost to development. A comprehensive
9 mitigation strategy that used one or more of these options could be designed to completely offset
10 the impacts of development.

13 **American Peregrine Falcon**

15 The American peregrine falcon is a year-round resident in the Afton SEZ region and
16 potentially suitable foraging and nesting habitat is expected to occur in the affected area.
17 Approximately 23,000 acres (93 km²) of potentially suitable habitat on the SEZ could be directly
18 affected by construction and operations (Table 12.1.12.1-1). This direct impact area represents
19 1.2% of potentially suitable habitat in the SEZ region. About 159,500 acres (645 km²) of
20 potentially suitable habitat occurs in the area of indirect effects; this area represents about 8.0%
21 of the potentially suitable habitat in the SEZ region (Table 12.1.12.1-1). Most of this area could
22 serve as foraging habitat (open shrublands). The availability of nest sites (e.g., rock outcrops)
23 within the affected area has not been determined, but rocky cliffs and outcrops that may be
24 suitable nesting sites occur within the affected area. On the basis of SWReGAP land cover data,
25 approximately 9 acres (14 km²) of rocky cliffs and outcrops on the SEZ may be potentially
26 suitable nesting habitat for this species.

28 The overall impact on the American peregrine falcon from construction, operation, and
29 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
30 moderate because the amount of potentially suitable foraging habitat for this species in the area
31 of direct effects represents greater than 1% but less than 10% of potentially suitable foraging
32 habitat in the SEZ region. The implementation of design features is expected to be sufficient to
33 reduce indirect impacts on this species to negligible levels.

35 Impacts on the American peregrine falcon could be reduced by conducting
36 pre-disturbance surveys and avoiding or minimizing disturbance to potential nesting habitat in
37 the area of direct effects. If avoidance or minimization is not a feasible option, a compensatory
38 mitigation plan could be developed and implemented to mitigate direct effects on suitable
39 nesting habitats. Compensation could involve the protection and enhancement of existing
40 suitable habitats to compensate for habitats lost to development. A comprehensive mitigation
41 strategy that used one or both of these options could be designed to completely offset the impacts
42 of development. The need for mitigation, other than design features, should be determined by
43 conducting pre-disturbance surveys for the species and its habitat in the area of direct effects.

1 **Bald Eagle**

2
3 The bald eagle is a winter resident in the Afton SEZ region and potentially suitable
4 foraging habitat is expected to occur in the affected area. Approximately 840 acres (3 km²) of
5 potentially suitable habitat on the SEZ could be directly affected by construction and operations
6 (Table 12.1.12.1-1). This direct impact area represents 0.1% of potentially suitable habitat in the
7 SEZ region. About 67,250 acres (272 km²) of potentially suitable habitat occurs in the area of
8 indirect effects; this area represents about 5.3% of the potentially suitable habitat in the SEZ
9 region (Table 12.1.12.1-1). Most of the suitable foraging habitat on the SEZ and in the area of
10 indirect effects is composed of desert shrubland and grassland.

11
12 The overall impact on the bald eagle from construction, operation, and decommissioning
13 of utility-scale solar energy facilities within the Afton SEZ is considered small because the
14 amount of potentially suitable foraging habitat for this species in the area of direct effects
15 represents less than 1% of potentially suitable foraging habitat in the SEZ region. The
16 implementation of design features is expected to be sufficient to reduce indirect impacts on this
17 species to negligible levels. Avoidance of all potentially suitable foraging habitats is not a
18 feasible way to mitigate impacts because potentially suitable habitat is widespread throughout
19 the area of direct effect and readily available in other portions of the SEZ region.

20
21
22 **Ferruginous Hawk**

23
24 The ferruginous hawk is a winter resident in the Afton SEZ region and potentially
25 suitable foraging habitat is expected to occur in the affected area. According to the SWReGAP
26 habitat suitability model, suitable habitat for this species does not occur within the area of direct
27 effects. However, about 42,800 acres (173 km²) of potentially suitable habitat occurs in the area
28 of indirect effects; this area represents about 32.6% of the potentially suitable habitat in the SEZ
29 region (Table 12.1.12.1-1).

30
31 The overall impact on the ferruginous hawk from construction, operation, and
32 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
33 because no potentially suitable habitat for this species occurs in the area of direct effects, and
34 only indirect effects are possible. The implementation of design features is expected to be
35 sufficient to reduce indirect impacts to negligible levels.

36
37
38 **Western Burrowing Owl**

39
40 The western burrowing owl is a year-round resident in the Afton SEZ region and
41 potentially suitable foraging and nesting habitat is expected to occur in the affected area.
42 Approximately 77,300 acres (313 km²) of potentially suitable habitat on the SEZ could be
43 directly affected by construction and operations (Table 12.1.12.1-1). This direct impact area
44 represents 2.0% of potentially suitable habitat in the SEZ region. About 218,800 acres (885 km²)
45 of potentially suitable habitat occurs in the area of indirect effects; this area represents about
46 5.8% of the potentially suitable habitat in the SEZ region (Table 12.1.12.1-1). Most of this area

1 could serve as foraging and nesting habitat (shrublands). The abundance of burrows suitable for
2 nesting in the affected area has not been determined.

3
4 The overall impact on the western burrowing owl from construction, operation, and
5 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
6 moderate because the amount of potentially suitable habitat for this species in the area of direct
7 effects represents greater than 1% but less than 10% of potentially suitable habitat in the SEZ
8 region.

9
10 Avoidance of all potentially suitable habitats is not a feasible way to mitigate impacts
11 on the western burrowing owl because potentially suitable desert shrub habitats are widespread
12 throughout the area of direct effect and readily available in other portions of the SEZ region.
13 Impacts on the western burrowing owl could be reduced through the implementation of design
14 features and by conducting pre-disturbance surveys and avoiding or minimizing disturbance to
15 occupied burrows in the area of direct effects. If avoidance or minimization is not a feasible
16 option, a compensatory mitigation plan could be developed and implemented to mitigate direct
17 effects on occupied habitats. Compensation could involve the protection and enhancement of
18 existing occupied or suitable habitats to compensate for habitats lost to development. A
19 comprehensive mitigation strategy that used one or both of these options could be designed to
20 completely offset the impacts of development. The need for mitigation, other than design
21 features, should be determined by conducting pre-disturbance surveys for the species and its
22 habitat in the area of direct effects.

23 24 25 **Fringed Myotis**

26
27 The fringed myotis is a year-round resident within the Afton SEZ region and quad-level
28 occurrences of this species are known to intersect the affected area of the SEZ. According to
29 the SWReGAP habitat suitability model, approximately 25,600 acres (104 km²) of potentially
30 suitable habitat on the SEZ could be directly affected by construction and operations
31 (Table 12.1.12.1-1). This direct impact area represents 0.8% of potentially suitable habitat in the
32 SEZ region. About 178,200 acres (721 km²) of potentially suitable foraging habitat occurs in
33 the area of indirect effect; this area represents about 5.9% of the available suitable habitat in the
34 region (Table 12.1.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
35 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
36 types, potentially suitable roosting habitat (cliffs or rock outcrops) may occur on the SEZ
37 (9 acres [<0.1 km²]) and in the area of indirect effects (132 acres [0.5 km²]). However, the
38 availability of roost sites within the affected area has not been determined.

39
40 The overall impact on the fringed myotis from construction, operation, and
41 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
42 small because the amount of potentially suitable foraging or roosting habitat for this species in
43 the area of direct effects represents less than 1% of potentially suitable habitat in the region. The
44 implementation of design features may be sufficient to reduce indirect impacts on this species to
45 negligible levels.

1 Avoidance of all potentially suitable foraging habitat is not a feasible way to mitigate
2 impacts on the fringed myotis because potentially suitable habitats are widespread throughout
3 the area of direct effect and readily available in other portions of the SEZ region. Impacts on
4 the fringed myotis could be reduced by conducting pre-disturbance surveys and avoiding
5 or minimizing disturbance to occupied roosts in the area of direct effects. If avoidance or
6 minimization is not a feasible option, a compensatory mitigation plan could be developed and
7 implemented to mitigate direct effects on occupied habitats. Compensation could involve the
8 protection and enhancement of existing occupied or suitable habitats to compensate for habitats
9 lost to development. A comprehensive mitigation strategy that used one or both of these options
10 could be designed to completely offset the impacts of development. The need for mitigation,
11 other than design features, should be determined by conducting pre-disturbance surveys for the
12 species and its habitat in the area of direct effects.

15 **Long-Legged Myotis**

17 The long-legged myotis is a year-round resident within the Afton SEZ region. According
18 to the SWReGAP habitat suitability model, approximately 25,250 acres (102 km²) of potentially
19 suitable habitat on the SEZ could be directly affected by construction and operations
20 (Table 12.1.12.1-1). This direct impact area represents 0.9% of potentially suitable habitat in
21 the SEZ region. About 127,800 acres (517 km²) of potentially suitable foraging habitat occurs in
22 the area of indirect effect; this area represents about 4.7% of the available suitable habitat in the
23 region (Table 12.1.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
24 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
25 types, potentially suitable roosting habitat (cliffs or rock outcrops) may occur on the SEZ
26 (9 acres [<0.1 km²]) and in the area of indirect effects (132 acres [0.5 km²]). However, the
27 availability of roost sites within the affected area has not been determined.

29 The overall impact on the long-legged myotis from construction, operation, and
30 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
31 small because the amount of potentially suitable foraging or roosting habitat for this species in
32 the area of direct effects represents less than 1% of potentially suitable habitat in the region.
33 The implementation of design features may be sufficient to reduce indirect impacts on this
34 species to negligible levels.

36 Avoidance of all potentially suitable foraging habitat is not a feasible way to mitigate
37 impacts on the long-legged myotis because potentially suitable habitats are widespread
38 throughout the area of direct effect and readily available in other portions of the SEZ region.
39 However, implementation of mitigation measures described previously for the fringed myotis
40 could reduce direct impacts on this species to negligible levels. The need for mitigation, other
41 than design features, should be determined by conducting pre disturbance surveys for the species
42 and its habitat on the SEZ.

1 **Townsend’s Big-Eared Bat**

2
3 The Townsend’s big-eared bat is a year-round resident within the Afton SEZ region and
4 quad-level occurrences of this species are known to intersect the affected area of the SEZ.
5 According to the SWReGAP habitat suitability model, approximately 10,400 acres (42 km²) of
6 potentially suitable habitat on the SEZ could be directly affected by construction and operations
7 (Table 12.1.12.1-1). This direct impact area represents 0.4% of potentially suitable habitat in the
8 SEZ region. About 127,500 acres (516 km²) of potentially suitable habitat occurs in the area of
9 indirect effect; this area represents about 4.9% of the available suitable foraging habitat in the
10 region (Table 12.1.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
11 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
12 types, potentially suitable roosting habitat (cliffs or rock outcrops) may occur on the SEZ
13 (9 acres [<0.1 km²]) and in the area of indirect effects (132 acres [0.5 km²]). However, the
14 availability of roost sites within the affected area has not been determined.
15

16 The overall impact on the Townsend’s big-eared bat from construction, operation, and
17 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
18 small because the amount of potentially suitable foraging or roosting habitat for this species in
19 the area of direct effects represents less than 1% of potentially suitable habitat in the region.
20 The implementation of design features may be sufficient to reduce indirect impacts on this
21 species to negligible levels.
22

23 Avoidance of all potentially suitable foraging habitat is not a feasible way to mitigate
24 impacts on the Townsend’s big-eared bat because potentially suitable habitats are widespread
25 throughout the area of direct effect and readily available in other portions of the SEZ region.
26 However, implementation of mitigation measures described previously for the fringed myotis
27 could reduce direct impacts on this species to negligible levels. The need for mitigation, other
28 than design features, should be determined by conducting pre-disturbance surveys for the species
29 and its habitat on the SEZ.
30
31

32 **Western Small-Footed Myotis**

33
34 The western small-footed myotis is a year-round resident within the Afton SEZ region.
35 According to the SWReGAP habitat suitability model, approximately 76,400 acres (309 km²) of
36 potentially suitable habitat on the SEZ could be directly affected by construction and operations
37 (Table 12.1.12.1-1). This direct impact area represents 2.0% of potentially suitable habitat in the
38 SEZ region. About 218,675 acres (885 km²) of potentially suitable habitat occurs in the area of
39 indirect effect; this area represents about 4.9% of the available suitable foraging habitat in the
40 region (Table 12.1.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
41 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
42 types, potentially suitable roosting habitat (cliffs or rock outcrops) may occur on the SEZ
43 (9 acres [<0.1 km²]) and in the area of indirect effects (132 acres [0.5 km²]). However, the
44 availability of roost sites within the affected area has not been determined.
45

1 The overall impact on the western small-footed myotis from construction, operation, and
2 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
3 moderate because the amount of potentially suitable foraging or roosting habitat for this species
4 in the area of direct effects represents greater than 1% but less than 10% of potentially suitable
5 habitat in the region. The implementation of design features may be sufficient to reduce indirect
6 impacts on this species to negligible levels.
7

8 Avoidance of all potentially suitable foraging habitat is not a feasible way to mitigate
9 impacts on the western small-footed myotis because potentially suitable habitats are widespread
10 throughout the area of direct effect and readily available in other portions of the SEZ region.
11 However, implementation of mitigation measures described previously for the fringed myotis
12 could reduce direct impacts on this species to negligible levels. The need for mitigation, other
13 than design features, should be determined by conducting pre disturbance surveys for the species
14 and its habitat on the SEZ.
15

16 ***12.1.12.2.5 Impacts on State-Listed Species*** 17

18
19 There are 10 species listed by the state of New Mexico that may occur in the Afton SEZ
20 affected area (Table 12.1.12.1-1). Of these species, impacts on the following state-listed species
21 have not been previously described: sand prickly-pear cactus, Bell's vireo, gray vireo, and desert
22 bighorn sheep. Impacts on each of these four species are discussed below and summarized in
23 Table 12.1.12.1-1.
24

25 **Sand Prickly-Pear Cactus** 26

27
28 The sand prickly-pear cactus is known to occur on the Afton SEZ and in portions of
29 the area of indirect effects within 5 mi (8 km) outside of the SEZ. According to the SWReGAP
30 land cover model, approximately 51,500 acres (208 km²) of potentially suitable sand dune
31 habitat for this species on the SEZ could be directly affected by construction and operations
32 (Table 12.1.12.1-1). This direct impact area represents 5.6% of potentially suitable habitat in the
33 SEZ region. Approximately 41,900 acres (170 km²) of potentially suitable sand dune habitat
34 occurs in the area of potential indirect effects; this area represents about 4.6% of the available
35 suitable habitat in the SEZ region (Table 12.1.12.1-1).
36

37 The overall impact on the sand prickly-pear cactus from construction, operation, and
38 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
39 moderate because greater than 1% but less than 10% of potentially suitable habitat for this
40 species occurs in the area of direct effects. The implementation of design features is expected
41 to be sufficient to reduce indirect impacts to negligible levels.
42

43 Avoiding or minimizing disturbance to sand dunes and sand transport systems on the
44 SEZ and the implementation of mitigation measures described previously for the sandhill
45 goosefoot (Section 12.1.12.2.4) could reduce direct impacts on this species. The need for

1 mitigation, other than design features, should be determined by conducting pre-disturbance
2 surveys for the species and its habitat in the area of direct effects.
3
4

5 **Bell's Vireo**

6

7 The Bell's vireo is widespread in the central and southwestern United States and is a
8 summer breeding resident in the Afton SEZ region. According to the SWReGAP habitat
9 suitability model, approximately 11,300 acres (46 km²) of potentially suitable habitat on the SEZ
10 could be directly affected by construction and operations (Table 12.1.12.1-1). This direct impact
11 area represents 2.9% of potentially suitable habitat in the SEZ region. About 19,600 acres
12 (79 km²) of potentially suitable habitat occurs in the area of indirect effects; this area represents
13 about 5.1% of the potentially suitable habitat in the SEZ region (Table 12.1.12.1-1). Most of the
14 potentially suitable habitat on the SEZ and throughout the area of indirect effects could serve as
15 foraging or nesting habitat where suitable dense shrub-scrub vegetation occurs.
16

17 The overall impact on the Bell's vireo from construction, operation, and
18 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered
19 moderate because greater than 1% but less than 10% of potentially suitable habitat for this
20 species occurs in the area of direct effects. The implementation of design features is expected
21 to be sufficient to reduce indirect impacts to negligible levels.
22

23 Avoidance of all potentially suitable habitats is not a feasible way to mitigate impacts on
24 the Bell's vireo because potentially suitable shrub-scrub habitat is widespread throughout the
25 area of direct effect and readily available in other portions of the SEZ region. Impacts on the
26 Bell's vireo could be reduced by conducting pre-disturbance surveys and avoiding or minimizing
27 disturbance to occupied habitats, especially nesting habitat in the area of direct effects. If
28 avoidance or minimization is not a feasible option, a compensatory mitigation plan could be
29 developed and implemented to mitigate direct effects on occupied habitats. Compensation could
30 involve the protection and enhancement of existing occupied or suitable habitats to compensate
31 for habitats lost to development. A comprehensive mitigation strategy that used one or both of
32 these options could be designed to completely offset the impacts of development. The need for
33 mitigation, other than design features, should be determined by conducting pre-disturbance
34 surveys for the species and its habitat in the area of direct effects.
35
36

37 **Gray Vireo**

38

39 The gray vireo is known from the southwestern United States and is known to occur as
40 a summer breeding resident in the Afton SEZ region. According to the SWReGAP habitat
41 suitability model, approximately 16,000 acres (65 km²) of potentially suitable habitat on the SEZ
42 could be directly affected by construction and operations (Table 12.1.12.1-1). This direct impact
43 area represents 2.9% of potentially suitable habitat in the SEZ region. About 58,500 acres
44 (237 km²) of potentially suitable habitat occurs in the area of indirect effects; this area represents
45 about 10.6% of the potentially suitable habitat in the SEZ region (Table 12.1.12.1-1). Most of the

1 potentially suitable habitat on the SEZ and throughout the area of indirect effects could serve as
2 foraging or nesting habitat where suitable shrubs and trees occur.

3
4 The overall impact on the gray vireo from construction, operation, and decommissioning
5 of utility-scale solar energy facilities within the Afton SEZ is considered moderate because
6 greater than 1% but less than 10% of potentially suitable habitat for this species occurs in the
7 area of direct effects. The implementation of design features is expected to be sufficient to
8 reduce indirect impacts to negligible levels.

9
10 Avoidance of all potentially suitable habitats is not a feasible way to mitigate impacts on
11 the gray vireo because potentially suitable shrubland habitat is widespread throughout the area of
12 direct effect and readily available in other portions of the SEZ region. However, implementation
13 of mitigation measures described previously for the Bell's vireo could reduce direct impacts on
14 this species to negligible levels. The need for mitigation, other than design features, should be
15 determined by conducting pre disturbance surveys for the species and its habitat on the SEZ.

16 17 18 **Desert Bighorn Sheep**

19
20 The desert bighorn sheep (*Ovis canadensis mexicana*), a subspecies of bighorn sheep, is
21 known in southeastern Arizona, southern New Mexico, and western Texas. According to the
22 SWReGAP habitat suitability model, suitable habitat for this species does not occur in the area of
23 direct effects. However, approximately 1,650 acres (7 km²) of potentially suitable habitat occurs
24 in the area of indirect effects; this area represents about 0.8% of the potentially suitable habitat in
25 the SEZ region (Table 12.1.12.1-1).

26
27 The overall impact on the desert bighorn sheep from construction, operation, and
28 decommissioning of utility-scale solar energy facilities within the Afton SEZ is considered small
29 because no potentially suitable habitat for this species occurs in the area of direct effects, and
30 only indirect effects are possible. The implementation of design features is expected to be
31 sufficient to reduce indirect impacts to negligible levels.

32 33 34 **12.1.12.2.6 Impacts on Rare Species**

35
36 There are 30 rare species (i.e., state rank of S1 or S2 in New Mexico or a species of
37 concern by the USFWS or State of New Mexico) that may be affected by solar energy
38 development on the Afton SEZ (Table 12.1.12.1-1). Impacts on 11 rare species have not been
39 discussed previously. These include the following (1) plants: Alamo beardtongue, mosquito
40 plant, and Sandberg pincushion; (2) invertebrates: Samalayuca Dune grasshopper and Shotwell's
41 range grasshopper; (3) fish: smallmouth buffalo; (4) birds: dickcissel, eastern bluebird, and
42 osprey; and (5) mammals: western red bat and yellow-faced pocket gopher. Impacts on these
43 species are described in Table 12.1.12.1-1.

12.1.12.3 SEZ-Specific Design Features and Design Feature Effectiveness

The implementation of required programmatic design features described in Appendix A would greatly reduce or eliminate the potential for effects of utility-scale solar energy development on special status species. While some SEZ-specific design features are best established when specific project details are being considered, some design features can be identified at this time, including the following:

- Pre-disturbance surveys should be conducted within the SEZ to determine the presence and abundance of special status species, including those identified in Table 12.1.12.1-1; disturbance to occupied habitats for these species should be avoided or minimized to the extent practicable. If avoiding or minimizing impacts on occupied habitats is not possible, translocation of individuals from areas of direct effect, or compensatory mitigation of direct effects on occupied habitats could reduce impacts. A comprehensive mitigation strategy for special status species that used one or more of these options to offset the impacts of development should be developed in coordination with the appropriate federal and state agencies.
- Consultation with the USFWS and NMDGF should be conducted to address the potential for impacts on the following species currently listed as threatened or endangered under the ESA: Sneed's pincushion cactus and northern aplomado falcon. Consultation would identify an appropriate survey protocol, avoidance and minimization measures, and, if appropriate, reasonable and prudent alternatives, reasonable and prudent measures, and terms and conditions for incidental take statements.
- Coordination with the USFWS and NMDGF should be conducted to address the potential for impacts on the western yellow-billed cuckoo, a candidate species for listing under the ESA. Coordination would identify an appropriate survey protocol, and mitigation, which may include avoidance, minimization, translocation, or compensation.
- Avoiding or minimizing disturbance to rocky slopes, cliffs, and outcrops on the SEZ could reduce or eliminate impacts on the following ten special status species: Alamo beardtongue, Marble Canyon rockcress, mosquito plant, New Mexico rock daisy, Sneed's pincushion cactus, American peregrine falcon, fringed myotis, long-legged myotis, Townsend's big-eared bat, and western small-footed myotis.
- Avoiding or minimizing disturbance to desert grassland habitat on the SEZ could reduce or eliminate impacts on the following four special status species: desert night-blooming cereus, grama grass cactus, Villard pincushion cactus, and northern aplomado falcon.

- 1 • Avoiding or minimizing disturbance to sand dune habitat and sand transport
2 systems on the SEZ could reduce or eliminate impacts on the following three
3 special status species: sand prickly-pear cactus, sandhill goosefoot, and
4 Samalayuca Dune grasshopper.
5
 - 6 • Avoiding or minimizing disturbance to playa habitat on the SEZ could reduce
7 or eliminate impacts on the Shotwell's range grasshopper.
8
 - 9 • Harassment or disturbance of special status species and their habitats in the
10 affected area should be mitigated. This can be accomplished by identifying
11 any additional sensitive areas and implementing necessary protection
12 measures based upon consultation with the USFWS and NMDGF.
13
- 14 If these SEZ-specific design features are implemented in addition to required
15 programmatic design features, impacts on the special status and rare species could be reduced.
16

1 **12.1.13 Air Quality and Climate**


2
3
4 **12.1.13.1 Affected Environment**

5
6
7 **12.1.13.1.1 Climate**

8
9 The proposed Afton SEZ is located in the southwestern portion of Dona Ana County in
10 south-central New Mexico. The SEZ has an average elevation of about 4,230 ft (1,290 m) and
11 is located west of the Mesilla Valley, which is the floodplain of the Rio Grande River running
12 north-south. The SEZ is located in the northern portion of the Chihuahuan Desert, the northern
13 reaches of which protrude into New Mexico from north-central Mexico. The area experiences a
14 high desert arid climate, characterized by warm summers, mild winters, light precipitation, a
15 high evaporation rate, low relative humidity, abundant sunshine, and relatively wide annual and
16 diurnal temperature ranges (NCDC 2010a). Meteorological data collected at the Las Cruces
17 International Airport, about 2 mi (3 km) north of the Afton SEZ boundary, and at New Mexico
18 State University (NMSU), about 5 mi (8 km) northeast, are summarized below.

19
20 A wind rose from the Las Cruces International Airport, based on data collected 33 ft
21 (10 m) above the ground over the 5-year period 2005 to 2009, is presented in Figure 12.1.13.1-1
22 (NCDC 2010b). During this period, the annual average wind speed at the airport was about
23 7.1 mph (3.2 m/s); the prevailing wind direction was from the west (about 13.1% of the time)
24 and secondarily from the west-southwest (about 9.3% of the time). Westerly winds occurred
25 more frequently throughout the year, except from July through September when southeast winds
26 prevailed. Wind speeds categorized as calm (less than 1.1 mph [0.5 m/s]) occurred frequently
27 (about 16.6% of the time) because of the stable conditions caused by strong radiative cooling
28 from late night to sunrise. Average wind speeds by season were the highest in spring at 9.1 mph
29 (4.1 m/s); lower in winter and summer at 6.9 mph (3.1 m/s) and 6.8 mph (3.0 m/s), respectively;
30 and lowest in fall at 5.8 mph (2.6 m/s).

31
32 Elevation plays a larger role than latitude in determining the temperature of any specific
33 location in New Mexico (NCDC 2010a). For the period 1959 to 2010, the annual average
34 temperature at NMSU was 61.8°F (16.6°C) (WRCC 2010d). January was the coldest month,
35 with an average minimum of 28.1°F (-2.2°C), and July was the warmest, with an average
36 maximum of 94.8°F (34.9°C). In summer, daytime maximum temperatures higher than 90°F
37 (32.2°C) are common, and minimums are in the 60s. The minimum temperatures recorded were
38 below freezing ($\leq 32^{\circ}\text{F}$ [0°C]) during the colder months (from October to April with a peak of
39 about 24 days in January and 23 days in December), but subzero temperatures were very rare.
40 During the same period, the highest temperature, 110°F (43.3°C), was reached in June 1994, and
41 the lowest, -10°F (-23.3°C), in January 1962. In a typical year, about 98 days had a maximum
42 temperature of at least 90°F (32.2°C), while about 84 days had minimum temperatures at or
43 below freezing.



1

2 **FIGURE 12.1.13.1-1 Wind Rose at 33 ft (10 m) at the Las Cruces International Airport,**

3 **New Mexico, 2005 to 2009 (Source: NCDC 2010b)**

1 In New Mexico, summer rains fall mostly during brief but frequently intense
2 thunderstorms associated with general southeasterly circulation from the Gulf of Mexico
3 (NCDC 2010a). In contrast, winter precipitation is caused mainly by frontal activity associated
4 with general movement of Pacific Ocean storms. For the 1959 to 2010 period, annual
5 precipitation at NMSU averaged about 9.38 in. (23.8 cm) (WRCC 2010). On average, 50 days a
6 year have measurable precipitation (0.01 in. [0.025 cm] or higher). Seasonally, precipitation is
7 the highest in summer, nearly half of the annual total and lower in fall and winter and tapers off
8 markedly in spring. Snow occurs mostly from November to February, and the annual average
9 snowfall at NMSU was about 3.5 in. (8.9 cm), with the highest monthly snowfall of 12.7 in.
10 (32.3 cm) in November 1976.

11
12 The proposed Afton SEZ is far from major water bodies (more than 360 mi [579 km]
13 to the Gulf of California and 650 mi [1,046 km] to the Gulf of Mexico). Severe weather events,
14 with the exception of dust storms, are a rarity in Dona Ana County, which encompasses the
15 Afton SEZ (NCDC 2010c).

16
17 General floods are seldom widespread in New Mexico. Rather, floods associated with
18 heavy thunderstorms may occur in small areas for a short time (NCDC 2010a). Since 1994,
19 44 floods (mostly flash flood) have been reported in Dona Ana County, most of which occurred
20 during July through September (NCDC 2010c). These floods caused no deaths or injuries but
21 considerable property and minor crop damage.

22
23 In Dona Ana County, 57 hail events in total have been reported since 1956, some of
24 which caused considerable property damage. Hail measuring 2.5 in. (6.4 cm) in diameter was
25 reported in 1991. In Dona Ana County, 46 thunderstorm winds have been reported since 1959,
26 and those up to a maximum wind speed of 102 mph (46 m/s) occurred primarily during the
27 summer months and caused some property damage (NCDC 2010c).

28
29 No dust storm events were reported in Dona Ana County (NCDC 2010c). However, the
30 ground surface of the SEZ is covered primarily with loamy fine sand and fine sand, which have
31 relatively high dust storm potential. High winds can trigger large amounts of dust from areas of
32 dry and loose soils with sparse vegetation in Dona Ana County. Dust storms can deteriorate air
33 quality and visibility and may have adverse effects on health, particularly for people with asthma
34 or other respiratory problems. Dona Ana County experiences between 6 and 18 days per year
35 when dust levels exceed federal health standards (NMED 2000a). In this area, high winds are
36 common during the months of January to April, and most dust storms last about 4 hours.

37
38 Because of the considerable distances to major water bodies, hurricanes never hit New
39 Mexico. On rare occasions, remnants of a tropical storm system originating from the Pacific
40 Ocean or the Gulf of Mexico may dump rains in the area, but there is no record of serious wind
41 damage from these storms (NCDC 2010a). Historically, three tropical depressions have passed
42 within 100 mi (160 km) of the proposed Afton SEZ (CSC 2010). In the period from 1950 to
43 April 2010, a total of 12 tornadoes (0.2 per year each) were reported in Dona Ana County
44 (NCDC 2010c). Most tornadoes occurring in Dona Ana County were relatively weak (i.e., nine
45 were F0 and three were F1 on the Fujita tornado scale), and these tornadoes caused no death or

1 injuries but some property damage. Several of these tornadoes
 2 occurred not far from the SEZ, the nearest one of which hit the
 3 area about 0.7 mi (1.1 km) north of the SEZ.

4
 5
 6 **12.1.13.1.2 Existing Air Emissions**

7
 8 Dona Ana County has a few industrial emission sources,
 9 but their emissions are relatively small, except for two major
 10 NO_x emission sources: Rio Grande Generating Station in
 11 Sunland Park and physical plant boilers at NMSU. Several
 12 emission sources are located around the proposed Afton SEZ,
 13 but their emissions are relatively small. Several major roads
 14 exist in Dona Ana County, such as I-10, I-25, U.S. 70, and
 15 many state routes. Thus, onroad mobile source emissions are
 16 substantial compared with those from other sources in Dona
 17 Ana County. Data on annual emissions of criteria pollutants and
 18 volatile organic compounds (VOCs) in Dona Ana County are
 19 presented in Table 12.1.13.1-1 for 2002 (WRAP 2009).
 20 Emission data are classified into six source categories: point,
 21 area, onroad mobile, nonroad mobile, biogenic, and fire
 22 (wildfires, prescribed fires, agricultural fires, structural fires).
 23 In 2002, area sources were major contributors to total emissions
 24 of sulfur dioxide (SO₂) (about 41%), PM₁₀ (about 91%), and
 25 PM_{2.5} (about 79%). Onroad sources were major contributors
 26 to nitrogen oxides (NO_x) and carbon monoxide (CO) emissions
 27 (about 48% and 65%, respectively). Biogenic sources
 28 (i.e., vegetation—including trees, plants, and crops—and
 29 soils) that release naturally occurring emissions contributed
 30 secondarily to CO emissions (about 16%) and accounted for
 31 most of the VOC emissions (about 89%). Nonroad sources were
 32 secondary contributors to SO₂ and NO_x emissions. In Dona Ana County, point and fire
 33 emissions sources were minor contributors to criteria pollutants and VOCs.

34
 35 In 2010, New Mexico is projected to produce about 89.4 MMt of *gross*⁶ carbon dioxide
 36 equivalent (CO₂e)⁷ emissions (Bailie et al. 2006), which is about 1.3% of total U.S. greenhouse
 37 gas (GHG) emissions in 2008. Gross GHG emissions in New Mexico increased by about 31%
 38 from 1990 to 2010, compared to 14% growth in U.S. GHG emissions during the 1990 to 2008
 39 period. In 2010, about 89.1% of GHG emissions in New Mexico is from the energy sector:

TABLE 12.1.13.1-1 Annual Emissions of Criteria Pollutants and VOCs in Dona Ana County, New Mexico, Encompassing the Proposed Afton SEZ, 2002^a

Pollutant ^b	Emissions (tons/yr) ^c
SO ₂	788
NO _x	12,263
CO	73,129
VOCs	81,171
PM ₁₀	7,299
PM _{2.5}	2,316

^a Includes point, area, onroad and nonroad mobile, biogenic, and fire emissions.

^b Notation: CO = carbon monoxide; NO_x = nitrogen oxides; PM_{2.5} = particulate matter with a diameter of ≤2.5 μm; PM₁₀ = particulate matter with a diameter of ≤10 μm; SO₂ = sulfur dioxide; and VOCs = volatile organic compounds.

^c To convert tons to kilograms, multiply by 907.

Source: WRAP (2009).

⁶ Excluding GHG emissions removed as a result of forestry and other land uses and excluding GHG emissions associated with exported electricity.

⁷ This is a measure used to compare the emissions from various GHG emission sources on the basis of their global warming potential, defined as the cumulative radiative forcing effects of a gas over a specified time horizon resulting from the emission of a unit mass of gas relative to a reference gas, CO₂. The CO₂e for a gas is derived by multiplying the mass of the gas by the associated global warming potential.

1 electric power production (about 37.2%), transportation (about 19.7%), fossil fuel industry
2 (about 22.7%), and fuel use in the residential, commercial, and industrial sectors combined
3 (about 9.5%). New Mexico's *net* emissions in 2010 are about 68.5 MMt CO₂e, considering
4 carbon sinks from forestry activities and agricultural soils throughout the state. The
5 U.S. Environmental Protection Agency (EPA) (2009a) also estimated 2005 emissions in New
6 Mexico. Its estimate of CO₂ emissions from fossil fuel combustion was 59.0 MMt, which was
7 slightly lower than the state's estimate. Electric power generation and transportation accounted
8 for about 53.8% and 26.0% of the CO₂ emissions total, respectively, while the residential,
9 commercial, and industrial sectors accounted for the remainder (about 20.2%).

12.1.13.1.3 Air Quality

10
11
12
13
14 New Mexico has established more stringent standards than National Ambient Air Quality
15 Standards (NAAQS) for SO₂, NO₂, and CO, but no standards for ozone (O₃), PM (PM₁₀ and
16 PM_{2.5}), or lead (Pb) (EPA 2010a; Title 20, Chapter 2, Part 3 of the *New Mexico Administrative*
17 *Code* [20.2.3 NMAC]). In addition, the state has adopted standards for hydrogen sulfide and total
18 reduced sulfur and still retains a standard for total suspended particulate (TSP), which was
19 formerly a criteria pollutant but were replaced by PM₁₀ in 1987.

20
21 Dona Ana County is located administratively within the El Paso–Las Cruces–
22 Alamogordo Interstate Air Quality Control Region (AQCR 153) (Title 40, Part 81, Section 82
23 of the *Code of Federal Regulations* [40 CFR 81.82]), along with three other counties in
24 New Mexico (Lincoln, Otero, and Sierra) and six counties in Texas. Southeastern Dona Ana
25 County, which borders El Paso in Texas and Ciudad Juarez in Mexico, has historically
26 experienced air quality problems, notably, PM and O₃ pollution. Dona Ana County is designated
27 as being in attainment for all criteria pollutants except PM₁₀ (40 CFR 81.332).⁸ The entire state
28 is designated as an unclassifiable/attainment area, except for a small portion of southeastern
29 Donna Ana County around Anthony, which is adjacent to El Paso, Texas, and has been
30 designated nonattainment for PM₁₀ since 1991. Accordingly, the area surrounding the proposed
31 Afton SEZ is in unclassifiable/attainment for all six criteria pollutants.

32
33 As briefly discussed in Section 12.1.13.1.1, Dona Ana County frequently experiences
34 natural dust storms, which cause PM₁₀ exceedances of the NAAQS. Western states frequently
35 plagued by natural dust storms requested that the EPA develop a commonsense policy, called a
36 Natural Events Policy (NEP), to address high PM₁₀ pollution caused by natural events. Under
37 the NEP, state and local governments are required to develop a Natural Events Action Plan
38 (NEAP), which provides alternatives for controlling significant sources of human-caused
39 windblown dust, with the understanding that dust storms sometimes override the best dust
40 control efforts (NMED 2000b). The New Mexico Air Quality Bureau submitted an original
41 NEAP for Dona Ana County in December 2000 and reevaluated it in 2005. In accordance with
42 the NEAP for Dona Ana County, the county and the City of Las Cruces maintain erosion control

⁸ A small, "marginal" 1-hour O₃ nonattainment area, the Sunland Park area, had existed in the southeastern part of the county since 1995. The area is no longer subject to the 1-hour standard, however, because the standard was revoked in 2004, and Sunland Park was redesignated a maintenance area for the 8-hour O₃ standard.

1 ordinances to protect and maintain the natural environment and to reduce the negative health
2 effects caused by the creation of fugitive dust.

3
4 Ambient concentration data representative of the proposed Afton SEZ for all criteria
5 pollutants except Pb are available for Dona Ana County. For CO, O₃, PM₁₀, and PM_{2.5},
6 concentration data from monitoring stations in and around Las Cruces are presented, from 1.5 mi
7 (2.4 km) north to 6 mi (10 km) northeast of the SEZ. For SO₂ and NO₂, concentration data from
8 Sunland Park, about 22 mi (35 km) south–southeast of the SEZ, are presented. Concentration
9 levels for O₃, PM₁₀, and PM_{2.5} in southeastern Dona Ana County (e.g., Anthony and Sunland
10 Park) have frequently exceeded these standards. Ambient air quality in Anthony and Sunland
11 Park, which are small cities, is affected by the adjacent metropolitan areas of El Paso, Texas, and
12 Ciudad Juarez, Mexico, and by the Chihuahuan Desert. In contrast, ambient air quality around
13 the proposed Afton SEZ represented by measurements in Las Cruces is fairly good. The
14 Background concentration levels for SO₂, NO₂, CO, 1-hour O₃, annual PM₁₀, and PM_{2.5}
15 around the Afton SEZ from 2004 through 2008 were less than or equal to 68% of their respective
16 standards, as shown in Table 12.1.13.1-2 (EPA 2010b). However, the monitored 8-hour O₃
17 concentrations were approaching the applicable standard (about 93%). Concentrations for
18 24-hour PM₁₀ were below the standard (about 94%) during the 2004 through 2007 period.
19 However, the 24-hour PM₁₀ standard was exceeded in 2008 because of the higher-than-usual
20 number of dust storm episodes. No measurement data for Pb are available for Dona Ana County,
21 but Pb levels are expected to be low, because the most recent Pb concentration in Albuquerque
22 in 2004 was only 2% of the standard.⁹

23
24 The Prevention of Significant Deterioration (PSD) regulations (see 40 CFR 52.21),
25 which are designed to limit the growth of air pollution in clean areas, apply to a major new
26 source or modification of an existing major source within an attainment or unclassified area
27 (see Section 4.11.2.3). As a matter of policy, the EPA recommends that the permitting authority
28 notify the Federal Land Managers when a proposed PSD source would locate within 62 mi
29 (100 km) of a sensitive Class I area. Several Class I areas are located in Arizona, New Mexico
30 and Texas, but none is within 62 mi (100 km) of the proposed SEZ. The nearest is Gila WA
31 (40 CFR 81.421), about 81 mi (131 km) northwest of the Afton SEZ. This Class I area is not
32 located downwind of prevailing winds at the Afton SEZ (Figure 12.1.13.1-1). The next nearest
33 Class I areas include White Mountains WA, Bosque del Apache WA, and Guadalupe Mountains
34 NP in Texas, which are about 96 mi (154 km) northeast, 98 mi (158 km) north, and 100 mi
35 (161 km) east of the SEZ, respectively.

36 37 38 **12.1.13.2 Impacts**

39
40 Potential impacts on ambient air quality associated with a solar project would be of
41 most concern during the construction phase. Impacts on ambient air quality from fugitive dust
42 emissions resulting from soil disturbances are anticipated, but they would be of short duration.
43 During the operations phase, only a few sources with generally low levels of emissions would

⁹ Pb measurements have been discontinued since 2004 in the state of New Mexico because of continuously low readings after the phaseout of leaded gasoline.

**TABLE 12.1.13.1-2 NAAQS, SAAQS, and Background Concentration Levels
Representative of the Proposed Afton SEZ in Dona Ana County, New Mexico, 2004 to 2008**

Pollutant ^a	Averaging Time	NAAQS	SAAQS	Background Concentration Level	
				Concentration ^{b,c}	Measurement Location, Year
SO ₂	1-hour	75 ppb ^d	NA ^e	NA	NA
	3-hour	0.5 ppm	NA	0.006 ppm (1.2%; NA)	Sunland Park, 2005
	24-hour	0.14 ppm	0.10 ppm	0.004 ppm (2.9%; 4.0%)	Sunland Park, 2004
	Annual	0.030 ppm	0.02 ppm	0.001 ppm (3.3%; 5.0%)	Sunland Park, 2006
NO ₂	1-hour	100 ppb ^f	NA	NA	NA
	24-hour	NA	0.10 ppm	NA	NA
	Annual	0.053 ppm	0.05 ppm	0.011 ppm (21%; 22%)	Sunland Park, 2004
CO	1-hour	35 ppm	13.1 ppm	3.8 ppm (11%; 29%)	Las Cruces, 2004
	8-hour	9 ppm	8.7 ppm	2.7 ppm (30%; 31%)	Las Cruces, 2006
O ₃	1-hour	0.12 ppm ^g	NA	0.082 ppm (68%; NA)	Las Cruces, 2006
	8-hour	0.075 ppm	NA	0.070 ppm (93%; NA)	Las Cruces, 2006
PM ₁₀	24-hour	150 µg/m ³	NA	175 µg/m ³ (117%; NA)	Las Cruces, 2008
	Annual	50 µg/m ³ ^h	NA	25 µg/m ³ (50%; NA)	Las Cruces, 2008
PM _{2.5}	24-hour	35 µg/m ³	NA	15.0 µg/m ³ (43%; NA)	Las Cruces, 2007
	Annual	15.0 µg/m ³	NA	6.6 µg/m ³ (44%; NA)	Las Cruces, 2006
Pb	Calendar quarter	1.5 µg/m ³	NA	0.03 µg/m ³ (2.0%; NA)	Albuquerque, Bernalillo County, 2004 ⁱ
	Rolling 3-month	0.15 µg/m ³ ⁱ	NA	NA	NA

^a Notation: CO = carbon monoxide; NO₂ = nitrogen dioxide; O₃ = ozone; Pb = lead; PM_{2.5} = particulate matter with a diameter of ≤2.5 µm; PM₁₀ = particulate matter with a diameter of ≤10 µm; and SO₂ = sulfur dioxide.

^b Monitored concentrations are the highest for calendar-quarter Pb; second-highest for all averaging times less than or equal to 24-hour averages, except fourth-highest daily maximum for 8-hour O₃ and the 98th percentile for 24-hour PM_{2.5}; and arithmetic mean for annual SO₂, NO₂, PM₁₀, and PM_{2.5}.

^c First and second values in parentheses are background concentration levels as a percentage of NAAQS and SAAQS, respectively. Calculation of 1-hour SO₂, 1-hour NO₂, and rolling 3-month Pb to NAAQS was not made, because no measurement data based on new NAAQS are available.

^d Effective August 23, 2010.

^e NA = not applicable or not available.

^f Effective April 12, 2010.

^g The EPA revoked the 1-hour O₃ standard in all areas, although some areas have continuing obligations under that standard (“anti-backsliding”).

^h Effective December 18, 2006, the EPA revoked the annual PM₁₀ standard of 50 µg/m³ but annual PM₁₀ concentrations are presented for comparison purposes.

Footnotes continued on next page.

TABLE 12.1.13.1-2 (Cont.)

i Effective January 12, 2009.

j This location with the highest observed concentrations in the state of New Mexico is not representative of the Afton SEZ; it is presented to show that Pb is not generally a concern in New Mexico.

Sources: EPA (2010a,b); 20.2.3 NMAC.

1
2
3 exist for any of the four types of solar technologies evaluated. A solar facility would either not
4 burn fossil fuels or burn only small amounts during operation. (For facilities using heat transfer
5 fluids [HTFs], fuel could be used to maintain the temperature of the HTFs for more efficient
6 daily start-up.) Conversely, use of solar facilities to generate electricity would displace air
7 emissions that would otherwise be released from fossil fuel power plants.

8
9 Air quality impacts shared by all solar technologies are discussed in detail in
10 Section 5.11.1, and technology-specific impacts are discussed in Section 5.11.2. Impacts specific
11 to the proposed Afton SEZ are presented in the following sections. Any such impacts would be
12 minimized through the implementation of required programmatic design features described in
13 Appendix A, Section A.2.2, and through any additional mitigation applied. Section 12.1.13.3
14 below identifies SEZ-specific design features of particular relevance to the Afton SEZ.

15
16
17 **12.1.13.2.1 Construction**

18
19 The Afton SEZ site has a relatively flat terrain; thus, only a minimum number of site
20 preparation activities, perhaps with no large-scale earthmoving operations, would be required.
21 However, fugitive dust emissions from soil disturbances during the entire construction phase
22 would be a major concern because of the large areas that would be disturbed in a region that
23 experiences windblown dust problems. Fugitive dusts, which are released near ground level,
24 typically have more localized impacts than similar emissions from an elevated stack with
25 additional plume rise induced by buoyancy and momentum effects.

26
27
28 **Methods and Assumptions**

29
30 Air quality modeling for PM₁₀ and PM_{2.5} emissions associated with construction
31 activities was performed using the EPA-recommended AERMOD model (EPA 2009b). Details
32 for emissions estimation, the description of AERMOD, input data processing procedures,
33 and modeling assumption are described in Section M.13 of Appendix M. Estimated air
34 concentrations were compared with the applicable NAAQS levels at the site boundaries and
35 nearby communities and with Prevention of Significant Deterioration (PSD) increment levels at

1 nearby Class I areas.¹⁰ However, no receptors were modeled for PSD analysis at the nearest
2 Class I area, Gila WA, because it is about 81 mi (131 km) from the SEZ, which is over the
3 maximum modeling distance of 31 mi (50 km) for AERMOD. Instead, several regularly spaced
4 receptors in the direction of the Gila WA were selected as surrogates for the PSD analysis. For
5 the Afton SEZ, the modeling was conducted based on the following assumptions and input:
6

- 7 • Emissions of 3,000 acres (12.1 km²) each and 9,000 acres (36.4 km²) in total,
8 were uniformly distributed in the northeastern portion of the SEZ, close to the
9 nearest residences and the towns of Mesilla and Las Cruces;
- 10 • Surface hourly meteorological data were taken from the Las Cruces
11 International Airport and upper air sounding data from Santa Teresa for the
12 2005 to 2009 period; and
- 13 • A receptor grid was regularly spaced over a modeling domain of
14 62 mi × 62 mi (100 km × 100 km) centered on the proposed SEZ, and
15 there were additional discrete receptors at the SEZ boundaries.
16
17
18
19

20 **Results**

21
22 The modeling results for concentration increments and total concentrations (modeled plus
23 background concentrations) for both PM₁₀ and PM_{2.5} that would result from construction-related
24 fugitive emissions are summarized in Table 12.1.13.2-1. Maximum 24-hour PM₁₀ concentration
25 increments modeled to occur at the site boundaries would be an estimated 611 µg/m³, which far
26 exceeds the relevant standard level of 150 µg/m³. Total 24-hour PM₁₀ concentrations of
27 786 µg/m³ would also exceed the standard level at the SEZ boundary. In particular, PM₁₀
28 concentrations are predicted to be about 250 µg/m³ at the nearest residences, which are adjacent
29 to the northeastern SEZ boundary. However, high PM₁₀ concentrations would be limited to the
30 immediate areas surrounding the SEZ boundary and would decrease quickly with distance.
31 Predicted maximum 24-hour PM₁₀ concentration increments would be about 100 µg/m³ at
32 Mesilla; about 50–60 µg/m³ at Las Cruces, Picacho, University Park, and San Miguel; and about
33 40 µg/m³ or less at other cities in the Mesilla Valley. Annual average modeled concentration
34 increments and total concentrations (increment plus background) for PM₁₀ at the SEZ boundary
35 would be about 84.4 µg/m³ and 109 µg/m³, respectively, which are higher than the NAAQS
36 level of 50 µg/m³, which was revoked by the EPA in December 2006. Annual PM₁₀ increments
37 would be much lower, about 25 µg/m³ at the nearest residences, about 3 µg/m³ at Mesilla, and
38 about 2 µg/m³ or lower at all other nearby towns. Total 24-hour PM_{2.5} concentrations would be
39 51.5 µg/m³ at the SEZ boundary, which is higher than the NAAQS level of 35 µg/m³; modeled
40

¹⁰ To provide a quantitative assessment, the modeled air impacts of construction were compared to the NAAQS levels and the PSD Class I increment levels. Although the Clean Air Act exempts construction activities from PSD requirements, a comparison with the Class I increment levels was used to quantify potential impacts. Only monitored data can be used to determine the attainment status. Modeled data are used to assess potential problems and as a consideration in the permitting process.

TABLE 12.1.13.2-1 Maximum Air Quality Impacts from Emissions Associated with Construction Activities for the Proposed Afton SEZ

Pollutant ^a	Averaging Time	Rank ^b	Concentration ($\mu\text{g}/\text{m}^3$)				Percentage of NAAQS	
			Maximum Increment ^b	Background ^c	Total	NAAQS	Increment	Total
PM ₁₀	24 hours	H6H	611	175	786	150	407	524
	Annual	– ^d	84.4	25.0	109	50	169	219
PM _{2.5}	24 hours	H8H	36.5	15.0	51.5	35	104	147
	Annual	–	8.4	6.6	15.0	15.0	56	100

^a PM_{2.5} = particulate matter with a diameter of $\leq 2.5 \mu\text{m}$; PM₁₀ = particulate matter with a diameter of $\leq 10 \mu\text{m}$.

^b Concentrations for attainment demonstration are presented. H6H = highest of the sixth-highest concentrations at each receptor over the 5-year period. H8H = highest of the multiyear average of the eighth-highest concentrations at each receptor over the 5-year period. For the annual average, multiyear averages of annual means over the 5-year period are presented. Maximum concentrations are predicted to occur at the site boundaries.

^c See Table 12.1.13.1-2.

^d A dash indicates not applicable.

1
2
3 increments contribute more than twice the background concentration to this total. The total
4 annual average PM_{2.5} concentration would be $15.0 \mu\text{g}/\text{m}^3$, which is equivalent to the NAAQS
5 level of $15.0 \mu\text{g}/\text{m}^3$. At the nearest residences, predicted maximum 24-hour and annual PM_{2.5}
6 concentration increments would be about of about 15 and $2.5 \mu\text{g}/\text{m}^3$, respectively.

7
8 Predicted 24-hour and annual PM₁₀ concentration increments at the surrogate receptors
9 for the nearest Class I Area—Gila WA—would be about 15.1 and $0.56 \mu\text{g}/\text{m}^3$, or 189 and 14%
10 of the PSD increments for the Class I area, respectively. These surrogate receptors are more than
11 51 mi (82 km) from the Gila WA, and thus predicted concentrations in Gila WA would be much
12 lower than these values (about 79% of the PSD increments for 24-hour PM₁₀), based on the
13 same decay ratio with distance.

14
15 In conclusion, predicted 24-hour and annual PM₁₀ and PM_{2.5} concentration levels could
16 exceed the standard levels at the SEZ boundaries and in the immediate surrounding areas during
17 the construction of solar facilities. To reduce potential impacts on ambient air quality and in
18 compliance with programmatic design features, aggressive dust control measures would be used.
19 Potential air quality impacts on nearby communities would be much lower. Modeling indicates
20 that emissions from construction activities are not anticipated to exceed Class I PSD PM₁₀
21 increments at the nearest federal Class I area (Gila WA). Construction activities are not subject
22 to the PSD program, and the comparison provides only a screen for gauging the magnitude of
23 the impact.

TABLE 12.1.13.2-2 Annual Emissions from Combustion-Related Power Generation Avoided by Full Solar Development of the Proposed Afton SEZ

Area Size (acres)	Capacity (MW) ^a	Power Generation (GWh/yr) ^b	Emissions Displaced (tons/yr; 10 ³ tons/yr for CO ₂) ^c			
			SO ₂	NO _x	Hg	CO ₂
77,623	6,900–12,420	12,088–21,759	10,848–19,527	26,992–48,585	0.40–0.71	12,030–21,653
Percentage of total emissions from electric power systems in New Mexico ^d			35–64%	35–64%	35–64%	35–64%
Percentage of total emissions from all source categories in New Mexico ^e			21–38%	8.1–15%	– ^f	19–33%
Percentage of total emissions from electric power systems in the six-state study area ^d			4.3–7.8%	7.3–13%	14–24%	4.6–8.3%
Percentage of total emissions from all source categories in the six-state study area ^e			2.3–4.1%	1.0–1.8%	–	1.4–2.6%

^a It is assumed that the SEZ would eventually have development on 80% of the land and that a range of 5 acres (0.020 km²) per MW (for parabolic trough technology) to 9 acres (0.036 km²) per MW (power tower, dish engine, and PV technologies) would be required.

^b A capacity factor of 20% was assumed.

^c Composite combustion-related emission factors for SO₂, NO_x, Hg, and CO₂ of 1.79, 4.47, 6.6 × 10⁻⁵, and 1,990 lb/MWh, respectively, were used for the state of New Mexico.

^d Emission data for all air pollutants are for 2005.

^e Emission data for SO₂ and NO_x are for 2002, while those for CO₂ are for 2005.

^f A dash indicates not estimated.

Sources: EPA (2009a,c); WRAP (2009).

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Accordingly, it is anticipated that impacts of construction activities on ambient air quality would be moderate and temporary.

Emissions from the engine exhaust from heavy construction equipment and vehicles have the potential to cause impacts on AQRVs (e.g., visibility and acid deposition) at the nearby federal Class I areas. However, SO_x emissions from engine exhaust would be very low, because programmatic design features would require ultra-low-sulfur fuel with a sulfur content of 15 ppm. NO_x emissions from engine exhaust would be primary contributors to potential impacts on AQRVs. If requested by an FLM in response to a permit application, site-specific analyses for AQRVs would need to be done. Construction-related emissions are temporary and thus would cause some unavoidable but short-term impacts.

1 Construction of a new transmission line has not been assessed for the Afton SEZ, because
2 connection to the existing 345-kV line was assumed to be possible; impacts on air quality would
3 be evaluated at the project-specific level if new transmission construction or line upgrades were
4 to occur. In addition, some construction of transmission lines could occur within the SEZ.
5 Potential impacts on ambient air quality would be a minor component of construction impacts in
6 comparison with solar facility construction and would be temporary.

9 ***12.1.13.2.2 Operations***

10 Emission sources associated with the operation of a solar facility would include auxiliary
11 boilers; vehicle (commuter, visitor, support, and delivery) traffic; maintenance (e.g., mirror
12 cleaning and repair and replacement of damaged mirrors); and drift from cooling towers for the
13 parabolic trough or power tower technology if wet cooling were implemented (drift constitutes
14 low-level PM emissions).

15 The type of emission sources caused by and offset by operation of a solar facility are
16 discussed in Appendix M, Section M.13.4.

17 Estimates of potential air emissions displaced by solar project development at the Afton
18 SEZ are presented in Table 12.1.13.2-2. Total power generation capacity ranging from 6,900 to
19 12,420 MW is estimated for the Afton SEZ for various solar technologies (see Section 12.1.2).
20 The estimated amount of emissions avoided for the solar technologies evaluated depends only
21 on the megawatts of conventional fossil fuel-generated power displaced, because a composite
22 emission factor per megawatt-hour of power by conventional technologies is assumed
23 (EPA 2009c). It is estimated that if the Afton SEZ were fully developed, emissions avoided
24 would range from 35 to 64% of total emissions of SO₂, NO_x, Hg, and CO₂ from electric power
25 systems in the state of New Mexico (EPA 2009c). Avoided emissions would be up to 24% of
26 total emissions from electric power systems in the six-state study area. When compared with all
27 source categories, power production from the same solar facilities would displace up to 38% of
28 SO₂, 15% of NO_x, and 33% of CO₂ emissions in the state of New Mexico (EPA 2009a;
29 WRAP 2009). These emissions would be up to 4.1% of total emissions from all source
30 categories in the six-state study area. Power generation from fossil fuel-fired power plants
31 accounts for more than 97% of the total electric power generated in New Mexico. The
32 contribution of coal combustion is about 85%, followed by natural gas combustion of about 12%.
33 Thus, solar facilities built in the Afton SEZ could displace relatively more fossil fuel emissions
34 than those built in other states with less reliance on fossil fuel-generated power.

35 As discussed in Section 5.11.1.5, the operation of associated transmission lines would
36 generate some air pollutants from activities such as periodic site inspections and maintenance.
37 However, these activities would occur infrequently, and the amount of emissions would be small.
38 In addition, transmission lines could produce minute amounts of O₃ and its precursor NO_x
39 associated with corona discharge (i.e., the breakdown of air near high-voltage conductors),
40 which is most noticeable for high-voltage lines during rain or very humid conditions. Since the
41 proposed Afton SEZ is located in an arid desert environment, these emissions would be small,
42 and potential impacts on ambient air quality associated with transmission lines would be

1 negligible, considering the infrequent occurrences and small amount of emissions from corona
2 discharges.

3
4
5 **12.1.13.2.3 Decommissioning/Reclamation**
6

7 As discussed in Section 5.11.1.4, decommissioning/reclamation activities are similar to
8 construction activities but are on a more limited scale and of shorter duration. Potential impacts
9 on ambient air quality would be correspondingly less than those from construction activities.
10 Decommissioning activities would last for a short period, and their potential impacts would be
11 moderate and temporary. The same mitigation measures adopted during the construction phase
12 would also be implemented during the decommissioning phase (Section 5.11.3).
13

14
15 **12.1.13.3 SEZ-Specific Design Features and Design Feature Effectiveness**
16

17 No SEZ-specific design features are required. Limiting dust generation during
18 construction and operations at the proposed Afton SEZ (such as increased watering
19 frequency or road paving or treatment) is a required design feature under BLM's Solar
20 Energy Program. These extensive fugitive dust control measures would keep off-site PM
21 levels as low as possible during construction.
22

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.1.14 Visual Resources**

2
3
4 **12.1.14.1 Affected Environment**

5
6 The proposed Afton SEZ is located in Dona Ana County in southern New Mexico. The
7 southern border of the SEZ is 21 mi (34 km) north of the border with Mexico. The SEZ occupies
8 77,623 acres (314 km²) and extends approximately 18 mi (29 km) east to west and almost 12 mi
9 (19 km) north to south. The SEZ is within the Chihuahuan Desert physiographic province,
10 typified by alternating mountains and valleys. Flat valley basins form broad, expanses of desert,
11 generally with grassland and shrubland vegetative cover (EPA 2010c). Afton SEZ is located
12 within the Chihuahuan Basins and Playas Level IV ecoregion, with very small portions near the
13 far eastern boundary within the Rio Grande Floodplain ecoregion. The SEZ ranges in elevation
14 from 4,418 ft (1,346 m) in the northwestern portion to 3,925 ft (1,196 m) in the southeastern
15 portion.


16
17 The SEZ is located on West Mesa, immediately west of the Mesilla Valley and Rio
18 Grande. I-10 runs east-west just north of the SEZ, with the Las Cruces Municipal Airport just
19 beyond I-10 north of the SEZ. South and southwest of the SEZ, beyond a volcanic field that
20 includes Aden Crater and Kilbourne Hole, lie the West Potrillo Mountains and the East Potrillo
21 Mountains. North and northwest of the SEZ lie the Sierra de Las Uvas, and the Robledo
22 Mountains, with the Dona Ana Mountains also north of the SEZ, but across the Mesilla Valley.
23 These mountains include peaks generally between 4,500 and 5,000 ft (1,400 and 1,500 m) in
24 elevation, but with some peaks of over 5,000 ft (1,500 m). From north to south, the mesa
25 containing the proposed Afton SEZ extends more than 45 mi (72 km) and is about 18 mi (29 km)
26 wide. The SEZ and surrounding areas are shown in Figure 12.1.14.1-1.

27
28 The SEZ is located within a flat, generally treeless mesa, with the strong horizon line and
29 surrounding mountain ranges being the dominant visual features. The surrounding mountains are
30 generally tan in color, but with distant mountains appearing blue to purple. Where vegetation is
31 absent, tan-colored sand is evident, but some areas have sufficiently dense vegetation that the
32 greens and olive-greens of scrubby mesquite and creosotebush are the prevailing colors.

33
34 Vegetation is generally sparse in much of the SEZ, with some low areas containing
35 denser mesquite thickets. Vegetation within the SEZ is predominantly scrubland, with
36 creosotebush, mesquite, and other low shrubs dominating the desert floor within the SEZ. During
37 a July 2009 site visit, the vegetation presented a limited range of greens (mostly olive green of
38 creosotebushes) with some browns and grays (from lower shrubs), with medium to coarse
39 textures and generally low visual interest.

40
41 No permanent surface water is present within the SEZ.

42
43 Cultural disturbances visible within the SEZ include dirt and gravel roads, existing
44 transmission towers, pipeline, and cleared ROWs. A cheese factory, electric power plant, natural
45 gas peaker plant, mining activity at Little Black Mountain, and other developments are visible at
46 the SEZ boundaries. These cultural modifications generally detract from the scenic quality of the



2 **FIGURE 12.1.14.1-1 Proposed Afton SEZ and Surrounding Lands**

1 SEZ, and some are visible from most locations in the SEZ. However, the SEZ is large enough
2 that from some locations within the SEZ, these features are so distant as to have a relatively
3 small effect on views.
4

5 The general lack of topographic relief, water, and physical variety results in relatively
6 low scenic value within the SEZ itself; however, because of the flatness of the landscape, the
7 lack of trees, and the breadth of the mesa, the SEZ presents a vast panoramic landscape with
8 sweeping views of the surrounding mountains that add to the scenic values within the SEZ
9 viewshed. In general, the mountains appear to be devoid of vegetation, and their varied and
10 irregular forms, along with their brown to blue colors, provide pleasing visual contrasts to the
11 strong horizontal line, green vegetation, and tan-colored sand of the mesa. Panoramic views of
12 the SEZ are shown in Figures 12.1.14.1-2, 12.1.14.1-3, and 12.1.14.1-4.
13

14 The BLM conducted a visual resource inventory (VRI) for the SEZ and surrounding
15 lands in 2010 (BLM 2010c). The VRI evaluates BLM-administered lands based on scenic
16 quality; sensitivity level, in terms of public concern for preservation of scenic values in the
17 evaluated lands; and distance from travel routes or key observation points (KOPs). Based on
18 these three factors, BLM-administered lands are placed into one of four Visual Resource
19 Inventory Classes, which represent the relative value of the visual resources. Classes I and II are
20 the most valued; Class III represents a moderate value; and Class IV represents the least value.
21 Class I is reserved for specially designated areas, such as national wildernesses and other
22 congressionally and administratively designated areas where decisions have been made to
23 preserve a natural landscape. Class II is the highest rating for lands without special designation.
24 More information about VRI methodology is available in Section 5.12 and in *Visual Resource*
25 *Inventory*, BLM Manual Handbook 8410-1 (BLM 1986a).
26

27 The VRI map for the SEZ and surrounding lands is shown in Figure 12.1.14.1-5. The
28 VRI values for the SEZ and immediate surroundings are VRI Classes II, III and IV, indicating
29 high, moderate, and low relative visual values, respectively. Most of the SEZ is VRI Class IV,
30 but the far northern portion of the SEZ along the I-10 corridor is VRI Class III, and parts of the
31 far eastern portion of the SEZ on the eastern slope of West Mesa are VRI Class II.
32

33 Except for the far eastern portion of the SEZ along the eastern slopes of West Mesa, the
34 inventory indicates low scenic quality for the SEZ and its immediate surroundings, with low
35 scores for landform, color, vegetation, scarcity, presence of water, and cultural modification, but
36 a moderate score for adjacent scenery. The inventory noted that cultural disturbances visible in
37 the SEZ area detracted from the scenic quality. The area along the West Mesa's eastern slopes
38 was rated as having moderate scenic quality because the variety of vegetation types and colors,
39 as well as scenic mountain views.
40

41 Away from the I-10 corridor and eastern slopes of West Mesa, the inventory indicates
42 low sensitivity for the SEZ and its immediate surroundings, and noted its use for ranching and
43 OHV recreation. Contributing factors for the low sensitivity rating included a low level of use,
44 and a low level of public interest. The inventory noted that the area is not known for its scenic
45 quality, but also noted that its sensitivity is increased by the fact that portions of the SEZ are
46 within 15 mi (24 km) of the El Camino Real de Tierra Adentro National Historic Trail and

Draft Solar PEIS

1
2
3
4
5



FIGURE 12.1.14.1-2 Approximately 120° Panoramic View of the Proposed Afton SEZ from Location Near Northern SEZ Boundary Facing East toward Organ Mountains

12.1-204

6
7
8
9
10




FIGURE 12.1.14.1-3 Approximately 180° Panoramic View of the Proposed Afton SEZ from Little Mountain Facing West, with Mt. Riley and West Potrillo Mountains at Left, Florida Mountains at Center, and Sleeping Lady Hills and Las Uvas Mountains at Far Right

December 2010

11
12
13



FIGURE 12.1.14.1-4 Approximately 120° Panoramic View of the Proposed Afton SEZ from West Central Portion of SEZ Facing Southeast, with Organ Mountains at Left



1
 2 **FIGURE 12.1.14.1-5 Visual Resource Inventory Values for the Proposed Afton SEZ and**
 3 **Surrounding Lands**

1 within 5 mi (8 km) of the Aden Lava Flow WSA. The inventory noted the high sensitivity of the
2 I-10 corridor, citing the “relatively intact views” of “classic New Mexico landscapes” as well as
3 the high usage of this major travel corridor for tourists and residents. The far eastern portion of
4 the SEZ along the eastern slopes of West Mesa received a high sensitivity rating because it is in
5 the immediate viewshed of the El Camino Real Scenic Byway, a heavily traveled scenic route
6 with high levels of public interest.
7

8 Lands in the Las Cruces FO within the 25-mi (40-km), 650-ft (198-m) viewshed of the
9 SEZ contain (197,213 acres [798.093 km²]) of VRI Class II areas, primarily southwest of the
10 SEZ in the West Potrillo Mountains, north of the SEZ in the Sierra de Las Uvas and Robledos
11 Mountains, and immediately east of the SEZ on the eastern slopes of the West Mesa;
12 (330,742 acres [1,338.47 km²]) of Class III areas, primarily southwest of the SEZ in the
13 Aden Lava Flow area, and north of the SEZ along the I-10 corridor; and (472,462 acres
14 [1,911.99 km²]) of VRI Class IV areas, concentrated primarily in the immediate vicinity of
15 the SEZ and to the south of the SEZ.
16

17 More information about VRI methodology is available in Section 5.12 and in *Visual*
18 *Resource Inventory*, BLM Manual Handbook 8410-1 (BLM 1986a).
19


20 The Mimbres Resource Management Plan and Final EIS (BLM 1993) indicates that the
21 SEZ is managed as visual resource management (VRM) Class III. VRM Class III objectives
22 include partial retention of landscape character and permit moderate modification of the
23 existing character of the landscape. The VRM map for the SEZ and surrounding lands is
24 shown in Figure 12.1.14.1.2-6. More information about the BLM VRM program is available in
25 Section 5.12 and in *Visual Resource Management*, BLM Manual Handbook 8400 (BLM 1984).
26
27

28 **12.1.14.2 Impacts**

29

30 The potential for impacts from utility-scale solar energy development on visual
31 resources within the proposed Afton SEZ and surrounding lands, as well as the impacts of
32 related developments (e.g., access roads and transmission lines) outside of the SEZ, are
33 presented in this section.
34

35 Site-specific impact assessment is needed to systematically and thoroughly assess visual
36 impact levels for a particular project. Without precise information about the location of a project
37 and a relatively complete and accurate description of its major components and their layout, it is
38 not possible to assess precisely the visual impacts associated with the facility. However, if the
39 general nature and location of a facility are known, a more generalized assessment of potential
40 visual impacts can be made by describing the range of expected visual changes and discussing
41 contrasts typically associated with these changes. In addition, a general analysis can identify
42 sensitive resources that may be at risk if a future project is sited in a particular area. Detailed
43 information about the methodology employed for the visual impact assessment used in this PEIS,
44 including assumptions and limitations, is presented in Appendix M.
45



1
 2 **FIGURE 12.1.14.1-6 Visual Resource Management Classes for the Proposed Afton SEZ and**
 3 **Surrounding Lands**

1 *Potential Glint and Glare Impacts.* Similarly, the nature and magnitude of potential glint-
2 and glare-related visual impacts for a given solar facility is highly dependent on viewer position,
3 sun angle, the nature of the reflective surface and its orientation relative to the sun and the
4 viewer, atmospheric conditions, and other variables. The determination of potential impacts
5 from glint and glare from solar facilities within a given proposed SEZ would require precise
6 knowledge of these variables, and is not possible given the scope of the PEIS. Therefore, the
7 following analysis does not describe or suggest potential contrast levels arising from glint and
8 glare for facilities that might be developed within the SEZ; however, it should be assumed that
9 glint and glare are possible visual impacts from *any* utility-scale solar facility, regardless of size,
10 landscape setting, or technology type. The occurrence of glint and glare at solar facilities could
11 potentially cause large, but temporary, increases in brightness and visibility of the facilities. The
12 visual contrast levels projected for sensitive visual resource areas discussed in the following
13 analysis do not account for potential glint and glare effects; however, these effects would be
14 incorporated into a future site- and project-specific assessment that would be conducted for
15 specific proposed utility-scale solar energy projects. For more information about potential glint
16 and glare impacts associated with utility-scale solar energy facilities, see Section 5.12.

17 18 19 ***12.1.14.2.1 Impacts on the Proposed Afton SEZ***

20
21 Some or all of the SEZ could be developed for one or more utility-scale solar energy
22 projects, utilizing one or more of the solar energy technologies described in Appendix F.
23 Because of the industrial nature and large size of utility-scale solar energy facilities, large visual
24 impacts on the SEZ would occur as a result of the construction, operation, and decommissioning
25 of solar energy projects. In addition, large impacts could occur at solar facilities utilizing highly
26 reflective surfaces or major light-emitting components (solar dish, parabolic trough, and power
27 tower technologies), with lesser impacts associated with reflective surfaces expected from
28 PV facilities. These impacts would be expected to involve major modification of the existing
29 character of the landscape and would likely dominate the views nearby. Additional, and
30 potentially large impacts would occur as a result of the construction, operation, and
31 decommissioning of related facilities, such as access roads and electric transmission lines. While
32 the primary visual impacts associated with solar energy development within the SEZ would
33 occur during daylight hours, lighting required for utility-scale solar energy facilities would be a
34 potential source of visual impacts at night, both within the SEZ and on surrounding lands.

35
36 Common and technology-specific visual impacts from utility-scale solar energy
37 development, as well as impacts associated with electric transmission lines, are discussed in
38 Section 5.12 of this PEIS. Impacts would last throughout construction, operation, and
39 decommissioning, and some impacts could continue after project decommissioning. Visual
40 impacts resulting from solar energy development in the SEZ would be in addition to impacts
41 from solar energy development and other development that may occur on other public or private
42 lands within the SEZ viewshed, and are subject to cumulative effects. For discussion of
43 cumulative impacts, see Section 12.1.22.4.13.

44
45 The changes described above would be expected to be consistent with BLM VRM
46 objectives for VRM Class IV, as seen from nearby KOPs. As noted above, and shown in

1 Figure 12.1.14.1-6, the SEZ is currently managed as VRM Class III. More information about
2 impact determination using the BLM VRM program is available in Section 5.12 and in *Visual*
3 *Resource Contrast Rating*, BLM Manual Handbook 8431-1 (BLM 1986b).
4


5 Implementation of the programmatic design features intended to reduce visual impacts
6 (described in Appendix A, Section A.2.2) would be expected to reduce visual impacts associated
7 with utility-scale solar energy development within the SEZ; however, the degree of effectiveness
8 of these design features could be assessed only at the site- and project-specific level. Given the
9 large scale, reflective surfaces, and strong regular geometry of utility-scale solar energy facilities
10 and the lack of screening vegetation and landforms within the SEZ viewshed, siting the facilities
11 away from sensitive visual resource areas and other sensitive viewing areas would be the primary
12 means of mitigating visual impacts. The effectiveness of other visual impact mitigation measures
13 would generally be limited, but would be important in reducing visual contrasts to the greatest
14 extent possible.
15

16 ***12.1.14.2.2 Impacts on Lands Surrounding the Proposed Afton SEZ*** 17

18
19 Because of the large size of utility-scale solar energy facilities and the generally flat,
20 open nature of the proposed SEZ, lands outside the SEZ would be subjected to visual impacts
21 related to construction, operation, and decommissioning of utility-scale solar energy facilities.
22 The affected areas and extent of impacts would depend on a number of visibility factors and
23 viewer distance (for a detailed discussion of visibility and related factors, see Section 5.12).
24 A key component in determining impact levels is the intervisibility between the project and
25 potentially affected lands; if topography, vegetation, or structures screen the project from viewer
26 locations, there is no impact.
27

28 Preliminary viewshed analyses were conducted to identify which lands surrounding
29 the proposed SEZ would have views of solar facilities in at least some portion of the SEZ
30 (see Appendix M for information on the assumptions and limitations of the methods used).
31 Four viewshed analyses were conducted, assuming four different heights representative of
32 project elements associated with potential solar energy technologies: PV and parabolic trough
33 arrays (24.6 ft [7.5 m]), solar dishes and power blocks for CSP technologies (38 ft [11.6 m]),
34 transmission towers and short solar power towers (150 ft [45.7 m]), and tall solar power towers
35 (650 ft [198.1 m]). Viewshed maps for the SEZ for all four solar technology heights are
36 presented in Appendix N.
37

38 Figure 12.1.14.2-1 shows the combined results of the viewshed analyses for all four solar
39 technologies. The colored segments indicate areas with clear lines of sight to one or more areas
40 within the SEZ and from which solar facilities within these areas of the SEZ would be expected
41 to be visible, assuming the absence of screening vegetation or structures and adequate lighting
42 and other atmospheric conditions. The light brown areas are locations from which PV and
43 parabolic trough arrays located in the SEZ could be visible. Solar dishes and power blocks for
44 CSP technologies would be visible from the areas shaded in light brown and the additional areas
45 shaded in light purple. Transmission towers and short solar power towers would be visible from
46 the areas shaded light brown, light purple, and the additional areas shaded in dark purple. Power



1

2 **FIGURE 12.1.14.2-1 Viewshed Analyses for the Proposed Afton SEZ and Surrounding Lands,**
 3 **Assuming Solar Technology Heights of 24.6 ft (7.5 m), 38 ft (11.6 m), 150 ft (45.7 m), and 650 ft**
 4 **(198.1 m) (shaded areas indicate lands from which solar development within the SEZ could be**
 5 **visible)**

1 tower facilities located in the SEZ could be visible from areas shaded light brown, light purple,
2 dark purple, and at least the upper portions of power tower receivers would be visible from the
3 additional areas shaded in medium brown.
4


5 For the following visual impact discussion, the tall solar power tower (650 ft [198.1 m])
6 and PV and parabolic trough array (24.6 ft [7.5 m]) viewsheds are shown in figures and
7 discussed in the text. These heights represent the maximum and minimum landscape visibility
8 for solar energy technologies analyzed in the PEIS. Viewsheds for solar dish and CSP
9 technology power blocks (38 ft [11.6 m]), and transmission towers and short solar power towers
10 (150 ft [45.7 m]) are presented in Appendix N. The visibility of these facilities would fall
11 between that for tall power towers and PV and parabolic trough arrays.
12
13

14 **Impacts on Selected Federal-, State-, and BLM-Designated Sensitive Visual** 15 **Resource Areas** 16

17 Figure 12.1.14.2-2 shows the results of a geographical information system (GIS) analysis
18 that overlays selected federal, state, and BLM-designated sensitive visual resource areas onto the
19 combined tall solar power tower (650 ft [198.1 m]) and PV and parabolic trough array (24.6 ft
20 [7.5 m]) viewsheds to illustrate which of these sensitive visual resource areas would have views
21 of solar facilities within the SEZ and therefore potentially would be subject to visual impacts
22 from those facilities. Distance zones that correspond with BLM's VRM system-specified
23 foreground-midground distance (5 mi [8 km]), background distance (15 mi [24 km]), and a
24 25-mi (40-km) distance zone are shown as well, in order to indicate the effect of distance from
25 the SEZ on impact levels, which are highly dependent on distance.
26

27 The scenic resources included in the analyses were as follows:
28

- 29 • National Parks, National Monuments, National Recreation Areas, National
30 Preserves, National Wildlife Refuges, National Reserves, National
31 Conservation Areas, National Historic Sites;
32
- 33 • Congressionally authorized Wilderness Areas;
34
- 35 • Wilderness Study Areas;
36
- 37 • National Wild and Scenic Rivers;
38
- 39 • Congressionally authorized Wild and Scenic Study Rivers;
40
- 41 • National Scenic Trails and National Historic Trails;
42
- 43 • National Historic Landmarks and National Natural Landmarks;
44
- 45 • All-American Roads, National Scenic Byways, State Scenic Highways, and
46 BLM- and USFS-designated scenic highways/byways;



1
 2 **FIGURE 12.1.14.2-2 Overlay of Selected Sensitive Visual Resource Areas onto Combined 650-ft**
 3 **(198.1-m) and 24.6-ft (7.5-m) Viewsheds for the Proposed Afton SEZ**

- BLM-designated Special Recreation Management Areas; and
- ACECs designated because of outstanding scenic qualities.

Potential impacts on specific sensitive resource areas visible from and within 25 mi (40 km) of the proposed Afton SEZ are discussed below. The results of this analysis are also summarized in Table 12.1.14.2-1. Further discussion of impacts on these areas is available in Section 12.1.3 (Specially Designated Areas and Lands with Wilderness Characteristics) and Section 12.1.17 (Cultural Resources).

The following visual impact analysis describes *visual contrast levels* rather than *visual impact levels*. *Visual contrasts* are changes in the landscape as seen by viewers, including changes in the forms, lines, colors, and textures of objects seen in the landscape. A measure of *visual impact* includes potential human reactions to the visual contrasts arising from a development activity, based on viewer characteristics, including attitudes and values, expectations, and other characteristics that are viewer- and situation-specific. Accurate assessment of visual impacts requires knowledge of the potential types and numbers of viewers for a given development and their characteristics and expectations, specific locations from which the project might be viewed, and other variables that were not available or not feasible to incorporate in the PEIS analysis. These variables would be incorporated into a future site- and project-specific assessment that would be conducted for specific proposed utility-scale solar energy projects. For more discussion of visual contrasts and impacts, see Section 5.12.

National Monument

- *Prehistoric Trackways National Monument*. The Prehistoric Trackways National Monument covers about 5,255 acres (21.27 km²) and is 6.2 mi

GOOGLE EARTH™ VISUALIZATIONS

The visual impact analysis discussion in this section utilizes three-dimensional Google Earth™ perspective visualizations of hypothetical solar facilities placed within the SEZ. The visualizations include simplified wireframe models of a hypothetical solar power tower facility. The models were placed at various locations within the SEZ as visual aids for assessing the approximate size and viewing angle of utility-scale solar facilities. The visualizations are intended to show the apparent size, distance, and configuration of the SEZ, as well as the apparent size of a typical utility-scale solar power tower project and its relationship to the surrounding landscape, as viewed from potentially sensitive visual resource areas within the viewshed of the SEZ.

The visualizations are not intended to be realistic simulations of the actual appearance of the landscape or of proposed utility-scale solar energy projects. The placement of models within the SEZ did not reflect any actual planned or proposed projects within the SEZ, and did not take into account engineering or other constraints that would affect the siting or choice of facilities for this particular SEZ. The number of facility models placed in the SEZ does not reflect the 80% development scenario analyzed in the PEIS, but it should be noted that the discussion of expected visual contrast levels does account for the 80% development scenario. A solar power tower was chosen for the models because the unique height characteristics of power tower facilities make their visual impact potential extend beyond other solar technology types.

TABLE 12.1.14.2-1 Selected Potentially Affected Sensitive Visual Resources within 25-mi (40-km) Viewshed of the Proposed Afton SEZ, Assuming a Target Height of 650 ft (198.1 m)

Feature Type	Feature Name (Total Acreage/Highway Length ^a)	Feature Area or Linear Distance ^b		
		Visible within 5 mi	Visible between	
			5 and 15 mi	15 and 25 mi
National Monument	Prehistoric Trackways (5,255 acres)	0 acres	3,007 acres (57%)	0 acres
WSAs	Aden Lava Flow (25,978 acres ^a)	12,987 acres (50%)	12,581 acres (48%)	2 acres (0.008%)
	Las Uvas Mountains (11,084 acres)	0 acres	0 acres	903 acres (8%)
	Organ Mountains (7,186 acres)	0 acres	185 acres (3%)	3,676 acres (51%)
	Organ Needles (5,936 acres)	0 acres	546 acres 9%	1,803 acres (30%)
	Pena Blanca (4,648 acres)	0 acres	3,734 acres (80%)	4 acres (0.09%)
	Robledo Mountains (13,049 acres)	0 acres	2,617 acres (20%)	5 acres (0.04%)
	West Potrillo Mountains/Mt. Riley (159,323 acres)	0 acres	46,922 acres (30%)	6,029 acres (4%)
SRMAs	Aden Hills OHV Area (8,054 acres)	7,681 acres (95%)	0 acres	0 acres
	Dona Ana Mountain SRMA (8,345 acres)	0 acres	5,226 acres (63%)	154 acres (2%)
	Organ/Franklin Mountains RMZ (60,793 acres)	0 acres	35,708 acres (59%)	7,611 acres (13%)
ACECs designated for outstanding scenic values	Dona Ana Mountains (1,427 acres)	0 acres	747 acres (52%)	0 acres
	Organ Mountains/Franklin Mountains (58,512 acres)	0 acres	33,503 acres (57%)	7,598 acres (13%)
	Robledo Mountains (8,659 acres)	0 acres	1,976 acres (23%)	0 acres

TABLE 12.1.14.2-1 (Cont.)

Feature Type	Feature Name (Total Acreage/Highway Length ^a)	Feature Area or Linear Distance ^b		
		Visible within 5 mi	Visible between	
		5 and 15 mi	15 and 25 mi	
National Historic Landmark	Mesilla Plaza	Yes		
National Historic Trail	El Camino Real de Tierra Adentro	12.6 mi	24.7 mi	4.6 mi (within U.S.)
National Natural Landmark	Kilbourne Hole		Yes	
Scenic Byway	El Camino Real	14.9 mi	27.7 mi	9.8 mi

^a To convert acres to km², multiply by 0.004047. To convert miles to km, multiply by 1.609.


^b Percentage of total feature acreage or road length.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29

(10.0 km) away at the point of closest approach north of the SEZ. The monument was established in 2009 to conserve, protect, and enhance the unique and nationally important paleontological, scientific, educational, scenic, and recreational resources and values of the Robledo Mountains. It is located at an elevation of about 4,500 feet (1,372 m) and overlaps with the southern portion of the Robledo Mountains ACEC/WSA.

Within 25 mi (40 km), solar energy facilities within the SEZ could be visible from peaks, ridgelines, and portions of the south- and southwest-facing slopes within the national monument. Visible areas of the national monument within the 25-mi (40-km) radius of analysis total about 3,007 acres (12.17 km²) in the 650-ft (198.1-m) viewshed, or 57% of the total national monument acreage, and 2,421 acres (9.797 km²) in the 24.6-ft (7.5-m) viewshed, or 46% of the total national monument acreage. The visible area of the national monument extends to about 9.6 mi (15.5 km) from the point of closest approach at the northern boundary of the SEZ.

Figure 12.1.14.2-3 is a Google Earth visualization of the SEZ as seen from the end of an unpaved road atop a hill in the north-central portion of the national monument. The viewpoint is 8.4 mi (13.5 km) from the SEZ and elevated about 670 ft (204 m) above the SEZ. The visualization includes simplified wireframe models of a hypothetical solar power tower facility. The models were placed within the SEZ as a visual aid for assessing the approximate size and viewing angle of utility-scale solar facilities. The receiver towers depicted in the visualization are properly scaled models of a 459-ft (140-m) power tower with an 867-acre (3.5-km²) field of 12-ft (3.7-m) heliostats, each representing about 100 MW of electric generating capacity. Three groups of



1

2 **FIGURE 12.1.14.2-3 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from a Viewpoint in the North Central Portion of Prehistoric Trackways National Monument**

1 four models and three groups of two models were placed in the SEZ for this
2 and other visualizations shown in this section of the PEIS. In the visualization,
3 the SEZ area is depicted in orange, the heliostat fields in blue.
4

5 The visualization suggests that from this viewpoint, the SEZ would stretch
6 across most of the horizontal field of view. Picacho Mountain would screen
7 views of a small portion of the eastern part of the SEZ. The vertical angle of
8 view would be very low, reducing visual contrast somewhat. Solar facilities in
9 the SEZ would be seen in a narrow band just under the southern horizon. The
10 southern boundary of the SEZ is more than 20 mi (32 km) from the viewpoint.
11 The collector/reflector arrays of solar facilities in most parts of the SEZ would
12 be seen edge-on, which would greatly reduce their apparent size, conceal their
13 strong regular geometry, and repeat the line of the horizon, thus reducing
14 visual contrasts with the surrounding strongly horizontal landscape. However,
15 in the closest portions of the SEZ, the tops of the arrays could be visible, and
16 because the facilities would also be closer, they could cause substantially
17 stronger visual contrasts.
18


19 Taller ancillary facilities, such as buildings, transmission structures, and
20 cooling towers, and plumes (if present), would likely be visible projecting
21 above the collector/reflector arrays. The ancillary facilities could create form
22 and line contrasts with the strongly horizontal, regular, and repeating forms
23 and lines of the collector/reflector arrays.
24

25 Operating power towers in the southern portions of the SEZ would likely be
26 visible as distant points of light against the backdrop of the sky, but operating
27 power towers in the closest portions of the SEZ could be bright enough to
28 attract visual attention. Tower structures in the closest portions of the SEZ
29 could be visible to casual viewers. If more than 200 ft (61 m) tall, power
30 towers would have navigation warning lights that could potentially be visible
31 from this location at night. Other lighting associated with solar facilities could
32 be visible as well.
33

34 While the viewing angle is low, because solar facilities within the SEZ would
35 stretch across nearly the full field of view (under the 80% development
36 scenario analyzed in the PEIS), solar facilities within the SEZ would be
37 expected to cause strong visual contrast levels as seen from this viewpoint.
38

39 Figure 12.1.14.2-4 is a Google Earth visualization of the SEZ as seen from a
40 jeep trail on a high ridge in the northwest portion of the NM. The viewpoint is
41 8.8 mi (14.2 km) from the SEZ, and elevated about 750 ft (230 m) above the
42 SEZ.
43

44 The visualization suggests that contrast levels would be similar to those
45 observed from the view shown in Figure 12.1.14.2-3 above. From this
46 viewpoint, the SEZ would stretch across most of the horizontal field of view.



1


2 **FIGURE 12.1.14.2-4 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from a Viewpoint in the North Central Portion of Prehistoric Trackways National Monument**

1 Picacho Mountain would screen views of a small portion of the far eastern
2 part of the SEZ. The vertical angle of view would be very low, reducing visual
3 contrast somewhat. Solar facilities in the SEZ would be seen in a very narrow
4 band just under the southern horizon. The collector/reflector arrays of solar
5 facilities in most parts of the SEZ would be seen edge-on, which would
6 greatly reduce their apparent size, conceal their strong regular geometry, and
7 repeat the line of the horizon, thus reducing visual contrasts with the
8 surrounding strongly horizontal landscape. Operating power towers in the
9 southern portions of the SEZ would likely be visible as distant points of light
10 against the backdrop of the sky, but operating power towers in the closest
11 portions of the SEZ could be bright enough to attract visual attention, and
12 could be conspicuous at night if tall enough to require hazard warning
13 lighting. Tower structures in the closest portions of the SEZ could be visible
14 to casual viewers. While the viewing angle is low, because solar facilities
15 within the SEZ would stretch across nearly the full field of view (under the
16 80% development scenario analyzed in the PEIS), solar facilities within the
17 SEZ would be expected to cause strong visual contrast levels as seen from this
18 viewpoint.

19
20 Figure 12.1.14.2-5 is a Google Earth visualization of the SEZ as seen from
21 the same jeep trail discussed above, but on a somewhat lower ridge in the
22 southwestern portion of the national monument. The viewpoint is 7.5 mi
23 (12.1 km) from the SEZ and elevated about 440 ft (130 m) above the SEZ.

24
25 The visualization suggests that from this distance and orientation to the SEZ,
26 the SEZ would nearly fill the horizontal field of view. Contrast levels would
27 be generally similar to those observed from the other viewpoints in the
28 national monument discussed above; however, the viewpoint is closer to the
29 SEZ, so that it would appear slightly larger than it would from the other
30 viewpoints, but the vertical angle of view would be slightly lower, reducing
31 visual contrast this viewpoint, and compensating somewhat for the closer
32 distance.

33
34 Solar facilities in the SEZ would be seen in a very narrow band just under the
35 southern horizon. The collector/reflector arrays of solar facilities in most parts
36 of the SEZ would be seen edge-on, which would greatly reduce their apparent
37 size, conceal their strong regular geometry, and repeat the line of the horizon,
38 thus reducing visual contrasts with the surrounding strongly horizontal
39 landscape. Operating power towers in the southern portions of the SEZ would
40 likely be visible as distant points of light against the backdrop of the sky, but
41 operating power towers in the closest portions of the SEZ could be bright
42 enough to attract visual attention. Tower structures in the closest portions of
43 the SEZ could be visible to casual viewers. If more than 200 ft (61 m) tall,
44 power towers would have navigation warning lights that could potentially be
45 visible from this location at night. Other lighting associated with solar
46 facilities could be visible as well. While the viewing angle is low, because



1

FIGURE 12.1.14.2-5 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a Viewpoint in the Southern Portion of Prehistoric Trackways National Monument

1 solar facilities within the SEZ would stretch across nearly the full field of
2 view (under the 80% development scenario analyzed in the PEIS), solar
3 facilities within the SEZ would be expected to cause strong visual contrast
4 levels as seen from this viewpoint.
5

6 In summary, visual contrasts associated with solar facilities within the SEZ
7 would depend on viewer location in the national monument, the numbers,
8 types, sizes, and locations of solar facilities in the SEZ, and other project- and
9 site-specific factors. Most of the higher-elevation viewpoints in the national
10 monument would have slightly elevated and generally open views of solar
11 developments in the SEZ. Although viewing angles are low, because of the
12 moderate distance to the SEZ and the SEZ's large size, it would occupy
13 almost the entire horizontal field of view from many locations within the
14 national monument. For most higher-elevation viewpoints this would likely
15 result in strong visual contrast levels from solar facilities within the SEZ
16 under the 80% development scenario analyzed in the PEIS. Lower elevation
17 views from the national monument may be partially screened by landforms,
18 and partial visibility of the SEZ combined lower viewing angles would result
19 in lower levels of visual contrast at most viewpoints.
20

21 ***Wilderness Study Areas***

- 22 • *Aden Lava Flow.* Aden Lava Flow is a 25,978-acre (105.13-km²) wilderness
23 study area (WSA) 1.4 mi (2.3 km) south of the SEZ. According to the
24 Mimbres RMP, the area has significant scenic and geologic values as well
25 as interesting wildlife and wildlife features (BLM 1993).
26
27

28
29 Within 25 mi (40 km) of the SEZ, solar energy facilities within the SEZ
30 could be visible from most of the WSA (about 25,570 acres [103.48 km²] in
31 the 650-ft [198.1-m] viewshed, or 98% of the total WSA acreage, and
32 16,027 acres [64.859 km²] in the 25-ft [7.5-m] viewshed, or 62% of the total
33 WSA acreage). The visible area of the WSA extends from the point of closest
34 approach to 8.9 mi (14.3 km) from the southern boundary of the SEZ.
35

36 Solar facilities within the SEZ could be visible from almost the entire Aden
37 Lava Flow WSA, although from some portions of the WSA, facility visibility
38 would be limited to taller solar facilities because of screening by intervening
39 topography. Both the WSA and the SEZ are very flat, and at similar
40 elevations, so that there are open but low-angle views from the WSA to the
41 SEZ. Because of the close proximity of the WSA to the SEZ, the SEZ would
42 generally be too large to be encompassed in one view, and viewers would
43 need to turn their heads to scan across the whole SEZ.
44

1 Figure 12.1.14.2-6 is a Google Earth visualization of the SEZ as seen from a
2 point in the far northwestern portion of the WSA, about 1.9 mi (3.1 km) south
3 of the SEZ, and near the point of closest approach of the WSA to the SEZ.
4

5 As shown in the visualization, because the viewpoint and the SEZ are at
6 essentially the same elevation, the vertical angle of view is extremely low.
7 Collector/reflector arrays for solar facilities within the SEZ would be seen
8 edge-on, which would reduce their apparent size, conceal the arrays' strong
9 regular geometry, and would also cause them to appear to repeat the strong
10 line of the horizon, tending to reduce visual contrast. However, ancillary
11 facilities, such as buildings, cooling towers, transmission towers, and other
12 structures, as well as any plumes would likely be plainly visible, and their
13 forms, lines, and movement (for plumes) projecting above the strong
14 horizontal line of the collector/reflector arrays could attract visual attention,
15 particularly if located in the closest portions of the SEZ.
16

17 Operating power tower receivers within the closest portions of the SEZ would
18 likely appear as brilliant, non-point (i.e. having visible cylindrical or
19 rectangular surfaces) light sources atop plainly visible tower structures,
20 projecting over the tops of the mountains north and east of the SEZ, and they
21 could strongly attract visual attention. Power tower receivers in the more
22 distant northern and northeastern portions of the SEZ would have substantially
23 lower levels of impact. If sufficiently tall, the towers would have red flashing
24 lights, or white or red flashing strobe lights that could be visually conspicuous
25 in the area's typically dark night sky conditions, although other lights would
26 likely be visible in surrounding areas. Other lighting associated with solar
27 facilities would likely be visible as well.
28

29 Under the 80% development scenario analyzed in this PEIS, there could be
30 numerous solar facilities within the SEZ, with a variety of technologies
31 employed, and a range of supporting facilities that would contribute to visual
32 impacts, such as transmission towers and lines, substations, power block
33 components, and roads. The resulting visually complex landscape would be
34 essentially industrial in appearance and would contrast greatly with the
35 surrounding generally natural-appearing landscape. Under the PEIS
36 development scenario, solar facilities within the SEZ could dominate the view
37 from this location and would be expected to create strong visual contrasts as
38 viewed from this location within the WSA.
39

40 Figure 12.1.14.2-7 is a Google Earth visualization of the SEZ as seen from
41 near the peak of a volcanic cone in the southeastern portion of the WSA,
42 about 5.5 mi (8.8 km) south of the SEZ. The closest power tower in the
43 visualization is about 8.8 mi (14.2 km) from the viewpoint.
44


45 The viewpoint in the visualization is about 230 ft (70 m) higher in elevation
46 than the nearest portion of the SEZ, but at about 5.5 mi (8.8 km) from the



1

2 **FIGURE 12.1.14.2-6 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from Viewpoint in Northwestern Portion of Aden Lava Flow WSA**

4



1

2 **FIGURE 12.1.14.2-7 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from Viewpoint in Southeastern Portion of Aden Lava Flow WSA**
4

1 SEZ, the vertical angle of view is still very low. Collector/reflector arrays for
2 solar facilities within the SEZ would be seen edge-on, reducing their apparent
3 size, conceal the arrays' strong regular geometry, and causing them to appear
4 to repeat the strong line of the horizon, tending to reduce visual contrast.
5

6 Taller ancillary facilities, such as buildings, transmission structures, and
7 cooling towers, and plumes (if present), would likely be visible projecting
8 above the collector/reflector arrays, and their structural details could be
9 evident at least for nearby facilities. The ancillary facilities could create form
10 and line contrasts with the strongly horizontal, regular, and repeating forms
11 and lines of the collector/reflector arrays. Color and texture contrasts would
12 also be likely, but their extent would depend on the materials and surface
13 treatments utilized in the facilities.
14

15 Operating power tower receivers within the closest portions of the SEZ
16 would likely appear as very bright, non-point light sources atop visible
17 tower structures, against the backdrop of the mountains north and east of
18 the SEZ or onto a sky backdrop. Power tower receivers in the more distant
19 northern portions of the SEZ would have lower levels of impact. At night, if
20 sufficiently tall, the towers would have red flashing lights, or white or red
21 flashing strobe lights that would likely be visible, but there could be other
22 lights visible in the SEZ area. Other lighting associated with solar facilities
23 could be visible as well.
24

25 This viewpoint is farther from the SEZ than that shown in Figure 12.1.14.2-6.
26 However, since the SEZ would occupy so much of the horizontal field of
27 view, strong visual contrasts from solar energy development within the SEZ
28 would be expected at this viewpoint under favorable viewing conditions. The
29 actual level of contrast would depend on project location within the SEZ, the
30 types of solar facilities and their designs, and other visibility factors.
31

32 From some viewpoints in the WSA, generally within the southeastern portion
33 or on the southwest sides of the hills within the WSA, topographic screening
34 would limit visibility of solar facilities within the SEZ to the upper portions of
35 transmission towers, power towers, and other tall facility components. These
36 viewpoints would be subject to lower levels of visual contrast, generally in the
37 weak to moderate range, than locations with more open views of the SEZ.
38

39 In summary, the WSA is very close to the proposed SEZ. Because the WSA
40 and SEZ are very flat, there is generally little screening by topography
41 between the WSA and SEZ, so that locations within the WSA would have
42 open views of the SEZ. Although the vertical angle of view is low, the SEZ is
43 so large that viewed from the nearby WSA, it would stretch across much of
44 the horizon, resulting in strong visual contrast for most locations within the
45 WSA.
46

- 1 • *Las Uvas Mountains.* The Las Uvas Mountains WSA is an 11,084-acre
2 (44.855-km²) WSA located 20.7 mi (33.3 km) northwest of the SEZ. Within
3 25 mi (40 km) of the SEZ, solar energy facilities within the SEZ could be
4 visible from the southeastern portions of the WSA (about 903 acres [3.7 km²]
5 in the 650-ft [198.1-m] viewshed, or 8% of the total WA acreage, and
6 642 acres [2.60 km²] in the 25-ft [7.5-m] viewshed, or 6% of the total WA
7 acreage). The visible area of the WSA extends to 24 mi (39 km) from the
8 northwestern boundary of the SEZ.
9

10 Limited portions of the SEZ are visible from scattered high-elevation areas
11 within the southeastern portion of Las Uvas Mountains WA near Chivatots and
12 Road Canyons. Mountains southeast of the SEZ screen most of the SEZ from
13 view at these viewpoints. With the extensive screening, and at distances
14 beyond 20 mi (32 km) from the SEZ, low-height solar facilities within the
15 SEZ would likely be inconspicuous, but unscreened operating power towers
16 could be visible as distant points of light against a backdrop of sky or the very
17 distant Organ Mountains. At night, if the towers were sufficiently tall, they
18 would have red flashing lights or white or red flashing strobe lights that would
19 likely be visible, but there could be other lights visible in the SEZ area. Under
20 the 80% development scenario analyzed in the PEIS, solar facilities within the
21 SEZ would be expected to create weak levels of visual contrast as seen from
22 viewpoints within the Las Uvas Mountains WSA.
23

- 24 • *Organ Mountains.* Organ Mountains is a 7,186-acre (29.08-km²) WSA
25 located 15 mi (24 km) northeast of the SEZ at the point of closest approach.
26 The Organ Mountains are renowned for their many scenic attractions,
27 including steep-sided crevices, canyons, spires, and a number of perennial
28 springs. During the summer, the hills are carpeted with bright green grasses.
29 The many recreational opportunities in the Organ Mountains include hiking,
30 backpacking, horseback riding, and wildlife observation. The Organ
31 Mountains area also is an internationally famous destination for rock
32 climbing. Visitation is heavy, particularly in fall and spring.
33

34 Within 25 mi (40 km), solar energy facilities within the SEZ could be visible
35 from portions of the western and southern slopes of the mountains within the
36 WSA. Visible areas of the WSA within the 25-mi (40-km) radius of analysis
37 total about 3,861 acres (15.63 km²) in the 650-ft (198.1-m) viewshed, or 54%
38 of the total WSA acreage, and 3,842 acres (15.55 km²) in the 24.6-ft (7.5-m)
39 viewshed, or 54% of the total WSA acreage. The visible area of the WSA
40 extends to about 18 mi (30 km) from the point of closest approach at the
41 northeast boundary of the SEZ.
42

43 Except for the lowest elevations on the western bajadas of the Organ
44 Mountains, viewpoints within the WSA on the west- and southwest-facing
45 slopes of the Organ Mountains would have elevated and unobstructed views
46 of the SEZ. Solar facilities within the SEZ would be plainly visible across Las

1 Cruces and surrounding communities in the Mesilla Valley. It should be noted
2 that the Mesilla Valley is an urbanized and visually cluttered landscape that
3 would be prominent in views of the SEZ from the WSA, both during the day
4 and at night.
5


6 Figure 12.1.14.2-8 is a Google Earth visualization of the SEZ (highlighted in
7 orange) as seen from the upper slopes of Baylor Peak in the northern portion
8 of the WSA, about 17.8 mi (28.6 km) from the northeast corner of the SEZ.
9 The viewpoint is elevated about 3,500 ft (1,070 m) with respect to the SEZ.
10

11 The visualization shows that despite the nearly 18-mi (29-km) distance to the
12 SEZ from this viewpoint, the SEZ fills most of the horizontal field of view.
13 However, the vertical angle of view is relatively low, and solar facilities
14 within the SEZ would appear in a narrow band on the plateau beyond the
15 Mesilla Valley to the southwest.
16

17 The collector/reflector arrays of solar facilities within the SEZ would be seen
18 nearly edge-on, which would reduce their apparent size, and they would
19 repeat the line of the horizon in the strongly horizontal landscape, which
20 would tend to reduce visual contrasts from the arrays. Taller solar facility
21 components such as transmission towers would likely be visible if located
22 in the closer portions of the SEZ, but they would not be expected to be
23 prominent. Operating power towers in the SEZ would likely be visible as
24 points of light against the backdrop of West Mesa, but at 18+ mi (29+ km),
25 the tower structures might not be visible. At night, if sufficiently tall, the
26 towers would have red flashing lights, or white or red flashing strobe lights
27 that would likely be visible, but they would be seen across the brightly lit
28 skies over the urbanized Mesilla Valley. Depending on solar facility location
29 within the SEZ, the types of solar facilities and their designs, and other
30 visibility factors, moderate to strong visual contrasts from solar energy
31 development within the SEZ would be expected at this location.
32


33 Figure 12.1.14.2-9 is a Google Earth visualization of the SEZ as seen from the
34 far western border of the WSA just east of Baylor Canyon Road, and at a
35 much lower elevation than Baylor Peak. The viewpoint is 15 mi (24 km) from
36 the SEZ, and elevated about 750 ft (230 m) above the SEZ.
37

38 The visualization suggests that from this viewpoint, topographic screening of
39 the viewpoint by the bajada slope south would screen much of the southern
40 portion of the SEZ from view. At 15 mi (24 km) from the SEZ, but at a much
41 lower elevation than the previously described viewpoint, the angle of view
42 would be very low, and the collector/reflector arrays of solar facilities in the
43 visible portion of the SEZ would be seen edge on, which would reduce
44 associated visual contrast levels. Operating power towers in the SEZ would
45 likely be visible as points of light against the backdrop of sky or the
46 mountains southwest of the SEZ. At 15 mi (24 km), tower structures would



1

FIGURE 12.1.14.2-8 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from Viewpoint on Baylor Peak within Organ Mountains WSA



1

FIGURE 12.1.14.2-9 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from Viewpoint near Baylor Canyon Road within Organ Mountains WSA

1 likely be visible but not noticeable to casual viewers. If more than 200 ft
2 (61 m) tall, power towers would have navigation warning lights that could
3 potentially be visible from this location at night. Primarily because of
4 screening of the SEZ and the low vertical angle of view at this viewpoint,
5 solar facilities within the SEZ would be expected to cause weak visual
6 contrast levels.


7
8 In summary, most of the higher-elevation viewpoints on the western side
9 of the Organ Mountains would have elevated and open views of solar
10 developments in the SEZ. Despite the long distance to the SEZ, because of
11 the SEZ's large size, it would occupy most of the horizontal field of view,
12 resulting in moderate to strong visual contrast levels from solar facilities
13 within the SEZ under the 80% development scenario analyzed in the PEIS.
14 Lower elevation views from the WSA may be partially screened by
15 landforms, and partial visibility of the SEZ combined with long distance
16 and low viewing angles would result in lower levels of visual contrast at
17 most viewpoints.

- 18
19 • *Organ Needles*. Organ Needles is a 5,936-acre (24.02-km²) WSA located
20 13 mi (21 km) northeast of the SEZ at the point of closest approach.
21 According to the 1993 Mimbres RMP (BLM 1993), the scenic values of
22 this portion of the Organ Mountains are outstanding. Visitation to the area
23 is heavy, particularly in the spring and fall, but is concentrated on the
24 developed trails.

25
26 Within 25 mi (40 km), solar energy facilities within the SEZ could be visible
27 from the western portion of the WSA. Visible areas of the WSA within the
28 25-mi (40-km) radius of analysis total about 2,349 acres (9.506 km²) in the
29 650-ft (198.1-m) viewshed, or 40% of the total WSA acreage, and 2,333 acres
30 (9.441 km²) in the 24.6-ft (7.5-m) viewshed, or 39% of the total WSA
31 acreage. The visible area of the WSA extends to about 17 mi (28 km) from the
32 northeastern boundary of the SEZ.

33
34 The Organ Needles WSA is adjacent to the Organ Mountains WSA (see
35 above) and has similar topography. Therefore, the visual contrast levels
36 observed from viewpoints in the Organ Needles WSA would be expected to
37 be generally similar to those observed at similarly situated viewpoints within
38 the Organ Mountain WSA (i.e., moderate to strong contrast at higher elevation
39 viewpoints with open views to the SEZ, and lower contrast levels at lower
40 elevation viewpoints at the base of the Organ Mountains). Solar facilities
41 within the SEZ would be visible across Las Cruces and surrounding
42 communities in the Mesilla Valley, an urbanized and visually cluttered
43 landscape.

44
45 Figure 12.1.14.2-10 is a Google Earth visualization of the SEZ as seen from
46 an unpaved road near Modoc Mine just north of Fillmore Canyon near the



1

2

3

FIGURE 12.1.14.2-10 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from Viewpoint near Modoc Mine in Organ Needles WSA


1 southern border of the WSA. The viewpoint is 16 mi (26 km) from the SEZ
2 and elevated about 2,000 ft (610 m) above the SEZ.
3

4 The visualization suggests that from this viewpoint, the SEZ would stretch
5 across much of the horizontal field of view, although the far southern portion
6 of the SEZ would be screened by mountains relatively close to the viewpoint.
7 Because of the long distance to the SEZ and despite the elevation difference
8 between the viewpoint and the SEZ, the vertical angle of view is low,
9 reducing visual contrast somewhat. Solar facilities in the SEZ would be seen
10 in a narrow band just under the mountains on the western horizon. Operating
11 power towers in the SEZ would likely be visible as points of light against the
12 backdrop of West Mesa. At 14mi (23.0 km), tower structures would likely be
13 visible but not noticeable to casual viewers. At night, if sufficiently tall, the
14 towers would have red flashing lights, or white or red flashing strobe lights
15 that would likely be visible, but would be seen across the brightly lit skies
16 over the urbanized Mesilla Valley. Other lighting associated with solar
17 facilities could be visible as well. Under the 80% development scenario
18 analyzed in the PEIS solar facilities within the SEZ would be expected to
19 cause strong visual contrast levels as seen from this viewpoint.
20

21 Figure 12.1.14.2-11 is a Google Earth visualization of the SEZ as seen from
22 Dripping Springs Road in the far southwestern portion of the WSA, and at a
23 lower elevation than the Modoc Mine Viewpoint. The viewpoint is 14 mi
24 (23 km) from the SEZ and elevated about 1,100 ft (340 m) above the SEZ.
25 Dripping Springs Road is an access route to the scenic and heavily visited
26 Dripping Springs area on the southern border of the WSA.
27

28 The visualization suggests that from this portion of Drippings Springs Road,
29 the SEZ would stretch across much of the horizontal field of view, despite
30 some screening of the far southern portions of the SEZ. Because of the long
31 distance to the SEZ, the vertical angle of view is very low, reducing visual
32 contrast. Solar facilities in the SEZ would be seen in a narrow band just under
33 the mountains on the western horizon. Operating power towers in the SEZ
34 would likely be visible as points of light against the backdrop of West Mesa
35 or the mountains southwest of the SEZ. At 14 mi (23.0 km), tower structures
36 would likely be visible but not noticed by casual viewers. At night, if
37 sufficiently tall, the towers would have red flashing lights, or white or red
38 flashing strobe lights that would likely be visible, but they would be seen
39 across the brightly lit skies over the urbanized Mesilla Valley. Other lighting
40 associated with solar facilities could be visible as well. Under the 80%
41 development scenario analyzed in the PEIS, solar facilities within the SEZ
42 would be expected to cause moderate to strong visual contrast levels as seen
43 from this viewpoint.
44

45 In summary, many of the higher-elevation viewpoints on the western side of
46 the Organ Mountains within the Organ Needles WSA would have elevated



1

2 **FIGURE 12.1.14.2-11 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from Viewpoint on Dripping Springs Road Adjacent to Organ Needles WSA**

4

1 and open views of solar developments in the SEZ. Despite the long distance
2 to the SEZ, because of the SEZ's large size, it would occupy most of the
3 horizontal field of view, resulting in moderate to strong visual contrast levels
4 from solar facilities within the SEZ under the 80% development scenario
5 analyzed in the PEIS. Lower-elevation views from the WSA may be partially
6 screened by landforms, and partial visibility of the SEZ combined with long
7 distance and low viewing angles would result in lower levels of visual contrast
8 at most, but not all, viewpoints.

- 9
- 10 • *Pena Blanca*. Pena Blanca is a 4,648-acre (18.81 km²) WSA located 13 mi
11 (21 km) east of the SEZ at the point of closest approach. According to the
12 1993 Mimbres RMP (BLM 1993), the scenic values of this portion of the
13 Organ Mountains are outstanding. The WSA provides opportunities for
14 primitive and unconfined types of recreation, including hiking, camping,
15 backpacking, hunting, sightseeing, photography, and wildlife observation.

16

17 Within 25 mi (40 km), solar energy facilities within the SEZ could be visible
18 from the west-facing mountains of the WSA. Visible areas of the WSA within
19 the 25-mi (40-km) radius of analysis total about 3,738 acres (15.13 km²) in
20 the 650-ft (198.1-m) viewshed, or 80% of the total WSA acreage, and
21 3,698 acres (14.97 km²) in the 24.6-ft (7.5-m) viewshed, or 80% of the total
22 WSA acreage. The visible area of the WSA extends about 15 mi (24 km)
23 from the northeastern boundary of the SEZ.

24


25 The SEZ would be in full view in much of the Pena Blanca WSA. Visual
26 contrasts for these viewpoints would be similar to or slightly greater than
27 those described above for the Organ Mountains and Organ Needles WSAs,
28 because those WSAs are similar in topography to, and located just north of,
29 Pena Blanca WSA. For viewpoints within Pena Blanca WSA, the SEZ would
30 occupy most of the horizontal field of view; the vertical angle of view would
31 be low, but because of the large size of the SEZ, moderate to strong visual
32 contrasts would be expected for high-elevation viewpoints with unobstructed
33 views of the SEZ.

34

35 Low-elevation viewpoints within the WSA would be less subject to screening
36 than low elevation viewpoints in the Organ Mountains and Needles WSAs.
37 Figure 12.1.14.2-12 is a Google Earth visualization of the SEZ as seen from
38 an unpaved road in the Indian Caves area in the far southwestern portion of
39 the WSA. The viewpoint is located about 10 mi (16 km) from the SEZ, and it
40 is about 500 ft (150 m) higher in elevation than the SEZ.

41

42 The visualization suggests that from this viewpoint, the SEZ would stretch
43 across nearly the entire horizontal field of view, although the vertical angle of
44 view would be very low. Solar facilities within the SEZ would appear in a thin
45 band just under the mountains to the southwest of the SEZ. Collector/reflector
46 arrays of solar facilities within the SEZ would be seen edge-on and would



1

FIGURE 12.1.14.2-12 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from Viewpoint within Pena Blanca WSA

1 appear as thin lines, greatly reducing their apparent size. Ancillary facilities,
2 such as buildings, transmission components, cooling towers, and other
3 features, as well as plumes (if present), would likely be visible above the
4 collector/reflector arrays. Their forms, colors, and lines would contrast with
5 the strongly horizontal arrays, but they would not be expected to be visually
6 prominent at distances exceeding 10 mi (16 km). Operating power towers in
7 the SEZ would likely be visible as points of light against the backdrop of the
8 sky or the mountains southwest of the SEZ. At night, if sufficiently tall, the
9 towers would have red flashing lights, or white or red flashing strobe lights
10 that would likely be visible, but they would be seen across the brightly lit
11 skies over the urbanized Mesilla Valley. Under the 80% development scenario
12 analyzed in the PEIS, solar facilities within the SEZ would be expected to
13 cause moderate to strong visual contrast levels as seen from this viewpoint.
14


15 In summary, many of the higher-elevation viewpoints on the western side of
16 the Organ Mountains within the Pena Blanca WSA would have elevated and
17 open views of solar developments in the SEZ. Because of the SEZ's large
18 size, it would occupy most of the horizontal field of view, resulting in
19 moderate to strong visual contrast levels from solar facilities within the SEZ
20 under the 80% development scenario analyzed in the PEIS. Lower-elevation
21 views from the WSA could be partially screened by landforms, but most
22 viewpoints would have open views of the SEZ, and despite the low viewing
23 angles, would likely be subject to moderate to strong visual contrasts from
24 solar facilities in the SEZ.
25

- 26 • *Robledo Mountains.* Robledo Mountains is a 13,049-acre (52.807-km²) WSA
27 located 8.3 mi (13.4 km) north of the SEZ at the point of closest approach.
28

29 Within 25 mi (40 km), solar energy facilities within the SEZ could be visible
30 from peaks and south-facing slopes of the Robledo Mountains in the WSA,
31 primarily in the central portions of the WSA, but to a lesser extent in the
32 southern portions as well. Visible areas of the WSA within the 25-mi (40-km)
33 radius of analysis total about 2,622 acres (10.6 km²) in the 650-ft (198.1-m)
34 viewshed, or 20% of the total WSA acreage, and 2,007 acres (8.1 km²) in the
35 24.6-ft (7.5-m) viewshed, or 15% of the total WSA acreage. The visible area
36 of the WSA extends to about 14 mi (23 km) from the northern boundary of
37 the SEZ.
38

39 Figure 12.1.14.2-13 is a Google Earth visualization of the SEZ as seen from
40 the end of an unpaved road atop a hill in the far southern portion of the WSA.
41 The viewpoint is near the point of closest approach of the WSA to the SEZ.
42 The viewpoint is 8.4 mi (13.5 km) from the SEZ and is elevated about 670 ft
43 (204 m) above the SEZ.
44

45 The visualization suggests that from this viewpoint, the SEZ would stretch
46 across most of the horizontal field of view. Picacho Mountain would screen



1

2 **FIGURE 12.1.14.2-13 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from a Viewpoint in Far Southern Portion of Robledo Mountains WSA**


1 views of a small portion of the eastern part of the SEZ. The vertical angle of
2 view would be very low, reducing visual contrast somewhat. Solar facilities in
3 the SEZ would be seen in a narrow band just under the southern horizon. The
4 southern boundary of the SEZ is more than 20 mi (32 km) from the viewpoint.
5 The collector/reflector arrays of solar facilities in most parts of the proposed
6 SEZ would be seen edge-on, which would greatly reduce their apparent size,
7 conceal their strong regular geometry, and repeat the line of the horizon.
8 This would reduce visual contrasts with the surrounding strongly horizontal
9 landscape. However, in the closest portions of the SEZ, the tops of the arrays
10 could be visible, and because the facilities would also be closer, they could
11 cause substantially stronger visual contrasts. Operating power towers in the
12 southern portions of the SEZ would likely be visible as distant points of light
13 against the backdrop of the sky, but operating power towers in the closest
14 portions of the SEZ could be bright enough to attract visual attention. Tower
15 structures in the closest portions of the SEZ could be visible to casual viewers.
16 If more than 200 ft (61 m) tall, power towers would have navigation warning
17 lights that could potentially be visible from this location at night. Other
18 lighting associated with solar facilities could be visible as well.

19
20 While the viewing angle is low, because solar facilities within the proposed
21 SEZ would stretch across nearly the full field of view, under the 80%
22 development scenario analyzed in the PEIS, solar facilities within the SEZ
23 would be expected to cause strong visual contrast levels as seen from this
24 viewpoint.

25
26 Figure 12.1.14.2-14 is a Google Earth visualization of the SEZ as seen from
27 the end of a jeep trail atop a high mountain ridge in the west-central portion of
28 the WSA. The viewpoint is near the point of closest approach of the WSA to
29 the SEZ. The viewpoint is 12 mi (19 km) from the SEZ and is elevated about
30 1,500 ft (460 m) above the SEZ.

31
32 In general, the appearance of solar facilities within the SEZ would be similar
33 in nature to, but with somewhat lower levels of visual contrast than, the
34 viewpoint for the visualization shown in Figure 12.1.14.2-10. The increased
35 distance to this viewpoint is offset by the increased elevation with respect to
36 the SEZ, so that the vertical angle of view would be slightly higher for this
37 viewpoint. The SEZ would stretch across much of the horizontal field of view.

38
39 Solar facilities in the SEZ would be seen in a narrow band just under the
40 southern horizon. The southern boundary of the SEZ is almost 24 mi (39 km)
41 from the viewpoint. The collector/reflector arrays of solar facilities in most
42 parts of the SEZ would be seen edge-on, which would reduce their apparent
43 size, conceal their strong regular geometry, and repeat the line of the horizon,
44 thus reducing visual contrasts with the surrounding strongly horizontal
45 landscape. However, the tops of the arrays could be visible for facilities closer
46 to the viewpoint, and they could cause stronger visual contrasts. Taller solar



1

FIGURE 12.1.14.2-14 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a Viewpoint in the West-Central Portion of Robledo Mountains WSA

1 facility components could be visible, depending on lighting, but might not be
2 noticed by casual observers.

3
4 Operating power towers in the southern portions of the SEZ would likely be
5 visible as distant points of light against the backdrop of the sky, but operating
6 power towers in the closest portions of the SEZ could be bright enough to
7 attract visual attention during the day and, if more than 200 ft (61 m) tall,
8 would have navigation warning lights at night that would likely be visible
9 from this location. Tower structures in the closest portions of the SEZ could be
10 visible but might not be noticed by casual viewers.

11
12 While the viewing angle is low, because solar facilities within the SEZ would
13 stretch across most of the horizontal field of view under the 80% development
14 scenario analyzed in the PEIS, solar facilities within the SEZ would be
15 expected to cause strong visual contrast levels as seen from this viewpoint.


16
17 Lower levels of visual contrast than those described above would be likely for
18 lower elevation viewpoints, which would be subject to screening by
19 intervening terrain, and for viewpoints the far northern portions of the WSA,
20 which would be more distant from the SEZ.

21
22 In summary, many of the viewpoints on the peaks and south-facing slopes of
23 the WSA would have elevated and open views of solar developments in the
24 SEZ. Because of the SEZ's large size, it would occupy most of the horizontal
25 field of view, and under the 80% development scenario analyzed in the PEIS,
26 solar facilities within the SEZ would be likely to present strong visual contrast
27 levels to viewers at these and similar locations within the WSA. It should be
28 noted that some areas within the WSA could also have views of solar facilities
29 within the Mason Draw SEZ, which could increase the perceived visual
30 impacts associated with solar energy development in the landscape setting.

- 31
32 • *West Potrillo Mountains/Mt. Riley.* West Potrillo Mountains/Mt. Riley is a
33 159,323-acre (644.8-km²) WSA located 5.7 mi (9.2 km) southwest of the SEZ
34 at the point of closest approach.

35
36 Within 25 mi (40 km), solar energy facilities within the SEZ could be visible
37 primarily from the northeastern portion of the WSA. Visible areas of the
38 WSA within the 25-mi (40-km) radius of analysis total about 52,951 acres
39 (214.29 km²) in the 650-ft (198.1-m) viewshed, or 33% of the total WSA
40 acreage, and 37,662 acres (152.41 km²) in the 24.6-ft (7.5-m) viewshed, or
41 24% of the total WSA acreage. The visible area of the WSA extends to about
42 23 mi (37 km) from the western boundary of the SEZ.

43
44 Figure 12.1.14.2-15 is a Google Earth visualization of the SEZ as seen from
45 the summit of Riley Mountain in the far eastern portion of the WSA. The
46 viewpoint is about 14 mi (23 km) south of the southwestern corner of the



1

2 **FIGURE 12.1.14.2-15 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from Mt. Riley in the West Potrillo Mountains/Mt. Riley WSA**
4

1 western portion of the SEZ. The viewpoint is elevated about 1,700 ft (520 m)
2 above the SEZ.


3
4 The visualization suggests that from viewpoint, the SEZ would stretch across
5 most of the horizontal field of view, with solar facilities within the Mason
6 Draw SEZ potentially visible in the distance west of the proposed Afton SEZ.
7 The vertical angle of view would be very low, reducing visual contrast
8 somewhat. Solar facilities in the SEZ would be seen in a narrow band in the
9 vast plain that contains the SEZ. The collector/reflector arrays of solar
10 facilities in the SEZ would be seen edge-on, or nearly so, which would greatly
11 reduce their apparent size, conceal their strong regular geometry, and repeat
12 the line of the horizon, thus reducing visual contrasts with the surrounding
13 strongly horizontal landscape. Taller solar facility components, such as
14 transmission towers, could be visible as well.

15
16 Operating power towers in the northern portions of the SEZ would likely be
17 visible as distant points of light against the backdrop of the sky, but operating
18 power towers in the closest portions of the SEZ could be substantially
19 brighter. Tower structures in the closest portions of the SEZ could be visible,
20 but would not likely be noticed by casual viewers. At night, if sufficiently tall,
21 the towers would have red flashing lights, or white or red flashing strobe
22 lights that would likely be visible, but there would be other lights visible in
23 the SEZ area. Other lighting associated with solar facilities could be visible as
24 well.

25
26 While the viewing angle is very low, because solar facilities within the SEZ
27 would stretch across nearly the full field of view under the 80% development
28 scenario analyzed in the PEIS, solar facilities within the SEZ would be
29 expected to cause strong visual contrast levels from this viewpoint.

30
31 Figure 12.1.14.2-16 is a Google Earth visualization of the SEZ as seen from
32 the summit of a volcanic cone in the far northern portion of the WSA. The
33 viewpoint is about 10 mi (16 km) west-southwest of the far southwestern
34 corner of the SEZ. The viewpoint is elevated about 1,250 ft (380 m) above
35 the SEZ.

36
37 The visualization suggests that from viewpoint, the SEZ would stretch across
38 most of the horizontal field of view, with solar facilities within the proposed
39 Mason Draw SEZ potentially visible in the distance west of the proposed
40 Afton SEZ, but likely out of the immediate field of view for viewers looking
41 directly toward the proposed Afton SEZ. The vertical angle of view would be
42 very low, reducing visual contrast substantially. Solar facilities in the SEZ
43 would be seen in a very narrow band in the vast plain that contains the SEZ.
44 The collector/reflector arrays of solar facilities in the SEZ would be seen
45 edge-on, or nearly so, which would greatly reduce their apparent size, conceal
46 their strong regular geometry, and repeat the line of the horizon, thus reducing



1

2 **FIGURE 12.1.14.2-16 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from Unnamed Hill in the Northern Portion of West Potrillo Mountains WSA**
4

1 visual contrasts with the surrounding strongly horizontal landscape. Operating
2 power towers in the northern portions of the SEZ would likely be visible as
3 distant points of light under the Organ Mountains east of the SEZ, but
4 operating power towers in the closest portions of the SEZ could be
5 substantially brighter. Tower structures in the closest portions of the SEZ
6 would likely be visible and might be noticed by casual viewers. At night, if
7 sufficiently tall, the towers would have red flashing lights, or white or red
8 flashing strobe lights that would likely be visible, but there would be other
9 lights visible in the SEZ area. Other lighting associated with solar facilities
10 could be visible as well.

11
12 The viewing angle is very low, but because solar facilities within the SEZ
13 would stretch across most of the field of view under the 80% development
14 scenario analyzed in the PEIS, solar facilities within the SEZ would be
15 expected to cause moderate to strong visual contrast levels as seen from this
16 viewpoint.

17
18 Lower levels of visual contrast than those described above would be likely for
19 viewpoints at lower elevation, which would be subject to screening by
20 intervening terrain, and for viewpoints in the southwestern portions of WSA,
21 which would be more distant from the SEZ.

22
23 In summary, many of the higher-elevation viewpoints in the northeastern
24 portion of the WSA would have open views of solar developments in the SEZ.
25 Because of the SEZ's large size, it would occupy most of the horizontal field
26 of view, and under the 80% development scenario analyzed in the PEIS, solar
27 facilities within the SEZ would be likely to present moderate to strong visual
28 contrast levels to viewers at these and similar locations within the WSA. It
29 should be noted that some areas within the WSA could also have views of
30 solar facilities within the Mason Draw SEZ, which could increase the
31 perceived visual impacts associated with solar energy development in the
32 landscape setting.

33 34 35 ***Special Recreation Management Areas***

- 36
37 • *Aden Hills*. The 8,054-acre (32.59-km²) Aden Hills SRMA is designated for
38 OHV use adjacent to the western boundary of the SEZ. Annual usage is
39 estimated at 10,000 visitors. About 7,680 acres (31.08 km²), or 95% of the
40 SRMA, are within the 650-ft (198.1-m) viewshed of the SEZ, and 7,044 acres
41 (28.51 km²), or 88% of the SRMA, are within the 24.6-ft (7.5-m) viewshed.
42 The portion of the SRMA within the viewshed extend to beyond 4.6 mi
43 (7.4 km) from the SEZ.

44
45 Almost the entire SRMA has unobstructed views of the SEZ, although there
46 are some depressions where at least partial screening of the SEZ might occur,


1 and some of the far western portions of the SRMA are screened by the Aden
2 Hills. In general, however, visitors to the SRMA would have solar facilities
3 within the SEZ in plain view to the east and would be within the BLM
4 VRM Program's foreground-midground distance of 3 to 5 mi (5 to 8 km).
5 Furthermore, the proposed Mason Draw SEZ is located only 2.4 mi (3.9 km)
6 north of the northernmost point in the SRMA and is visible from most of the
7 SRMA. Therefore, if solar facilities were built within the Mason Draw SEZ,
8 they could potentially add substantially to the visual impacts associated with
9 development in the proposed Afton SEZ. This would be more likely for the
10 highest elevation viewpoints within the SRMA.

11
12 Figure 12.1.14.2-17 is a Google Earth visualization of the SEZ as seen from a
13 remnant road in the far northeastern portion of the SRMA. The viewpoint is
14 about 0.4 mi (0.6 km) west of the western boundary of the SEZ's northwest
15 corner. The viewpoint is at about the same elevation as nearby portions of
16 the SEZ.

17
18 The visualization suggests that from this very short distance to the SEZ, the
19 SEZ is far too large to be encompassed in one view, and viewers would need
20 to turn their heads to scan across the whole visible portion of the SEZ. Two
21 individual power tower facility models are visible at center; a cluster of four
22 power tower facility models are visible at the far right. The closest model is
23 2.6 mi (4.2 km) from the view point, the second model is 3.9 mi (6.3 km), and
24 the center of the four-tower cluster at right is about 9 mi (14 km) from the
25 viewpoint. Because the viewpoint and SEZ elevation are essentially the same,
26 the vertical angle of view is low enough that the collector/reflector arrays of
27 solar facilities within the SEZ would likely repeat the horizontal line of the
28 horizon.

29
30 Taller solar facility components, such as buildings, transmission components,
31 STGs, cooling towers, and plumes (if present), would likely project above the
32 collector/reflector arrays and could be visually conspicuous, depending on
33 their forms, lines, colors, and surface textures. Structural details of close-by
34 facilities could be discernable, adding to visual complexity.

35
36 If power towers were present within the SEZ, at short distances the receivers
37 would likely appear as very bright to brilliant non-point sources of light
38 against the backdrop of the sky above the mountains on the eastern side of
39 Mesilla Valley, while at the longest distances visible here they would likely
40 appear as points of light below the southern horizon against the backdrop of
41 the Organ and Franklin Mountains. For power towers in the closest portion of
42 the SEZ, during certain times of the day from certain angles, sunlight on dust
43 particles in the air might result in the appearance of light streaming down
44 from the tower(s). If sufficiently tall, power towers in the SEZ would have red
45 flashing lights, or white or red flashing strobe lights that would be visible at
46 night and could be conspicuous, but there could be other lights visible in the



1

FIGURE 12.1.14.2-17 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a Viewpoint in the Far Northeastern Portion of the Aden Hills SRMA

1 SEZ area, particularly to the north in the direction of the I-10 and the Mason
2 Draw SEZ. Other lighting associated with solar facilities could be visible as
3 well.
4

5 The potential visual contrast expected for this viewpoint would vary
6 depending on project locations, technologies, and site designs, but because the
7 viewpoint is very close to the SEZ, the SEZ would fill up much of the field of
8 view, and while one or a few solar facilities within the SEZ might only give
9 rise to moderate levels of visual contrast, under the 80% development scenario
10 analyzed in this PEIS, there could be numerous solar facilities within the SEZ,
11 with a variety of technologies employed, and a range of supporting facilities,
12 such as transmission towers and lines, substations, power block components,
13 and roads, that would contribute to visual impacts. The lack of uniformity
14 in facility components could result in a visually complex landscape, vast
15 in scope but with low visual unity. This essentially industrial-appearing
16 landscape would contrast greatly with the surrounding natural-appearing lands
17 and would likely dominate the view from this location. Under the PEIS 80%
18 development scenario, solar facilities within the SEZ would be expected to
19 create strong visual contrasts as viewed from this and other locations in the
20 SRMA close to the SEZ.
21

22 Figure 12.1.14.2-18 is a Google Earth visualization of the SEZ as seen from
23 a road in the Aden Hills in the northwestern portion of the SRMA. The
24 viewpoint is about 2.5 mi (4.0 km) west of the western boundary of the
25 northwest corner of the SEZ. The viewpoint is about 360 ft (110 m) higher
26 in elevation than the nearby portions of the SEZ.
27

28 The visualization suggests that even from 2 mi (3.2 km) farther away from the
29 SEZ, the SEZ is still too large to be encompassed in one view; viewers would
30 need to turn their heads to scan across the whole SEZ. Numerous power tower
31 facility models are visible across the breadth of the SEZ. The viewpoint is
32 slightly elevated with respect to the SEZ, and the tops of the nearest
33 collector/reflector arrays (depending on height) could be visible, which
34 would make them appear slightly larger and could increase the chances of
35 reflections from the numerous reflective surfaces that would be in view. The
36 vertical angle of view is low enough, however, that the collector/reflector
37 arrays of solar facilities within the SEZ would likely repeat the horizontal
38 line of the horizon.
39

40 Taller solar facility components, such as buildings, transmission components,
41 STGs, cooling towers, and plumes (if present), would likely project above
42 the collector/reflector arrays and for close-by facilities could be visually
43 conspicuous, depending on their forms, lines, colors, and surface textures.
44 Structural details of close-by facilities could be discernable, adding to visual
45 complexity.
46



1

2 **FIGURE 12.1.14.2-18 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from a Viewpoint in the Northwest Portion of the Aden Hills SRMA**

1 If power towers were present within the SEZ, at short distances the receivers
2 would likely appear as very bright non-point sources of light against the
3 backdrop of the sky or the mountains on the eastern side of Mesilla Valley.
4 Power towers on the east side of the SEZ would likely appear as points of
5 light against the backdrop of the Organ and Franklin Mountains. At night, if
6 sufficiently tall, power towers in the SEZ would have red flashing lights, or
7 white or red flashing strobe lights that would be visible, and could be
8 conspicuous, but there could be other lights visible in the SEZ area, particular
9 to the north in the direction of the I-10 and the Mason Draw SEZ. Other
10 lighting associated with solar facilities could be visible as well.


11
12 The potential visual contrast expected for this viewpoint would vary
13 depending on project locations, technologies, and site designs, but because the
14 viewpoint is close to the SEZ, the SEZ would fill up much of the field of
15 view, and because the viewpoint is slightly elevated, more of the facilities
16 would be visible. Under the 80% development scenario analyzed in this PEIS,
17 solar facilities within the SEZ would be expected to create strong visual
18 contrasts as viewed from this and similar elevated locations in the SRMA.

19
20 In summary, the SRMA is very close to the SEZ and would have open views
21 of solar facilities within the SEZ. Generally speaking, regardless of viewpoint
22 elevation, solar facilities in the SEZ would be so visually prominent that they
23 would be expected to dominate views from the SRMA to the east and would
24 contrast very strongly with the surroundings, as seen from most of the SRMA.

- 25
26 • *Dona Ana Mountains.* Dona Ana Mountains is an 8,345-acre (33.77-km²)
27 BLM-designated SRMA 10 mi (16 km) northeast of the SEZ at the point of
28 closest approach. The mountains offer a number of hiking trails, 15 mi
29 (24 km) of mountain biking trails, and 7 mi (11 km) of horseback trails.

30
31 Visibility of solar facilities within the proposed Afton SEZ would be from the
32 south- and southwest-facing slopes of the Dona Ana Mountains, portions of
33 the plain south and east of the mountains, and the south slope of a lone hill
34 northeast of the community of Dona Ana. The area of the SRMA within the
35 650-ft (198.1-m) viewshed of the SEZ includes 5,380 acres (21.77 km²), or
36 65% of the total SRMA acreage. The area of the SRMA within the 24.6-ft
37 (7.5-m) viewshed of the SEZ includes 4,219 acres (17.07 km²), or 51% of
38 the total SRMA acreage. The visible area extends from the point of closest
39 approach to 16 mi (26 km) into the SRMA.

40
41 Figure 12.1.14.2-19 is a Google Earth visualization of the SEZ as seen from a
42 turnout on an unpaved road on the side of a hill in the southern portion of the
43 SRMA. The road is used by OHVs. The viewpoint is 12 mi (19 km) from the
44 northeast corner of the SEZ and is elevated 130 ft (40 m) with respect to the
45 SEZ.



1

FIGURE 12.1.14.2-19 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from an OHV Road in the Southern Portion of the Dona Ana SRMA

1 From this viewpoint, solar facilities within the SEZ would stretch across
2 almost the full horizontal field of view. Picacho Mountain and neighboring
3 hills would screen the far western portion of the SEZ from view. Because the
4 viewpoint is only slightly elevated with respect to the SEZ, however, the
5 vertical angle of view is extremely low, and solar facilities within the SEZ
6 would appear in a very narrow band on the West Mesa beyond the community
7 of Dona Ana. The urban development within Dona Ana would be visible in
8 the foreground.

9
10 The collector/reflector arrays of solar facilities within the SEZ would be seen
11 edge-on, which would greatly reduce their apparent size, and they would
12 repeat the line of the horizon in this strongly horizontal landscape, which
13 would tend to reduce visual contrasts from the arrays. Taller solar facility
14 components such as transmission towers would likely be visible, especially if
15 located in the closer portions of the SEZ.


16
17 Operating power towers in the farther portions of the SEZ would likely be
18 visible as points of light against the sky or the mountains southwest of the
19 SEZ, and the tower structures might not be visible. Operating power towers in
20 the closest portion of the SEZ would be much brighter and could attract visual
21 attention, with the tower structures visible beneath the receivers. At night, if
22 sufficiently tall, the towers would have red flashing lights, or white or red
23 flashing strobe lights that could be visually conspicuous, but they would be
24 seen above the numerous lights of the community of Dona Ana. Other lighting
25 associated with solar facilities could be visible as well.

26
27 While the SEZ would stretch across most of the horizontal field of view, the
28 vertical angle of view is so low that low-height solar facilities within the SEZ,
29 such as parabolic trough and PV arrays, might be difficult to distinguish on
30 the horizon; however, taller facilities, and especially operating power towers,
31 could be seen stretching across the horizon.

32
33 Depending on solar facility location within the SEZ, the types of solar
34 facilities and their designs, and other visibility factors, weak to moderate
35 visual contrasts from solar energy development within the SEZ would be
36 expected at this location.

37
38 Figure 12.1.14.2-20 is a Google Earth visualization of the SEZ as seen from
39 the summit of Dona Ana Peak in the northwest portion of the SRMA. The
40 viewpoint is 14 mi (22 km) from the northeast corner of the SEZ and is
41 elevated 1,650 ft (500 m) with respect to the SEZ.

42
43 From this viewpoint, solar facilities within the SEZ would stretch across
44 almost the full horizontal field of view. The viewpoint is elevated with respect
45 to the SEZ; however, the vertical angle of view is low, and solar facilities
46 within the SEZ would appear in a narrow band on the mesa beyond the



1

2 **FIGURE 12.1.14.2-20 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from the Summit of Dona Ana Peak in the Dona Ana SRMA**
4

1 community of Dona Ana. The urban development within Dona Ana would be
2 visible in the foreground.

3
4 The collector/reflector arrays of solar facilities within the SEZ would be seen
5 nearly edge-on, which would reduce their apparent size, and they would
6 repeat the line of the horizon in this strongly horizontal landscape, which
7 would tend to reduce visual contrasts from the arrays. Taller solar facility
8 components such as transmission towers would likely be visible, especially if
9 located in the nearer portions of the SEZ. Operating power towers in the
10 farther portions of the SEZ would likely be visible as points of light against
11 the sky or the mountains southwest of the SEZ, and the tower structures would
12 not likely be visible. Operating power towers in the closest portion of the SEZ
13 would be much brighter, with the tower structures visible beneath the
14 receivers, although unlikely to be noticed by casual observers. At night, if
15 sufficiently tall, the towers would have red flashing lights, or white or red
16 flashing strobe lights that would be visible, but that would be seen above the
17 lights of the community of Dona Ana.

18
19 The SEZ would stretch across most of the horizontal field of view, and while
20 the vertical angle of view is low, facilities throughout the SEZ would likely be
21 visible under favorable viewing conditions, although facilities in the farthest
22 portions of the SEZ might be hard to distinguish. Depending on solar facility
23 location within the SEZ, the types of solar facilities and their designs, and
24 other visibility factors, moderate to strong visual contrasts from solar energy
25 development within the SEZ would be expected at this location.

26
27 In summary, solar facilities in the SEZ would be visible from much of the
28 SRMA. For lower elevation viewpoints, the vertical angle of view is so low
29 that it would be expected to reduce substantially the visual contrast associated
30 with solar facilities within the SEZ, although the SRMA is close enough to the
31 SEZ that the SEZ would stretch across most of the southern horizon, and
32 moderate visual contrast would be expected. Because of the slightly higher
33 vertical viewing angles, visual contrast levels would likely be greater for
34 higher-elevation viewpoints in the SRMA, even though they might be farther
35 from the SEZ.

- 36
37 • *Organ/Franklin Mountains.* Organ/Franklin Mountains is a BLM-designated
38 SRMA 6.1 mi (9.8 km) east of the SEZ at the point of closest approach.

39
40 Much of 60,793-acre (246.02-km²) Organ/Franklin Mountains SRMA is
41 within the viewshed of the SEZ, as it includes portions of the lower slopes
42 and high peaks of the Organ Mountains, as well as peaks in the Franklin
43 Mountains, with open views of the SEZ across Mesilla Valley. The area of
44 the SRMA within the 650-ft (198.1-m) viewshed of the SEZ includes
45 43,319 acres (175.31 km²), or 71% of the total SRMA acreage. The area
46 of the SRMA within the 24.6-ft (7.5-m) viewshed of the SEZ includes

1 41,974 acres (169.86 km²), or 69% of the total SRMA acreage. The visible
2 area extends from the point of closest approach to more than 15 mi (24 km)
3 into the SRMA.
4

5 The Organ/Franklin Mountains SRMA is wholly contained within the
6 Organ/Franklin Mountains ACEC, and impacts on the SRMA would be the
7 same as those described below for the Organ/Franklin Mountains ACEC.
8
9

10 *ACECs Designated for Outstandingly Remarkable Scenic Values*

- 11
- 12 • *Dona Ana Mountains.* The 1,427-acre (5.775-km²) Dona Ana Mountains
13 ACEC is 13 mi (21 km) north of the SEZ at the closest point of approach. The
14 ACEC's scenic value is noted in the Mimbres RMP (BLM 1993). The jagged
15 peaks of the Dona Ana Mountains are highly scenic and are within view of
16 most of the northern Mesilla Valley and the northeast portion of Las Cruces.
17 Scenic quality is of more than local significance and is enjoyed by hundreds
18 of thousands of motorists on I-25 annually (BLM 1993). About 745 acres
19 (3.02 km²), or 52% of the ACEC, is within the 650-ft (198.1-m) viewshed of
20 the SEZ, and 735 acres (2.97 km²), or 52% of the total ACEC acreage, is in
21 the 24.6-ft (7.5-m) viewshed. The visible area of the ACEC extends
22 approximately 15 mi (24 km) from the northern boundary of the SEZ.
23

24 The Dona Ana Mountains ACEC is wholly contained within the northern
25 portion of the Dona Ana Mountains SRMA and impacts on the ACEC are the
26 same as those described above for the Dona Ana Mountains SRMA.
27

- 28 • *Organ Mountains/Franklin Mountains.* The 58,512-acre (236.79-km²)
29 Organ/Franklin Mountains ACEC is 6.1 mi (9.8 km) east of the SEZ at the
30 closest point of approach. The ACEC extends about 29 mi (47 km) north to
31 south, from just south of the community of Organ to the Texas border. It is
32 much narrower east to west, generally about 3 mi (5 km) wide, but up to
33 almost 8 mi (13 km) wide in the northernmost section of the ACEC. The
34 ACEC includes portions of the lower western slopes of the Organ Mountains,
35 high peaks in the Organ Mountains, lands in the gap between the Organ and
36 Franklin Mountains, and all but the northernmost portion of the Franklin
37 Mountains down to the Texas border. The ACEC's scenic value is noted in the
38 Mimbres RMP (BLM 1993). The two mountain ranges comprise some of the
39 most spectacular scenery in southern New Mexico, with extensive viewsheds
40 containing both interstate highways and large metropolitan populations. About
41 41,101 acres (166.33 km²), or 70% of the ACEC, is within the 650-ft
42 (198.1-m) viewshed of the SEZ, and 39,780 acres (160.98 km²), or 68% of
43 the total ACEC acreage, is in the 24.6-ft (7.5-m) viewshed. The visible area
44 of the ACEC extends to more than 18 mi (29 km) from the eastern boundary
45 of the SEZ.
46

1 Figure 12.1.14.2-21 is a Google Earth visualization of the SEZ as seen from
2 a ridge 0.4 mi (0.6 km) northeast of Modoc Mine just west of the Needles in
3 the Organ Mountains in the northern portion of the ACEC. The viewpoint is
4 about 17 mi (27 km) from the northeast corner of the SEZ. The viewpoint is
5 elevated about 3,350 ft (1,020 m) with respect to the SEZ.
6

7 The visualization shows that despite the nearly 17-mi (27-km) distance to the
8 SEZ from this viewpoint, the SEZ fills most of the horizontal field of view.
9 However, the vertical angle of view is relatively low, and solar facilities
10 within the SEZ would appear in a band on the West Mesa beyond the Mesilla
11 Valley to the southwest.
12


13 The angle of view is high enough that the tops of collector/reflector arrays of
14 solar facilities within the SEZ would be visible, which would make their large
15 size and strong regular geometry more apparent, which would tend to increase
16 visual contrasts. Taller solar facility components such as transmission towers
17 might be visible if located in the closer portions of the SEZ, but would not be
18 expected to be prominent.
19

20 Operating power towers in the SEZ would likely be visible as points of light
21 against the backdrop of West Mesa, but at 17+ mi (27+ km) the tower
22 structures themselves might not be visible. At night, if sufficiently tall, the
23 towers would have red flashing lights, or white or red flashing strobe lights
24 that would likely be visible, but they would be seen above the numerous lights
25 of the urbanized Mesilla Valley.
26

27 Depending on solar facility location within the SEZ, the types of solar
28 facilities and their designs, and other visibility factors, because of the large
29 apparent size of the SEZ and the elevated viewpoint, moderate to strong visual
30 contrasts from solar energy development within the SEZ would be expected at
31 this location.
32

33 Figure 12.1.14.2-22 is a Google Earth visualization of the SEZ as seen from a
34 transmission line road about 0.8 mi (1.3 km) west of Bishop Cap, a low,
35 isolated mountain west of the southern end of the Organ Mountains, and in the
36 central portion of the ACEC. The viewpoint is about 8.1 mi (13.1 km) from
37 the nearest point on the eastern side of the SEZ. The viewpoint is elevated
38 about 150 ft (46 m) with respect to the SEZ.
39

40 The viewpoint for this visualization is much closer to the SEZ, but also
41 much lower in elevation than the viewpoint for the visualization shown in
42 Figure 12.1.14.2-21. From this viewpoint, solar facilities within the SEZ
43 would stretch across almost the full horizontal field of view. Because the
44 viewpoint is only slightly elevated with respect to the SEZ, however, the
45 vertical angle of view is very low, and solar facilities within the SEZ would
46




1

2

3

FIGURE 12.1.14.2-21 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a Point Northeast of Modoc Mine in Organ/Franklin Mountains ACEC



1

2 **FIGURE 12.1.14.2-22 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from a Transmission Line Road West of the Organ/Franklin Mountains ACEC**

1 appear in a narrow band on the West Mesa beyond the Mesilla Valley to
2 the southwest.

3
4 The collector/reflector arrays of solar facilities within the SEZ would be seen
5 edge-on, which would greatly reduce their apparent size, and they would
6 repeat the line of the horizon in this strongly horizontal landscape, which
7 would tend to reduce visual contrasts from the arrays. Taller solar facility
8 components such as transmission towers would likely be visible, especially if
9 located in the nearer portions of the SEZ, and in the closest parts of the SEZ,
10 they could attract visual attention.

11
12 Operating power towers in the farther portions of the SEZ would likely be
13 visible as points of light against the sky or the mountains west of the SEZ,
14 and the tower structures might not be visible. Operating power towers in the
15 closest portion of the SEZ would be much brighter, and could attract visual
16 attention, with the tower structures visible beneath the receivers. At night, if
17 sufficiently tall, the towers would have red flashing lights, or white or red
18 flashing strobe lights that could be visually conspicuous, but would be seen
19 above the numerous lights of the urbanized Mesilla Valley. Other lighting
20 associated with solar facilities could be visible as well.


21
22 Depending on solar facility location within the SEZ, the types of solar
23 facilities and their designs, and other visibility factors, moderate to strong
24 visual contrasts from solar energy development within the SEZ would be
25 expected at this location.

26
27 Figure 12.1.14.2-23 is a Google Earth visualization of the SEZ (highlighted
28 in orange) as seen from North Anthony's Nose, a peak in the Franklin
29 Mountains, in the southern portion of the ACEC. The viewpoint is about
30 12 mi (19 km) from the southeast corner of the SEZ. The viewpoint is
31 elevated about 1,200 ft (370 m) with respect to the SEZ.

32
33 The visualization suggests that from this viewpoint, solar facilities within the
34 SEZ would occupy a substantial portion of the horizontal field of view.
35 Despite the elevated viewpoint, the vertical angle of view is low, and solar
36 facilities within the SEZ would appear in a narrow band on the West Mesa
37 beyond the Mesilla Valley to the west.

38
39 The collector/reflector arrays of solar facilities within the SEZ would be seen
40 nearly edge-on, which would reduce their apparent size, and they would
41 repeat the line of the horizon in this strongly horizontal landscape, which
42 would tend to reduce visual contrasts from the arrays. Taller solar facility
43 components such as transmission towers would likely be visible, especially if
44 located in the closer portions of the SEZ, and in the closest parts of the ACEC,
45 they could attract visual attention.

46



1

FIGURE 12.1.14.2-23 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from the Peak of North Anthony's Nose in the Organ/Franklin Mountains ACEC

1 Operating power towers in the farther portions of the SEZ would likely be
2 visible as points of light against the background of West Mesa, the sky, or the
3 mountains northwest of the SEZ. The tower structures might not be visible.
4 Operating power towers in the closest portion of the SEZ would be much
5 brighter, and could attract visual attention, with the tower structures visible
6 beneath the receivers. At night, if sufficiently tall, the towers would have red
7 flashing lights, or white or red flashing strobe lights that could be visually
8 conspicuous, but would be seen above the numerous lights of the urbanized
9 Mesilla Valley. Other lighting associated with solar facilities could be visible
10 as well.

11
12 The vertical angle of view from this viewpoint is low, and solar facilities
13 within the SEZ would not occupy most of the horizontal field of view.
14 Depending on solar facility location within the SEZ, the types of solar
15 facilities and their designs, and other visibility factors, moderate visual
16 contrasts from solar energy development within the SEZ would be expected
17 at this location.

18
19 In summary, most of the ACEC would have open views of solar developments
20 in the SEZ. Because of the SEZ's large size, it would occupy most of the
21 horizontal field of view from the western portion of the ACEC. However, the
22 western portion of the ACEC is at somewhat lower elevation than the eastern
23 parts, which would decrease the vertical angle of view toward the SEZ,
24 tending to diminish contrast. Under the 80% development scenario analyzed
25 in the PEIS, solar facilities within the SEZ would likely present strong visual
26 contrast levels to viewers at these and similar locations within the ACEC. At
27 some of the more distant viewpoints in the ACEC, moderate levels of visual
28 contrast would be expected, primarily because the SEZ would occupy a
29 smaller portion of the horizontal field of view.

30
31 • *Robledo Mountains.* The 8,659-acre (35.04-km²) Robledo Mountains ACEC
32 is 8.5 mi (13.6 km) north of the SEZ at the closest point of approach. The
33 ACEC's scenic value is noted in the Mimbres RMP (BLM 1993). The
34 Robledos also provide a spectacular scenic quality to the inhabitants of the
35 northern Mesilla Valley. The scenery is enjoyed by hundreds of thousands
36 of travelers on I-25 annually. About 1,971 acres (7.976 km²), or 23% of the
37 ACEC, is within the 650-ft (198.1-m) viewshed of the SEZ, and 1,561 acres
38 (6.3 km²), or 18% of the total ACEC acreage, is in the 24.6-ft (7.5-m)
39 viewshed. The visible area of the ACEC extends to about 14 mi (23 km)
40 from the northern boundary of the SEZ.

41
42 The Robledo Mountains ACEC is wholly contained within the Robledo
43 Mountains WSA, and impacts on the ACEC are the same as those described
44 above for the Robledo Mountains WSA.

45
46

1 **National Historic Landmark**
2

- 3 • *Mesilla Plaza.* Mesilla Plaza has been on the National Register of Historic
4 Places since 1982, and it also is a National Historic Landmark. Mesilla
5 (population of 2,200) is the best-known and most visited historical community
6 in southern New Mexico. All of the plaza is within the 650-ft (198.1-m) and
7 24.6-ft (7.5-m) viewsheds of the SEZ.
8


9 Figure 12.1.14.2-24 is a Google Earth visualization of the SEZ (highlighted in
10 orange) as seen from Mesilla Plaza. The viewpoint is about 2.7 mi (4.4 km)
11 northeast of the northeast corner of the SEZ. The viewpoint is about 65 ft
12 (20 m) lower in elevation than the nearest point in the SEZ, and it is about
13 315 ft (95 m) below the mesa edge about 3.5 mi (5.6 km) southwest of the
14 viewpoint.
15

16 The visualization shows that the far northeastern portion of the SEZ projects
17 beyond the edge of West Mesa. Solar facilities in this portion of the SEZ
18 would be in full view from Mesa Plaza.
19

20 Outside of this directly visible portion of the SEZ, the visibility of solar
21 facilities from the Plaza would depend on their proximity to the edge of West
22 Mesa. Taller solar facilities, such as cooling towers, transmission towers, and
23 power towers, could be seen from the Plaza if they were located sufficiently
24 close to the edge of the mesa. Because of the size of the SEZ and its close
25 proximity to the plaza, if these taller facilities were very close to the eastern
26 edge of the SEZ, they could be seen above the edge of the mesa for a stretch
27 of almost 15 mi (24 km), mostly south of the Plaza. Outside of the far
28 northeastern portion of the SEZ, if only low-height facilities such as PV
29 systems were located along the eastern edge of the SEZ, those facilities would
30 be screened by the edge of the mesa and could not be seen from the Plaza.
31

32 If solar facilities within the SEZ were located in the far northeastern corner of
33 the SEZ, they would occupy a moderate portion of the horizontal field of
34 view. Because of the low elevation of the viewpoint, solar facilities within the
35 SEZ would appear in a narrow band on the mesa beyond the Mesilla Valley to
36 the west. If collector/reflector arrays were located in this sloped portion of the
37 SEZ, their strong regular geometry could be visible and could potentially
38 attract attention. At night, lighting associated with solar facilities within the
39 SEZ could be visible from the Plaza as well.
40

41 If power towers were located in this visible nearby portion of the SEZ, they
42 could appear as brilliant non-point light sources. Because of their elevation,
43 they would be highly likely to command visual attention, particularly in the
44 morning, as the tower structures would be front-lit, thus adding short but
45 potentially strong vertical line and color contrasts to the strongly horizontal
46 mesa edge. Lower, but potentially still high, levels of contrast could be caused



1

2 **FIGURE 12.1.14.2-24 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from Mesilla Plaza National Historic Landmark**
4

1 by power towers farther from the viewpoint, but close enough to the mesa
2 edge to be visible above the valley slopes. At night, if sufficiently tall, visible
3 power towers in the SEZ would have red flashing lights, or white or red
4 flashing strobe lights that could be conspicuous, given their prominent and
5 elevated location, but the Plaza is in a well-lit urban location and numerous
6 lights would be visible throughout the valley.
7

8 The potential visual contrast expected for this viewpoint would vary greatly
9 depending on project locations (especially with respect to their proximity to
10 the edge of West Mesa), technologies, and site designs, but because the Plaza
11 is close to the SEZ, solar development within the SEZ could be prominent in
12 the field of view and could strongly attract visual attention from the Plaza.
13 Under the PEIS 80% development scenario, solar facilities within the SEZ
14 would be expected to create moderate to strong visual contrasts as viewed
15 from the Plaza, with stronger contrast levels expected if multiple power tower
16 receivers were visible above West Mesa.
17

18 Note that Mason Draw SEZ would also be visible from the Plaza, and if solar
19 facilities were built in that SEZ, they could potentially contribute to visual
20 impacts experienced at the Plaza.
21

22 ***National Natural Landmark***

- 25 • *Kilbourne Hole*. A remnant of an ancient volcanic explosion, Kilbourne Hole
26 was designated a National Natural Landmark in 1975. This crater is in a desert
27 basin between the Potrillo Mountains and the Rio Grande, 9.3 mi (15.0 km)
28 south-southwest of the SEZ. The crater measures 1.7 mi (2.7 km) long by
29 more than 1 mi (1.6 km) across and is several hundred feet deep.
30

31 Views of the SEZ from inside the Kilbourne Hole crater would be completely
32 screened by the crater walls; however, there is a ridge around nearly the entire
33 crater, and the SEZ would be visible from the ridgeline and north-facing
34 slopes of most of the ridge. A trail runs along the top of much of the ridge.
35

36 Figure 12.1.14.2-25 is a Google Earth visualization of the SEZ (highlighted
37 in orange) as seen from the trail on top of the ridge on the north side of the
38 crater, near the point of closest approach to the SEZ. The viewpoint is about
39 8.0 mi (12.8 km) southwest of the southwest corner of the SEZ and is about
40 115 ft (35 m) higher in elevation than the nearest point in the SEZ.
41

42 The visualization suggests that from this viewpoint, the SEZ would be too
43 large to be encompassed in one view, and viewers would need to turn their
44 heads to scan across the whole SEZ. Because of the small elevation difference
45 between the viewpoint and the SEZ, the vertical angle of view would be
46 extremely low, so that if collector/reflector arrays for solar facilities in the



1

2 **FIGURE 12.1.14.2-25 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from Kilbourne Hole National Natural Landmark**

1 SEZ were visible, they would be seen edge on. The edge-on view would have
2 the effect of decreasing the apparent size of a facility and would conceal the
3 strong regular geometry of the arrays, thus reducing the contrast with the
4 surrounding natural-appearing landscape. The edge-on appearance would also
5 make the arrays appear to repeat the strong line of the horizon from this
6 viewpoint, which would tend to decrease visual contrast.
7

8 Ancillary facilities, such as transmission towers, buildings, STGs, cooling
9 towers, and plumes (if present) could be visible projecting above the
10 collector/reflector arrays, and their forms, lines, and colors (and movement if
11 plumes were present) could create noticeable contrasts with the strongly
12 horizontal arrays, but would not be likely to strongly attract visual attention.
13

14 If operating power towers were visible in the SEZ, the receivers of power
15 towers in the southern parts of the SEZ could be visible as bright points of
16 light atop visible tower structures, which would be seen as short vertical
17 elements against either a sky background or mountain backdrop as seen from
18 this location. More distant tower receivers would be fainter, and the tower
19 structures might not be visible under some viewing conditions. At night, if
20 sufficiently tall, the towers could have red flashing lights, or white or red
21 flashing strobe lights that would likely be visible, but there could be other
22 lights visible in the SEZ vicinity. Other lighting associated with solar facilities
23 could be visible as well.
24

25 The vertical angle of view toward the SEZ from this viewpoint is very low,
26 but solar facilities within the SEZ would occupy most of the horizontal field
27 of view looking north and northeast. Depending on solar facility location
28 within the SEZ, the types of solar facilities and their designs, and other
29 visibility factors, moderate to strong visual contrasts from solar energy
30 development within the SEZ would be expected at this and other locations
31 along the top of the ridge around the north side of Kilbourne Hole. Contrast
32 at locations along the ridge on the east, west, and south sides or the crater
33 would generally be lower, due in part to increased distance to the SEZ but
34 primarily because of partial or full screening of the SEZ by other portions
35 of the crater rim.
36

37 ***National Historic Trail***

- 38 • *El Camino Real de Tierra Adentro*. El Camino Real de Tierra Adentro is a
39 congressionally designated historic trail that extends 404 mi (650 km) from
40 El Paso, Texas, to Ohkay Owingeh Pueblo, New Mexico. Historically, the
41 trail began in Mexico City, Mexico. The historic trail passes within 3.2 mi
42 (5.2 km) east of the SEZ at the point of closest approach. About 42 mi
43 (68 km) of the trail are within the 650-ft (198.1-m) viewshed of the SEZ.
44 Approximately 40 mi (64 km) of the trail are within the 24.6 ft (7.5 m)
45
46

1 viewed. The distance to the SEZ ranges from the point of closest approach
2 to 20 mi (32 km) north of northern boundary of the SEZ.
3

4 In the vicinity of the SEZ, the El Camino Real de Tierra Adentro extends
5 north from Anthony, New Mexico, through the Mesilla Valley. The trail
6 shares the same route as the El Camino Real National Scenic Byway for a
7 number of miles, and then it roughly parallels I-10, and I-25, with generally
8 similar visual contrast levels expected from solar energy development within
9 the SEZ as described for those entities below. Much of the byway route
10 through the Mesilla Valley is in rural or urbanized landscapes, with substantial
11 levels of cultural disturbance visible. Views from the byway are sometimes
12 screened briefly by orchards of tall trees that line the roads in the valley,
13 particularly away from Las Cruces.
14

15 In the vicinity of Anthony (slightly less than 10 mi [16 km] from the SEZ), the
16 trail follows the route of State Route 478. From the trail in the vicinity of
17 Anthony, the SEZ would occupy a moderate amount of the horizontal field of
18 view, and depending on the location, technology type, and height of facilities
19 within the SEZ, contrast levels would be expected to be at weak to moderate
20 levels. At about 10 mi (16 km) from the SEZ, when operating, power tower
21 receivers would likely appear as bright points of light atop visible tower
22 structures. The vertical angle of view would be quite low, so that visible
23 collector/reflector arrays would be seen edge-on. They would appear as thin
24 (but potentially bright) lines paralleling the rim of the mesa and would repeat
25 the line of the mesa rim, thereby reducing contrast. Ancillary facilities, such
26 as buildings, transmission towers, and other features, as well as plumes, could
27 be visible if located in the eastern portions of the SEZ. At night, if sufficiently
28 tall, the towers would have red flashing lights, or white or red flashing strobe
29 lights that could attract attention, but would be seen above the numerous lights
30 of Las Cruces and the surrounding communities. Other lighting associated
31 with solar facilities could be visible as well.
32

33 Figure 12.1.14.2-32 (see below under analysis for I-10) is a Google Earth
34 visualization of the SEZ as seen from I-10 just east of Anthony, about 1 mi
35 (2 km) from the trail in Anthony. The view of the SEZ as seen from the trail in
36 Anthony would be nearly identical to the view shown in Figure 12.1.14.2-32,
37 and a detailed description of that view is given below. Depending on the
38 location, technology type, and height of facilities within the SEZ, contrasts
39 would be expected to be at weak to moderate levels.
40

41 North of Anthony, the trail route extends more or less parallel to the irregular
42 eastern boundary of the SEZ. As portions of the SEZ are located slightly east
43 of the rim of West Mesa, lower-height solar facilities in this portion of the
44 SEZ would be visible, as would taller solar facilities outside of this area but
45 close to the rim of the mesa, and the expected contrasts would quickly rise to
46 moderate or strong levels.
47

1 Figure 12.1.14.2-26 is a visualization of solar facilities within the SEZ as seen
2 from the trail at the intersection of State Routes 478 and 226, just west of
3 Berino. The viewpoint is 5.5 mi (8.8 km) from, and about 115 ft (35 m) lower
4 in elevation than, the nearest point in the SEZ.
5


6 The visualization shows that the far eastern portion of the SEZ projects
7 beyond the edge of West Mesa. Solar facilities in this portion of the SEZ
8 would be in full view from the trail at this point.
9

10 Outside of this directly visible portion of the SEZ, the visibility of solar
11 facilities from this viewpoint would depend on their proximity to the edge of
12 West Mesa. Taller solar facilities, such as cooling towers, transmission
13 towers, and power towers, could be seen from this viewpoint on the trail if
14 they were located sufficiently close to the edge of the mesa. Because of the
15 size of the SEZ and its close proximity to the plaza, if these taller facilities
16 were very close to the eastern edge of the SEZ, they could be seen above the
17 edge of the mesa. Outside of the directly visible portion of the SEZ, if only
18 low-height facilities such as PV systems were located along the eastern edge
19 of the SEZ, those facilities would be screened by the edge of the mesa and
20 could not be seen from the trail at this location.
21

22 If solar facilities within the SEZ were located in the far eastern portion of the
23 SEZ, they could occupy a large portion of the horizontal field of view.
24 Because of the low elevation of the viewpoint with respect to the visible
25 portions of the SEZ, solar facilities within the SEZ would appear in a narrow
26 band on the mesa beyond the Mesilla Valley to the west.
27

28 If power towers were located in the directly visible portion of the SEZ, they
29 could appear as very bright points of light atop visible tower structures.
30 Because of their elevation, they would likely attract visual attention,
31 particularly in the morning, because the tower structures would be partially or
32 fully front-lit, thus adding short but potentially strong vertical line contrasts to
33 the strongly horizontal mesa edge. Lower levels of contrast could be caused
34 by power towers farther from the viewpoint, but close enough to the mesa
35 edge to be visible above the valley slopes. At night, if sufficiently tall, visible
36 power towers in the SEZ would have red flashing lights, or white or red
37 flashing strobe lights that could be conspicuous, given their prominent and
38 elevated location, but the viewpoint is in a relatively well-lit urban location,
39 and there would be numerous lights visible throughout the valley.
40

41 The potential visual contrast expected for this viewpoint would vary greatly
42 depending on project locations (especially with respect to their proximity to
43 the edge of West Mesa), technologies, and site designs, but because the trail is
44 close to the SEZ, solar development within the SEZ could be prominent in the
45 field of view and could attract visual attention from the trail. Under the PEIS
46 80% development scenario, solar facilities within the SEZ would be expected



1

2 **FIGURE 12.1.14.2-26 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from the El Camino Real de Tierra Adentro National Historic Trail near Berino**

1 to create moderate to strong visual contrasts as viewed from the trail at this
2 location, with stronger contrast levels expected if there were multiple power
3 tower receivers visible above West Mesa.
4


5 In the vicinity of Vado (about 3.5 mi [5.7 km] from the SEZ), the SEZ would
6 stretch across much of the western horizon visible from the trail, and under the
7 80% development scenario analyzed in the PEIS, strong visual contrast levels
8 from solar facilities would be expected for trail users in this area.
9

10 Under the 80% development scenario analyzed in the PEIS, visual contrast
11 levels from solar facilities in the SEZ would likely be maximized in the
12 vicinity of Mesquite, about 3.1 mi (5.1 km) from the closest point in the SEZ.
13 Figure 12.1.14.2-27 is a visualization of solar facilities within the SEZ as seen
14 from the trail at the intersection of State Routes 478 and 228 in Mesquite. The
15 viewpoint is at the same elevation as the nearest point in the SEZ, so there
16 would be open but low-angle views from the trail to the SEZ.
17

18 Because of the close proximity of the trail to the SEZ, the SEZ would be too
19 large to be encompassed in one view; viewers would need to turn their heads
20 to scan across the whole SEZ. The visualization shows that the far eastern
21 portion of the SEZ projects beyond the edge of West Mesa in two areas—a
22 very large portion of the eastern edge of the SEZ would be visible directly
23 west of the viewpoint, and a very small portion would be visible to the north,
24 where the northeastern corner of the SEZ projects over the mesa rim.
25

26 Solar facilities in the large, nearby portion of the SEZ would be in full view
27 from the trail at this viewpoint. If collector/reflector arrays were located in
28 these sloped portions of the SEZ, their strong regular geometry could be
29 visible. Collector/reflector arrays for solar facilities at higher elevations within
30 the SEZ would be seen edge-on, which would reduce their apparent size,
31 conceal the arrays' strong regular geometry, and would also cause them to
32 appear to repeat the strong line of the horizon, thus tending to reduce visual
33 contrast. However, ancillary facilities, such as buildings, cooling towers,
34 transmission towers, and other features, as well as any plumes, would likely
35 be plainly visible. Their forms, lines, and movement (for plumes) projecting
36 above the strong horizontal line of the collector/reflector arrays could attract
37 visual attention, particularly if located in the closest portions of the SEZ.
38

39 If power towers were located in the directly visible portion of the SEZ, they
40 could appear as very bright non-point light sources atop visible tower
41 structures. Because of their elevation, they would be likely to strongly attract
42 visual attention, particularly in the morning, as the tower structures would be
43 front-lit, thus adding short but potentially strong vertical line contrasts to the
44 strongly horizontal mesa edge. Lower levels of contrast could be caused by
45 power towers farther from the viewpoint, but close enough to the mesa edge
46



1

FIGURE 12.1.14.2-27 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from the El Camino Real de Tierra Adentro National Historic Trail in Mesquite

1 to be visible above the valley. At night, if sufficiently tall, visible power
2 towers in the SEZ would have red flashing lights, or white or red flashing
3 strobe lights that could be very conspicuous, given their prominent and
4 elevated location, but the viewpoint is in a relatively well-lit urban location,
5 and there would be numerous lights visible throughout the valley.
6

7 Under the 80% development scenario analyzed in this PEIS, solar facilities
8 within the SEZ could dominate views toward the western side of the Mesilla
9 Valley from this location and would be expected to create strong visual
10 contrasts as viewed from this location on the trail.
11

12 As trail users travel north out of Mesquite, contrast levels would drop to
13 moderate levels within about 3 mi (5 km) as they moved away from the
14 main part of the eastern side of the SEZ. At about 4.0 mi (6.4 km) north of
15 Mesquite, the trail leaves State Route 478 and cuts across agricultural fields
16 into La Cruces, roughly following Solano Drive until again crossing
17 agricultural lands from Las Cruces to Dona Ana. Contrast levels would
18 decline slowly as the trail runs northward. In the vicinity of Mesilla, the trail
19 passes the northern boundary of the SEZ, and after this point, because the SEZ
20 would be behind viewers (but visible to the left of the trail for a time), views
21 of the SEZ would likely decrease in frequency and duration.
22

23 Figure 12.1.14.2-30 (see below) is a Google Earth visualization of the SEZ as
24 seen from I-25 at the interchange at Dona Ana, about 0.5 mi (0.8 km) east of
25 the trail in this area. The view of the SEZ from the trail in the Dona Ana area
26 would be nearly identical to the view shown in Figure 12.1.14.2-30, as
27 described below. Depending on the location, technology type, and height of
28 facilities within the SEZ, contrasts would be expected to be at weak to
29 moderate levels and would drop further as trail users progressed to the
30 northern portions of Mesilla Valley.
31

32 Southbound travelers on the trail would have a generally similar visual
33 experience to northbound travelers, but with a more gradual buildup of
34 contrast because of the longer and straighter approach toward the SEZ in the
35 24.6 ft (7.5 m) SEZ viewshed. Upon reaching the vicinity of Vado,
36 southbound travelers would have passed the SEZ, and contrast would quickly
37 drop off from the strong levels seen at Vado.
38
39

40 ***Scenic Byway***

- 41
- 42 • *El Camino Real*. El Camino Real is a congressionally designated scenic
43 byway that extends 299 mi (481 km) from the U.S.–Mexico border to Santa
44 Fe. The scenic byway passes within 3.2 mi (5.1 km) east of the SEZ at the
45 point of closest approach. About 52 mi (84 km) of the byway are within the
46 650-ft (198.1-m) viewshed of the SEZ, with about 22 mi (35 km) in the 24.6 ft

1 (7.5 m) viewshed of the SEZ. The distance between the byway and SEZ
2 ranges from the point of closest approach to over 24 mi (39 km) south of the
3 southeastern boundary of the SEZ.
4

5 In the vicinity of the SEZ, the El Camino Real National Scenic Byway
6 extends north from EL Paso through the Mesilla Valley. The byway shares the
7 same route as the El Camino Real de Tierra Adentro National Historic Trail
8 for a number of miles, and then roughly parallels I-10, and I-25, with
9 generally similar visual contrast levels expected from solar energy
10 development within the SEZ as described for those entities above and below.
11 Much of the byway route through the Mesilla Valley is in rural or urbanized
12 landscapes, with substantial levels of cultural disturbance visible. Views from
13 the byway are sometimes screened briefly by orchards of tall trees that line the
14 roads in the valley, particularly away from Las Cruces.
15

16 The southern portion of the byway follows New Mexico State Route 273,
17 turns east briefly at La Union for about 1.0 mi (1.6 km), then follows State
18 Route 28 north for about 5 mi (8 km) before turning east again at State
19 Route 168. At this point, the byway enters the 24.6-ft (7.5-m) viewshed of the
20 SEZ; however, northbound travelers would be facing east, away from the SEZ
21 at this point. The byway follows State Route 168 east for about 3 mi (5 km),
22 then turns north at State Route 478, and follows that route past the SEZ. Just
23 after crossing I-10, the trail follows State Route 188 and then State Route 185
24 north and slightly west until it leaves the viewshed about 3.5 mi (5.6 km)
25 north of Radium Springs.
26

27 For the first 22 mi (35 km) of the byway, visibility of solar facilities within the
28 SEZ would be limited to taller solar facilities located in the eastern portion of
29 the SEZ, as most of the SEZ would be screened from view by the rim of West
30 Mesa. The upper portions of taller power towers could be visible from the
31 byway as points of light just over the rim of West Mesa or landforms between
32 the byway and the Mesa. The upper portions of transmission towers and
33 shorter power towers could also be visible from some locations. If more than
34 200 ft (61 m) tall, power towers would have navigation warning lights that
35 could potentially be visible from the byway at night. Expected visual contrast
36 levels would be minimal to weak.
37

38 Shortly after entering the 24.6-ft (7.5-m) SEZ viewshed, the byway turns
39 north on State Route 478, so that the byway is facing more or less parallel to
40 the irregular eastern boundary of the SEZ. Because portions of the SEZ are
41 located slightly east of the rim of West Mesa, lower-height solar facilities in
42 this portion of the SEZ would be visible, and in addition, taller solar facilities
43 outside of this area but close to the rim of the mesa could be visible as well.
44 The expected contrasts would quickly rise to moderate or strong levels.
45

1 Figure 12.1.14.2-26 (see above under discussion of impacts on El Camino
2 Real de Tierra Adentro National Historic Trail) is a visualization of solar
3 facilities within the SEZ as seen from the byway at the intersection of State
4 Routes 478 and 226, just west of Berino. The viewpoint is common to both
5 the byway and the El Camino Real de Tierra Adentro National Historic Trail,
6 and the discussion above for the latter provides a description of the view from
7 this location.
8

9 In the vicinity of Vado (about 3.5 mi [5.7 km] from the SEZ), the SEZ would
10 stretch across much of the western horizon visible from the byway, and under
11 the 80% development scenario analyzed in the PEIS, strong visual contrast
12 levels from solar facilities would be expected for byway users in this area.
13

14 Under the 80% development scenario, visual contrast levels from solar
15 facilities in the SEZ would likely be maximized in the vicinity of Mesquite,
16 about 3.1 mi (5.1 km) from the closest point in the SEZ. Figure 12.1.14.2-27
17 (see above under discussion of impacts on El Camino Real de Tierra Adentro
18 National Historic Trail) is a visualization of solar facilities within the SEZ as
19 seen from the byway at the intersection of State Routes 478 and 228 in
20 Mesquite. The viewpoint is common to both the byway and the El Camino
21 Real de Tierra Adentro National Historic Trail, and the discussion above for
22 the latter provides a description of the view from this location.
23

24 As byway users travel north out of Mesquite, away from the main part of the
25 eastern side of the SEZ, contrast levels would drop to moderate levels within
26 about 3 mi (5 km). Contrast levels would then decline slowly. Eventually, the
27 northeastern corner of the SEZ would come more fully into view, so that it
28 would add somewhat to contrast levels seen from the byway, but contrast
29 would not likely exceed moderate levels.
30

31 Near Mesilla, the byway veers slightly west to follow State Route 188.
32 However, at this point vehicles would have passed the northern boundary of
33 the SEZ, so the number and duration of views from northbound vehicles
34 would decrease because the SEZ would be behind the vehicle (but visible to
35 the left of the vehicle for a time). Contrast from solar facilities in the SEZ
36 would likely fall to weak levels as seen from the byway in the vicinity of
37 Dona Ana and would drop further as travelers progress to the northern
38 portions of Mesilla Valley.
39

40 Southbound travelers on the byway would have a generally similar visual
41 experience to northbound travelers, but with a more gradual buildup of
42 contrast because of the longer and straighter approach toward the SEZ in the
43 24.6-ft (7.5-m) SEZ viewshed. Upon reaching the vicinity of Vado,
44 southbound travelers would have passed the SEZ, and contrast would drop off
45 quickly from the strong levels seen at Vado, as the byway would leave the
46 24.6-ft (7.5-m) viewshed about 6 mi (10 km) south of Vado.
47

1 Additional scenic resources exist at the national, state, and local levels, and impacts may
2 occur on both federal and nonfederal lands, including sensitive traditional cultural properties
3 important to Tribes. Note that in addition to the resource types and specific resources analyzed in
4 this PEIS, future site-specific NEPA analyses would include state and local parks, recreation
5 areas, other sensitive visual resources, and communities close enough to the proposed project to
6 be affected by visual impacts. Selected other lands and resources are included in the discussion
7 below.
8

9 In addition to impacts associated with the solar energy facilities themselves, sensitive
10 visual resources could be affected by other facilities that would be built and operated in
11 conjunction with the solar facilities. With respect to visual impacts, the most important
12 associated facilities would be access roads and transmission lines, the precise location of which
13 cannot be determined until a specific solar energy project is proposed. Currently a 345-kV
14 transmission line is within the proposed SEZ, so construction and operation of a transmission
15 line outside the proposed SEZ would not be required. However, construction of transmission
16 lines within the SEZ to connect facilities to the existing line would be required. For this analysis,
17 the impacts of construction and operation of transmission lines outside of the SEZ were not
18 assessed, assuming that the existing 345-kV transmission line might be used to connect some
19 new solar facilities to load centers, and that additional project-specific analysis would be done
20 for new transmission construction or line upgrades. Note that depending on project- and site-
21 specific conditions, visual impacts associated with access roads, and particularly transmission
22 lines, could be large. Detailed information about visual impacts associated with transmission
23 lines is presented in Section 5.7.1. A detailed site-specific NEPA analysis would be required to
24 determine visibility and associated impacts precisely for any future solar projects, based on more
25 precise knowledge of facility location and characteristics.
26
27

28 **Impacts on Selected Other Lands and Resources**

29
30

31 ***Butterfield Trail.*** The Butterfield Trail is an historic mail and passenger stagecoach trail
32 that ran between Memphis, Tennessee, St Louis, Missouri, and San Francisco, California. The
33 trail was an important route that connected the eastern United States to the western frontier. The
34 trail's trace passes just north of both the Afton and Mason Draw SEZs, and solar facilities in
35 both SEZs could be visible to trail users. About 15 mi (24 km) of the trail passes through the
36 proposed Afton SEZ 25-mi (40-km) viewshed, with 3.4 mi (5.5 km) in the 24.6-ft (7.5-m)
37 viewshed. Much of trail within the proposed Afton SEZ viewshed is also in the proposed Mason
38 Draw SEZ viewshed and could potentially be subject to visual impacts from solar development
39 in both SEZs. The proposed Mason Draw SEZ is closer to the Butterfield Trail than the proposed
40 Afton SEZ.
41

42 The trail enters the 25-mi (40 km) viewshed of the proposed Afton SEZ about 5.5 trail mi
43 (8.9 km) west of the Mesilla Valley near Picacho Peak, and about 5.2 mi (8.4 km) north of the
44 SEZ. The trail ascends from a shallow canyon onto the West Mesa, where solar facilities within
45 the SEZ would be in view. For westbound trail users, barring screening by the scrub vegetation
46 common to the area or screening by small undulations in local topography, the upper portions of

1 sufficiently tall power towers in the far northern portion of the SEZ could come into view above
2 the southern horizon just west of the ruins of a Butterfield Trail stagecoach stop about 5.5 mi
3 (8.8 km) north of the SEZ. At this point and at many points along the trail, visual contrasts from
4 solar facilities in the proposed Afton SEZ would be minimal to weak. If sufficiently tall, at night,
5 visible power towers in the SEZ would have red flashing lights, or white or red flashing strobe
6 lights that could be noticeable, but there could be other lights visible in the vicinity of the SEZ,
7 especially around I-10, which is located between the trail and the SEZ.
8


9 After a short distance, views of the solar SEZ would be largely obscured by a low ridge
10 between the trail and the SEZ. Figure 12.1.14.2-28 is a Google Earth visualization of the SEZ as
11 seen from the Butterfield Trail west of the ridge. The viewpoint is about 1.1 mi (1.8 km) west of
12 the stagecoach stop. The viewpoint is about 6 mi (10 km) north of the SEZ and is about 110 ft
13 (34 m) higher in elevation than the nearest point in the SEZ.
14

15 The visualization shows that at this viewpoint, barring screening by the scrub vegetation
16 common to the area or screening by small undulations in local topography, power towers in the
17 western portion of the SEZ would likely be in view above the southern horizon. Solar facilities in
18 the eastern portion of the SEZ would be screened by the ridge mentioned above.
19

20 Lower-height facilities could be visible, but the vertical angle of view would be very low.
21 Collector/reflector arrays would be seen edge-on, if at all, and would appear as very thin lines on
22 the southern horizon, repeating the strong horizon line, which would reduce contrasts. Ancillary
23 facilities, such as buildings, STGs, and other power block components, cooling towers, and
24 transmission facilities, as well as plumes (if present), could be visible above the
25 collector/reflector arrays and could add form, color, and line contrast, especially for facilities in
26 the northern portion of the SEZ.
27

28 If operating power towers in far northern portion of the SEZ were in view, they would
29 likely appear as bright lights atop visible tower structures and would likely attract visual
30 attention for viewers looking south from the trail, especially if multiple towers were visible.
31 Power towers in the far southern portion of the SEZ could still be visible but would be less bright
32 and very low to the horizon, and thus more likely to be screened by vegetation and small
33 undulations in local topography. If more than 200 ft (61 m) tall, power towers would have
34 navigation warning lights that could be visible from this location at night. Other lighting
35 associated with solar facilities could potentially be visible as well.
36

37 The potential visual contrast expected for this viewpoint would vary greatly depending
38 on project locations within the SEZ, technologies, and site designs, but under the PEIS 80%
39 development scenario, solar facilities within the SEZ would be expected to create weak to
40 moderate visual contrasts as seen from this viewpoint. Stronger contrast levels would be
41 expected if there were multiple power tower visible in the northern portion of the SEZ, and
42 much lower contrast levels would be expected if only low-height solar facilities were located
43 in the northern portion of the SEZ.
44



1

FIGURE 12.1.14.2-28 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from the Butterfield Trail about 6 mi (10 km) North of the SEZ

1 The upper portions of sufficiently tall power towers located in the Mason Draw SEZ
2 could also be visible from this location, and if solar facilities were built in that SEZ, they could
3 potentially contribute to visual impacts experienced at this point on the Butterfield Trail.
4

5 West of the viewpoint discussed above, the trail descends into a wash about 2.2 mi
6 (3.5 km) west of the stagecoach stop, and because of the loss of elevation, visibility of solar
7 facilities in the SEZ would decrease due to topographic screening. Beyond the wash, the trail
8 gains slightly in elevation, and potential visibility of solar facilities within the SEZ would
9 increase gradually, reaching a maximum about 5 mi (8 km) west of the stagecoach stop.
10

11 Figure 12.1.14.2-29 is a Google Earth visualization of the SEZ as seen from the
12 Butterfield Trail near the point of maximum potential visibility of solar facilities within the
13 proposed Afton SEZ. The viewpoint is about 5 mi (8 km) west of the stagecoach stop. The
14 viewpoint is about 7.4 mi (11.9 km) north of the northwest corner of SEZ and about 1.5 mi
15 (2.4 km) east of the gap between the Rough and Ready Hills and the Sleeping Lady Hills. The
16 viewpoint is about 120 ft (37 m) higher in elevation than the nearest point in the SEZ.
17


18 The visualization shows that at this viewpoint, barring screening by the scrub vegetation
19 common to the area or screening by small undulations in local topography, tall power towers
20 throughout much of the SEZ would likely be in view above the southern horizon. Solar facilities
21 in the far western portion of the SEZ would be screened by the Sleeping Lady Hills west of the
22 viewpoint.
23

24 Lower-height facilities could be visible, but the vertical angle of view would be very low.
25 Collector/reflector arrays would be seen edge-on, if at all, and would appear as very thin lines on
26 the southern horizon, repeating the strong horizon line, which would reduce contrasts. Ancillary
27 facilities, such as buildings, STGs, other power block components, cooling towers, and
28 transmission facilities, as well as plumes (if present), could be visible above the
29 collector/reflector arrays and could add form, color, and line contrast, especially for facilities in
30 the far northwestern portion of the SEZ.
31

32 If operating power towers in far northern portion of the SEZ were in view, they would
33 likely appear as bright lights atop visible tower structures and would likely attract visual
34 attention for viewers looking south from the trail, especially if multiple towers were visible. If
35 more than 200 ft (61 m) tall, power towers would have navigation warning lights that could be
36 visible from this location at night. Other lighting associated with solar facilities could be visible
37 as well.
38

39 Power towers in the far southern portion of the SEZ could still be visible, but would be
40 less bright and very low to the horizon, thus more likely to be screened by vegetation and small
41 undulations in local topography. Power towers on the far southeastern portion of the SEZ might
42 be screened by topography.
43

44 The potential visual contrast expected for this viewpoint would vary greatly depending on
45 project locations within the SEZ, technologies, and site designs, but under the PEIS 80%
46 development scenario, solar facilities within the SEZ would be expected to create weak to



1

2 **FIGURE 12.1.14.2-29 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from the Butterfield Trail near the Sleeping Lady Mountains**
4

1 moderate visual contrasts as seen from this viewpoint. Stronger contrast levels would be
2 expected if there were multiple power tower visible in the northern portion of the SEZ, and much
3 lower contrast levels would be expected if only low-height solar facilities were located in the
4 northern portion of the SEZ.
5

6 Solar facilities located in the Mason Draw SEZ would be screened from view with the
7 possible exception of very tall power towers placed in particular locations within that SEZ. If
8 power towers were built in those locations, they could potentially contribute to visual impacts
9 experienced at this point on the Butterfield Trail. However, the likelihood of that occurring is
10 low, and the expected additional visual contrasts would be weak. Section 12.2.14.2.2 of the PEIS
11 provides discussion of potential visual impacts associated with solar development within the
12 Mason Draw SEZ.
13

14 West of the gap between the Rough and Ready Hills and the Sleeping Lady Hills, views
15 of solar facilities within the proposed Afton SEZ would be limited to sporadic glimpses of the
16 receivers of tall power towers located in the western portions of the SEZ, which would be
17 expected to create minimal contrasts. However, just west of the Sleeping Lady Hills, views of the
18 Mason Draw SEZ would open up, and if solar facilities were present in that SEZ, they would
19 likely contribute substantially to overall impact levels from Butterfield Trail.
20

21 Eastbound travelers on the Butterfield Trail would have similar views of solar facilities
22 within the SEZ, but the order would be reversed, with one important potential distinction: if solar
23 facilities were present in the Mason Draw SEZ, eastbound travelers would see the potentially
24 strong visual contrasts associated with those facilities before seeing any substantial visual
25 contrasts from solar facilities within the proposed Afton SEZ. The strongest contrasts from solar
26 facilities in the proposed Afton SEZ would be seen shortly after seeing large contrasts from
27 facilities within the Mason Draw SEZ, which could affect the perception of relative impact from
28 the solar facilities in two SEZs.
29

30 In summary, the Butterfield Trail parallels the northern boundary of the SEZ throughout
31 the SEZ viewshed, although in many places topographic screening and the very low angle of
32 view would limit visual contrasts from solar facilities within the SEZ. Visual contrast levels seen
33 from the trail would be highly dependent on the number, location, and height of power towers
34 and other tall solar facility components in the northern portion of the SEZ. Under the 80%
35 development scenario analyzed in the PEIS, potentially up to moderate levels of visual contrasts
36 could be expected at points on the trail if multiple power towers or other tall solar facility
37 components were located in the northern portions of the SEZ, with lower contrasts expected if
38 taller facilities were not located in the northern portions of the SEZ. Regardless, in many
39 portions of the trail within the SEZ viewshed, expected visual contrast levels from solar
40 development in the proposed Afton SEZ would be minimal to weak, due primarily to
41 topographic screening and the very low angle of view between the trail and the SEZ. Finally,
42 from some locations on the Butterfield Trail, solar facilities in the Afton and Mason Draw SEZs
43 could be visible simultaneously, potentially resulting in larger visual impacts.
44
45

1 **Interstate 25.** I-25, generally a four-lane interstate highway, extends north–south through
2 the Mesilla Valley in the SEZ viewshed, from Las Cruces to just north of the community of
3 Radium Springs. The AADT value for I-25 in the vicinity of the SEZ ranges from about
4 10,000 vehicles at the I-25–I-10 interchange in Las Cruces to 39,200 vehicles at the East
5 Lohman Avenue interchange, and 16,300 vehicles north of the U.S. 70 interchange
6 (NM DOT 2009).

7
8 About 23 mi (37 km) of I-25 is within the SEZ viewshed, and solar facilities within
9 the SEZ could be in full view from some portions of I-25 as travelers approached from both
10 directions. I-25 is within the SEZ 7.5-m (24.6-ft) viewshed for almost the entire 23 mi (37 km).
11 This distance would equate to about 20 minutes total viewing time at highway speeds.


12
13 Southbound travelers on I-25 could first see solar facilities within the SEZ just north of
14 the community of Radium Springs, about 16 mi (26 km) north of the I-25–U.S. 70 interchange
15 in Las Cruces, and about 19 mi (31 km) north of the SEZ. For the first 1.7 mi (2.7 km) in the
16 proposed Afton SEZ viewshed, I-25 is also in the viewshed of the proposed Mason Draw SEZ,
17 but only the upper portions of sufficiently tall power towers in certain locations that SEZ could
18 be seen.

19
20 At the northern end of the viewshed, the I-25 roadway descends into the Mesilla Valley,
21 and solar facilities in the northeasternmost portion of the proposed Afton SEZ, close to the
22 eastern edge of West Mesa, would be in view straight down the roadway, but at a long enough
23 distance that with most of the SEZ screened from view by the edge of West Mesa, the SEZ
24 would occupy a very small portion of the horizontal field of view. Thus, visual contrast levels
25 would be expected to be weak. Sufficiently tall power towers in the northeastern corner of
26 SEZ would likely appear as point-like light sources above the mesa’s edge. At night, the towers
27 (if sufficiently tall) would have red flashing lights, or white or red flashing strobe lights that
28 could be visually conspicuous but would be seen above the numerous lights of the community
29 of Las Cruces. Other lighting associated with solar facilities could be visible as well.

30
31 For the next several miles there would be relatively little change in appearance of solar
32 facilities visible within the SEZ, until about 3 mi (5 km) south of Radium Springs, where a slight
33 curve in the roadway would shift the SEZ away from the center of the field of view, and more of
34 the SEZ would come into view also, so that visual contrast levels from solar facilities within the
35 SEZ would gradually increase.

36
37 As southbound I-25 travelers approached the community of Dona Ana, most of the
38 ground surface of the SEZ would still be screened by the edge of west Mesa; however, solar
39 facilities (particularly power towers) near the edge of the Mesa could be visible, and if they were
40 dispersed along the eastern edge of the SEZ, could be visible above a substantial portion of the
41 mesa’s rim.

42
43 Figure 12.1.14.2-30 is a Google Earth visualization of the SEZ as seen from I-25 at the
44 interchange at Dona Ana. The viewpoint is about 9.3 mi (15.0 km) north of the northeast corner
45 of the SEZ and about 50 ft (15 m) higher in elevation than the nearest point in the SEZ. The
46 visualization shows that the far northeastern portion of the SEZ projects beyond the edge of West



1

FIGURE 12.1.14.2-30 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from the Dona Ana Interchange on I-25

1 Mesa. Solar facilities in this very small portion of the SEZ would be in full view from this
2 viewpoint on I-25. Solar facilities within the SEZ would be seen about 45 degrees to the right of
3 the direction of travel.
4

5 Outside of this directly visible portion of the SEZ, the visibility of solar facilities from the
6 Dona Ana interchange would depend on their proximity to the edge of West Mesa. Taller solar
7 facilities, such as cooling towers, transmission towers, and power towers, could be seen from the
8 interchange if they were located sufficiently close to the edge of the mesa. Because of the size of
9 the SEZ and its close proximity to the viewpoint, if these taller facilities were very close to the
10 eastern edge of the SEZ, they could be seen above the edge of the mesa for much of the
11 horizontal field of view. Outside of the far northeastern portion of the SEZ, if only low-height
12 facilities such as PV systems were located along the eastern edge of the SEZ, those facilities
13 would be screened by the edge of the mesa and could not be seen from the interchange.
14

15 If solar facilities within the SEZ were located in the far northeastern corner of the SEZ,
16 they would occupy a very small portion of the horizontal field of view. Because of the relatively
17 low elevation of the viewpoint, solar facilities within the SEZ would appear in a narrow area just
18 below the edge of the mesa. If collector/reflector arrays were located in this sloped portion of the
19 SEZ, their strong regular geometry could be visible. At night, lighting associated with solar
20 facilities within the SEZ could be visible from this viewpoint as well.
21

22 If power towers were located in this visible nearby portion of the SEZ, they could appear
23 as bright non-point light sources atop visible tower structures that because of their elevation
24 would be highly likely to command visual attention. This would be the case particularly in the
25 morning, because the tower structures would be front-lit, thus adding short but potentially strong
26 vertical line and color contrasts to the strongly horizontal mesa edge. Lower levels of contrast
27 could be caused by power towers farther from the viewpoint, but close enough to the mesa edge
28 to be visible above the valley slopes. At night, visible power towers in the SEZ would have red
29 flashing lights, or white or red flashing strobe lights that could be conspicuous, given their
30 prominent and elevated location, but there would be numerous lights visible throughout the
31 valley, which could decrease the perception of visual impact created by the lights.
32

33 The potential visual contrast expected for this viewpoint would vary greatly depending on
34 project locations (especially with respect to their proximity to the edge of West Mesa),
35 technologies, and site designs, but because the interchange is relatively close to the SEZ, solar
36 development within the SEZ could be prominent in the field of view and could strongly attract
37 visual attention as seen from the interchange. Under the 80% development scenario, solar
38 facilities within the SEZ would be expected to create weak to moderate visual contrasts as
39 viewed from this viewpoint, with stronger contrast levels expected if multiple power tower
40 receivers were visible above West Mesa.
41

42 Solar facilities located in the Mason Draw SEZ would be screened from view with the
43 possible exception of very tall power towers placed in particular locations within the SEZ. If
44 power towers were built in those locations in that SEZ, they could potentially contribute to visual
45 impacts experienced at this point on I-25, but the likelihood of that occurring is low, and the

1 expected additional visual contrasts would be very weak. Section 12.2.14.2.2 discusses potential
2 visual impacts associated with solar development within the Mason Draw SEZ.

3
4 Figure 12.1.14.2-31 is a Google Earth visualization of the SEZ as seen from I-25 at its
5 junction with I-10, the southern terminus of I-25, about 6.2 mi (10.0 km) from the SEZ. The
6 interchange is the point of closest approach of I-25 to the SEZ.


7
8 From this location, the central portion of the SEZ would be viewed at about 90 degrees to
9 the direction of travel; however, if sufficiently tall solar facilities were distributed along the
10 eastern side of the SEZ, they could span an area along the edge of West Mesa too large to be
11 encompassed in one view. Viewers would need to turn their heads to scan across the whole
12 visible portion of the SEZ. Portions of the ground surface within the SEZ would be visible,
13 including the far northeastern corner of the SEZ and the far southeastern portion of the SEZ, and
14 solar facilities within these areas would be in open view from the interchange.

15
16 Outside of these directly visible portions of the SEZ, the visibility of solar facilities from
17 the Dona Ana interchange would depend on their proximity to the edge of West Mesa. Taller
18 solar facilities, such as cooling towers, transmission towers, and power towers, could be seen
19 from the interchange if they were located sufficiently close to the edge of the mesa. Because of
20 the size of the SEZ and its proximity to the viewpoint, if these taller facilities were very close to
21 the eastern edge of the SEZ, they could occupy a substantial portion of the mesa rim visible from
22 this location. Outside of these directly visible portions of the SEZ, if only low-height facilities
23 such as PV systems were located along the eastern edge of the SEZ, those facilities would be
24 screened by the edge of the mesa and could not be seen from the interchange.

25
26 If solar facilities within the SEZ were located in the directly visible portions of the SEZ,
27 they would occupy substantial portions of the horizontal field of view. Because of the relatively
28 low elevation of the viewpoint, solar facilities within the SEZ would appear in a narrow area on
29 or just below the edge of the mesa. If collector/reflector arrays were located in these sloped
30 portions of the SEZ, their strong regular geometry could be visible. At night, lighting associated
31 with solar facilities within the SEZ could be visible from this viewpoint as well.

32
33 If power towers were located in these directly visible portions of the SEZ, they could
34 appear as bright non-point light sources atop visible tower structures that, because of their
35 elevation, would be highly likely to command visual attention. This would be the case
36 particularly in the morning, when the tower structures would be frontlit, thus adding short but
37 potentially strong vertical line and color contrasts to the strongly horizontal mesa edge. Lower
38 levels of contrast could be caused by power towers farther from the viewpoint, but close enough
39 to the mesa edge to be visible above the valley slopes. At night, if sufficiently tall, visible power
40 towers in the SEZ would have red flashing lights, or white or red flashing strobe lights that could
41 be conspicuous, given their prominent and elevated location. However, there would be numerous
42 lights visible throughout the valley, which could decrease the perception of visual impact created
43 by the lights.

44
45 The potential visual contrast expected for this viewpoint would vary greatly depending on
46 project locations (especially with respect to their proximity to the edge of West Mesa),



1

FIGURE 12.1.14.2-31 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from the I-10-I-25 Interchange in Las Cruces

1 technologies, and site designs, but because the interchange is relatively close to the SEZ, solar
2 development within the SEZ could be prominent in the field of view and could strongly attract
3 visual attention as seen from the interchange, especially if multiple power towers were visible
4 along the length of the rim of West Mesa. Under the PEIS 80% development scenario, solar
5 facilities within the SEZ would be expected to create moderate to strong visual contrasts as
6 viewed from this viewpoint, with stronger contrast levels expected if multiple power tower
7 receivers were visible above West Mesa.
8

9 Solar facilities located in the Mason Draw SEZ would be screened from view except for
10 the upper portions of tall power towers placed in particular locations within the SEZ. If power
11 towers were built in those locations in that SEZ, they could potentially contribute to visual
12 impacts experienced at this point on I-25. Section 12.2.14.2.2 of the PEIS discusses potential
13 visual impacts associated with solar development within the Mason Draw SEZ.
14

15 For northbound travelers on I-25, the SEZ would be in view as they entered I-25 at its
16 junction with I-10, the southern terminus of I-25, about 6.2 mi (10.0 km) from the SEZ, and the
17 point of closest approach of I-25 to the SEZ. Observed contrast levels would be the same as
18 those just described, but immediately after getting onto I-25, vehicles would pass the northern
19 boundary of the SEZ, so that they would be traveling away from the SEZ. Travelers would need
20 to look behind their vehicles to see solar facilities in the SEZ. While the views from a given
21 point would be the same as for southbound travelers, the associated impact levels would be
22 lower, because there would be far fewer viewers looking at the SEZ, and their view would
23 generally be brief in duration.
24

25 In summary, solar facilities within the SEZ could be in view from I-25 for about
26 20 minutes driving time at highway speeds, but most travelers' views would be much briefer.
27 Facilities within the SEZ could be in view from about 23 mi (37 km) of the roadway, from
28 beyond Radium Springs to I-25's southern terminus in Las Cruces. Southbound travelers would
29 see very little at first, but as they approached Dona Ana, potential visibility of solar facilities in
30 the SEZ would increase, reaching maximum levels of visual contrast at the I-25–I-10
31 interchange, where I-25 ends. At this viewpoint, depending on the location, type, and height of
32 solar facility components in the eastern part of the SEZ, visual contrast levels could be strong if
33 multiple power towers were visible along the rim of West Mesa, with substantially lower levels
34 of contrast expected if only lower-height facilities were located along the eastern side of
35 the SEZ.
36
37

38 **Interstate 10.** I-10, generally a four-lane interstate highway, extends north-south through
39 the Mesilla Valley in the SEZ viewshed from El Paso to Las Cruces, then turns east-west in Las
40 Cruces to pass between the proposed Afton and Mason Draw SEZs, then heads more or less
41 straight west across southern New Mexico. The AADT value for I-10 in the vicinity of the SEZ
42 is about 16,000 vehicles at the Las Cruces Airport just north of the SEZ, but as high as
43 42,700 vehicles at the I-10–I-25 interchange in Las Cruces, east of the SEZ (NM DOT 2009).
44

45 About 81 mi (130 km) of I-10 is within the SEZ viewshed, and solar facilities within the
46 SEZ could be in full view from some portions of I-10 as travelers approached from both

1 directions. This distance would equate to about 65 to 70 minutes total viewing time at highway
2 speeds. I-10 is within the SEZ 7.5-m (24.6-ft) viewshed for about 49 mi (79 km). This distance
3 would equate to about 40 minutes total viewing time at highway speeds.
4

5 Northbound travelers on I-10 could first see solar facilities within the SEZ as far south as
6 the outskirts of El Paso; however, because of topographic screening, views would be sporadic,
7 distant, and partially screened. Within the first 7.5 mi (12 km) from El Paso, there would be very
8 short periods of visibility interspersed with short periods of full screening of solar facilities in the
9 SEZ. In general, solar development in the SEZ would be screened from view with the exception
10 of taller solar facilities in the far eastern portion of the SEZ that might be visible above the rim of
11 West Mesa. Expected visual contrast levels associated with solar development in the SEZ as seen
12 from this segment of I-10 would be minimal to weak.
13

14 In the vicinity of Canutillo, Texas (about 15 mi [24 km] from the SEZ), lower-height
15 solar facilities within a small part of the SEZ could be in view, at about 45 degrees left of the
16 direction of travel for northbound traffic. The SEZ would occupy a small but gradually
17 increasing portion of the horizontal field of view, but with weak levels of visual contrast
18 expected.
19

20 In the vicinity of Anthony, New Mexico (just under 10 mi [16 km] from the SEZ), the
21 SEZ would occupy a moderate amount of the horizontal field of view, and depending on the
22 location, technology type, and height of facilities within the SEZ, contrasts would be expected
23 to be at weak to moderate levels. At about 10 mi (16 km) from the SEZ, visible power tower
24 receivers would likely appear as bright points of light atop visible tower structures. The vertical
25 angle of view would be quite low, so that visible collector/reflector arrays would be seen edge-
26 on. They would appear as thin lines paralleling the rim of the mesa and would repeat the line of
27 the mesa rim, thereby reducing contrast. Ancillary facilities, such as buildings, transmission
28 towers, and plumes, could be visible if located in the eastern portions of the SEZ. At night, if
29 sufficiently tall, the towers would have red flashing lights, or white or red flashing strobe lights
30 that could attract attention, but would be seen above the numerous lights of Las Cruces and the
31 surrounding communities. Other lighting associated with solar facilities could be visible as well.
32 Figure 12.1.14.2-32 is a Google Earth visualization of the SEZ as seen from I-10 just east of
33 Anthony. The viewpoint is about 9 ft (3 m) lower in elevation than the closest point in the SEZ.
34


35 Just north of Anthony, I-10 turns slightly west toward the SEZ. After this point, as the
36 distance to the SEZ decreases, more of the SEZ would come into view on West Mesa, and
37 contrast levels associated with solar facilities in the SEZ would likely rise rapidly to strong levels
38 in the vicinity of the Vado exit, directly east of the SEZ's southeast corner. Figure 12.1.14.2-33
39 is a Google Earth visualization of the SEZ as seen from the Vado interchange. The viewpoint is
40 5.6 mi (9 km) from the closest point in the SEZ and about 76 ft (23 m) higher in elevation than
41 the closest point in the SEZ.
42

43 From this location, the central portion of the SEZ would be viewed at about 45 degrees
44 to the direction of travel; however, if sufficiently tall solar facilities were distributed along the
45 eastern side of the SEZ, they could nearly fill the horizontal field of view. Because the viewpoint
46 is slightly elevated with respect to portions of the far eastern side of the SEZ, lower height solar



1

2 **FIGURE 12.1.14.2-32 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power**
3 **Tower Wireframe Models, as Seen from I-10 at Anthony, New Mexico**



1

FIGURE 12.1.14.2-33 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from the Vado Interchange of I-10

1 facility components along much of the far eastern portion of the SEZ could be in view, although
2 they would generally be seen at a low viewing angle. This would reduce associated contrast
3 levels somewhat. Taller solar facilities, such as transmission towers and power towers, could be
4 visible, even if they were located in the central or western portions of the SEZ, well back from
5 the rim of West Mesa.

6
7 Ancillary facilities, such as buildings, transmission towers, and other features, as well as
8 plumes, would likely be visible projecting above the collector/reflector arrays, and their forms,
9 lines, and colors might contrast with the strong horizon line and the line of the collector/reflector
10 arrays. At night, lighting associated with solar facilities within the SEZ could be visible from this
11 viewpoint as well.

12
13 If power towers were visible within the far eastern portions of the SEZ, they could
14 appear as very bright non-point light sources atop visible tower structures that, because of
15 their elevation, would be highly likely to command visual attention. This would be the case
16 particularly in the morning, when the tower structures would be frontlit, thus adding short but
17 potentially strong vertical line and color contrasts to the strongly horizontal mesa edge. Lower
18 levels of contrast could be caused by power towers farther from the viewpoint, but close enough
19 to the mesa edge to be visible above the mesa rim. At night, if sufficiently tall, visible power
20 towers in the SEZ would have red flashing lights, or white or red flashing strobe lights that could
21 be conspicuous, given their prominent and elevated location, but there also would be numerous
22 lights visible throughout the valley, which could decrease the perception of visual impact created
23 by the tower lights.

24
25 The potential visual contrast expected for this viewpoint would vary greatly depending
26 on project locations (especially with respect to their proximity to the edge of West Mesa),
27 technologies, and site designs, but because the interchange is relatively close to the SEZ, solar
28 development within the SEZ could be prominent in the field of view and could strongly attract
29 visual attention as seen from the interchange, especially if multiple power towers were visible
30 along the length of the rim of West Mesa. Under the PEIS 80% development scenario, solar
31 facilities within the SEZ would be expected to create strong visual contrasts as viewed from this
32 viewpoint, with stronger contrast levels expected if multiple power tower receivers were visible
33 above West Mesa.

34
35 Solar facilities located in the Mason Draw SEZ would be screened from view except for
36 the upper portions of tall power towers placed in particular locations within the SEZ. If power
37 towers were built in those locations in that SEZ, they could potentially contribute to visual
38 impacts experienced at this point on I-10.

39
40 At the I-10–I-25 interchange in Las Cruces, I-10 turns west to ascend the slope to West
41 Mesa. Figure 12.1.14.2-31 (see under I-25 discussion above) is a Google Earth visualization of
42 the SEZ as seen from the I-10–I-25 junction, the southern terminus of I-25, about 6.2 mi (10 km)
43 from the SEZ. Views of solar facilities within the SEZ would be roughly at a right angle to the
44 direction of travel, on the left for northbound travelers. Visual contrast levels at this location
45 would be as described above, but as vehicles made the gradual turn to the west, the SEZ would

1 be visible somewhat more in line with the direction of travel, though still to the left of westbound
2 vehicles.


3
4 As vehicles ascended the slope to the top of West Mesa, visibility of solar facilities in the
5 SEZ would actually decrease somewhat because of partial screening by intervening topography.
6 On top of the mesa, however, screening would diminish quickly, as the difference in elevation
7 between the highway and the SEZ essentially would be eliminated in the vicinity of the U.S. 70
8 interchange 1.75 mi (2.8 km) north of the SEZ. Visual contrast levels would be expected to be
9 strong in this area.

10
11 Under the 80% development scenario analyzed in the PEIS, visual contrast levels would
12 be expected to peak for westbound I-10 travelers in the vicinity of the Las Cruces Municipal
13 Airport and the Robert Larson Boulevard interchange about 5.4 mi (8.8 km) west of the airport.
14 The distance to the northern boundary of the SEZ ranges from 1.2 mi (1.9 km) south of the
15 airport to 0.4 mi (0.6 km) at the Robert Larson Boulevard interchange. Some structures along
16 I-10 would provide some partial screening of views of the SEZ, but views are generally open.

17
18 Figure 12.1.14.2-34 is a Google Earth perspective visualization of the SEZ as seen from
19 I-10 about 0.7 mi (1.1 km) east of the Crawford Boulevard interchange at the airport, facing
20 south toward a cluster of four power tower models south of I-10. (Note that airport restrictions
21 could preclude placing power towers in these locations, or could place height restrictions on
22 them; however, the discussion here is illustrative in nature). The center of the cluster is about
23 3.2 mi (5 km) from the viewpoint, with the closest tower about 1.6 mi (2.5 km) from the
24 viewpoint. The visualization suggests that from this location, solar facilities within the SEZ
25 would be in full view. The SEZ would occupy more than the entire field of view south of I-10, so
26 travelers would have to turn their heads to scan across the full SEZ. Facilities located within the
27 northern portion of the SEZ would strongly attract the eye and would likely dominate views
28 from I-10. Structural details of some facility components for nearby facilities would likely be
29 visible. Steam plumes, transmission towers, and other tall facility components would be seen
30 against a sky backdrop, or could project above the mountains south of the SEZ. From this
31 viewpoint, solar collector/reflector arrays would be seen nearly edge on and would repeat the
32 horizontal line of the plain in which the SEZ is situated, which would tend to reduce visual line
33 contrast. However, as the viewer approached the SEZ, the collector/reflector arrays could
34 increase in apparent size until their form was visible, and they no longer appeared as horizontal
35 lines.

36
37 If power towers were located within the SEZ close to this viewpoint, the receivers would
38 likely appear as brilliant white non-point light sources atop towers with structural details clearly
39 visible. In addition, during certain times of the day from certain angles, sunlight on dust particles
40 in the air might result in the appearance of light streaming down from the towers. The towers and
41 receivers would strongly attract visual attention, and would likely dominate views from I-10 in
42 this vicinity.

43
44 At night, if sufficiently tall, visible power towers in the SEZ would have red flashing
45 lights, or white or red flashing strobe lights that could be very conspicuous from this viewpoint,
46 but there would be other lights visible in the area, which could decrease the perception of visual
47 impact created by the lights.



1

FIGURE 12.1.14.2-34 Google Earth Visualization of the Proposed Afton SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from I-10 near Crawford Boulevard Interchange at Las Cruces Municipal Airport

1 Under the 80% development scenario, the SEZ could contain numerous solar facilities
2 utilizing differing solar technologies as well as a variety of roads and ancillary facilities. The
3 array of facilities could create a visually complex landscape that would exceed the visual
4 absorption capability of the flat mesa in which the SEZ is located, leading to a perception of
5 visual “clutter” that would likely be perceived negatively by many viewers. Because the SEZ
6 occupies so much of the horizontal field of view, although contrast levels would depend on
7 project location within the SEZ, the types of solar facilities and their designs, and other visibility
8 factors, strong visual contrasts from solar energy development within the SEZ would be expected
9 at this viewpoint under favorable viewing conditions.

10
11 Shortly after passing the Robert Larson Boulevard interchange, westbound vehicles
12 would pass the western end of the SEZ, and impacts from solar development would decrease
13 rapidly, since the SEZ would then be behind the vehicles. Note, however, that just as impacts
14 from solar development within the proposed Afton SEZ would be decreasing, the nearby
15 proposed Mason Draw SEZ would come into view, and if solar facilities were located in that
16 SEZ, they could add substantially to visual contrasts seen in this area.

17
18 Eastbound travelers on I-10 would see the same sorts and levels of visual contrasts from
19 solar development within the proposed Afton SEZ as westbound travelers, but they would see
20 them after having seen any visible facilities in the Mason Draw SEZ first. However, while taller
21 solar facilities within certain parts of the SEZ could come into view at distances greater than
22 25 mi (40 km) from the SEZ, because of topographic screening lower-height facilities would not
23 come into view until travelers were within about 1.5 mi (2.4 km) of the SEZ. After passing into
24 the 7.5-m (24.6-ft) viewshed, visual contrast levels would very quickly reach strong levels,
25 which could result in higher perceived levels of visual impact than if the bulk of the facilities had
26 been in view longer.

27
28 Beyond the airport, visual contrasts would diminish substantially, but as vehicles turned
29 south, solar facilities within the SEZ would be in view on the right side as they traveled down the
30 Mesilla Valley, with expected contrast levels as described above. While strong contrasts could be
31 observed while I-10 paralleled the eastern side of the SEZ, perceived impact levels would drop
32 off sharply after the vehicle passed the Vado interchange, and thereby passed the southern
33 boundary of the SEZ.

34
35 In summary, solar facilities within the SEZ could be in view from I-10 for about
36 65 to 70 minutes driving time at highway speeds, but most travelers’ views would be much
37 briefer. Facilities within the SEZ could be in view from about 81 mi (130 km) of the roadway,
38 from more than 25 mi (40 km) west of the SEZ to El Paso. Northbound travelers could first see
39 solar facilities within the SEZ outside of El Paso, with a gradual increase in contrast levels as
40 I-10 passes north up the Mesilla Valley, and reaching maximum levels of visual contrast near the
41 Las Cruces Municipal Airport. At this viewpoint, depending on the location, type, and height of
42 solar facility components in the SEZ, visual contrast levels could be strong.

43
44
45 **U.S. 70.** U.S. 70, generally a four-lane highway, extends northeast-southwest across the
46 Organ Mountains and into the Mesilla Valley, where it joins I-10 near the Las Cruces Municipal

1 Airport. Westbound travelers on U.S. 70 could have views of solar facilities within the SEZ from
2 almost any point on the road west of the Organ Mountains, except for a short stretch where the
3 highway climbs the slope of West Mesa near the SEZ. The AADT value for U.S. 70 in the
4 vicinity of the SEZ is between 10,200 and 12,600 vehicles (NM DOT 2009).

5
6 About 22 mi (35 km) of U.S. 70 (east of its junction with I-10) are within the SEZ
7 viewshed. As westbound travelers on U.S. 70 past the crest of the Organ Mountains, solar
8 facilities within the SEZ could come into view east of the community of Organ, about 19 mi
9 (31 km) from the SEZ. The angle of view would be very low, and although the SEZ would
10 occupy a moderate amount of the horizontal field of view, expected visual contrast levels
11 would be weak because much of the SEZ would be screened by the lower slopes of the Organ
12 Mountains. As U.S. 70 descended to the valley bottom, it would get closer to the SEZ, but the
13 angle of view would constantly decrease, such that overall contrast levels would rise only very
14 gradually.

15
16 At the Dunn Drive interchange at Spaceport City, power towers throughout the SEZ
17 could be visible as points of light just above the mountains south and southwest of the SEZ, but
18 much of the SEZ would be screened by intervening terrain, such that expected contrast levels
19 would still be weak. In the vicinity of the I-25 interchange, however, enough of the SEZ would
20 be in view that expected contrast levels would rise to moderate. Contrast levels would continue
21 to slowly increase but would likely remain at moderate levels until U.S. 70 began to climb the
22 western slope of West Mesa. At that point, the slope in front of the vehicle would cut off views
23 of solar facilities within the SEZ. Solar facilities would come back into view as U.S. 70 crested
24 the slope of West Mesa, very near to the junction of U.S. 70 and I-10. At this location, with open
25 and near-level views of the SEZ less than 2 mi (3 km) away, expected visual contrasts would be
26 moderate to strong. For discussion of impacts on viewers along U.S. 70 after it joins I-10, see the
27 I-10 impacts discussion above.

28
29
30 ***Communities of Las Cruces, University Park, Mesilla, Dona Ana, Radium Springs,***
31 ***Organ, Spaceport City, San Miguel, La Mesa, La Union, Mesquite, Vado, Chamberino,***
32 ***Berino, Anthony, and El Paso (Texas).*** The viewshed analyses indicate potential visibility of
33 solar facilities within the SEZ from the communities of Las Cruces, University Park, Mesilla,
34 and other communities surrounding Las Cruces; Dona Ana; Organ; Spaceport City; San Miguel;
35 La Mesa; Mesquite; Chamberino; Berino; Anthony; and El Paso (Texas).

36
37 Screening by small undulations in topography, vegetation, buildings or other features
38 would likely restrict or eliminate visibility of the SEZ and associated solar facilities from many
39 locations within these communities, but a detailed future site-specific NEPA analysis is required
40 to determine visibility precisely. However, note that even with existing screening, solar power
41 towers, cooling towers, plumes, transmission lines and towers, or other tall structures associated
42 with the development could potentially be tall enough to exceed the height of screening in some
43 areas and cause visual impacts on these communities.

44
45 Las Cruces, University Park, Mesilla and the other communities immediately surrounding
46 Las Cruces are located in the Mesilla Valley, and all are within 7 mi (11 km) of the nearest point

1 in the SEZ. Although contrast levels would depend on project location within the SEZ, the types
2 of solar facilities and their designs, and other visibility factors, under the 80% development
3 scenario analyzed in the PEIS, moderate to strong visual contrast levels could be experienced in
4 University Park and some portions of Las Cruces. Strong visual contrast levels could be
5 experienced in Mesilla and nearby areas. Figures 12.1.14.2-31 and 12.1.14.2-24 are
6 visualizations of solar facilities within the SEZ as seen from Las Cruces and Mesilla,
7 respectively.

8
9 Potential levels of visual impact in other communities in New Mexico in the vicinity of
10 the proposed Afton SEZ are as follows:

- 11
12 • Dona Ana is about 9.2 mi (14.8 km) from the nearest point in the SEZ. Weak
13 to moderate visual contrast levels could be experienced in Dona Ana and
14 nearby areas. Figure 12.1.14.2-30 is a visualization of solar facilities within
15 the SEZ as seen from Dona Ana.
- 16
17 • Radium Springs is located about 16 mi (26 km) from the nearest point in the
18 SEZ. Because of extensive screening of views of the SEZ by topography,
19 minimal visual contrast levels could be experienced in Radium Springs and
20 nearby areas.
- 21
22 • Spaceport City is about 13 mi (21 km) from the nearest point in the SEZ.
23 Weak visual contrast levels could be experienced in Spaceport City and
24 nearby areas.
- 25
26 • Organ is about 18 mi (29 km) from the nearest point in the SEZ. Weak visual
27 contrast levels could be experienced in Organ and nearby areas.
- 28
29 • San Miguel is about 0.8 mi (1.3 km) from the nearest point in the SEZ. Strong
30 visual contrast levels could be experienced in San Miguel and nearby areas.
- 31
32 • La Mesa is about 1.2 mi (1.9 km) from the nearest point in the SEZ. Strong
33 visual contrast levels could be experienced in La Mesa and nearby areas.
- 34
35 • La Union is about 10 mi (16 km) from the nearest point in the SEZ. Because
36 of extensive screening of views of the SEZ by topography, minimal visual
37 contrast levels could be experienced in La Union and nearby areas.
- 38
39 • Mesquite is about 3.1 mi (5.0 km) from the nearest point in the SEZ. Strong
40 visual contrast levels could be experienced in Mesquite and nearby areas.
41 Figure 12.1.14.2-27 is a visualization of solar facilities within the SEZ as seen
42 from Mesquite.
- 43
44 • Vado is about 3.4 mi (5.5 km) from the nearest point in the SEZ. Strong visual
45 contrast levels could be experienced in Vado and nearby areas.
- 46

- 1 • Chamberino is about 4.1 mi (6.6 km) from the nearest point in the SEZ.
2 Because of extensive screening of views of the SEZ by topography, minimal
3 visual contrast levels could be experienced in Chamberino and nearby areas.
4
- 5 • Berino is about 6.0 mi (9.7 km) from the nearest point in the SEZ. Moderate
6 to strong visual contrast levels could be experienced in Berino and nearby
7 areas.
8
- 9 • Anthony is about 9.2 mi (15 km) from the nearest point in the SEZ. Weak to
10 moderate visual contrast levels could be experienced in Anthony and nearby
11 areas. Figure 12.1.14.2-32 is a visualization of solar facilities within the SEZ
12 as seen from Anthony.
13

14 In addition to these New Mexico communities that could be affected, the northwestern
15 outskirts of El Paso, Texas, are about 25 mi (40 km) from the nearest point in the SEZ. Minimal
16 to very weak visual contrast levels could be experienced in El Paso and nearby areas.
17

18 *Other impacts.* In addition to the impacts described for the resource areas above, nearby
19 residents and visitors to the area may experience visual impacts from solar energy facilities
20 located within the SEZ (as well as any associated access roads and transmission lines) from their
21 residences, or as they travel area roads, including but not limited to I-10, I-25, and U.S. 70, as
22 noted above. The range of impacts experienced would be highly dependent on viewer location,
23 project types, locations, sizes, and layouts, as well as the presence of screening, but under the
24 80% development scenario analyzed in the PEIS, from some locations, strong visual contrasts
25 from solar development within the SEZ could potentially be observed.
26
27

28 ***12.1.14.2.3 Summary of Visual Resource Impacts for the Proposed Afton SEZ*** 29

30 Under the 80% development scenario analyzed in the PEIS, the SEZ would contain
31 multiple solar facilities utilizing differing solar technologies and requiring a variety of roads and
32 ancillary facilities. The array of facilities could create a visually complex landscape that would
33 contrast strongly with the strongly horizontal, relatively uncluttered, and generally natural-
34 appearing landscape of the flat mesa on which the SEZ would be located. Large visual impacts
35 on the SEZ and surrounding lands within the SEZ viewshed would be associated with solar
36 energy development within the proposed Afton SEZ because of major modification of the
37 character of the existing landscape.
38

39 The SEZ is in an area of low scenic quality; however, it is within the viewshed of a
40 number of sensitive visual resource areas, including several wilderness study areas, two national
41 historic trails, a national scenic byway, a national historic landmark, a national natural landmark,
42 and several BLM-designated ACECs and SRMAs. In general, these areas are insufficiently
43 elevated with respect to the SEZ to afford commanding views of solar facilities within the SEZ;
44 however, a number of the sensitive areas are close enough to the nearly 78,000-acre (320-km²)
45 SEZ that solar facilities could stretch across much of the field of view from many viewpoints
46 within these areas, potentially creating panoramic views of solar facilities across the landscape.

1 As a result, a number of these sensitive resource areas could be subjected to moderate to strong
2 visual contrasts from solar facilities within the SEZ. In addition, a number of them could be
3 further impacted by solar facilities that could be built in the proposed Mason Draw SEZ.
4

5 Furthermore, because the eastern side of the SEZ is immediately adjacent to, and elevated
6 above the Mesilla Valley, solar facilities in that portion of the SEZ would be in full or partial
7 view of many communities and the heavily traveled highways within the Mesilla Valley and the
8 uplands to the east of the valley. Solar development within the SEZ could be visible as far south
9 as El Paso and northern Mexico, and as far north as Radium Springs, New Mexico. Several
10 communities and major roads within the valley could be subjected to moderate or strong visual
11 contrasts from solar development within the SEZ.
12

13 Under the 80% development scenario analyzed in this PEIS, the following sensitive
14 visual resource areas would be expected to be subjected to moderate to strong visual contrast
15 levels from solar facilities within the proposed Afton SEZ:
16

- 17 • Prehistoric Trackways NM (strong);
- 18
- 19 • Aden Lava Flow WSA (strong), Organ Mountains WSA (moderate to strong),
20 Organ Needles WSA (moderate to strong), Pena Blanca WSA (moderate to
21 strong), Robledo Mountains WSA (strong), West Potrillo Mountains/Mt.
22 Riley WSA (moderate to strong);
- 23
- 24 • Aden Hills SRMA (strong), Organ/Franklin Mountains SRMA (moderate to
25 strong), Dona Ana Mountains SRMA (moderate to strong);
- 26
- 27 • Dona Ana Mountains ACEC (moderate to strong), Organ/Franklin Mountains
28 ACEC (moderate to strong), Robledo Mountains ACEC (strong);
- 29
- 30 • Mesilla Plaza National Historic Landmark (moderate to strong);
- 31
- 32 • Kilbourne Hole National Natural Landmark (moderate to strong);
- 33
- 34 • El Camino Real de Tierra Adentro National Historic Trail (strong); and
- 35
- 36 • El Camino Real National Scenic Byway (strong).
37

38 The following selected visually sensitive non-Federal lands and resources could be
39 subjected to moderate to strong contrast levels from solar facilities within the proposed
40 Afton SEZ:
41

- 42 • Butterfield Trail (moderate);
- 43
- 44 • I-25 (strong);
- 45
- 46 • I-10 (strong); and
- 47
- 48 • U.S. 70 (moderate to strong).
49

1 The following selected communities in the Mesilla Valley could be subjected to moderate
2 to strong contrast levels from solar facilities within the proposed Afton SEZ:

- 3
- 4 • San Miguel, La Mesa, Mesquite, Vado (strong);
- 5
- 6 • Las Cruces, University Park, Mesilla and immediately surrounding
- 7 communities; Berino (moderate to strong); and
- 8
- 9 • Dona Ana, Anthony (weak to moderate).

10

11 In addition, visitors to the area, workers, and residents may be subjected to minimal to
12 strong visual contrasts from solar energy facilities located within the SEZ (as well as any
13 associated access roads and transmission lines) as they travel area roads.

14

15

16 **12.1.14.3 SEZ-Specific Design Features and Design Feature Effectiveness**

17

18 The presence and operation of large-scale solar energy facilities and equipment would
19 introduce major visual changes into nonindustrialized landscapes and could create strong visual
20 contrasts in line, form, color, and texture that could not easily be mitigated substantially.
21 Implementation of required programmatic design features described in Appendix A,
22 Section A.2.2, would reduce the magnitude of visual impacts associated with utility-scale solar
23 energy development within the SEZ; however, the degree of effectiveness of these design
24 features could be assessed only at the site- and project-specific level. Given the large scale,
25 reflective surfaces, strong regular geometry of utility-scale solar energy facilities, and the lack of
26 screening vegetation and landforms within the SEZ viewshed, siting the facilities away from
27 sensitive visual resource areas and other sensitive viewing areas is the primary means of
28 mitigating visual impacts. The effectiveness of other visual impact mitigation measures would
29 generally be limited.

30

31 While the applicability and appropriateness of some design features would depend on
32 site- and project-specific information that would be available only after a specific solar energy
33 project had been proposed, some SEZ-specific design features can be identified for the proposed
34 Afton SEZ at this time, as follows:

- 35
- 36 • Within the SEZ, in areas east of a line between the northwest corner of
- 37 Section 5 of Township 024S Range 001E extending through and beyond
- 38 the southeast corner of Section 24 of Township 025S Range 001E, visual
- 39 impacts associated with solar energy development in the SEZ should be
- 40 consistent with VRM Class II management objectives (see Table 12.1.14.3-1),
- 41 as determined from key observation points to be selected by the BLM within
- 42 the Mesilla Valley west of a line 0.25 mi (0.4 km) east of I-10 (for key
- 43 observation points south of the I-10–I-25 interchange) or I-25 (for key
- 44 observation points north of the I-10–I-25 interchange), and east of the toe of
- 45 the slope of West Mesa. The VRM Class II impact level consistency
- 46 mitigation would affect about 12,528 acres (50.699 km²) within the

TABLE 12.1.14.3-1 VRM Class Objectives

Class I	The objective of this class is to preserve the existing character of the landscape. This class provides for natural ecological changes; however, it does not preclude very limited management activity. The level of change to the characteristic landscape should be very low and must not attract attention.
Class II	The objective of this class is to retain the existing character of the landscape. The level of change to the characteristic landscape should be low. Management activities may be seen, but should not attract the attention of the casual observer. Any changes must repeat the basic elements of form, line, color, and texture found in the predominant natural features of the characteristic landscape.
Class III	The objective of this class is to partially retain the existing character of the landscape. The level of change to the characteristic landscape should be moderate. Management activities may attract attention but should both dominate the view of the casual observer. Changes should repeat the basic elements found in the predominant natural features of the characteristic landscape.
Class IV	The objective of this class is to provide for management activities which require major modification of the existing character of the landscape. The level of change to the characteristic landscape can be high. These management activities may dominate the view and be the major focus of viewer attention. However, every attempt should be made to minimize the impact of these activities through careful location, minimal disturbance, and repeating the basic elements.

Source: BLM (1986b).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

northeastern portion of the SEZ. The affected area includes about 16% of the total area of the proposed SEZ. The area subject to the SEZ-specific design feature requiring consistency with VRM Class II management objectives is shown in Figure 12.1.14.3-1.

Within the SEZ, in areas visible from and within 3 mi (5 km) of the Aden Lava Flow WSA, visual impacts associated with solar energy project operation should be consistent with VRM Class II management objectives (see Table 8.1.14.3.-1), as determined from KOPs to be selected by the BLM within the WSA, and in areas visible from between 3 and 5 mi (5 and 8 km), visual impacts should be consistent with VRM Class III management objectives. The VRM Class II impact level consistency mitigation would affect approximately 3,042 acres (12.31 km²) within the southwestern portion of the SEZ. The VRM Class III impact level consistency mitigation would affect approximately 9,539 additional acres (38.60 km²). The area affected by the VRM Class II and Class III impact level consistency mitigation includes about 16% of the total area of the proposed SEZ.

Within the SEZ, the height of power towers should be restricted such that the receiver and any navigation hazard lighting will not be directly visible from points within the Mesilla Valley west of a line 0.25 mi (0.4 km) east of I-10 (for points south of the I-10–I-25 interchange) or I-25 (for points north of the I-10–I-25 interchange), and east of the toe of the slope of West Mesa.




FIGURE 12.1.14.3-1 Areas within and around the Proposed Afton SEZ Affected by SEZ-Specific Distance-Based Visual Impact Design Features

1
2
3

1 Application of these SEZ-specific design features would substantially reduce visual
2 impacts associated with solar energy development within the SEZ and also would substantially
3 reduce potential visual impacts on the Aden Lava Flow WSA and also the communities within
4 the Mesilla Valley where potential visual impacts would be greatest because of the number of
5 viewers and duration of views.
6

7 These design features would also reduce impacts on the following sensitive visual
8 resource areas:
9

- 10 • Organ Mountains WSA, Organ Needles WSA, Pena Blanca WSA, West
11 Potrillo Mountains WSA;
- 12
- 13 • Organ/Franklin Mountains SRMA, Dona Ana Mountains SRMA;
- 14
- 15 • Dona Ana Mountains ACEC, Organ/Franklin Mountains ACEC;
- 16
- 17 • Mesilla Plaza National Historic Landmark;
- 18
- 19 • Kilbourne Hole National Natural Landmark
- 20
- 21 • El Camino Real de Tierra Adentro National Historic Trail;
- 22
- 23 • El Camino Real National Scenic Byway;
- 24
- 25 • I-25;
- 26
- 27 • I-10; and
- 28
- 29 • U.S. 70.
- 30
- 31

1 **12.1.15 Acoustic Environment**

2
3
4 **12.1.15.1 Affected Environment**

5
6 The proposed Afton SEZ is located in the southwestern portion of Dona Ana County
7 in south-central New Mexico. Neither the State of New Mexico nor Dona Ana County has
8 established quantitative noise-limit regulations applicable to solar energy development.
9

10 I-10 runs east–west as close as about 0.4 mi (0.6 km) to the north and runs north-south
11 as close as 5 mi (8 km) to the east. Many State Routes exist in the Mesilla Valley, to the east
12 of the SEZ. There are good access roads to the site from all directions and many internal roads
13 exist within the SEZ. The nearest railroads run as close as about 1 mi (1.6 km) to the southwest
14 and as close as about 3 mi (5 km) to the east of the SEZ. Nearby airports include Las Cruces
15 International Airport and Stahmann Farms Airfield (listed as an abandoned field but used by crop
16 dusters on occasion), about 2 mi (3 km) north and 0.25 mi (0.4 km) east of the SEZ, respectively.
17 Substantial commercial/industrial/government uses exist on northern boundary along I-10, while
18 a major multi-modal transmission corridor with a large power line and numerous gas pipelines
19 runs through the southern portion of the SEZ. Natural gas–fired Afton Generating Station and
20 Afton Compressor Station are located in the southern part of the SEZ. To the east in the fertile
21 Mesilla Valley are situated large-scale irrigated agricultural lands. Some livestock grazing occurs
22 on the south side of the SEZ. No sensitive receptors (e.g., hospitals, schools, or nursing homes)
23 exist very close to the proposed Afton SEZ. However, several residences exist adjacent to the
24 northeastern SEZ boundary and as close as 200 ft (61 m) from the southeastern SEZ boundary.
25 To the east in the Mesilla Valley, many large and small population centers have developed,
26 including Las Cruces, Mesilla, Mesquite, University Park, and Vado, within a 5-mi (8-km) radius
27 of the SEZ. Accordingly, noise sources around the SEZ include road traffic, railroad traffic,
28 aircraft flyover, commercial/industrial/agricultural activities, livestock grazing, and community
29 activities and events. Except activities mentioned above in some portions of the SEZ, the
30 proposed Afton SEZ is mostly undeveloped, and its overall character is considered rural to
31 industrial. Background noise levels in most areas of the SEZ would be lower, except areas to the
32 north, northeast, southeast, and south of the SEZ, where I-10 runs and/or
33 industrial/commercial/agricultural activities occur. To date, no environmental noise survey has
34 been conducted around the proposed Afton SEZ. On the basis of the population density, the day-
35 night average noise level (L_{dn} or DNL) is estimated to be 39 dBA for Dona Ana County, typical
36 of a rural area (33 to 47 dBA L_{dn}) (Eldred 1982; Miller 2002).¹¹
37
38

39 **12.1.15.2 Impacts**

40
41 Potential noise impacts associated with solar projects in the Afton SEZ would occur
42 during all phases of the projects. During the construction phase, potential noise impacts on the

¹¹ Rural and undeveloped areas have sound levels in the range of 33 to 47 dBA as L_{dn} (Eldred 1982). Typically, nighttime levels are 10 dBA lower than daytime levels, and they can be interpreted as 33 to 47 dBA (mean 40 dBA) during daytime hours and 23 to 37 dBA (mean 30 dBA) during nighttime hours.

1 nearest residences (just next to the northeastern SEZ boundary) associated with operation of
2 heavy equipment and vehicular traffic would be anticipated, albeit of short duration. During the
3 operations phase, potential impacts on nearby residences would be anticipated, depending on the
4 solar technologies employed. Noise impacts shared by all solar technologies are discussed in
5 detail in Section 5.13.1, and technology-specific impacts are presented in Section 5.13.2. Impacts
6 specific to the proposed Afton SEZ are presented in this section. Any such impacts would be
7 minimized through the implementation of required programmatic design features described in
8 Appendix A, Section A.2.2 and through any additional SEZ-specific design features applied (see
9 Section 12.1.15.3). This section primarily addresses potential noise impacts on humans, although
10 potential impacts on wildlife at nearby sensitive areas are discussed. Additional discussion on
11 potential noise impacts on wildlife is presented in Section 5.10.2.

12 13 14 **12.1.15.2.1 Construction**

15
16 The proposed Afton SEZ has a relatively flat terrain; thus, minimal site preparation
17 activities would be required, and associated noise levels would be lower than those during
18 general construction (e.g., erecting building structures and installing equipment, piping, and
19 electrical).

20
21 For the parabolic trough and power tower technologies, the highest construction noise
22 levels would occur at the power block area, where key components (e.g., steam turbine/
23 generator) needed to generate electricity are located; a maximum of 95 dBA at a distance of
24 50 ft (15 m) is assumed, if impact equipment such as pile drivers or rock drills is not being used.
25 Typically, the power block area is located in the center of the solar facility, at a distance of more
26 than 0.5 mi (0.8 km) from the facility boundary. Noise levels from construction of the solar array
27 would be lower than 95 dBA. When geometric spreading and ground effects are considered, as
28 explained in Section 4.13.1, noise levels would attenuate to about 40 dBA at a distance of
29 1.2 mi (1.9 km) from the power block area. This noise level is typical of daytime mean rural
30 background level. In addition, mid- and high-frequency noise from construction activities is
31 significantly attenuated by atmospheric absorption under the low-humidity conditions typical of
32 an arid desert environment and by temperature lapse conditions typical of daytime hours; thus
33 noise attenuation to a 40-dBA level would occur at distances somewhat shorter than 1.2 mi
34 (1.9 km). If a 10-hour daytime work schedule is considered, the EPA guideline level of 55 dBA
35 L_{dn} for residential areas (EPA 1974) would occur about 1,200 ft (370 m) from the power block
36 area, which would be well within the facility boundary. For construction activities occurring
37 near the closest residences adjacent to the northeastern SEZ boundary, estimated noise levels at
38 the nearest residences would be about 74 dBA,¹² which is well above the typical daytime mean
39 rural background level of 40 dBA. In addition, an estimated 70-dBA L_{dn} ¹³ at these residences is
40 well above the EPA guidance of 55 dBA L_{dn} for residential areas.

41

¹² Typically, the heavy equipment operators would not allow public access any closer than 330 ft (100 m) for safety reasons. In other words, neither construction nor solar facilities would occur within this distance from the nearest residences.

¹³ For this analysis, background levels of 40 and 30 dBA for daytime and nighttime hours, respectively, are assumed, which result in a day-night average noise level (L_{dn}) of 40 dBA.

1 For SEZs greater than 30,000 acres (121.4 km²), such as the Afton SEZ, it is assumed
2 that a maximum of three projects would be developed at any one time. If three projects were to
3 be built within the SEZ near the closest residences, noise levels would be a little higher than the
4 above-mentioned values, below a just-noticeable increase of about 3 dB over a single project.
5

6 In addition, noise levels are estimated at the specially designated areas within a 5-mi
7 (8-km) range of the Afton SEZ, which is the farthest distance at which noise (other than
8 extremely loud noise) would be discernable. There is only one specially designated area within
9 the range where noise might be an issue: Aden Lava Flow WSA, which is about 1.3 mi (2.1 km)
10 southwest of the SEZ. For construction activities occurring near the southwestern SEZ boundary,
11 the noise level is estimated to be about 39 dBA at the boundary of the Aden Lava Flow WSA,
12 which is below the typical daytime mean rural background level of 40 dBA. Thus, construction
13 noise from the SEZ is not likely to adversely affect wildlife at the Aden Lava Flow WSA
14 (Manci et al. 1988), as discussed in Section 5.10.2.
15

16 Depending on soil conditions, pile driving might be required for installation of solar dish
17 engines. However, the pile drivers used, such as vibratory or sonic drivers, would be relatively
18 small and quiet, in contrast to the impulsive impact pile drivers frequently used at large-scale
19 construction sites. Potential impacts on the nearest residences would be anticipated to be
20 negligible, except when pile driving would occur near the residences (just next to the
21 northeastern and southeastern SEZ boundary).
22

23 It is assumed that most construction activities would occur during the day, when noise is
24 better tolerated than at night because of the masking effects of background noise. In addition,
25 construction activities for a utility-scale facility are temporary in nature (typically a few years).
26 Construction within the proposed Afton SEZ would cause some unavoidable but localized short-
27 term noise impacts on neighboring communities, particularly for activities occurring near the
28 northeastern or southeastern proposed SEZ boundary, close to the nearby residences.
29

30 Construction activities could result in various degrees of ground vibration, depending
31 on the equipment used and construction methods employed. All construction equipment causes
32 ground vibration to some degree, but activities that typically generate the most severe vibrations
33 are high-explosive detonations and impact pile driving. As is the case for noise, vibration would
34 diminish in strength with distance. For example, vibration levels at receptors beyond 140 ft
35 (43 m) from a large bulldozer (87 VdB at 25 ft [7.6 m]) would diminish below the threshold of
36 perception for humans, which is about 65 VdB (Hanson et al. 2006). During the construction
37 phase, no major construction equipment that can cause ground vibration would be used, and no
38 residences or sensitive structures are located in close proximity. Therefore, no adverse vibration
39 impacts are anticipated from construction activities, except when pile driving for dish engines
40 would occur near the closest residences.
41

42 Construction of a new transmission line has not been assessed for the Afton SEZ, because
43 connection to the existing 500-kV line was assumed to be possible; impacts on the acoustic
44 environment would be evaluated at the project-specific level if new transmission construction or
45 line upgrades were to occur. In addition, some construction of transmission lines could occur
46 within the SEZ. Potential noise impacts on nearby residences would be a minor component of

1 construction impacts in comparison with solar facility construction and would be temporary in
2 nature.

3 4 5 ***12.1.15.2.2 Operations*** 6

7 Noise sources common to all or most types of solar technologies include equipment
8 motion from solar tracking; maintenance and repair activities (e.g., washing mirrors or replacing
9 broken mirrors) at the solar array area; commuter/visitor/support/delivery traffic within and
10 around the solar facility; and control/administrative buildings, warehouses, and other auxiliary
11 buildings/structures. Diesel-fired emergency power generators and firewater pump engines
12 would be additional sources of noise, but their operations would be limited to several hours per
13 month (for preventive maintenance testing).
14

15 With respect to the main solar energy technologies, noise-generating activities in the
16 PV solar array area would be minimal, related mainly to solar tracking, if used. On the other
17 hand, dish engine technology, which employs collector and converter devices in a single unit,
18 generally has the strongest noise sources.
19

20 For the parabolic trough and power tower technologies, most noise sources during
21 operations would be in the power block area, including the turbine generator (typically in an
22 enclosure), pumps, boilers, and dry- or wet-cooling systems. The power block is typically
23 located in the center of the facility. On the basis of a 250-MW parabolic trough facility with a
24 cooling tower (Beacon Solar, LLC 2008), simple noise modeling indicates that noise levels
25 around the power block would be more than 85 dBA, but about 51 dBA at the facility boundary,
26 about 0.5 mi (0.8 km) from the power block area. For a facility located near the northeastern SEZ
27 boundary, the predicted noise level would be about 51 dBA at the nearest residences, just next to
28 the SEZ boundary, which is higher than the typical daytime mean rural background level of
29 40 dBA. If TES were not used (i.e., if the operation were limited to daytime, 12 hours only¹⁴),
30 the EPA guideline level of 55 dBA (as L_{dn} for residential areas) would occur at about 1,370 ft
31 (420 m) from the power block area and thus would not be exceeded outside of the proposed SEZ
32 boundary. At the nearest residences, about 49 dBA L_{dn} would be estimated, which is below the
33 EPA guideline of 55 dBA L_{dn} for residential areas. As for construction, if three parabolic trough
34 and/or power tower facilities would be operating around the nearest residences, combined noise
35 levels would be a little higher than the above-mentioned values, below a just-noticeable increase
36 of about 3 dBA over a single facility. However, day-night average noise levels higher than those
37 estimated above by using simple noise modeling would be anticipated if TES were used during
38 nighttime hours, as explained below and in Section 4.13.1.
39

40 On a calm, clear night typical of the proposed Afton SEZ setting, the air temperature
41 would likely increase with height (temperature inversion) because of strong radiative cooling.
42 Such a temperature profile tends to focus noise downward toward the ground. There would be
43 little, if any, shadow zone¹⁵ within 1 or 2 mi (1.6 or 3 km) of the noise source in the presence of

14 Maximum possible operating hours at the summer solstice, but limited to 7 to 8 hours at the winter solstice.

15 A shadow zone is defined as the region in which direct sound does not penetrate because of upward diffraction.

1 a strong temperature inversion (Beranek 1988). In particular, such conditions add to the
2 effect of noise being more discernable during nighttime hours, when the background noise
3 levels are lowest. To estimate the day-night average noise level (L_{dn}), 6-hour nighttime
4 generation with TES is assumed after 12-hour daytime generation. For nighttime hours under
5 temperature inversion, 10 dB is added to noise levels estimated from the uniform atmosphere
6 (see Section 4.13.1). On the basis of these assumptions, the estimated nighttime noise level at
7 the nearest residences (just next to the SEZ boundary and about 0.5 mi [0.8 km] from the power
8 block area for a solar facility) would be 61 dBA, which is well above the typical nighttime mean
9 rural background level of 30 dBA. The day-night average noise level is estimated to be about
10 63 dBA L_{dn} , which is above the EPA guideline of 55 dBA L_{dn} for residential areas. The
11 assumptions are conservative in terms of operating hours, and no credit was given to other
12 attenuation mechanisms, so it is likely that noise levels would be lower than 63 L_{dn} dBA at the
13 nearest residences, even if TES were used at a solar facility. As for construction, if three projects
14 were to be built within the SEZ near the closest residences, noise levels would be a little higher
15 than the above-mentioned values, below a just-noticeable increase of about 3 dB over a single
16 project. Consequently, operating parabolic trough or power tower facilities using TES and
17 located near the SEZ boundary could result in adverse noise impacts on the nearby residences
18 when a facility is located near the northeastern or southeastern SEZ boundary.
19

20 Associated with operation of solar facilities located near the southwestern SEZ boundary
21 and using TES, the estimated daytime noise level of 39 dBA is lower than the typical daytime
22 mean rural background level of 40 dBA, while the estimated nighttime level of 49 dBA is much
23 higher than typical nighttime mean rural background level of 30 dBA. As discussed in
24 Section 5.10.2, sound levels above 90 dB are likely to adversely affect wildlife (Manci et al.
25 1988). Thus, operation noise from the SEZ is not likely to adversely affect wildlife at the Aden
26 Lava Flow WSA.
27

28 In the permitting process, refined noise propagation modeling would be warranted along
29 with measurement of background noise levels.
30

31 The solar dish engine is unique among CSP technologies, because it generates electricity
32 directly and does not require a power block. A single, large solar dish engine has relatively
33 low noise levels, but a solar facility might employ tens of thousands of dish engines, which
34 would cause high noise levels around such a facility. For example, the proposed 750-MW SES
35 Solar Two dish engine facility in California would employ as many as 30,000 dish engines
36 (SES Solar Two, LLC 2008). At the proposed Afton SEZ, on the basis of the assumption of
37 dish engine facilities of up to 6,900-MW total capacity (covering 80% of the total area, or
38 62,098 acres [251 km²]), up to 275,990 of the 25-kW dish engines could be employed. For a
39 large dish engine facility, several thousand step-up transformers would be embedded in the dish
40 engine solar field, along with a substation; however, the noise from these sources would be
41 masked by dish engine noise.
42

43 The composite noise level of a single dish engine would be about 88 dBA at a distance of
44 3 ft (0.9 m) (SES Solar Two, LLC 2008). This noise level would be attenuated to about 40 dBA
45 (typical of the mean rural daytime environment) within 330 ft (100 m). However, the combined
46 noise level from hundreds of thousands of dish engines operating simultaneously would be high

1 in the immediate vicinity of the facility, for example, about 52 dBA at 1.0 mi (1.6 km) and
2 50 dBA at 2 mi (3.2 km) from the boundary of the square-shaped dish engine solar field; both
3 values are higher than the typical daytime mean rural background level of 40 dBA. However,
4 these levels would occur at somewhat shorter distances than the aforementioned distances,
5 considering noise attenuation by atmospheric absorption and temperature lapse during daytime
6 hours. To estimate noise levels at the nearest residences, it was assumed dish engines were
7 placed all over the Afton SEZ at intervals of 98 ft (30 m). Under these assumptions, the
8 estimated noise level at the nearest residences, just next to the northeastern SEZ boundary,
9 would be about 58 dBA, which is well above the typical daytime mean rural background level
10 of 40 dBA. On the basis of 12-hr daytime operation, the estimated 55 dBA L_{dn} at these
11 residences is equivalent to the EPA guideline of 55 dBA L_{dn} for residential areas. On the basis
12 of other noise attenuation mechanisms, noise levels at the nearest residences would be lower
13 than the values estimated above. Noise from dish engines could cause adverse impacts on the
14 nearest residences, depending on background noise levels and meteorological conditions.

15
16 For dish engines placed all over the SEZ, estimated noise levels would be about 48 dBA
17 at the Aden Lava Flow WSA, which is higher than the typical daytime mean rural background
18 level of 40 dBA. As discussed in Section 5.10.2, sand levels above 90 dB are likely to adversely
19 affect wildlife (Manci et al. 1988). Thus, dish engine noise from the SEZ is not likely to
20 adversely affect wildlife at the Aden Lava Flow WSA.

21
22 Consideration of minimizing noise impacts is very important during the siting of dish
23 engine facilities. Direct mitigation of dish engine noise through noise control engineering could
24 also limit noise impacts.

25
26 During operations, no major ground-vibrating equipment would be used. In addition,
27 no sensitive structures are located close enough to the proposed Afton SEZ to experience
28 physical damage. Therefore, during operation of any solar facility, potential vibration impacts
29 on surrounding communities and vibration-sensitive structures would be negligible.

30
31 Transformer-generated humming noise and switchyard impulsive noises would be
32 generated during the operation of solar facilities. These noise sources would be located near the
33 power block area, typically near the center of a solar facility. Noise from these sources would
34 generally be limited within the facility boundary and not be heard at the nearest residences,
35 assuming a 0.5-mi (0.8-km) distance (at least 0.5 mi [0.8 km] to the facility boundary and no
36 distance to the nearest residences). Accordingly, potential impacts of these noise sources on the
37 nearest residences would be minimal.

38
39 For impacts from transmission line corona discharge noise during rainfall events
40 (Section 5.13.1.5), the noise level at 50 ft (15 m) and 300 ft (91 m) from the center of a 230-kV
41 transmission line tower would be about 39 and 31 dBA (Lee et al. 1996), respectively, typical of
42 daytime and nighttime mean background noise levels in rural environments. The noise levels at
43 65 ft (20 m) and 300 ft (91 m) from the center of 500-kV transmission line towers would be
44 about 49 and 42 dBA, typical of high-end and mean, respectively, daytime background noise
45 levels in rural environments. Corona noise includes high-frequency components, which may be
46 judged to be more annoying than other environmental noises. However, corona noise would not

1 likely cause impacts, unless a residence was located close to the source (e.g., within 500 ft
2 [152 m] of a 230-kV transmission line and 0.5 mi [0.8 km] of a 500-kV transmission line). The
3 proposed Afton SEZ is located in an arid desert environment, and incidents of corona discharge
4 would be infrequent. Therefore, potential impacts on nearby residents along the transmission line
5 ROW would be negligible.
6
7

8 **12.1.15.2.3 Decommissioning/Reclamation** 9

10 Decommissioning/reclamation requires many of the same procedures and equipment
11 used in traditional construction. Decommissioning/reclamation would include dismantling of
12 solar facilities and support facilities such as buildings/structures and mechanical/electrical
13 installations, disposal of debris, grading, and revegetation as needed. Activities for
14 decommissioning would be similar to those for construction but more limited. Potential
15 noise impacts on surrounding communities would be correspondingly lower than those for
16 construction activities. Decommissioning activities would be of short duration, and their
17 potential impacts would be minor, except moderate for activities occurring near the nearby
18 residences, and temporary in nature. The same mitigation measures adopted during the
19 construction phase could also be implemented during the decommissioning phase.
20

21 Similarly, potential vibration impacts on surrounding communities and vibration-
22 sensitive structures during decommissioning of any solar facility would be lower than those
23 during construction and thus negligible.
24
25

26 **12.1.15.3 SEZ-Specific Design Features and Design Feature Effectiveness** 27

28 The implementation of required programmatic design features described in Appendix A,
29 Section A.2.2 would greatly reduce or eliminate the potential for noise impacts from
30 development and operation of solar energy facilities. While some SEZ-specific design features
31 are best established when specific project details are being considered, measures that can be
32 identified at this time include the following:
33

- 34 • Noise levels from cooling systems equipped with TES should be managed so
35 that levels at the nearby residences to the northeastern or southeastern SEZ
36 boundary are kept within applicable guidelines. This could be accomplished
37 in several ways, for example, through placing the power block approximately
38 1 to 2 mi (1.6 to 3 km) or more from residences, limiting operations to a few
39 hours after sunset, and/or installing fan silencers.
40
- 41 • Dish engine facilities within the Afton SEZ should be located more than 1 to
42 2 mi (1.6 to 3 km) from the nearby residences (i.e., the facilities would be
43 located anywhere within the SEZ, except the northeastern and southeastern
44 portions of the proposed SEZ). Direct noise control measures applied to
45 individual dish engine systems could also be used to reduce noise impacts at
46 nearby residences.
47

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.1.16 Paleontological Resources**

2
3
4 **12.1.16.1 Affected Environment**

5
6 The proposed Afton SEZ is composed primarily of unclassified Quaternary surface
7 deposits (classified as QTs on geologic maps) of the Upper Santa Fe Group (74,903 acres
8 [303 km²] or 96% of the SEZ). The potential fossil yield classification (PFYC) (as discussed in
9 Section 4.14) for QTs is Class 4/5 (on the basis of the PFYC GIS data from the New Mexico
10 State BLM Office; Hester 2009). Additional diffuse portions of the Afton SEZ to the north and
11 east are composed of volcanic basalt and andesite flows (Qb) and young (<10,000 years old)
12 alluvial sediments (Qa and Qp) with little or no paleontological potential (2,720 acres [11 km²]
13 or 4% of the SEZ).
14

15 A review of known localities of paleontological resources within New Mexico from the
16 New Mexico State BLM Office indicated no known localities within the Afton SEZ and four
17 localities within 5 mi (8 km) of the SEZ to the southeast. These four localities, along with
18 seven additional localities in the same vicinity just over 5 mi (8 km) from the SEZ, were found
19 in the Camp Rice Formation of the Upper Santa Fe Group in an area classified as PFYC
20 Class 4/5. The finds represent Pliocene horse (equus), camel, turtle, armadillo (glyptodont),
21 elephant (proboscidean), and mammoth. Farther south (7 to 15 mi [12 to 24 km] from the SEZ),
22 235 similar finds have been made in the same formation and gomphothere (an extinct elephant or
23 proboscidean), ground sloth (megalonyx), rabbit, tortoise (gopherus), mastodon, deer (cervid),
24 xenarthran,¹⁶ and peccary, as well as gar, bony fish, snake, and salamander, are added to the
25 representative specimens. In addition, 44 paleontological localities have been documented within
26 10 mi (16 km) of the SEZ in the Robledo Mountains north of the SEZ in an area of higher
27 elevation (see below for a discussion of the Prehistoric Trackways National Monument). These
28 localities are in areas of PFYC Classes 2 and 3 of Hueco and Abo Formations, respectively.
29

30 Prehistoric Trackways National Monument is located within 6 and 10 mi (10 to 16 km)
31 north of the proposed Afton SEZ. The monument was established in 2009 under the Omnibus
32 Public Lands Act to “conserve, protect, and enhance the unique and nationally important
33 paleontological, scientific, educational, scenic, and recreational resources and values of the
34 Robledos Mountains.” The area contains the most “scientifically significant Early Permian
35 Track sites in the world.” The monument includes fossilized footprints of amphibians, reptiles,
36 and insects, as well as fossilized plants and petrified wood dating as far back as 280 million
37 years. Trackways specimens within the monument are removed upon discovery and sent to the
38 New Mexico Museum of Natural History and Science in Albuquerque for further analysis and
39 preservation for future scientific study (BLM 2010a).
40
41
42

¹⁶ Line of mammals with few or no teeth, such as an armadillo, sloth, or anteater, named after their distinct lower backbone.

1 **12.1.16.2 Impacts**
2

3 On the basis of the PFYC classification for this area, there could be impacts on
4 significant paleontological resources in the proposed Afton SEZ, although the presence of such
5 resources is currently unknown. The known distribution of paleontological finds in the area
6 indicates that the easternmost portion of the Afton SEZ has a high potential for containing fossil
7 remains of ancient mammals. A more detailed look at the geological deposits of the SEZ and
8 their depth is needed, as well as a paleontological survey prior to development in PFYC
9 Class 4/5 areas, as per BLM IM2008-009 and IM2009-011 (BLM 2007, 2008a). If significant
10 paleontological resources are found to be present within the Afton SEZ during a paleontological
11 survey, Section 5.14 discusses the types of impacts that could occur. Impacts would be
12 minimized through the implementation of required programmatic design features described in
13 Appendix A, Section A.2.2. Programmatic design features assume that the necessary surveys
14 would occur.
15

16 Indirect impacts on paleontological resources outside of the SEZ, such as through
17 looting or vandalism, are unknown but unlikely because any such resources would be below the
18 surface and not readily accessed; however, impacts are possible given the paleontological
19 potential of the surrounding area, especially if surface outcrops are present. If resources are
20 found to be present in the area during a paleontological survey for a particular project, a
21 management plan should address a potential training program and a periodic monitoring
22 schedule for the project boundaries. Programmatic design features for controlling water runoff
23 and sedimentation would prevent erosion-related impacts on buried deposits outside of the SEZ.
24

25 No new access roads or transmission line ROWs are anticipated for the proposed Afton
26 SEZ, assuming existing corridors would be used; thus no impacts on paleontological resources
27 are anticipated related to the creation of new access pathways. However, impacts on
28 paleontological resources related to the creation of new corridors not assessed in this PEIS would
29 be evaluated at the project-specific level if new road or transmission construction or line
30 upgrades are to occur.
31

32 The programmatic design feature requiring a stop work order in the event of an
33 inadvertent discovery of paleontological resources would reduce impacts by preserving some
34 information and allowing possible excavation of the resource, if warranted. Depending on the
35 significance of the find, it could also result in some modifications to the project footprint. Since
36 the SEZ is located in an area classified as PFYC 4/5, a stipulation would be included in the
37 permitting document to alert the solar energy developer that there is the possibility of a delay if
38 paleontological resources are uncovered during surface-disturbing activities.
39
40

41 **12.1.16.3 SEZ-Specific Design Features and Design Feature Effectiveness**
42

43 Impacts would be minimized through the implementation of required programmatic
44 design features, including a stop-work stipulation in the event that paleontological resources are
45 encountered during construction, as described in Appendix A, Section A.2.2.
46

1 The need for and the nature of any SEZ-specific design features would depend on the
2 results of future paleontological investigations. Avoidance of the eastern edge of the SEZ may be
3 warranted if a paleontological survey results in findings similar to those known south of the SEZ.
4

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.1.17 Cultural Resources**

2
3
4 **12.1.17.1 Affected Environment**

5
6
7 **12.1.17.1.1 Prehistory**

8
9 The proposed Afton SEZ is located in the northwestern portion of the Chihuahua Desert,
10 within the basin and range province of south–central New Mexico. The earliest known use of
11 the area was likely during the Paleoindian Period, sometime between 14,000 and 12,000 B.P.
12 Usually associated with big game hunting, these people are thought to have relied on hunting
13 large migrating mammal species, such as *Bison antiquus*, which have since become extinct.
14 Paleoindian sites are rare in southern New Mexico and tend to be associated with dune fields or
15 the margins of playas or *ciengas* (small, shallow wetlands). Stone tools in the possession of local
16 private collectors indicate a full range of Paleoindian exploitation of the area. However, surveys
17 of the area conducted by professional archaeologists have yielded few Paleoindian sites. Finds of
18 Paleoindian projectile points, such as the fluted Folsom and Clovis points, are primarily isolated
19 finds or are associated with multicomponent sites. Within the vicinity of the proposed Afton
20 SEZ, Paleoindian sites have been located in the Sierra de Las Uvas, 18 mi (29 km) north of the
21 SEZ, in the Tularosa Basin, 34 mi (54 km) east of the SEZ, as well as near the towns of Cuchillo
22 and Truth or Consequences, about 71 mi (115 km) north of the SEZ. It is likely that during
23 Paleoindian times, the proposed Afton SEZ supported grasslands that would have been attractive
24 to the large migrating mammals that were hunted by the Paleoindians (Kirkpatrick et al. 2001).

25
26 The Archaic Period began around 9,000 B.P. and extended until about 1,800 B.P., and
27 is sometimes referred to as the Cochise Culture or the Chihuahua Tradition (MacNeish and
28 Beckett 1987). Sites dating to this period reflect a reliance on a broader subsistence base, with
29 groups hunting a larger variety of small game and utilizing a broader range of plant resources.
30 A pattern of base camps and widely scattered special-use sites for gathering, hunting, processing,
31 and tool manufacture emerges, indicative of a highly mobile lifeway. The number of recorded
32 Archaic sites increased over time as settlements became more permanent and populations
33 aggregated in villages during the Late Archaic. Also during the Late Archaic, as groups became
34 more sedentary, evidence of agriculture and pottery become prevalent in the archaeological
35 record. Sites in the Archaic Period are often associated with sand dunes, stands of mesquite,
36 shallow playas, and rock outcrops, and features associated with Archaic Period sites include
37 shallow pits, hearths, fire-cracked rock, and burned caliche. The Archaic archaeological
38 assemblage also includes grinding stones, reflecting the increased use of plant resources, and
39 stone projectile points, usually associated with *atlatl* darts. While not present at the proposed
40 Afton SEZ, contemporary cave sites in south–central New Mexico have yielded basketry,
41 cordage, sandals, fur, feathers, wood, stone artifacts, and early maize (BLM 1993). The area in
42 and around the proposed Afton SEZ was likely suitable for Archaic Period groups, and camp
43 sites or special use sites are likely to be present here (Kirkpatrick et al. 2001).

44
45 The Mogollon Culture is characteristic of the south–central New Mexico region during
46 the Formative Period, which lasted from 1,800 to 550 B.P. The proposed Afton SEZ lies close to

1 the boundary between the Mimbres Mogollon variant, whose settlements were centered in the
2 well-watered montane regions, and the Jornada Mogollon variant, people who were more
3 adapted to the desert. Mimbres influence can be seen in the region, but the proposed Afton SEZ
4 is probably within the western reach of the Jornada culture. The major difference between the
5 two Mogollon variants is ceramic in nature; the Mimbres developed a distinctive black on white
6 pottery, while the Jornada made a brown-ware pottery style. Sedentism among the Jornada
7 developed later than among the Mimbres; however, among both groups, the aggregation of
8 populations in villages increased throughout the Formative Period. The early or Mesilla phase
9 of the Jornada (1,400 to 900 B.P.) continued the Archaic traditions of seed harvesting and
10 processing, and hunting and gathering. Mesilla Phase pithouses are found in the arroyos leading
11 to the Rio Grande. Dune sites are common in the area around the proposed Afton SEZ. Typical
12 sites consist of lithic scatters, brown-ware ceramics, and fire-cracked rock or burned caliche.
13 Temporary camps continue to be near playas and dune ridges. The proposed Afton SEZ is likely
14 to have been exploited only intermittently during this time to harvest specific resources
15 (Kirkpatrick et al. 2001).

16
17 The Dona Ana or Transitional Pueblo Phase of the Jornada Mogollon (900 to 800 B.P.)
18 sees the shift from pithouse architecture to aboveground pueblo structures and an associated
19 change in subsistence and settlement patterns. Distinctions between this phase and the
20 subsequent El Paso Phase are not always evident from surface materials. Pit structures disappear
21 by the El Paso Phase (800 to 550 B.P.) when sites include adobe pueblos and primary residences
22 located near rivers, on valley bluffs, or on the slopes of the Potrillo Mountains, 7 mi (12 km)
23 southwest of the proposed Afton SEZ. In general, there are fewer, but larger pueblos built with
24 room blocks around plazas that include ceremonial structures. There are fewer procurement sites,
25 but hunting and gathering sites continue to be located in dune locations. Mimbres characteristics
26 disappear by this phase, and there is broad homogeneity with Arizona pueblos. It is likely that
27 the proposed Afton SEZ was devoid of pueblos, which would have been located on arable land
28 close to the Rio Grande, and this area continued to be used as an area for hunting and gathering.
29 Most of the pueblos were abandoned by 1400, with complete abandonment by 1450
30 (Kirkpatrick et al. 2001).

31
32 The reason for abandonment of the pueblos is not known, and the larger population
33 centers are forgone in favor of a highly mobile lifestyle based on hunting and gathering, with
34 some limited agriculture as practiced by the southern Athabaskan-speaking Apache, who arrived
35 in southern New Mexico by 1500. A detailed discussion of these and other ethnohistoric groups
36 in the area is provided in Section 12.1.17.1.2.

37 38 39 ***12.1.17.1.2 Ethnohistory***

40
41 The proposed Afton SEZ is located on the uplands west of the Rio Grande Valley. When
42 Spanish explorers first entered the area in the sixteenth century, they considered the area between
43 El Paso and Socorro unoccupied, most likely because they were unaware of Apache in the
44 overlooking mountains (Kirkpatrick et al. 2001). However, this territory was traditionally used
45 by the Chiricahua Apache (Opler 1983b) and historically within the range of the Manso, who
46 appear to have been allied with the Apache (Griffen 1983). Situated on a plateau above the

1 Rio Grande floodplain, the proposed SEZ is likely to have been primarily used for hunting and
2 gathering and is likely to have been known to the Tigua and Piros Pueblos located near modern
3 El Paso, as well as the Chiricahua and Manso (Schroeder 1979; Houser 1979).
4
5

6 **Chiricahua Apache**

7

8 The Apache, one of the Southern Athapaskan- or Apachean-speaking Tribes
9 (Opler 1983a), arrived in southern New Mexico by 1500. Divided into three regional bands,
10 for most purposes they formed smaller kin-based matrilineal groups. They practiced a mobile
11 lifestyle based primarily on hunting and gathering. Each group had a base camp located in the
12 mountains, chosen for ease of defense and access to natural resources such as firewood, fodder,
13 and a range of different ecozones that provided resources in different seasons. A nucleus of the
14 group usually remained at the home camp, although smaller groups constantly departed to
15 exploit plant and animal resources elsewhere as they became available throughout the year at
16 different elevations and to engage in raiding and trading. Base camps would last for some time
17 but were not permanent (Opler 1983b). They served as a defensible retreat for Apache raiding
18 parties (Opler 1983b; Tweedie 1968).
19

20 The proposed Afton SEZ is in the traditional territory of the Eastern Band or “red paint
21 people.” The Eastern Band ranged throughout much of southwestern New Mexico and were
22 reported to hunt in the Potrillo Mountains, just west and south of the SEZ and Florida Mountains,
23 33 mi (54 km) to the west of the SEZ. The Red Paint People differed from other Chiricahua
24 bands in that they were more likely to practice some form of agriculture (Opler 1941) and were
25 more apt to use tepees when in the lowlands as well as brush wickiups in the highlands
26 (Opler 1983a,b).
27

28 The arrival of Spanish explorers and the missionaries and colonists who followed made
29 horses available to the Chiricahua, who incorporated them into their mobile lifestyle by the
30 1630s. For the most part, they remained at odds with the Spanish, raiding both Spanish
31 settlements and Native American pueblos. They joined in the Pueblo Revolt of 1680. The
32 Spanish made little headway against the Apaches throughout the eighteenth century in spite of a
33 military strike into the Florida Mountains (Barrett 2002). The area of the proposed Afton SEZ
34 remained under Apache control. The Spanish traveled through Apache-controlled territory in
35 heavily guarded parties moving hurriedly along the El Camino between El Paso del Norte and
36 Santa Fe. In the years between Mexican independence in 1821 and the acquisition of New
37 Mexico by the United States in 1848, there was an uneasy truce between the Chiricahua and the
38 colonists (Opler 1983b).
39

40 The arrival of American troops during and following the Mexican War ushered in a
41 period of renewed conflict that was to last throughout most of the nineteenth century.
42 Euro-American mining and ranching activities were developed and expanded, thus depriving
43 the Apache of their traditional resources. The new settlers wanted the Apache removed. The
44 government response fluctuated between efforts to settle the Apache peacefully on reserves
45 and to remove them by force of arms. Throughout the 1870s and 1880s, the Chiricahua
46 resisted attempts to settle them on reservations far from their homeland, sparking vigorous

1 military pursuit in southern New Mexico and northern Mexico. After failed attempts at
2 establishing reservations in the Tularosa Valley, in Southeastern Arizona, and near modern
3 Truth or Consequences, New Mexico, the Chiricahua were required to settle on the San Carlos
4 Reservation in Arizona. Those who refused were rounded up and sent as prisoners of war to Fort
5 Marion, Florida, and Mount Vernon Barracks, Alabama, in 1886, later to be joined by the
6 Chiricahua who had remained at San Carlos. By 1894, their numbers greatly reduced, the
7 Chiricahua were allowed to leave the Southeast, and lands were provided near Fort Sill,
8 Oklahoma. In 1913, about one-third of the Fort Sill Chiricahua opted to return to the mountains
9 of New Mexico and live on the Mescalero Apache reservation (Opler 1983b). Those retaining
10 allotments in Oklahoma were loosely organized until they were awarded a substantial claim by
11 the Indian Claims Commission in 1973. The Fort Sill Apache organized as a federally
12 recognized tribe in 1976 (Coppersmith 2007).

15 **Manso**

17 The proposed SEZ also lies in the traditional range associated with the Manso. The
18 Spanish first encountered the Manso, sometimes called Manso Apache, near present-day El Paso.
19 They called them *manso*, tame or peaceful, because of their initial peaceful encounter. Little is
20 known of their affiliation, but they may have been Apache allies (Griffen 1983; Opler 1983a).
21 The Manso form one element of the Tigua community of Tortugas in Las Cruces, New Mexico,
22 associated with the Pueblo of Ysleta del Sur in El Paso (Houser 1979).

25 **Piro**

27 The Piro are possible descendants of the Jornada Mogollon. When first encountered by
28 Coronado in 1540, Piro pueblos stretched along the banks of the Rio Grande from Mogollon
29 Gulch to the Rio Solado. They were farmers who employed both irrigation and rainfall
30 agriculture. They grew the traditional maize, beans, and squash along with cotton. Bison and
31 turkey meat supplied protein. Their numbers appear to have declined in the ensuing century, and
32 by 1670, they were reduced to four pueblos. Left out of the conspiracy, they retreated south with
33 the Spanish during the Pueblo Revolt of 1680. Many Piro remained in the south and have joined
34 with Ysleta del Sur or the Tortugas community in Las Cruces (Schroeder 1979).

37 ***12.1.17.1.3 History***

39 Spanish colonists, under the leadership of Don Juan de Oñate, arrived at the Rio Grande
40 near El Paso de Norte in 1598, and eventually continued northward along the river to Socorro,
41 establishing a capital at the Tewa Village of Ohke, about 275 mi (442 km) north of the SEZ.
42 Oñate, and thousands of subsequent colonists and traders, traveled El Camino Real de Tierra
43 Adentro (the Royal Road of the Interior) from Mexico City, Mexico, to Santa Fe, New Mexico.
44 In use from 1598 to 1885, this was the oldest and longest continuously used road in the
45 United States. The 1,600-mi (2,575-km) El Camino Real took about 6 months to traverse, and
46 groups were escorted by military forces to protect them from hostile groups along the route.

1 Traditionally, those traveling on the trail would use either *carros* (four-wheeled ox-drawn
2 wagons) or *carretas* (two-wheeled carts). The route generally follows the Rio Grande from
3 El Paso north, and along the trail, *paraje*, or campsites, were placed every 15 to 20 mi (24 to
4 32 km). Generally, these *parajes* did not have any permanent buildings, wells, corrals, or
5 structures; usually the only requirement was access to a good spring or the Rio Grande.
6 Near most established towns, *pueblos* or *haciendas* served as stops along the route. This
7 congressionally designated trail passes as close as 3 mi (5 km) to the east of the proposed
8 Afton SEZ.
9

10 Spanish settlement in New Mexico remained centered well north of the proposed Afton
11 SEZ, where a new capital was established at Santa Fe in 1607. The region between El Paso
12 de Norte and Socorro remained unsettled by non-Native Americans, at least partly due to Apache
13 hostility. This situation began to change with Mexican independence from Spanish colonial rule
14 in 1821. Thereafter, Mexican farmers began to expand along the Rio Grande from El Paso, with
15 the towns of Las Cruces and Dona Ana founded in the 1840s. The new border drawn between
16 Mexico and the United States, as a result of the Treaty of Guadalupe Hidalgo, which ended the
17 Mexican–American War in 1848, left the town of Dona Ana in the United States. In an effort to
18 allow New Mexican residents to remain a part of the country of Mexico, the Mesilla Civil
19 Colony was established in 1848. The Mexican government issued several land grants and even
20 offered to pay for the relocation costs for people to move to these areas. Tracts of land were set
21 aside in the colony for a commons area, an area for pasture, and a forest area for hunting and
22 wood gathering. Other nearby colonies were established for the same purposes, such as the
23 Santo Tomas de Yurbide and Jose Manuel Sanchez-Baca tracts, also close to the Afton SEZ
24 (NPS and BLM 2004).
25

26 The United States acquired most of what is now New Mexico by conquest in the
27 Mexican–American War and established a military outpost at Fort Fillmore (near Mesilla) just
28 3 mi (5 km) to the east of the SEZ, in 1851 to protect both American and Mexican settlers from
29 Apache raids. However, even after the Treaty of Guadalupe Hidalgo was signed, the boundary
30 between Mexico and New Mexico, west of the Rio Grande, remained in dispute. The proposed
31 Afton SEZ lies within this disputed territory. The conflict was resolved in 1853 as part of the
32 Gadsden Purchase, when the United States purchased land from Mexico suitable for the
33 construction of a continental railroad over a snow-free route. The proposed Afton SEZ lies
34 within the Mesilla Valley, which was a part of the Gadsden Purchase. While the railroad did not
35 fully materialize until the 1880s, beginning in 1858, the Butterfield Overland Mail provided
36 stage service over a similar route to the proposed railroad, passing about 5 mi (8 km) north of
37 the proposed Afton SEZ.
38

39 The Butterfield Overland Mail went from the Mississippi River to San Francisco,
40 California. There were two eastern terminals, one in St. Louis, Missouri, and one in Memphis,
41 Tennessee, as a result of a decision by the then Postmaster General, Aaron Brown of Tennessee.
42 The U.S. Congress awarded John Butterfield the contract to carry mail along this route in 1857.
43 The route followed a trail that was used by Native Americans and early European and American
44 explorers. The total length of the trail was 2,795 mi (4,498 km), and, ideally, the trip would take
45 only 25 days from start to finish. Several relay stations and forts had to be constructed along the
46 trail. The relay stations were built every 8 to 25 mi (13 to 40 km) to provide for meals and the

1 changing of horse teams; the stations were stocked with several hundred heads of draft animals
2 and served as crucial waypoints along the trail. Passengers paid about \$200 for a one-way trip
3 and often were armed to deter attacks from Native Americans. The trail was an important route
4 that connected eastern points to the western frontier. By 1860 more mail was carried by the
5 southern overland route than by ocean steamers; however, by the spring of 1861, the company
6 began using a more central route from Atchison, Kansas to Placerville, California. With the
7 construction of the transcontinental railroad beginning in 1869, the need for stage routes like the
8 Butterfield Overland Mail became obsolete (Hafen 1926; Greene 1994; TSHAOnline 2010).
9

10 The town of Mesilla, 3 mi (5 km) east of the proposed Afton SEZ, was one of the crucial
11 overnight stage stops on the Butterfield Overland Mail route. It was established in 1848 as a
12 place for residents of New Mexico to settle and retain their cultural ties to the “mother county”
13 of Mexico, as described above. Mesilla is a town with a unique cultural identity; a
14 conglomeration of Hispanic, American, and Native American ancestral components, the town is
15 home to several historic properties that are important facets to the overall history of the region.
16 Initially, the residents of Mesilla were under a constant threat from the Apache, and the
17 establishment of Fort Fillmore provided the necessary protection for the residents to develop
18 land in the vicinity of Mesilla. The military presence did not end with Fort Fillmore’s
19 construction. During the beginning of the Civil War, Confederate Soldiers entered the town and
20 fought the Battle of Mesilla and won. The townspeople embraced the Confederate presence, and
21 Mesilla became a central point from which the Confederate Army maintained the Arizona
22 territory, until the Union recaptured the town later in the war. The town of Mesilla also lies along
23 the route of the historic El Camino Real de Tierra Adentro, and the town of Mesilla became a
24 key stopping point for weary travelers along this trail, as well as the Butterfield Trail. Initially, it
25 was assumed that when the southern transcontinental railroad was built it would pass through
26 Mesilla; instead, the route was constructed through Las Cruces; consequently, growth in the
27 region became more concentrated in La Cruces (Greene 1994; TSHA Online 2010). Mesilla still
28 retains its historical character as evidenced by La Mesilla Plaza, which is a National Historic
29 Landmark, and La Mesilla Historic District, both of which are listed in the *National Register of*
30 *Historic Places* (NRHP).
31

32 With the establishment of an American military presence, settlement in south-central
33 New Mexico steadily increased along with ranching, homesteading, and mining. With the arrival
34 of the railroad, which finally exploited the southern transcontinental route, and a series of wetter
35 than normal years, significant growth in the ranching industry in the region occurred. This
36 railroad, constructed by the Southern Pacific Company, passes just 1 mi (1.6 km) southwest of
37 the SEZ. The Atchison, Topeka, and Santa Fe Railroad also passes close to the SEZ, 4 mi (6 km)
38 west, and also was an important transportation route in the southwest. By the Second World War,
39 ranching was in decline, and, consequently, the government began purchasing large tracts of land
40 for military testing and training; the White Sands Missile Range being the closest military
41 installation to the proposed Afton SEZ, 9 mi (14 km) to the east. With increased settlement in the
42 region, water resources became important to control and maintain. In 1916, the Elephant Butte
43 Dam was constructed in Sierra County, north of the proposed Afton SEZ. This dam allowed for
44 the implementation of a large irrigation district, the Elephant Butte Irrigation District. As a part
45 of this district, the Mesilla Dam was constructed in 1916 and diverted water into the East

1 and West Canals; the West Canal lying just 0.5 mi (0.8 km) to the east of the SEZ
2 (Gibbs et al. 2000). The Elephant Butte Irrigation District is listed in the NRHP.
3
4

5 ***12.1.17.1.4 Traditional Cultural Properties—Landscape*** 6

7 While thus far no specific features within the proposed Afton SEZ have been identified as
8 culturally important by Native Americans, the Potrillo and Florida Mountains west of the
9 proposed SEZ are known to have been exploited by the Chiricahua Apache and may retain
10 cultural importance. In general, the mountains surrounding Chiricahua territory were
11 traditionally seen as the homes of the Mountain People, beneficent supernatural beings, who
12 shielded the Chiricahua from disease and invasion. Salinas Peak, the highest peak in the San
13 Andres Mountains, is reported to be especially sacred to the Eastern Chiricahua (WSMR 1998).
14 From the Chiricahua perspective, the universe is pervaded by supernatural power that individuals
15 may acquire for healing, success in hunting, or other purposes. The power is made available
16 through personified natural features and phenomena such as plants, animals, or celestial bodies.
17 This power is often acquired at its sacred home, usually in or near a well-known landmark.
18 (Opler 1941, 1947). Natural features may be of importance in the quest for this power
19 (Opler 1983a,b; Cole 1988). Stone projectile points found in the landscape were traditionally
20 seen as the result of arrows sent by the Lightning People during thunderstorms (Opler 1941).
21 Plant collecting areas and traditional trails are also likely to be of importance.
22
23

24 ***12.1.17.1.5 Cultural Surveys and Known Archaeological and Historical Resources*** 25

26 The proposed Afton SEZ encompasses 77,622 acres (314 km²), only 6,096 acres
27 (25 km²) of which have been surveyed, covering just under 8% of the total area of the SEZ.
28 According to the BLM New Mexico Office and New Mexico State Historic Preservation Office
29 (SHPO) records, 113 cultural resource sites have been recorded in the proposed Afton SEZ
30 (Hewitt 2009a; Fallis 2010). The surveys are not uniformly distributed; however, there appears
31 to be a higher density of sites in the northern and southern sectors of the SEZ. At least 10 of
32 these 113 sites that fall within the boundary are prehistoric in nature. Four of these sites are
33 considered potentially eligible for inclusion in the NRHP, 2 are specified in the GIS as not
34 evaluated, and no information on eligibility status was available in the GIS data for the
35 remaining 107 sites. Within 5 mi (8 km) of the SEZ, about 13,841 acres (56 km²) has been
36 surveyed, covering about 6% of the area within 5 mi (8 km) of the SEZ boundary, resulting in
37 the recording of 330 sites. Of these 330 sites, 147 are prehistoric in nature, 84 containing
38 structural remains; 54 of the sites are historic, 32 with structural remains; and 6 are
39 multicomponent sites, 4 with structural remains. The remaining 123 sites are of an unknown
40 temporal sequence; however, it is known that 72 of them have structural remains. Seventeen of
41 these sites are considered potentially eligible for inclusion in the NRHP, 11 are considered
42 ineligible, and 4 are specified as unevaluated; no information on eligibility status of the
43 remaining 300 sites was available in the GIS data.
44

45 The BLM has designated several ACECs and Special Management Areas (SMAs) in the
46 vicinity of the proposed Afton SEZ, as these areas have been determined to be rich in cultural

1 resources and worthy of having the resources managed and protected by the BLM. The
2 Los Tules ACEC is located just 1 mi (1.6 km) east of the proposed Afton SEZ overlooking the
3 Rio Grande; the ACEC was designated to protect a large pithouse village site that is the type
4 site for the Jornada variant of the Mogollon culture. Six mi (10 km) east of the SEZ is the
5 Organ/Franklin Mountain ACEC, a 56,480-acre (229-km²) area that contains the NRHP-eligible
6 sites of La Cueva and Dripping Springs. The Robledo Mountain ACEC is 9 mi (14 km) north of
7 the SEZ and includes some of the earliest known habitation sites in New Mexico. The cultural
8 resources in the Dona Ana Mountains ACEC are located 14 mi (23 km) northeast of the SEZ. On
9 the north side of San Diego Mountain are several hundred of the most undisturbed petroglyphs in
10 the Mimbres Resource Area, representing the Jornada culture; they are located within the
11 San Diego Mountain ACEC, 24 mi (39 km) north of the SEZ.

12
13 Several additional cultural ACECs have been established in the region but are beyond the
14 25-mi (40-km) distance for the viewshed analysis. The Rincon ACEC is also a petroglyph site
15 representative of the Jornada culture, 30 mi (48 km) north of the SEZ. About 39 mi (63 km) west
16 of the proposed Afton SEZ is the Cooke's Range ACEC. Resources protected by this ACEC
17 include Fort Cummings, a fort established in 1863 to protect travelers on the emigrant trail to
18 California, and the Massacre Peak and Pony Hill petroglyph sites, which are representative of
19 the Mimbres culture. The Old Town ACEC is 55 mi (89 km) west of the SEZ and contains the
20 remains of a Mimbres village site that has been heavily looted. An estimated 1,000 whole pots
21 have been looted from the site, and, consequently, the ACEC designation is an attempt to curb
22 the looting practices.

23
24 The cultural SMA in the vicinity of the proposed Afton SEZ is the Butterfield Trail, 5 mi
25 (8 km) north of the SEZ. The White Sands National Monument was designated as a national
26 monument for its cultural resources, in addition to the unique geologic and environmental
27 resources. The monument is located 37 mi (60 km) northeast of the SEZ (BLM 1993). Also in
28 the vicinity of the proposed Afton SEZ is the Mesilla Plaza, a National Historic Landmark that
29 protects the historic features of the plaza that was built in 1848. The Elephant Butte Irrigation
30 District is a vast district that controls the water rights to 90,640 acres (367 km²) of land and more
31 than 100 mi (161 km) of canals in southern New Mexico. Portions of irrigation canals are within
32 the immediate vicinity of the proposed Afton SEZ. Just 3 mi (5 km) east of the proposed Afton
33 SEZ is the congressionally designated El Camino Real de Tierra Adentro National Historic Trail,
34 one of the oldest and longest continually used roads in the United States.

35 36 37 ***National Register of Historic Places***

38
39 There are no properties listed in the NRHP in the SEZ; however, at least four sites in the
40 SEZ are potentially eligible for inclusion in the NRHP. In addition, several properties listed in
41 the NRHP are located within 5 mi (8 km) of the SEZ (see Table 12.1.17-1), as well as 17
42 potentially eligible archaeological sites. San Jose Church is located in La Mesa, about 2 mi
43 (3 km) east of the SEZ. In Mesilla, about 2 mi (3 km) northeast of the SEZ, three properties are
44 listed in the NRHP—Mesilla Plaza, Barela-Reynolds House, and the La Mesilla Historic
45 District. The Elephant Butte Irrigation District has portions that are within 5 mi (8 km) of the
46 SEZ, notably the West Canal, 0.5 mi (0.8 km) east of the SEZ. Within the city of Las Cruces,

TABLE 12.1.17.1-1 National Register Properties within 25 mi (40 km) of the Proposed Afton SEZ in Dona Ana County

NRHP Site	Distance from SEZ
Elephant Butte Irrigation District	Variable; Mesilla Diversion Dam 2 mi (24 km) (including split of West and East Side Canals) West Side Canal 0.5 mi (0.8 km)
San Jose Church	2 mi (3 km)
Barela-Reynolds House	2 mi (3 km)
Mesilla Plaza	2 mi (3 km)
La Mesilla Historic District	2 mi (3 km)
Fort Fillmore	Address restricted
Hadley-Ludwick House	5 mi (8 km)
Air Science	5 mi (8 km)
University President’s House	5 mi (8 km)
Goddard Hall	5 mi (8 km)
Foster Hall	5 mi (8 km)
Nestor Armijo House	5 mi (8 km)
Mesquite Street Original Townsite Historic District	5 mi (8 km)
Rio Grande Theatre	5 mi (8 km)
Alameda-Depot Historic District	5 mi (8 km)
Thomas Branigan Memorial Library	5 mi (8 km)
Phillips Chapel CME Church	5 mi (8 km)
Green Bridge	7 mi (11 km)
Our Lady of Purification Church	9 mi (14 km)
Dona Ana Village Historic District	9 mi (14 km)
Rio Grande Bridge at Radium Springs	16 mi (26 km)
Fort Selden	16 mi (26 km)
L.B. Bentley General Merchandise	18 mi (29 km)
Summerford Mountain Archaeological District	18 mi (29 km)
International Boundary Marker No. 1, U.S. and Mexico	24 mi (39 km)
Launch Complex 33	28 mi (45 km) ^a

^a Although just over 25 mi (40 km) from the SEZ, this property is included in the table because it is a National Historic Landmark.

1
2
3 5 mi (8 km) northeast of the SEZ, and in the immediate vicinity of the city are 14 properties
4 listed in the NRHP. The town of Dona Ana, 9 mi (14 km) northeast of the SEZ, maintains
5 two NRHP properties, and the Radium Springs area, northeast of the SEZ, has three properties in
6 the NRHP. There are three additional properties in Dona Ana County: L.B. Bentley General
7 Merchandise 18 mi (29 km) in Organ; the International Boundary Marker No. 1, United States
8 and Mexico, located near El Paso, Texas, 24 mi (39 km) southeast of the SEZ; and Launch
9 Complex 33, on the White Sands Missile Range, 28 mi (43 km) northeast of the SEZ. Mesilla
10 Plaza and Launch Complex 33 are also both National Historic Landmarks.
11
12

1 **12.1.17.2 Impacts**
2

3 Direct impacts on significant cultural resources could occur in the proposed Afton SEZ;
4 however, further investigation is needed. A cultural resources survey of the entire area of
5 potential effect (APE) of a proposed project, including consultation with affected Native
6 American Tribes, would first need to be conducted to identify archaeological sites, historic
7 structures and features, and traditional cultural properties, and an evaluation would need to
8 follow to determine whether any are eligible for listing in the NRHP as historic properties. The
9 proposed Afton SEZ has potential for containing significant cultural resources, especially in the
10 dune areas in the northern and eastern portion of the SEZ, and those areas in close proximity to
11 the Rio Grande. Section 5.15 discusses the types of effects that could occur on any significant
12 cultural resources found to be present within the proposed Afton SEZ. Impacts would be
13 minimized through the implementation of required programmatic design features described in
14 Appendix A, Section A.2.2. Programmatic design features assume that the necessary surveys,
15 evaluations, and consultations will occur.
16

17 Visual impacts on several property types are possible within this SEZ. Two important
18 trail systems lie within 5 mi (8 km) of the SEZ, as well as several properties listed in the NRHP,
19 and a National Historic Landmark. Additional analysis on the visual effects of solar development
20 on these properties would be needed prior to any development. See Section 12.1.14 for an initial
21 evaluation of visual effects.
22

23 Programmatic design features to reduce water runoff and sedimentation would prevent
24 the likelihood of indirect impacts on cultural resources resulting from erosion outside the SEZ
25 boundary (including along ROWs).
26

27 No needs for new transmission lines or access corridors have currently been identified,
28 assuming existing corridors would be used. Therefore, no new areas of cultural concern would be
29 made accessible as a result of development within the proposed Afton SEZ; thus indirect impacts
30 resulting from vandalism or theft of cultural resources are not anticipated. However, impacts on
31 cultural resources related to the creation of new corridors not assessed in this PEIS would be
32 evaluated at the project-specific level if new road or transmission construction or line upgrades
33 are to occur.
34
35

36 **12.1.17.3 SEZ-Specific Design Features and Design Feature Effectiveness**
37

38 Programmatic design features to mitigate adverse effects on significant cultural
39 resources, such as avoidance of significant sites and features and cultural awareness training for
40 the workforce on the sensitivity of certain types of cultural resources, including resources of
41 concern to Native Americans (see also Section 12.1.18), but also possible properties of
42 significance to the Hispanic population in this area, are provided in Appendix A, Section A.2.2.
43

44 SEZ-specific design features would be determined in consultation with the New Mexico
45 SHPO and affected Tribes and would depend on the results of future cultural investigations.
46

1 See Section 12.1.14.3 for recommended design features for reducing visual impacts on
 2 the El Camino Real National Historic Trail, the Butterfield Trail, and Mesilla Plaza National
 3 Historic Landmark. Coordination with trails associations and historical societies regarding
 4 impacts on El Camino Real de Tierra Adentro, the Butterfield Trail, and Mesilla Plaza, as well
 5 as other NRHP-listed properties is also recommended.
 6
 7

8 **12.1.18 Native American Concerns**
 9

10 As discussed in Section 12.1.17, Native Americans tend to view their environment
 11 holistically, and they share many environmental and socioeconomic concerns with other ethnic
 12 groups. For a discussion of issues of possible Native American concern shared with the
 13 population as a whole, several sections in this PEIS should be consulted. General topics of
 14 concern are addressed in Section 4.16. Specifically for the proposed Afton SEZ, Section 12.1.17
 15 discusses archaeological sites, structures, landscapes, and traditional cultural properties; Section
 16 12.1.8 discusses mineral resources; Section 12.1.9.1.3 discusses water rights and water use;
 17 Section 12.1.10 discusses plant species; Section 12.1.11 discusses wildlife species, including
 18 wildlife migration patterns; Section 12.1.13 discusses air quality; Section 12.1.14 discusses
 19 visual resources; Sections 12.1.19 and 12.1.20 discuss socioeconomics and environmental
 20 justice, respectively; and issues of human health and safety are discussed in Section 5.21.
 21 This section focuses on concerns that are specific to Native Americans and to which Native
 22 Americans bring a distinct perspective.
 23

24 All federally recognized Tribes with traditional ties to the proposed Afton SEZ have
 25 been contacted so that they could identify their concerns regarding solar energy development.
 26 The Tribes contacted with traditional ties to the Afton SEZ are listed in Table 12.1.18-1.
 27 Appendix K lists all federally recognized Tribes contacted for this PEIS.
 28
 29

30 **12.1.18.1 Affected Environment**
 31

32 The traditional use areas of Native Americans varied over time, sometimes overlapping.
 33 The proposed Afton SEZ lies within the traditional range of the Eastern Band of the Chiricahua
 34
 35

**TABLE 12.1.18-1 Federally Recognized Tribes with
 Traditional Ties to the Proposed Afton SEZ**

Tribe	Location	State
Fort Sill Apache Tribe of Oklahoma	Apache	Oklahoma
Jicarilla Apache Nation	Dulce	New Mexico
Mescalero Apache Tribe	Mescalero	New Mexico
San Carlos Apache Tribe	San Carlos	Arizona
White Mountain Apache Tribe	Whiteriver	Arizona
Ysleta del Sur Pueblo	El Paso	Texas

1 Apache. While the bands of the Chiricahua Apache had a strong sense of place, the area was
2 very likely shared with the Manso (Opler 1983b; Griffen 1983). The Indian Claims
3 Commission included the area in the judicially established Chiricahua Apache traditional
4 territory (Royster 2008).

7 ***12.1.18.1.1 Territorial Boundaries***

10 **Chircahua Apache**

11
12 The territory of the Chiricahua Apache encompassed southwestern New Mexico,
13 southeastern Arizona, and parts of the adjacent Mexican state of Chihuahua. In New Mexico,
14 their range stretched westward from the Rio Grande to the modern Arizona border, and as far
15 north as the Datil Mountains. In Arizona, it included a triangular area centered on the Chiricahua
16 Mountains in the southeastern corner of the state. The international border is not relevant to
17 traditional Tribal territory and the Chiricahua ranged well into adjacent areas of northern
18 Chihuahua. The Chiricahua have been removed from their traditional range. Descendants are to
19 be found near Fort Sill, Oklahoma, and on the Mescalero Apache Reservation in New Mexico
20 (Opler 1983b).

23 **Manso**

24
25 The Manso were a smaller group affiliated with the Jano and Jcome. Traditionally,
26 they inhabited a strip of land along the modern southern border of New Mexico stretching
27 from the valley of the Rio Grande westward to the Cedar Mountains, probably including the
28 proposed Afton SEZ (Griffen 1983). Manso descendants may be found among the members
29 the Ysleta del Sur Pueblo and in the Tortuga Community in Las Cruces (Houser 1979).

32 **Piro**

33
34 The Piro Pueblos were originally located along the Rio Grande from Mogollon Gulch
35 north to the Rio Solado. They moved south with the Spanish during the Pueblo Revolt of 1680
36 and settled near El Paso. Today, Piro descendants can be found in the Ysleta del Sur Pueblo and
37 in the Tortuga Community (Houser 1979; Schroeder 1979).

40 ***12.1.18.1.2 Plant Resources***

41
42 This section focuses on those Native American concerns that have an ecological as well
43 as a cultural component. For many Native Americans, the taking of game or the gathering of
44 plants or other natural resources may have been seen as both a sacred and a secular act
45 (Stoffle et al. 1990).

1 The Chiricahua Apache were primarily hunters and gatherers, although the Eastern Band
2 did practice some riverbank farming. The proposed Afton SEZ is located on relatively dry, level
3 upland overlooking the Mesilla Valley of the Rio Grande. It does not appear to have been well
4 suited for indigenous agriculture, and was likely used as an area for hunting and gathering. The
5 Chiricahua had access to a variety of ecosystems and much of what they gathered is found in the
6 mountains. Important plants found at lower elevations include agave, mesquite, yucca, cactus
7 fruit, and seed-bearing plants such as dropseed. Agave was a principal source of wild plant food.
8 Gathered in the spring, its crowns were roasted to form mescal, which when sun-dried was
9 storable for long periods. There are occasional pockets of habitat suitable for agave in the
10 proposed Afton SEZ; however, the dominant land cover is more conducive to mesquite, yucca,
11 and dropseed. (Opler 1941, 1983b; Cole 1988). Little is known of the Manso before they joined
12 the Ysleta. Certainly thereafter they would have engaged in irrigation agriculture supplemented
13 by hunting and gathering, as was the case with the Piro (Houser 1979; Schroeder 1979). The
14 proposed Afton SEZ supports plants that would have been attractive to the Apache groups in
15 the adjacent mountains and Puebloan groups along the Rio Grande.

16
17 The plant communities observed or likely to be present at the proposed Afton SEZ are
18 discussed in Section 12.1.10. As shown in the USGS's Southwest Regional Gap Analysis, the
19 land cover at the proposed Afton SEZ is predominantly Chihuahuan Stabilized Dune and Sand
20 Flat Scrub, interspersed with patches of Apacherian-Chihuahuan Mesquite Upland Scrub,
21 Chihuahuan Mixed Salt Desert Scrub, Chihuahuan Creosotebush Mixed Desert and Thorn Scrub,
22 and North American Warm Desert Active and Stabilized Dune (USGS 2005a). While vegetation
23 is sparse most of the year, seasonal rains often result in a florescence of ephemeral herbaceous
24 species.

25
26 Native American populations have traditionally made use of hundreds of native plants.
27 Table 12.1.18.1-1 lists plants traditionally used by the Chiricahua Apache that were either
28 observed at the proposed Afton SEZ or are probable members of the cover type plant
29 communities identified for the SEZ. These plants are the dominant species; however, other
30 plants important to Native Americans could occur in the SEZ, depending on local conditions
31 and the season. Much of the proposed Afton SEZ is flat, open terrain supporting widely
32 spaced desert scrub, mostly creosotebush. Scattered depressions, mostly located in a line
33 cutting diagonally across the northwestern corner of the study area, support concentrations
34 of mesquite. Creosotebush is important in traditional Native American medicine and as a
35 food plant. Mesquite was among the most important food plants. Its long, beanlike pods
36 were harvested in the summer, could be processed and stored, and were widely traded.

37 38 39 ***12.1.18.1.3 Other Resources***

40
41 Water is an essential prerequisite for life in the arid Southwest. As long-time desert
42 dwellers, Native Americans have a great appreciation for the importance of water in a desert
43 environment. They have expressed concern over the use and availability of water for solar
44 energy installations (Jackson 2009). Tribes are also sensitive about the use of scarce local water
45 supplies for the benefit of distant communities and recommend that determination of adequate
46

TABLE 12.1.18.1-1 Plant Species Important to Native Americans Observed or Likely To Be Present in the Proposed Afton SEZ

Common Name	Scientific Name	Status
Agave	<i>Agave</i> spp.	Possible
Buckwheat	<i>Eriogonum</i> spp.	Possible
Creosotebush	<i>Larrea tridentata</i>	Observed
Honey mesquite	<i>Prosopis Glandolosa</i>	Observed
Juniper	<i>Juniperus</i> spp.	Possible
Mesa dropseed	<i>Sporobolus flexuosus</i>	Possible
Prickly pear cactus	<i>Opuntia</i> spp.	Possible
Sage	<i>Artemisia trifolia</i>	Possible
Screwbean mesquite	<i>Prosopis pubescens</i>	Possible
Sumac	<i>Rhus microphylla</i>	Possible
Wild grasses	Various species	Possible
Yucca	<i>Yucca</i> spp.	Possible

Sources: Field visit; Opler (1941, 1983b); Cole (1988); USGS (2005a).

1
2 water supplies be a primary consideration for whether a site is suitable for the development of a
3 utility-scale solar energy facility (Moose 2009).
4

5 Between the mountainous terrain favored by the Apache and the river bottomland farmed
6 by the Piro, it is likely that the uplands where the proposed Afton SEZ is situated were seasonal
7 hunting grounds. Deer was the principal Chiricahua game animal. Deer have been an important
8 source of food and of bone, sinew, and hide used to make a variety of implements. They were
9 especially hunted in the fall, when meat and hides were thought to be best. The proposed SEZ is
10 within mule deer range. Pronghorn were also important, but the SEZ does not appear to be within
11 pronghorn range. Other prized game animals included elk (wapiti) and bighorn sheep. The
12 proposed SEZ does not provide suitable habitat for either (USGS 2005b). While big game was
13 highly prized, smaller animals, such as desert cottontail, woodrats, and squirrels (all potentially
14 present in the SEZ), traditionally also added protein to their diet, as did some birds. The
15 Chiricahua would not eat snakes, lizards, or animals, such as peccaries, thought to feed on
16 unclean species. Animals hunted for their skins or feathers include bobcat, mountain lion,
17 badger, beaver, otter, and eagle (Opler 1941, 1983a). Wildlife likely to be found in the proposed
18 Afton SEZ is described in Section 12.1.11. Native American game species whose ranges include
19 the SEZ are listed in Table 12.1.18.1-2.
20

21 In other areas, Native Americans have expressed concern over ecological segmentation,
22 that is, development that fragments animal habitat and does not provide corridors for movement.
23 They would prefer solar energy development take place on land that has already been disturbed,
24 such as abandoned farmland, rather than on undisturbed ground (Jackson 2009).
25
26

TABLE 12.1.18.1-2 Animal Species Used by Native Americans Whose Range Includes the Proposed Afton SEZ

Common Name	Scientific Name	Status
Badger	<i>Taxidea taxus</i>	Possible
Bald eagle	<i>Haliaeetus leucocephalus</i>	Winter
Bobcat	<i>Lynx rufus</i>	Possible
Desert cottontail	<i>Silvilagus audubonii</i>	All year
Gambel's quail	<i>Callipepla gambelii</i>	All year
Golden eagle	<i>Aquila chrysaetos</i>	Possible
Mountain lion	<i>Puma concolor</i>	Possible
Mourning dove	<i>Zenaida macroura</i>	All year
Mule deer	<i>Odocoileus hemionus</i>	All year
Rock squirrel	<i>Spermophilus variegates</i>	All year
Woodrats	<i>Neotoma spp.</i>	All year

Sources: Opler (1983b); USGS (2005b).

1
2
3 **12.1.18.2 Impacts**
4

5 To date, no comments have been received from the Tribes specifically referencing the
6 proposed Afton SEZ. However, the Tribal Historic Preservation Officer (THPO) for the Ysleta
7 del Sur Pueblo stated in response to the 2008 notification of the impending PEIS that the Ysleta
8 did not believe that the solar energy PEIS would adversely affect the traditional, religious, or
9 culturally significant sites of Ysleta Pueblo, but did request that Ysleta Pueblo be consulted if
10 any burials or NAGPRA artifacts were encountered during development (Loera 2010; copy of
11 correspondence in Appendix K.1.2). Many traditional Chiricahua ritual specialists feel they
12 derive their power from the sun (Opler 1947). They may be sensitive to deriving electric energy
13 from the sun.
14

15 The impacts on resources important to Native Americans that would be expected from
16 solar energy development within the proposed Afton SEZ fall into two major categories: impacts
17 on the landscape and impacts on discrete localized resources.
18

19 Potential landscape-scale impacts are those caused by the presence of an industrial
20 facility within a cultural landscape that includes sacred mountains and other geophysical features
21 often tied together by a network of trails. Impacts may be visual—the intrusion of an industrial
22 feature in sacred space; audible—noise from the construction, operation or decommissioning of a
23 facility detracting from the traditional cultural values of the site; or demographic—the presence
24 of a larger number of outsiders in the area that would increase the chance that the cultural
25 importance of the area would be degraded by more foot and motorized traffic. As consultation
26 with the Tribes continues and project-specific analyses are undertaken, it is possible that Native
27 American concerns will be expressed over potential visual effects solar energy development
28 could have on the landscape within the proposed SEZ; however, Salinas Peak, considered sacred

1 by the Eastern Chiricahua, is located 74 mi (120 km) north-northeast of the SEZ and is not likely
2 to be affected by development there.

3
4 Localized effects could occur both within the proposed SEZ and in adjacent areas. Within
5 the SEZ, these effects would include the destruction or degradation of important plant resources,
6 destroying the habitat of and impeding the movement of culturally important animal species,
7 destroying archaeological sites and burials, and the degradation or destruction of trails. Plant
8 resources are known to exist in the SEZ. Any ground-disturbing activity associated with the
9 development within the SEZ has the potential for destruction of localized resources. However,
10 significant areas of mesquite and associate plants important to Native Americans would remain
11 outside the SEZ, and anticipated overall effects on these plant populations would be small.
12 Animal species important to Native Americans are shown in Table 12.1.18.1-2. While the
13 construction of utility-scale solar energy facilities would reduce the amount of habitat available
14 to many of these species, similar habitat is abundant and the effect on animal populations is
15 likewise likely to be small.

16
17 Since solar energy facilities cover large tracts of ground, even taking into account the
18 implementation of design features, it is unlikely that avoidance of all resources would be
19 possible. Programmatic design features (see Appendix A, Section A.2.2) assume that the
20 necessary cultural surveys, site evaluations, and Tribal consultations will occur. Implementation
21 of programmatic design features, as discussed in Appendix A, Section A.2.2, should eliminate
22 impacts on Tribes' reserved water rights and the potential for groundwater contamination issues.

23 24 25 **12.1.18.3 SEZ-Specific Design Features and Design Feature Effectiveness**

26
27 Programmatic design features to address impacts of potential concern to Native
28 Americans, such as avoidance of sacred sites, water sources, and tribally important plant and
29 animal species, are provided in Appendix A, Section A.2.2.

30
31 The need for and nature of SEZ-specific design features regarding potential issues of
32 concern would be determined during government-to-government consultation with affected
33 Tribes listed in Table 12.1.18-1.

34
35 Mitigation of impacts on archaeological sites and traditional cultural properties is
36 discussed in Section 12.1.17.3, in addition to the design features for historic properties discussed
37 in Section A.2.2 in Appendix A.
38

1 **12.1.19 Socioeconomics**

2
3
4 **12.1.19.1 Affected Environment**

5
6 This section describes current socioeconomic conditions and local community services
7 within the region of influence (ROI) surrounding the proposed Afton SEZ. The ROI is a
8 two-county area consisting of Dona Ana County in New Mexico and El Paso County in Texas.
9 It encompasses the area in which workers are expected to spend most of their salaries and in
10 which a portion of site purchases and nonpayroll expenditures from the construction, operation,
11 and decommissioning phases of the proposed SEZ facility are expected to take place.
12

13
14 **12.1.19.1.1 ROI Employment**

15
16 In 2008, employment in the ROI stood at 365,658 (Table 12.1.19.1-1). Over the period
17 1999 to 2008, annual average employment growth rates were higher in Dona Ana County (2.7%)
18 than in El Paso County (0.7%). At 1.1%, employment growth rates in the ROI as a whole were
19 somewhat less than the average state rates for New Mexico (1.5%) and Texas (1.3%).
20

21 In 2006, the service sector provided the highest percentage of employment in the ROI
22 at 53.3%, followed by wholesale and retail trade with 20.3% (Table 12.1.19.1-2). Smaller
23 employment shares were held by manufacturing (7.9%), transportation and public utilities
24 (5.3%), and finance, insurance and real estate (5.1%). Within the ROI counties, the distribution
25 of employment across sectors is similar to that of the ROI as a whole, with a slightly higher
26 percentage of employment in agriculture (9.8%) and construction (9.3%), and slightly lower
27 percentages in manufacturing (5.0%) and wholesale and retail trade (17.3%) in Dona Ana
28 County compared to the ROI as a whole.
29
30

TABLE 12.1.19.1-1 Employment in the ROI for the Proposed Afton SEZ

Location	1999	2008	Average Annual Growth Rate, 1999–2008 (%)
Dona Ana County, New Mexico	65,546	85,934	2.7
El Paso County, Texas	261,213	279,724	0.7
ROI	326,759	365,658	1.1
New Mexico	793,052	919,466	1.5
Texas	9,766,299	11,126,436	1.3

Sources: U.S. Department of Labor (2009a,b).

TABLE 12.1.19.1-2 Employment by Sector in the ROI for the Proposed Afton SEZ, 2006^a

Industry	Dona Ana County, New Mexico		El Paso County, Texas		ROI	
	Employment	% of Total	Employment	% of Total	Employment	% of Total
Agriculture ^a	5,042	9.8	1,038	0.5	6,080	2.4
Mining	175	0.3	375	0.2	550	0.2
Construction	4,798	9.3	8,856	4.4	13,654	5.4
Manufacturing	2,586	5.0	17,401	8.6	19,987	7.9
Transportation and public utilities	1,240	2.4	12,159	2.0	13,399	5.3
Wholesale and retail trade	8,957	17.3	42,676	21.1	51,633	20.3
Finance, insurance, and real estate	2,430	4.7	10,574	5.2	13,004	5.1
Services	26,497	51.3	108,952	53.8	135,449	53.3
Other	14	0.0	75	0.0	89	0.0
Total	51,658		202,368		254,026	

^a Agricultural employment includes 2007 data for hired farmworkers.

Sources: U.S. Bureau of the Census (2009a); USDA (2009a,b).

1 **12.1.19.1.2 ROI Unemployment**
2

3 Unemployment rates have varied across the two counties in the ROI. Over the period
4 1999 to 2008, the average rate in El Paso County was 7.0%, with a lower rate of 5.8% in Dona
5 Ana County (Table 12.1.19.1-3). The average unemployment rate in the ROI as a whole over this
6 period was 6.8%, higher than the average rates for New Mexico (5.0%) and Texas (5.3%).
7 Unemployment rates for the first five months of 2009 contrast somewhat with rates for 2008 as a
8 whole; in El Paso County the unemployment rate increased to 8.2%, while in Dona Ana County
9 the rate reached 5.8%. The average rates for the ROI (7.7%), New Mexico (5.6%), and Texas
10 (6.6%) were also higher during this period than the corresponding average rates for 2008.
11
12

13 **12.1.19.1.3 ROI Urban Population**
14

15 The population of the ROI in 2008 was 82% urban; the largest city, El Paso, had an
16 estimated 2008 population of 609,248; populations of the next two largest cities in the ROI were
17 Las Cruces at 90,908 and Socorro at 32,056 (Table 12.1.19.1-4). In addition, there are six smaller
18 cities in the ROI with 2008 populations of less than 20,000.
19

20 Population growth rates in the ROI have varied over the period 2000 and 2006 to 2008
21 (Table 12.1.19.1-4). Horizon City grew at an annual rate of 12.1% during this period, with
22 higher than average growth also experienced in Las Cruces (2.6%) and Socorro (2.1%). El Paso
23 (1.0%) experienced a lower growth rate between 2000 and 2008, while Hatch (-0.2%) and Clint
24 (-0.1%), experienced population declines during this period.
25
26

27 **12.1.19.1.4 ROI Urban Income**
28

29 Median household incomes vary across cities in the ROI. Two cities for which data are
30 available for 2006 to 2008—Las Cruces (\$37,402) and El Paso (\$36,649)—had median incomes
31
32

**TABLE 12.1.19.1-3 Unemployment Rates in the ROI
for the Proposed Afton SEZ (%)**

Location	1999–2008	2008	2009 ^a
Dona Ana County, New Mexico	5.8	4.4	5.8
El Paso County, Texas	7.0	6.3	8.2
ROI	6.8	5.8	7.7
New Mexico	5.0	4.2	5.6
Texas	5.3	4.9	6.6

^a Rates for 2009 are the average for January through May.

Sources: U.S. Department of Labor (2009a–c).

TABLE 12.1.19.1-4 Urban Population and Income in the ROI for the Proposed Afton SEZ

City	Population			Median Household Income (\$ 2008)		
	2000	2008	Average Annual Growth Rate, 2000–2008 (%)	1999	2006–2008	Average Annual Growth Rate, 1999 and 2006–2008 (%) ^a
Anthony	3,850	4,330	1.5	33,855	NA	NA
Clint	980	970	–0.1	43,776	NA	NA
El Paso	563,662	609,248	1.0	41,360	36,649	–1.3
Hatch	1,673	1,641	–0.2	27,360	NA	NA
Horizon City	5,233	13,019	12.1	62,559	NA	NA
Las Cruces	74,267	90,908	2.6	39,108	37,402	–0.5
Mesilla	2,180	2,196	0.1	54,430	NA	NA
Socorro	27,152	32,056	2.1	31,012	NA	NA
Sunland Park	13,309	14,436	1.0	25,961	NA	NA

^a Data are averages for the period 2006 to 2008.

Source: U.S. Bureau of the Census (2009b–d).

in 2006 to 2008 that were lower than the average for New Mexico (\$43,202) and Texas (\$49,078) (Table 12.1.19.1-4).

Median household incomes declined between 1999 and 2006 to 2008 in Las Cruces (–0.5%) and El Paso (–1.3%). The average median household income growth rate for New Mexico as a whole over this period was –0.2%; in Texas the growth rate was –0.5%.

12.1.19.1.5 ROI Population

Table 12.1.19.1-5 presents recent and projected populations in the ROI and in the two states as a whole. Population in the ROI stood at 982,193 in 2008, having grown at an average annual rate of 1.8% since 2000. Growth rates for the ROI have been similar to the rates for New Mexico (1.7%) and Texas (1.6%) over the same period.

Both counties in the ROI have experienced a growth in population since 2000. Dona Ana County recorded a population growth rate of 2.1% between 2000 and 2008, while El Paso County grew by 1.7% over the same period. The ROI population is expected to increase to 1,171,031 by 2021, and to 1,194,737 by 2023.

12.1.19.1.6 ROI Income

Personal income in the ROI stood at \$25.2 billion in 2007 and grew at an annual average rate of 3.0% over the period 1998 to 2007 (Table 12.1.19.1-6). ROI personal income per capita

TABLE 12.1.19.1-5 Population in the ROI for the Proposed Afton SEZ

Location	2000	2008	Average Annual Growth Rate, 2000–2008 (%)	2021	2023
Dona Ana County, New Mexico	174,682	206,486	2.1	260,227	267,444
El Paso County, Texas	679,622	775,707	1.7	910,804	927,293
ROI	854,304	982,193	1.8	1,171,031	1,194,737
New Mexico	1,819,046	2,085,115	1.7	2,573,667	2,640,712
Texas	20,851,820	23,711,019	1.6	28,255,284	28,925,856

Sources: U.S. Bureau of the Census (2009e-f); Texas Comptroller’s Office (2009); University of New Mexico (2009).

1
2

TABLE 12.1.19.1-6 Personal Income in the ROI for the Proposed Afton SEZ

Location	1998	2007	Average Annual Growth Rate, 1998–2007 (%)
Dona Ana County			
Total income (\$ billion 2008)	3.8	5.1	3.0
Per-capita income	22,254	25,493	1.4
El Paso County			
Total income (\$ billion 2008)	15.0	20.1	3.0
Per-capita income	22,349	26,237	1.6
ROI			
Total income (\$ billion 2008)	18.8	25.2	3.0
Per-capita income	22,329	26,082	1.6
New Mexico			
Total income (\$ billion 2008)	48.8	62.4	2.5
Per-capita income	27,182	30,497	1.2
Texas			
Total income (\$ billion 2008)	668.1	914.9	3.2
Per-capita income	25,186	37,808	1.7

^a Unless indicated otherwise, values are reported in \$ billion 2008.

Sources: U.S. Department of Commerce (2009); U.S. Bureau of the Census (2009e,f).

1 also rose over the same period at a rate of 1.6%, increasing from \$22,329 to \$26,082. Per-capita
2 incomes were higher in El Paso County (\$26,237) in 2007 than in Dona Ana County (\$25,493).
3 Although personal income and per-capita income growth rates in the ROI have been higher than
4 for the states as a whole, personal income per capita was slightly higher in New Mexico as a
5 whole (\$30,497) in 2007 than in Dona Ana County. In El Paso County, per-capita income growth
6 rates and per-capita incomes were slightly lower than for Texas as a whole (\$37,808).

7
8 Median household income during the period from 2006 to 2008 varied from \$35,637 in
9 El Paso County to \$35,867 in Dona Ana County (U.S. Bureau of the Census 2009d).

10 11 12 ***12.1.19.1.7 ROI Housing***

13
14 In 2007, nearly 330,000 housing units were located in the two counties, with more than
15 77% of these located in El Paso County (Table 12.1.19.1-7). Owner-occupied units comprise
16 65% of the occupied units in both counties, with rental housing making up 35% of the total. In
17 2007, vacancy rates were 11.3% in Dona Ana County, compared with 9.2% in El Paso County.
18 With an overall vacancy rate of 9.7% in the ROI, there were 32,026 vacant housing units in the
19 ROI in 2007, of which 10,112 (2,690 in Dona Ana County, 7,422 in El Paso County) are
20 estimated to be rental units that would be available to construction workers. There were
21 1,436 seasonal, recreational, or occasional-use units vacant at the time of the 2000 Census.

22
23 Housing stock in the ROI as a whole grew at an annual rate of 1.9% over the
24 period 2000 to 2007, with 40,188 new units added to the existing housing stock in the ROI
25 (Table 12.1.19.1-7).

26
27 The median value of owner-occupied housing in 2006 to 2008 ranged from \$97,800 in
28 El Paso County to \$133,300 in Dona Ana County (U.S. Bureau of the Census 2009g).

29 30 31 ***12.1.19.1.8 ROI Local Government Organizations***

32
33 The various local and county government organizations in the ROI are listed in
34 Table 12.1.19.1-8. No Tribal governments are located in the ROI, but members of Tribal
35 governments located in adjacent counties or states reside in the ROI.

36 37 38 ***12.1.19.1.9 ROI Community and Social Services***

39
40 This section describes educational, health care, law enforcement, and firefighting
41 resources in the ROI.

42 43 44 **Schools**

45
46 In 2007 a total of 322 public and private elementary, middle, and high schools were
47 located in the two-county ROI (NCES 2009). Table 12.1.19.1-9 provides summary statistics for

TABLE 12.1.19.1-7 Housing Characteristics in the ROI for the Proposed Afton SEZ

Parameter	2000	2007 ^a
Dona Ana County		
Owner occupied	40,248	44,251
Rental	19,348	23,913
Vacant units	5,654	8,641
Seasonal and recreational use	551	NA
Total units	65,210	76,805
El Paso County		
Owner occupied	133,624	149,345
Rental	76,398	80,310
Vacant units	14,425	23,385
Seasonal and recreational use	885	NA
Total units	224,447	253,040
ROI Total		
Owner occupied	173,832	193,596
Rental	95,746	104,223
Vacant units	20,079	32,026
Seasonal and recreational use	1,436	NA
Total units	289,657	329,845

^a NA = data not available.

Sources: U.S. Bureau of the Census (2009h-j).

1
2
3 enrollment, educational staffing, and two indices of educational quality—student-teacher ratios
4 (number of students per teacher) and levels of service (number of teachers per 1,000 population).
5 The student-teacher ratio in Dona Ana County schools (15.3) is slightly higher than for schools
6 in El Paso County (14.9), while the level of service is slightly higher in El Paso County (15.0).

7
8 **Health Care**
9

10 Even with a much larger number of physicians (1,557), the number of doctors per
11 1,000 population in El Paso County is only slightly higher than in Dona Ana County
12 (Table 12.1.19.1-10). Although the smaller number of healthcare professionals in
13 Dona Ana County may mean that residents of these counties have poorer access to specialized
14 healthcare, a substantial number of county residents might also travel to El Paso County for their
15 medical care.

16
17

1 **Public Safety**

2
3 Several state, county, and local police departments
4 provide law enforcement in the ROI. Dona Ana County
5 has 131 officers and would provide law enforcement
6 services to the SEZ, while El Paso County has 251 officers
7 (Table 12.1.19.1-11). There are currently 695 professional
8 firefighters in El Paso County and 195 in Dona Ana County
9 (Table 12.1.19.1-11). Levels of service in police protection
10 in El Paso County (0.3 personnel per 1,000 population) are
11 significantly lower than for Dona Ana County, while fire
12 protection in both counties is similar to that for the ROI as a
13 whole (Table 12.1.19.1-11).

14
15
16 **12.1.19.1.10 ROI Social Structure and Social**
17 **Change**

18
19 Community social structures and other forms of
20 social organization within the ROI are related to various
21 factors, including historical development, major economic
22 activities and sources of employment, income levels, race and ethnicity, and forms of local
23 political organization. Although an analysis of the character of community social structures is
24 beyond the scope of the current programmatic analysis, project-level NEPA analyses would
25 include a description of ROI social structures, contributing factors, their uniqueness, and
26 consequently, the susceptibility of local communities to various forms of social disruption and
27 social change.

28
29 Various energy development studies have suggested that once the annual growth in
30 population is between 5 and 15% in smaller rural communities, alcoholism, depression, suicide,
31
32

TABLE 12.1.19.1-8 Local Government Organizations and Social Institutions in the ROI for the Proposed Afton SEZ

Governments	
<i>City</i>	
Anthony	Las Cruces
Clint	Mesilla
El Paso	Socorro
Hatch	Sunland Park
Horizon City	
<i>County</i>	
Dona Ana County	El Paso County
<i>Tribal</i>	
None	

Sources: U.S. Bureau of the Census (2009b); U.S. Department of the Interior (2010).

TABLE 12.1.19.1-9 School District Data for the ROI for the Proposed Afton SEZ, 2007

Location	Number of Students	Number of Teachers	Student-Teacher Ratio	Level of Service ^a
Dona Ana County, New Mexico	39,320	2,578	15.3	12.8
El Paso County, Texas	170,382	11,443	14.9	15.0
ROI	209,702	14,020	15.0	14.5

^a Number of teachers per 1,000 population.

Source: NCES (2009).

TABLE 12.1.19.1-10 Physicians in the ROI for the Proposed Afton SEZ, 2007

Location	Number of Primary Care Physicians	Level of Service ^a
Dona Ana County, New Mexico	369	1.8
El Paso County, Texas	1,557	2.0
ROI	1,926	2.0

^a Number of physicians per 1,000 population.

Source: AMA (2009).

1
2

TABLE 12.1.19.1-11 Public Safety Employment in the ROI for the Proposed Afton SEZ

Location	Number of Police Officers ^a	Level of Service ^b	Number of Firefighters ^c	Level of Service ^b
Dona Ana County, New Mexico	131	0.6	195	0.9
El Paso County, Texas	251	0.3	695	0.9
ROI	382	0.4	890	0.9

^a 2007 data.

^b Number per 1,000 population.

^c 2008 data; number does not include volunteers.

Sources: U.S. Department of Justice (2009c); Fire Departments Network (2009).

3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

social conflict, divorce, and delinquency increase and levels of community satisfaction deteriorate (BLM 1980, 1983, 1996). Tables 12.1.19.1-12 and 12.1.19.1-13 present data for a number of indicators of social change in the ROI, including violent crime and property crime rates, alcoholism and illicit drug use, and mental health and divorce, that might be used to indicate social change.

Some variation exists in the level of crime across the ROI, with slightly higher property-related crime rates in Dona Ana County (29.9 crimes per 1,000 population) than in El Paso County (28.6). Violent crime rates were the same in both counties (4.2 per 1,000 population), meaning that overall crime rates in Dona Ana County (34.1) were slightly higher than for El Paso County (32.8).

TABLE 12.1.19.1-12 County and ROI Crime Rates^a for the Proposed Afton SEZ

Location	Violent Crime ^b		Property Crime ^c		All Crime	
	Offenses	Rate	Offenses	Rate	Offenses	Rate
Don Ana County, New Mexico	842	4.2	6,028	29.9	6,870	34.1
El Paso County, Texas	3,068	4.2	21,147	28.6	24,215	32.8
ROI	3,910	4.2	27,175	28.9	31,085	33.1

^a Rates are the number of crimes per 1,000 population.

^b Violent crime includes murder and non-negligent manslaughter, forcible rape, robbery, and aggravated assault.

^c Property crime includes burglary, larceny, theft, motor vehicle theft, and arson.

Sources: U.S. Department of Justice (2009a,b).

1
2

TABLE 12.1.19.1-13 Data on Alcoholism, Drug Use, Mental Health, and Divorce in the ROI for the Proposed Afton SEZ^a

Geographic Area	Alcoholism	Illicit Drug Use	Mental Health ^b	Divorce ^c
New Mexico Region 5 (includes Dona Ana County)	8.3	3.0	9.9	— ^d
Texas Region 10 (includes El Paso County)	7.0	3.0	8.3	—
New Mexico				4.3
Texas				3.3

^a Data for alcoholism and drug use represent percentage of the population over 12 years of age with dependence or abuse of alcohol, illicit drugs. Data are averages for 2004 to 2006.

^b Data for mental health represent percentage of the population over 18 years of age suffering from serious psychological distress. Data are averages for 2002 to 2004.

^c Divorce rates are the number of divorces per 1,000 population. Data are for 2007.

^d A dash indicates data not available.

Sources: SAMHSA (2009); CDC (2009).

3
4
5
6
7
8
9
10
11

Data on other measures of social change—alcoholism, illicit drug use, and mental health—are not available at the county level and thus are presented for the Substance Abuse and Mental Health Services Administration (SAMHSA) region in which the ROI is located. There is some variation across the two regions in which the two counties are located, with slightly higher rates for alcoholism and mental illness in the region in which Dona Ana County is located and the same rates of illicit drug use in both regions (Table 12.1.19.1-13).

1 **12.1.19.1.11 ROI Recreation**
2

3 Various areas in the vicinity of the proposed SEZ are used for recreational purposes, with
4 natural, ecological, and cultural resources in the ROI attracting visitors for a range of activities,
5 including hunting, fishing, boating, canoeing, wildlife watching, camping, hiking, horseback
6 riding, mountain climbing, and sightseeing. These activities are discussed in Section 12.1.5.
7

8 Because data on the number of visitors using state and federal lands for recreational
9 activities is not available from the various administering agencies, the value of recreational
10 resources in these areas based solely on the number of recorded visitors is likely to be an
11 underestimation. In addition to visitation rates, the economic valuation of certain natural
12 resources can also be assessed in terms of the potential recreational destination for current and
13 future users, that is, their nonmarket value (see Section 5.17.1.1.1).
14

15 Another assessment method is to estimate the economic impact of the various
16 recreational activities supported by natural resources on public land in the vicinity of the
17 proposed solar facilities, by identifying sectors in the economy in which expenditures on
18 recreational activities occur. Not all activities in these sectors are directly related to recreation on
19 state and federal lands, with some activity occurring on private land (e.g., dude ranches, golf
20 courses, bowling alleys, and movie theaters). Expenditures associated with recreational activities
21 form an important part of the economy of the ROI. In 2007, 39,933 people were employed in the
22 ROI in the various sectors identified as recreation-related, constituting 11.1% of total ROI
23 employment (Table 12.1.19.1-14). Recreation spending also produced almost \$822 million in
24 income in the ROI in 2007. The primary sources of recreation-related employment were eating
25 and drinking places.
26
27

**TABLE 12.1.19.1-14 Recreation Sector Activity in the ROI
for the Proposed Afton SEZ, 2007**

Recreation Component	Employment	Income (\$ million)
Amusement and recreation services	695	14.5
Automotive rental	2,427	190.8
Eating and drinking places	31,003	440.4
Hotels and lodging places	1,951	39.3
Museums and historic sites	40	3.7
Recreational vehicle parks and campsites	93	2.1
Scenic tours	2,044	103.3
Sporting goods retailers	1,680	27.8
Total ROI	39,933	821.8

Source: MIG, Inc. (2010).

28
29

1 **12.1.19.2 Impacts**
2

3 The following analysis begins with a description of the common impacts of solar
4 development, including those on recreation and on social change. These impacts would occur
5 regardless of the solar technology developed in the SEZ. The impacts of developments
6 employing specific solar energy technologies are analyzed in detail in subsequent sections.
7

8
9 **12.1.19.2.1 Common Impacts**

10
11 Construction and operation of a solar energy facility at the proposed SEZ would produce
12 direct and indirect economic impacts. Direct impacts would occur as a result of expenditures on
13 wages and salaries, procurement of goods and services required for project construction and
14 operation, and the collection of state sales and income taxes. Indirect impacts would occur as
15 project wages and salaries, procurement expenditures, and tax revenues subsequently circulated
16 through the economy, thereby creating additional employment, income, and tax revenues.
17 Facility construction and operation would also require in-migration of workers and their families
18 into the ROI surrounding the site, which would affect population, rental housing, health service
19 employment, and public safety employment. Socioeconomic impacts common to all utility-scale
20 solar energy developments are discussed in detail in Section 5.17. Those impacts will be
21 minimized through the implementation of programmatic design features described in
22 Appendix A, Section A.2.2.
23
24

25 **Recreation Impacts**

26
27 Estimating the impact of solar facilities on recreation is problematic because it is not
28 clear how solar development in the SEZ would affect recreational visitation and nonmarket
29 values (i.e., the value of recreational resources for potential or future visits; see Appendix M).
30 While it is clear that some land in the ROI would no longer be accessible for recreation, the
31 majority of popular recreational locations would be precluded from solar development. It is also
32 possible that solar development in the ROI would be visible from popular recreation locations,
33 and that construction workers residing temporarily in the ROI would occupy accommodation
34 otherwise used for recreational visits, thus reducing visitation and consequently affecting the
35 economy of the ROI.
36
37

38 **Social Change**

39
40 Although an extensive literature in sociology documents the most significant components
41 of social change in energy boomtowns, the nature and magnitude of the social impact of energy
42 developments in small rural communities are still unclear (see Section 5.17.1.1.4). While some
43 degree of social disruption is likely to accompany large-scale in-migration during the boom
44 phase, there is insufficient evidence to predict the extent to which specific communities are
45 likely to be impacted, which population groups within each community are likely to be most
46 affected, and the extent to which social disruption is likely to persist beyond the end of the boom

1 period (Smith et al. 2001). Accordingly, because of the lack of adequate social baseline data, it
2 has been suggested that social disruption is likely to occur once an arbitrary population growth
3 rate associated with solar energy development projects has been reached, with an annual rate of
4 between 5 and 10% growth in population assumed to result in a breakdown in social structures,
5 with a consequent increase in alcoholism, depression, suicide, social conflict, divorce,
6 delinquency, and deterioration in levels of community satisfaction (BLM 1980, 1983, 1996).

7
8 In overall terms, the in-migration of workers and their families into the ROI would
9 represent an increase of 0.2% in ROI population during construction of the trough technology,
10 with smaller increases for the power tower, dish engine, and PV technologies, and during the
11 operation of each technology. While it is possible that some construction and operations workers
12 will choose to locate in communities closer to the SEZ, because of the lack of available housing
13 in smaller rural communities in the ROI to accommodate all in-migrating workers and families
14 and the insufficient range of housing choices to suit all solar occupations, many workers are
15 likely to commute to the SEZ from larger communities elsewhere in the ROI. This situation
16 would reduce the potential impact of solar developments on social change. Regardless of the
17 pace of population growth associated with the commercial development of solar resources,
18 and the likely residential location of in-migrating workers and families in communities some
19 distance from the SEZ itself, the number of new residents from outside the region of influence is
20 likely to lead to some demographic and social change in small rural communities in the ROI.
21 Communities hosting solar developments are likely to be required to adapt to a different quality
22 of life, with a transition away from a more traditional lifestyle involving ranching and taking
23 place in small, isolated, close-knit, homogenous communities with a strong orientation toward
24 personal and family relationships, toward a more urban lifestyle, with increasing cultural and
25 ethnic diversity and increasing dependence on formal social relationships within the community.

26 27 28 **Livestock Grazing Impacts**

29
30 Cattle ranching and farming supported 421 jobs and \$4.4 million in income in the ROI in
31 2007 (MIG, Inc. 2010). The construction and operation of solar facilities in the proposed SEZ
32 could result in a decline in the amount of land available for livestock grazing, resulting in total
33 (direct plus indirect) impacts of the loss of 102 jobs and \$1.9 million in income in the ROI. There
34 would also be a decline in grazing fees payable to the BLM and to the USFS by individual
35 permittees based on the number of AUMs required to support livestock on public land.
36 Assuming the 2008 fee of \$1.35 per AUM, grazing fee losses would amount to \$6,615 annually
37 on land dedicated to solar developments in the SEZ.

38 39 40 ***12.1.19.2.2 Technology-Specific Impacts***

41
42 The socioeconomic impacts of solar energy development in the proposed SEZ were
43 measured in terms of employment, income, state tax revenues (sales and income), BLM acreage-
44 related fees and capacity fees, population in-migration, housing, and community service
45 employment (education, health, and public safety). More information on the data and methods
46 used in the analysis are presented in Appendix M.

1 The assessment of the impact of the construction and operation of each technology was
2 based on SEZ acreage, assuming 80% of the area could be developed. To capture a range of
3 possible impacts, solar facility size was estimated on the basis of the land requirements of
4 various solar technologies, assuming land requirements of 9 acres/MW (0.04 km²/MW) for
5 power tower, dish engine, and PV technologies and 5 acres/MW (0.02 km²/MW) for solar trough
6 technologies. Impacts of multiple facilities employing a given technology at each SEZ were
7 assumed to be the same as impacts for a single facility with the same total capacity. Construction
8 impacts were assessed for a representative peak year of construction, assumed to be 2021 for
9 each technology. Construction impacts assumed that a maximum of three projects could be
10 constructed within a given year, with a corresponding maximum land disturbance of up to
11 9,000 acres (36 km²). For operations impacts, a representative first year of operations was
12 assumed to be 2023 for each technology. The years of construction and operations were selected
13 as representative of the entire 20-year study period because they are the approximate midpoint;
14 construction and operations could begin earlier.

17 **Solar Trough**

18
19
20 **Construction.** Total construction employment impacts in the ROI (including direct
21 and indirect impacts) from the use of solar trough technology would be up to 16,022 jobs
22 (Table 12.1.19.2-1). Construction activities would constitute 3.5% of total ROI employment.
23 A solar development would also produce \$883.4 million in income. Direct sales taxes would
24 be \$41.2 million; direct income taxes, \$18.9 million.

25
26 Given the scale of construction activities and the likelihood of local worker availability
27 in the required occupational categories, construction of a solar facility would mean that some
28 in-migration of workers and their families from outside the ROI would be required, with
29 2,229 persons in-migrating into the ROI. Although in-migration may potentially affect local
30 housing markets, the relatively small number of in-migrants and the availability of temporary
31 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
32 construction on the number of vacant rental housing units would not be expected to be large,
33 with 1,114 rental units expected to be occupied in the ROI. This occupancy rate would represent
34 7.9% of the vacant rental units expected to be available in the ROI.

35
36 In addition to the potential impact on housing markets, in-migration also would affect
37 community services (education, health, and public safety) employment. An increase in such
38 employment would be required to meet existing levels of service in the ROI. Accordingly,
39 34 new teachers, 5 physicians, and 3 public safety employees (career firefighters and uniformed
40 police officers) would be required in the ROI. These increases would represent 0.2% of total
41 ROI employment expected in these occupations.

42
43
44 **Operations.** Total operations employment impacts in the ROI (including direct and
45 indirect impacts) from a build-out using solar trough technologies would be 4,513 jobs
46 (Table 12.1.19.2-1). Such a solar development would also produce \$155.2 million in income.

TABLE 12.1.19.2-1 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Afton SEZ with Trough Facilities

Parameter	Maximum Annual Construction Impacts ^a	Annual Operations Impacts ^b
Employment (no.)		
Direct	5,232	2,705
Total	16,022	4,513
Income ^c		
Total	883.4	155.2
Direct state taxes ^c		
Sales	41.2	0.6
Income	18.9	4.3
BLM payments ^c		
Acreage-related fee	NA	7.3
Capacity fee ^d	NA	81.6
In-migrants (no.)	2,229	345
Vacant housing ^e (no.)	1,114	310
Local community service employment		
Teachers (no.)	34	5
Physicians (no.)	5	1
Public safety (no.)	3	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 1,800 MW (corresponding to 9,000 acres [36 km²] of land disturbance) could be built.

^b Operations impacts were based on full build-out of the site, producing a total output of 12,420 MW.

^c Unless indicated otherwise, values are reported in \$ million 2008.

^d The BLM annual capacity payment was based on a fee of \$6,570 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010b), assuming a solar facility with no storage capability, and full build-out of the site. Projects with three or more hours of storage would generate higher payments, based on a fee of \$7,884 per MW.

^e Construction activities would affect vacant rental housing; operations activities would affect vacant owner-occupied housing.

1 Direct sales taxes would be \$0.6 million; direct income taxes, \$4.3 million. Based on fees
2 established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010b), acreage-related
3 fees would be \$7.3 million, and solar generating capacity fees would total at least \$81.6 million.
4

5 Given the likelihood of local worker availability in the required occupational categories,
6 operation of a solar facility would mean that some in-migration of workers and their families
7 from outside the ROI would be required, with 345 persons in-migrating into the ROI. Although
8 in-migration may potentially affect local housing markets, the relatively small number of
9 in-migrants and the availability of temporary accommodations (hotels, motels, and mobile home
10 parks) mean that the impact of solar facility operation on the number of vacant owner-occupied
11 housing units would not be expected to be large, with 310 owner-occupied units expected to be
12 occupied in the ROI.
13

14 In addition to the potential impact on housing markets, in-migration would affect
15 community services (health, education, and public safety) employment. An increase in such
16 employment would be required to meet existing levels of service in the provision of these
17 services in the ROI. Accordingly, 5 new teachers and 1 physician would be required in the ROI.
18
19

20 **Power Tower**

21
22

23 **Construction.** Total construction employment impacts in the ROI (including direct
24 and indirect impacts) from the use of power tower technology would be up to 6,382 jobs
25 (Table 12.1.19.2-2). Construction activities would constitute 1.4% of total ROI employment.
26 Such a solar development would also produce \$351.9 million in income. Direct sales taxes
27 would be \$16.4 million; direct income taxes, \$7.5 million.
28

29 Given the scale of construction activities and the likelihood of local worker availability
30 in the required occupational categories, construction of a solar facility would mean that some
31 in-migration of workers and their families from outside the ROI would be required, with
32 888 persons in-migrating into the ROI. Although in-migration may potentially affect local
33 housing markets, the relatively small number of in-migrants and the availability of temporary
34 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
35 construction on the number of vacant rental housing units would not be expected to be large,
36 with 444 rental units expected to be occupied in the ROI. This occupancy rate would represent
37 3.1% of the vacant rental units expected to be available in the ROI.
38

39 In addition to the potential impact on housing markets, in-migration would affect
40 community services (education, health, and public safety) employment. An increase in such
41 employment would be required to maintain existing levels of service in the ROI. Accordingly,
42 13 new teachers, 2 physicians, and 1 public safety employee would be required in the ROI.
43 These increases would represent 0.1% of total ROI employment expected in these occupations.
44
45

46 **Operations.** Total operations employment impacts in the ROI (including direct and
47 indirect impacts) from a build-out using power tower technologies would be 1,981 jobs

1 (Table 12.1.19.2-2). Such a solar development would also produce \$63.6 million in income.
2 Direct sales taxes would be less than \$0.1 million; direct income taxes, \$2.2 million. Based on
3 fees established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010b), acreage-
4 related fees would be \$7.3 million, and solar generating capacity fees would total at least
5 \$45.3 million.
6

7 Given the likelihood of local worker availability in the required occupational categories,
8 operation of a power tower facility would mean that some in-migration of workers and their
9 families from outside the ROI would be required, with 178 persons in-migrating into the ROI.
10 Although in-migration may potentially affect local housing markets, the relatively small number
11 of in-migrants and the availability of temporary accommodations (hotels, motels, and mobile
12 home parks) mean that the impact of solar facility operation on the number of vacant
13 owner-occupied housing units would not be expected to be large, with 160 owner-occupied
14 units expected to be required in the ROI.
15

16 In addition to the potential impact on housing markets, in-migration would affect
17 community services (education, health, and public safety) employment. An increase in such
18 employment would be required to meet existing levels of service in the ROI. Accordingly, 3 new
19 teachers would be required in the ROI.
20

21 **Dish Engine**

22 **Construction.** Total construction employment impacts in the ROI (including direct
23 and indirect impacts) from the use of dish engine technology would be up to 2,594 jobs
24 (Table 12.1.19.2-3). Construction activities would constitute 0.6 % of total ROI employment.
25 Such a solar development would also produce \$143.1 million in income. Direct sales taxes
26 would be \$6.7 million; direct income taxes, \$3.1 million.
27
28
29
30

31 Given the scale of construction activities and the likelihood of local worker availability
32 in the required occupational categories, construction of a dish engine facility would mean that
33 some in-migration of workers and their families from outside the ROI would be required, with
34 361 persons in-migrating into the ROI. Although in-migration may potentially affect local
35 housing markets, the relatively small number of in-migrants and the availability of temporary
36 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
37 construction on the number of vacant rental housing units would not be expected to be large,
38 with 180 rental units expected to be occupied in the ROI. This occupancy rate would represent
39 1.3% of the vacant rental units expected to be available in the ROI.
40

41 In addition to the potential impact on housing markets, in-migration would affect
42 community services (education, health, and public safety) employment. An increase in such
43 employment would be required to meet existing levels of service in the ROI. Accordingly, 5 new
44 teachers and 1 physician would be required in the ROI. This increase would represent less than
45 0.1% of total ROI employment expected in these occupations.
46

TABLE 12.1.19.2-2 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Afton SEZ with Power Tower Facilities

Parameter	Maximum Annual Construction Impacts ^a	Annual Operations Impacts ^b
Employment (no.)		
Direct	2,084	1,397
Total	6,382	1,981
Income ^c		
Total	351.9	63.6
Direct state taxes ^c		
Sales		
Income	16.4	0.1
	7.5	2.2
BLM payments ^c		
Acreage-related fee	NA	7.3
Capacity fee ^d	NA	45.3
In-migrants (no.)	888	178
Vacant housing ^e (no.)	444	160
Local community service employment		
Teachers (no.)	13	3
Physicians (no.)	2	0
Public safety (no.)	1	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 1,000 MW (corresponding to 9,000 acres [36 km²] of land disturbance) could be built.

^b Operations impacts were based on full build-out of the site, producing a total output of 6,900 MW.

^c Unless indicated otherwise, values are reported in \$ million 2008.

^d The BLM annual capacity payment was based on a fee of \$6,570 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010b), assuming a solar facility with no storage capability, and full build-out of the site. Projects with three or more hours of storage would generate higher payments, based on a fee of \$7,884 per MW.

^e Construction activities would affect vacant rental housing; operations activities would affect vacant owner-occupied housing.

TABLE 12.1.19.2-3 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Afton SEZ with Dish Engine Facilities

Parameter	Maximum Annual Construction Impacts ^a	Annual Operations Impacts ^b
Employment (no.)		
Direct	847	1,358
Total	2,594	1,925
Income ^c		
Total	143.1	61.8
Direct state taxes ^c		
Sales	6.7	0.1
Income	3.1	2.1
BLM payments ^c		
Acreage-related fee	NA	7.3
Capacity fee ^d	NA	45.3
In-migrants (no.)	361	173
Vacant housing ^e (no.)	180	156
Local community service employment		
Teachers (no.)	5	3
Physicians (no.)	1	0
Public safety (no.)	0	0

- ^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 1,000 MW (corresponding to 9,000 acres [36 km²] of land disturbance) could be built.
- ^b Operations impacts were based on full build-out of the site, producing a total output of 6,900 MW.
- ^c Unless indicated otherwise, values are reported in \$ million 2008.
- ^d The BLM annual capacity payment was based on a fee of \$6,570 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010b), assuming a solar facility with no storage capability, and full build-out of the site. Projects with three or more hours of storage would generate higher payments, based on a fee of \$7,884 per MW.
- ^e Construction activities would affect vacant rental housing; operations activities would affect vacant owner-occupied housing.

1 **Operations.** Total operations employment impacts in the ROI (including direct and
2 indirect impacts) from a build-out using dish engine technology would be 1,925 jobs
3 (Table 12.1.19.2-3). Such a solar development would also produce \$61.8 million in income.
4 Direct sales taxes would be less than \$0.1 million; direct income taxes, \$2.1 million. Based on
5 fees established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010b), acreage-
6 related fees would be \$7.3 million, and solar generating capacity fees would total at least
7 \$45.3 million.
8

9 Given the likelihood of local worker availability in the required occupational categories,
10 operation of a dish engine solar facility would mean that some in-migration of workers and their
11 families from outside the ROI would be required, with 173 persons in-migrating into the ROI.
12 Although in-migration may potentially affect local housing markets, the relatively small number
13 of in-migrants and the availability of temporary accommodations (hotels, motels, and mobile
14 home parks) mean that the impact of solar facility operation on the number of vacant owner-
15 occupied housing units would not be expected to be large, with 156 owner-occupied units
16 expected to be required in the ROI.
17

18 In addition to the potential impact on housing markets, in-migration would affect
19 community service (education, health, and public safety) employment. An increase in such
20 employment would be required to meet existing levels of service in the ROI. Accordingly,
21 three new teachers would be required in the ROI.
22

23 **Photovoltaic**

24
25
26
27 **Construction.** Total construction employment impacts in the ROI (including direct and
28 indirect impacts) from the use of PV technology would be up to 1,210 jobs (Table 12.1.19.2-4).
29 Construction activities would constitute 0.3% of total ROI employment. Such a solar
30 development would also produce \$66.7 million in income. Direct sales taxes would be
31 \$3.1 million; direct income taxes, \$1.4 million.
32

33 Given the scale of construction activities and the likelihood of local worker availability
34 in the required occupational categories, construction of a solar facility would mean that some
35 in-migration of workers and their families from outside the ROI would be required, with
36 168 persons in-migrating into the ROI. Although in-migration may potentially affect local
37 housing markets, the relatively small number of in-migrants and the availability of temporary
38 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
39 construction on the number of vacant rental housing units would not be expected to be large,
40 with 84 rental units expected to be occupied in the ROI. This occupancy rate would represent
41 0.6% of the vacant rental units expected to be available in the ROI.
42

43 In addition to the potential impact on housing markets, in-migration would affect
44 community services (education, health, and public safety) employment. An increase in such
45 employment would be required to meet existing levels of service in the ROI. Accordingly, 3 new
46

TABLE 12.1.19.2-4 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Afton SEZ with PV Facilities

Parameter	Maximum Annual Construction Impacts ^a	Annual Operations Impacts ^b
Employment (no.)		
Direct	395	135
Total	1,210	192
Income ^c		
Total	66.7	6.2
Direct state taxes ^c		
Sales	3.1	<0.1
Income	1.4	0.2
BLM payments ^c		
Acreage-related fee	NA	7.3
Capacity fee ^d	NA	36.3
In-migrants (no.)	168	17
Vacant housing ^e (no.)	84	16
Local community service employment		
Teachers (no.)	3	0
Physicians (no.)	0	0
Public safety (no.)	0	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 1,000 MW (corresponding to 9,000 acres [36 km²] of land disturbance) could be built.

^b Operations impacts were based on full build-out of the site, producing a total output of 6,900 MW.

^c Unless indicated otherwise, values are reported in \$ million 2008.

^d The BLM annual capacity payment was based on a fee of \$5,256 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010b), assuming full build-out of the site.

^e Construction activities would affect vacant rental housing; operations activities would affect owner-occupied housing.

1
2

1 teachers would be required in the ROI. This increase would represent less than 0.1% of total ROI
2 employment expected in this occupation.
3
4

5 **Operations.** Total operations employment impacts in the ROI (including direct and
6 indirect impacts) from a build-out using PV technologies would be 192 jobs (Table 12.1.19.2-4).
7 Such a solar development would also produce \$6.2 million in income. Direct sales taxes would
8 be less than \$0.1 million; direct income taxes \$0.2 million. Based on fees established by the
9 BLM in its Solar Energy Interim Rental Policy (BLM 2010b), acreage-related fees would be
10 \$7.3 million, and solar generating capacity fees would total at least \$36.3 million.
11

12 Given the likelihood of local worker availability in the required occupational categories,
13 operation of a PV solar facility would mean that some in-migration of workers and their families
14 from outside the ROI would be required, with 17 persons in-migrating into the ROI. Although
15 in-migration may potentially affect local housing markets, the relatively small number of
16 in-migrants and the availability of temporary accommodations (hotels, motels, and mobile home
17 parks) mean that the impact of solar facility operation on the number of vacant owner-occupied
18 housing units would not be expected to be large, with 16 owner-occupied units expected to be
19 required in the ROI.
20

21 No new community services employment would be required to meet existing levels of
22 service in the ROI.
23
24

25 **12.1.19.3 SEZ-Specific Design Features and Design Feature Effectiveness** 26

27 No SEZ-specific design features addressing socioeconomic impacts have been identified
28 for the proposed Afton SEZ. Implementing the programmatic design features described in
29 Appendix A, Section A.2.2, as required under BLM's Solar Energy Program, would reduce the
30 potential for socioeconomic impacts during all project phases.
31

1 **12.1.20 Environmental Justice**

2
3
4 **12.1.20.1 Affected Environment**

5
6 Executive Order 12898, “Federal Actions to Address Environmental Justice in
7 Minority Populations and Low-Income Populations” (*Federal Register*, Volume 59, page 7629,
8 Feb. 11, 1994), formally requires federal agencies to incorporate environmental justice as part
9 of their missions. Specifically, it directs them to address, as appropriate, any disproportionately
10 high and adverse human health or environmental effects of their actions, programs, or policies
11 on minority and low-income populations.

12
13 The analysis of the impacts of solar energy projects on environmental justice issues
14 follows guidelines described in the Council on Environmental Quality’s (CEQ’s) *Environmental*
15 *Justice Guidance under the National Environmental Policy Act* (CEQ 1997). The analysis
16 method has three parts: (1) a description of the geographic distribution of low-income and
17 minority populations in the affected area is undertaken; (2) an assessment is conducted to
18 determine whether construction and operation would produce impacts that are high and adverse;
19 and (3) if impacts are high and adverse, a determination is made as to whether these impacts
20 would disproportionately affect minority and low-income populations.

21
22 Construction and operation of solar energy projects in the proposed SEZ could affect
23 environmental justice if any adverse health and environmental impacts resulting from either
24 phase of development are significantly high and if these impacts disproportionately affect
25 minority and low-income populations. If the analysis determines that health and environmental
26 impacts are not significant, there can be no disproportionate impacts on minority and low-income
27 populations. In the event impacts are significant, disproportionality would be determined by
28 comparing the proximity of any high and adverse impacts with the location of low-income and
29 minority populations.

30
31 The analysis of environmental justice issues associated with the development of solar
32 facilities considered impacts within the SEZ and in an associated 50-mi (80-km) radius around
33 the boundary of the SEZ. A description of the geographic distribution of minority and low-
34 income groups in the affected area was based on demographic data from the 2000 Census
35 (U.S. Bureau of the Census 2009k,1). The following definitions were used to define minority
36 and low-income population groups:

- 37
38 • **Minority.** Persons are included in the minority category if they identify
39 themselves as belonging to any of the following racial groups: (1) Hispanic,
40 (2) Black (not of Hispanic origin) or African American, (3) American Indian
41 or Alaska Native, (4) Asian, or (5) Native Hawaiian or Other Pacific Islander.

42
43 Beginning with the 2000 Census, where appropriate, the census form allows
44 individuals to designate multiple population group categories to reflect their
45 ethnic or racial origins. In addition, persons who classify themselves as being
46 of multiple racial origin may choose up to six racial groups as the basis of

1 their racial origins. The term minority includes all persons, including those
2 classifying themselves in multiple racial categories, except those who classify
3 themselves as not of Hispanic origin and as White or “Other Race”
4 (U.S. Bureau of the Census 2009k).

5
6 The CEQ guidance proposed that minority populations be identified where
7 either (1) the minority population of the affected area exceeds 50% or (2) the
8 minority population percentage of the affected area is meaningfully greater
9 than the minority population percentage in the general population or other
10 appropriate unit of geographic analysis.

11
12 This PEIS applies both criteria in using the Census Bureau data for census
13 block groups, wherein consideration is given to the minority population that is
14 both greater than 50% and 20 percentage points higher than in the state as a
15 whole (the reference geographic unit).

- 16
17 • **Low-Income.** Individuals who fall below the poverty line. The poverty line
18 takes into account family size and age of individuals in the family. In 1999,
19 for example, the poverty line for a family of five with three children below the
20 age of 18 was \$19,882. For any given family below the poverty line, all
21 family members are considered as being below the poverty line for the
22 purposes of analysis (U.S. Bureau of the Census 2009l).

23
24 The data in Table 12.1.20.1-1 show the minority and low-income composition of the total
25 population located within 50 mi (80 km) of the proposed SEZ based on 2000 Census data and
26 CEQ guidelines. Individuals identifying themselves as Hispanic or Latino are included in the
27 table as a separate entry. However, because Hispanics can be of any race, this number also
28 includes individuals identifying themselves as being part of one or more of the population groups
29 listed in the table.

30
31 A large number of minority and low-income individuals are located in the 50-mi (80-km)
32 area around the boundary of the SEZ. Within the 50-mi (80-km) radius in New Mexico, 65.8%
33 of the population is classified as minority, while 25.9% is classified as low-income. The number
34 of minority individuals exceeds 50% of the total population in the area, and the number of
35 minority individuals exceeds the state average by 20 percentage points or more; thus, there is a
36 minority population in the SEZ area based on 2000 Census data and CEQ guidelines. The
37 number of low-income individuals does not exceed the state average by 20 percentage points or
38 more and does not exceed 50% of the total population in the area; thus, there are no low-income
39 populations in New Mexico in the 50-mi (80-km) area around the boundary of the SEZ.

40
41 Within the 50-mi (80-km) radius in Texas, 82.8% of the population is classified as
42 minority, while 23.2% is classified as low income. The number of minority individuals exceeds
43 50% of the total population in the area, and the number of minority individuals exceeds the state
44 average by 20 percentage points or more; thus, there is a minority population in the SEZ area in
45 Texas based on 2000 Census data and CEQ guidelines. The number of low-income individuals
46 does not exceed the state average by 20 percentage points or more and does not exceed 50% of

TABLE 12.1.20.1-1 Minority and Low-Income Populations within the 50-mi (80-km) Radius Surrounding the Proposed Afton SEZ

Parameter	New Mexico	Texas
Total population	211,443	670,757
White, non-Hispanic	72,247	115,378
Hispanic or Latino	130,947	147,791
Non-Hispanic or Latino minorities	8,249	32,413
One race	6,066	27,808
Black or African American	2,481	18,665
American Indian or Alaskan Native	1,525	2,057
Asian	1,337	6,149
Native Hawaiian or Other Pacific Islander	77	440
Some other race	646	497
Two or more races	2,183	4,605
Total minority	139,196	555,379
Low income	54,664	155,380
Percentage minority	65.8	82.8
State percentage minority	33.2	29.0
Percentage low-income	25.9	23.2
State percentage low-income	18.4	15.4

Source: U.S. Bureau of the Census (2009k,1).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

the total population in the area; thus, there are no low-income populations in Texas in the 50-mi (80-km) area around the boundary of the SEZ.


Figures 12.1.20.1-1 and 12.1.20.1-2 show the locations of the minority and low-income population groups within the 50-mi (80-km) area around the boundary of the SEZ.

12.1.20.2 Impacts

Environmental justice concerns common to all utility-scale solar energy developments are described in detail in Section 5.18. These impacts will be minimized through the implementation of programmatic design features described in Appendix A, Section A.2.2, which address the underlying environmental impacts contributing to the concerns. The potentially relevant environmental impacts associated with solar developments within the



1
 2 **FIGURE 12.1.20.1-1 Minority Population Groups within the 50-mi (80-km) Area Surrounding**
 3 **the Proposed Afton SEZ**



1

2 **FIGURE 12.1.20.1-2 Low-Income Population Groups within the 50-mi (80-km) Radius**
 3 **Surrounding the Proposed Afton SEZ**

1 proposed SEZ include noise and dust during the construction of solar facilities; noise and
2 electromagnetic field (EMF) effects associated with solar project operations; the visual impacts
3 of solar generation and auxiliary facilities, including transmission lines; access to land used for
4 economic, cultural, or religious purposes; and effects on property values. These are areas of
5 concern that might potentially affect minority and low-income populations.
6

7 Potential impacts on low-income and minority populations could be incurred as a result
8 of the construction and operation of solar development involving each of the four technologies.
9 Although impacts are likely to be small, there are minority populations, as defined by CEQ
10 guidelines (Section 12.1.20.1), within the 50-mi (80-km) radius around the boundary of the SEZ;
11 thus any adverse impacts of solar projects could disproportionately affect minority populations.
12 Because there are low-income populations within the 50-mi (80-km) radius, according to CEQ
13 guidelines, there would also be impacts on low-income populations.
14

15 **12.1.20.3 SEZ-Specific Design Features and Design Feature Effectiveness**

17

18 No SEZ-specific design features addressing environmental justice impacts have been
19 identified for the proposed Afton SEZ. Implementing the programmatic design features
20 described in Appendix A, Section A.2.2, as required under BLM's Solar Energy Program,
21 would reduce the potential for environmental justice impacts during all project phases.
22

1 **12.1.21 Transportation**

2
3 The proposed Afton SEZ is accessible by road, rail, and air networks. Two interstate
4 highways, two major railroads, and a small regional airport serve the area. General transportation
5 considerations and impacts are discussed in Sections 3.4 and 5.19, respectively.
6

7
8 **12.1.21.1 Affected Environment**

9
10 The Afton SEZ is southwest of Las Cruces, New Mexico, and adjacent to the
11 Interstate-10 (I-10) corridor, as shown in Figure 12.1.21.1-1. The Interstates I-10 and I-25
12 connect in Las Cruces. Albuquerque is 220 mi (354 km) north of Las Cruces along I-25.
13 Tucson and El Paso lie along I-10, 275 mi (442 km) to the west and 45 mi (72 km) to the
14 south-southeast, respectively. The distance to the northern edge of the SEZ on the west and
15 east borders is approximately 0.5 and 2.0 mi (0.8 and 3 km) south of I-10, respectively. Dona
16 Ana County dirt roads B006, B007, B008, and B009 cross the SEZ, with B008 and B009
17 providing access to the southern portion of the SEZ from the south, east, and west. In the
18 Mimbres RMP (BLM 1993), the area included in the SEZ is in the group of lands designated for
19 OHV and vehicle uses as “Limited, existing roads and trails.” After I-10 joins I-25 in Las
20 Cruces, it travels southward past the southeastern portion of the SEZ at a distance of
21 approximately 5 mi (8 km). As seen in Figure 12.1.21.1-1, State Routes 28 and 478 pass through
22 several small communities as they parallel I-10 to the east of the SEZ. Annual average daily
23 traffic (AADT) volumes for the major roads are provided in Table 12.1.21.1-1.
24

25 The Union Pacific (UP) and Burlington Northern Santa Fe (BNSF) railroads serve the
26 area. The UP Railroad runs almost within 1.0 mi (1.6 km) of the southwest portion of the SEZ
27 going to El Paso to the southeast and Tucson to the west. The nearest stops to the SEZ are in
28 Deming, about 50 mi (80 km) to the west, and in El Paso, 60 mi (97 km) to the south-southeast
29 (UP Railroad 2009). The BNSF Railroad parallels State Route 478 and runs east of the SEZ with
30 stops in Las Cruces, Mesilla Park, Mesquite, Vado, and Berino (BNSF Railroad 2010), all within
31 about 1 to 5 mi (1.6 to 8 km) of the SEZ.
32

33 Four small airports and one larger airport that are open to the public are within a
34 driving distance of approximately 58 mi (93 km) of the proposed Afton SEZ, as listed in
35 Table 12.1.21.1-2. None of the small airports has regularly scheduled passenger service. The
36 nearest public airport is Las Cruces International Airport, directly north of the SEZ on the
37 north side of I-10. The nearest larger airport is in El Paso, approximately a 58 mi (93 km) drive
38 to the southeast of the SEZ. The El Paso International Airport is served by a number of major
39 United States airlines, with 1.90 million passengers departing from and 1.88 million passengers
40 arriving at the airport in 2008 (BTS 2009). For the same year, 60.8 million lbs (27.6 million kg)
41 of freight were shipped from El Paso International Airport and 80.7 million lbs (36.6 million kg)
42 of freight were received.
43




FIGURE 12.1.21.1-1 Local Transportation Network Serving the Proposed Afton SEZ

TABLE 12.1.21.1-1 AADT on Major Roads near the Proposed Afton SEZ for 2008

Road	General Direction	Location	AADT (Vehicles)
I-10	East-west	East of exit 132 (Las Cruces Airport)	16,700
		West of exit 132	16,000
		East of junction U.S. 70	20,100
	North-south	South of I-25 interchange	42,700
		South of Mesquite (exit 151)	30,800
		South of Vado (exit 155)	33,900
		Junction State Route 404	34,000
I-25	North-south	North of University Park (exit 1)	36,800
		North of East Lohman Ave. (exit 3)	39,200
		North of junction U.S. 70	16,300
		North of State Route 320 (exit 9)	8,500
U.S. 70		Junction I-10	10,200
		West of Las Cruces	12,600
State Route 28	North-south	South of Union Ave. in Las Cruces	3,430
		South of San Miguel	1,890
		North of State Route 226	1,720
		South of State Route 226	2,590
State Route 478	North-south	South of Las Cruces	4,390
		South of Mesquite/North of Vado	3,260
		South of Vado	3,370
		North of State Route 404	10,700

Source: NM DOT (2010).

12.1.21.2 Impacts

As discussed in Section 5.19, the primary transportation impacts are anticipated to be from commuting worker traffic. I-10 provides a regional traffic corridor that would experience small impacts for single projects that may have up to 1,000 daily workers, with an additional 2,000 vehicle trips per day (maximum). Such an increase is approximately 10% of the current traffic on I-10 as it passes the northern section of the SEZ, as summarized in Table 12.1.21.1-1, which provides the available AADT values for routes in the vicinity of the SEZ. However, the exits on I-10 might experience moderate impacts with some congestion. Local road improvements would be necessary in any portion of the SEZ near I-10 that might be developed so as not to overwhelm the local roads near any site access point(s). Similarly, any access to portions of the SEZ using State Route 28 may require road improvements on State Route 28 or other local access roads.

TABLE 12.1.21.1-2 Airports Open to the Public in the Vicinity of the Proposed Afton SEZ

Airport	Location	Owner/Operator	Runway 1 ^a			Runway 2 ^a		
			Length (ft [m])	Type	Condition	Length (ft [m])	Type	Condition
Las Cruces International	Directly north of the SEZ on the opposite side of I-10.	City of Las Cruces	6,069 (1,850)	Asphalt	Good	7,499 (2,286)	Concrete/ Grooved	Excellent
			7,499 (2,286)	Asphalt	Fair	NA ^b	NA	NA
Dona Ana County Airport at Santa Teresa	About 46 mi (74 km) south-southeast of the SEZ near I-10 in Santa Teresa.	Dona Ana County	8,500 (2,591)	Asphalt	Good	NA	NA	NA
Deming Municipal	In Deming, approximately 54 mi (87 km) to the west of the SEZ along I-10.	City of Deming	5,675 (1,730)	Asphalt	Fair	6,627 (2,020)	Asphalt	Good
El Paso International	Southeast of the SEZ in El Paso near I-10, about a 58 mi (93 km) drive.	City of El Paso	5,499 (1,676)	Asphalt	Fair	9,025 (2,751)	Asphalt/ Grooved	Excellent
			12,020 (3,664)	Asphalt/Grooved	Good	NA	NA	NA
Hatch Municipal	About 58 mi (93 km) to the northwest of the SEZ. Near I-25 in Hatch.	Village of Hatch	4,110 (1,253)	Asphalt	Good	NA	NA	NA

^a Source: FAA (2010).

^b NA = not applicable.

1 Should up to three large projects with approximately 1,000 daily workers each be under
2 development simultaneously, an additional 6,000 vehicle trips per day could be added to I-10 in
3 the vicinity of the SEZ, assuming ride-sharing was not implemented and all access to the SEZ
4 funneled through I-10 bordering the northern section of the SEZ (i.e., no workers commuted to
5 work through local roads via State Routes 28 or 478 to the east). This would be about a 35%
6 increase in the current average daily traffic level on most segments of I-10 near the northern
7 portion of the SEZ, and could have moderate impacts on traffic flow during peak commute
8 times. The extent of the problem would depend on the relative locations of the projects within
9 the SEZ, where the worker populations originate, and work schedules. The affected exits on I-10
10 would experience moderate impacts with some congestion. Local road improvements would be
11 necessary in any portion of the SEZ near I-10 that might be developed so as not to overwhelm
12 the local roads near any site access point(s). Similarly, any access to portions of the SEZ from
13 the east using I-10 or State Routes 28 or 478 may also require road improvements on these roads
14 and local access roads, dependent on the percentage of worker commuter traffic using those
15 routes.

16
17 Solar development within the SEZ would affect public access along OHV routes
18 designated open and available for public use. If there are any routes designated as open within
19 the proposed SEZ, these routes crossing areas granted ROWs for solar facilities would be re-
20 designated as closed (see Section 5.5.1 for more details on how routes coinciding with proposed
21 solar facilities would be treated).

22 23 24 **12.1.21.3 SEZ-Specific Design Features and Design Feature Effectiveness**

25
26 No SEZ-specific design features have been identified related to impacts on transportation
27 systems around the proposed Afton SEZ. The programmatic design features in Appendix A,
28 Section A.2.2, including local road improvements, multiple site access locations, staggered work
29 schedules, and ride-sharing, would all provide some relief to traffic congestion on local roads
30 leading to the site. Depending on the location of solar facilities within the SEZ, more specific
31 access locations and local road improvements could be implemented.
32

1
2
3
4
5
6
7
8
9
10
11
12
13
14

This page intentionally left blank.

1 **12.1.22 Cumulative Impacts**
2

3 The analysis presented in this section addresses the potential cumulative impacts in the
4 vicinity of the proposed Afton SEZ in Dona Ana County, New Mexico. The CEQ guidelines
5 for implementing NEPA define cumulative impacts as environment impacts resulting from the
6 incremental impacts of an action when added to other past, present, and reasonably foreseeable
7 future actions (40 CFR 1508.7). The impacts of other actions are considered without regard to
8 the agency (federal or nonfederal), organization, or person that undertakes them. The time frame
9 of this cumulative impacts assessment could appropriately include activities that would occur up
10 to 20 years in the future (the general time frame for PEIS analyses), but little or no information is
11 available for projects that could occur further than 5 to 10 years in the future.
12

13 The Afton SEZ is located between two populated areas, the city of Las Cruces, New
14 Mexico, and El Paso, Texas. The nearest towns are San Miguel (unincorporated), located about
15 5 mi (8 km) to the east, and Afton (unincorporated), located about 5 mi (8 km) to the south. The
16 border with Mexico is approximately 20 mi (32 km) to the south of the proposed SEZ. Within
17 50 mi (80 km) of the SEZ, there are about nine Wilderness Study Areas. The Agricultural
18 Research Service (ARS) Jornada Experimental Range is located 20 mi (32 km) northeast of the
19 SEZ, the San Andres National Wildlife Refuge is located about 30 mi (48 km) northeast of the
20 SEZ, and the White Sands National Monument is located about 36 mi (58 km) northeast of the
21 SEZ. The White Sands Missile Range is located 10 mi (16 km) east of the SEZ, and the Fort
22 Bliss McGregor Range is located 26 mi (42 km) east of the SEZ. In addition, the Afton SEZ is
23 located close to the Mason Draw SEZ, and in some areas, impacts from the two SEZs overlap.
24

25 The geographic extent of the cumulative impacts analysis for potentially affected
26 resources near the proposed Afton SEZ is identified in Section 12.1.22.1. An overview of
27 ongoing and reasonably foreseeable future actions is presented in Section 12.1.22.2. General
28 trends in population growth, energy demand, water availability, and climate change are discussed
29 in Section 12.1.22.3. Cumulative impacts for each resource area are discussed in
30 Section 12.1.22.4.
31
32

33 **12.1.22.1 Geographic Extent of the Cumulative Impacts Analysis**
34

35 The geographic extent of the cumulative impacts analysis for potentially affected
36 resources evaluated near the proposed Afton SEZ is provided in Table 12.1.22.1-1. These
37 geographic areas define the boundaries encompassing potentially affected resources. Their extent
38 may vary based on the nature of the resource being evaluated and the distance at which an
39 impact may occur (thus, for example, the evaluation of air quality may have a greater regional
40 extent of impact than visual resources). The BLM, the DoD, and the USDA administer most of
41 the land around the SEZ. The BLM administers approximately 32% of the lands within a 50-mi
42 (80-km) radius of the SEZ.
43
44

TABLE 12.1.22.1-1 Geographic Extent of the Cumulative Impacts Analysis by Resource Area: Proposed Afton SEZ

Resource Area	Geographic Extent
Land Use	Dona Ana, Luna, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Specially Designated Areas and Lands with Wilderness Characteristics	Within a 25-mi (40-km) radius of the Afton SEZ
Rangeland Resources	
Grazing	Grazing allotments within 5 mi (8km) of the Afton SEZ
Wild Horses and Burros	A 50-mi (80-km) radius from the center of the Afton SEZ
Recreation	Dona Ana, Luna, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Military and Civilian Aviation	Dona Ana, Luna, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Soil Resources	Areas within and adjacent to the Afton SEZ
Minerals	Dona Ana, Luna, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Water resources	
Surface Water	Rio Grande River, West Side Canal
Groundwater	Mesilla groundwater basin
Air Quality and Climate	A 31-mi (50-km) radius from the center of the Afton SEZ
Vegetation, Wildlife and Aquatic Biota, Special Status Species	A 50-mi (80-km) radius from the center of the Afton SEZ, including portions of Dona Ana, Luna, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Visual Resources	Viewshed within a 25-mi (40-km) radius of the Afton SEZ
Acoustic Environment (noise)	Areas adjacent to the Afton SEZ
Paleontological Resources	Areas within and adjacent to the Afton SEZ
Cultural Resources	Areas within and adjacent to the Afton SEZ for archaeological sites; viewshed within a 25-mi (40-km) radius of the Afton SEZ for other properties, such as traditional cultural properties
Native American Concerns	Areas within and adjacent to the Afton SEZ; viewshed within a 25-mi (40-km) radius of the Afton SEZ
Socioeconomics	A 50-mi (80-km) radius from the center of the Afton SEZ
Environmental Justice	A 50-mi (80-km) radius from the center of the Afton SEZ
Transportation	I-10 and I-25; U.S. Highways 54 and 70; several State Routes including these nearby highways 28, 185, 273, 292, and 478

1 **12.1.22.2 Overview of Ongoing and Reasonably Foreseeable Future Actions**
2

3 The future actions described below are those that are “reasonably foreseeable;” that is,
4 they have already occurred, are ongoing, are funded for future implementation, or are included
5 in firm near-term plans. Types of proposals with firm near-term plans are as follows:
6

- 7 • Proposals for which NEPA documents are in preparation or finalized;
- 8
- 9 • Proposals in a detailed design phase;
- 10
- 11 • Proposals listed in formal NOIs published in the Federal Register or state
12 publications;
- 13
- 14 • Proposals for which enabling legislation has been passed; and
- 15
- 16 • Proposals that have been submitted to federal, state, or county regulators to
17 begin a permitting process.
18

19 Projects in the bidding or research phase or that have been put on hold were not included in the
20 cumulative impact analysis.
21

22 The ongoing and reasonably foreseeable future actions described below are grouped
23 into two categories: (1) actions that relate to energy production and distribution, including
24 potential solar energy projects under the proposed action (Section 12.1.22.2.1); and (2) other
25 ongoing and reasonably foreseeable actions, including those related to mining and mineral
26 processing, grazing management, transportation, recreation, water management, and
27 conservation (Section 12.1.22.2.2). Together, these actions and trends have the potential to
28 affect human and environmental receptors within the geographic range of potential impacts
29 over the next 20 years.
30

31
32 ***12.1.22.2.1 Energy Production and Distribution***
33

34 In March 2007, New Mexico passed Senate Bill 418, which expands the state’s
35 Renewable Energy Standard to 20% by 2020, with interim standards of 10% by 2011 and 15%
36 by 2015. The bill also establishes a standard for rural electric cooperatives of 10% by 2020.
37 Furthermore, utilities are to set a goal of at least 5% reduction in total retail sales to New Mexico
38 customers, adjusted for load growth, by January 1, 2020 (DSIRE 2010).
39

40 Reasonably foreseeable future actions related to renewable energy production and energy
41 distribution within 50 mi (80 km) of the proposed Afton SEZ are identified in Table 12.1.22.2-1
42 and are described. However, no fast-track solar energy, wind, or geothermal projects have been
43 identified within this distance.
44
45

TABLE 12.1.22.2-1 Reasonably Foreseeable Future Actions Related to Energy Development and Distribution near the Proposed Afton SEZ^a

Description	Status	Resources Affected	Primary Impact Location
<i>Fast-Track Solar Energy Projects on BLM-Administered Land</i>			
None			
<i>Transmission and Distribution Systems</i>			
SunZia Southwest Transmission Project (two 500-kV lines)	NOI May 29, 2009; Draft EIS is expected to be available for review and comment by late 2010	Land use, terrestrial habitats, visual	Project Study Area includes the proposed Afton SEZ, most of central New Mexico, and a corridor through southwest New Mexico that connects to Arizona
High Plains Express Transmission Project (two 500-kV lines)	Feasibility Study Report June 2008	Land use, terrestrial habitats, visual	Conceptual route from northeast to southwest New Mexico via Luna, New Mexico, to Arizona

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

Renewable Energy Development

Renewable energy ROW applications are considered in two categories, fast-track and regular-track applications. Fast-track applications, which apply principally to solar energy facilities, are those applications on public lands for which the environmental review and public participation process is underway and the applications could be approved by December 2010. A fast-track project would be considered foreseeable because the permitting and environmental review processes would be underway. There are no solar fast-track project applications within the ROI of the proposed Afton SEZ. Regular-track proposals are considered potential future projects, but not necessarily foreseeable projects, since not all applications would be expected to be carried to completion. These proposals are considered together as a general level of interest in development of renewable energy in the region and are discussed in the following section. The locations of these projects are shown in Figure 12.1.22.2-1.

Pending Renewable Energy ROW Applications on BLM-Administered Lands. One regular-track solar project ROW application has been submitted to the BLM that would be located within 50 mi (80 km) of the SEZ. Table 12.1.22.2-2 provides information on the solar project that had a pending application submitted to BLM as of March 2010 (BLM and USFS 2010a). Figure 12.1.22.2-1 shows the location of this application. In addition, there is one pending wind testing ROW application within 50 mi (80 km) of the SEZ. The likelihood of any




FIGURE 12.1.22.2-1 Locations of Renewable Energy Project ROW Applications within a 50-mi (80-km) Radius of the Proposed Afton SEZ

TABLE 12.1.22.2-2 Pending Renewable Energy Project ROW Applications on BLM-Administered Land within 50 mi of the Proposed Afton SEZ

Serial No.	Project Name	Application Received	Size (acres ^a)	MW	Technology	Status	Field Office
<i>Solar Applications</i>							
NMNM 119969	enXco Development Corp.	Feb. 6, 2008	3,000	600	CSP/Trough	Pending	Las Cruces
<i>Wind Applications</i>							
NMNM 122188	Uriel Wind, Inc.	Oct. 16, 2008	3,200	–	Wind	Authorized for Wind Site Testing	Las Cruces

^a To convert acres to km², multiply by 0.004047.

1 of the regular-track application projects actually being developed is uncertain but is generally
2 assumed to be less than that for fast-track applications.
3
4

5 **Transmission and Distribution**

6
7

8 ***SunZia Southwest Transmission Project.*** This proposed project would be for two
9 500-kV transmission lines with an estimated total capacity of 3,000 MW. The proposed
10 transmission line would originate at a new substation in either Socorro County or Lincoln
11 County in the vicinity of Bingham or Ancho, New Mexico, and terminate at the Pinal Central
12 Substation in Pinal County near Coolidge, Arizona. A new substation is also proposed east of
13 Deming, New Mexico, about 35 mi (56 km) west of the proposed Afton SEZ. The transmission
14 line route would be approximately 460 mi (736 km) in length. The route and alternatives would
15 cross approximately 170 mi (272 km) of BLM lands in New Mexico and 45 mi (72 km) in
16 Arizona, along with state and private lands (BLM 2010e). The project's study area includes the
17 Afton SEZ, most of central New Mexico, and a corridor through southwest New Mexico that
18 connects to Arizona. The project would transport electricity generated by power generation
19 resources, including primarily renewable resources, to western power markets and load centers
20 (BLM 2010e). A Draft EIS is expected to be available for public review and comment by late
21 2010. Other federal, state, and county permitting efforts are also under way. SunZia is
22 anticipated to be in service and delivering renewable energy by early 2014 (SunZia 2010).
23
24

25 ***High Plains Express Transmission Project.*** Two 500-kV transmission lines are
26 proposed that would carry up to 4,000 MW of bulk power and traverse 1,300 mi (2,092 km)
27 from east-central Wyoming, through eastern Colorado, across New Mexico, to Arizona. The
28 conceptual route for one 500-kV line would connect to a substation located about 35 mi (56 km)
29 west of the Afton SEZ or interconnect with the proposed SunZia project for a portion of the
30 route near the SEZ. The project would strengthen the eastern portion of the western grid,
31 increase markets for renewable energy, increase system reliability, and allow economic transfers
32 of energy. The project is projected to cost over \$5 billion (HPX 2008). Construction would begin
33 in 2015 and operation in 2018. A project feasibility study was completed in 2008, and more
34 detailed project studies are under way.
35
36

37 ***12.1.22.2.2 Other Actions***

38

39 Other major ongoing and foreseeable actions identified within 50 mi (80 km) of the
40 proposed Afton SEZ are listed in Table 12.1.22.2-3 and are described in the following
41 subsections.
42
43

44 **Other Ongoing Actions**

45
46

47 ***Afton Generating Station.*** PNM operates the Afton Generating Station, located 12.5 mi
48 (20 km) southwest of Las Cruces, New Mexico, and within the SEZ. The 135-MW plant consists
49 of a simple-cycle, natural gas-fired facility (PNM 2002).

TABLE 12.1.22.2-3 Other Major Actions near the Proposed Afton SEZ^a

Description	Status	Resources Affected	Primary Impact Location
Afton Generating Station	Operating since 2002	Land use, terrestrial habitats, air quality, visual	Within the SEZ
Rio Grande Power Station	Operating since 1929	Land use, terrestrial habitats, water, air quality, visual	22 mi (35 km) southeast of the SEZ
Newman Power Station	Last unit began operating in 2009	Land use, terrestrial habitats, water, air quality, visual	20 mi (32 km) southeast of the SEZ
Fort Bliss	Established in 1854	Land use, terrestrial habitats, air quality, visual	25 mi (40 km) southeast of the SEZ
Fort Bliss McGregor Range	Operating since the 1940s	Land use, terrestrial habitats, air quality, visual	30 mi (48 km) east of the SEZ
Fort Bliss Dona Ana Range		Land use, terrestrial habitats, air quality, visual	13 mi (21 km) east of the SEZ
White Sands Missile Range	Operating since 1945	Land use, terrestrial habitats, air quality, visual	Boundary about 23 mi (37 km) northeast of the SEZ
Jornada Experimental Range	Operating since 1912	Land use	Boundary 16 mi (26 km) north northeast of the SEZ
Opening of Hunting on the San Andres National Wildlife Refuge (NWR)	EA issued Feb. 2007	Terrestrial habitat, wildlife	Boundary 27 mi (43 km) northeast of the SEZ
Mountain Lion Management on the San Andres NWR	EA issued Sept. 2002	Terrestrial habitat, wildlife	Boundary 27 mi (43 km) northeast of the SEZ

^a Projects ongoing or in later stages of agency environmental review and project development.

1
2

1 **Rio Grande Power Station.** El Paso Electric operates the Rio Grande Power Station,
2 located on the banks of the Rio Grande River, about 22 mi (35 km) southeast of the SEZ. The
3 plant consists of three steam-electric generating units with a total capacity of 246 MW. The units
4 operate primarily on natural gas, but can also operate on fuel oil (El Paso Electric 2010).
5
6

7 **Newman Power Station.** El Paso Electric operates the Newman Power Station, located
8 in El Paso, Texas, about 20 mi (32 km) southeast of the SEZ. The plant consists of three steam-
9 electric and two combined cycle generating units with a total capacity of 614 MW. The units
10 operate primarily on natural gas but can also operate on fuel oil (Reuters 2010).
11
12

13 **Fort Bliss.** The main cantonment area of Fort Bliss is located adjacent to El Paso, Texas,
14 approximately 25 mi (40 km) southeast of the SEZ. The installation, which also includes the
15 McGregor Range, the Dona Ana Range, the North Training Area in New Mexico, and the
16 South Training Area in Texas, occupies a total of 1.12 million acres (4,530 km²). Fort Bliss is
17 comprised of a complex of facilities, and areas for training, and test activities. The original
18 Army Post was established in 1854 (GlobalSecurity.org 2010a).
19
20

21 **Fort Bliss McGregor Range.** Fort Bliss McGregor Range, 30 mi (48 km) east of the
22 SEZ, encompasses 608,335 acres (2,461 km²) of withdrawn public land, 71,083 acres (288 km²)
23 of Army fee-owned land, and 18,004 acres (73 km²) of U.S. Forest Service land. Mission
24 activities include training to maintain the operational readiness of active duty, reserve, and
25 National Guard units through training, operations and field exercises. Field exercises include
26 field operations, communications, command and control, simulated enemy contact, smoke
27 generation, and missile and weapons firing. Participation in joint training involves 10,000 to
28 20,000 personnel per year (GlobalSecurity.org 2010b).
29
30

31 **Fort Bliss Dona Ana Range.** Fort Bliss Dona Ana Range is located 13 mi (21 km) east
32 of the SEZ. The Multi-Purpose Range Complex consists of target lanes with armor stationary
33 pits, moving and stationary targets, small arms ranges for mechanized infantry and aerial
34 gunnery, and smoke generators for training to screen friendly actions against aggressor positions.
35 Participation in joint training has involved more than 20,000 personnel per year
36 (GlobalSecurity.org 2010c).
37
38

39 **White Sands Missile Range (WSMR).** The White Sands Missile Range, the Department
40 of the Army's largest installation, covers approximately 2.2 million acres (8900 km²). The
41 closest boundary is 23 mi (37 km) northeast of the SEZ. The facility began operating in 1945
42 and employs approximately 2,700 military personnel and contractors. The primary mission is to
43 support missile development and test programs for the U.S. Army, Navy, Air Force, and NASA.
44 WSMR supports approximately 3,200 to 4,300 test events annually (GlobalSecurity.org 2010d;
45 WSMR 2009).
46
47

1 ***Jornada Experimental Range.*** The Department of Agriculture’s Jornada Experimental
2 Range encompasses 193,000 acres (780 km²). The closest boundary is 16 mi (26 km) north
3 northeast of the SEZ. The mission of the facility, which began operation in 1912, is to develop
4 new knowledge of ecosystem processes as a basis for management and remediation of desert
5 rangelands (USDA 2008).
6
7

8 **Other Foreseeable Actions**

9

10
11 ***Opening of Hunting on the San Andres National Wildlife Refuge (NWR).*** The
12 U.S. Fish and Wildlife Service (USFWS) intends to remove exotic antelope oryx on the San
13 Andres NWR through a limited hunting program. The closest boundary of the NWR is 27 mi
14 (43 km) northeast of the SEZ. The NWR encompasses 57,215 acres (232 km²). Oryx, a large
15 African antelope that was introduced in the early 1970s, has caused habitat damage and presents
16 potential disease impacts for desert mule deer and desert bighorn sheep (USFWS 2007).
17
18

19 ***Mountain Lion Management on the San Andres NWR.*** The USFWS intends to protect
20 desert bighorn sheep from predation by mountain lions during restoration efforts of desert
21 bighorn sheep in the San Andres Mountains. The closest boundary of the NWR is 27 mi (43 km)
22 northeast of the SEZ. The NWR encompasses 57,215 acres (232 km²). Control of mountain lions
23 would be concentrated in a limited area around the desert bighorn sheep release sites. Any
24 mature mountain lion perceived to be a threat would be killed (USFWS 2002).
25
26

27 **Grazing Allotments**

28

29 Seven grazing allotments overlap the Afton SEZ. Within 50 mi (80 km) of the SEZ, most
30 of the land is covered with grazing allotments with the exception of the land to the east.
31
32

33 **Mining**

34

35 Within 50 mi (80 km) of the Afton SEZ, the BLM GeoCommunicator database (BLM
36 and USFS 2010b) shows several active mining claims on file with the BLM. The highest density
37 (51 to 100 claims per township) is located about 47 mi (75 km) northwest of the SEZ.
38
39

40 **12.1.22.3 General Trends**

41
42

43 ***12.1.22.3.1 Population Growth***

44

45 Over the period 2000 to 2008, the counties in the ROI experienced growth in population.
46 The population in Dona Ana County in New Mexico grew at an annual rate of 2.1% between

1 2000 and 2008, and El Paso County in Texas grew by 1.7% over the same period. The
2 population of the ROI in 2008 was 982,193, having grown at an average annual rate of 1.8%
3 since 2000. The growth rate for the state of New Mexico as a whole was 1.7%
4 (Section 12.1.10.1).

7 ***12.1.22.3.2 Energy Demand***

8
9 The growth in energy demand is related to population growth through increases in
10 housing, commercial floorspace, transportation, manufacturing, and services. Given that
11 population growth is expected in Dona Ana and El Paso Counties between 2006 and 2016, an
12 increase in energy demand is also expected. However, the Energy Information Administration
13 (EIA) projects a decline in per-capita energy use through 2030, mainly because of the high cost
14 of oil and improvements in energy efficiency throughout the projection period. Primary energy
15 consumption in the United States between 2007 and 2030 is expected to grow by about 0.5%
16 each year; the fastest growth is projected for the commercial sector (at 1.1% each year).
17 Transportation, residential, and industrial energy consumption are expected to grow by about
18 0.5%, 0.4%, and 0.1% each year, respectively (EIA 2009).

21 ***12.1.22.3.3 Water Availability***

22
23 As described in Section 12.1.9.1, the Afton SEZ is located within the northwestern part
24 of the Mesilla Groundwater Basin, an area known as the West Mesa. In the vicinity of the SEZ,
25 depth to groundwater is approximately 300 ft (91 m). Measured water levels in the West Mesa
26 area have remained relatively stable over the last 10 years, while groundwater levels in the
27 Mesilla Basin east of the Rio Grande decreased by 10 to 40 ft (3 to 12 m) between 1978 and
28 2000.

29
30 In 2005, water withdrawals from surface waters and groundwater in Dona Ana
31 County were 521,000 ac-ft/yr (642 million m³/yr), of which 61% came from surface waters
32 and 39% came from groundwater. Agricultural was the largest use, at 470,000 ac-ft/yr
33 (580 million m³/yr), while public supply water use was 42,000 ac-ft/yr (52 million m³/yr).
34 Current total water withdrawals in the West Mesa portion of the Mesilla Basin near the SEZ
35 are not known. The City of Las Cruces has obtained rights to 13,000 ac-ft/yr (16 million m³/yr)
36 from a planned well field in the West Mesa.

37
38 The Santa Fe Group basin fill is the main aquifer beneath the West Mesa. Recharge to the
39 aquifer occurs mostly near the mountain margins of the basin and is very low, estimated to be
40 less than 10,000 ac-ft/yr (12.3 million m³/yr). The upper to middle hydrostratigraphic units are
41 the major sources of fresh to moderately saline groundwater, with the upper unit containing most
42 of the fresh water. Both groundwater and surface water are fully appropriated within the Lower
43 Rio Grande water management region, which includes the proposed SEZ.

1 **12.1.22.3.4 Climate Change**
2

3 A report on global climate change in the United States prepared by the U.S. Global
4 Research Program (GCRP 2009) documents current temperature and precipitation conditions
5 and historic trends. Excerpts of the conclusions from this report indicate the following for the
6 Southwest region of the U.S., which includes western and central New Mexico:
7

- 8 • Decreased precipitation, with a greater percentage of that precipitation coming
9 from rain, will result in a greater likelihood of winter and spring flooding and
10 decreased stream flow in the summer.
- 11
- 12 • Increased frequency and altered timing of flooding will increase risks to
13 people, ecosystems, and infrastructure.
- 14
- 15 • The average temperature in the southwest has already increased by about
16 1.5°F (0.8°C) compared to a 1960 to 1979 baseline, and by the end of the
17 century, the average annual temperature is projected to rise 4°F to 10°F
18 (2°C to 6°C).
- 19
- 20 • A warming climate and the related reduction in spring snowpack and soil
21 moisture have increased the length of the wildfire season and intensity of
22 forest fires.
- 23
- 24 • Later snow and less snow coverage in ski resort areas could force ski areas to
25 shut down before the season would otherwise end.
- 26
- 27 • Much of the Southwest has experienced drought conditions since 1999. This
28 represents the most severe drought in the last 110 years. Projections indicate
29 an increasing probability of drought in the region.
- 30
- 31 • As temperatures rise, the landscape will be altered as species shift their ranges
32 northward and upward to cooler climates.
- 33
- 34 • Temperature increases, when combined with urban heat island effects for
35 major cities such as Albuquerque, present significant stress to health and
36 electricity and water supplies.
- 37
- 38 • Increased minimum temperatures and warmer springs extend the range and
39 lifetime of many pests that stress trees and crops, and lead to northward
40 migration of weed species.
- 41
- 42

43 **12.1.22.4 Cumulative Impacts on Resources**
44

45 This section addresses potential cumulative impacts in the proposed Afton SEZ on
46 the basis of the following assumptions: (1) because of the relatively large size of the proposed

1 SEZ (<30,000 acres [$<121 \text{ km}^2$]), up to three projects could be constructed at a time, and
2 (2) maximum total disturbance over 20 years would be about 62,098 acres (251 km^2) (80% of
3 the entire proposed SEZ). For purposes of analysis, it is also assumed that no more than
4 3,000 acres (12.1 km^2) would be disturbed per project annually and up to 250 acres (1.01 km^2)
5 monthly on the basis of construction schedules planned in current applications. Since a 345-kV
6 line runs through the southern portion of the SEZ, no analysis of impacts has been conducted for
7 the construction of a new transmission line outside of the SEZ that might be needed to connect
8 solar facilities to the regional grid (see Section 8.3.1.2). Regarding site access, the nearest major
9 road is I-10, which runs adjacent to the northern boundary of the SEZ. It is assumed that no new
10 access road would need to be constructed to reach this road and to support solar development in
11 the SEZ.

12
13 Cumulative impacts that would result from the construction, operation, and
14 decommissioning of solar energy development projects within the proposed SEZ when added
15 to other past, present, and reasonably foreseeable future actions described in the previous
16 section in each resource area are discussed below. At this stage of development, because of the
17 uncertain nature of future projects in terms of size, number, and location within the proposed
18 SEZ, and the types of technology that would be employed, the impacts are discussed
19 qualitatively or semiquantitatively, with ranges given as appropriate. More detailed analyses
20 of cumulative impacts would be performed in the environmental reviews for the specific
21 projects in relation to all other existing and proposed projects in the geographic area.

22 23 24 ***12.1.22.4.1 Lands and Realty***

25
26 The area covered by the proposed Afton SEZ is largely rural and undeveloped. The areas
27 surrounding the SEZ are both rural and industrial in nature, with several large electric power
28 plants nearby. I-10, which runs within 0.5 mi (0.8 km) north of the SEZ, would provide access
29 to the SEZ, while the interior of the SEZ is accessible via several dirt/gravel roads and four
30 county roads. There are two roads associated with natural gas pipelines that cross the SEZ in a
31 northeasterly direction (Section 12.1.2.1).

32
33 Development of the SEZ for utility-scale solar energy production would establish a new
34 industrial area that would exclude many existing and potential uses of the land, perhaps in
35 perpetuity. There are several natural gas pipelines, electric transmission lines, and a flood control
36 project on public lands within the SEZ, while several industrial facilities and a municipal airport
37 lie along the I-10 corridor to the north. Thus, utility-scale solar energy development within the
38 SEZ would not be a new land use in the area, but would convert additional rural land to such use.
39 Access to portions of the SEZ holding solar facilities by both the general public and much
40 wildlife for current uses would be eliminated.

41
42 As shown in Table 12.1.22.2-2 and Figure 12.1.22.2-1, there is one solar application
43 on the SEZ and one wind testing application and no geothermal applications on public land
44 within a 50-mi (80-km) radius of the proposed SEZ. Other foreseeable projects identified in
45 Section 12.1.22.2.2 are mainly transmission projects located more than 30 mi (48 km) from

1 the SEZ (Section 12.1.22.2.2) and would have minimal impacts on land use near the SEZ.
2 The proposed Mason Draw SEZ is located 3 mi (5 km) to the northwest.
3

4 The development of utility-scale solar projects in the proposed Afton SEZ in combination
5 with other ongoing and foreseeable actions within the 50-mi (80-km) geographic extent of
6 effects could have small cumulative effects on land use through impacts on land access and
7 use for other purposes, and through impacts on groundwater availability and on visual
8 resources, especially if the Afton and Mason Draw SEZs are fully developed with solar facilities.
9 It is not anticipated that approval of solar energy development within the SEZ would have a
10 significant impact on the amount of public lands available for future ROWs outside the SEZ
11 (Section 12.1.2.2.1), except lands developed with solar facilities in the nearby Afton SEZ.
12
13

14 ***12.1.22.4.2 Specially Designated Areas and Lands with Wilderness Characteristics***

15
16 There are 19 specially designated areas within 25 mi (40 km) of the proposed Afton SEZ
17 in New Mexico that potentially could be affected by solar energy development within the SEZ
18 from impacts on scenic and wilderness characteristics (Section 12.1.3.1). Potential exists for
19 cumulative visual impacts on these areas from the construction of utility-scale solar energy
20 facilities within the SEZ and other development outside the SEZ within the geographic extent
21 of effects, including solar facilities in the proposed Mason Draw SEZ. The magnitude of
22 cumulative effects from foreseeable development, however, would be low due to the small
23 number of projects identified. Existing urban, agricultural, and commercial development in the
24 Mesilla Valley along the Rio Grande would contribute to cumulative impacts on sensitive areas.
25
26

27 ***12.1.22.4.3 Rangeland Resources***

28
29 The proposed Afton SEZ includes portions of seven grazing allotments, six with
30 significant acreage within the SEZ held by six permittees (Section 12.1.4.1.1). If utility-scale
31 solar facilities were constructed on the SEZ, those areas occupied by the solar projects would be
32 excluded from grazing. In addition, the nearby Mason Draw SEZ also includes portions of one of
33 the allotments which could be affected by Afton. Other foreseeable development within 50 mi
34 (80 km) of the SEZ, including renewable energy development, is not expected to result in
35 cumulative impacts on grazing due to the nature and small number of the proposed projects,
36 which would have minor impact on grazing.
37

38 The proposed Afton SEZ is about 125 mi (201 km) from the nearest wild horse and burro
39 HMA managed by BLM and more than 240 mi (386 km) from any wild horse and burro
40 territories administered by the USFS; thus solar energy development within the SEZ would not
41 directly or indirectly affect wild horses and burros (Section 12.1.4.2.2). The SEZ would not,
42 therefore, contribute to cumulative effects on wild horses and burros.
43
44
45

1 **12.1.22.4.4 Recreation**
2

3 The large size of the proposed SEZ and easy access to nearby population centers invites
4 some types of outdoor recreation, including back country driving, hiking/walking, bird-watching,
5 and small game hunting. Four county roads and other roads and trails provide ready access into
6 and through the area (Section 12.1.5.1). Construction of utility-scale solar projects on the SEZ
7 would preclude recreational use of the affected lands for the duration of the projects, while
8 access restrictions within the SEZ could affect access to recreational areas within and outside the
9 SEZ. The nearby Mason Draw SEZ would have similar effects from solar facilities built there.
10 Such effects within either SEZ are expected to be small due to low current use and alternate
11 recreational areas, while the cumulative effect of two would be small as well. Effects on
12 wilderness characteristics in surrounding specially designated areas from visual impacts of solar
13 facilities are more difficult to assess, but small cumulative impacts on these areas from solar
14 development in both SEZs could accrue. Other foreseeable actions within the geographic extent
15 of effects, mainly transmission projects located more than 30 mi (48 km) from the SEZ, would
16 not contribute significantly to cumulative impacts on recreation.
17

18
19 **12.1.22.4.5 Military and Civilian Aviation**
20

21 There are no military training routes or special use airspace over the proposed Afton
22 SEZ, while the northern boundary of the SEZ is within 3 mi (5 km) of the Las Cruces
23 International Airport (Section 12.1.6.1). Thus, solar facilities in the SEZ would not affect
24 military aviation. FAA regulations, including height restrictions on solar facilities and
25 transmission lines, would prevent conflicts with civilian airport operation. Likewise, foreseeable
26 development within 50 mi (80 km) of the SEZ, including potential solar facilities within the
27 nearby Mason Draw SEZ would not appreciably affect military or civilian aviation and there
28 would be no cumulative impacts.
29

30
31 **12.1.22.4.6 Soil Resources**
32

33 Ground-disturbing activities (e.g., grading, excavating, and drilling) during the
34 construction phase of a solar project, including the construction of any associated transmission
35 line connections and new roads, would contribute to soil loss due to wind erosion. Road use
36 during construction, operations, and decommissioning of the solar facilities would further
37 contribute to soil loss. Programmatic design features would be employed to minimize erosion
38 and loss. Residual soil losses with mitigations in place would be in addition to losses from
39 ongoing activities outside of the proposed SEZ, including military training operations and
40 agriculture. Cumulative impacts on soil resources from other ongoing and foreseeable projects
41 within the region are unlikely as these projects are few in number, are mostly more than 20 mi
42 (32 km) from SEZ, and generally do not produce significant soil disturbance (Section 12.1.22.2).
43 Cumulative impacts from solar facilities in both the Afton and nearby Mason Draw SEZs would
44 depend on the number and size of facilities ultimately built, but are expected to remain small
45 with mitigations in place.
46

1 Landscaping of solar energy facility areas in the SEZ could alter drainage patterns and
2 lead to increased siltation of surface water streambeds, in addition to that from other activities
3 outside the SEZ. However, with the expected required design features in place, cumulative
4 impacts would likewise be small.
5
6

7 ***12.1.22.4.7 Minerals (Fluids, Solids, and Geothermal Resources)*** 8

9 As discussed in Section 12.1.8, there are currently no active oil and gas leases or mining
10 claims within the proposed Afton SEZ, and there are no proposals for geothermal energy
11 development pending. Because of the generally low level of mineral production in the proposed
12 SEZ and surrounding area and the expected low impact on mineral accessibility of other
13 foreseeable actions within the geographic extent of effects, including potential solar facilities
14 within the nearby proposed Mason Draw SEZ no cumulative impacts on mineral resources are
15 expected.
16
17

18 ***12.1.22.4.8 Water Resources*** 19

20 Section 12.1.9.2 describes the water requirements for various technologies if they were to
21 be employed on the proposed SEZ to develop utility-scale solar energy facilities. The amount of
22 water needed during the peak construction year for evaluated solar technologies would be up to
23 about 5,300 ac-ft/yr (6.5 million m³/yr). During operations, with full development of the SEZ
24 over 80% of its available land area, the amount of water needed for evaluated solar technologies
25 would range from 353 to 186,469 ac-ft/yr (436 thousand to 230 million m³/yr). The amount of
26 water needed during decommissioning would be similar to or less than the amount used during
27 construction. In 2005, water withdrawals from surface waters and groundwater in Dona Ana
28 County were 521,000 ac-ft/yr (642 million m³/yr), of which 61% came from surface waters
29 and 39% came from groundwater. The largest water use was for agricultural irrigation, at
30 470,000 ac-ft/yr (580 million m³/yr) (Section 12.1.9.1.3). Therefore, cumulatively the additional
31 water resources needed for solar facilities in the SEZ during operations would constitute from a
32 very small (0.07%) to a very large (36%) increment (the ratio of the annual water requirement
33 for operations to the annual amount withdrawn in Dona Ana County), depending on the solar
34 technology used (PV technology at the low end and the wet-cooled parabolic trough technology
35 at the high end). As discussed in Section 12.1.9.1.2, the proposed Afton SEZ is located within
36 the West Mesa portion of the Mesilla Groundwater Basin. With an estimated recharge of less
37 than 10,000 ac-ft/yr (12.3 million m³/yr), West Mesa groundwater would not be able to support
38 wet cooling for a full build-out of the Afton SEZ. Even dry-cooling technologies could use
39 between 50 and 100% of the estimated recharge of the basin (Section 12.1.9.2.4),
40

41 While solar development of the proposed SEZ with water-intensive technologies that
42 would use groundwater would likely be judged infeasible due to concerns for groundwater
43 supplies, if employed, intensive groundwater withdrawals could cause drawdown of groundwater
44 and disturbance of regional groundwater flow patterns and recharge patterns, potentially
45 affecting ecological habitats (Section 12.1.9.2). Cumulative impacts on groundwater could occur
46 when combined with other current and future developments in the region. The City of

1 Las Cruces has rights to 13,000 ac-ft/yr (16 million m³/yr) from a planned well field in the West
2 Mesa (Section 12.1.9.2.4). Should Las Cruces exercise its withdrawal right, water use would
3 exceed the estimated recharge of the basin. Water use by solar energy facilities in the proposed
4 Afton SEZ would contribute additional impacts on the West Mesa groundwater. The proposed
5 nearby Mason Draw SEZ could potentially add further groundwater impacts from any solar
6 facilities built there.

7
8 Small quantities of sanitary wastewater would be generated during the construction and
9 operation of the potential utility-scale solar energy facilities. The amount generated from solar
10 facilities would be in the range of 28 to 222 ac-ft/yr (35 to 274 thousand m³/yr) during the peak
11 construction year and would range from 7.7 to 174 ac-ft/yr (up to 215,000 m³/yr) during
12 operations. Because of the small quantity, the sanitary wastewater generated by the solar energy
13 facilities would not be expected to put undue strain on available sanitary wastewater treatment
14 facilities in the general area of the SEZ. For technologies that rely on conventional wet-cooling
15 systems, there would also be 1,960 to 3,528 ac-ft/yr (2.4 to 4.4 million m³/yr) of blowdown
16 water from cooling towers. Blowdown water would need to be either treated on-site or sent to an
17 off-site facility. Any on-site treatment of wastewater would have to ensure that treatment ponds
18 are effectively lined in order to prevent any groundwater contamination. Thus, blowdown water
19 would not contribute to cumulative effects on treatment systems or on groundwater.

20 21 22 ***12.1.22.4.9 Vegetation***

23
24 The proposed Afton SEZ is located primarily within the Chihuahuan Basins and Playas
25 ecoregion, which supports communities of desert shrubs and grasses. The dominant species is
26 creosotebush. Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub is the predominant
27 cover type within the proposed SEZ. Dominant species are creosotebush, honey mesquite, and
28 snakeweed. Soap tree yucca is abundant in some areas of the SEZ. Sensitive habitats on the SEZ
29 include desert dry washes and sand dunes. In addition, 20 NWI-mapped wetlands covering about
30 38.5 acres (0.2 km²) occur on the SEZ, while many more occur east of the SEZ near the Rio
31 Grande River. Cover types associated with wetlands include North American Warm Desert
32 Riparian Woodland and Shrubland, Open Water, North American Warm Desert Playa, North
33 American Arid West Emergent Marsh, and North American Warm Desert Wash. In the 5-mi
34 (8-km) area of indirect effects, the predominant cover types are Apacherian-Chihuahuan
35 Mesquite Upland Scrub, Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub, Agriculture,
36 and Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub (Section 12.1.10.1). If utility-
37 scale solar energy projects were to be constructed within the SEZ, all vegetation within the
38 footprints of the facilities would likely be removed during land-clearing and land-grading
39 operations. Full development of the SEZ over 80% of its area would result in small to moderate
40 impacts on the various cover types (Section 12.1.10.2.1).

41
42 Intermittently flooded areas downgradient from solar projects could be affected by
43 ground-disturbing activities. Alteration of surface drainage patterns or hydrology, and
44 sedimentation and siltation could adversely affect on-site and downstream wetland communities,
45 including wetland habitats along the Rio Grande River. Wetlands could be impacted by lower
46 groundwater levels if solar projects were to draw heavily on this resource. Additional impacts

1 from the Mason Draw SEZ to the northwest could affect hydraulically shared areas near Mason
2 Draw. Wetland habitats along the Rio Grande River are likely too far away to be affected by
3 actions on the Mason Draw SEZ.
4

5 The fugitive dust generated during the construction of the solar facilities could increase
6 the dust loading in habitats outside a solar project area, in combination with that from other
7 construction, mining, agriculture, recreation, and transportation activities. The cumulative dust
8 loading could result in reduced productivity or changes in plant community composition.
9 Programmatic design features would be used to reduce the impacts from solar energy projects
10 and thus reduce the overall cumulative impacts on plant communities and habitats.
11

12 While most of the cover types within the SEZ are relatively common in the SEZ region,
13 a number of species are relatively uncommon, representing less than 1% of the land area within
14 the region. In addition, sensitive areas are present within the SEZ, including dune communities
15 and shrubland communities with cryptogamic soil crusts. Thus, future solar facilities and other
16 ongoing and reasonably foreseeable future actions, including facilities within the nearby
17 proposed Mason Draw SEZ, could have a cumulative effect on sensitive and rare cover types,
18 as well as on more abundant species. Such effects would likely be small for foreseeable
19 development due to the abundance of the primary species and the small number of foreseeable
20 actions within the geographic extent of effects. Cumulative impacts would increase if both the
21 Afton and Mason Draw SEZs were fully developed with solar facilities.
22
23

24 ***12.1.22.4.10 Wildlife and Aquatic Biota*** 25

26 Wildlife species that could potentially be affected by the development of utility-scale
27 solar energy facilities in the proposed Afton SEZ include amphibians, reptiles, birds, and
28 mammals. The construction of utility-scale solar energy projects in the SEZ and any associated
29 transmission lines and roads in or near the SEZ would have an impact on wildlife through habitat
30 disturbance (i.e., habitat reduction, fragmentation, and alteration), wildlife disturbance, loss of
31 connectivity between natural areas, and wildlife injury or mortality. In general, species with
32 broad distributions and a variety of habitats would be less affected than species with a narrowly
33 defined habitat within a restricted area. The use of programmatic design features would reduce
34 the severity of impacts on wildlife. These design features may include pre-disturbance biological
35 surveys to identify key habitat areas used by wildlife, followed by avoidance or minimization of
36 disturbance to those habitats.
37

38 Impacts from full build-out over 80% of the proposed SEZ would result in small impacts
39 on amphibian and reptile species and small to moderate impacts on bird and mammal species
40 (Section 12.1.11). Impacts from ongoing and foreseeable development within the 50-mi (80-km)
41 geographic extent of effects, including solar development in the nearby proposed Mason Draw
42 SEZ, would add to those of the SEZ. Because few foreseeable projects have been identified,
43 mainly transmission projects more than 30 mi (48 km) from the SEZ, cumulative effects in the
44 region would be small for most species. Cumulative impacts would increase if both the Afton
45 and Mason Draw SEZs were fully developed with solar facilities. Two future actions have been
46 identified that would benefit wildlife in the region: removing introduced exotic antelope oryx on

1 the San Andres NWR and protecting desert bighorn sheep from predation by mountain lions in
2 the San Andres Mountains.

3
4 There are no surface water bodies, or perennial or intermittent streams, present within
5 the proposed Afton SEZ. However, there are 15 mi (24 km) of canals and 23 mi (37 km) of the
6 Rio Grande River, but no perennial or intermittent streams, located within the 5-mi (8-km) area
7 of indirect effects. Twenty wetlands mapped by the NWI occur in the Afton SEZ, and many
8 wetlands occur along the Rio Grande River just east of the proposed SEZ (Section 12.1.11.2).
9 Disturbance of land areas within the SEZ for solar energy facilities could result in waterborne
10 and airborne sediment deposition into the Rio Grande River and associated wetlands, mainly
11 from airborne dust during construction of solar facilities. Such impacts would be mitigated and
12 only small contributions to cumulative impacts on aquatic biota and habitats in the Rio Grande
13 River would be expected in addition to those from construction of solar facilities in the Mason
14 Draw SEZ to the northwest, for example, or from other foreseeable actions in the region. Such
15 impacts would be in addition to ongoing impacts from agriculture and urban sources along the
16 river. Groundwater drawdown from solar facilities that use wet cooling could also contribute
17 small cumulative impacts on these habitats through reduction of source water, in addition to
18 similar impacts from agricultural and municipal uses of groundwater.

19
20
21 ***12.1.22.4.11 Special Status Species (Threatened, Endangered, Sensitive,***
22 ***and Rare Species)***

23
24 On the basis of recorded occurrences or suitable habitat, as many as 35 special status
25 species could occur within the Afton SEZ. Of these species, 6 are known or are likely to occur
26 within the affected area of the SEZ (including the SEZ, the 5-mi [8-km] area of indirect effects,
27 and road and transmission ROWs): sand prickly-pear cactus, smallmouth buffalo, Texas horned
28 lizard, eastern bluebird, fringed myotis, and Townsend's big-eared bat. In addition, the ESA-
29 listed northern aplomado falcon and Sneed's pincushion cactus may occur within the same area.
30 Section 12.1.12.1 discusses the nature of the special status listing of these species within state
31 and federal agencies. Numerous additional species that may occur on or in the vicinity of the
32 SEZ are listed as threatened or endangered by the State of New Mexico or listed as a sensitive
33 species by the BLM. Potential programmatic design features that could be used to reduce or
34 eliminate the potential for effects on these species from the construction and operation of utility-
35 scale solar energy facilities in the SEZ and related facilities (e.g., access roads and transmission
36 line connections) outside the SEZ include avoidance of habitat and minimization of erosion,
37 sedimentation, and dust deposition. Ongoing effects on special status species within the 50-mi
38 (80-km) geographic extent of effects include those from roads, transmission lines, agriculture,
39 and urban development in the area, particularly along the Rio Grande River. Special status
40 species are also likely present in areas outside the SEZ within the 50-mi (80-km) geographic
41 extent of effects that would be affected by future development, including possible solar
42 development in the proposed Mason Draw SEZ located 3 mi (5 km) to the northwest. However,
43 cumulative impacts on protected species are expected to be low for foreseeable development,
44 since few projects have been identified (Section 12.1.22.2). Projects would employ mitigation
45 measures to limit effects.

1 ***12.1.22.4.12 Air Quality and Climate***
2

3 While solar energy generates minimal emissions compared with fossil fuels, the site
4 preparation and construction activities associated with solar energy facilities would be
5 responsible for some amount of air pollutants. Most of the emissions would be particulate matter
6 (fugitive dust) and emissions from vehicles and construction equipment. When these emissions
7 are combined with those from other nearby activities outside the proposed Afton SEZ, including
8 from solar facilities within the proposed Mason Draw SEZ located 3 mi (5 km) to the northwest,
9 or when they are added to natural dust generation from winds and windstorms, the air quality
10 in the general vicinity of the projects could be temporarily degraded. For example, during
11 construction of solar facilities the maximum 24-hour PM₁₀ concentration at or near the SEZ
12 boundaries could at times exceed the applicable standard of 150 µg/m³. Dust generation from
13 construction activities can be controlled by implementing aggressive dust control measures,
14 such as increased watering frequency or road paving or treatment.
15

16 Ozone, PM₁₀, and PM_{2.5} are of regional concern in the area, because of high
17 temperatures, abundant sunshine, and windblown dust from occasional high winds and dry soil
18 conditions. Construction of solar facilities in the SEZ in addition to ongoing and potential future
19 sources in the geographic extent of effects could contribute cumulatively to short-term ozone and
20 PM increases. Cumulative air quality effects due to dust emissions are expected to be small and
21 short-term.
22

23 Over the long term and across the region, the development of solar energy may have
24 beneficial cumulative impacts on the air quality and atmospheric values by offsetting the need
25 for energy production that results in higher levels of emissions, such as coal, oil, and natural
26 gas. As discussed in Section 12.1.13.2.2, air emissions from operating solar energy facilities
27 are relatively minor, while the displacement of criteria air pollutants, VOCs, TAPs, and GHG
28 emissions currently produced from fossil fuels could be significant. For example, if the Afton
29 SEZ were fully developed (80% of its acreage) with solar facilities, the quantity of pollutants
30 avoided could be as large as 64% of all emissions from the current electric power systems in
31 New Mexico.
32

33 ***12.1.22.4.13 Visual Resources***
34

35 The proposed Afton SEZ is located is located in Dona Ana County, in southern New
36 Mexico on West Mesa, immediately west of the Mesilla Valley and the Rio Grande. The SEZ
37 lies within a flat, treeless mesa, with the strong horizon line and surrounding mountain ranges
38 being the dominant visual features (Section 12.1.14.1). Cultural modifications in and around the
39 SEZ include dirt and gravel roads, transmission towers, a pipeline, cleared ROWs, a cheese
40 factory, an electric power plant, a natural gas peaker plant, and mining activity. The VRI values
41 for the SEZ and immediate surroundings are mostly VRI Class IV, but with some areas of
42 Class III and Class II values, indicating low, moderate, and high visual values, respectively. The
43 inventory indicates low scenic quality for the SEZ and its immediate surroundings; however, the
44 inventory indicates low scenic quality for the SEZ and its immediate surroundings; however, the
45 inventory indicates high sensitivity for portions of the SEZ and its immediate surroundings

1 because of the SEZ's proximity to the I-10 corridor, and the El Camino Real Scenic Byway, a
2 scenic, high-use travel corridor with high levels of public interest.

3
4 Construction of utility-scale solar facilities on the SEZ would alter the natural scenic
5 quality of the immediate area, although the broader area is already affected by urban, industrial,
6 and agricultural development. Because of the large size of utility-scale solar energy facilities and
7 the generally flat, open nature of the proposed SEZ, some lands outside the SEZ would also be
8 subjected to visual impacts related to the construction, operation, and decommissioning of
9 utility-scale solar energy facilities. Visual impacts resulting from solar energy development
10 within the SEZ would be in addition to impacts caused by other potential projects in the area
11 such as other solar facilities on private lands, transmission lines, and other renewable energy
12 facilities, such as wind mills. The presence of new facilities would normally be accompanied by
13 increased numbers of workers in the area, traffic on local roadways, and support facilities, all of
14 which would add to cumulative visual impacts.

15
16 There is currently only one pending solar application on the SEZ and one wind testing
17 application, but no other renewable energy applications exist on public lands within 50 mi
18 (80 km) of the SEZ (Figure 12.1.22.2-1). While the number of foreseeable and potential
19 projects within the geographic extent of visual effects is low, it may be concluded that the
20 general visual character of the landscape on and within the immediate vicinity of the SEZ
21 could be cumulatively impacted by the presence of solar facilities on the SEZ in combination
22 with solar facilities built on the nearby proposed Mason Draw SEZ and existing impacts and any
23 other new infrastructure within the viewshed. The degree of cumulative visual impacts would
24 depend in large part on the number and location of solar facilities built in the two proposed
25 SEZs. Because of the topography of the region, SEZ facilities, located on mesa flats, would be
26 visible at great distances from surrounding mountains, which include sensitive viewsheds. In
27 addition, facilities would be located near major roads and thus would be viewable by motorists,
28 who would also be viewing transmission lines, towns, and other infrastructure, as well as the
29 road system itself.

30
31 As additional facilities are added, several projects might become visible from one
32 location, or in succession as viewers move through the landscape, as by driving on local roads.
33 In general, the new facilities would be expected to vary in appearance; depending on the number
34 and type of facilities, the resulting visual disharmony could exceed the visual absorption
35 capability of the landscape and add significantly to the cumulative visual impact. Considering
36 the low level of currently foreseeable development in the region, however, small to moderate
37 cumulative visual impacts could occur within the geographic extent of effects from future solar
38 and other existing and future development.

39 40 41 ***12.1.22.4.14 Acoustic Environment***

42
43 The areas around the proposed Afton SEZ range from rural to industrial. Existing noise
44 sources around the SEZ include road traffic, railroad traffic, aircraft flyover, commercial/
45 industrial/agricultural activities, livestock grazing, and community activities and events. The
46 construction of solar energy facilities could increase the noise levels periodically for up to

1 3 years per facility, but there would be little or minor noise impacts during operation of solar
2 facilities, except from solar dish engine facilities and from parabolic trough or power tower
3 facilities using TES, which could affect nearby residences.
4

5 Other ongoing and reasonably foreseeable and potential future activities in the general
6 vicinity of the SEZ are described in Section 12.1.22.2. Because few proposed projects lie nearby
7 outside the SEZ and noise from facilities built within the SEZ would be short range, cumulative
8 noise effects during the construction or operation of solar facilities are unlikely. The 3-mi (5-km)
9 distance between the Afton and Mason Draw SEZs is occupied by the I-10 corridor where few
10 residents live and where noise from solar facilities would be largely masked by highway noise.
11

12 ***12.1.22.4.15 Paleontological Resources***

13
14
15 The proposed Afton SEZ has a high potential to contain paleontological resources,
16 especially along the eastern edge of the SEZ, although no known localities have been identified
17 within the SEZ to date. There are four known localities within 5 mi (8 km) to the southeast and
18 up to 235 additional localities out to 15 mi (24 km) to the south. The Prehistoric Trackways
19 National Monument, located within 6 to 10 mi (10 to 16 km) north of the SEZ, includes
20 fossilized footprints of amphibians, reptiles, and insects, as well as fossilized plants and petrified
21 wood dating back 280 million years. Given the high occurrence of significant fossil material in
22 the region, the SEZ would require further geological review and a paleontological survey prior to
23 project approval (Section 12.1.16.2). Any resources encountered during a paleontological survey
24 would be mitigated to the extent possible by collecting detailed information and allowing
25 possible excavation and relocation of the resource. Cumulative impacts on paleontological
26 resources would be dependent on whether significant resources are found within the SEZ and in
27 additional project areas in the region, including in the proposed Mason Draw SEZ located 3 mi
28 (5 km) to the northwest, and the extent to which these resources would be collectively impacted
29 and/or removed.
30

31 ***12.1.22.4.16 Cultural Resources***

32
33
34 The proposed Afton SEZ is rich in cultural history, with settlements dating as far back
35 as 12,000 years, and has the potential to contain significant cultural resources. Approximately
36 8% of the area of the SEZ has been surveyed for cultural resources, and 113 cultural resource
37 sites have been recorded. About 6% of the area within 5 mi (8 km) of the SEZ has been
38 surveyed, resulting in the recording of 330 sites within this range (Section 12.1.17.1.5). Areas
39 with potential for significant archaeological sites within the proposed SEZ include the dune
40 areas in the northern and eastern portions of the SEZ, and areas close to the Rio Grande
41 (Section 12.1.17.2). It is possible that the development of utility-scale solar energy projects in the
42 SEZ, when added to other potential projects likely to occur in the area, including solar facilities
43 in the proposed Mason Draw SEZ 3 mi (5 km) to the northwest, would contribute cumulatively
44 to impacts on archaeological sites occurring in the region. Little foreseeable development has
45 been identified within the 25-mi (40-km) geographic extent of effects (Section 12.1.22.2). While
46 any future solar projects would disturb large areas, the specific sites selected for future projects

1 would be surveyed; historic properties encountered would be avoided or mitigated to the extent
2 possible. However, visual impacts on the Butterfield Trail, El Camino Real de Tierra Adentro,
3 and Mesilla Plaza, as well as potentially other NRHP-listed properties in Mesilla and Las Cruces,
4 from multiple development projects in the area would have a cumulative effect on these
5 properties. Through ongoing consultation with the New Mexico SHPO and appropriate Native
6 American governments, it is likely that most adverse effects on significant resources in the
7 region could be mitigated to some degree, but this would depend on the results of the future
8 surveys and evaluations. Avoidance of all NRHP-eligible sites and mitigation of all impacts may
9 not be possible.

12.1.22.4.17 *Native American Concerns*

14 Government-to-government consultation is under way with federally recognized Native
15 American Tribes with possible traditional ties to the Afton area. All such Tribes have been
16 contacted and provided an opportunity to comment or consult regarding this PEIS. To date, no
17 specific concerns have been raised to the BLM regarding the proposed Afton SEZ. However,
18 the Pueblo of Ysleta del Sur has requested that they be consulted if human remains or other
19 NAGPRA materials are encountered during development, implying concern for human burials
20 and objects of cultural patrimony. Impacts of solar development in the SEZ and in the
21 surrounding area on water resources is likely to be of major concern to affected Tribes, as are
22 intrusions on the landscape and impacts on plants and game and on traditional resources at
23 specific locations (Section 12.1.18). The development of solar energy facilities in combination
24 with the development of other foreseeable projects in the area could reduce the traditionally
25 important plant and animal resources available to the Tribes. Such effects would be small for
26 foreseeable development due to the abundance of the most culturally important plant species
27 and the small number and minor effects of foreseeable actions within the geographic extent of
28 effects. Effects would increase if both the Afton and nearby Mason Draw SEZs were fully
29 developed with solar facilities. Continued discussions with area Tribes through government-to-
30 government consultation is necessary to effectively consider and address the Tribes' concerns
31 tied to solar energy development in the Afton SEZ.

12.1.22.4.18 *Socioeconomics*

36 Solar energy development projects in the proposed Afton SEZ could cumulatively
37 contribute to socioeconomic effects in the immediate vicinity of the SEZ and in the surrounding
38 multicounty ROI. The effects could be positive (e.g., creation of jobs and generation of extra
39 income, increased revenues to local governmental organizations through additional taxes paid by
40 the developers and workers) or negative (e.g., added strain on social institutions such as schools,
41 police protection, and health care facilities). Impacts from solar development would be most
42 intense during facility construction, but of greatest duration during operations. Construction
43 would temporarily increase the number of workers in the area needing housing and services in
44 combination with temporary workers involved in any other new development in the area,
45 including other renewable energy projects. The number of workers involved in the construction
46 of solar projects in the peak construction year could range from about 400 to 5,200, depending

1 on the technology being employed, with solar PV facilities at the low end and solar trough
2 facilities at the high end. The total number of jobs created in the area could range from
3 approximately 1,200 (solar PV) to as high as 16,000 (solar trough). Cumulative socioeconomic
4 effects in the ROI from construction of solar facilities would occur to the extent that multiple
5 construction projects of any type were ongoing at the same time. It is a reasonable expectation
6 that this condition would occur within a 50-mi (80-km) radius of the SEZ occasionally over the
7 20-year or more solar development period, including in the proposed nearby Mason Draw SEZ.
8

9 Annual impacts during the operation of solar facilities would be less, but of 20- to
10 30-year duration, and could combine with those from other new developments in the area.
11 Additional employment could occur at other new, but not yet foreseen, facilities within 50 mi
12 (80 km) of the proposed SEZ. Based on the assumption of full build-out of the SEZ
13 (Section 12.1.19.2.2), the number of workers needed at the solar facilities in the SEZ would
14 range from 135 to 2,700, with approximately 190 to 4,500 total jobs created in the region.
15 Population increases would contribute to general upward trends in the region in recent years. The
16 socioeconomic impacts overall would be positive, through the creation of additional jobs and
17 income. The negative impacts, including some short-term disruption of rural community quality
18 of life, would not likely be considered large enough to require specific mitigation measures.
19
20

21 ***12.1.22.4.19 Environmental Justice***

22
23 Any impacts from solar development could have cumulative impacts on minority and
24 low-income populations within 50 mi (80 km) of the proposed SEZ in combination with other
25 development in the area. Such impacts could be both positive, such as from increased economic
26 activity, and negative, such as from visual impacts, noise, and exposure to fugitive dust
27 (Section 12.1.20.2). Actual impacts would depend on where low-income populations are located
28 relative to solar and other proposed facilities, including in the proposed nearby Mason Draw
29 SEZ, and on the geographic range of effects. Overall, effects from facilities within the SEZ are
30 expected to be small, while those from other foreseeable actions would be minor and would not
31 likely combine with negative effects from the SEZ on minority or low-income populations, with
32 the possible exception of dust impacts from concurrent development of solar facilities within the
33 proposed Mason Draw SEZ. It is not expected, however, that the proposed Afton SEZ would
34 contribute to cumulative impacts on minority and low-income populations.
35
36

37 ***12.1.22.4.20 Transportation***

38
39 I-10 lies within 0.5 mi (0.8 km) of the northern border of the proposed Afton SEZ. The
40 nearest public airport is Las Cruces International Airport, located directly north of I-10 and
41 the SEZ. The nearest railroad stops lie within 1 to 5 mi (1.6 to 8 km) of the SEZ. During
42 construction of utility-scale solar energy facilities, up to 1,000 workers could be commuting to
43 the construction site at the SEZ at a given time, which could increase the AADT on these roads
44 by 2,000 vehicle trips for each facility under construction. Traffic on I-10 could experience small
45 slowdowns and exits on I-10 might experience moderate impacts with some congestion during
46 construction (Section 12.1.21.2). This increase in highway traffic from construction workers

1 could likewise have small cumulative impacts in combination with existing traffic levels and
2 increases from any additional future development in the area, including during construction of
3 solar facilities in the nearby proposed Mason Draw SEZ, should construction schedules overlap.
4 Local road improvements might be necessary on affected portions of I-10 and on any other
5 affected roads. Any impacts during construction activities would be temporary. The impacts can
6 also be mitigated to some degree by staggered work schedules and ride-sharing programs. Traffic
7 increases during operation would be relatively small because of the low number of workers
8 needed to operate the solar facilities and would have little contribution to cumulative impacts.
9
10

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

12.1.23 References

Note to Reader: This list of references identifies Web pages and associated URLs where reference data were obtained for the analyses presented in this PEIS. It is likely that at the time of publication of this PEIS, some of these Web pages may no longer be available or their URL addresses may have changed. The original information has been retained and is available through the Public Information Docket for this PEIS.

AECOM (Architectural Engineering, Consulting, Operations and Maintenance), 2009, *Project Design Refinements*. Available at http://energy.ca.gov/sitingcases/beacon/documents/applicant/refinements/002_WEST1011185v2_Project_Design_Refinements.pdf. Accessed Sept. 2009.

AMA (American Medical Association), 2009, *Physician Characteristics and Distribution in the U.S.*, Chicago, Ill. Available at <http://www.ama-assn.org/ama/pub/category/2676.html>.

Bailie, A., et al., 2006, *Appendix D: New Mexico Greenhouse Gas Inventory and Reference Case Projections, 1990–2020*, prepared by the Center for Climate Strategies, for the New Mexico Environment Department, Nov. Available at <http://www.nmenv.state.nm.us/cc/documents/CCAGFinalReport-AppendixD-EmissionsInventory.pdf>. Accessed Aug. 22, 2010.

Balch, R.S., et al., 2010, *The Socorro Midcrustal Magma Body*, New Mexico Tech: New Mexico Earthquakes. Available at <http://www.ees.nmt.edu/Geop/magma.html>. Accessed Aug. 24, 2010.

Barrett, E.M., 2002, “The Geography of the Rio Grande Pueblos in the Seventeenth Century,” *Ethnohistory* 49(1):123–169.

Beacon Solar, LLC, 2008, *Application for Certification for the Beacon Solar Energy Project*, submitted to the California Energy Commission, March. Available at <http://www.energy.ca.gov/sitingcases/beacon/index.html>.

Beranek, L.L., 1988, *Noise and Vibration Control*, rev. ed., Institute of Noise Control Engineering, Washington, D.C.

BISON-M, 2010, *Biota Information System of New Mexico*. Available at <http://www.bison-m.org>. Accessed Aug. 17, 2010.

BLM (Bureau of Land Management), 1980, *Green River—Hams Fork Draft Environmental Impact Statement: Coal*, U.S. Department of the Interior.

BLM, 1983, *Final Supplemental Environmental Impact Statement for the Prototype Oil Shale Leasing Program*, Colorado State Office.

BLM, 1984, *Visual Resource Management*, BLM Manual Handbook 8400, Release 8-24, U.S. Department of the Interior.

1 BLM, 1986a, *Visual Resource Inventory*, BLM Manual Handbook 8410-1, Release 8-28,
2 U.S. Department of the Interior, Jan.
3
4 BLM, 1986b, *Visual Resource Contrast Rating*, BLM Manual Handbook 8431-1, Release 8-30,
5 U.S. Department of the Interior, Washington, D.C., Jan.
6
7 BLM, 1993, *Mimbres Resource Management Plan*, U.S. Department of the Interior, Bureau of
8 Land Management, Las Cruces District Office, Las Cruces, N.M., Dec.
9
10 BLM, 1996, *White River Resource Area: Proposed Resource Management Plan and Final*
11 *Environmental Impacts Statement*, White River Resource Area.
12
13 BLM, 2001, *New Mexico Water Rights Fact Sheet*. Available at [http://www.blm.gov/nstc/](http://www.blm.gov/nstc/WaterLaws/pdf/Utah.pdf)
14 [WaterLaws/pdf/Utah.pdf](http://www.blm.gov/nstc/WaterLaws/pdf/Utah.pdf). Accessed June 16, 2010.
15
16 BLM, 2007, *Potential Fossil Yield Classification (PFYC) System for Paleontological Resources*
17 *on Public Lands*, Instruction Memorandum No. 2008-009, with attachments, Washington, D.C.,
18 Oct. 15.
19
20 BLM, 2008a, *Assessment and Mitigation of Potential Impacts to Paleontological Resources*,
21 Instruction Memorandum No. 2009-011, with attachments, Washington, D.C., Oct. 10.
22
23 BLM, 2008b, *Dona Ana County Proposed Mimbres Resource Management Plan Amendment/*
24 *Environmental Assessment and FONSI*, NM-030-2008-025, Report No. BLM/NM/PL-08-09-
25 1610, Sept.
26
27 BLM, 2008c, *Special Status Species Management*, BLM Manual 6840, Release 6-125,
28 U.S. Department of the Interior, Dec. 12.
29
30 BLM, 2008d, *Rangeland Administration System*. Available at <http://www.blm.gov/ras/index.htm>,
31 last updated March 16, 2010. Accessed Nov. 24, 2009.
32
33 BLM, 2009a, *Las Cruces District Office Mule Deer Range*, U.S. Bureau of Land Management,
34 New Mexico State Office, Sante Fe, N.M., May 13.
35
36 BLM, 2009b, *Las Cruces Office Pronghorn Range*, U.S. Bureau of Land Management, New
37 Mexico State Office, Sante Fe, N.M., May 13.
38
39 BLM, 2010a, *Prehistoric Trackways National Monument*. Available at [http://www.blm.gov/nm/](http://www.blm.gov/nm/st/en/prog/recreation/las_cruces/trackways.html)
40 [st/en/prog/recreation/las_cruces/trackways.html](http://www.blm.gov/nm/st/en/prog/recreation/las_cruces/trackways.html). Accessed Aug. 18, 2010.
41
42 BLM, 2010b, *Solar Energy Interim Rental Policy*, U.S. Department of the Interior. Available at
43 [http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_](http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_instruction/2010/IM_2010-141.html)
44 [instruction/2010/IM_2010-141.html](http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_instruction/2010/IM_2010-141.html).
45

1 BLM, 2010c, *Draft Visual Resource Inventory*, U.S. Department of the Interior, BLM Las
2 Cruces District Office, Las Cruces, N.M., May.
3
4 BLM, 2010d, *Wild Horse and Burro Statistics and Maps*, U.S. Bureau of Land Management,
5 Washington, D.C. Available at [http://www.blm.gov/wo/st/en/prog/wild_horse_and_burro/
6 wh_b_information_center/statistics_and_maps/ha_and_hma_data.html](http://www.blm.gov/wo/st/en/prog/wild_horse_and_burro/wh_b_information_center/statistics_and_maps/ha_and_hma_data.html). Accessed June 25, 2010.
7
8 BLM, 2010e, *SunZia Transmission Line Project*. Available at [http://www.blm.gov/nm/st/en/
9 prog/more/lands_realty/sunzia_southwest_transmission.html](http://www.blm.gov/nm/st/en/prog/more/lands_realty/sunzia_southwest_transmission.html). Accessed Aug. 19, 2010.
10
11 BLM and USFS, 2010a, *GeoCommunicator: Energy Map Viewer*. Available at
12 <http://www.geocommunicator.gov/GeoComm/index.shtm>. Accessed March 26, 2010.
13
14 BLM and USFS, 2010b, *GeoCommunicator: Mining Claim Map*. Available at
15 <http://www.geocommunicator.gov/GeoComm/index.shtm>. Accessed Aug. 5, 2010.
16
17 BNSF (Burlington Northern and Santa Fe) Railroad, 2010, *BNSF Railway Company, Southwest
18 Operating Division, System Maintenance and Planning, Current May 2010*. Available at
19 http://www.bnsf.com/customers/pdf/maps/div_sw.pdf. Accessed Aug. 16, 2010.
20
21 Bolluch, E.H., Jr., and R.E. Neher, 1980, *Soil Survey of Dona Ana County Area New Mexico*,
22 U.S. Department of Agriculture, Soil Conservation Service.
23
24 Brown, D., 1994, "Chihuahuan Desertscrub," in *Biotic Communities, Southwestern United States
25 and Northwestern Mexico*, D. Brown (editor), University of Utah Press, Salt Lake City, Utah.
26
27 BTS (Bureau of Transportation Statistics), 2009, *Air Carriers: T-100 Domestic Segment
28 (All Carriers)*, Research and Innovative Technology Administration, U.S. Department of
29 Transportation, Dec. Available at http://www.transtats.bts.gov/Fields.asp?Table_ID=311.
30 Accessed March 5, 2010.
31
32 CDC (Centers for Disease Control and Prevention), 2009, *Divorce Rates by State: 1990, 1995,
33 1999–2007*. Available at [http://www.cdc.gov/nchs/data/nvss/Divorce%20Rates%2090
34 %2095%20and%2099-07.pdf](http://www.cdc.gov/nchs/data/nvss/Divorce%20Rates%2090%2095%20and%2099-07.pdf).
35
36 CDFG (California Department of Fish and Game), 2008, *Life History Accounts and Range
37 Maps—California Wildlife Habitat Relationships System*, Sacramento, Calif. Available at
38 <http://dfg.ca.gov/biogeodata/cwhr/cawildlife.aspx>. Accessed Feb. 19, 2010.
39
40 CEQ (Council on Environmental Quality), 1997, *Environmental Justice Guidance under the
41 National Environmental Policy Act*, Executive Office of the President, Washington, D.C., Dec.
42 Available at <http://www.whitehouse.gov/CEQ>.
43
44 CH2M HILL, 2002, *Final Report: Groundwater Modeling of the Canutillo Wellfield*, prepared
45 for the El Paso Water Utilities Public Service Board, April.
46

1 Chapin, C.E., 1988, "Axial Basins of the Northern and Central Rio Grande Rifts," in
2 *Sedimentary Cover—North American Craton (U.S.)*, Geological Society of America, Geology
3 of North America, L.L. Sloss (editor), D-2, 165–170.
4

5 City of Las Cruces, 2008, *Water and Wastewater System Master Plan Update, Final*, City of
6 Las Cruces Utilities Department, Sept.
7

8 Cole, D.C., 1988, *The Chiricahua Apache: 1846–1876 from War to Reservation*, University of
9 New Mexico Press, Albuquerque, N.M.
10

11 Contaldo, G.J., and J.E. Mueller, 1991, "Earth Fissures and Land Subsidence of the Mimbres
12 Basin, Southwestern New Mexico, USA," in *Land Subsidence*, proceedings of the Fourth
13 International Symposium on Land Subsidence, May.
14

15 Coppersmith, C.P., 2007, "Apache, Fort Sill," *Encyclopedia of Oklahoma History and Culture*,
16 Oklahoma Historical Society, Oklahoma City, Okla. Available at <http://digital.library.okstate.edu/encyclopedia/entries/A/AP003.html>.
17
18

19 Cowherd, C., et al., 1988, *Control of Open Fugitive Dust Sources*, EPA 450/3-88-008,
20 U.S. Environmental Protection Agency, Research Triangle Park, N.C.
21

22 Crawford, C.S., et al., 1993, *Middle Rio Grande Ecosystem: Bosque Biological Management*
23 *Plan*, U.S. Fish and Wildlife Service, Albuquerque, N.M.
24

25 Creel, B.J., et al., 1998, *Ground-water Aquifer Sensitivity Assessment and Management*
26 *Practices Evaluation for Pesticides in the Mesilla Valley of New Mexico*, New Mexico Water
27 Resources Research Institute (WRRI) Technical Completion Report No. 305. Available at
28 <http://wrri.nmsu.edu/publish/techrpt/tr305/downl.html>. Accessed June 2010.
29

30 CSC (Coastal Services Center), 2010, *Historical Hurricane Tracks*, National Oceanic and
31 Atmospheric Administration. Available at <http://csc-s-maps-q.csc.noaa.gov/hurricanes>. Accessed
32 Aug. 13, 2010.
33

34 DOE (U.S. Department of Energy), 2009a, *Concentrating Solar Power Commercial Application*
35 *Study: Reducing Water Consumption of Concentrating Solar Power Electricity Generation*,
36 Report to Congress, Jan. 13. Available at http://www1.eere.energy.gov/solar/pdfs/csp_water_study.pdf.
37
38

39 DSIRE (Database of State Incentives for Renewables and Efficiency), 2010, *New Mexico*
40 *Incentives/Policies for Renewables & Efficiency*. Available at http://www.dsireusa.org/incentives/incentive.cfm?Incentive_Code=NM05R&re=1&ee=1. Accessed Aug. 17, 2010.
41
42

43 EIA (Energy Information Administration), 2009, *Annual Energy Outlook 2009 with Projections*
44 *to 2030*, DOE/EIA-0383, March.
45

1 Eldred, K.M., 1982, “Standards and Criteria for Noise Control—An Overview,” *Noise Control*
2 *Engineering* 18(1):16–23.
3

4 El Paso Electric, 2010, *Power Plant Tours*. Available at [http://www.epelectric.com/
5 _8725712E0054BD02.nsf/0/232434BD7CD17B3D8725712E0055D6C5?Open](http://www.epelectric.com/_8725712E0054BD02.nsf/0/232434BD7CD17B3D8725712E0055D6C5?Open). Accessed
6 Aug. 9, 2010.
7

8 EPA (U.S. Environmental Protection Agency), 1974, *Information on Levels of Environmental*
9 *Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety*,
10 EPA-550/9-74-004, Washington, D.C., March. Available at [http://www.nonoise.org/library/
11 levels74/levels74.htm](http://www.nonoise.org/library/levels74/levels74.htm). Accessed Nov. 17, 2008.
12

13 EPA, 2007, *Level III Ecoregions*, Western Ecology Division, Corvallis, Ore. Available at
14 http://www.epa.gov/wed/pages/ecoregions/level_iii.htm. Accessed Oct. 2, 2008.
15

16 EPA, 2009a, *Energy CO₂ Emissions by State*. Available at [http://www.epa.gov/climatechange/
17 emissions/state_energyco2inv.html](http://www.epa.gov/climatechange/emissions/state_energyco2inv.html), last updated June 12, 2009. Accessed June 23, 2009.
18

19 EPA, 2009b, *Preferred/Recommended Models—AERMOD Modeling System*. Available at
20 http://www.epa.gov/scram001/dispersion_prefrec.htm. Accessed Nov. 8, 2009.
21

22 EPA, 2009c, *eGRID*. Available at [http://www.epa.gov/cleanenergy/energy-resources/egrid/
23 index.html](http://www.epa.gov/cleanenergy/energy-resources/egrid/index.html), last updated Oct. 16, 2008. Accessed Jan. 12, 2009.
24

25 EPA, 2009d, *National Primary Drinking Water Regulations and National Secondary Drinking*
26 *Water Regulation*. Available at <http://www.epa.gov/safewater/standard/index.html>.
27

28 EPA, 2010a, *National Ambient Air Quality Standards (NAAQS)*. Available at
29 <http://www.epa.gov/air/criteria.html>, last updated June 3, 2010. Accessed June 4, 2010.
30

31 EPA, 2010b, *AirData: Access to Air Pollution Data*. Available at <http://www.epa.gov/oar/data>.
32 Accessed Aug. 13, 2010.
33

34 EPA, 2010c, *Primary Distinguishing Characteristics of Level III Ecoregions of the Continental*
35 *United States*, July. Available at [ftp://ftp.epa.gov/wed/ecoregions/us/Eco_Level_III_
36 descriptions.doc](ftp://ftp.epa.gov/wed/ecoregions/us/Eco_Level_III_descriptions.doc).
37

38 FAA (Federal Aviation Administration), 2010, *Airport Data (5010) & Contact Information,*
39 *Information Current as of 06/03/2010*. Available at [http://www.faa.gov/airports/airport_safety/
40 airportdata_5010](http://www.faa.gov/airports/airport_safety/airportdata_5010). Accessed July 19, 2010.
41

42 Fallis, T., 2010, “Archaeological Site and Survey Data for New Mexico,” personal
43 communication from Fallis (New Mexico State Historic Preservation Division, Albuquerque,
44 N.M.) to B. Cantwell (Argonne National Laboratory, Argonne, Ill.), Jan 12.
45

1 FEMA (Federal Emergency Management Agency), 2009, *FEMA Map Service Center*. Available
2 at <http://www.fema.gov>. Accessed Nov. 20, 2009.
3

4 Fire Departments Network, 2009, *Fire Departments by State*. Available at [http://www.
5 firedepartments.net](http://www.firedepartments.net).
6

7 Frenzel, P.F., et al., 1992, *Geohydrology and Simulation of Ground Water Flow in the Mesilla
8 Basin, Dona Ana County, New Mexico, and El Paso County, Texas*, U.S. Geological Survey
9 Professional Paper 1407-C.
10

11 GCRP (U.S. Global Change Research Program), 2009, *Global Climate Change Impacts in the
12 United States: A State of Knowledge Report from the U.S. Global Change Research Program*,
13 Cambridge University Press, Cambridge, Mass. Available at [http://downloads.globalchange.gov/
14 usimpacts/pdfs/climate-impacts-report.pdf](http://downloads.globalchange.gov/usimpacts/pdfs/climate-impacts-report.pdf). Accessed Jan. 25, 2010.
15

16 Gibbs, V., et al., 2000, *Cultural Resource Survey and Planning Report; El Paso–Las Cruces
17 Regional Sustainable Water Project*, prepared for CH2M HILL and the New Mexico–Texas
18 Water Commission. Available at [http://www.nm-xwatercomm.org/library/TechReports/Cultural/
19 CulturalResources.pdf](http://www.nm-xwatercomm.org/library/TechReports/Cultural/CulturalResources.pdf).
20

21 Giffen, R., 2009, “Rangeland Management Web Mail,” personal communication from R. Giffen
22 (USDA Forest Service, Rangelands Management, Washington, D.C.) to W. Vinikour (Argonne
23 National Laboratory, Argonne, Ill.), Sept. 22, 2009.
24

25 GlobalSecurity.org, 2010a, *Fort Bliss*. Available at [http://www.globalsecurity.org/military/
26 facility/fort-bliss.htm](http://www.globalsecurity.org/military/facility/fort-bliss.htm). Accessed Aug. 18, 2010.
27

28 GlobalSecurity.org, 2010b, *Fort Bliss McGregor Range*. Available at [http://www.globalsecurity.
29 org/military/facility/mcgregor.htm](http://www.globalsecurity.org/military/facility/mcgregor.htm). Accessed Aug. 17, 2010.
30

31 GlobalSecurity.org, 2010c, *Fort Bliss Dona Ana Range*. Available at [http://www.globalsecurity.
32 org/military/facility/dona-ana.htm](http://www.globalsecurity.org/military/facility/dona-ana.htm). Accessed Aug. 17, 2010.
33

34 GlobalSecurity.org, 2010d, *White Sands Missile Range*. Available at [http://www.globalsecurity.
35 org/space/facility/wsmr.htm](http://www.globalsecurity.org/space/facility/wsmr.htm). Accessed Aug. 17, 2010.
36

37 Graham, T.B., 2001, *Survey of Ephemeral Pool Invertebrates at Wupatki NM: An Evaluation of
38 the Significance of Constructed Impoundments as Habitat*, WUPA-310, final report for Wupatki
39 National Monument and Southwest Parks and Monuments Association, Sept.
40

41 Greene, A.C., 1994, *900 Miles on the Butterfield Trail*, University of North Texas Press, Denton,
42 Tex.
43

44 Griffen, W.B., 1983, “Southern Periphery: East,” pp. 329–342 in *Handbook of North American
45 Indians, Vol. 10, Southwest*, A. Ortiz (editor), Smithsonian Institution, Washington, D.C.
46

1 Griffith, G., et al., 2006, *Ecoregions of New Mexico* (color poster with map, descriptive text,
2 summary tables, and photographs) (map scale 1:1,400,000), Reston, Va., U.S. Geological
3 Survey.
4

5 Hafen, Le Roy R., 1926, *The Overland Mail 1849-1869; Promoter of Settlement, Precursor of*
6 *Railroads*, Arthur H. Clark Company, Cleveland, Ohio.
7

8 Hanson, C.E., et al., 2006, *Transit Noise and Vibration Impact Assessment*, FTA-VA-90-1003-
9 06, prepared by Harris Miller Miller & Hanson, Inc., Burlington, Mass., for U.S. Department
10 of Transportation, Federal Transit Administration, Washington, D.C., May. Available at
11 http://www.fta.dot.gov/documents/FTA_Noise_and_Vibration_Manual.pdf.
12

13 Hawley, J.W., and A. Granados-Olivas, 2008, *Progress Report on Development of an Annotated*
14 *Bibliography for Transboundary Aquifer Systems of the Mesilla Basin–Paso Del Norte Area,*
15 *New Mexico, Texas (USA) and Chihuahua (Mex)*. Available at [http://wrri.nmsu.edu/publish/](http://wrri.nmsu.edu/publish/ympabs/posters2008.pdf)
16 [ympabs/posters2008.pdf](http://wrri.nmsu.edu/publish/ympabs/posters2008.pdf). Accessed July 2010.
17

18 Hawley, J.W., and R.P. Lozinsky, 1992, *Hydrogeologic Framework of the Mesilla Basin in*
19 *New Mexico and Western Texas*, New Mexico Bureau of Mines and Mineral Resources and the
20 New Mexico Institute for Mining and Technology, Open File Report 323.
21

22 Hawley, J.W., et al., 2001, “The Mesilla Basin Aquifer System of New Mexico, West Texas,
23 and Chihuahua—An Overview of Its Hydrogeologic Framework and Related Aspects of
24 Groundwater Flow and Chemistry,” in *Aquifers of West Texas*, R.E. Mace et al. (editors), Texas
25 Water Development Board Report 356, Dec.
26

27 Hester, P., 2009, “GIS Data,” personal communication with attachment from Hester (BLM,
28 New Mexico State Office, N.M.) to K. Wescott (Argonne National Laboratory, Argonne, Ill.),
29 June 12.
30

31 Hewitt, R., 2009a, “Archaeological Sites for Las Cruces District Office,” personal
32 communication from Hewitt (GIS Specialist, BLM, Las Cruces District Office, Las Cruces,
33 N.M.) to B. Cantwell (Argonne National Laboratory, Argonne, Ill.), May 13.
34

35 Hewitt, R., 2009b, “GIS Data for the Las Cruces District Office,” personal communication with
36 attachment from Hewitt (GIS Specialist, BLM, Las Cruces District Office, Las Cruces, N.M.) to
37 Karen Smith (Argonne National Laboratory, Argonne, Ill.), May 13.
38

39 Houser, N.P., 1979, “Tigua Pueblo,” pp. 336–342 in *Handbook of North American Indians,*
40 *Vol. 9, Southwest*, A. Ortiz (editor), Smithsonian Institution, Washington, D.C.
41

42 HPX (High Plains Express), 2008, *High Plains Express Transmission Project Feasibility Study*
43 *Report*, final report, June.
44

1 Jackson, M., Sr., 2009, “Quechan Indian Tribe’s Comments on Programmatic Environmental
2 Impact Statement for Solar Energy Development,” letter from Jackson (President, Quechan
3 Indian Tribe, Fort Yuma, Ariz.) to Argonne National Laboratory (Argonne, Ill.), Sept. 3.
4

5 Kenny, J.F, et al., 2009, *Estimated Use of Water in the United States in 2005*, Circular 1344,
6 U.S. Geological Survey. Available at <http://pubs.usgs.gov/circ/1344>. County data accessed
7 Jan. 4, 2010.
8

9 King, P.J., 2007, *Regional Water Planning in the Lower Rio Grande Basin*, New Mexico State
10 University. Available at [http://www.las-cruces.org/utilities/Regional%20Water%20Plan%20](http://www.las-cruces.org/utilities/Regional%20Water%20Plan%20compressed.pdf)
11 [compressed.pdf](http://www.las-cruces.org/utilities/Regional%20Water%20Plan%20compressed.pdf). Accessed June 17, 2010.
12

13 Kirkpatrick, D.T., et al., 2001, “Basin and Range Archaeology: An Overview of Prehistory in
14 South–Central New Mexico,” in *The Archaeological Record of Southern New Mexico*, S.R. Katz
15 and P. Katz (editors), manuscript prepared for the Historic Preservation Division, State of New
16 Mexico, Albuquerque, N.M.
17

18 Lee, J.M., et al., 1996, *Electrical and Biological Effects of Transmission Lines: A Review*,
19 Bonneville Power Administration, Portland, Ore., Dec.
20

21 Loera, J., 2010, letter from Loera (Ysleta del Sur Pueblo, El Paso, Texas) to S.J. Borchard
22 (California Desert District, Bureau of Land Management, Riverside, Calif.), Feb. 23.
23

24 Lovich, J., and D. Bainbridge, 1999, “Anthropogenic Degradation of the Southern California
25 Desert Ecosystem and Prospects for Natural Recovery and Restoration,” *Environmental*
26 *Management* 24(3):309–326.
27

28 LRGWUO (Lower Rio Grande Water Users Organization), 1999, *New Mexico Lower*
29 *Rio Grande Regional Water Plan*. Accessed June 29, 2010.
30

31 LRGWUO, 2004, *The New Mexico Lower Rio Grande Regional Water Plan*. Available at
32 <http://wrri.nmsu.edu/lrgwuo/rwp.html>.
33

34 Machete, M.N. (compiler), 1996a, *Fault Number 2063, East Robledo Fault (Class A)*, in
35 *Quaternary Fault and Fold Database of the United States*: U.S. Geological Survey Web site.
36 Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 20, 2010.
37

38 Machete, M.N. (compiler), 1996b, *Fault Number 2065, Fitzgerald Fault (Class A)*, in
39 *Quaternary Fault and Fold Database of the United States*: U.S. Geological Survey Web site.
40 Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 20, 2010.
41

42 Machete, M.N. (compiler), 1996c, *Fault Number 2078, Ward Tank Fault (Class A)*, in
43 *Quaternary Fault and Fold Database of the United States*: U.S. Geological Survey Web site.
44 Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 20, 2010.
45

1 Machete, M.N. (compiler), 1996d, *Fault Number 2064, West Robledo Fault (Class A)*, in
2 Quaternary Fault and Fold Database of the United States: U.S. Geological Survey Web site.
3 Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 18, 2010.
4

5 Machete, M.N. (compiler), 1996e, *Fault Number 2077, Unnamed Faults and Folds on La Mesa*
6 *(Class A)*, in Quaternary Fault and Fold Database of the United States: U.S. Geological Survey
7 Web site. Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 18, 2010.
8

9 Machete, M.N. (compiler), 1996f, *Fault Number 2066, East Potrillo Fault (Class A)*, in
10 Quaternary Fault and Fold Database of the United States: U.S. Geological Survey Web site.
11 Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 18, 2010.
12

13 MacNeish, R.S., and P.H. Beckett, 1987, *The Archaic Chihuahua Tradition of South-Central*
14 *New Mexico and Chihuahua, Mexico*, Monograph No. 7, COAS Publishing and Research,
15 Las Cruces, N.M.
16

17 Mancini, K.M., et al., 1988, *Effects of Aircraft Noise and Sonic Booms on Domestic Animals and*
18 *Wildlife: A Literature Synthesis*, NERC-88/29, U.S. Fish and Wildlife Service National Ecology
19 Research Center, Ft. Collins, Colo.
20

21 McCollough, R., 2009, "New Mexico TES Data Request," personal communication with
22 attachment from McCollough (Data Services Manager, Natural Heritage New Mexico,
23 Albuquerque, N.M.) to L. Walston (Argonne National Laboratory, Argonne, Ill.), Sept. 17.
24

25 MIG (Minnesota IMPLAN Group), Inc., 2010, *State Data Files*, Stillwater, Minn.
26

27 Miller, N.P., 2002, "Transportation Noise and Recreational Lands," in *Proceedings of*
28 *Inter-Noise 2002*, Dearborn, Mich., Aug. 19–21. Available at [http://www.hmmh.com/](http://www.hmmh.com/cmsdocuments/N011.pdf)
29 [cmsdocuments/N011.pdf](http://www.hmmh.com/cmsdocuments/N011.pdf). Accessed Aug. 30, 2007.
30

31 Montoya, J., 2010, personal communication from Montoya (BLM, Las Cruces District Office,
32 Planning and Environmental Coordinator, Las Cruces, N.M.) to J. May (Argonne National
33 Laboratory, Lakewood, Colo.), Aug.
34

35 Moose, V., 2009, "Comments on Solar Energy Development Programmatic EIS," letter from
36 Moose (Tribal Chairperson, Big Pine Paiute Tribe of the Owens Valley, Big Pine, Calif.) to
37 Argonne National Laboratory (Argonne, Ill.), Sept. 14.
38

39 Myers, R.G., and B.R. Orr, 1985, *Geohydrology of the Aquifer in the Santa Fe Group, Northern*
40 *West Mesa of the Mesilla Basin near Las Cruces, New Mexico*, Water Resources Investigations
41 Report 84-4190, U.S. Geological Survey.
42

43 National Research Council, 1996, *Alluvial Fan Flooding*, Committee on Alluvial Fan Flooding,
44 Water Science and Technology Board, and Commission on Geosciences, Environment, and
45 Resources, National Academy Press, Washington, D.C.
46

1 NatureServe, 2010, *NatureServe Explorer: An Online Encyclopedia of Life (Web Application)*,
2 Version 7.1, Arlington, Va. Available at <http://www.natureserve.org/explorer>. Accessed
3 Oct. 1, 2010.
4

5 NCDC (National Climatic Data Center), 2010a, *Climates of the States (CLIM60): Climate of*
6 *New Mexico*, National Oceanic and Atmospheric Administration, Satellite and Information
7 Service. Available at <http://cdo.ncdc.noaa.gov/cgi-bin/climatenormals/climatenormals.pl>.
8 Accessed Aug. 13, 2010.
9

10 NCDC, 2010b, *Integrated Surface Data (ISD), DS3505 Format*, database, Asheville, N.C.
11 Available at <ftp://ftp3.ncdc.noaa.gov/pub/data/noaa>. Accessed Aug. 13, 2010.
12

13 NCDC, 2010c, *Storm Events*, National Oceanic and Atmospheric Administration, Satellite and
14 Information Service. Available at [http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwEvent](http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwEvent~Storms)
15 [~Storms](http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwEvent~Storms). Accessed Aug. 13, 2010.
16

17 NCES (National Center for Education Statistics), 2009, *Search for Public School Districts*,
18 U.S. Department of Education. Available at <http://www.nces.ed.gov/ccd/districtsearch>.
19

20 New Mexico Rare Plant Technical Council, 1999, *New Mexico Rare Plants*, Albuquerque, N.M.
21 Available at <http://www.nmrareplants.unm.edu>, last updated July 22, 2010. Accessed
22 Aug. 17, 2010.
23

24 Nickerson, E., 1987, *Monitoring Network of the Ground-Water Flow System and Stream-Aquifer*
25 *Relations in the Mesilla Basin, Doña Ana County, New Mexico and El Paso County, Texas*,
26 U.S. Geological Survey. Available at <http://nm.water.usgs.gov/projects/mesilla/index.html>, last
27 updated Aug. 19, 2009.
28

29 Nickerson, E.L., and R.G. Myers, 1993, *Geohydrology of the Mesilla Ground-Water Basin,*
30 *Dona Ana County, New Mexico, and El Paso County, Texas*, Water Resources Investigations
31 Report 92-4156, U.S. Geological Survey.
32

33 NMBGMR (New Mexico Bureau of Geology and Mineral Resources), 2006, *New Mexico—*
34 *Earth Matters: Volcanoes of New Mexico*, Winter.
35

36 NMDA (New Mexico Department of Agriculture), 2009, *New Mexico Noxious Weed List*,
37 updated April 2009. Available at [http://nmdaweb.nmsu.edu/animal-and-plant-protection/](http://nmdaweb.nmsu.edu/animal-and-plant-protection/noxious-weeds/weed_memo_list.pdf)
38 [noxious-weeds/weed_memo_list.pdf](http://nmdaweb.nmsu.edu/animal-and-plant-protection/noxious-weeds/weed_memo_list.pdf). Accessed Aug. 27, 2010.
39

40 NMDGF (New Mexico Department of Game and Fish), 2010, *Biota Information System of*
41 *New Mexico*. Available at <http://www.bison-m.org>. Accessed Aug. 17, 2010.
42

43 NM DOT (New Mexico Department of Transportation), 2009, *2008 Annual Traffic Report*,
44 April. Available at <http://nmshtd.state.nm.us/main.asp?secid=14473>. Accessed Aug. 21, 2010.
45

1 NM DOT, 2010, *Traffic Flow Maps 2007 & 2008*. Available at <http://nmshtd.state.nm.us/main.asp?secid=16260>. Accessed Aug. 16, 2010.

2
3

4 NMED (New Mexico Environment Department), 2000a, *Dust Storms and Health*, March. Available at <http://www.health.state.nm.us/eheb/rep/air/DustStormsAndHealth.pdf>. Accessed Aug. 23, 2009.

5
6
7

8 NMED, 2000b, *Natural Events Action Plan for High Wind Events, Dona Ana County*, Santa Fe, N.M., Dec. 22. Available at <http://www.nmenv.state.nm.us/aqb/NEAP/neap-final.pdf>. Accessed Aug. 23, 2010.

9
10
11

12 NMED, 2010, *The Storm Water Regulatory Program at the Surface Water Quality Bureau, NMED*. Available at <http://www.nmenv.state.nm.us/swqb/stormwater>. Accessed Aug. 18, 2010.

13
14

15 NMOSE (Office of the State Engineer, New Mexico), 2004, Part 13, “Active Water Resource Management,”; Title 19, “Natural Resources and Wildlife,”; Chapter 25, “Administration and Use of Water—General Provisions,” Dec. 30.

16
17
18

19 NMOSE, 2005a, *Rules and Regulations Governing the Appropriation and Use of the Surface Waters of New Mexico*. Available at http://www.ose.state.nm.us/water_info_rights_rules.html. Accessed June 16, 2010.

20
21
22

23 NMOSE, 2005b, *Rules and Regulations Governing Well Driller Licensing; Construction, Repair, and Plugging of Wells*. Available at http://www.ose.state.nm.us/water_info_rights_rules.html. Accessed Aug. 18, 2010.

24
25
26

27 NMOSE, 2006a, *Rules and Regulations Governing the Appropriation and Use of Groundwater in New Mexico*. Available at http://www.ose.state.nm.us/water_info_rights_rules.html. Accessed June 16, 2010.

28
29
30

31 NMOSE, 2006b, *Proposed Rules and Regulations Providing for Active Water Resources Administration of the Waters of the Lower Rio Grande Water Master District*, Nov. 14.

32
33

34 NMOSE, 2010a, *Active Water Resource Management*. Available at http://www.ose.state.nm.us/water_info_awrm.html. Accessed June 17, 2010.

35
36

37 NMOSE, 2010b, *District Offices*. Available at http://www.ose.state.nm.us/water_info_rights_offices.html. Accessed June 21, 2010.

38
39

40 NMOSE, 2010c, *Priority Administration*. Available at http://www.ose.state.nm.us/water_info_awrm_admin.html. Accessed June 18, 2010.

41
42

43 NMOSE, 2010d, *Water Information*. Available at http://www.ose.state.nm.us/water_info_index.html. Accessed June 16, 2010.

44
45

1 NMSPD (New Mexico State Parks Division), 2010, *Mesilla Valley Bosque State Park*. Available
2 at <http://www.emnrd.state.nm.us/PRD/mesillavalley.htm>. Accessed Aug. 10, 2010.
3
4 NMSU (New Mexico State University), 2007, *Weed Information Database Search*. Available at
5 <http://weeds.nmsu.edu/databasesearch.php>. Accessed Aug. 27, 2010.
6
7 NPS (National Park Service) and BLM (Bureau of Land Management), 2004, *El Camino Real de*
8 *Tierra Adentro National Historic Trail: Comprehensive Management Plan/Final Environmental*
9 *Impact Statement*, prepared by Long Distance Trails Group, Santa Fe, National Park Service, and
10 New Mexico State Office, Bureau of Land Management, Santa Fe, N.M.
11
12 NRCS (Natural Resources Conservation Service), 2008, *Soil Survey Geographic (SSURGO)*
13 *Database for Doña Ana County, New Mexico*. Available at <http://SoilDataMart.nrcs.usds.gov>.
14
15 NRCS, 2010, *Custom Soil Resource Report for Doña Ana County (covering the proposed Afton*
16 *SEZ), New Mexico*, U.S. Department of Agriculture, Washington, D.C., Aug. 17.
17
18 Opler, M.E., 1941, *An Apache Life-Way: The Economic, Social, and Religious Institutions of the*
19 *Chiricahua Indians*, University of Chicago Press, Chicago, Ill.
20
21 Opler, M.E., 1947, "Notes on Chiricahua Apache Culture: 1. Supernatural Power and the
22 Shaman," *Primitive Man* 20(1/2):1–14.
23
24 Opler, M.E., 1983a, "Apachean Culture Pattern and Its Origins," pp. 368–392 in *Handbook of*
25 *North American Indians, Vol. 10, Southwest*, A. Ortiz (editor), Smithsonian Institution,
26 Washington, D.C.
27
28 Opler, M. E., 1983b, "Chiricahua Apache," pp. 401–418 in *Handbook of North American*
29 *Indians, Vol. 10, Southwest*, A. Ortiz (editor), Smithsonian Institution, Washington, D.C.
30
31 PNM (Public Service Company of New Mexico), 2002, *PNM's Afton Generating Station Up &*
32 *Running*, news release, Dec. Available at http://www.pnm.com/news/2002/1204_afton.htm.
33 Accessed Aug. 9, 2010.
34
35 Reuters, 2010, *El Paso Electric Company*. Available at [http://www.reuters.com/finance/stocks/](http://www.reuters.com/finance/stocks/companyProfile?rpc=66&symbol=EE)
36 [companyProfile?rpc=66&symbol=EE](http://www.reuters.com/finance/stocks/companyProfile?rpc=66&symbol=EE). Accessed Aug. 9, 2010.
37
38 Robson, S.G., and E.R. Banta, 1995, *Ground Water Atlas of the United States: Arizona,*
39 *Colorado, New Mexico, Utah*, HA 730-C, U.S. Geological Survey.
40
41 Royster, J., 2008, "Indian Land Claims," pp. 28–37 in *Handbook of North American Indians,*
42 *Vol. 2, Indians in Contemporary Society*, G.A. Bailey (editor), Smithsonian Institution,
43 Washington, D.C.
44
45

1 SAMHSA (Substance Abuse and Mental Health Services Administration), 2009, *National*
2 *Survey on Drug Use and Health, 2004, 2005 and 2006*, Office of Applied Studies,
3 U.S. Department of Health and Human Services. Available at [http://oas.samhsa.gov/](http://oas.samhsa.gov/substate2k8/StateFiles/TOC.htm#TopOfPage)
4 [substate2k8/StateFiles/TOC.htm#TopOfPage](http://oas.samhsa.gov/substate2k8/StateFiles/TOC.htm#TopOfPage).
5
6 Sanford, A.R., and K. Lin, 1998, *Strongest Earthquakes in New Mexico: 1860 to 1998*,
7 New Mexico Tech Geophysics Open File Report 87, June.
8
9 Sanford, A.R., et al., 2002, *Earthquake Catalogs for New Mexico and Bordering Areas:*
10 *1869–1998*, Circular 210, New Mexico Bureau of Geology and Mineral Resources.
11
12 Scholle, P.A., 2003, *Geologic Map of New Mexico (1:500,000)*, New Mexico Bureau of Geology
13 and Mineral Resources, published in cooperation with the U.S. Geological Survey.
14
15 Schroeder, A.H., 1979, “Pueblos Abandoned in Historic Times,” pp. 236–254 in *Handbook of*
16 *North American Indians, Vol. 9, Southwest*, A. Ortiz (editor), Smithsonian Institution,
17 Washington, D.C.
18
19 SES (Stirling Energy Systems) Solar Two, LLC, 2008, *Application for Certification*, submitted
20 to the Bureau of Land Management, El Centro, Calif., and the California Energy Commission,
21 Sacramento, Calif., June. Available at [http://www.energy.ca.gov/sitingcases/solartwo/](http://www.energy.ca.gov/sitingcases/solartwo/documents/applicant/afc/index.php)
22 [documents/applicant/afc/index.php](http://www.energy.ca.gov/sitingcases/solartwo/documents/applicant/afc/index.php). Accessed Oct. 1, 2008.
23
24 Smith, M.D., et al., 2001, “Growth, Decline, Stability and Disruption: A Longitudinal Analysis
25 of Social Well-Being in Four Western Communities,” *Rural Sociology* 66:425—450.
26
27 Stebbins, R.C., 2003, *A Field Guide to Western Reptiles and Amphibians*, Houghton Mifflin
28 Company, Boston, Mass.
29
30 Stoeser, D.B., et al., 2007, *Preliminary Integrated Geologic Map Databases for the United*
31 *States: Central States—Montana, Wyoming, Colorado, New Mexico, North Dakota, South*
32 *Dakota, Nebraska, Kansas, Oklahoma, Texas, Iowa, Missouri, Arkansas, and Louisiana,*
33 *Version 1.2*, U.S. Geological Survey Open File Report 2005-1351, updated Dec. 2007.
34
35 Stoffle, R.W., et al., 1990, *Native American Cultural Resource Studies at Yucca Mountain,*
36 *Nevada*, University of Michigan, Ann Arbor, Mich.
37
38 Stout, D., 2009, personal communication from Stout (U.S. Fish and Wildlife Service, Acting
39 Assistant Director for Fisheries and Habitat Conservation, Washington, D.C.) to L. Jorgensen
40 (Bureau of Land Management, Washington, D.C.) and L. Resseguie (Bureau of Land
41 Management Washington, D.C.), Sept. 14.
42
43 SunZia, 2010, *Welcome to the SunZia Southwest Transmission Project*. Available at
44 <http://www.sunzia.net>. Accessed Aug. 23, 2010.
45

1 TCEQ (Texas Commission on Environmental Quality), 2005, *Water Administration Overview—*
2 *New Mexico*, Oct. 12. Available at [http://www.tceq.state.tx.us/assets/public/compliance/R15_](http://www.tceq.state.tx.us/assets/public/compliance/R15_Harlingen/US-MX%20BGC%20Water%20table%20documents/US%20States/New%20Mexico/new_mexicomx_water_english_101205.doc)
3 [Harlingen/US-MX%20BGC%20Water%20table%20documents/US%20States/New%20Mexico/](http://www.tceq.state.tx.us/assets/public/compliance/R15_Harlingen/US-MX%20BGC%20Water%20table%20documents/US%20States/New%20Mexico/new_mexicomx_water_english_101205.doc)
4 [new_mexicomx_water_english_101205.doc](http://www.tceq.state.tx.us/assets/public/compliance/R15_Harlingen/US-MX%20BGC%20Water%20table%20documents/US%20States/New%20Mexico/new_mexicomx_water_english_101205.doc). Accessed July 25, 2010.
5
6 Texas Comptroller’s Office, 2009, *Texas County Population Projections: 2000 to 2030:*
7 *Total Population*. Available at [http://www.window.state.tx.us/ecodata/popdata/](http://www.window.state.tx.us/ecodata/popdata/cpacopop1990_2030.xls)
8 [cpacopop1990_2030.xls](http://www.window.state.tx.us/ecodata/popdata/cpacopop1990_2030.xls).
9
10 TSHAOnline, 2010, *Butterfield Overland Mail*. Available at [http://www.tshaonline.org/](http://www.tshaonline.org/handbook/online/articles/BB/egb1.html)
11 [handbook/online/articles/BB/egb1.html](http://www.tshaonline.org/handbook/online/articles/BB/egb1.html)). Accessed Aug. 30, 2010.
12
13 Tweedie, M.J., 1968, “Notes on the History and Adaptation of the Apache Tribes,” *American*
14 *Anthropologist* 70(6):1132–1142.
15
16 University of New Mexico, 2009, *Population Projections for New Mexico and Counties*, Bureau
17 of Business and Economic Research. Available at <http://bber.unm.edu/demo/table1.htm>.
18
19 UP (Union Pacific) Railroad, 2009, *Allowable Gross Weight Map*. Available at
20 http://www.uprr.com/aboutup/maps/attachments/allow_gross_full.pdf. Accessed March 4, 2010.
21
22 U.S. Bureau of the Census, 2009a, *County Business Patterns, 2008*, Washington, D.C. Available
23 at <http://www.census.gov/ftp/pub/epcd/cbp/view/cbpview.html>.
24
25 U.S. Bureau of the Census, 2009b, *GCT-T1. Population Estimates*. Available at
26 <http://factfinder.census.gov>.
27
28 U.S. Bureau of the Census, 2009c, “QT-P32. Income Distribution in 1999 of Households
29 and Families: 2000,” *Census 2000 Summary File (SF 3)—Sample Data*. Available at
30 <http://factfinder.census.gov>.
31
32 U.S. Bureau of the Census, 2009d, “S1901. Income in the Past 12 Months,” *2006–2008*
33 *American Community Survey 3-Year Estimates*. Available at <http://factfinder.census.gov>.
34
35 U.S. Bureau of the Census, 2009e, “GCT-PH1. GCT-PH1. Population, Housing Units, Area,
36 and Density: 2000,” *Census 2000 Summary File (SF 1)—100-Percent Data*. Available at
37 <http://factfinder.census.gov>.
38
39 U.S. Bureau of the Census, 2009f, *T1. Population Estimates*. Available at
40 <http://factfinder.census.gov>.
41
42 U.S. Bureau of the Census, 2009g, “GCT2510. Median Housing Value of Owner-Occupied
43 Housing Units (Dollars),” *2006–2008 American Community Survey 3-Year Estimates*. Available
44 at <http://factfinder.census.gov>.
45

1 U.S. Bureau of the Census, 2009h, “QT-H1. General Housing Characteristics, 2000,” *Census*
2 *2000 Summary File 1 (SF 1) 100-Percent Data*. Available at <http://factfinder.census.gov>.
3

4 U.S. Bureau of the Census, 2009i, *GCT-T9-R. Housing Units, 2008. Population Estimates*.
5 Available at <http://factfinder.census.gov>.
6

7 U.S. Bureau of the Census, 2009j, “S2504. Physical Housing Characteristics for Occupied
8 Housing Units,” *2006–2008 American Community Survey 3-Year Estimates*. Available at
9 <http://factfinder.census.gov>.
10

11 U.S. Bureau of the Census, 2009k, *Census 2000 Summary File 1 (SF 1) 100-Percent Data*.
12 Available at <http://factfinder.census.gov>.
13

14 U.S. Bureau of the Census, 2009l, *Census 2000 Summary File 3 (SF 3)—Sample Data*.
15 Available at <http://factfinder.census.gov>.
16

17 USDA (U.S. Department of Agriculture), 2004, *Understanding Soil Risks and Hazards—Using*
18 *Soil Survey to Identify Areas with Risks and Hazards to Human Life and Property*, G.B. Muckel
19 (editor).
20

21 USDA, 2008, *Jornada Experimental Range*. Available at [http://www.ars.usda.gov/main/](http://www.ars.usda.gov/main/site_main.htm?modecode=62-35-15-00)
22 [site_main.htm?modecode=62-35-15-00](http://www.ars.usda.gov/main/site_main.htm?modecode=62-35-15-00). Accessed Aug. 17, 2010.
23

24 USDA, 2009a, *2007 Census of Agriculture: New Mexico State and County Data, Vol. 1,*
25 *Geographic Area Series*, National Agricultural Statistics Service, Washington, D.C. Available at
26 [http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/New_Mexico/index.asp)
27 [Level/New Mexico/index.asp](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/New_Mexico/index.asp).
28

29 USDA, 2009b, *2007 Census of Agriculture: Texas State and County Data, Vol. 1, Geographic*
30 *Area Series*, National Agricultural Statistics Service, Washington, D.C. Available at
31 [http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/Texas/index.asp)
32 [Level/Texas/index.asp](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/Texas/index.asp).
33

34 USDA, 2010, *Natural Resources Conservation Service, Plants Database*. Available at
35 <http://plants.usda.gov>. Accessed June 23, 2010.
36

37 U.S. Department of Commerce, 2009, *Local Area Personal Income*, Bureau of Economic
38 Analysis. Available at <http://www.bea.doc.gov/bea/regional/reis>.
39

40 U.S. Department of the Interior, 2010, *Native American Consultation Database*, National
41 NAGPRA Online Databases, National Park Service. Available at [http://grants.cr.nps.gov/](http://grants.cr.nps.gov/nacd/index.cfm)
42 [nacd/index.cfm](http://grants.cr.nps.gov/nacd/index.cfm).
43

44 U.S. Department of Justice, 2009a, “Table 8: Offences Known to Law Enforcement, by State and
45 City,” *2008 Crime in the United States*, Federal Bureau of Investigation, Criminal Justice
46 Information Services Division. Available at http://www.fbi.gov/ucr/cius2008/data/table_08.html.
47

1 U.S. Department of Justice, 2009b, “Table 10: Offences Known to Law Enforcement, by State
2 and by Metropolitan and Non-metropolitan Counties,” *2008 Crime in the United States*, Federal
3 Bureau of Investigation, Criminal Justice Information Services Division. Available at
4 http://www.fbi.gov/ucr/cius2008/data/table_10.html.
5

6 U.S. Department of Justice, 2009c, *Crime in the United States: 2007*, Federal Bureau of
7 Investigation. Available at http://www.fbi.gov/ucr/cius2006/about/table_title.html.
8

9 U.S. Department of Labor, 2009a, *Local Area Unemployment Statistics: States and Selected
10 Areas: Employment status of the Civilian Noninstitutional Population, 1976 to 2007*, Annual
11 Averages, Bureau of Labor Statistics. Available at <http://www.bls.gov/lau/staadata.txt>.
12

13 U.S. Department of Labor, 2009b, *Local Area Unemployment Statistics: Unemployment Rates
14 for States*, Bureau of Labor Statistics. Available at <http://www.bls.gov/web/laumstrk.htm>.
15

16 U.S. Department of Labor, 2009c, *Local Area Unemployment Statistics: County Data*, Bureau of
17 Labor Statistics. Available at <http://www.bls.gov/lau>.
18

19 USFS (U.S. Forest Service), 2007, *Wild Horse and Burro Territories*, U.S. Forest Service,
20 Rangelands, Washington, D.C. Available at [http://www.fs.fed.us/rangelands/ecology/
21 wildhorseburro/territories/index.shtml](http://www.fs.fed.us/rangelands/ecology/wildhorseburro/territories/index.shtml). Accessed Oct. 20, 2009.
22

23 USFWS (U.S. Fish and Wildlife Service), 2002, *Environmental Assessment Mountain Lion
24 Management to Protect the State Endangered Desert Bighorn Sheep*, Sept. Available at
25 [http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/Final%20Lion%20EA%
26 20902.pdf](http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/Final%20Lion%20EA%20902.pdf). Accessed Aug. 18, 2010.
27

28 USFWS, 2007, *Environmental Assessment Opening of Hunting for San Andres National Wildlife
29 Refuge*, Feb. Available at [http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/
30 ENVIRONMENTALASSESSMENT.pdf](http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/ENVIRONMENTALASSESSMENT.pdf). Accessed Aug. 18, 2010.
31

32 USFWS, 2009, *National Wetland Inventory*, U.S. Department of the Interior, Washington, D.C.
33 Available at <http://www.fws.gov/wetlands>.
34

35 USFWS, 2010, *Environmental Conservation Online System (ECOS)*, U.S. Fish and Wildlife
36 Service. Available at <http://www.fws.gov/ecos/ajax/ecos/indexPublic.do>. Accessed
37 May 28, 2010.
38

39 USGS (U.S. Geological Survey), 1978a, *Black Mesa Quadrangle, New Mexico*, map 1:24,000,
40 7.5 Minute Series, U.S. Department of the Interior, Reston, Va.
41

42 USGS, 1978b, *Afton NW Quadrangle, New Mexico*, map 1:24,000, 7.5 Minute Series,
43 U.S. Department of the Interior, Reston, Va.
44

45 USGS, 1982, *Las Cruces, New Mexico–Texas*, map, 1:100,000, 30 × 60 Minute Quadrangle,
46 U.S. Department of the Interior, Reston, Va.
47

1 USGS, 2004, *National Gap Analysis Program, Provisional Digital Land Cover Map for the*
2 *Southwestern United States*, Ver. 1.0, RS/GIS Laboratory, College of Natural Resources, Utah
3 State University. Available at <http://earth.gis.usu.edu/swgap/landcover.html>. Accessed
4 March 15 2010.
5
6 USGS, 2005a, *National Gap Analysis Program, Southwest Regional GAP Analysis Project—*
7 *Land Cover Descriptions*. RS/GIS Laboratory, College of Natural Resources, Utah State
8 University. Available at http://earth.gis.usu.edu/swgap/legend_desc.html. Accessed
9 March 15, 2010.
10
11 USGS, 2005b, *Southwest Regional GAP Analysis Project*, US Geological Survey National
12 Biological Information Infrastructure. Available at [http://fws-nmcfwru.nmsu.edu/swregap/](http://fws-nmcfwru.nmsu.edu/swregap/habitatreview/Review.asp)
13 [habitatreview/Review.asp](http://fws-nmcfwru.nmsu.edu/swregap/habitatreview/Review.asp).
14
15 USGS, 2007, *National Gap Analysis Program, Digital Animal-Habitat Models for the*
16 *Southwestern United States*, Ver. 1.0, Center for Applied Spatial Ecology, New Mexico
17 Cooperative Fish and Wildlife Research Unit, New Mexico State University. Available at
18 <http://fws-nmcfwru.nmsu.edu/swregap/HabitatModels/default.htm>. Accessed March 15, 2010.
19
20 USGS, 2008, *National Seismic Hazard Maps—Peak Horizontal Acceleration (%g) with 10%*
21 *Probability of Exceedance in 50 Years (Interactive Map)*. Available at [http://gldims.cr.usgs.gov/](http://gldims.cr.usgs.gov/nshmp2008/viewer.htm)
22 [nshmp2008/viewer.htm](http://gldims.cr.usgs.gov/nshmp2008/viewer.htm). Accessed Aug. 2010.
23
24 USGS, 2010a, *National Biological Information Infrastructure, Gap Analysis Program (GAP),*
25 *National Land Cover, South Central Dataset*. Available at [http://www.gap.uidaho.edu/Portal/](http://www.gap.uidaho.edu/Portal/DataDownload.html)
26 [DataDownload.html](http://www.gap.uidaho.edu/Portal/DataDownload.html). Accessed Aug. 17, 2010.
27
28 USGS, 2010b, *Texas Vertebrate Habitat Suitability Maps, Gap Analysis Program*. Available at
29 <http://www.gap.uidaho.edu/projects/FTP.htm>. Accessed Aug. 17, 2010.
30
31 USGS, 2010c, *Monitoring Network of the Ground-Water Flow System and Stream-Aquifer*
32 *Relations in the Mesilla Basin, Dona Ana County, New Mexico and El Paso County, Texas*.
33 Available at <http://nm.water.usgs.gov/projects/mesilla>. Accessed Aug. 30, 2010.
34
35 USGS, 2010d, *Water Resources of the United States—Hydrologic Unit Maps*. Available at
36 <http://water.usgs.gov/GIS/huc.html>. Accessed April 12, 2010.
37
38 USGS, 2010e, *National Water Information System*. Available at [http://wdr.water.usgs.gov/](http://wdr.water.usgs.gov/nwisgmap)
39 [nwisgmap](http://wdr.water.usgs.gov/nwisgmap). Accessed Aug. 16, 2010.
40
41 USGS, 2010f, *National Earthquake Information Center (NEIC)—Circular Area Database*
42 *Search (within 100-km of the center of the proposed Afton SEZ)*. Available at [http://earthquake.](http://earthquake.usgs.gov/earthquakes/eqarchives/epic/epic_circ.php)
43 [usgs.gov/earthquakes/eqarchives/epic/epic_circ.php](http://earthquake.usgs.gov/earthquakes/eqarchives/epic/epic_circ.php). Accessed Aug. 2010.
44
45 USGS, 2010g, *Glossary of Terms on Earthquake Maps—Magnitude*. Available at
46 <http://earthquake.usgs.gov/earthquakes/glossary.php#magnitude>. Accessed Aug. 8, 2010.
47

1 USGS and NMBMMR (U.S. Geological Survey and New Mexico Bureau of Mines and Mineral
2 Resources), 2010, *Quaternary Fault and Fold Database for the United States*. Available at
3 <http://earthquake.usgs.gov/regional/qfaults>. Accessed Aug. 2010.
4

5 Witcher, J.C., et al., 2004, *Sources of Salinity in the Rio Grande and Mesilla Basin*
6 *Groundwater, New Mexico*, WRI Technical Completion Report No. 330, Water Resources
7 Research Institute. Available at <http://wri.nmsu.edu/publish/techrpt/tr330/downl.html>. Accessed
8 July 2010.
9

10 Wolf, J.A., and J.N. Gardner, 1995, "Is the Valles Caldera Entering a New Cycle of Activity?,"
11 *Geology*, Vol. 23, No. 5.
12

13 WRAP (Western Regional Air Partnership), 2009, *Emissions Data Management System*
14 *(EDMS)*. Available at <http://www.wrapeds.org/default.aspx>. Accessed June 4, 2009.
15

16 WRCC (Western Regional Climate Center), 2010a, *Monthly Climate Summary, Afton 6NE,*
17 *290125*. Available at: <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?nm0125>. Accessed
18 Aug. 6, 2010.
19

20 WRCC, 2010b, *Monthly Climate Summary, Las Cruces, 294799*. Available at
21 <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?nm4799>. Accessed Aug. 6, 2010.
22

23 WRCC, 2010c, *Average Pan Evaporation Data by State*. Available at [http://www.wrcc.dri.edu/](http://www.wrcc.dri.edu/htmlfiles/westevap.final.html)
24 [htmlfiles/westevap.final.html](http://www.wrcc.dri.edu/htmlfiles/westevap.final.html). Accessed Jan. 19, 2010.
25

26 WRCC, 2010d, *Western U.S. Climate Historical Summaries*. Available at
27 <http://www.wrcc.dri.edu/Climsum.html>. Accessed Aug. 13, 2010.
28

29 WSMR (White Sands Missile Range), 1998, *Final White Sands Missile Range Range-wide*
30 *Environmental Impact Statement*, White Sands Missile Range, N.M., Jan.
31

32 WSMR, 2009, *Draft Environmental Impact Statement for Development and Implementation of*
33 *Range-Wide Mission and Major Capabilities at White Sands Missile Range, New Mexico*, Feb.
34 Available at http://aec.army.mil/usaec/nepa/wsmrdeis_feb09.pdf. Accessed Aug. 17, 2010.
35

1 **12.2 MASON DRAW**

2
3
4 **12.2.1 Background and Summary of Impacts**

5
6
7 **12.2.1.1 General Information**

8
9 The proposed Mason Draw SEZ is located in Dona Ana County in southern New Mexico,
10 33 mi (53 km) north of the border with Mexico, and 3 mi (5 km) northwest of the proposed
11 Afton SEZ (Figure 12.2.1.1-1). The SEZ has a total area of 12,909 acres (52 km²). In 2008, the
12 county population was 206,486. The towns of Dona Ana, Las Cruces, Mesilla, Picacho, and
13 University Park are all beyond 12 mi (19 km) from the SEZ. Las Cruces is the largest, with a
14 population of approximately 90,000.


15
16 The nearest major road access to the SEZ is via I-10, which runs east–west along
17 the southern border. The BNSF railroad runs east of the SEZ; the closest railroad stop is in
18 Las Cruces, about 20 mi (32 km) to the east. The nearest public airport is Las Cruces
19 International Airport, located 9 mi (14 km) to the east of the SEZ. The airport does not have
20 regularly scheduled passenger service. El Paso International Airport is approximately 70 mi
21 (113 km) to the southeast of the SEZ

22
23 A 115-kV transmission line passes through the SEZ. It is assumed that this existing
24 transmission line could potentially provide access from the SEZ to the transmission grid
25 (see Section 12.2.1.1.2).

26
27 As of March 2010, there were no ROW applications for solar projects within the SEZ;
28 however, there was one ROW application for a solar project and one ROW application for a
29 wind project within 50 mi (80 km) of the SEZ. These applications are discussed in Section
30 12.2.22.2.1.

31
32 The proposed Mason Draw SEZ is in an undeveloped rural area. The SEZ is located in
33 the West Mesa of the Mesilla Basin, bordered on the north and west by the Sierra de Las Uvas;
34 on the east by the Rough and Ready Hills, Sleeping Lady Hills, and Aden Hills; and is open to
35 the south. Land within the SEZ is undeveloped scrubland, characteristic of a semiarid basin.

36
37 The proposed Mason Draw SEZ and other relevant information are shown in
38 Figure 12.2.1.1-1. The criteria used to identify the SEZ as an appropriate location for solar
39 energy development included proximity to existing transmission lines or designated corridors,
40 proximity to existing roads, a slope of generally less than 2%, and an area of more than
41 2,500 acres (10 km²). In addition, the area was identified as being relatively free of other types
42 of conflicts, such as USFWS-designated critical habitat for threatened and endangered species,
43 ACECs, SRMAs, and NLCS lands (see Section 2.2.2.2 for the complete list of exclusions).
44 Although these classes of restricted lands were excluded from the proposed Mason Draw SEZ,
45 other restrictions might be appropriate. The analyses in the following sections evaluate the
46 affected environment and potential impacts associated with utility-scale solar energy



1

2 **FIGURE 12.2.1.1-1 Proposed Mason Draw SEZ**

1 development in the proposed SEZ for important environmental, cultural, and socioeconomic
2 resources.

3
4 As initially announced in the *Federal Register* on June 30, 2009, the proposed Mason
5 Draw SEZ encompassed 17,802 acres (72 km²). Subsequent to the study area scoping period, the
6 boundaries of the proposed Mason Draw SEZ were altered substantially to avoid potentially
7 valuable habitat areas for Aplomado falcon and grasslands. The revised SEZ is approximately
8 4,893 acres (20 km²) smaller than the original SEZ as published in June 2009.

11 **12.2.1.2 Development Assumptions for the Impact Analysis**

12
13 Maximum solar development of the Mason Draw SEZ is assumed to be 80% of the SEZ
14 area over a period of 20 years; a maximum of 10,327 acres (42 km²). These values are shown in
15 Table 12.2.1.2-1, along with other development assumptions. Full development of the Mason
16 Draw SEZ would allow development of facilities with an estimated total of 1,147 MW of
17 electrical power capacity if power tower, dish engine, or PV technologies were used, assuming
18 9 acres/MW (0.04 km²/MW) of land required, and an estimated 2,065 MW of power, if solar
19 trough technologies were used, assuming 5 acres/MW (0.02 km²/MW) of land required.

20
21 Availability of transmission from SEZs to load centers will be an important consideration
22 for future development in SEZs. The nearest existing transmission line is a 115-kV line that runs
23 through the SEZ. It is possible that this existing line could be used to provide access from the
24 SEZ to the transmission grid, but the 115-kV capacity of that line would be inadequate for
25 1,147 to 2,065 MW of new capacity (note that a 500-kV line can accommodate approximately
26 the load of one 700-MW facility). At full build-out capacity, substantial new transmission lines
27 and/or upgrades of existing transmission lines would be required to bring electricity from the
28 proposed Mason Draw SEZ to load centers; however, at this time the location and size of such
29 new transmission facilities are unknown. Generic impacts of transmission and associated
30 infrastructure construction and of line upgrades for various resources are discussed in Chapter 5.
31 Project-specific analyses would need to identify the specific impacts of new transmission
32 construction and line upgrades for any projects proposed within the SEZ.

33
34 For the purposes of analysis in this PEIS, it was assumed that the existing 115-kV
35 transmission line that runs through the proposed SEZ could provide initial access to the
36 transmission grid, and thus no additional acreage for transmission line access was assessed.
37 Access to the existing transmission line was assumed, without additional information on whether
38 this line would be available for connection of future solar facilities. If a connecting transmission
39 line were constructed in the future to connect facilities within the SEZ to a different off-site grid
40 location from the one assumed here, site developers would need to determine the impacts from
41 construction and operation of that line. In addition, developers would need to determine the
42 impacts of line upgrades if they are needed.

43
44 Existing road access to the proposed Mason Draw SEZ should be adequate to support
45 construction and operation of solar facilities, because I-10 runs from east to west along the

TABLE 12.2.1.2-1 Proposed Mason Draw SEZ—Assumed Development Acreages, Solar MW Output, Access Roads, and Transmission Line ROWs

Total Acreage and Assumed Developed Acreage (80% of Total)	Assumed Maximum SEZ Output for Various Solar Technologies	Distance to Nearest State, U.S., or Interstate Highway	Distance and Capacity of Nearest Existing Transmission Line	Assumed Area of Transmission Line ROW and Road ROW	Distance to Nearest Designated Corridor ^d
12,909 acres and 10,327 acres ^a	1,147 MW ^b and 2,065 MW ^c	I-10 0 mi ^d	0 mi and 115 kV	0 acres; 0 acres	25 mi ^e

^a To convert acres to km², multiply by 0.004047.

^b Maximum power output if the SEZ were fully developed using power tower, dish engine, or PV technologies, assuming 9 acres/MW (0.04 km²/MW) of land required.

^c Maximum power output if the SEZ were fully developed using solar trough technologies, assuming 5 acres/MW (0.02 km²/MW) of land required.

^d BLM-designated corridors are developed for federal land use planning purposes only and are not applicable to state-owned or privately owned land.

^e To convert mi to km, multiply by 1.609.

southern border of the SEZ. Thus, no additional road construction outside of the SEZ was assumed to be required to support solar development.

12.2.1.3 Summary of Major Impacts and SEZ-Specific Design Features

In this section, the impacts and SEZ-specific design features assessed in Sections 12.2.2 through 12.2.21 for the proposed Mason Draw SEZ are summarized in tabular form.

Table 12.2.1.3-1 is a comprehensive list of impacts discussed in these sections; the reader may reference the applicable sections for detailed support of the impact assessment. Section 12.2.22 discusses potential cumulative impacts from solar energy development in the proposed SEZ.

Only those design features specific to the proposed Mason Draw SEZ are included in Sections 12.2.2 through 12.2.21 and in the summary table. The detailed programmatic design features for each resource area to be required under BLM’s Solar Energy Program are presented in Appendix A, Section A.2.2. These programmatic design features would also be required for development in this and other SEZs.

TABLE 12.2.1.3-1 Summary of Impacts of Solar Energy Development within the Proposed Mason Draw SEZ and SEZ-Specific Design Features^a

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Lands and Realty	Full development of the SEZ could disturb up to 10,327 acres (42 km ²). Development of the SEZ for utility-scale solar energy production would establish a very large industrial area that would exclude many existing and potential uses of the land, perhaps in perpetuity. Utility-scale solar energy development would be a new and discordant land use in the area.	None.
Specially Designated Areas and Lands with Wilderness Characteristics	<p>The historic setting of the route of the Butterfield Trail would be adversely affected by construction of solar facilities in the SEZ and would be difficult to mitigate.</p> <p>There would be minor adverse impacts on scenic and recreation resources in the Prehistoric Trackways National Monument and the Robledo Mountains WSA and ACEC.</p>	<p>The historic setting of the route of the Butterfield Trail could be adversely affected by construction of solar facilities in the SEZ and would be difficult to mitigate. Pending the outcome of the study of the significance of the trail, restrictions on solar facility development in the SEZ that might affect trail resources should be put in place.</p> <p>Consideration should be given to restricting the height of solar facilities in portions of the SEZ to minimize impacts on the Prehistoric Trackways National Monument and the Robledo Mountains WSA and ACEC.</p>
Rangeland Resources: Livestock Grazing	The grazing permits for the Corralitos Ranch allotment would be reduced and a maximum of 970 AUMs would be lost.	Developing range improvements and/or changing existing grazing management to mitigate the loss of AUMs in the Corralitos allotment should be considered.
Rangeland Resources: Wild Horses and Burros	None.	None.

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Recreation	Areas developed for solar energy production would be closed to recreational use resulting in lost opportunities for back country driving, hiking/walking, bird-watching, and hunting.	None.
Military and Civilian Aviation	<i>Military aviation facilities:</i> Any structures in the SEZ taller than 100 ft (30 m) would adversely affect the use of military airspace.	None.
	<i>Civilian aviation facilities</i>	None.
Geologic Setting and Soil Resources	Impacts on soil resources would occur mainly as a result of ground-disturbing activities (e.g., grading, excavating, and drilling), especially during the construction phase. Impacts include soil compaction, soil horizon mixing, soil erosion and deposition by wind, soil erosion by water and surface runoff, sedimentation, and soil contamination. These impacts may be impacting factors for other resources (e.g., air quality, water quality, and vegetation).	None.
Minerals (fluids, solids, and geothermal resources)	None.	None.
Water Resources	Ground-disturbing activities (affecting 46% of the total area in the peak construction year) could affect surface water quality due to surface runoff, sediment erosion, and contaminant spills.	Water resource analysis indicates that wet-cooling options would not be feasible; other technologies should incorporate water conservation measures.
	Construction activities may require up to 3,581 ac-ft (4.4 million m ³) of water during the peak construction year.	Land disturbance activities should minimize impacts on ephemeral streams within the proposed SEZ.
	Construction activities would generate as high as 148 ac-ft (182,600 m ³) of sanitary wastewater.	

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Water Resources (Cont.)	<p>Assuming full development of the SEZ, operations would use the following amounts of water:</p> <ul style="list-style-type: none"> • For parabolic trough facilities (2,065-MW capacity), 1,475 to 3,127 ac-ft/yr (1.8 million to 3.9 million m³/yr) for dry-cooled systems; 10,365 to 31,011 ac-ft/yr (12.8 million to 38.3 million m³/yr) for wet-cooled systems. • For power tower facilities (1,147-MW capacity), 816 to 1,734 ac-ft/yr (1 million to 2.1 million m³/yr) for dry-cooled systems; 5,751 to 17,225 ac-ft/yr (7.1 million to 21.2 million m³/yr) for wet-cooled systems. • For dish engine facilities (1,147-MW capacity), 587 ac-ft/yr (724,000 m³/yr). • For PV facilities (1,147-MW capacity), 58 ac-ft/yr (71,500 m³/yr). <p>Assuming full development of the SEZ, operations would generate up to 29 ac-ft/yr (35,800 m³/yr) of sanitary wastewater, and as much as 587 ac-ft/yr (724,000 m³/yr) of blowdown water.</p>	<p>Siting of solar facilities and construction activities should avoid areas that are identified as within a 100-year floodplain of Kimble Draw that total 325 acres (1.3 km²) within the proposed SEZ.</p> <p>Groundwater management/rights should be coordinated with the NMOSE with respect to the Rio Mimbres AWRM priority basin.</p> <p>Groundwater monitoring and production wells should be constructed in accordance with state standards.</p> <p>Stormwater management BMPs should be implemented according to the guidance provided by the New Mexico Environment Department.</p> <p>Water for potable uses would have to meet or be treated to meet water quality standards as defined by the EPA.</p>
Vegetation ^b	<p>Approximately 80% of the SEZ (62,098 acres) would be cleared of vegetation with full development of the SEZ; dune habitats would likely be affected; re-establishment of plant communities in disturbed areas would likely be very difficult because of the arid conditions.</p> <p>Indirect effects outside the SEZ boundaries would have the potential to degrade affected plant communities and may reduce biodiversity by promoting the decline or elimination of species sensitive to disturbance.</p>	<p>An Integrated Vegetation Management Plan, addressing invasive species control, and an Ecological Resources Mitigation and Monitoring Plan, addressing habitat restoration, should be approved and implemented to increase the potential for successful restoration of desert scrub, dune, steppe, riparian, playa, and grassland communities, and to minimize the potential for the spread of invasive species. Invasive species control should focus on biological and</p>

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Vegetation (Cont.)	<p>Noxious weeds could become established in disturbed areas and colonize adjacent undisturbed habitats, thus reducing restoration success and potentially resulting in widespread habitat degradation.</p> <p>Grading could result in direct impacts on the wetlands within the SEZ and could potentially alter wetland plant communities and affect wetland function. In addition, project-related reductions in groundwater elevations could alter groundwater-dependent plant communities. Grading could affect dry wash and riparian communities within the SEZ. Alteration of surface drainage patterns or hydrology could adversely affect downstream communities.</p>	<p>mechanical methods where possible, to reduce the use of herbicides.</p> <p>All wetland, dry wash, dry wash woodland, riparian, playa, succulent, and dune communities within the SEZ should be avoided to the extent practicable, and any impacts should be minimized and mitigated. Any yucca, agave, ocotillo, and cacti (including <i>Opuntia</i> spp. <i>Cylindropuntia</i> spp. and <i>Echinocactus</i> spp.) and other succulent plant species that cannot be avoided should be salvaged. A buffer area should be maintained around wetland, dry wash, dry wash woodland, playa, and riparian habitats to reduce the potential for impacts.</p> <p>Appropriate engineering controls should be used to minimize impacts on wetland, dry wash, dry wash woodland, playa, and riparian habitats, including downstream occurrences, resulting from surface water runoff, erosion, sedimentation, altered hydrology, accidental spills, or fugitive dust deposition to these habitats. Appropriate buffers and engineering controls would be determined through agency consultation.</p> <p>Groundwater withdrawals should be limited to reduce the potential for indirect impacts on groundwater-dependent communities, such as mesquite communities. Potential impacts to springs should be determined through hydrological studies.</p>
Wildlife: Amphibians and Reptiles ^b	Direct impacts on representative amphibian and reptile species from SEZ development would be small (i.e., loss of ≤1% of potentially suitable habitat for each species).	Wash, riparian, and rock outcrop habitats, which could provide more unique habitats for some amphibian and reptile species, should be avoided.

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Wildlife: Birds ^b	<p>Direct impacts on representative bird species from SEZ development would be small (i.e., loss of $\leq 1\%$ of potentially suitable habitats for each species).</p> <p>Other impacts on birds could result from collision with vehicles and infrastructure (e.g., buildings and fences), surface water and sediment runoff from disturbed areas, fugitive dust generated by project activities, noise, lighting, spread of invasive species, accidental spills, and harassment.</p>	<p>The requirements contained within the 2010 Memorandum of Understanding between the BLM and USFWS to promote the conservation of migratory birds will be followed.</p> <p>Take of golden eagles and other raptors should be avoided. Mitigation regarding the golden eagle should be developed in consultation with the USFWS and the NMDGF. A permit may be required under the Bald and Golden Eagle Protection Act.</p> <p>Wash and riparian habitats, which could provide more unique habitats for some bird species, should be avoided.</p>
Wildlife: Mammals ^b	<p>Direct impacts on representative mammal species from SEZ development would be small (i.e., loss of $\leq 1\%$ of potentially suitable habitats for each species).</p> <p>Other impacts on mammals could result from collision with vehicles and infrastructure (e.g., fences), surface water and sediment runoff from disturbed areas, fugitive dust generated by project activities, noise, lighting, spread of invasive species, accidental spills, and harassment.</p>	<p>The fencing around the solar energy development should not block the free movement of mammals, particularly big game species.</p> <p>Wash and riparian habitats, which could provide more unique habitats for some mammal species, should be avoided.</p>
Aquatic Biota	<p>No intermittent or perennial streams or water bodies are present within the area of direct or indirect effects associated with the Mason Draw SEZ. Intermittent or ephemeral wetlands are present, but are typically dry and not expected to contain aquatic habitat or biota. Therefore, no direct or indirect impacts on aquatic habitat or biota are expected to result from solar development activities.</p> <p>There is the potential that groundwater withdrawals could reduce surface water levels in streams and wetlands outside of the proposed SEZ.</p>	<p>Appropriate engineering controls should be implemented to minimize the amount of ground disturbance, contaminants, runoff and fugitive dust near wetlands located within the SEZ.</p>

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Special Status Species ^b	Potentially suitable habitat for 29 special status species occurs in the affected area of the Mason Draw SEZ. For all of these special status species, less than 1% of the potentially suitable habitat in the region occurs in the area of direct effects.	<p>Pre-disturbance surveys should be conducted within the area of direct effects to determine the presence and abundance of special status species. Disturbance to occupied habitats for these species should be avoided or minimized to the extent practicable. If avoiding or minimizing impacts to occupied habitats is not possible for some species, translocation of individuals from areas of direct effects; or compensatory mitigation of direct effects on occupied habitats could reduce impacts. A comprehensive mitigation strategy for special status species that used one or more of these options to offset the impacts of development should be developed in coordination with the appropriate federal and state agencies.</p> <p>Consultations with the USFWS and NMDGF should be conducted to address the potential for impacts on the following species currently listed as threatened or endangered under the ESA: Sneed’s pincushion cactus and northern aplomado falcon. Consultation would identify an appropriate survey protocol, avoidance and minimization measures, and, if appropriate, reasonable and prudent alternatives, reasonable and prudent measures, and terms and conditions for incidental take statements (if necessary).</p> <p>Avoiding or minimizing disturbance to desert grasslands, sand dune habitat, and sand transport systems on the SEZ could reduce or eliminate impacts to seven special status species.</p>

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Special Status Species ^b (Cont.)		Harassment or disturbance of special status species and their habitats in the affected area should be mitigated. This can be accomplished by identifying any additional sensitive areas and implementing necessary protection measures based upon consultation with the USFWS and NMDFG.
Air Quality and Climate	<p><i>Construction:</i> Temporary exceedances of AAQS for 24-hour and annual PM₁₀ and PM_{2.5} concentration levels at the SEZ boundaries and in the immediate surrounding areas during the construction of solar facilities. These concentrations would decrease quickly with distance. Modeling indicates that emissions from construction activities are not anticipated to exceed Class I PSD PM₁₀ increments at the nearest federal Class I area (Gila WA). In addition, construction emissions from the engine exhaust of heavy equipment and vehicles could affect AQRVs (e.g., visibility and acid deposition) at nearby federal Class I areas.</p> <p><i>Operations:</i> Positive impact due to avoided emissions of air pollutants from combustion-related power generation: 5.9 to 11% of total emissions of SO₂, NO_x, Hg, and CO₂ from electric power systems in the state of New Mexico avoided (up to 3,247 tons/yr SO₂, 8,080 tons/yr NO_x, 0.12 ton/yr Hg, and 3,601,000 tons/yr CO₂).</p>	None.
Visual Resources	<p>The SEZ is in an area of low scenic quality, with cultural disturbances already present. Residents, workers, and visitors to the area may experience visual impacts from solar energy facilities located within the SEZ (as well as any associated access roads and transmission lines) as they travel area roads.</p> <p>There would be large visual impacts on the SEZ and surrounding lands within the SEZ viewshed due to major modification of the character of the existing landscape.</p>	None.

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Visual Resources (Cont.)	<p>The SEZ is located 2.4 mi (3.9 km) from Aden Hills SRMA. Because of the open views of the SEZ, moderate to strong visual contrasts could be observed by SRMA visitors.</p> <p>Approximately 17 mi (27 km) of the Butterfield Trail are within the SEZ viewshed. Strong visual contrast would be expected for some viewpoints on the Trail.</p> <p>Approximately 53 mi (85 km) of I-10 are within the SEZ viewshed. Because of the close proximity of I-10 to the SEZ on West Mesa, strong visual contrasts would be expected for some viewpoints on I-10.</p> <p>Approximately 23 mi (37 km) of I-25 are within the SEZ viewshed. Because of the open views of the SEZ along the rim of West Mesa, and the elevated position of the SEZ with respect to the Mesilla Valley, strong visual contrast would be expected for some viewpoints on I-25.</p> <p>Approximately 52 mi (83 km) of U.S. 70 are within the SEZ viewshed. Because of the close proximity of U.S. 70 to the SEZ on West Mesa where it shares the route with I-10, strong visual contrasts would be expected for some viewpoints on the U.S. 70, where it shares the route with I-10.</p>	None.
Acoustic Environment	<p><i>Construction:</i> For construction of a solar facility located near the eastern SEZ boundary, estimated noise levels at the nearest residences located about 3.1 mi (5.0 km) from the SEZ boundary would be about 29 dBA, which is well below the typical daytime mean rural background level of 40 dBA. In addition, an estimated 40 dBA L_{dn} at these residences (i.e., no contribution from construction activities) is well below the EPA guidance of 55 dBA L_{dn} for residential areas.</p>	None.

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Acoustic Environment (Cont.)	<p><i>Operations:</i> For operation of a parabolic trough or power tower facility located near the eastern SEZ boundary, the predicted noise level would be about 32 dBA at the nearest residences, which is below the typical daytime mean rural background level of 40 dBA. If the operation were limited to daytime, 12 hours only, a noise level of about 40 dBA L_{dn} (i.e., no contribution from facility operation) would be estimated for the nearest residences, which is well below the EPA guideline of 55 dBA L_{dn} for residential areas. However, in the case of 6-hour TES, the estimated nighttime noise level at the nearest residences would be 42 dBA, which is higher than the typical nighttime mean rural background level of 30 dBA. The day-night average noise level is estimated to be about 45 dBA L_{dn}, which is still well below the EPA guideline of 55 dBA L_{dn} for residential areas.</p> <p>If 80% of the SEZ were developed with dish engine facilities, the estimated noise level at the nearest residences would be about 43 dBA, which is a little higher than the typical daytime mean rural background level of 40 dBA. On the basis of 12-hour daytime operation, the estimated 43 dBA L_{dn} at these residences would be well below the EPA guideline of 55 dBA L_{dn} for residential areas.</p>	
Paleontological Resources	The potential for impacts on significant paleontological resources in the proposed Mason Draw SEZ is relatively unknown but could be high. A paleontological survey will be needed for the PFYC Class 4/5 areas.	The need for and the nature of any SEZ-specific design features would depend on the results of future paleontological investigations.
Cultural Resources	Direct impacts on significant cultural resources could occur in the proposed Mason Draw SEZ, especially in dune areas; however, further investigation is needed. A cultural resources survey of the entire area of potential effects of any project proposed would first need to be conducted to identify archaeological sites, historic structures and features, and traditional cultural properties. An evaluation would need to follow to determine whether any are eligible for listing in the NRHP.	SEZ-specific design features would be determined during consultations with the New Mexico SHPO and affected Tribes and would depend on the results of future investigations. Coordination with trails associations and historical societies regarding impacts on El Camino Real de Tierra Adentro, the Butterfield Trail, and Mesilla Plaza, as well as other NRHP-listed properties, is also recommended.

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Cultural Resources (Cont.)	Visual impacts on two trail systems, including a National Historic Trail, would occur. The trails would need to be evaluated for high-potential segments to determine the level of impact.	
Native American Concerns	The proposed Mason Draw SEZ falls primarily within the traditional use area of the Chiricahua Apache and elements of the Pueblo of Ysleta del Sur. The SEZ supports plants and habitats of animals traditionally important to these Tribes; however, these plants and habitats are abundant in surrounding areas. The nearby Potrillo Mountains provided home bases for some Chiricahua groups. Views from these mountains may be of cultural importance. The Pueblo of Ysleta del Sur has expressed a wish to be informed if human burial sites or other NAGPRA objects are encountered during development of the SEZ.	The need for and nature of SEZ-specific design features would be determined during government-to-government consultation with the affected Tribes.
Socioeconomics	<p><i>Livestock grazing:</i> Construction and operation of solar facilities could decrease the amount of land available for livestock grazing in the SEZ, resulting in the loss of less than 1 job and less than \$0.1 million in income in the ROI.</p> <p><i>Construction:</i> 806 to 10,676 total jobs; \$44.4 million to \$588.2 million income in ROI for construction of solar facilities in the SEZ.</p> <p><i>Operations:</i> 32 to 754 annual total jobs; \$1.0 million to \$25.9 million annual income in the ROI.</p>	None.
Environmental Justice	There are minority populations, as defined by CEQ guidelines, within the 50-mi (80-km) radius around the boundary of the SEZ. Therefore, any adverse impacts of solar projects, although likely to be small, could disproportionately affect minority populations.	None.

TABLE 12.2.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Mason Draw SEZ	SEZ-Specific Design Features
Transportation	<p>The primary transportation impacts are anticipated to result from commuting worker traffic. I-10 provides a regional traffic corridor that would experience small impacts for single projects that may have up to 1,000 workers each day, with an additional 2,000 vehicle trips per day (maximum). Such an increase is less than 15% of the current traffic on I-10 as it passes the southern section of the SEZ. However, the exits on I-10 might experience moderate impacts with some congestion.</p> <p>If construction of up to two large projects were to occur over the same period of time, there could be up to 4,000 additional vehicle trips per day, assuming no ride-sharing or other mitigation measures. If all site access occurred from I-10, this would result in a about a 25% increase in traffic on I-10 near the southern portion of the SEZ. Such an increase could have a moderate impact on traffic flow during peak commuter times.</p>	None.

Abbreviations: AAQS = ambient air quality standards; ACEC = Area of Critical Environmental Concern; AQRV = air quality-related value; AUM = animal unit month; BLM = Bureau of Land Management; BMP = best management practice; CEQ = Council on Environmental Quality; CO₂ = carbon dioxide; dBA = A-weighted decibel; EPA = U.S. Environmental Protection Agency; ESA = Endangered Species Act; Hg = mercury; L_{dn} = day-night average sound level; NAGRPA = Native American Graves Protection and Repatriation Act; NHNM = National Heritage New Mexico; NMDGF = State of New Mexico Department of Game and Fish; NO_x = nitrogen oxides; NRHP = *National Register of Historic Places*; PFYC = potential fossil yield classification system; PM_{2.5} = particulate matter with an aerodynamic diameter of 2.5 μm or less; PM₁₀ = particulate matter with an aerodynamic diameter of 10 μm or less; PSD = prevention of significant deterioration; PV = photovoltaic; ROI = region of influence; SEZ = solar energy zone; SHPO = State Historic Preservation Office; SO₂ = sulfur dioxide; SRMA = Special Recreation Management Area; TES = thermal energy storage; USFWS = U.S. Fish and Wildlife Service; WSA = Wilderness Study Area.

^a The detailed programmatic design features for each resource area to be required under BLM's Solar Energy Program are presented in Appendix A, Section A.2.2. These programmatic design features would be required for development in the proposed Mason Draw SEZ.

^b The scientific names of all plants, wildlife, and aquatic biota are provided in Sections 12.2.10 through 12.2.12.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.2.2 Lands and Realty**

2
3
4 **12.2.2.1 Affected Environment**

5
6 The proposed Mason Draw SEZ is in a rural and undeveloped area about 14 mi (23 km)
7 west of Las Cruces, New Mexico. The SEZ is part of a large block of undeveloped public and
8 state land located north of I-10. Located on the SEZ are two county roads that provide access
9 through the area, a 115-kV transmission line, and an underground telephone cable. Livestock
10 fences and watering places also are present. Seven sections of state land abut the SEZ. The area
11 can be accessed from I-10 via a freeway interchange about 5 mi (8 km) west of the SEZ.

12
13 As of March 2010, there were no applications for solar energy development within
14 the SEZ.

15
16
17 **12.2.2.2 Impacts**

18
19
20 ***12.2.2.2.1 Construction and Operations***

21
22 Full development of the proposed Mason Draw SEZ could disturb up to 10,327 acres
23 (42 km²) of BLM-administered lands (Table 12.2.1.2-1) and would establish a large industrial
24 area that would exclude many existing and potential uses of the land, perhaps in perpetuity.
25 Since the SEZ is located in an undeveloped area, utility-scale solar energy development would
26 be a new and discordant land use in the area. It also is possible that the state-owned lands
27 located adjacent to the SEZ could be developed, with the state's permission, in the same or a
28 complementary manner as the BLM-administered lands within the SEZ. Development of
29 industrial or support activities also could be induced on private and other state lands near
30 the SEZ.

31
32 Current ROW authorizations in the SEZ would not be affected by solar energy
33 development since they are prior rights. Should the proposed SEZ be identified as an SEZ in the
34 ROD for this PEIS, the BLM would still have discretion to authorize additional ROWs in the
35 area until solar energy development was authorized, and then future ROWs would be subject to
36 the rights granted for solar energy development. It is not anticipated that approval of solar energy
37 development within the SEZ would have a significant impact on the amount of public lands
38 available for future ROWs near the area.

39
40
41 ***12.2.2.2.2 Transmission Facilities and Other Off-Site Infrastructure***

42
43 An existing 115-kV transmission line runs through the SEZ; this line might be available
44 to transport the power produced in this SEZ. Establishing a connection to the existing line would
45 not involve the construction of a new transmission line outside of the SEZ. If a connecting
46 transmission line were constructed in a different location outside of the SEZ in the future, site

1 developers would need to determine the impacts from construction and operation of that line. In
2 addition, developers would need to determine the impacts of line upgrades if they were needed.
3

4 Road access to the SEZ is readily available from I-10 in the southern portion of the SEZ,
5 so it is anticipated there would be no additional land disturbance outside the SEZ associated with
6 road construction to provide access to the SEZ.
7

8 **12.2.2.3 SEZ-Specific Design Features and Design Feature Effectiveness**

9
10
11 No SEZ-specific design features were identified. Implementing the programmatic design
12 features described in Appendix A, Section A.2.2, as required under BLM's Solar Energy
13 Program would provide adequate mitigation for identified impacts.
14

12.2.3 Specially Designated Areas and Lands with Wilderness Characteristics

12.2.3.1 Affected Environment

Sixteen specially designated areas within 25 mi (40 km) of the proposed Mason Draw SEZ potentially could be affected by solar energy development within the SEZ, principally from impacts on scenic, recreation, and/or wilderness resources. Largely because of the proximity to the Las Cruces area, recreational use of many of these specially designated areas is an important function. Several of these areas overlap one another in various degrees. For example, a portion of the Robledo Mountains WSA is also an ACEC and also overlaps part of the Prehistoric Trackways National Monument. Four additional ACECs—Los Tules, San Diego Mountain, Rincon, and Uvas Valley—that are within 25 mi (40 km) of the SEZ are not considered in this analysis because they were designated to protect either cultural or biological resource values and do not have a scenery component to their designation so they would not be affected by development in the SEZ. Additionally, it is not anticipated that these areas would experience visitation impacts associated with SEZ development. The ACECs listed below all have scenic values as one of the components supporting the ACEC designation (BLM 1993). The areas include the following:

- Wilderness Study Areas (WSA)
 - Aden Lava Flow
 - Las Uvas Mountains
 - Robledo Mountains
 - West Potrillo Mountains/Mt. Riley
- Areas of Critical Environmental Concern (ACEC)
 - Dona Ana Mountains
 - Organ/Franklin Mountains
 - Robledo Mountains
- Special Recreation Management Areas (SRMA)
 - Aden Hills OHV Area
 - Butterfield Trail Special Management Area (SMA)
 - Dona Ana Mountains
 - Organ/Franklin Mountains
- National Monument
 - Prehistoric Trackways
- National Natural Landmark
 - Kilbourne Hole
- National Historic Landmark
 - Mesilla Plaza

- 1 • National Historic Trail/Scenic Byway
- 2 – El Camino Real de Tierra Adentro
- 3 – El Camino Real de Tierra Adentro National Scenic Byway

4
5 The locations of these features are shown in Figure 12.2.3.1-1.

6
7 No lands near the SEZ and outside of designated WSAs have been identified by BLM to
8 be managed to protect wilderness characteristics.


9 10 **12.2.3.2 Impacts**

11 12 13 **12.2.3.2.1 Construction and Operations**

14
15
16 The primary potential impact on the specially designated areas near the SEZ would be
17 from visual impacts of solar energy development that could affect scenic, recreation, or
18 wilderness characteristics of the areas. The visual impact could be associated with direct views
19 of the solar facilities, including transmission facilities, glint and glare from reflective surfaces,
20 steam plumes, hazard lighting of tall structures, and night lighting of the facilities. For WSAs,
21 visual impacts from solar development would be most likely to cause the loss of outstanding
22 opportunities for solitude and primitive and unconfined recreation.

23
24 While the visibility of solar facilities from specially designated areas is relatively easy to
25 determine, the impact of this visibility is difficult to quantify and would vary by solar technology
26 employed, the specific area being affected, and the perception of individuals viewing solar
27 facilities while visiting areas within sight of the SEZ. Development of the SEZ, especially full
28 development, would be an important visual component in the viewshed from portions of some of
29 these specially designated areas, as summarized in Table 12.2.3.2-1. The data provided in the
30 table, which shows the area with visibility of development within the SEZ, assumes the use of
31 power tower solar energy technology, which because of the potential height of these facilities,
32 could be visible from the largest amount of land of all the technologies being considered in the
33 PEIS. Viewshed analysis for this SEZ has shown that the visibility of shorter solar energy
34 facilities would be considerably less than power tower technology in some areas. Section 12.2.14
35 provides details on all viewshed analyses discussed in this section. Potential impacts included
36 below are general, and assessment of the visual impact of solar energy projects must be
37 conducted on a site-specific and technology-specific basis to accurately identify impacts.

38
39 In general, the closer a viewer is to solar development, the greater the effect on that
40 individual's perception of impact. From a visual analysis perspective, the most sensitive viewing
41 distances generally are from 0 to 5 mi (0 to 8 km) but could be farther, depending on other
42 factors. The viewing height above or below a solar energy development area, the size of the solar
43 development area, and the purpose for which people visit an area are also important. Individuals
44 seeking a wilderness or scenic experience within these specially designated areas could be
45 expected to be more adversely affected than those simply traveling along roadways with another
46 destination in mind. In the case of the proposed Mason Draw SEZ, the low-lying location of the



1

2 **FIGURE 12.2.3.1-1 Specially Designated Areas in the Vicinity of the Proposed Mason**
 3 **Draw SEZ**

TABLE 12.2.3.2-1 Potentially Affected Sensitive Visual Resources within a 25-mi (40-km) Viewshed of the Proposed Mason Draw SEZ, Assuming Power Tower Technology with a Target Height of 650 ft (198.1 m)

Feature Type	Feature Name (Total Acreage/ Highway Linear Distance)	Feature Area or Linear Distance		
		Visible within 5 mi	Visible between	
			5 and 15 mi	15 and 25 mi
National Monument	Prehistoric Trackways (5,255 acres) ^a	0 acres	1,226 acres (23%) ^b	0 acres
WSAs	Aden Lava Flow (25,978 acres)	0 acres	8,962 acres (35%)	12,920 acres (50%)
	Las Uvas Mountains (11,084 acres)	0 acres	135 acres (1%)	356 acres (3%)
	Robledo Mountains (13,049 acres)	0 acres	2,534 acres (19%)	7 acres (0.05%)
	West Potrillo Mountains/ Mt. Riley (159,323 acres)	0 acres	13,544 acres (9%)	29,773 acres (19%)
SRMAs	Aden Hills OHV Area (8,054 acres)	4,605 acres (57%)	2,518 acres (31%)	2 acres (0.03%)
	Butterfield Trail SMA	13 mi	2.2 mi	0 mi
	Dona Ana Mountain (8,345 acres)	0 acres	0 acres	3,117 acres (37%)
	Organ/Franklin Mountains (60,793 acres)	0 acres	0 acres	3,453 acres (6%)
ACECs designated for outstanding scenic values	Dona Ana Mountains (1,427 acres)	0 acres	0 acres	524 acres (37%)
	Organ/Franklin Mountains (58,512 acres)	0 acres	0 acres	3,504 acres (6%)
	Robledo Mountains (8,659 acres)	0 acres	1,227 acres (14%)	5 acres (0.06%)

TABLE 12.2.3.2-1 (Cont.)

Feature Type	Feature Name (Total Acreage/ Highway Linear Distance)	Feature Area or Linear Distance		
		Visible within 5 mi	Visible between	
			5 and 15 mi	15 and 25 mi
National Historic Landmark	Mesilla Plaza		Yes	
National Historic Trail	El Camino Real de Tierra Adentro	0 mi	0.7 mi	25.6 mi
National Natural Landmark	Kilbourne Hole			Yes
Scenic Byway	El Camino Real (299 mi)	0 mi	2.2 mi	16.7 mi

^a To convert acres to km², multiply by 0.004047; to convert miles to km, multiply by 1.609.

^b Values in parentheses are percentage of feature acreage or length viewable.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24

SEZ in relation to portions of some of the surrounding specially designated areas would highlight the industrial-like development in the SEZ.

Prehistoric Trackways National Monument

The BLM-administered Prehistoric Trackways National Monument was created in 2009 to conserve, protect, and enhance the unique and nationally important paleontological, scientific, educational, scenic, and recreational resources and values of the Robledo Mountains in southern New Mexico. The monument includes a major deposit of Paleozoic Era fossilized footprint megatrackways within about 5,280 acres (21 km²) (BLM 2009c). The monument also overlaps the southwestern portion of the Robledo Mountains WSA and ACEC. The monument receives about 3,000 visitors per year.

Based on viewshed analysis, solar energy facilities within the SEZ could be visible from 23% (1,226 acres [5.0 km²]) of the national monument. Because of the topographic screening of the Sleeping Lady Hills east of the SEZ, only taller solar facility components at some locations within the SEZ would be visible from scattered viewpoints on peaks and high southwest-facing ridges in the national monument. From some of these viewpoints, the upper portions of transmission towers and power towers might just be visible, but might not be noticed by casual viewers. None of the monument is within the 24.6-ft (7.5-m) tall solar facility viewshed.

1 Because of the near-complete screening of the SEZ from the monument, only very weak
2 levels of visual contrast caused by solar facilities would be seen from viewpoints within the
3 monument. For this reason, it is anticipated there would be no significant impact on the National
4 Monument. Restricting solar technologies in the SEZ to the technologies with shorter structures
5 would completely remove development in the SEZ from the viewshed of the monument.
6

7 The occurrence of glint and glare at solar facilities could potentially cause large though
8 temporary increases in brightness and visibility of the facilities. The visual contrast levels
9 projected for sensitive visual resource areas that were used to assess potential impacts on
10 specially designated areas do not account for potential glint and glare effects; however, these
11 effects would be incorporated into a future site- and project-specific assessment that would be
12 conducted for specific proposed utility-scale solar energy projects.
13

14 ***Wilderness Study Areas***

15 **Aden Lava Flow**

16
17
18 The nearest boundary of the Aden Lava Flow WSA is 10.8 mi (17.4 km) south of the
19 SEZ, and the area of the WSA with views of the SEZ extends to about 18.5 mi (29.8 km) from
20 the southern boundary of the SEZ. Solar energy facilities within the SEZ could be visible from
21 about 21,882 acres (88.6 km²), or 84%, of the WSA; however, because of the distance, the fact
22 that the elevation of the WSA is lower than the SEZ, and the very low viewing angle of the SEZ,
23 contrast levels associated with solar facilities would be very weak as seen from the WSA.
24 Therefore, there would likely be minimal to no impact on wilderness characteristics within the
25 WSA. Restricting solar technology in the SEZ to lower height facilities would reduce the impact
26 on the WSA, but the near presence of the proposed Afton SEZ, if developed for solar energy,
27 would have a much greater impact on the WSA than would development at the proposed Mason
28 Draw SEZ.
29
30

31 **Las Uvas Mountains**

32
33 The Las Uvas Mountains WSA is 13.4 mi (21.6 km) northwest of the SEZ and is partially
34 screened from the SEZ by intervening topography. Views of the SEZ extend to 16.5 mi
35 (26.6 km) from the northern boundary of the SEZ and would include only about 491 acres
36 (2.0 km²), or 4.4% of the total WSA acreage. Solar facilities within the SEZ would be expected
37 to cause very weak visual contrast. Because of the distance and the limited views of the SEZ, it
38 is anticipated there would be minimal to no impact on wilderness characteristics in this WSA.
39
40

41 **Robledo Mountains**

42
43 The southwestern boundary of the Robledo Mountains WSA is about 7.8 mi (12.6 km)
44 northeast of the SEZ, and the area of the WSA with visibility of the SEZ extends to about 11 mi
45
46

1 (23 km) from the northeastern border of the SEZ. About 2,541 acres (10.3 km²), or 20%, of the
2 WSA located on the high peaks and some southwestern-facing slopes would have visibility of
3 solar development within the SEZ. The Sleeping Lady Hills east of the SEZ would partially
4 screen views of the SEZ from many locations in the WSA, especially lower elevation
5 viewpoints. Overall contrast levels associated with solar facilities are expected to be weak and
6 are not anticipated to result in significant adverse impacts to wilderness characteristics. Because
7 of the presence of the Sleeping Lady Hills, restricting solar technologies to those that have a
8 lower height would reduce the acreage of the WSA with visibility of solar facilities to about 3%
9 of the total area.

12 **West Potrillo Mountains/Mt. Riley**

14 At its closest point, the West Potrillo Mountains/Mt. Riley WSA is located 10.2 mi
15 (16.4 km) from the southwestern border of the SEZ. Areas within the WSA that would have
16 views of solar development within the SEZ extend out 24 mi (38.6 km) from the southern
17 boundary of the SEZ. The primarily affected area of the WSA is in the northern portion of the
18 WSA and includes about 43,317 acres (175 km²), or 27% of the WSA. Visitors at a few higher
19 elevation viewpoints in the northern portion of the area may perceive weak to moderate visual
20 contrast associated with solar facilities while the bulk of the area within the WSA, which is at a
21 lower elevation, would experience no more than weak levels of contrast. Overall it is anticipated
22 there would not be a significant impact on wilderness characteristics within the WSA associated
23 with solar development in Mason Draw. Restricting solar development to those technologies
24 with lower-height facilities would reduce the acreage affected within the WSA to as little as
25 about 13% of the total area; however, since the WSA is located much closer to the Afton SEZ, if
26 Afton were developed, there would be little benefit to restricting technologies in Mason Draw to
27 benefit this WSA.

30 **Special Recreation Management Areas**

32
33 **Aden Hills OHV.** The area was established as an “open” area for off-highway vehicle use
34 and is located about 2.4 mi (3.9 km) south of the SEZ. Most of the area is located at an elevation
35 equal to or higher elevation than the SEZ and visitors in about 7,125 acres (28.8 km²) or 89% of
36 the area would have good visibility of solar development within the SEZ. The area receives
37 about 10,000 visitor days of use annually (Montoya 2010). Use of an OHV open area is not
38 generally dependent upon scenic quality, rather attributes like access, challenging terrain, and
39 availability of trails are most important therefore it is not anticipated that solar development in
40 the SEZ would have any effect on the use of the OHV area.

42
43 **Butterfield Trail SMA.** The Butterfield Overland Mail Route, which connected the
44 eastern U.S. with San Francisco, was designated as an SMA in the Mimbres RMP in 1993 and
45 is currently being studied for possible designation as a national historic trail (NHT). The trail
46 comes within 1.8 mi (2.9 km) of the northern border of the SEZ and visitors on about 15.2 mi

1 (24.4 km) of the trail route potentially would have visibility of solar facilities within the SEZ.
2 About 13 mi (21 km) of the trail would be within 5 mi (8 km) of the SEZ. Because of the
3 proximity of solar facilities to the trail, the historical setting of the trail likely could be adversely
4 affected. The potential impact of solar energy development in the SEZ on the historic setting of
5 the trail and on future management options is currently unknown and would require site and
6 project specific analysis. Portions of the trail also are within the viewshed of the Afton SEZ and
7 views of development within both SEZs would likely occur.
8
9

10 ***Dona Ana Mountains Special Recreation Management Area.*** This is an 8,345-acre
11 (34-km²) area with maintained trails used by a wide array of recreationists including hikers,
12 horseback riders, mountain bikers and OHV enthusiasts whose closest boundary is about 15.8 mi
13 (25.4 km) northeast of the SEZ. The area of the SRMA with visibility of the SEZ extends out to
14 about 18 mi (29 km) from the SEZ. About 3,117 acres (12.6 km²) or 37% of the SRMA has
15 distant views of the SEZ. Because of the distance and topographic screening only the tops of
16 power tower facilities would be visible from the SRMA and minimal visual contrast levels would
17 be expected. Because of this it is anticipated there would be no impact on visitor use in the
18 SRMA.
19
20

21 ***Organ/Franklin Mountains Special Recreation Management Area.*** The SRMA is a
22 60,793-acre (246-km²) area that extends 29 mi (47 km) north to south along the western slope of
23 the Organ Mountains and includes the gap between the Organ and Franklin Mountains and all
24 but the northernmost portions of the Franklin Mountains. The eastern border of the SRMA is the
25 Ft. Bliss Military Reservation. The area is near Las Cruces, NM and the communities of the
26 Mesilla Valley and is a well established and important recreation area for these communities,
27 receiving about 102,000 visitors a year (Montoya 2010). The area contains developed camping
28 and picnic areas, a visitor center, scenic roads, developed trails, and also includes the Organ,
29 Organ Needles, and Pena Blanca WSAs that are outside of the analysis area for the Mason Draw
30 SEZ. The nearest boundary of the SRMA is 23.9 mi (38.5 km) east of the SEZ and about 6% of
31 the SRMA is within the 25-mi (40-km) viewshed of the SEZ although views of the SEZ from the
32 SRMA would extend beyond this analysis area. Only the lower, western slopes of the SRMA are
33 within the viewshed of the Mason Draw SEZ. Because of the very long distance to the SEZ, a
34 very low angle of view, and partial topographic screening of the SEZ, solar facilities within the
35 SEZ would cause minimal visual contrast and are not expected to adversely impact recreation
36 use within the SRMA.
37
38

39 **Areas of Critical Environmental Concern**

40
41

42 ***Dona Ana Mountains.*** This 1,427-acre (5.8-km²) ACEC was designated to protect
43 biological, cultural, scenic and recreation resources. The ACEC is located 16.5 mi (26.6 km)
44 northeast of the SEZ. The area within the viewshed of the SEZ extends to 18.1 mi (29.1 km)
45 northeast of the SEZ and includes about 37% of the area. The scenic component of the ACEC
46 described in the Mimbres RMP (BLM 1993) focuses almost solely on the scenic values as seen

1 from outside the ACEC, however the ACEC is completely included within the Dona Ana SRMA
2 which supports a variety of recreation uses which also benefit from the scenery component of the
3 ACEC. Impacts to the ACEC would be similar to those identified in the analysis of the SRMA,
4 above. There are expected to be no impacts on the ACEC.
5
6

7 ***Organ/Franklin Mountains.*** The ACEC consists of 58,512 acres (237 km²) and was
8 designated for the protection of a wide array of resources including biological, scenic, cultural,
9 special status species, riparian, and recreation resources (BLM 1993). The ACEC is completely
10 included within the boundaries of the SRMA discussed above and the anticipated impacts on the
11 scenic and recreation resources in the ACEC from solar facilities within the Mason Draw SEZ
12 would be minimal, the same as the impacts identified for the SRMA. The other resource values
13 for which the area is designated would not be affected.
14

15
16 ***Robledo Mountains.*** The 8,659-acre (35-km²) ACEC was designated to protect
17 biological, scenic, and recreation resources. The area is 7.7 mi (12.4 km) northeast of the SEZ
18 is completely contained within the southern portion of the Robledo Mountains WSA. About
19 1,232 acres (5.0 km²) or 14% of the area is within the viewshed of the SEZ and the impacts to
20 scenic resources of the ACEC would be similar or slightly less than those discussed for the WSA
21 and would result in minimal impacts to scenic and recreation resources. Because of the presence
22 of the Sleeping Lady Hills, restricting solar technologies to those of a lower height would reduce
23 the acreage of the ACEC with visibility of solar facilities to about 3% of the total area.
24
25

26 **National Historic Landmark**

27

28 ***Mesilla Plaza.*** The plaza is located about 14.7 mi (23.7 km) from the eastern border of
29 the SEZ. While there could be some visibility of the tops of power tower facilities from the
30 Plaza, topographic screening would block the view of most types of solar facilities within the
31 SEZ. Because of the distance from the SEZ and the topographic screening it is anticipated there
32 would be minimal impact on the historic setting of the plaza and there would be no impact on
33 visitation to the area.
34
35

36 **National Historic Trail**

37
38

39 ***El Camino Real de Tierra Adentro.*** This congressionally designated trail stretches from
40 Mexico City to Santa Fe, New Mexico and in the vicinity of the SEZ generally parallels the Rio
41 Grande River. In use from 1598 to 1885, this was the oldest and longest continuously used road
42 in the United States and portions of it are still used today (see Section 12.1.17 for a complete
43 discussion of the national historic trail). At its nearest approach, the trail passes within 13 mi
44 (20.9 km) northeast of the SEZ and within the 25 mi (40 km) zone surrounding the SEZ people
45 following the trail could have visibility of taller solar facilities within the SEZ along about 27 mi
46 (43 km) of the trail route. While taller types of solar facilities within the SEZ could be visible

1 they would not be an important part of the viewshed of the trail. The route of the trail currently
2 passes largely through lands developed for agriculture, residential, and commercial uses and the
3 historic context of the trail has been degraded. It is anticipated there would be minimal impact on
4 the historic setting of the trail caused by solar facilities within the SEZ.
5
6

7 **National Natural Landmark**

8
9

10 ***Kilbourne Hole.*** The landmark was designated to protect geologic and recreation use
11 of an area of about 5,480 acres (22.2 km²) that surrounds Kilbourne Hole. The hole is a crater
12 that formed when a volcanic bubble burst on the surface of the earth (BLM 1993, Section 5,
13 page 5-56). While the designated area surrounding the landmark is about 20 mi (32 km)
14 southeast of the SEZ and is within the viewshed of the SEZ, much of the area in the bottom of
15 the crater is shielded from the view of the SEZ. A trail runs around much of the ridge that
16 surrounds the crater and visitors on the trail would have distant visibility of the development
17 within the SEZ. Development of the SEZ would not affect the geologic resource which is the
18 main attraction of the area and it is anticipated that recreation use of the area would also not be
19 affected.
20

21 **National Scenic Byway**

22
23
24

25 ***El Camino Real.*** The byway generally traces the route of the National Historic Trail
26 described above for 299 mi (481 km) from the Mexican border to Santa Fe, New Mexico and its
27 nearest approach to the boundary of the SEZ is about 12 mi (19.3 km) in the area northeast of the
28 SEZ. Within the 25-mi (40-km) zone surrounding the SEZ people following the trail could have
29 visibility of solar facilities within the SEZ for only about 15 mi (60 km) since much of the byway
30 is topographically screened from views of the SEZ. While taller types of solar facilities within
31 the SEZ could be visible they would not be an important portion of the viewshed of the byway.
32 The route of the byway follows existing highways and passes largely through lands developed
33 for agriculture, residential, and commercial uses and the scenic context of the byway has been
34 degraded. It is anticipated there would be minimal impact on the setting of the byway caused by
35 solar facilities within the SEZ.
36
37

38 ***12.2.3.2.2 Transmission Facilities and Other Off-Site Infrastructure***

39

40 Because of the availability of an existing transmission line and I-10 on the southern edge
41 of the SEZ, no additional construction of transmission or road facilities was assessed. Should
42 additional transmission lines be required outside of the SEZ, there may be additional impacts on
43 specially designated areas. See Section 12.2.1.2 for the development assumptions underlying this
44 analysis.
45
46

1 **12.2.3.3 SEZ-Specific Design Features and Design Feature Effectiveness**
2

3 Implementing the programmatic design features described in Appendix A, Section A.2.2,
4 as required under BLM’s Solar Energy Program, would provide adequate mitigation for some
5 identified impacts.
6

7 Proposed design features specific to the Mason Draw SEZ include the following:
8

- 9 • The historic setting of the route of the Butterfield Trail could be adversely
10 affected by construction of solar facilities in the SEZ and would be difficult to
11 mitigate. Pending outcome of the study of the significance of the trail,
12 restrictions on solar facility development in the SEZ that might affect trail
13 resources should be put in place.
14
- 15 • Consideration should be given to restricting the height of solar facilities in
16 portions of the SEZ to minimize impact to the Prehistoric Trackways National
17 monument and the Robledo Mountains WSA and ACEC.
18
19
20

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

This page intentionally left blank.

1 **12.2.4 Rangeland Resources**

2
3 Rangeland resources managed by the BLM on BLM-administered lands include livestock
4 grazing and habitat for wild horses and burros. These resources and possible impacts on them
5 from solar development within the proposed Mason Draw SEZ are discussed in Sections 12.2.4.1
6 and 12.2.4.2.

7
8
9 **12.2.4.1 Livestock Grazing**

10
11
12 ***12.2.4.1.1 Affected Environment***

13
14 The proposed Mason Draw SEZ overlays part of one grazing allotment, the Corralitos
15 Ranch allotment, which covers a total of 183,957 acres (744 km²). The permitted use for the
16 allotment is 13,860 AUMs, and there is one permittee (BLM 2008a). The SEZ would include
17 12,909 acres (52.2 km²), about 7%, of the allotment. The same allotment also overlays a portion
18 of the proposed Afton SEZ, and in that SEZ about 4% of the allotment would be affected.

19
20
21 ***12.2.4.1.2 Impacts***

22
23
24 **Construction and Operations**

25
26 Should utility-scale solar development occur in the proposed Mason Draw SEZ, grazing
27 would be excluded from the areas developed, as provided for in the BLM grazing regulations
28 (43 CFR Part 4100). The regulations provide for reimbursement of permittees for their portion
29 of the value for any range improvements in the area removed from the grazing allotment. The
30 impact of this change in the grazing permits would depend on several factors, including (1) how
31 much of an allotment the permittee might lose to development, (2) how important the specific
32 land lost is to the permittee's overall operation, and (3) the amount of actual forage production
33 that would be lost by the permittee.

34
35 Quantification of the impact on the Corralitos allotment would require, at a minimum,
36 consideration of the three factors identified above; however, for purposes of this PEIS, the
37 simplified assumption is being made that the percentage reduction in authorized AUMs would
38 be the same as the percentage reduction in land area. Using this assumption, there would be a
39 reduction of a total of 970 AUMs.

40
41 The Corralitos Ranch allotment it is large enough that it likely would be possible to
42 restore the 7% loss elsewhere through a change in grazing management, installation of new
43 range improvements, or a combination of the two. If it would not be possible to mitigate the
44 anticipated loss, there would be a minor adverse impact to the allotment permittee.

1 On the basis of an assumed loss of a total of 970 AUMs in the SEZ, as described above,
2 the impact on livestock use within the Las Cruces District from solar development of the
3 proposed Mason Draw SEZ would be negligible. This conclusion is based on the comparison of
4 the loss of the 970 AUMs with the total BLM-authorized AUMs in the district for grazing
5 year 2009, which totaled 413,702 AUMs (BLM 2008a). This loss is less than one-quarter of a
6 percent. The level of impact on the permittee could be reduced by any mitigation of the
7 anticipated losses that could be accomplished on the remaining public lands in the allotment.
8
9

10 **Transmission Facilities and Other Off-Site Infrastructure**

11

12 Because of the availability of a major transmission line in the SEZ and I-10 near the SEZ,
13 and based on the assumption that additional project-specific analysis would be done for
14 construction of such infrastructure, no assessment of the impacts of such activities outside of the
15 SEZ was conducted (see Section 12.2.1.2).
16
17

18 ***12.2.4.1.3 SEZ-Specific Design Features and Design Feature Effectiveness***

19

20 Implementing the programmatic design features described in Appendix A, Section A.2.2,
21 as required under BLM's Solar Energy Program, would provide adequate mitigation for some
22 identified impacts.
23

24 A proposed design feature specific to the Mason Draw SEZ is as follows:

- 25 • Developing range improvements and/or changing existing grazing
26 management to mitigate the loss of AUMs in the Corralitos allotment should
27 be considered.
28
29
30
31

32 **12.2.4.2 Wild Horses and Burros**

33
34

35 ***12.2.4.2.1 Affected Environment***

36

37 Section 4.4.2 discusses wild horses (*Equus caballus*) and burros (*E. asinus*) located
38 within the six-state study area. Two wild horse and burro HMAs occur within New Mexico
39 (BLM 2010a). The Bordo Atravesado HMA in Socorro County, the closest HMA to the
40 proposed Mason Draw SEZ, is more than 120 mi (193 km) north of the SEZ.
41

42 In addition to the HMAs managed by the BLM, the USFS has wild horse and burro
43 territories in Arizona, California, Nevada, New Mexico, and Utah, and is the lead management
44 agency that administers 37 of the territories (Giffen 2009; USFS 2007). USFS territories in
45 New Mexico occur primarily in the northern portion of the state, 235 mi (378 km) or more from
46 the proposed Mason Draw SEZ region.
47

1 ***12.2.4.2.2 Impacts***
2

3 Because the proposed Mason Draw SEZ is about 120 mi (193 km) or more from any wild
4 horse and burro HMA managed by BLM and about 235 mi (378 km) from any wild horse and
5 burro territory administered by the USFS, solar energy development within the SEZ would not
6 directly or indirectly affect wild horses and burros that are managed by these agencies.
7

8
9 ***12.2.4.2.3 SEZ-Specific Design Features and Design Feature Effectiveness***
10

11 No SEZ-specific design features for solar development within the proposed Mason Draw
12 SEZ would be necessary to minimize impacts on wild horses and burros.
13
14

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.2.5 Recreation**

2
3
4 **12.2.5.1 Affected Environment**

5
6 Access to the proposed SEZ is provided via an interchange from I-10 that connects to a
7 frontage road and then to a series of county and other dirt roads that serve the area and provide
8 access to public lands to the north and east. There are portions of two county roads within the
9 SEZ and numerous dirt roads and trails. While the area tends to be flat and without remarkable
10 natural features, its location within 14 mi (23 km) of Las Cruces and the fact that it is public land
11 are important attributes, making the land available for recreation use. Although there are no
12 estimates of the level of recreation use, the area supports various recreation uses including back
13 country driving, hiking/walking, bird-watching, and hunting. In the Mimbres RMP (BLM 1993;
14 see page 2-50 and Map 2-13 in Appendix F) the SEZ area is included in the group of lands
15 designated as “Limited, existing roads and trails” indicating that existing roads and trails are
16 available for vehicle and OHV use.
17

18
19 **12.2.5.2 Impacts**

20
21
22 ***12.2.5.2.1 Construction and Operations***

23
24 Recreational users would lose the use of any portions of the SEZ developed for solar
25 energy production. Although there are no recreation statistics for this area, it is not anticipated
26 that there would be a significant loss of recreational use caused by development of the proposed
27 SEZ. Public access, both vehicular and foot, into and through areas developed for solar power
28 production would be closed or rerouted but because of the extensive county road system in the
29 area it is anticipated there would be only minor impacts on public access to lands surrounding
30 the SEZ.
31

32 Based on viewshed analysis (see Section 12.2.17), the Afton SEZ would be visible from
33 a wide area but is anticipated to have a minimal impact on recreation use on most specially
34 designated areas within the 25-mi (40-km) analysis area. An exception to this would be
35 recreation use along the route of the Butterfield Trail where, because of the proximity to the trail
36 development in the SEZ, would dominate a substantial portion of the viewshed of the trail. At
37 this time, studies are ongoing to identify significant segments of the trail and until those studies
38 are complete it will not be possible to accurately assess possible impacts to the trail and trail
39 recreation use.
40

41 Solar development within the SEZ would affect public access along OHV routes
42 designated open and available for public use. If open OHV routes within the SEZ were identified
43 during project-specific analyses, they would be redesignated as closed (see Section 5.5.1 for
44 more details on how routes coinciding with proposed solar facilities would be treated).
45
46

1 ***12.2.5.2.2 Transmission Facilities and Other Off-Site Infrastructure***
2

3 Because of the availability of an existing transmission line and I-10 on the southern edge
4 of the SEZ, no additional construction of transmission or road facilities was assessed. Should
5 additional transmission lines be required outside of the SEZ, there may be additional recreation
6 impacts. See Section 12.2.1.2 for the development assumptions underlying this analysis.
7

8
9 **12.2.5.3 SEZ-Specific Design Features and Design Feature Effectiveness**
10

11 No SEZ-specific design features were identified. Implementing the programmatic design
12 features described in Appendix A, Section A.2.2, as required under BLM's Solar Energy
13 Program, would provide adequate mitigation for impacts on recreation.
14
15
16

1 **12.2.6 Military and Civilian Aviation**

2
3
4 **12.2.6.1 Affected Environment**

5
6 One military training route (MTR), Visual Flight Rule (VFR) 176, overlaps the SEZ. This
7 MTR has a minimum altitude level of 100 ft (30 m) above ground level.

8
9 The eastern boundary of the SEZ is within 8 mi (13 km) of the Las Cruces International
10 Airport. One of the field's three runways is oriented east-west, and planes using that runway
11 could pass over the SEZ. There is no regularly scheduled passenger service from this airport.

12
13
14 **12.2.6.2 Impacts**

15
16 Any solar energy facility, including transmission towers higher than 100 ft (30 m),
17 would penetrate into the low-level military airspace and could pose a hazard to pilots operating
18 in the MTR.

19
20 The SEZ is far enough from the Las Cruces airport to not pose any conflict with airport
21 operations, but FAA regulations would be applicable to the construction and marking of solar
22 energy facilities in the SEZ and solar developers would be required to consult with the FAA to
23 ensure there would be no conflicts.

24
25
26 **12.2.6.3 SEZ-Specific Design Features and Design Feature Effectiveness**

27
28 No SEZ-specific design features were identified. The programmatic design
29 features described in Appendix A, Section A.2.2, would require early coordination with
30 the DoD to identify and mitigate, if possible, potential impacts on the use of MTRs.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.2.7 Geologic Setting and Soil Resources**

2
3
4 **12.2.7.1 Affected Environment**

5
6
7 **12.2.7.1.1 Geologic Setting**

8
9
10 **Regional Setting**

11
12 The proposed Mason Draw SEZ is located in a small valley along the eastern edge of the
13 Mimbres Basin, an alluvium-filled structural basin within the Basin and Range physiographic
14 province in south-central New Mexico (Figure 12.2.7.1-1). The valley is bordered on the north
15 and west by the Sierra de las Uvas; on the east by the Rough and Ready Hills, Sleeping Lady
16 Hills, and Aden Hills; and is open to the south. Mason Draw, which flows to the south from the
17 Sierra de las Uvas, is located a few miles to the west of the SEZ.

18
19 The Mimbres Basin is an axial basin of the Rio Grande rift, a north-trending tectonic
20 feature that extends from south-central Colorado to northern Mexico, crossing (and bisecting)
21 the length of New Mexico. Basins in the rift zone generally follow the course of the Rio Grande
22 River and are bounded by normal faults that occur along the rift zone margins. The Mimbres
23 Basin lies between the mountains of the Continental Divide on the north and west—extending
24 from the Black Range southward to the Pinos Altos Range, the Big Burro Mountains, and the
25 Cedar Mountain Range to the Carizalillo Hills just north of the international border.—and the
26 north-trending surface features of the Potrillo Horst (Sleeping Lady Hills, Aden Hills, and the
27 West Potrillo Mountains) on the east. The southern boundary of the basin is less well defined
28 (Hanson et al. 1994). The Mason Draw SEZ sits above the Potrillo Horst where basin fill
29 sediments of the Santa Fe Group are shallow (1,000 ft [300 m] or less) relative to those in the
30 Mesilla Basin to the east (Chapin 1988; Frenzel et al. 1992; Myers and Orr 1985).

31
32 Exposed sediments near the proposed Mason Draw SEZ consist mainly of basin fill
33 deposits of the Upper Santa Fe Group (QTs) (Figure 12.2.7.1-2). Post-Santa Fe Group alluvial
34 fan piedmont deposits (Qp) of silt, sand, and gravel occur along mountain fronts on both sides of
35 the valley and cover a small portion of the SEZ. Tertiary volcanic rocks and volcanoclastic
36 sedimentary rocks are exposed in the Rough and Ready Hills and the Sierra de las Uvas to the
37 north and Sleeping Lady Hills to the east. These rocks also underlie the northwest portion of the
38 SEZ. The oldest exposed rocks in the region are the Paleozoic carbonates (Hueco Formation) in
39 the Robledo Mountains. These rocks have been intruded by Tertiary monzonitic and granitic
40 plutons and dikes (Ti) (Hawley and Lozinsky 1992; Scholle 2003).

41
42
43 **Topography**

44
45 The Mimbres Basin is a large basin, covering an area of about 3.3 million acres
46 (13,300 km²) in the U.S. and Mexico, of which about 2.8 million acres (11,400 km²) are in




FIGURE 12.2.7.1-1 Physiographic Features along the Eastern Edge of the Mimbres Basin near the Proposed Mason Draw SEZ

1

2




FIGURE 12.2.7.1-2 (Cont.)

1 southwestern New Mexico. The basin is drained by the San Vicente Arroyo, a major tributary of
2 the Mimbres River, which flows to the southeast toward Black Mountain turning east to flow
3 north of Deming and the Little Florida Mountains. The river is perennial along stretches close to
4 its headwaters to the northwest, but beyond the Grant-Luna county line flows only during intense
5 rainfall events (Hanson et al. 1994).
6

7 The proposed Mason Draw SEZ is located in a small north-south trending valley along
8 the eastern edge of the Mimbres Basin in Dona Ana County (Figure 12.2.7.1-1). Elevations along
9 the valley axis range from about 5,000 ft (1,525 m) at the north end and along the valley sides to
10 about 4,330 ft (1,320 m) at the south end near U.S. 10. Gently sloping piedmont surfaces and
11 alluvial fan deposits occur along the Sierra de las Uvas, to the west, and the Sleeping Lady Hills,
12 to the east. Small reservoirs (or tanks) occur throughout the region. The valley is drained by the
13 Mason Draw, an ephemeral stream that terminates at Muzzle Lake, about 1 mi (0.6 km) south of
14 the highway. The SEZ is located on the eastern side of the valley immediately west of the
15 Sleeping Lady Hills. Its terrain is fairly flat and slopes gently to the south (Figure 12.2.7.1-3).
16 Elevations range from about 4,700 ft (1,430 m) at the northeast corner of the site to about
17 4,380 ft (1,335 m) at the southern end. Kimble Draw and several unnamed ephemeral stream
18 drain the site; drainage from the site flows to the south toward Daley Dry Lake just south of
19 U.S. 10. In the north half of the site, Kimble Draw follows the trace of the Ward Tank fault.
20


21 **Geologic Hazards**

23

24 The types of geologic hazards that could potentially affect solar project sites and their
25 mitigation are discussed in Section 5.7.3 and 5.7.4. The following sections provide a preliminary
26 assessment of these hazards at the proposed Mason Draw SEZ. Solar project developers may
27 need to conduct a geotechnical investigation to assess geologic hazards locally to better identify
28 facility design criteria and site-specific design features to minimize their risk.
29

30
31 **Seismicity.** Seismicity in New Mexico is concentrated in the Rio Grande rift valley near
32 Socorro, an area referred to as the Socorro Seismic Anomaly (SSA). The SSA covers an area of
33 about 1.2 million acres (5,000 km²) and accounts for about 23% of earthquakes in New Mexico
34 with magnitudes greater than 2.0. The SSA is thought to be caused by crustal extension
35 occurring above an upwelling magma body about 12 mi (19 km) below the ground surface.
36 Seismic activity outside of the SSA shows some concentration of earthquakes along a prominent
37 topographic lineation (the Socorro fracture zone) that extends from the SSA to the north-
38 northeast into eastern New Mexico. The strongest earthquakes in New Mexico tend to
39 occur near Socorro along the rift valley (Sanford et al. 2002, 2006; Sanford and Lin 1998;
40 Balch et al. 2010).
41

42 Several Quaternary faults occur within and adjacent to the proposed Mason Draw SEZ
43 (USGS and NMBGMR 2010). These faults include the Ward Tank fault, extending across the
44 SEZ; the West Robledo, East Robledo, Fitzgerald, and unnamed faults, to the east; and the East
45 Potrillo fault, to the south (Figure 12.2.7.1-4). The north-trending Ward Tank fault crosses and



2 **FIGURE 12.2.7.1-3 General Terrain of the Proposed Mason Draw SEZ**




FIGURE 12.2.7.1-4 Quaternary Faults along the Eastern Edge of the Mimbres Basin (USGS and NMBGMR 2010; USGS 2010a)

1 bisects the proposed Mason Draw SEZ (Figure 12.2.7.1-4). Most of the movement along the
2 high-angle normal fault occurred in the Tertiary, but offsets of Quaternary surfaces suggest it
3 was reactivated less than 750,000 years ago. The Ward Tank fault bounds the east side of the
4 Sierra de las Uvas Mountains; movement along the fault uplifted and tilted the mountains.
5 Stratigraphic offsets of 2,000 to 2,490 ft (610 to 760 m) occur near Rattlesnake Hills (Machete
6 1996a).

7
8 The West Robledo fault and a group of unnamed faults and folds (monoclines) occur
9 about 5 mi (7 km) the east of SEZ (crossing portions of the northwest corner of the Afton SEZ).
10 The northeast-trending West Robledo fault extends southwestward from the northern edge of
11 Robledo Mountain along its west side past Aden Hills and then south through the basalt hills of
12 the West Potrillo Mountains on into Mexico (Figure 12.2.7.1-4). The unnamed faults are high-
13 angle normal faults located within the down-dropped basin between the East and West Robledo
14 faults. There are no detailed studies of these faults, but offsets of the upper West Mesa surface
15 suggest movement along them has not occurred since the early Quaternary, less than 1.6 million
16 years ago (Machete 1996b,c).

17
18 The East Robledo fault is a north–northeast trending normal fault that crosses the western
19 portion of the Afton SEZ east of the site (Figure 12.2.7.1-4). To the north, the fault bounds the
20 east side of the Robledo Mountain, an uplifted block (horst) west of the Rio Grande Valley, with
21 offsets of about 294 ft (90 m). It splays to the south where displacements of the upper Camp Rice
22 Formation of the Santa Fe Group (early to middle Pleistocene), the upper and lower West Mesa
23 (referred to as “La Mesa” in earlier reports) piedmont surfaces (middle Pleistocene), and older
24 alluvial fan and terrace deposits (middle Pleistocene) place movement along the fault at less than
25 750,000 years ago. The Fitzgerald fault crosses the southeastern portion of the site and extends to
26 the south. Its strike is inferred from small west-facing scarps and from a linear series of closed
27 basins. Scarp heights on the lower West Mesa surface are estimated to be as much as 65 ft (20 m)
28 in discrete locales, but most of the fault trace is buried by thick eolian deposits. As with the East
29 Robledo fault, displacements of lower West Mesa surface (middle Pleistocene) indicate that
30 movement along the Fitzgerald fault occurred less than 750,000 years ago (Machete 1996d,e).

31
32 The East Potrillo fault is located about 23 mi (37 km) to the south of the Mason Draw
33 SEZ. The high-angle normal fault bounds the east side of the East Potrillo Mountains and
34 forms east-facing intrabasin scarps on sediment of the Camp Rice Formation (upper Santa Fe
35 Group) and younger alluvial fan and piedmont slope deposits on the West Mesa surface. Such
36 displacements place the most recent movement along the fault at less than 130,000 years ago
37 (Machete 1996f).

38
39 From June 1, 2000, to May 31, 2010, only one earthquake was recorded within a 61-mi
40 (100-km) radius of the proposed Mason Draw SEZ (USGS 2010a). The earthquake occurred on
41 November 3, 2007. It was located about 50 mi (80 km) to the northwest of the SEZ west of
42

1 Cookes Range near the Mimbres River and registered a Richter magnitude (ML)¹ of 3.1
2 (Figure 12.2.7.1-4). The largest earthquake in the region occurred on April 1, 1977, about 9 mi
3 (14 km) east–northeast of the Mason Draw SEZ. The earthquake registered a magnitude (ML) of
4 3.2. Four other earthquakes have occurred in the region since 1977; only the 2007 earthquake
5 had a magnitude greater than 3.0 (USGS 2010a).
6
7

8 **Liquefaction.** The proposed Mason Draw SEZ lies within an area where the peak
9 horizontal acceleration with a 10% probability of exceedance in 50 years is between 0.04 and
10 0.05 g. Shaking associated with this level of acceleration is generally perceived as moderate;
11 however, potential damage to structures is very light (USGS 2008). Given the very low intensity
12 of ground shaking estimated for the area and the low incidence of historical seismicity in the
13 region, the potential for liquefaction in sediments within and around the SEZ is also likely to be
14 low.
15

16
17 **Volcanic Hazards.** The major volcanic fields in New Mexico are associated with mantle
18 upwelling within two zones of crustal weakness: the Jemez lineament and the Rio Grande rift.
19 The Jemez lineament is defined by a series of Tertiary to Quaternary volcanic vents with a
20 northeast alignment in northern New Mexico. These fields include the Zuni-Bandera volcanic
21 field, Mount Taylor, the Jemez volcanic field, and the Raton-Clayton volcanic field. Eruptions
22 from vents along the Jemez lineament have occurred within the past 10,000 years. The Jemez
23 Mountains (near Los Alamos) are located at the intersection of the Jemez lineament and the
24 north-trending Rio Grande rift. Rift valley vents nearest the Mason Draw SEZ include Sierra
25 Blanca on the eastern edge of the Tularosa Basin near Mescalero, about 100 mi (160 km)
26 northeast; and Jornada del Muerto, near Socorro, about 120 mi (195 km) north. The Mogollon-
27 Datil volcanic field is about 95 mi (150 km) northwest. Except for the Valles caldera in the
28 Jemez Mountains, all these volcanoes are considered extinct and unlikely to erupt again. The
29 most likely location of new volcanism in New Mexico is near Socorro, where an extensive
30 magma body 12 mi (19 km) below the ground surface has created a zone of intense seismic
31 activity (the Socorro Seismic Anomaly) (NMBGMR 2006; Wolf and Gardner 1995).
32
33

34 **Slope Stability and Land Subsidence.** The incidence of rock falls and slope failures can
35 be moderate to high along mountain fronts and can present a hazard to facilities on the relatively
36 flat terrain of valley floors such as the West Mesa, if they are located at the base of steep slopes.
37 The risk of rock falls and slope failures decreases toward the flat valley center.
38

39 Earth fissures have been documented in the Mimbres Basin about 40 mi (65 km) west of
40 the proposed Mason Draw SEZ. The fissures are likely the result of land subsidence caused by
41 compaction of unconsolidated alluvial sediments due to groundwater withdrawal. The maximum

¹ Richter scale magnitude (ML) was the original magnitude defined by Richter and Gutenberg for local earthquakes in 1935. It was based on the maximum amplitude recorded on a Wood-Anderson torsion seismograph but is currently calculated for earthquakes with magnitudes ranging from 2 to 6, using modern instruments with adjustments (USGS 2010b).

1 subsidence measured was about 14 in. (36 cm) in areas where groundwater levels had declined at
2 least 98 ft (30 m) (Contaldo and Mueller 1991).

3
4
5 **Other Hazards.** Other potential hazards at the proposed Mason Draw SEZ include those
6 associated with soil compaction (restricted infiltration and increased runoff), expanding clay
7 soils (destabilization of structures), and hydro-compactable or collapsible soil (settlement).
8 Disturbance of soil crusts and desert pavement on soil surfaces may increase the likelihood of
9 soil erosion by wind.

10
11 Alluvial fan surfaces, such as those found around and within and around the SEZ, can be
12 the sites of damaging high-velocity “flash” floods and debris flows during periods of intense and
13 prolonged rainfall. The nature of the flooding and sedimentation processes (e.g., stream flow
14 versus debris flow fans) will depend on the specific morphology of the fan (National Research
15 Council 1996). Section 12.2.9.1.1 provides further discussion of flood risks within the Mason
16 Draw SEZ.

17 18 19 **12.2.7.1.2 Soil Resources**

20
21 Soils within the Mason Draw SEZ are predominantly loamy fine sands and sandy loams
22 of the Onite-Pintura complex, Simona-Harrisburg, Masonfort-Nickel, and Berino-Bucklebar
23 associations, which together make up about 84% of the soil coverage at the site
24 (Figure 12.2.7.1-5). Soil map units within the proposed Mason Draw zone are described in
25 Table 12.2.7.1-1. These level to moderately rolling soils are derived from eolian sediments and
26 wind-worked alluvium from mixed sources, typical of soils on the fan piedmonts in the region.
27 They are characterized as shallow to deep and well-drained. Most of the soils on the site have
28 low to high surface-runoff potential (depending on slope) and moderately rapid to rapid
29 permeability. The water erosion potential is very low to low for all soils at the site, except those
30 of the Nickel-Upton association which have a moderate potential. These soils occur along the
31 slopes of small ridges and hills in the northeast corner and cover about 4% of the site. The
32 susceptibility to wind erosion is very high for all soils (except for those on rock outcrops, which
33 were not rated), with as much as 134 tons (122 metric tons) of soil eroded by wind per acre
34 (4,000 m²) each year. All soils within the SEZ have features that are favorable for fugitive dust
35 formation. Outcrops of basalt (RT) cover about 216 acres (0.87 km²), about 2% of the site
36 (NRCS 2010). Biological soil crusts and desert pavement have not been documented in the SEZ
37 but may be present.

38
39 None of the soils within the proposed Mason Draw SEZ is rated as hydric.² Flooding is
40 not likely for soils at the site, occurring with a frequency of less than once in 500 years. None of
41 the soils is classified as prime or unique farmland (NRCS 2010).

42
43

² A hydric soil is a soil that formed under conditions of saturation, flooding, or ponding (NRCS 2010).




FIGURE 12.2.7.1-5 Soil Map for the Proposed Mason Draw SEZ (NRCS 2008)

TABLE 12.2.7.1-1 Summary of Soil Map Units within the Proposed Mason Draw SEZ

Map Unit Symbol	Map Unit Name	Water Erosion Potential ^a	Wind Erosion Potential ^b	Description	Area (% of SEZ)
OR	Onite-Pintura complex (0 to 5% slope)	Very low	Very high (WEG 2) ^c	Consists of about 50% Onite loamy fine sand and 25% Pintura loamy fine sand. Level to nearly level soils on and between dunes on alluvial fan piedmonts. Parent material includes both eolian deposits (from sandstone) and alluvium. Deep and well-drained, with a moderate surface-runoff potential and moderately rapid to rapid permeability. Shrink-swell potential is low. Available water capacity is low to moderate. Used mainly as rangeland, forestland, or wildlife habitat.	4,334 (34)
SH	Simona-Harrisburg association (1 to 5% slope)	Low	Very high (WEG 3)	Consists of about 50% Simona sandy loam and 25% Simona sandy loam. Gently undulating to moderately rolling soils on broad fans, fan piedmonts, and desert mesas. Parent material includes eolian deposits from sandstone, volcanic ash, and shale. Shallow to moderately deep and well-drained, with high surface-runoff potential (slow infiltration rate) and moderately rapid permeability (above caliche hardpan). Shrink-swell potential is low. Available water capacity is very low. Used mainly as rangeland, forestland, or wildlife habitat.	3,525 (27)
MN	Masonfort-Nickel association	Low	Very high (WEG 3)	Consists of about 40% Masonfort sandy loam and 30% Nickel gravelly sandy loam, on 3 to 15% slopes. Undulating to moderately rolling soils on the sides of strongly dissected terraces. Parent material includes calcareous and gravelly alluvium. Shallow to deep and well-drained, with low surface-runoff potential (high infiltration rate) and moderately slow to moderately rapid permeability. Shrink-swell potential is low. Available water capacity is low. Used mainly as rangeland, forestland, or wildlife habitat.	1,728 (13)
BJ	Berino-Bucklebar association	Low	Very high (WEG 3)	Consists of about 35% Berino loamy fine sand, 25% Bucklebar sandy loam, and 25% Dona Ana sandy loam, on 1 to 5% slopes. Gently sloping soils on broad fans and piedmont slopes. Parent material is mixed fine-loamy alluvium, modified by wind. Deep and well-drained, with low surface-runoff potential (high infiltration rate) and moderate permeability. Shrink-swell potential is low to moderate. Available water capacity is high. Used mainly as rangeland, forestland, or wildlife habitat.	1,341 (10)

TABLE 12.2.7.1-1 (Cont.)

Map Unit Symbol	Map Unit Name	Water Erosion Potential ^a	Wind Erosion Potential ^b	Description	Area (% of SEZ)
WP	Wink-Pintura complex (1 to 5% slope)	Very low	Very high (WEG 2)	Consists of about 45% Wink loamy fine sand and 35% Pintura fine sand. Gently undulating to undulating soils between and on dunes on fan piedmonts. Parent material includes eolian deposits and alluvium modified by wind. Deep and well-drained, with moderate surface runoff potential and moderately rapid to rapid permeability. Shrink-swell potential is low. Available water capacity is low. Used mainly as rangeland, forestland, or wildlife habitat.	866 (7)
NU	Nickel-Upton association	Moderate	Low (WEG 6)	Consists of about 50% Nickel very gravelly fine sandy loam and 25% Upton gravelly sandy loam, on 3 to 15% slopes. Undulating to moderately rolling soils on alluvial fans, terraces, ridges, and piedmonts. Parent material is mixed extremely gravelly coarse-loamy alluvium. Shallow or deep and well-drained, with low surface-runoff potential (high infiltration rate) and moderately rapid to rapid permeability. Available water capacity is low to very low. Used mainly as rangeland, forestland, or wildlife habitat.	526 (4)
OP	Onite-Pajarito association (0 to 5% slope)	Very low	Very high (WEG 2)	Consists of about 40% Onite loamy sand, 30% Pajarito fine sandy loam, and 15% Pintura fine sand. Level to nearly level soils between and on dunes on fan piedmonts. Parent material includes eolian deposits on dunes and mixed alluvium between dunes. Deep and well- to excessively well-drained, with moderate surface-runoff potential and moderately rapid to rapid permeability. Shrink-swell potential is low. Available water capacity is very low to high. Used mainly as rangeland, forestland, or wildlife habitat.	338 (3)

TABLE 12.2.7.1-1 (Cont.)

Map Unit Symbol	Map Unit Name	Water Erosion Potential ^a	Wind Erosion Potential ^b	Description	Area (% of SEZ)
RT	Rock outcrop-Torriorthents association	Not rated	Not rated	Consists of about 40% rock outcrop, on 15 to 99% slopes; and 30% Torriorthents, on 15 to 50% slopes. Moderately rolling to extremely steep (at rock outcrops) soils on mountains and interspersed between rock outcrops (extrusions, escarpments, ledges, ridges, and cliffs). Parent material is basalt. Shallow to deep and well-drained, with high surface-runoff potential (low infiltration rate); permeability not rated. Available water capacity is very low. Used mainly for recreational purposes, rangeland, wildlife habitat, watershed, military, or esthetic purposes.	216 (2)

^a Water erosion potential is a qualitative interpretation based on soil properties, or a combination of properties, that contribute to runoff and have low resistance to water erosion processes. The ratings are on a 1.0 scale and take into account soil features such as surface layer particle size, saturated hydraulic conductivity, and high runoff landscapes. A rating of “very high” (>0.9 to ≤1.0) indicates that the soil has the greatest relative vulnerability to water erosion; a rating of “very low” (<0.10) indicates that the soil has little or no relative water erosion vulnerability. A rating of “moderate” (>0.35 to ≤0.65) indicates that the soil has medium relative water erosion vulnerability.

^b Wind erosion potential is a qualitative interpretation based on surface soil properties or a combination of properties that contribute to the soil’s potential wind erosivity. The ratings are on a 1.0 scale and assume that the affected area is bare, smooth, and has a long distance exposed to the wind. It is not a measure of actual soil loss from erosion. A rating of “very high” (>0.9 to ≤1.0) denotes a soil with a surface layer of sandy particles, high carbonate content, low organic matter content, or no coarse fragment protection. A rating of “low” (>0.2 to ≤0.4) is given to soils with favorable surface particle size, high organic matter content, or protective coarse fragments.

^c WEG = wind erodibility group. WEGs are based on soil texture, content of organic matter, effervescence of carbonates, content of rock fragments, and mineralogy, and also take into account soil moisture, surface cover, soil surface roughness, wind velocity and direction, and the length of unsheltered distance (USDA 2004). Groups range in value from 1 (most susceptible to wind erosion) to 8 (least susceptible to wind erosion). The NRCS provides a wind erodibility index, expressed as an erosion rate in tons per acre per year, for each of the wind erodibility groups: WEG 2, 134 tons (122 metric tons) per acre (4,000 m²) per year; WEGs 3, 86 tons (78 metric tons) per acre (4,000 m²) per year; and WEG 6, 48 tons (43 metric tons) per acre (4,000 m²) per year.

Sources: NRCS (2010); Bolluch and Neher (1980).

1 **12.2.7.2 Impacts**
2

3 Impacts on soil resources would occur mainly as a result of ground-disturbing activities
4 (e.g., grading, excavating, and drilling), especially during the construction phase of a solar
5 project. These include soil compaction, soil horizon mixing, soil erosion and deposition by wind,
6 soil erosion by water and surface runoff, sedimentation, and soil contamination. Such impacts are
7 common to all utility-scale solar energy development in varying degrees and are described in
8 more detail for the four phases of development in Section 5.7.1.
9

10 Because impacts on soil resources result from ground-disturbing activities in the project
11 area, soil impacts would be roughly proportional to the size of a given solar facility, with larger
12 areas of disturbed soil having a greater potential for impacts than smaller areas (Section 5.7.2).
13 The magnitude of impacts would also depend on the types of components built for a given
14 facility, because some components would involve greater disturbance and would take place over
15 a longer timeframe.
16

17
18 **12.2.7.3 SEZ-Specific Design Features and Design Feature Effectiveness**
19

20 No SEZ-specific design features were identified for soil resources at the proposed Mason
21 Draw SEZ. Implementing the programmatic design features described under both Soils and Air
22 Quality in Appendix A, Section A.2.2, as required under BLM’s Solar Energy Program, would
23 reduce the potential for soil impacts during all project phases.
24

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.2.8 Minerals (fluids, solids, and geothermal resources)**
2
3

4 **12.2.8.1 Affected Environment**
5

6 As of August 31, 2010, there were no locatable mining claims within the proposed Mason
7 Draw SEZ, nor have there been any claims in the past (BLM and USFS 2010a). The public land
8 within the SEZ has been closed to locatable mineral entry since June 2009, pending the outcome
9 of this solar energy PEIS. Although the area currently has no active oil and gas leases, most of
10 the area in and around the SEZ has been leased in the past but the leases have expired (BLM and
11 USFS 2010b). The area remains open for discretionary mineral leasing for oil and gas and other
12 leasable minerals and for disposal of salable minerals. There is no active geothermal leasing or
13 development in or near the SEZ, nor has the area previously been leased for that purpose
14 (BLM and USFS 2010b).
15

16
17 **12.2.8.2 Impacts**
18

19 If the area were identified as a solar energy zone, it would continue to be closed to all
20 incompatible forms of mineral development. For the purpose of this analysis, it was assumed
21 that future development of oil and gas resources, should any be found, would be possible,
22 since such development could occur with directional drilling from outside the SEZ. Since the
23 SEZ does not contain existing mining claims, it was also assumed that there would be no future
24 loss of locatable mineral production. The production of common minerals, such as sand and
25 gravel and mineral materials used for road construction or other purposes, might take place in
26 areas not directly developed for solar energy production.
27

28 The SEZ has had no history of development of geothermal resources. For that reason, it is
29 not anticipated that solar development would adversely affect the development of geothermal
30 resources.
31

32
33 **12.2.8.3 SEZ-Specific Design Features and Design Feature Effectiveness**
34

35 No SEZ-specific design features were identified to protect mineral resources.
36

1
2
3
4
5
6
7
8
9
10
11
12
13
14

This page intentionally left blank.

1 **12.2.9 Water Resources**

2
3
4 **12.2.9.1 Affected Environment**


5
6 The proposed Mason Draw SEZ is located within the Rio Grande–Mimbres subbasin of
7 the Rio Grande Hydrologic Region (USGS 2010f) and the Basin and Range physiographic
8 province characterized by north–south trending basins flanked by small mountain ranges
9 (Robson and Banta 1995). The proposed SEZ has surface elevations ranging between 4,370 and
10 4,720 ft (1,332 and 1,439 m), with a general northeast to southwest drainage pattern coming
11 off the slopes of the Sleeping Lady Hills to the northeast and the Sierra de las Uvas to the
12 north (Figure 12.2.9.1-1). Annual precipitation is estimated to be 10 in./yr (25.4 cm/yr), with
13 average annual snowfalls of 3 in./yr (7.6 cm/yr) in the low-lying areas near the proposed SEZ
14 (WRCC 2010a). In the higher elevations of the Sierra de las Uvas, annual precipitation
15 amounts range from 15 to 30 in./yr (38 to 76 cm/yr) with average annual snowfalls of 14 in./yr
16 (35.6 cm/yr) (Hawley et al. 2000; WRCC 2010b). Evapotranspiration rates within the Mimbres
17 basin have been estimated at 16 in./yr (Hanson et al. 1994), and pan evaporation rates in the
18 vicinity of the proposed SEZ were estimated to be 102 in./yr (259 cm/yr) (Cowherd et al. 1988;
19 WRCC 2010c).

20
21
22 ***12.2.9.1.1 Surface Waters (Including Drainages, Floodplains, and Wetlands)***

23
24 There are no perennial surface water features located in the proposed Mason Draw SEZ.
25 Several ephemeral washes drain in a general north to south pattern across the proposed SEZ,
26 with the majority of these washes draining the Sleeping Lady Hills to the northeast of the site.
27 Several of these washes converge to form Kimble Draw, which is a significant ephemeral wash
28 that runs north to south across the middle of the site and eventually drains into Daley Lake, a dry
29 lake located approximately 2 mi (3 km) south of the proposed SEZ. Mason Draw is another
30 significant ephemeral wash located 2 mi (3.2 km) west of the proposed SEZ. It is fed by several
31 washes draining the Sierra de las Uvas and drains from north to south toward Muzzle Lake, a dry
32 lake located 4 mi (6 km) southwest of the proposed SEZ (Figure 12.2.9.1-1). The Rio Grande is
33 located 14 mi (22.5 km) to the west of the proposed SEZ, and the Mimbres River, which is an
34 intermittent stream, is located 27 mi (43.5 km) west of the site.

35
36 Flood hazards have been mapped in the proposed Mason Draw SEZ (FEMA 2009) with
37 the majority of the site being identified as being beyond the 500-year floodplain (Zone X).
38 Riparian areas along Kimble Draw have been identified as being within the 100-year floodplain
39 (Zone A), which covers an area of 325 acres (1.3 km²) within the proposed SEZ. The ephemeral
40 channel and riparian areas of Mason Draw just to the west of the proposed SEZ have also been
41 identified as being within the 100-year floodplain. During storm events, intermittent flooding
42 may occur in these ephemeral wash features, and temporary ponding of water along with channel
43 erosion and deposition may take place.

44
45 Within the proposed Mason Draw SEZ, only a small riverine wetland is located in the
46 riparian region of Kimble Draw, with other small riverine wetlands located along the riparian



1
2 **FIGURE 12.2.9.1-1 Surface Water Features near the Proposed Mason Draw SEZ (Note: Digital data for wetland features were not**
3 **available during analysis and features are not shown)**

1 areas of Mason Draw to the west of the site (USFWS 2009). Several small (typically less than
2 1 acre [0.004 km²]) palustrine wetlands are located 25 mi (40 km) north of the proposed SEZ.
3 In addition, riverine wetland areas have been identified in the riparian areas of the Rio Grande
4 approximately 15 mi (24 km) northeast of the proposed SEZ. Further information regarding the
5 wetlands near the proposed Mason Draw SEZ is described in Section 12.2.10.1.
6
7

8 **12.2.9.1.2 Groundwater**

9

10 The proposed Mason Draw SEZ is located on the eastern edge of the Mimbres
11 Groundwater Basin, which is a transboundary basin that is shared jointly by the United States
12 and Mexico. The Mimbres Basin is a large basin comprised of several connected north- and
13 northwest-trending structural units that cover an area of 3.3 million acres (13,300 km²), and
14 groundwater is primarily found in the basin-fill aquifers that range from 0 to 3,700 ft (0 to
15 1,128 m) in thickness (Hawley et al. 2000; Heywood 2002). The dominant groundwater flow
16 paths in the Mimbres Basin are along the central portion of the Mimbres Basin, and the
17 proposed SEZ is on the eastern edge within the topographically raised Potrillo Horst structural
18 unit (Hanson et al. 1994; Hawley et al. 2000). This eastern boundary region of the Mimbres
19 Groundwater Basin consists of a thin layer of alluvium sediments, as well as Quaternary
20 and Tertiary age volcanic rocks that overlie Mesozoic and Paleozoic bedrock features
21 (Frenzel et al. 1992; Hanson et al. 1994). While surface water drainage is primarily to the
22 south and southwest within the Mimbres Basin, groundwater potentially flows to the south
23 and east towards the Mesilla Groundwater Basin (the north–south boundary between the basins
24 is along the Sleeping Lady Hills shown in Figure 12.2.9.1-1) described in Section 12.1.9.1.2 for
25 the proposed Afton SEZ (Frenzel et al. 1992; Hanson et al. 1994; Hawley et al. 2000).
26

27 The basin-fill sediments within the region of the proposed Mason Draw SEZ range
28 between 50 and 150 ft (15 and 45 m) in thickness and are typically under unconfined conditions
29 (Hanson et al. 1994; Heywood 2002). These basin-fill sediments are a part of the upper unit of
30 the Santa Fe Group, and contain interbedded volcanic rocks with unconsolidated sands and
31 gravels (Frenzel et al. 1992; Hawley et al. 2000). Transmissivity values within the basin-fill
32 sediments of the Mimbres Basin are highly variable and range between 1,873 and 25,381 ft²/day
33 (174 and 2,358 m²/day) (Contaldo and Mueller 1991); however, the basin-fill sediments near
34 the proposed SEZ have not been fully characterized. Groundwater may potentially be stored in
35 deeper bedrock units in the vicinity of the proposed SEZ. Hanson et al. (1994) described one
36 well drilled to a depth of 3,000 ft (914 m) that yielded 11 ac-ft/yr (13,600 m³/yr) of low salinity
37 groundwater and did not experience any significant drawdown.
38

39 The location of the proposed Mason Draw SEZ near the boundary between the
40 Mimbres Basin and Mesilla Basin, along with its potential to exchange groundwater
41 between basins, makes it difficult to assess groundwater flow, as well as recharge and
42 discharge processes. Groundwater flow in the Mesilla Basin is toward the southeast
43 (see Section 12.1.9.1.2), while groundwater flow in the Mimbres Basin is toward the south
44 and southwest (Hawley et al. 2000). Groundwater recharge for both basins is primarily by
45 mountain front runoff and infiltration, seepage from streams, and subsurface underflow
46 processes (Frenzel et al. 1992; Hanson et al. 1994). Total groundwater recharge for the

1 Mesilla Basin was estimated to be less than 10,000 ac-ft/yr (12.3 million m³/yr)
2 (Section 12.1.9.1.2), and estimates for the total groundwater recharge in the Mimbres Basin
3 range between 39,940 and 55,300 ac-ft/yr (49.3 million and 68.2 million m³/yr) (Hawley et al.
4 2000; NMOSE 2003). Because the proposed Mason Draw SEZ lies on the boundary between the
5 Mimbres Basin and Mesilla Basin and there are no perennial streams nearby, a more applicable
6 measure of groundwater recharge can be estimated using the sum of modeled mountain front
7 recharge values for the region around the proposed SEZ in Hanson et al. (1994) that total
8 approximately 1,740 ac-ft/yr (2.1 million m³/yr).
9

10 Groundwater discharge processes in Mimbres Basin are predominately groundwater
11 extractions, discharge to springs, evapotranspiration, and subsurface underflow. Prior to
12 extensive development in the Mimbres Basin, evapotranspiration discharges were as much
13 as 71,000 ac-ft/yr (87.6 million m³/yr) in the alluvial flat and playa portions of the basin;
14 however, a significant portion of this pre-development evapotranspiration discharge is currently
15 captured by groundwater extractions focused around the cities of Deming and Columbus
16 (Hawley et al. 2000). Discharges to springs in the vicinity of the Mason Draw SEZ are typically
17 less than 32 ac-ft/yr (39,500 m³/yr) (Hanson et al. 1994). In addition, for the region of the
18 Mimbres Basin near the proposed SEZ, estimates of subsurface underflow to the Mesilla Basin
19 range from 145 ac-ft/yr (178,900 m³/yr) (Frenzel et al. 1992) to 500 ac-ft/yr (616,700 m³/yr)
20 (Hanson et al. 1994). It should be noted that the Hanson et al. (1994) model did not account for
21 up to 500 ac-ft/yr (616,700 m³/yr) of subsurface underflow to the Mesilla Basin, which suggests
22 that the modeled estimates of mountain front recharge for the region of the proposed SEZ may
23 actually be as much as 2,240 ac-ft/yr (2.8 million m³/yr).
24

25 Groundwater monitoring well information in the vicinity of the proposed Mason Draw
26 SEZ is sparse. Wells in the Mimbres Basin that are more than 9 mi (14 km) west of the proposed
27 SEZ show depth to groundwater values ranging from 15 to 75 ft (4.5 to 23 m) below the land
28 surface, and have been fairly steady over time (USGS 2010c; well numbers 321429107311401
29 and 321828107165501). Wells in the Mesilla Basin that are located more than 3 mi (5 km) to
30 the east of the proposed SEZ have depth to groundwater values ranging between 185 and 320 ft
31 (56 and 98 m) below the land surface (USGS 2010c; well numbers 321945106595001 and
32 321104107001701). Groundwater extractions are greater towards the town of Deming, which is
33 located 25 mi (40 km) west of the proposed SEZ near the center of the Mimbres Basin, and
34 groundwater surface elevations in this area have been decreasing at an average rate of 0.8 ft/yr
35 (0.2 m/yr) since the 1940s. In addition, groundwater surface elevations have declined near the
36 U.S.–Mexico border near the town of Columbus (Hanson et al. 1994).
37

38 Groundwater quality varies by location in the Mimbres Basin. TDS concentrations are
39 less than 500 mg/L in the northern portion of the basin, but increase to more than 1,000 mg/L
40 near the U.S.–Mexico border (Hawley et al. 2000). Water quality data in the vicinity of the
41 proposed Mason Draw SEZ is sparse, but the basin-wide analysis of groundwater quality showed
42 that elevated TDS concentrations associated with drinking water quality concerns and alkali
43 hazards for crop irrigation exist farther south in the basin than the location of the proposed SEZ
44 (Hanson et al. 1994).
45
46

1 **12.2.9.1.3 Water Use and Water Rights Management**
2

3 In 2005, water withdrawals from surface waters and groundwater in Dona Ana County
4 were 521,000 ac-ft/yr (642 million m³/yr), of which 61% came from surface waters and 39%
5 came from groundwater. The largest water use category was agricultural irrigation, at
6 470,000 ac-ft/yr (580 million m³/yr). Public supply water use accounted for 42,000 ac-ft/yr
7 (52 million m³/yr), with livestock water use on the order of 6,900 ac-ft/yr (8.5 million m³/yr)
8 (Kenny et al. 2009).

9 Water rights in New Mexico are managed using the doctrine of prior appropriation. All
10 waters (both groundwater and surface water) are public and subject to appropriation by a legal
11 entity with plans of beneficial use for the water (BLM 2001). A water right in New Mexico is a
12 legal entity's right to appropriate water for a specific beneficial use and is defined by seven
13 major elements: owner, point of diversion, place of use, purpose of use, priority date, amount of
14 water, and periods of use. Water rights in New Mexico are administered through the Water
15 Resources Allocation Program (WRAP) under the Office of the State Engineer (NMOSE)
16 (NMOSE 2010a). The WRAP and the NMOSE are responsible for both surface and groundwater
17 appropriations (both novel and transfer of existing water rights). The extent of the NMOSE's
18 authority to regulate groundwater applies only to those groundwater basins that are "declared" as
19 underground water basins; however, as of 2005, all groundwater basins within the state have
20 been declared. When assessing water right applications, the WRAP considers the following: the
21 existence of unappropriated waters within the basin, the possibility of impairing existing water
22 rights, whether granting the application would be contrary to the conservation of water within
23 the state, and whether the application will be detrimental to public welfare (BLM 2001).

24 In most regions of the state, groundwater and surface water appropriation application
25 procedures are handled in a similar fashion. The criteria for which the applications are evaluated
26 and administered can vary by region or case (NMOSE 2005a, 2006). For select basins, in
27 addition to the routine evaluations described above, groundwater and surface water rights
28 applications may be subject to water management plans to ensure that the proposed junior
29 water rights will not be detrimental to more senior water rights or impair water conservation
30 efforts in their specific regions (NMOSE 2004). Under the WRAP is the Active Water Resource
31 Management (AWRM) initiative, which is responsible for administering the water management
32 plans in specific basins and regions (NMOSE 2010b). The AWRM is also responsible for
33 prioritizing basins that are in need of conservation and water management plans. For basins
34 deemed "priority," there are policies set in place that mandate junior water rights be temporarily
35 curtailed in favor of more senior water rights in times of drought or shortage. These priority
36 basins are generally more restrictive in terms of awarding novel water rights and transferring
37 existing water rights (NMOSE 2004). Specific tools to be used in the AWRM initiative are
38 associated with (1) detailed accounting of water use, (2) implementing new or existing
39 regulations, (3) creating water districts for management purposes, and (4) assigning water
40 masters to those districts (NMOSE 2004). The water masters are tasked with prioritizing water
41 rights. This effort is necessary to accurately determine which rights will be curtailed and which
42 will not, in a time of water shortage. The process of curtailing junior water rights in favor of
43 more senior ones is called "priority administration" (NMOSE 2010c).
44

1 The proposed Mason Draw SEZ is located in Rio Mimbres AWRM priority basin, which
2 overlaps the Mimbres Groundwater Basin. Some areas of this management basin are closed to
3 new appropriations (mostly centered around the towns of Deming and Columbus, as well as
4 along the Mimbres River), while water rights in the remaining portions of the basin are assessed
5 and managed based on a groundwater model developed by the NMOSE and the USGS
6 (NMOSE 2003). The location of the proposed Mason Draw SEZ is outside the area that is closed
7 for new appropriations, so any new water appropriations or water right transfers would be
8 subject to the rules and regulations established by the Rio Mimbres watermaster under the
9 AWRM priority basin initiative. The groundwater model used to administer water rights in the
10 Rio Mimbres management basin compares predicted levels of groundwater drawdown to
11 established criteria governing the rate of drawdown and absolute depth to groundwater values
12 that are allowed over administrative blocks that cover an area of 2,560 acres (10 km²)
13 (NMOSE 2003).
14
15

16 **12.2.9.2 Impacts**

17

18 Potential impacts on water resources related to utility-scale solar energy development
19 include direct and indirect impacts on surface waters and groundwater. Direct impacts occur at
20 the place of origin and at the time of the proposed activity, while indirect impacts occur away
21 from the place of origin or later in time. Impacts on water resources considered in this analysis
22 are the result of land disturbance activities (i.e., construction, final developed site plan, off-site
23 activities: road and transmission line construction) and water use requirements for solar energy
24 technologies that take place during the four project phases: site characterization, construction,
25 operations, and decommissioning/reclamation. Both land disturbance and consumptive water use
26 activities can affect groundwater and surface water flows, cause drawdown of groundwater
27 surface elevations, modify natural drainage pathways, obstruct natural recharge zones, and alter
28 surface water-wetland-groundwater connectivity. Water quality can also be degraded through the
29 generation of wastewater, chemical spills, increased erosion and sedimentation, and increased
30 salinity (e.g., by excessive withdrawal from aquifers).
31
32

33 ***12.2.9.2.1 Land Disturbance Impacts on Water Resources***

34

35 Impacts related to land disturbance activities are common to all utility-scale solar
36 energy development, which are described in more detail for the four phases of development in
37 Section 5.9.1. These impacts will be minimized through the implementation of programmatic
38 design features described in Appendix A, Section A.2.2. Land disturbance impacts in the vicinity
39 of the Mason Draw SEZ should be minimized near the unnamed ephemeral wash running north
40 to south across the center of the site and along the western boundary near Mason Draw to
41 prevent channel incision and erosion in these ephemeral streams.
42
43

1 **12.2.9.2.2 Water Use Requirements for Solar Energy Technologies**

2
3
4 **Analysis Assumptions**

5
6 A detailed description of the water use assumptions for the four utility-scale solar energy
7 technologies (parabolic trough, power tower, dish engine, and PV systems) is presented in
8 Appendix M. Assumptions regarding water use calculations specific to the proposed Mason
9 Draw SEZ include the following:

- 10
11 • On the basis of a total area of 12,909 acres (52 km²), it is assumed that two
12 solar projects would be constructed during the peak construction year;
13
14 • Water needed for making concrete would come from an off-site source;
15
16 • The maximum land disturbance for an individual solar facility during the peak
17 construction year is 3,000 acres (12 km²);
18
19 • Assumptions on individual facility size and land requirements (Appendix M)
20 along with the assumed number of projects and maximum allowable land
21 disturbance results in the potential to disturb up to 46% of the SEZ's total area
22 during the peak construction year; and
23
24 • Water use requirements for hybrid cooling systems are assumed to be on the
25 same order of magnitude as those using dry cooling (see Section 5.9.2.1).
26

27
28 **Site Characterization**

29
30 During site characterization, water would be used mainly for controlling fugitive dust and
31 for providing the workforce's potable water supply. Impacts on water resources during this phase
32 of development are expected to be negligible since activities would be limited in area, extent,
33 and duration. Water needs could be met by trucking water in from an off-site source.
34

35
36 **Construction**

37
38 During construction, water would be used mainly for fugitive dust suppression and the
39 workforce's potable supply. Because there are no significant surface water bodies on the
40 proposed Mason Draw SEZ, the water requirements for construction activities could be met by
41 either trucking water to the sites or by using on-site groundwater resources. Water requirements
42 for dust suppression and potable water supply during the peak construction year, shown in
43 Table 12.2.9.2-1, could be as high as 3,581 ac-ft (4.8 million m³). Groundwater wells would
44 have to yield an estimated 2,219 gpm (8,059 L/min) to meet the estimated construction water
45 requirements, which is of the same order of magnitude as large agricultural and municipal
46 production wells (Harter 2003). In addition, the estimated total water needs for the peak

TABLE 12.2.9.2-1 Estimated Water Requirements during the Peak Construction Year for the Proposed Mason Draw SEZ

Activity	Parabolic Trough	Power Tower	Dish Engine	PV
Water use requirements ^a				
Fugitive dust control (ac-ft) ^{b,c}	2,328	3,491	3,491	3,491
Potable supply for workforce (ac-ft)	148	90	37	19
Total water use requirements (ac-ft)	2,466	3,581	3,528	3,510
Wastewater generated				
Sanitary wastewater (ac-ft)	148	90	37	19

^a Assumptions of water use for fugitive dust control, potable supply for workforce, and wastewater generation are presented in Table M.9-1 (Appendix M).

^b Fugitive dust control estimation assumes a local pan evaporation rate of 102 in./yr (259 cm/yr) (Cowherd et al. 1988; WRCC 2010d).

^c To convert ac-ft to m³, multiply by 1,234.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

construction year are on the same order of magnitude as the local groundwater recharge estimate. The availability of groundwater and the impacts of groundwater withdrawal would need to be assessed during the site characterization phase of a solar development project.

In addition to groundwater withdrawals, up to 148 ac-ft (182,600 m³) of sanitary wastewater would be generated annually and would need to be either treated on-site or sent to an off-site facility. Groundwater quality in the vicinity of the SEZ would need to be tested to verify that the quality would comply with drinking water standards.

Operations

During operations, water would be required for mirror/panel washing, the workforce potable water supply, and cooling (parabolic trough and power tower only) (Table 12.2.9.2-2). Water needs for cooling are a function of the type of cooling used (i.e., dry, hybrid, wet). Further refinements to water requirements for cooling would result from the percentage of time the option was employed (30 to 60% range assumed) and the power of the system. The differences between the water requirements reported in Table 12.2.9.2-2 for the parabolic trough and power tower technologies are attributable to the assumptions of acreage per megawatt. As a result, the water usage for the more energy-dense parabolic trough technology is estimated to be almost twice as large as that for the power tower technology.

Water use requirements among the solar energy technologies are a factor of the full build-out capacity for the SEZ, as well as assumptions on water use and technology operations discussed in Appendix M. Table 12.2.9.2-2 lists the quantities of water needed for mirror/panel washing, potable water supply, and cooling activities for each solar energy technology. At full

TABLE 12.2.9.2-2 Estimated Water Requirements during Operations at the Proposed Mason Draw SEZ

Activity	Parabolic Trough	Power Tower	Dish Engine	PV
Full build-out capacity (MW) ^{a,b}	2,065	1,147	1,147	1,147
Water use requirements				
Mirror/panel washing (ac-ft/yr) ^{c,d}	1,033	574	574	57
Potable supply for workforce (ac-ft/yr)	29	13	13	1
Dry-cooling (ac-ft/yr) ^e	413–2,065	229–1,147	NA ^f	NA
Wet-cooling (ac-ft/yr) ^e	9,294–29,949	5,164–16,638	NA	NA
Total water use requirements				
Non-cooled technologies (ac-ft/yr)	NA	NA	587	58
Dry-cooled technologies (ac-ft/yr)	1,475–3,127	816–1,734	NA	NA
Wet-cooled technologies (ac-ft/yr)	10,356–31,011	5,751–17,225	NA	NA
Wastewater generated				
Blowdown (ac-ft/yr) ^g	587	326	NA	NA
Sanitary wastewater (ac-ft/yr)	29	13	13	1

^a Land area for parabolic trough was estimated at 5 acres/MW (0.02 km²/MW); land area for the power tower, dish engine, and PV technologies was estimated at 9 acres/MW (0.04 km²/MW).

^b Water needs are linearly related to power. Water usage for any other size project can be estimated by using multipliers provided in Table M.9-2 (Appendix M).

^c Value assumes a usage rate of 0.5 ac-ft/yr/MW for mirror washing for parabolic trough, power tower, and dish engine technologies and a rate of 0.05 ac-ft/yr/MW for panel washing for PV systems.

^d To convert ac-ft to m³, multiply by 1,234.

^e Dry-cooling value assumes 0.2 to 1.0 ac-ft/yr per MW and wet-cooling value assumes 4.5 to 14.5 ac-ft/yr per MW (range in these values represents 30 and 60% operating times) (DOE 2009).

^f NA = not applicable.

^g Value scaled from 250-MW Beacon Solar project with an annual discharge of 44 gpm (167 L/min) (AECOM 2009). Blowdown estimates are relevant to wet cooling only.

1
2
3 build-out capacity, the estimated total water use requirements for non-cooling technologies
4 (i.e., technologies that do not use water for cooling) during operations are 58 and 587 ac-ft/yr
5 (71,500 and 724,000 m³/yr) for the PV and dish engine technologies, respectively. For
6 technologies that use water for cooling (i.e., parabolic trough and power tower), total water
7 needs range from 816 ac-ft/yr (1.0 million m³/yr) (power tower for an operating time of 30%
8 using dry cooling) to 31,011 ac-ft/yr (38.3 million m³/yr) (parabolic trough for an operating
9 time of 60% using wet cooling). Operations would generate up to 29 ac-ft/yr (35,800 m³/yr) of
10 sanitary wastewater. In addition, for wet-cooled technologies, 326 to 587 ac-ft/yr (402,000 to
11 724,000 m³/yr) of cooling system blowdown water would need to be either treated on-site or sent
12 to an off-site facility. Any on-site treatment of wastewater would have to ensure that treatment
13 ponds are effectively lined in order to prevent any groundwater contamination.

1 Groundwater in the basin-fill aquifer is the primary water source available in the vicinity
2 of the proposed Mason Draw SEZ. The relatively shallow depth of the basin-fill aquifer and the
3 estimated value of local groundwater recharge limit the amount of usable groundwater for solar
4 energy facilities. Given the estimates of needed water resources for the full build-out scenario
5 (Table 12.2.9.2-2), technologies using wet cooling are not feasible because their water needs far
6 exceed estimates of local groundwater recharge and are of similar magnitude to the total
7 groundwater recharge for either the Mimbres Basin or the Mesilla Basin. Technologies using dry
8 cooling have water needs of similar magnitude to the estimated local groundwater recharge rate,
9 so impacts associated with potential groundwater drawdown effects would need to be assessed
10 during the site characterization phase. PV and dish engine technologies have water use
11 requirements that are reasonable, considering the information currently known about
12 groundwater in the vicinity of the proposed SEZ. Further characterization of the effects of
13 groundwater withdrawal rates on potential groundwater elevations and flow directions would
14 need to be assessed during the site characterization phase of a solar project and during the
15 development of water supply wells. As mentioned in Section 12.2.9.1.2, limited groundwater
16 resources may exist in bedrock aquifers more than 3,000 ft (914 m) below the surface, but further
17 characterization is needed. In addition, groundwater quality in the vicinity of the SEZ would
18 need to be tested to verify the quality would comply with drinking water standards for any
19 potable water supply sources.
20

21 **Decommissioning/Reclamation**

22
23
24 During decommissioning/reclamation, all surface structures associated with the solar
25 project would be dismantled, and the site reclaimed to its preconstruction state. Activities and
26 water needs during this phase would be similar to those during the construction phase (dust
27 suppression and potable supply for workers) and may also include water to establish vegetation
28 in some areas. However, the total volume of water needed is expected to be less. Because
29 quantities of water needed during the decommissioning/reclamation phase would be less than
30 those for construction, impacts on surface and groundwater resources also would be less.
31
32

33 ***12.2.9.2.3 Off-Site Impacts: Roads and Transmission Lines***

34
35 Impacts associated with the construction of roads and transmission lines primarily deal
36 with water use demands for construction, water quality concerns relating to potential chemical
37 spills, and land disturbance effects on the natural hydrology. The extent of the impacts on water
38 resources is proportional to the amount and location of land disturbance needed to connect the
39 proposed SEZ to major roads and existing transmission lines. The proposed Mason Draw SEZ is
40 located within 1 mi (1.6 km) of I-10 and adjacent to existing transmission lines, so impacts on
41 water resources would be minimal.
42
43
44

1 **12.2.9.2.4 Summary of Impacts on Water Resources**
2

3 The impacts on water resources associated with developing solar energy at the proposed
4 Mason Draw SEZ are associated with land-disturbance effects on the natural hydrology, water
5 quality concerns, and water use requirements for the various solar energy technologies. Land
6 disturbance activities can cause localized erosion and sedimentation issues, as well as altering
7 groundwater recharge and discharge processes. The Mason Draw SEZ contains Kimble Draw
8 and other ephemeral wash features, some riparian wetland features, and areas within the
9 100-year floodplain. These areas are susceptible to increased erosion and sedimentation as a
10 result of solar energy development.
11

12 Impacts related to water use requirements vary depending on the type of solar technology
13 built and, for technologies using cooling systems, the type of cooling (wet, dry, or hybrid) used.
14 Groundwater is the primary water resource available to solar energy facilities in the proposed
15 Mason Draw SEZ. The location of the proposed SEZ is on the boundary between the Mimbres
16 Basin and the Mesilla Basin. Both of these groundwater basins have substantial basin-fill
17 aquifers, but the area around the proposed SEZ consists of a shallow basin-fill aquifer that is not
18 fully characterized. Given the data from previous studies on the Mimbres and Mesilla basins
19 (e.g., Frenzel et al. 1992; Hanson et al. 1994; Hawley et al. 2000), this boundary area between
20 the two basins does not have substantial groundwater resources available and it potentially only
21 receives a limited amount of groundwater recharge through localized mountain front infiltration.
22 Comparing the estimates of water use needs presented in Table 12.2.9.2-2 with the estimates of
23 groundwater recharge in the vicinity of the proposed SEZ (Section 12.2.9.1.2) suggests that wet-
24 cooling technologies would not be feasible for the full build-out scenario at the proposed Mason
25 Draw SEZ. Dry-cooled, dish engine, and PV technologies would need to implement water
26 conservation measures in order to limit water needs, given the limited water resources that are
27 available at the proposed Mason Draw SEZ. In addition, water rights for potential solar energy
28 facilities would need to be secured in compliance with the procedures set forth by the Rio
29 Mimbres management basin’s watermaster and the policies set by the AWRM priority basins
30 initiative.
31
32

33 **12.2.9.3 SEZ-Specific Design Features and Design Feature Effectiveness**
34

35 The program for solar energy development on BLM-administered lands will require the
36 programmatic design features given in Appendix A, Section A.2.2, to be implemented,
37 mitigating some impacts on water resources. Design features would focus on coordinating with
38 federal, state, and local agencies that regulate the use of water resources to meet the requirements
39 of permits and approvals needed to obtain water for development, and conducting hydrological
40 studies to characterize the aquifer from which groundwater would be obtained. This includes
41 drawdown effects, if a new point of diversion is created. The greatest consideration for
42 mitigating water impacts would be in the selection of solar technologies. The mitigation of
43 impacts would be best achieved by selecting technologies with low water demands.
44
45

1 Design features specific to the proposed Mason Draw SEZ include the following:
2

- 3 • Water resource analysis indicates that wet-cooling options would not be
4 feasible; other technologies should incorporate water conservation measures;
5
- 6 • Land disturbance activities should minimize impacts on ephemeral streams
7 located within the proposed SEZ;
8
- 9 • Siting of solar facilities and construction activities should avoid areas that are
10 identified as within a 100-year floodplain of Kimble Draw that total 325 acres
11 [1.3 km²] within the proposed SEZ;
12
- 13 • Groundwater management/rights should be coordinated with the NMOSE
14 with respect to the Rio Mimbres AWRM priority basin;
15
- 16 • Groundwater monitoring and production wells should be constructed in
17 accordance with state standards (NMOSE 2005b);
18
- 19 • Stormwater management BMPs should be implemented according to the
20 guidance provided by the New Mexico Environment Department
21 (NMED 2010); and
22
- 23 • Water for potable uses would have to meet or be treated to meet water quality
24 standards as defined by the EPA (2009d).
25
26

1 **12.2.10 Vegetation**
2

3 This section addresses vegetation that could occur or is known to occur within the
4 potentially affected area of the proposed Mason Draw SEZ. The affected area considered in this
5 assessment includes the areas of direct and indirect effects. The area of direct effects is defined
6 as the area that would be physically modified during project development (i.e., where ground-
7 disturbing activities would occur) and includes only the SEZ. The area of indirect effects was
8 defined as the area within 5 mi (8 km) of the SEZ boundary where ground-disturbing activities
9 would not occur but that could be indirectly affected by activities in the area of direct effects.
10

11 Indirect effects considered in the assessment include effects from surface runoff, dust,
12 and accidental spills from the SEZ, but do not include ground-disturbing activities. The potential
13 degree of indirect effects would decrease with increasing distance from the SEZ. This area of
14 indirect effects was identified on the basis of professional judgment and was considered
15 sufficiently large to bound the area that would potentially be subject to indirect effects. The
16 affected area is the area bounded by the areas of direct and indirect effects. These areas are
17 defined and the impact assessment approach is described in Appendix M.
18
19

20 **12.2.10.1 Affected Environment**
21

22 The proposed Mason Draw SEZ is located within the Chihuahuan Basins and Playas
23 Level IV ecoregion (EPA 2007), which supports communities of desert shrubs and grasses
24 on alluvial fans, flat to rolling internally drained basins, and river valleys and includes
25 areas of saline and alkaline soils, salt flats, sand dunes, and areas of wind-blown sand
26 (Griffith et al. 2006). The dominant species of the desert shrubland is creosotebush (*Larrea*
27 *tridentata*), with tarbush (*Flourensia cernua*), yuccas (*Yucca* spp.), sand sage (*Artemisia*
28 *filifolia*), viscid acacia (*Acacia neovernicosa*), tasajillo (*Cylindropuntia leptocaulis*), lechuguilla
29 (*Agave lechuguilla*), and mesquite (*Prosopis* sp.) also frequently occurring. Gypsum areas
30 support gyp grama (*Bouteloua breviseta*), gyp mentzelia (*Mentzelia humulis*), and Torrey
31 ephedra (*Ephedra torreyana*). Fourwing saltbush (*Atriplex canescens*), seepweed (*Suaeda* sp.),
32 pickleweed (*Allenrolfea occidentalis*), and alkali sacaton (*Sporobolus airoides*) occur on saline
33 flats and along alkaline playa margins. Cacti, including horse creeper (*Echinocactus texensis*),
34 are common in this ecoregion. This ecoregion is located within the Chihuahuan Deserts
35 Level III ecoregion, which is described in Appendix I. Annual precipitation in the Chihuahuan
36 Desert occurs mostly in summer (Brown 1994), and is low in the area of the SEZ, averaging
37 about 9.4 in. (24 cm) at Las Cruces, New Mexico (see Section 12.2.13).
38

39 Areas surrounding the SEZ include this ecoregion as well as the Low Mountains and
40 Bajadas Level IV ecoregion, which includes desert shrub communities with a sparse cover of
41 grasses, with scattered trees at higher elevations (Griffith et al. 2006).
42

43 Land cover types described and mapped under the Southwest Regional Gap Analysis
44 Project (SWReGAP) (USGS 2005a) were used to evaluate plant communities in and near the
45 SEZ. Each cover type encompasses a range of similar plant communities. Land cover types
46 occurring within the potentially affected area of the proposed Mason Draw SEZ are shown in

1 Figure 12.2.10.1-1. Table 12.2.10.1-1 lists the surface area of each cover type within the
2 potentially affected area.

3
4 Apacherian-Chihuahuan Piedmont Semi-Desert Grassland and Steppe, Apacherian-
5 Chihuahuan Mesquite Upland Scrub, and Chihuahuan Creosotebush, Mixed Desert and
6 Thorn Scrub are the predominant cover types within the proposed Mason Draw SEZ. Additional
7 cover types within the SEZ are given in Table 12.2.10.1-1. During a July 2009 visit to the site,
8 creosotebush was the dominant species observed in the desert scrub communities present
9 within the northern portions of the SEZ, with banana yucca (*Yucca baccata*), Torrey's yucca
10 (*Yucca torreyi*), and soaptree yucca (*Yucca elata*) frequently occurring. The dominant species in
11 the desert grassland areas present on the SEZ include tobosagrass (*Pleuraphis mutica*), alkali
12 sakaton, and mesa dropseed (*Sporobolus flexuosus*). Shrub-steppe communities included these
13 species as well as honey mesquite (*Prosopis glandulosa*) and snakeweed (*Gutierrezia* sp.).
14 Honey mesquite thickets occur in depressions. Cacti observed on the SEZ included purple
15 prickly pear (*Opuntia macrocentra*). Sensitive habitats on the SEZ include wetland, desert dry
16 wash, dry wash woodland, riparian, playa, and sand dune habitat. The area has a history of
17 livestock grazing, and the plant communities on the SEZ have likely been affected by grazing.
18


19 The area of indirect effects, including the area within 5 mi (8 km) around the SEZ,
20 includes 23 cover types, which are listed in Table 12.2.10.1-1. The predominant cover types are
21 Apacherian-Chihuahuan Piedmont Semi-Desert Grassland and Steppe, Apacherian-Chihuahuan
22 Mesquite Upland Scrub, and Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub.
23

24 One palustrine wetland, approximately 2.5 acres (0.01 km²) in size, and seven riverine
25 wetlands, totaling 14.2 mi (22.9 km), mapped by the NWI occurs in the proposed Mason Draw
26 SEZ (USFWS undated). NWI maps are produced from high-altitude imagery and are subject to
27 uncertainties inherent in image interpretation (USFWS 2009). The riverine wetlands are
28 associated with Kimble Draw and its tributaries. The palustrine wetland is classified as open
29 water. Cover types occurring on the SEZ, which are typically associated with wetland or riparian
30 areas, include North American Warm Desert Riparian Woodland and Shrubland, and North
31 American Warm Desert Playa.
32

33 Numerous ephemeral dry washes occur within the SEZ, generally flowing to the south.
34 These dry washes typically contain water for short periods during or following precipitation
35 events, and likely include temporarily flooded areas. Although these washes generally do not
36 support wetland habitats, woodlands occur along the margins of a number of the larger washes.
37

38 Numerous riverine wetlands occur outside the SEZ, within the indirect impact area. Many
39 of these are associated with Mason Draw. Scattered palustrine open water wetlands and
40 palustrine flats wetlands occur within the indirect impact area, including several locations just
41 outside the SEZ boundary. Several springs also occur in the vicinity of the SEZ.
42

43 The State of New Mexico maintains an official list of weed species that are designated
44 noxious species (NMDA 2009). Table 12.2.10.1-2 provides a summary of the noxious weed
45 species regulated in New Mexico that are known to occur in Dona Ana County (USDA 2010;
46



1

2 **FIGURE 12.2.10.1-1 Land Cover Types within the Proposed Mason Draw SEZ**
 3 **(Source: USGS 2004)**

TABLE 12.2.10.1-1 Land Cover Types within the Potentially Affected Area of the Proposed Mason Draw SEZ and Potential Impacts

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		
	Direct Effects (Within SEZ) ^c	Indirect Effects (Outside SEZ) ^d	Overall Impact Magnitude ^e
Apacherian-Chihuahuan Piedmont Semi-Desert Grassland and Steppe: Occurs on gently sloping bajadas, as well as on mesas and steeper piedmont and foothill slopes. Consists of grassland, steppe, and savanna characterized by a high diversity of perennial grasses as well as succulents, such as <i>Agave</i> , sotol (<i>Dasyliirion</i> spp.) and <i>Yucca</i> , and tall shrub/short tree species.	3,998 acres ^f (0.3%, 1.1%)	41,673 acres (3.2%)	Small
Apacherian-Chihuahuan Mesquite Upland Scrub: Occurs on foothills where deeper soil layers store winter precipitation. Dominant species are western honey mesquite (<i>Prosopis glandulosa</i>) or velvet mesquite (<i>P. velutina</i>) along with succulents and other deep-rooted shrubs. Cover of grasses is low.	3,817 acres (0.7%, 1.3%)	21,581 acres (4.2%)	Small
Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub: Occurs in basins and plains as well as the foothill transition zone. Consists of creosotebush (<i>Larrea tridentata</i>) alone or with thornscrub or other desertscrub species, including succulents such as <i>Agave</i> and cacti. Although grasses may be common, shrubs generally have greater cover.	3,785 acres (0.3%, 0.7%)	36,486 acres (2.9%)	Small
Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub: Consists of vegetated dunes and sandsheets with open shrublands (generally 10 to 30% plant cover) which include grasses.	979 acres (0.1%, 0.3%)	7,074 acres (1.0%)	Small
Chihuahuan Mixed Salt Desert Scrub: Occurs in saline basins, often on alluvial flats and around playas. Consists of one or more species of <i>Atriplex</i> along with other halophytic plant species. Grasses are present in varying densities.	186 acres (0.3%, 0.8%)	1,084 acres (1.6%)	Small
North American Warm Desert Pavement: Consists of unvegetated to very sparsely vegetated (<2% plant cover) areas, usually in flat basins, with ground surfaces of fine to medium gravel coated with “desert varnish.” Desert scrub species are usually present. Herbaceous species may be abundant in response to seasonal precipitation.	101 acres (0.9%, 2.4%)	1,272 acres (11.2%)	Small
Madrean Juniper Savanna: Occurs on lower foothills and plains. Consists of widely spaced Madrean juniper (<i>Juniperus</i> spp.) trees, with a moderate to high density of grasses (exceeding 25% cover). Succulents such as <i>Yucca</i> , <i>Agave</i> , or cacti are generally present.	11 acres (0.1%, 0.1%)	312 acres (1.6%)	Small

TABLE 12.2.10.1-1 (Cont.)

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		
	Direct Effects (Within SEZ) ^c	Indirect Effects (Outside SEZ) ^d	Overall Impact Magnitude ^e
North American Warm Desert Riparian Woodland and Shrubland: Occurs along medium to large perennial streams in canyons and desert valleys. Consists of a mix of riparian woodlands and shrublands. Vegetation is dependent upon annual or periodic flooding, along with substrate scouring, and/or a seasonally shallow water table.	6 acres (0.1%, 0.2%)	2 acres (<0.1%)	Small
Chihuahuan Sandy Plains Semi-Desert Grassland: Occurs on sandy plains and sandstone mesas. Consists of grassland and steppe, and includes scattered desert shrubs and stem succulents such as <i>Yucca</i> spp.	3 acres (<0.1%, <0.1%)	263 acres (0.6%)	Small
North American Warm Desert Playa: Consists of barren and sparsely vegetated areas (generally <10% plant cover) that are intermittently flooded; salt crusts are common. Sparse shrubs occur around the margins, and patches of grass may form in depressions. In large playas, vegetation forms rings in response to salinity. Herbaceous species may be periodically abundant.	1 acres (<0.1%, 0.1%)	50 acres (0.5%)	Small
Developed, Medium-High Intensity: Includes housing and commercial/industrial development. Impervious surfaces compose 50–100% of the total land cover.	0 acres	502 acres (1.0%)	Small
Madrean Encinal: Occurs on foothills, bajadas, and plateaus and in canyons. Consists of evergreen oak (<i>Quercus</i> spp.) woodlands, which include open woodlands and savannas at lower elevations. Conifers and shrubs may be present. Grasses may be prominent in some areas.	0 acres	394 acres (0.7%)	Small
North American Warm Desert Wash: Consists of intermittently flooded linear or braided strips within desert scrub or grassland landscapes on bajadas, mesas, plains, and basin floors. Although often dry, washes are associated with rapid sheet and gully flow. The vegetation varies from sparse and patchy to moderately dense and typically occurs along the banks, but may occur within the channel. Shrubs and small trees are typically intermittent to open. Common upland shrubs often occur along the edges.	0 acres	240 acres (7.1%)	Small

TABLE 12.2.10.1-1 (Cont.)

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		
	Direct Effects (Within SEZ) ^c	Indirect Effects (Outside SEZ) ^d	Overall Impact Magnitude ^e
North American Warm Desert Active and Stabilized Dune: Consists of unvegetated to sparsely vegetated (generally <10% plant cover) active dunes and sandsheets. Vegetation includes shrubs, forbs, and grasses. Includes unvegetated “blowouts” and stabilized areas.	0 acres	160 acres (0.2%)	Small
Open Water: Plant or soil cover is generally less than 25%.	0 acres	141 acres (1.6%)	Small
North American Warm Desert Bedrock Cliff and Outcrop: Occurs on subalpine to foothill steep cliff faces, narrow canyons, rock outcrops, and unstable scree and talus slopes. Consists of barren and sparsely vegetated areas (generally <10% plant cover) with desert species, especially succulents. Lichens are predominant in some areas.	0 acres	98 acres (1.4%)	Small
North American Warm Desert Volcanic Rockland: Consists of barren and sparsely vegetated (<10% plant cover) areas. Vegetation is variable and typically includes scattered desert shrubs.	0 acres	75 acres (0.4%)	Small
Chihuahuan Succulent Desert Scrub: Occurs on hot, dry colluvial slopes, upper bajadas, sideslopes, ridges, canyons, hills, and mesas. Includes an abundance of succulent species such as cacti, <i>Agave</i> , <i>Yucca</i> , and others. Shrubs are generally present and perennial grasses are sparse.	0 acres	58 acres (0.4%)	Small
Inter-Mountain Basins Semi-Desert Shrub Steppe: Generally consists of perennial grasses with an open shrub and dwarf shrub layer.	0 acres	56 acres (0.7%)	Small
Madrean Pinyon-Juniper Woodland: Occurs on foothills, mountains, and plateaus. Mexican pinyon (<i>Pinus cembroides</i>), border pinyon (<i>P. discolor</i>), or other trees and shrubs of the Sierra Madres are present. Dominant species may include redberry juniper (<i>Juniperus coahuilensis</i>), alligator juniper (<i>J. deppeana</i>), Pinchot’s juniper (<i>J. pinchotii</i>), oneseed juniper (<i>J. monosperma</i>), or twoneedle pinyon (<i>P. edulis</i>). Oaks (<i>Quercus</i> sp.) may be codominant. Understory shrub or graminoid layers may be present.	0 acres	17 acres (<0.1%)	Small

TABLE 12.2.10.1-1 (Cont.)

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		
	Direct Effects (Within SEZ) ^c	Indirect Effects (Outside SEZ) ^d	Overall Impact Magnitude ^e
Mogollon Chaparral: Occurs on dry mid-elevation foothills, mountain slopes, and in canyons. Consists of moderate to dense shrubs that are fire-adapted.	0 acres	6 acres (<0.1%)	Small
Chihuahuan Gypsophilous Grassland and Steppe: Occurs on gypsum outcrops and on basins and slopes with sandy gypsiferous and/or alkaline soils. Consists of generally sparse grassland, steppe, or dwarf shrubland.	0 acres	2 acres (<0.1%)	Small
North American Warm Desert Lower Montane Riparian Woodland and Shrubland: Occurs along perennial and seasonally intermittent streams in mountain canyons and valleys. Consists of a mix of woodlands and shrublands.	0 acres	1 acre (<0.1%)	Small

^a Land cover descriptions are from USGS (2005a). Full descriptions of land cover types, including plant species, can be found in Appendix I.

^b Area in acres, determined from USGS (2004).

^c Includes the area of the cover type within the SEZ, the percentage that area represents of all occurrences of that cover type within the SEZ region (i.e., a 50-mi [80-km] radius from the center of the SEZ), and the percentage that area represents of all occurrences of that cover type on BLM lands within the SEZ region. The SEZ region intersects portions of New Mexico, Texas, and northern Mexico. However, the SEZ and affected area occur only in New Mexico.

^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary where ground-disturbing activities would not occur. Indirect effects include effects from surface runoff, dust, and other factors from project development. The potential degree of indirect effects would decrease with increasing distance away from the SEZ. Includes the area of the cover type within the area of indirect effects and the percentage that area represents of all occurrences of that cover type within the SEZ region.

^e Overall impact magnitude categories were based on professional judgment and include (1) *small*: a relatively small proportion ($\leq 1\%$) of the cover type within the SEZ region would be lost; (2) *moderate*: an intermediate proportion (>1 but $\leq 10\%$) of a cover type would be lost; (3) *large*: $>10\%$ of a cover type would be lost.

^f To convert acres to km², multiply by 0.004047.

NMSU 2007), which includes the proposed Mason Draw SEZ. No species included in Table 12.2.10.1-2 was observed on the SEZ in July 2009.

The New Mexico Department of Agriculture classifies noxious weeds into one of four categories (NMDA 2009):

- “Class A species are currently not present in New Mexico, or have limited distribution. Preventing new infestations of these species and eradicating existing infestations is the highest priority.”
- “Class B species are limited to portions of the state. In areas with severe infestations, management should be designed to contain the infestation and stop any further spread.”
- “Class C species are widespread in the state. Management decisions for these species should be determined at the local level, based on feasibility of control and level of infestation.”
- “Watch List species are species of concern in the state. These species have the potential to become problematic. More data is needed to determine if these species should be listed. When these species are encountered please document their location and contact appropriate authorities.”

12.2.10.2 Impacts

The construction of solar energy facilities within the proposed Mason Draw SEZ would result in direct impacts on plant communities due to the removal of vegetation within the facility

TABLE 12.2.10.1-2 Designated Noxious Weeds of New Mexico Occurring in Dona Ana County

Common Name	Scientific Name	Category
African rue	<i>Peganum harmala</i>	Class B
Camelthorn	<i>Alhagi pseudalhagi</i>	Class A
Hoary cress	<i>Cardaria</i> spp.	Class A
Jointed goatgrass	<i>Aegilops cylindrica</i>	Class C
Malta starthistle	<i>Centaurea melitensis</i>	Class B
Perennial pepperweed	<i>Lepidium latifolium</i>	Class B
Russian knapweed	<i>Acroptilon repens</i>	Class B
Russian olive	<i>Elaeagnus angustifolia</i>	Class C
Sahara mustard	<i>Brassica tournefortii</i>	Watch List
Saltcedar	<i>Tamarix</i> spp.	Class C
Siberian elm	<i>Ulmus pumila</i>	Class C

Sources: NMDA (2009); NMSU (2007); USDA (2010).

footprint during land-clearing and land-grading operations. Approximately 80% of the SEZ (10,327 acres [41.8 km²]) would be expected to be cleared with full development of the SEZ. The plant communities affected would depend on facility locations, and could include any of the communities occurring on the SEZ. Therefore, for the purposes of this analysis, all the area of each cover type within the SEZ is considered to be directly affected by removal with full development of the SEZ.

Indirect effects (caused, for example, by surface runoff or dust from the SEZ) have the potential to degrade affected plant communities and may reduce biodiversity by promoting the decline or elimination of species sensitive to disturbance. Indirect effects can also cause an increase in disturbance-tolerant species or invasive species. High impact levels could result in the elimination of a community or the replacement of one community type by another.

Because of the proximity of the Mason Draw and Afton SEZs, a large area of overlap of the areas of indirect effects exists, with a portion of the Mason Draw SEZ lying within area of indirect effects of the Afton SEZ, and a portion of the Afton SEZ lying within the area of indirect effects of the Mason Draw SEZ. The potential for impacts could increase in the area of overlap. The proper implementation of programmatic design features, however, would reduce indirect effects to a minor or small level of impact.

Possible impacts from solar energy facilities on vegetation encountered within the SEZ are described in more detail in Section 5.10.1. Any such impacts would be minimized through the implementation of required design features described in Appendix A, Section A.2.2, and through any additional mitigation applied. Section 12.2.10.2.3, below, identifies design features of particular relevance to the proposed Mason Draw SEZ.

12.2.10.2.1 Impacts on Native Species

The impacts of construction, operation, and decommissioning were considered small if the impact affected a relatively small proportion ($\leq 1\%$) of the cover type in the SEZ region (within 50 mi [80 km] of the center of the SEZ); a moderate impact (> 1 but $\leq 10\%$) could affect an intermediate proportion of a cover type; a large impact could affect greater than 10% of a cover type.

Solar facility construction and operation in the proposed Mason Draw SEZ would primarily affect communities of the Apacherian-Chihuahuan Piedmont Semi-Desert Grassland and Steppe, Apacherian-Chihuahuan Mesquite Upland Scrub, and Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub cover types. Additional cover types that would be affected within the SEZ include Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub, Chihuahuan Mixed Salt Desert Scrub, North American Warm Desert Pavement, Madrean Juniper Savanna, North American Warm Desert Riparian Woodland and Shrubland, Chihuahuan Sandy Plains Semi-Desert Grassland, and North American Warm Desert Playa. Table 12.2.10.1-1 summarizes the potential impacts on land cover types resulting from solar energy facilities in the proposed Mason Draw SEZ. Many of these cover types are relatively common in the SEZ region; however, several are relatively uncommon, representing 1% or less of the land area within the

SEZ region: Chihuahuan Sandy Plains Semi-Desert Grassland (1.0%), Madrean Juniper Savanna (0.4%), North American Warm Desert Pavement (0.2%), North American Warm Desert Playa (0.2%), and North American Warm Desert Riparian Woodland and Shrubland (0.2%). The construction, operation, and decommissioning of solar projects within the proposed Mason Draw SEZ would result in small impacts on all cover types in the affected area. Wetland, desert dry wash, dry wash woodland, riparian, playa, and sand dune habitats are important sensitive habitats on the SEZ.

Disturbance of vegetation in dune communities within the SEZ, such as from heavy equipment operation, could result in the loss of substrate stabilization. Re-establishment of dune species could be difficult due to the arid conditions and unstable substrates. Because of the arid conditions, re-establishment of desert scrub communities in temporarily disturbed areas would likely be very difficult and might require extended periods of time. In addition, noxious weeds could become established in disturbed areas and colonize adjacent undisturbed habitats, thus reducing restoration success and potentially resulting in widespread habitat degradation. Cryptogamic soil crusts occur in many of the shrubland communities in the region, and likely occur on the SEZ. Damage to these crusts, by the operation of heavy equipment or other vehicles, can alter important soil characteristics, such as nutrient cycling and availability, and affect plant community characteristics (Lovich and Bainbridge 1999).

The deposition of fugitive dust from large areas of disturbed soil onto habitats outside a solar project area could result in reduced productivity or changes in plant community composition. Fugitive dust deposition could affect plant communities of each of the cover types occurring within the area of indirect effects identified in Table 12.2.10.1-1.

Approximately 2.5 acres (0.01 km²) of palustrine wetlands and about 14.2 mi (22.9 km) of riverine wetlands occur within the Mason Draw SEZ. Grading could result in direct impacts on these wetlands if fill material is placed within wetland areas. Grading near the wetlands in the SEZ could disrupt surface water or groundwater flow characteristics, resulting in changes in the frequency, duration, depth, or extent of inundation or soil saturation, and could potentially alter wetland plant communities and affect wetland function. Increases in surface runoff from a solar energy project site could also affect wetland hydrologic characteristics. The introduction of contaminants into wetlands in or near the SEZ could result from spills of fuels or other materials used on a project site. Soil disturbance could result in sedimentation in wetland areas, which could degrade or eliminate wetland plant communities. Sedimentation effects or hydrologic changes could also extend to wetlands outside of the SEZ, such as those in or near Mason Draw.

Grading could also affect dry washes within the SEZ. Some desert dry washes in the SEZ support riparian woodland communities. Alteration of surface drainage patterns or hydrology could adversely affect downstream dry wash communities. Vegetation within these communities could be lost by erosion or desiccation. Communities associated with intermittently flooded areas downgradient from solar projects in the SEZ, such as Daley Lake south of the SEZ, could be affected by ground-disturbing activities. Site clearing and grading could result in hydrologic changes, and could potentially alter plant communities and affect community function. Increases in surface runoff from a solar energy project site could also affect hydrologic characteristics of these communities. The introduction of contaminants into these habitats could result from spills

of fuels or other materials used on a project site. Soil disturbance could result in sedimentation in these areas, which could degrade or eliminate sensitive plant communities. See Section 12.2.9 for further discussion of impacts on washes.

Although the use of groundwater within the Mason Draw SEZ for technologies with high water requirements, such as wet-cooling systems, may be unlikely, groundwater withdrawals for such systems could reduce groundwater elevations. Communities that depend on accessible groundwater, such as some mesquite communities, could become degraded or lost as a result of lowered groundwater levels. The potential for impacts to springs in the vicinity of the SEZ would need to be evaluated by project-specific hydrological studies.

12.2.10.2.2 Impacts from Noxious Weeds and Invasive Plant Species

E.O. 13112, “Invasive Species,” directs federal agencies to prevent the introduction of invasive species and provide for their control and to minimize the economic, ecological, and human health impacts of invasive species (*Federal Register*, Volume 64, page 61836, Feb. 8, 1999). Potential impacts of noxious weeds and invasive plant species resulting from solar energy facilities are described in Section 5.10.1. Species designated as noxious weeds in New Mexico and known to occur in Dona Ana County are given in Table 12.2.10.1-2. Despite required programmatic design features to prevent the spread of noxious weeds, project disturbance could potentially increase the prevalence of noxious weeds and invasive species in the affected area of the proposed Mason Draw SEZ, such that weeds could be transported into areas that were previously relatively weed-free, which could result in reduced restoration success and possible widespread habitat degradation.

Past or present land uses may affect the susceptibility of plant communities to the establishment of noxious weeds and invasive species. Existing roads, grazing, and recreational OHV use within the SEZ area of potential impact are also likely to contribute to the susceptibility of plant communities to the establishment and spread of noxious weeds and invasive species. Disturbed areas, including 502 acres (2 km²) of Developed, Medium-High Intensity occur within the area of indirect effects and may contribute to the establishment of noxious weeds and invasive species.

12.2.10.3 SEZ-Specific Design Features and Design Feature Effectiveness

In addition to programmatic design features, SEZ-specific design features would reduce the potential for impacts on plant communities. While specific practices are best established when project details are considered, some SEZ-specific design features can be identified at this time, as follows.

- An Integrated Vegetation Management Plan, addressing invasive species control, and an Ecological Resources Mitigation and Monitoring Plan, addressing habitat restoration, should be approved and implemented to increase the potential for successful restoration of desert scrub, dune, steppe,

riparian, playa, and grassland communities, and other affected habitats, and to minimize the potential for the spread of invasive species. Invasive species control should focus on biological and mechanical methods where possible to reduce the use of herbicides.

- All wetland, dry wash, dry wash woodland, riparian, playa, succulent, and dune communities within the SEZ should be avoided to the extent practicable, and any impacts minimized and mitigated. Any yucca, agave, ocotillo, and cacti (including *Opuntia* spp., *Cylindropuntia* spp., and *Echinocactus* spp.) and other succulent plant species that cannot be avoided should be salvaged. A buffer area should be maintained around wetland, dry wash, dry wash woodland, playa, and riparian habitats to reduce the potential for impacts.
- Appropriate engineering controls should be used to minimize impacts on wetland, dry wash, dry wash woodland, playa, and riparian habitats, including downstream occurrences, resulting from surface water runoff, erosion, sedimentation, altered hydrology, accidental spills, or fugitive dust deposition to these habitats. Appropriate buffers and engineering controls would be determined through agency consultation.
- Groundwater withdrawals should be limited to reduce the potential for indirect impacts on groundwater-dependent communities, such as mesquite communities. Potential impacts to springs should be determined through hydrological studies.

If these SEZ-specific design features are implemented in addition to other programmatic design features, it is anticipated that a high potential for impacts from invasive species and potential impacts on wetland, dry wash, dry wash woodland, riparian, playa, succulent, and dune communities would be reduced to a minimal potential for impact.

1 **12.2.11 Wildlife and Aquatic Biota**
2

3 This section addresses wildlife (amphibians, reptiles, birds, and mammals) and aquatic
4 biota that could occur within the potentially affected area of the proposed Mason Draw SEZ.
5 Wildlife known to occur within 50 mi (80 km) of the SEZ (i.e., the SEZ region) were determined
6 from SWReGAP (USGS 2007) and the Biota Information System of New Mexico (BISON-M)
7 (NMDGF 2010). Land cover types suitable for each species were determined from SWReGAP
8 (USGS 2004, 2005a, 2007) and the South Central GAP Analysis Program (USGS 2010d). The
9 amount of aquatic habitat within the SEZ region was determined by estimating the length of
10 linear perennial stream and canal features and the area of standing water body features
11 (i.e., ponds, lakes, and reservoirs) within 50 mi (80 km) of the SEZ using available GIS
12 surface water datasets.
13

14 The affected area considered in this assessment included the areas of direct and indirect
15 effects. The area of direct effects was defined as the area that would be physically modified
16 during project development (i.e., where ground-disturbing activities would occur) within the
17 SEZ. The maximum developed area within the SEZ would be 10,327 acres (41.8 km²). No
18 areas of direct effects would occur for either a new transmission line or a new access road
19 because existing transmission line and road corridors are adjacent to or pass through the SEZ.
20

21 The area of indirect effects was defined as the area within 5 mi (8 km) of the SEZ
22 boundary where ground-disturbing activities would not occur, but that could be indirectly
23 affected by activities in the area of direct effects (e.g., surface runoff, dust, noise, lighting, and
24 accidental spills in the SEZ). If a species within the SEZ had more potentially suitable habitat
25 than the maximum of 10,327 acres (41.8 km²) of direct effects, this area was also included as
26 part of the area of indirect effects. The potential degree of indirect effects would decrease with
27 increasing distance away from the SEZ. The area of indirect effects was identified on the basis
28 of professional judgment and was considered sufficiently large to bound the area that would
29 potentially be subject to indirect effects. These areas of direct and indirect effects are defined
30 and the impact assessment approach is described in Appendix M.
31

32 The primary land cover habitat types within the affected area are Chihuahuan piedmont
33 semidesert grassland and Chihuahuan desert creosote-scrub (see Section 12.2.10). Potentially
34 unique habitats in the affected area include grasslands, woodlands, cliff and rock outcrops, desert
35 dunes, playas, washes, and riparian and aquatic habitats. There are no perennial aquatic habitats
36 known to occur on the SEZ or within the area of indirect effects. The nearest permanent surface
37 water feature is the Rio Grande, which is approximately 12 mi (19 km) east of the SEZ. Kimble
38 Draw, a large ephemeral wash, runs north to south through the middle of the SEZ. Another
39 ephemeral wash, Mason Draw, occurs with the area of indirect effects west of the SEZ
40 (Figure 12.2.9.1-1). Small areas of riparian wetlands are associated with these washes
41 (Section 12.2.9.1.1).
42
43
44

1 **12.2.11.1 Amphibians and Reptiles**
2
3

4 **12.2.11.1.1 Affected Environment**
5

6 This section addresses amphibian and reptile species that are known to occur, or for
7 which potentially suitable habitat occurs, on or within the potentially affected area of the
8 proposed Mason Draw SEZ. The list of amphibian and reptile species potentially present in the
9 SEZ area was determined from species lists available from (BISON-M) (NMDGF 2010) and
10 range maps and/or habitat information available from CDFG (2008), NatureServe (2010), and
11 SWReGAP (USGS 2007). Land cover types suitable for each species were determined from
12 SWReGAP (USGS 2004, 2005a, 2007) and the South Central GAP Analysis Program
13 (USGS 2010d). See Appendix M for additional information on the approach used.
14

15 More than 10 amphibian species occur in Dona Ana County. Based on species
16 distributions within the area of the SEZ and habitat preferences of the amphibian species,
17 Couch’s spadefoot (*Scaphiopus couchii*), Great Plains toad (*Bufo cognatus*), plains spadefoot
18 (*Spea bombifrons*), and red-spotted toad (*Bufo punctatus*) would be expected to occur within the
19 SEZ (NMDGF 2010; USGS 2007; Stebbins 2003).
20

21 More than 50 reptile species occur within Dona Ana County (NMDGF 2010;
22 USGS 2007; Stebbins 2003). Lizard species expected to occur within the proposed Mason Draw
23 SEZ include the collared lizard (*Crotaphytus collaris*), eastern fence lizard (*Sceloporus*
24 *undulatus*), Great Plains skink (*Eumeces obsoletus*), long-nosed leopard lizard (*Gambelia*
25 *wislizenii*), round-tailed horned lizard (*Phrynosoma modestum*), side-blotched lizard (*Uta*
26 *stansburiana*), and western whiptail (*Cnemidophorus tigris*). Snake species expected to occur
27 within the proposed Mason Draw SEZ are the coachwhip (*Masticophis flagellum*), common
28 kingsnake (*Lampropeltis getula*), glossy snake (*Arizona elegans*), gophersnake (*Pituophis*
29 *catenifer*), groundsnake (*Sonora semiannulata*), long-nosed snake (*Rhinocheilus lecontei*), and
30 nightsnake (*Hypsiglena torquata*). The most common poisonous snakes that could occur on the
31 SEZ would be the western diamond-backed rattlesnake (*Crotalus atrox*) and western rattlesnake
32 (*Crotalus viridis*).
33

34 Table 12.2.11.1-1 provides habitat information for representative amphibian and reptile
35 species that could occur within the proposed Mason Draw SEZ. Special status amphibian and
36 reptile species are addressed in Section 12.2.12.
37

38
39 **12.2.11.1.2 Impacts**
40

41 The types of impacts that amphibians and reptiles could incur from construction,
42 operation, and decommissioning of utility-scale solar energy facilities are discussed in
43 Section 5.10.2.1. Any such impacts would be minimized through the implementation of required
44 programmatic design features described in Appendix A, Section A.2.2, and through the
45 application of any additional mitigation measures. Section 12.2.11.1.3, below, identifies SEZ-
46 specific design features of particular relevance to the proposed Mason Draw SEZ.

TABLE 12.2.11.1-1 Habitats, Potential Impacts, and Potential Mitigation for Representative Amphibian and Reptile Species That Could Occur on or in the Affected Area of the Proposed Mason Draw SEZ

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Amphibians				
Couch's spadefoot (<i>Scaphiopus couchii</i>)	Desert wash, desert riparian, palm oasis, desert succulent shrub, and desert scrub habitats. Requires pools or potholes with water that lasts longer than 10 to 12 days for breeding sites. About 3,146,300 acres ^g of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	101,279 acres of potentially suitable habitat (3.2% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian habitats could reduce impacts. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Great Plains toad (<i>Bufo cognatus</i>)	Prefers desert, grassland, and agricultural habitats. Breeds in shallow temporary pools, quiet areas of streams, marshes, irrigation ditches, and flooded fields. In cold winter months, it burrows underground and becomes inactive. About 1,348,200 acres of potentially suitable habitat occurs within the SEZ region.	3,998 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	41,872 acres of potentially suitable habitat (3.1% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian habitats could reduce impacts.
Plains spadefoot (<i>Spea bombifrons</i>)	Common in areas of soft sandy/gravelly soils along stream floodplains. Also occurs in semidesert shrublands. Breeds in deep open-water playa habitats. Usually remains in underground burrows until it rains. About 1,303,400 acres of potentially suitable habitat occurs within the SEZ region.	3,786 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	36,538 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian habitats could reduce impacts.

TABLE 12.2.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Amphibians (Cont.)				
Red-spotted toad (<i>Bufo punctatus</i>)	Dry, rocky areas at lower elevations near desert springs and persistent pools along rocky arroyos; desert streams and oases; open grassland; scrubland oaks; and dry woodlands. About 4,097,000 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	110,679 acres of potentially suitable habitat (2.7% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian habitats could reduce impacts. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Lizards				
Collared lizard (<i>Crotaphytus collaris</i>)	Level or hilly rocky terrain in a variety of vegetative communities. Typical habitats include lava fields, rocky canyons, slopes, and gullies. About 3,395,200 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	104,229 acres of potentially suitable habitat (3.1% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Eastern fence lizard (<i>Sceloporus undulatus</i>)	Sunny, rocky habitats of cliffs, talus, old lava flows and cones, canyons, and outcrops. Various vegetation adjacent or among rocks including montane forests, woodlands, semidesert shrubland, and various forbs and grasses. About 3,650,800 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	106,115 acres of potentially suitable habitat (2.9% of available suitable habitat)	Small overall impact. Avoid rock outcrops. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Lizards (Cont.)				
Great Plains skink (<i>Eumeces obsoletus</i>)	Creosotebush desert, desert-grasslands, riparian corridors, pinyon-juniper woodlands, and pine-oak woodlands. About 3,527,000 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,515 acres of potentially suitable habitat (2.9% of available suitable habitat)	Small overall impact. Avoid riparian areas. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Long-nosed leopard lizard (<i>Gambelia wislizenii</i>)	Desert and semidesert areas with scattered shrubs. Prefers sandy or gravelly flats and plains. Also prefers areas with abundant rodent burrows that they occupy when inactive. About 2,582,100 acres of potentially suitable habitat occurs in the SEZ region.	8,767 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	66,283 acres of potentially suitable habitat (2.6% of available potentially suitable habitat)	Small overall impact.
Round-tailed horned lizard (<i>Phrynosoma modestum</i>)	Desert-grassland and desert shrubland habitats with scrubby vegetation and sandy or gravelly soil. About 3,406,900 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,173 acres of potentially suitable habitat (4.5% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Lizards (Cont.)				
Side-blotched lizard (<i>Uta stansburiana</i>)	Arid and semiarid locations with scattered bushes or scrubby trees. Often occurs in sandy washes with scattered rocks and bushes. About 3,410,300 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,413 acres of potentially suitable habitat (3.0% of available suitable habitat)	Small overall impact. Avoid wash habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Western whiptail (<i>Cnemidophorus tigris</i>)	Arid and semiarid habitats with sparse plant cover. About 2,793,300 acres of potentially suitable habitat occurs within the SEZ region.	8,601 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	66,098 acres of potentially suitable habitat (2.4% of available potentially suitable habitat)	Small overall impact.
Snakes				
Coachwhip (<i>Masticophis flagellum</i>)	Creosotebush desert, shortgrass prairie, shrub-covered flats and hills. Sandy to rocky substrates. Avoids dense vegetation. About 3,517,900 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,391 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Snakes (Cont.)				
Common kingsnake (<i>Lampropeltis getula</i>)	Coniferous forests, woodlands, swampland, coastal marshes, river bottoms, farmlands, prairies, chaparral, and deserts. Uses rock outcrops and rodent burrows for cover. About 4,514,400 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	113,406 acres of potentially suitable habitat (2.5% of available suitable habitat)	Small overall impact. Avoid rock outcrops. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Glossy snake (<i>Arizona elegans</i>)	Light shrubby to barren deserts, sagebrush flats, grasslands, and chaparral-covered slopes and woodlands. Prefers sandy grasslands, shrublands, and woodlands. About 3,993,400 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	110,850 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Gophersnake (<i>Pituophis catenifer</i>)	Plains, grasslands, sandhills, riparian areas, marshes, edges of ponds and lakes, rocky canyons, semidesert and mountain shrublands, montane woodlands, rural and suburban areas, and agricultural areas. Likely inhabits pocket gopher burrows in winter. About 4,580,000 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	112,364 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. Avoid riparian areas. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Snakes (Cont.)				
Groundsnake (<i>Sonora semiannulata</i>)	Arid and semiarid regions with rocky to sandy soils. River bottoms, desert flats, sand hummocks, and rocky hillsides. About 4,135,900 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	110,191 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Long-nosed snake (<i>Rhinocheilus lecontei</i>)	Typically inhabits deserts, dry prairies and river valleys. Occurs by day and lays eggs underground or under rocks. Burrows rapidly in loose soil. Common in desert regions. About 3,361,900 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,467 acres of potentially suitable habitat (3.1% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Nightsnake (<i>Hypsiglena torquata</i>)	Arid and semiarid desert flats, plains, and woodlands; areas with rocky and sandy soils are preferred. During cold periods of the year, it seeks refuge underground, in crevices, or under rocks. About 3,594,200 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,663 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Snakes (Cont.)				
Western diamond-backed rattlesnake (<i>Crotalus atrox</i>)	Dry and semi-dry lowland areas. Usually found in brush-covered plains, dry washes, rock outcrops, and desert foothills. About 4,498,400 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	113,069 acres of potentially suitable habitat (2.5% of available suitable habitat)	Small overall impact. Avoid wash and rock outcrop habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Western rattlesnake (<i>Crotalus viridis</i>)	Most terrestrial habitats. Typically inhabits plains, grasslands, sandhills, semidesert and mountain shrublands, riparian areas, and montane woodlands. About 4,519,100 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	113,463 acres of potentially suitable habitat (2.5% of available suitable habitat)	Small overall impact. Avoid riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

^a Potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.

^b Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. A maximum of 10,327 acres of direct effects within the SEZ was assumed.

^c Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.

Footnotes continued on next page.

TABLE 12.2.11.1-1 (Cont.)

-
- d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary. Potentially suitable habitat within the SEZ greater than the maximum of 10,327 acres of direct effects was also added to the area of indirect effects. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from the SEZ, but do not include ground-disturbing activities. The potential degree of indirect effects would decrease with increasing distance away from the SEZ.
- e Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: $\leq 1\%$ of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but $\leq 10\%$ of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: $>10\%$ of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- f Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- g To convert acres to km^2 , multiply by 0.004047.

Sources: CDFG (2008); NatureServe (2010); NMDGF (2010); USGS (2004, 2005a, 2007).

1 The assessment of impacts on amphibian and reptile species is based on available
2 information on the presence of species in the affected area as presented in Section 12.2.11.1.1
3 following the analysis approach described in Appendix M. Additional NEPA assessments and
4 coordination with state natural resource agencies may be needed to address project-specific
5 impacts more thoroughly. These assessments and consultations could result in additional
6 required actions to avoid or mitigate impacts on amphibians and reptiles
7 (see Section 12.2.11.1.3).
8

9 In general, impacts on amphibians and reptiles would result from habitat disturbance
10 (i.e., habitat reduction, fragmentation, and alteration) and from disturbance, injury, or mortality
11 to individual amphibians and reptiles. On the basis of the magnitude of impacts on amphibians
12 and reptiles summarized in Table 12.2.11.1-1, direct impacts on amphibian and reptile species
13 would be small for all species, as 0.2 to 0.3% of potentially suitable habitats identified for
14 representative species in the SEZ region would be lost. Larger areas of potentially suitable
15 habitats for the amphibian and reptile species occur within the area of potential indirect effects
16 (e.g., up to 4.5% of available habitat for the round-tailed horned lizard). Other impacts on
17 amphibians and reptiles could result from surface water and sediment runoff from disturbed
18 areas, fugitive dust generated by project activities, accidental spills, collection, and harassment.
19 These indirect impacts are expected to be negligible with implementation of programmatic
20 design features.
21

22 Decommissioning after operations cease could result in short-term negative impacts on
23 individuals and habitats within and adjacent to the SEZ. The negative impacts of
24 decommissioning would be reduced or eliminated as reclamation proceeds. Potentially long-term
25 benefits could accrue as habitats are restored in previously disturbed areas. Section 5.10.2.1.4
26 provides an overview of the impacts of decommissioning and reclamation on wildlife. Of
27 particular importance for amphibian and reptile species would be the restoration of original
28 ground surface contours, soils, and native plant communities associated with semiarid
29 shrublands.
30
31

32 ***12.2.11.1.3 SEZ-Specific Design Features and Design Feature Effectiveness*** 33

34 The implementation of required programmatic design features described in Appendix A,
35 Section A.2.2, would reduce the potential for effects on amphibians and reptiles, especially for
36 species using habitat types that can be avoided (e.g., rock outcrops, washes and riparian areas).
37 Indirect impacts could be reduced to negligible levels by implementing programmatic design
38 features, especially those engineering controls that would reduce runoff, sedimentation, spills,
39 and fugitive dust. While SEZ-specific design features are best established when project details
40 are being considered, one design feature that can be identified at this time is:
41

- 42 • Wash, riparian, and rock outcrop habitats, which could provide more unique
43 habitats for some amphibian and reptile species, should be avoided.
44

45 If this SEZ-specific design feature is implemented in addition to other programmatic
46 design features, impacts on amphibian and reptile species could be reduced. However, as
47 potentially suitable habitats for a number of the amphibian and reptile species occur throughout

1 much of the SEZ, additional species-specific mitigation of direct effects for those species would
2 be difficult or infeasible.

3 4 5 **12.2.11.2 Birds**

6 7 8 **12.2.11.2.1 Affected Environment**

9
10 This section addresses bird species that are known to occur, or for which potentially
11 suitable habitat occurs, on or within the potentially affected area of the proposed Mason Draw
12 SEZ. The list of bird species potentially present in the SEZ area was determined from species
13 lists available from BISON-M (NMDGF 2010) and range maps and habitat information available
14 from CDFG (2008), NatureServe (2010), and SWReGAP (USGS 2007). Land cover types
15 suitable for each species were determined from SWReGAP (USGS 2004, 2005a, 2007) and the
16 South Central GAP Analysis Program (USGS 2010d). See Appendix M for additional
17 information on the approach used.

18
19 Almost 300 species of birds are reported from Dona Ana County (NMDGF 2010);
20 however, suitable habitats for a number of these species are limited or nonexistent within
21 the proposed Mason Draw SEZ (USGS 2007). Similar to the overview of birds provided for
22 the six-state solar energy study area (Section 4.10.2.2), the following discussion for the
23 SEZ emphasizes the following bird groups: (1) waterfowl, wading birds, and shorebirds;
24 (2) neotropical migrants; (3) birds of prey; and (4) upland game birds.

25 26 27 **Waterfowl, Wading Birds, and Shorebirds**

28
29 As discussed in Section 4.10.2.2.2, waterfowl (ducks, geese, and swans), wading birds
30 (herons and cranes), and shorebirds (avocets, gulls, plovers, rails, sandpipers, stilts, and terns)
31 are among the most abundant groups of birds in the six-state solar study area. However, within
32 the proposed Mason Draw SEZ, waterfowl, wading birds, and shorebird species would be mostly
33 absent to uncommon. Wash habitats within the SEZ may attract shorebird species, but the
34 Rio Grande, La Union Main Canal, West Side Canal, various intermittent streams, the Caballo
35 Reservoir, and the intermittent Lake Lucero located within 50 mi (80 km) of the SEZ would
36 provide more viable habitat for this group of birds. The killdeer (*Charadrius vociferus*) and least
37 sandpiper (*Calidris minutilla*) are among the shorebird species that could occur within the SEZ.

38 39 40 **Neotropical Migrants**

41
42 As discussed in Section 4.10.2.2.3, neotropical migrants represent the most diverse
43 category of birds within the six-state solar energy study area. Species expected to occur
44 within the proposed Mason Draw SEZ include the ash-throated flycatcher (*Myiarchus*
45 *cinerascens*), black-tailed gnatcatcher (*Polioptila melanura*), black-throated sparrow
46 (*Amphispiza bilineata*), Brewer's blackbird (*Euphagus cyanocephalus*), cactus wren

1 (*Campylorhynchus brunneicapillus*), common poorwill (*Phalaenoptilus nuttallii*), common
2 raven (*Corvus corax*), Costa’s hummingbird (*Calypte costae*), Crissal thrasher (*Toxostoma*
3 *crissale*), Gila woodpecker (*Melanerpes uropygialis*), greater roadrunner (*Geococcyx*
4 *californianus*), horned lark (*Eremophila alpestris*), ladder-backed woodpecker (*Picoides*
5 *scalaris*), lesser nighthawk (*Chordeiles acutipennis*), loggerhead shrike (*Lanius ludovicianus*),
6 Lucy’s warbler (*Vermivora luciae*), phainopepla (*Phainopepla nitens*), sage sparrow
7 (*Amphispiza belli*), Scott’s oriole (*Icterus parisorum*), verdin (*Auriparus flaviceps*), and
8 western meadowlark (*Sturnella neglecta*) (NMDGF 2010; USGS 2007).

9
10
11 **Birds of Prey**
12

13 Section 4.10.2.2.4 provided an overview of the birds of prey (raptors, owls, and vultures)
14 within the six-state solar study area. Raptor species that could occur within the proposed
15 Mason Draw SEZ include the American kestrel (*Falco sparverius*), golden eagle (*Aquila*
16 *chrysaetos*), great horned owl (*Bubo virginianus*), long-eared owl (*Asio otus*), prairie falcon
17 (*Falco mexicanus*), red-tailed hawk (*Buteo jamaicensis*), and turkey vulture (*Cathartes aura*)
18 (NMDGF 2010; USGS 2007). Several other special status birds of prey are discussed in
19 Section 12.2.12.2. These include the American peregrine falcon (*Falco peregrinus anatum*), bald
20 eagle (*Haliaeetus leucocephalus*), ferruginous hawk (*Buteo regalis*), northern aplomado falcon
21 (*Falco femoralis septentrionalis*), osprey (*Pandion haliaetus*), and western burrowing owl
22 (*Athene cunicularia*).
23

24
25 **Upland Game Birds**
26

27 Section 4.10.2.2.5 provided an overview of the upland game birds (primarily pheasants,
28 grouse, quail, and doves) that occur within the six-state solar study area. Upland game species
29 that could occur within the proposed Mason Draw SEZ include the Gambel’s quail (*Callipepla*
30 *gambelii*), mourning dove (*Zenaida macroura*), scaled quail (*Callipepla squamata*), white-
31 winged dove (*Zenaida asiatica*), and wild turkey (*Meleagris gallopavo*) (NMDGF 2010;
32 USGS 2007).
33

34 Table 12.2.11.2-1 provides habitat information for representative bird species that could
35 occur within the proposed Mason Draw SEZ. Special status bird species are discussed in
36 Section 12.2.12.
37

38
39 **12.2.11.2.2 Impacts**
40

41 The types of impacts that birds could incur from construction, operation, and
42 decommissioning of utility-scale solar energy facilities are discussed in Section 5.10.2.1. Any
43 such impacts would be minimized through the implementation of required programmatic design
44 features described in Appendix A, Section A.2.2, and through the application of any additional
45 mitigation measures. Section 12.2.11.2.3, below, identifies design features of particular
46 relevance to the proposed Mason Draw SEZ.

TABLE 12.2.11.2-1 Habitats, Potential Impacts, and Potential Mitigation for Representative Bird Species That Could Occur on or in the Affected Area of the Proposed Mason Draw SEZ

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Shorebirds				
Killdeer (<i>Charadrius vociferus</i>)	Open areas such as fields, meadows, lawns, mudflats, and shores. Nests on ground in open dry or gravelly locations. About 272,100 acres ^g of potentially suitable habitat occurs within the SEZ region.	1 acre of potentially suitable habitat lost (<0.001% of available potentially suitable habitat) during construction and operations	693 acres of potentially suitable habitat (0.3% of potentially suitable habitat)	Small overall impact. Avoidance of wash and riparian areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Least sandpiper (<i>Calidris minutilla</i>)	Wet meadows, mudflats, flooded fields, lake shores, edges of salt marshes, and river sandbars. About 18,000 acres of potentially suitable habitat occurs within the SEZ region.	6 acres of potentially suitable habitat lost (0.03% of available potentially suitable habitat) during construction and operations	3 acres of potentially suitable habitat (0.02% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants				
Ash-throated flycatcher (<i>Myiarchus cinerascens</i>)	Common in scrub and woodland habitats including desert riparian and desert washes. Requires hole/cavity for nesting. Uses shrubs or small trees for foraging perches. About 4,146,000 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	111,060 acres of potentially suitable habitat (2.7% of potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Black-tailed gnatcatcher (<i>Polioptila melanura</i>)	Nests in bushes mainly in wooded desert washes with dense mesquite, palo verde, ironwood, and acacia. Also occurs in desert scrub habitat. About 3,185,100 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	101,413 acres of potentially suitable habitat (3.2% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Neotropical Migrants (Cont.)</i>				
Black-throated sparrow (<i>Amphispiza bilineata</i>)	Chaparral and desert scrub habitats with sparse to open stands of shrubs. Often in areas with scattered Joshua trees. Nests in thorny shrubs or cactus. About 3,480,900 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,304 acres of potentially suitable habitat (3.0% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Brewer's blackbird (<i>Euphagus cyanocephalus</i>)	Meadows, grasslands, riparian areas, agricultural and urban areas, and occasionally in sagebrush in association with prairie dog colonies and other shrublands. Requires dense shrubs for nesting. Roosts in marshes or dense vegetation. In winter, most often near open water and farmyards with livestock. About 1,648,700 acres of potentially suitable habitat occurs within the SEZ region.	4,007 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	42,443 acres of potentially suitable habitat (2.6% of available suitable habitat)	Small overall impact. Avoidance of riparian areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Cactus wren (<i>Campylorhynchus brunneicapillus</i>)	Desert (especially areas with cholla cactus or yucca), mesquite, arid scrub, coastal sage scrub, and trees in towns in arid regions. Nests in <i>Opuntia</i> spp.; twiggy, thorny trees and shrubs; and sometimes in buildings. Nests may be used as winter roost. About 2,656,500 acres of potentially suitable habitat occurs within the SEZ region.	7,789 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	78,564 acres of potentially suitable habitat (3.0% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Common poorwill (<i>Phalaenoptilus nuttallii</i>)	Scrubby and brushy areas, prairie, desert, rocky canyons, open woodlands, and broken forests. Mostly in arid and semiarid habitats. Nests in open areas on a bare site. About 1,471,400 acres of potentially suitable habitat occurs within the SEZ region.	3,791 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	36,849 acres of potentially suitable habitat (2.5% of potentially suitable habitat)	Small overall impact. Some measure of mitigation also provided by the requirements of the Migratory Bird Treaty Act.
Common raven (<i>Corvus corax</i>)	Occurs in most habitats. Trees and cliffs provide cover. Roosts primarily in trees. Nests on cliffs, bluffs, tall trees, or human-made structures. Forages in sparse, open terrain. About 4,495,700 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	111,969 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Costa's hummingbird (<i>Calypte costae</i>)	Desert and semidesert areas, arid brushy foothills, and chaparral. Main habitats are desert washes, edges of desert riparian and valley foothill riparian areas, coastal shrub, desert scrub, desert succulent shrub, lower-elevation chaparral, and palm oasis. Also in mountains, meadows, and gardens during migration and winter. Most common in canyons and washes when nesting. Nests are located in trees, shrubs, vines, or cacti. About 3,383,800 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,001 acres of potentially suitable habitat (3.0% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Crissal thrasher (<i>Toxostoma crissale</i>)	Desert scrub, mesquite, tall riparian brush and chaparral; usually beneath dense cover. Nests in low trees or shrubs. About 1,509,300 acres of potentially suitable habitat occurs within the SEZ region.	3,791 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	37,146 acres of potentially suitable habitat (2.5% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Gila woodpecker (<i>Melanerpes uropygialis</i>)	Lower elevation woodlands, especially those dominated by cottonwoods, along stream courses. About 120,500 acres of potentially suitable habitat occurs within the SEZ region.	6 acres of potentially suitable habitat lost (0.005% of available potentially suitable habitat) during construction and operations	505 acres of potentially suitable habitat (0.4% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Greater roadrunner (<i>Geococcyx californianus</i>)	Desert scrub, chaparral, edges of cultivated lands, and arid open areas with scattered brush. Fairly common in many desert habitats. Requires thickets, large bushes, or small trees for shade, refuge, and roosting. Usually nests low in trees, shrubs, or clumps of cactus. Rarely nests on ground. About 4,409,900 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	111,291 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Horned lark (<i>Eremophila alpestris</i>)	Common to abundant resident in a variety of open habitats. Breeds in grasslands, sagebrush, semidesert shrublands, and alpine tundra. During migration and winter, inhabits the same habitats other than tundra, and occurs in agricultural areas. Usually occurs where plant density is low and there are exposed soils. About 228,240 acres of potentially suitable habitat occurs in the SEZ region.	186 acres of potentially suitable habitat lost (0.08% of available potentially suitable habitat) during construction and operations	1,140 acres of potentially suitable habitat (0.5% of available potentially suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Ladder-backed woodpecker (<i>Picoides scalaris</i>)	Variety of habitats including deserts, arid scrub, riparian woodlands, mesquite, scrub oak, pinyon-juniper woodlands. Digs nest hole in rotted stub or dead or dying branches of various trees. Also nests in saguaro, agave, yucca, fence posts, and utility poles. Nests on ledges; branches of trees, shrubs, and cactus; and holes in trees or walls. About 3,449,200 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,330 acres of potentially suitable habitat (3.0% of potentially suitable habitat)	Small overall impact. Avoid riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Lesser nighthawk (<i>Chordeiles acutipennis</i>)	Open country, desert regions, scrub, savanna, and cultivated areas. Usually near water including open marshes, salt ponds, large rivers, rice paddies, and beaches. Roosts on low perches or the ground. Nests in the open on bare sites. About 4,047,300 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	112,346 acres of potentially suitable habitat (2.8% of potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Loggerhead shrike (<i>Lanius ludovicianus</i>)	Open country with scattered trees and shrubs, savanna, desert scrub, desert riparian, Joshua tree, and occasionally, open woodland habitats. Perches on poles, wires, or fence posts (suitable hunting perches are important aspect of habitat). Nests in shrubs and small trees. About 4,441,800 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	117,707 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. Avoid riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Lucy's warbler (<i>Vermivora luciae</i>)	Breeds most often in dense lowland riparian mesquite woodlands. Inhabits dry washes, riparian forests, and thorn forests during winter and migration. About 3,307,600 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	101,673 acres of potentially suitable habitat (3.1% of available suitable habitat)	Small overall impact. Avoid wash and riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Phainopepla (<i>Phainopepla nitens</i>)	Desert scrub, mesquite, juniper and oak woodlands, tall brush, washes, riparian woodlands, and orchards. Nests in dense foliage of large shrubs or trees, sometimes in a clump of mistletoe. About 4,313,700 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	110,273 acres of potentially suitable habitat (2.6% of available suitable habitat)	Small overall impact. Avoid wash and riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Sage sparrow (<i>Amphispiza belli</i>)	Prefers shrubland, grassland, and desert habitats. The nest, constructed of twigs and grasses, is located either low in a shrub or on the ground. About 2,219,800 acres of potentially suitable habitat occurs within the SEZ region.	7,904 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	61,289 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Scott's oriole (<i>Icterus parisorum</i>)	Yucca, pinyon-juniper, arid oak scrub and palm oases. Foothills, desert slopes of mountains, and more elevated semiarid plains. Nests in trees or yuccas. About 2,842,500 acres of potentially suitable habitat occurs within the SEZ region.	8,808 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	71,378 acres of potentially suitable habitat (2.5% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Verdin (<i>Auriparus flaviceps</i>)	Desert riparian, desert wash, desert scrub, and alkali desert scrub areas with large shrubs and small trees. Nests in shrubs, small trees, or cactus. About 3,466,100 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	101,731 acres of potentially suitable habitat (2.9% of available suitable habitat)	Small overall impact. Avoid wash and riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Western meadowlark (<i>Sturnella neglecta</i>)	Agricultural areas, especially in winter. Also inhabits native grasslands, croplands, weedy fields, and less commonly in semidesert and sagebrush shrublands. About 1,555,400 acres of potentially suitable habitat occurs within the SEZ region.	4,007 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	41,997 acres of potentially suitable habitat (2.7% of available suitable habitat)	Small overall impact. Avoidance of desert grassland habitats could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Birds of Prey				
American kestrel (<i>Falco sparverius</i>)	Occurs in most open habitats, in various shrub and early successional forest habitats, forest openings, and various ecotones. Perches on trees, snags, rocks, utility poles and wires, and fence posts. Uses cavities in trees, snags, rock areas, banks, and buildings for nesting and cover. About 3,717,100 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,689 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Golden eagle (<i>Aquila chrysaetos</i>)	Grasslands, shrublands, pinyon-juniper woodlands, and ponderosa pine forests. Occasionally in most other habitats, especially during migration and winter. Nests on cliffs and sometimes trees in rugged areas, with breeding birds ranging widely over surrounding areas. About 3,629,700 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,478 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Bald and Golden Eagle Protection Act.
Great horned owl (<i>Bubo virginianus</i>)	Needs large abandoned bird nest or large cavity for nesting. Usually lives on forest edges and hunts in open areas. In desert areas, requires wooded cliff areas for nesting. About 4,641,800 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	114,107 acres of potentially suitable habitat (2.5% of potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Birds of Prey (Cont.)				
Long-eared owl (<i>Asio otus</i>)	Nests and roosts in dense vegetation and hunts in open areas (e.g., creosotebush-bursage flats, desert scrub, grasslands, and agricultural fields). About 1,743,700 acres of potentially suitable habitat occurs within the SEZ region.	4,015 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	42,461 acres of potentially suitable habitat (2.4% of potentially suitable habitat)	Small overall impact. Avoidance of riparian woodlands could reduce impacts to roosting habitats.
Prairie falcon (<i>Falco mexicanus</i>)	Associated primarily with perennial grasslands, savannahs, rangeland, some agricultural fields, and desert scrub areas. Nests in pothole or well-sheltered ledge on rocky cliff or steep earth embankment. May also nest in man-made excavations on otherwise unsuitable cliffs and old nests of ravens, hawks, and eagles. Forages in large patch areas with low vegetation. May forage over irrigated croplands in winter. About 4,641,800 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	114,107 acres of potentially suitable habitat (2.5% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Red-tailed hawk (<i>Buteo jamaicensis</i>)	Wide variety of habitats from deserts, mountains, and populated valleys. Open areas with scattered, elevated perch sites such as scrub desert, plains and montane grassland, agricultural fields, pastures urban parklands, broken coniferous forests, and deciduous woodland. Nests on cliff ledges or in tall trees. About 3,444,200 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost 0.3% of available potentially suitable habitat) during construction and operations	102,663 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Turkey vulture (<i>Cathartes aura</i>)	Occurs in open stages of most habitats that provide adequate cliffs or large trees for nesting, roosting, and resting. Migrates and forages over most open habitats. Will roost communally in trees, exposed boulders, and occasionally transmission line support towers. About 2,059,400 acres of potentially suitable habitat occurs in the SEZ region.	7,794 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	59,310 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Upland Game Birds				
Gambel's quail (<i>Callipepla gambelii</i>)	Deserts, especially in areas with brushy or thorny growth, and adjacent cultivated areas. Usually occurs near water. Nests on the ground under cover of small trees, shrubs, and grass tufts. About 3,520,800 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,752 acres of potentially suitable habitat (2.9% of potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Mourning dove (<i>Zenaida macroura</i>)	Habitat generalist, occurring in grasslands, shrublands, croplands, lowland and foothill riparian forests, ponderosa pine forests, deserts, and urban and suburban areas. Rarely in aspen and other forests, coniferous woodlands, and alpine tundra. Nests on ground or in trees. Winters mostly in lowland riparian forests adjacent to cropland. About 4,490,900 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	112,258 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Scaled quail (<i>Callipepla squamata</i>)	Desert scrub dominated by mesquite, yucca, and cactus and grasslands. Bare habitat is an important habitat component. About 3,383,900 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	102,748 acres of potentially suitable habitat (3.0% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Upland Game Birds (Cont.)				
White-winged dove (<i>Zenaida asiatica</i>)	Desert riparian, wash, succulent shrub, scrub, and Joshua tree habitats, orchards and vineyards, croplands, and pastures. About 3,266,300 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	102,741 acres of potentially suitable habitat (3.1% of available suitable habitat)	Small overall impact. Avoid wash and riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Wild turkey (<i>Meleagris gallopavo</i>)	Lowland riparian forests, foothill shrubs, pinyon-juniper woodlands, foothill riparian forests, and agricultural areas. About 814,800 acres of potentially suitable habitat occurs within the SEZ region.	3,834 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	22,684 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact. Avoid riparian habitats.

- ^a Potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.
- ^b Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. A maximum of 10,327 acres of direct effects within the SEZ was assumed.
- ^c Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.
- ^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary. Potentially suitable habitat within the SEZ greater than the maximum of 10,327 acres of direct effects was also added to the area of indirect effects. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from the SEZ, but do not include ground-disturbing activities. The potential degree of indirect effects would decrease with increasing distance away from the SEZ.

Footnotes continued on next page.

TABLE 12.2.11.2-1 (Cont.)

-
- ^e Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: $\leq 1\%$ of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but $\leq 10\%$ of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: $>10\%$ of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^f Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^g To convert acres to km², multiply by 0.004047.

Sources: CDFG (2008); NatureServe (2010); NMDGF (2010); USGS (2004, 2005a, 2007).

1 The assessment of impacts on bird species is based on available information on the
2 presence of species in the affected area as presented in Section 12.2.11.2.1 following the analysis
3 approach described in Appendix M. Additional NEPA assessments and coordination with federal
4 or state natural resource agencies may be needed to address project-specific impacts more
5 thoroughly. These assessments and consultations could result in additional required actions to
6 avoid or mitigate impacts on birds (see Section 12.2.11.2.3).

7
8 In general, impacts on birds would result from habitat disturbance (i.e., habitat reduction,
9 fragmentation, and alteration), and from disturbance, injury, or mortality to individual birds.
10 Table 12.2.11.2-1 summarizes the magnitude of potential impacts on representative bird species
11 resulting from solar energy development in the proposed Mason Draw SEZ. Direct impacts on
12 representative bird species would be small for all species, as less than 0.001 to 0.5% of the
13 potentially suitable habitats identified for the representative species in the SEZ would be lost.
14 Larger areas of potentially suitable habitats for the bird species occur within the area of potential
15 indirect effects (e.g., up to 3.2% of available habitat for the black-tailed gnatcatcher) (Table
16 12.2.11.2-1). Other impacts on birds could result from collision with vehicles and infrastructure
17 (e.g., buildings and fences), surface water and sediment runoff from disturbed areas, fugitive dust
18 generated by project activities, noise, lighting, spread of invasive species, accidental spills, and
19 harassment. Indirect impacts on areas outside the SEZ (for example, impacts caused by dust
20 generation, erosion, and sedimentation) are expected to be negligible with implementation of
21 programmatic design features.

22
23 Decommissioning after operations cease could result in short-term negative impacts on
24 individuals and habitats within and adjacent to the SEZ. The negative impacts of
25 decommissioning would be reduced or eliminated as reclamation proceeds. Potentially long-term
26 benefits could accrue as habitats are restored in previously disturbed areas. Section 5.10.2.1.4
27 provides an overview of the impacts of decommissioning and reclamation on wildlife. Of
28 particular importance for bird species would be the restoration of original ground surface
29 contours, soils, and native plant communities associated with semiarid shrublands.

30 31 32 ***12.2.11.2.3 SEZ-Specific Design Features and Design Feature Effectiveness***

33
34 The successful implementation of programmatic design features presented in
35 Appendix A, Section A.2.2, would reduce the potential for effects on birds, especially for those
36 species that depend on habitat types that can be avoided (e.g., riparian areas and washes).
37 Indirect impacts could be reduced to negligible levels by implementing design features,
38 especially those engineering controls that would reduce runoff, sedimentation, spills, and fugitive
39 dust. While SEZ-specific design features important for reducing impacts on birds are best
40 established when project details are being considered, some design features can be identified at
41 this time, as follows:

- 42
43 • For solar energy facilities within the SEZ, the requirements contained within
44 the 2010 Memorandum of Understanding between the BLM and USFWS to
45 promote the conservation of migratory birds will be followed.

- 1 • Take of golden eagles and other raptors should be avoided. Mitigation
2 regarding the golden eagle should be developed in consultation with the
3 USFWS and the NMDGF. A permit may be required under the Bald and
4 Golden Eagle Protection Act.
5
- 6 • Wash and riparian areas, which could provide unique habitats for some bird
7 species, should be avoided.
8

9 If these SEZ-specific design features are implemented in addition to programmatic design
10 features, impacts on bird species could be reduced. However, because potentially suitable
11 habitats for a number of the bird species occur throughout much of the SEZ, additional species-
12 specific mitigation of direct effects for those species would be difficult or infeasible.
13

14 **12.2.11.3 Mammals**


15 **12.2.11.3.1 Affected Environment**

16
17
18
19
20 This section addresses mammal species that are known to occur, or for which potentially
21 suitable habitat occurs, on or within the potentially affected area of the proposed Mason Draw
22 SEZ. The list of mammal species potentially present in the SEZ area was determined from
23 species lists available from BISON-M (NMDGF 2010) and range maps and habitat information
24 available from SWReGAP (USGS 2007). Land cover types suitable for each species were
25 determined from SWReGAP (USGS 2004, 2005a, 2007) and the South Central GAP Analysis
26 Program (USGS 2010d). See Appendix M for additional information on the approach used.
27

28 More than 75 species of mammals are reported from Dona Ana County (NMDGF 2010);
29 however, suitable habitats for a number of these species are limited or nonexistent within the
30 proposed Mason Draw SEZ (USGS 2007). Similar to the overview of mammals provided for the
31 six-state solar energy study area (Section 4.10.2.3), the following discussion for the SEZ
32 emphasizes big game and other mammal species that (1) have key habitats within or near the
33 SEZ, (2) are important to humans (e.g., big game, small game, and furbearer species), and/or
34 (3) are representative of other species that share important habitats.
35


36 **Big Game**

37
38
39 The big game species that could occur within the vicinity of the proposed Mason Draw
40 SEZ include the cougar (*Puma concolor*), desert bighorn sheep (*Ovis canadensis mexicana*),
41 mule deer (*Odocoileus hemionus*), and pronghorn (*Antilocapra americana*) (NMDGF 2010;
42 USGS 2007). Due to its special species status, the desert bighorn sheep is addressed in Section
43 12.2.12. Potentially suitable habitat for the cougar occurs throughout the SEZ. Figure 12.2.11.3-1
44 shows the location of the SEZ relative to where mule deer are rare or absent and where they
45 occur at a density of <10 deer/mi² (<4 deer/km²). Figure 12.2.11.3-2 shows the location of the
46 SEZ relative to the mapped range of pronghorn.



1
2
3
4

FIGURE 12.2.11.3-1 Density of Mule Deer within the Proposed Mason Draw SEZ Region
(Source: BLM 2009a)



1

2

3

FIGURE 12.2.11.3-2 Location of the Proposed Mason Draw SEZ Relative to the Mapped Range of Pronghorn (Source: BLM 2009b)

1 **Other Mammals**
2

3 A number of small game and furbearer species occur within the area of the proposed
4 Mason Draw SEZ. Species that could occur within the area of the SEZ include the American
5 badger (*Taxidea taxus*), black-tailed jackrabbit (*Lepus californicus*), bobcat (*Lynx rufus*), coyote
6 (*Canis latrans*), desert cottontail (*Sylvilagus audubonii*), gray fox (*Urocyon cinereoargenteus*),
7 javelina (*Pecari tajacu*), kit fox (*Vulpes macrotis*), ringtail (*Bassariscus astutus*), and striped
8 skunk (*Mephitis mephitis*) (NMDGF 2010; USGS 2007).
9

10 The nongame (small) mammals include rodents, bats, and shrews. Representative species
11 for which potentially suitable habitat occurs within the proposed Mason Draw SEZ include
12 Botta's pocket gopher (*Thomomys bottae*), cactus mouse (*Peromyscus eremicus*), canyon mouse
13 (*Peromyscus crinitus*), deer mouse (*P. maniculatus*), desert pocket mouse (*Chaetodipus*
14 *penicillatus*), desert shrew (*Notiosorex crawfordi*), Merriam's kangaroo rat (*Dipodomys*
15 *merriami*), northern grasshopper mouse (*Onychomys leucogaster*), Ord's kangaroo rat
16 (*Dipodomys ordii*), round-tailed ground squirrel (*Spermophilus tereticaudus*), southern plains
17 woodrat (*Neotoma micropus*), spotted ground squirrel (*Spermophilus pilosoma*), western
18 harvest mouse (*Reithrodontomys megalotis*), and white-tailed antelope squirrel
19 (*Ammospermophilus leucurus*) (NMDGF 2010; USGS 2007). Bat species that may occur within
20 the area of the SEZ include the big brown bat (*Eptesicus fuscus*), Brazilian free-tailed bat
21 (*Tadarida brasiliensis*), California myotis (*Myotis californicus*), silver-haired bat (*Lasionycteris*
22 *noctivagans*), spotted bat (*Euderma maculatum*), and western pipistrelle (*Parastrellus hesperus*)
23 (NMDGF 2010; USGS 2007). However, roost sites for the bat species (e.g., caves, hollow trees,
24 rock crevices, or buildings) would be limited to absent within the SEZ. Special status bat species
25 that could occur within the SEZ area are addressed in Section 12.2.12.
26

27 Table 12.2.11.3-1 provides habitat information for representative mammal species that
28 could occur within the proposed Mason Draw SEZ. Special status mammal species are discussed
29 in Section 12.2.12.
30

31
32 **12.2.11.3.2 Impacts**
33

34 The types of impacts that mammals could incur from construction, operation, and
35 decommissioning of utility-scale solar energy facilities are discussed in Section 5.10.2.1. Any
36 such impacts would be minimized through the implementation of required programmatic design
37 features described in Appendix A, Section A.2.2, and through the application of any additional
38 mitigation measures. Section 12.2.11.3.3, below, identifies design features of particular
39 relevance to mammals for the proposed Mason Draw SEZ.
40

41 The assessment of impacts on mammal species is based on available information on the
42 presence of species in the affected area as presented in Section 12.2.11.3.1 following the analysis
43 approach described in Appendix M. Additional NEPA assessments and coordination with state
44 natural resource agencies may be needed to address project-specific impacts more thoroughly.
45 These assessments and consultations could result in additional required actions to avoid or
46 mitigate impacts on mammals (see Section 12.2.11.3.3).
47

TABLE 12.2.11.3-1 Habitats, Potential Impacts, and Potential Mitigation for Representative Mammal Species That Could Occur on or in the Affected Area of the Proposed Mason Draw SEZ

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Big Game				
Cougar (<i>Puma concolor</i>)	Most common in rough, broken foothills and canyon country, often in association with montane forests, shrublands, and pinyon-juniper woodlands. About 4,253,300 acres ^g of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	111,565 acres of potentially suitable habitat (2.6% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Mule deer (<i>Odocoileus hemionus</i>)	Most habitats including coniferous forests, desert shrub, chaparral, and grasslands with shrubs. Greatest densities in shrublands on rough, broken terrain that provides abundant browse and cover. About 4,544,800 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	111,918 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Pronghorn (<i>Antilocapra americana</i>)	Grasslands and semidesert shrublands on rolling topography that affords good visibility. Most abundant in shortgrass or midgrass prairies and least common in xeric habitats. About 1,580,800 acres of potentially suitable habitat occurs in the SEZ region.	4,009 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	42,495 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact. Avoidance of desert grassland habitats could reduce impacts.

TABLE 12.2.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Small Game and Furbearers				
American badger (<i>Taxidea taxus</i>)	Open grasslands and deserts, meadows in subalpine and montane forests, alpine tundra. Digs burrows in friable soils. Most common in areas with abundant populations of ground squirrels, prairie dogs, and pocket gophers. About 3,449,900 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,142 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Black-tailed jackrabbit (<i>Lepus californicus</i>)	Open plains, fields, and deserts with scattered thickets or patches of shrubs. Also open, early stages of forests and chaparral habitats. Rests during the day in shallow depressions, and uses shrubs for cover. About 3,697,300 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	102,375 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Bobcat (<i>Lynx rufus</i>)	Most habitats except subalpine coniferous forest and montane meadow grasslands. Most common in rocky country from deserts through ponderosa forests. About 2,221,700 acres of potentially suitable habitat occurs in the SEZ region.	7,835 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	64,603 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact.
Coyote (<i>Canis latrans</i>)	All habitats at all elevations. Least common in dense coniferous forest. Where human control efforts occur, they are restricted to broken, rough country with abundant shrub cover and a good supply of rabbits or rodents. About 4,625,500 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	113,958 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Small Game and Furbearers (Cont.)</i>				
Desert cottontail (<i>Sylvilagus audubonii</i>)	Abundant to common in grasslands, open forests, and desert shrub habitats. Can occur in areas with minimal vegetation as long as adequate cover (e.g., rock piles, fallen logs, fence rows) is present. Thickets and patches of shrubs, vines, and brush also used as cover. About 4,380,400 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	111,432 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Gray fox (<i>Urocyon cinereoargenteus</i>)	Deserts, open forests, and brush. Prefers wooded areas, broken country, brushlands, and rocky areas. Tolerant of low levels of residential development. About 4,482,400 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	112,007 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Javelina (spotted peccary) (<i>Pecari tajacu</i>)	Often in thickets along creeks and washes. Beds in caves, mines, boulder fields, and dense stands of brush. May visit a water hole on a daily basis. About 3,405,200 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	102,324 acres of potentially suitable habitat (3.0% of available suitable habitat)	Small overall impact. Avoid riparian and wash habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Small Game and Furbearers (Cont.)</i>				
Kit fox (<i>Vulpes macrotis</i>)	Desert and semidesert areas with relatively open vegetative cover and soft soils. Seeks shelter in underground burrows. About 4,116,900 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	111,498 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Ringtail (<i>Bassariscus astutus</i>)	Usually in rocky areas with cliffs or crevices for daytime shelter, desert scrub, chaparral, pine-oak and conifer woodlands. About 3,756,100 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,823 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Striped skunk (<i>Mephitis mephitis</i>)	Occurs in most habitats other than alpine tundra. Common at lower elevations, especially in and near cultivated fields and pastures. Generally inhabits open country in woodlands, brush areas, and grasslands, usually near water. Dens under rocks, logs, or buildings. About 4,501,900 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	112,016 acres of potentially suitable habitat (2.5% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals</i>				
Big brown bat (<i>Eptesicus fuscus</i>)	Most habitats from lowland deserts to timberline meadows. Roosts in hollow trees, rock crevices, mines, tunnels, and buildings. About 3,730,400 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,880 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Botta's pocket gopher (<i>Thomomys bottae</i>)	Variety of habitats including shortgrass plains, oak savanna, agricultural lands, and deserts. Burrows are more common in disturbed areas such as roadways and stream floodplains. About 3,463,900 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,379 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Brazilian free-tailed bat (<i>Tadarida brasiliensis</i>)	Cliffs, deserts, grasslands, old fields, savannas, shrublands, woodlands, and suburban/urban areas. Roosts in buildings, caves, and hollow trees. May roost in rock crevices, bridges, signs, or cliff swallow nests during migration. Large maternity colonies inhabit caves, buildings, culverts, and bridges. About 3,823,900 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	104,148 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Cactus mouse (<i>Peromyscus eremicus</i>)	Variety of areas including desert scrub, semidesert chaparral, desert wash, semidesert grassland, and cliff and canyon habitats. About 3,425,100 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	102,378 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. Avoid wash habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
California myotis (<i>Myotis californicus</i>)	Desertscrub, semidesert shrublands, lowland riparian, swamps, riparian suburban areas, plains grasslands, scrub-grasslands, woodlands, and forests. Roosts in caves, mine tunnels, hollow trees, and loose rocks. About 3,488,900 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,486 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. Avoid riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Canyon mouse (<i>Peromyscus crinitus</i>)	Associated with rocky substrates in a variety of habitats, including desert scrub, sagebrush shrublands, woodlands, cliffs and canyons, and volcanic rock and cinder lands. Source of free water not required. About 1,421,100 acres of potentially suitable habitat occurs within the SEZ region.	4,015 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	42,069 acres of potentially suitable habitat (3.0% of available suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts.

TABLE 12.2.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small) Mammals (Cont.)</i>				
Deer mouse (<i>Peromyscus maniculatus</i>)	Tundra; alpine and subalpine grasslands; plains grasslands; open, sparsely vegetated deserts; warm temperate swamps and riparian forests; and Sonoran desert scrub habitats. About 4,403,100 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	111,565 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. Avoid riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Desert pocket mouse (<i>Chaetodipus penicillatus</i>)	Sparsely vegetated sandy deserts. Prefers rock-free bottomland soils along rivers and streams. Sleeps and rears young in underground burrows. About 3,192,800 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	101,586 acres of potentially suitable habitat (3.2% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Desert shrew (<i>Notiosorex crawfordi</i>)	Generally found in arid areas with adequate cover for nesting and resting. Deserts, semiarid grasslands with scattered cactus and yucca, chaparral slopes, alluvial fans, sagebrush, gullies, juniper woodlands, riparian areas, and dumps. About 3,684,200 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	103,512 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact. Avoid riparian habitats. No other species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Merriam's kangaroo rat (<i>Dipodomys merriami</i>)	Plains, grasslands, scrub-grasslands, desertscrub, shortgrass plains, oak and juniper savannahs, mesquite dunes, and creosote flats. About 4,161,300 acres of potentially suitable habitat occurs in the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	112,891 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Northern grasshopper mouse (<i>Onychomys leucogaster</i>)	Occurs in grasslands, sagebrush deserts, overgrazed pastures, weedy roadside ditches, sand dunes, and other habitats with sandy soil and sparse vegetation. About 4,250,900 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	110,357 acres of potentially suitable habitat (2.6% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Ord's kangaroo rat (<i>Dipodomys ordii</i>)	Various habitats ranging from semidesert shrublands and pinyon-juniper woodlands to shortgrass or mixed prairie and silvery wormwood. Also occurs in dry, grazed, riparian areas if vegetation is sparse. Most common on sandy soils that allow for easy digging and construction of burrow systems. About 4,287,100 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	111,858 acres of potentially suitable habitat (2.6% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.

TABLE 12.2.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Round-tailed ground squirrel (<i>Spermophilus tereticaudus</i>)	Optimum habitat includes desert succulent shrub, desert wash, desert scrub, alkali desert scrub, and levees in cropland habitat. Also occurs in urban habitats. Burrows usually at base of shrubs. About 1,802,000 acres of potentially suitable habitat occurs within the SEZ region.	7,608 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	58,070 acres of potentially suitable habitat (3.2% of available suitable habitat)	Small overall impact. Avoid wash habitats.
Silver-haired bat (<i>Lasiurus noctivagans</i>)	Urban areas, chaparral, alpine and subalpine grasslands, forests, scrub-grassland, oak savannah and desert scrub habitats. Roosts under bark, and in hollow trees, caves, and mines. Forages over clearings and open water. About 3,069,200 acres of potentially suitable habitat occurs within the SEZ region.	7,986 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	80,830 acres of potentially suitable habitat (2.6% of available suitable habitat)	Small overall impact.
Southern plains woodrat (<i>Neotoma micropus</i>)	Semiarid and desert grassland environments. Burrows along the sides of arroyos and favors outwash plains and overgrazed lands. Occurs on rocky, gravelly, and sandy soils. About 4,251,900 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	111,150 acres of potentially suitable habitat (2.6% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Spotted bat (<i>Euderma maculatum</i>)	Various habitats from desert to montane coniferous forests, mostly in open or scrub areas. Roosts in caves and cracks and crevices in cliffs and canyons. About 1,467,200 acres of potentially suitable habitat occurs within the SEZ region.	3,802 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	37,156 acres of potentially suitable habitat (2.5% of available suitable habitat)	Small overall impact. Avoidance of rocky cliffs and outcrops could reduce impacts to roosting habitats.

TABLE 12.2.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small) Mammals (Cont.)</i>				
Spotted ground squirrel (<i>Spermophilus spilosoma</i>)	Arid grasslands and deserts. About 4,152,300 acres of potentially suitable habitat occurs within the SEZ region.	10,327 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	109,948 acres of potentially suitable habitat (2.6% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible because suitable habitat is widespread in the area of direct effects.
Western harvest mouse (<i>Reithrodontomys megalotis</i>)	Various habitats including scrub-grasslands, temperate swamps and riparian forests, salt marshes, shortgrass plains, oak savannah, dry fields, agricultural areas, deserts, and desertscrub. Grasses are the preferred cover. About 3,201,100 acres of potentially suitable habitat occurs in the SEZ region.	7,980 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	80,590 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. Avoid riparian habitats.
Western pipistrelle (<i>Parastrellus hesperus</i>)	Deserts and lowlands, desert mountain ranges, desert scrub flats, and rocky canyons. Roosts mostly in rock crevices, sometimes mines and caves, and rarely in buildings. Suitable roosts occur in rocky canyons and cliffs. Most abundant bat in desert regions. About 3,059,600 acres of potentially suitable habitat occurs in the SEZ region.	7,980 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	80,688 acres of potentially suitable habitat (2.6% of available potentially suitable habitat)	Small overall impact.
White-tailed antelope squirrel (<i>Ammospermophilus leucurus</i>)	Low deserts, semidesert and montane shrublands, plateaus, and foothills in areas with sparse vegetation and hard gravelly surfaces. Spends its nights and other periods of inactivity in underground burrows. About 2,712,000 acres of potentially suitable habitat occurs within the SEZ region.	7,786 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	78,880 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact.

Footnotes on next page.

TABLE 12.2.11.3-1 (Cont.)

-
- ^a Potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.
- ^b Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. A maximum of 10,327 acres of direct effects within the SEZ was assumed.
- ^c Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.
- ^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary. Potentially suitable habitat within the SEZ greater than the maximum of 10,327 acres of direct effects was also added to the area of indirect effects. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from the SEZ, but do not include ground-disturbing activities. The potential degree of indirect effects would decrease with increasing distance away from the SEZ.
- ^e Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: $\leq 1\%$ of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: > 1 but $\leq 10\%$ of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: $> 10\%$ of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^f Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^g To convert acres to km^2 , multiply by 0.004047.

Sources: CDFG (2008); NatureServe (2010); NMDGF (2010); USGS (2004, 2005a, 2007).

1 Table 12.2.11.3-1 summarizes the magnitude of potential impacts on representative
2 mammal species resulting from solar energy development (with the inclusion of programmatic
3 design features) in the proposed Mason Draw SEZ.
4

6 **Cougar**

7
8 Up to 10,327 acres (41.8 km²) of potentially suitable cougar habitat could be lost by SEZ
9 development within the proposed Mason Draw SEZ. This represents about 0.2% of potentially
10 suitable cougar habitat within the SEZ region. About 111,565 acres (451.5 km²) of potentially
11 suitable cougar habitat occurs within the area of indirect effects. Overall, impacts on cougar from
12 solar energy development in the SEZ would be small.
13

15 **Mule deer**

16
17 Based on land cover analyses, up to 10,327 acres (41.8 km²) of potentially suitable mule
18 deer habitat could be lost by SEZ development within the proposed Mason Draw SEZ. This
19 represents about 0.2% of potentially suitable mule deer habitat within the SEZ region. More than
20 111,918 acres (452.9 km²) of potentially suitable mule deer habitat occurs within the area of
21 indirect effects. Based on mapped ranges, 4,604 acres (18.6 km²) of mule deer range where deer
22 are rare or absent and 8,305 acres (33.6 km²) of higher density mule deer range (i.e., <10
23 deer/mi² [<4 deer/km²]) occur within the SEZ. Some combination of these ranges up to 10,327
24 acres (41.8 km²) could be directly affected by solar energy development in the SEZ. This is 0.2%
25 of these ranges within the SEZ region. About 84,980 acres (344 km²) of the low-density deer
26 range and 39,675 acres (160.6 km²) of the higher density mule deer range occur within the area
27 of indirect effects (Figure 12.2.11.3-1). Overall, impacts on mule deer from solar energy
28 development in the SEZ would be small.
29

31 **Pronghorn**

32
33 Based on land cover analyses, up to 4,009 acres (16.2 km²) of potentially suitable
34 pronghorn habitat could be lost by SEZ development within the proposed Mason Draw SEZ.
35 This represents about 0.3% of potentially suitable pronghorn habitat within the SEZ region.
36 About 42,495 acres (172.0 km²) of potentially suitable pronghorn habitat occurs within the area
37 of indirect effects. Based on mapped pronghorn range (Figure 12.2.11.3-2) and up to 4,604 acres
38 (18.6 km²) of pronghorn range within the SEZ could be directly affected, and about 67,740 acres
39 (274 km²) could be indirectly affected. Overall, impacts on pronghorn from solar energy
40 development in the SEZ would be small.
41

43 **Other Mammals**

44
45 Direct impacts on other representative mammal species would be small for all species, as
46 0.2 to 0.4% of the potentially suitable habitats identified for these species in the proposed Mason

1 Draw SEZ would be lost. Larger areas of potentially suitable habitats for the representative
2 mammal species occur within the area of potential indirect effects (e.g., up to 3.2% of available
3 habitat for the desert pocket mouse and round-tailed ground squirrel) (Table 12.2.11.3-1).
4

5 **Summary**

6

7 Overall, direct impacts on mammal species from habitat loss would be small
8 (Table 12.2.11.3-1). Other impacts on mammals could result from collision with vehicles and
9 infrastructure (e.g., fences), surface water and sediment runoff from disturbed areas, fugitive dust
10 generated by project activities, noise, lighting, spread of invasive species, accidental spills, and
11 harassment. Indirect impacts on areas outside the SEZ (for example, impacts caused by dust
12 generation, erosion, and sedimentation) would be negligible with implementation of
13 programmatic design features.
14

15 Decommissioning after operations cease could result in short-term negative impacts on
16 individuals and habitats within and adjacent to the SEZ. The negative impacts of
17 decommissioning would be reduced or eliminated as reclamation proceeds. Potentially long-term
18 benefits could accrue as habitats are restored in previously disturbed areas. Section 5.10.2.1.4
19 provides an overview of the impacts of decommissioning and reclamation on wildlife. Of
20 particular importance for mammal species would be the restoration of original ground surface
21 contours, soils, and native plant communities associated with semiarid shrublands.
22
23

24 ***12.2.11.3.3 SEZ-Specific Design Features and Design Feature Effectiveness***

25

26 The implementation of required programmatic design features described in Appendix A,
27 Section A.2.2, would reduce the potential for effects on mammals. Indirect impacts could be
28 reduced to negligible levels by implementing design features, especially those engineering
29 controls that would reduce runoff, sedimentation, spills, and fugitive dust. While SEZ-specific
30 design features important for reducing impacts on mammals are best established when project
31 details are being considered, design features that can be identified at this time are:
32

- 33 • The fencing around the solar energy development should not block the free
34 movement of mammals, particularly big game species.
- 35
- 36 • Wash and riparian habitats, which could provide more unique habitats for
37 some mammal species, should be avoided.
38

39 If these SEZ-specific design features are implemented in addition to other programmatic
40 design features, impacts on mammals could be reduced. However, potentially suitable habitats
41 for a number of the mammal species occur throughout much of the SEZ; therefore, species-
42 specific mitigation of direct effects for those species would be difficult or infeasible.
43
44
45

1 **12.2.11.4 Aquatic Biota**

2
3
4 **12.2.11.4.1 Affected Environment**

5
6 This section addresses aquatic habitats and biota known to occur in the proposed Mason
7 Draw SEZ itself or within an area that could be affected, either directly or indirectly, by activities
8 associated with solar energy development within the proposed SEZ. There are no perennial or
9 intermittent surface water bodies or streams within the proposed Mason Draw SEZ. There are
10 ephemeral washes that drain into a single large ephemeral wash (Kimble Draw) located near the
11 center of the proposed SEZ. The washes within the SEZ are typically dry and are not likely to
12 support aquatic or riparian habitats. The washes on the SEZ drain into a dry plain and are not
13 connected to any perennial surface waters. The National Wetlands Inventory mapping indicates
14 wetlands are present within the proposed SEZ, primarily in the form of temporarily flooded
15 depressional areas and riparian wetlands associated with Kimble Draw (USFWS undated).
16 Further information on the wetlands near the proposed Mason Draw SEZ is given in Section
17 12.2.10.1. Such ephemeral or intermittent depressions are typically dry and not likely to contain
18 aquatic habitat or biota. Although not considered aquatic habitat, such nonpermanent surface
19 waters may contain invertebrates that are either aquatic opportunists (i.e., species that occupy
20 both temporary and permanent waters) or specialists adapted to living in temporary aquatic
21 environments (Graham 2001). On the basis of information from ephemeral pools in the
22 American Southwest, ostracods (seed shrimp) and small planktonic crustaceans (e.g., copepods
23 or cladocerans) may be present, and larger branchiopod crustaceans such as fairy shrimp could
24 occur (Graham 2001). Various types of insects that have aquatic larval stages, such as
25 dragonflies and a variety of midges and other fly larvae, may also occur depending on the
26 duration of standing water, the distance to permanent water features, and the abundance of other
27 invertebrates for prey (Graham 2001).

28
29 There are no perennial or intermittent surface water bodies or streams located within the
30 area of indirect effects associated with the proposed Mason Draw SEZ. The ephemeral Mason
31 Draw is located 2 mi (3 km) west of the proposed SEZ and is not likely to contain aquatic habitat
32 or biota, but more detailed site survey data would be necessary to characterize the aquatic biota
33 in Mason Draw, if present. The NWI mapping indicates wetlands are present within the area of
34 indirect effects associated with the proposed SEZ (USFWS 2009). The wetlands are generally
35 associated with Mason Draw to the west of the site. As discussed above, desert wetlands are
36 typically dry but may contain aquatic biota adapted to desiccating conditions.

37
38 Outside of the area of indirect effects, but within 50 mi (80 km) of the proposed SEZ,
39 there is 4,041 acres (16 km²) of intermittent lake (Lake Lucero) and 8,201 acres (33 km²) of
40 reservoir habitat (Caballo Reservoir). There are 285 mi (459 km) of intermittent stream, 104 mi
41 (167 km) of perennial stream (primarily the Rio Grande), and 24 mi (39 km) of canals located
42 within 50 mi (80 km) of the proposed SEZ. In addition, there are wetlands associated with the
43 Rio Grande.

1 **12.2.11.4.2 Impacts**
2

3 The types of impacts that aquatic habitats and biota could incur from the development of
4 utility-scale solar energy facilities are described in detail in Section 5.10.3. Effects that are
5 particularly relevant to aquatic habitats and communities include water withdrawal and changes
6 in water, sediment, and contaminant inputs associated with runoff.
7

8 No permanent or intermittent water bodies or streams are present within the area of direct
9 or indirect effects associated with the proposed Mason Draw SEZ. Ephemeral streams and
10 wetlands present within the area of direct and indirect effects associated with the SEZ could be
11 affected by ground disturbance and airborne and waterborne soil deposition. While these features
12 are typically dry and are not expected to support aquatic habitat or communities, more detailed
13 site surveys of ephemeral and intermittent surface waters would be necessary to determine
14 whether solar energy development activities would result in direct or indirect impacts on aquatic
15 biota. The ephemeral streams within the proposed SEZ and the area of indirect effects do not
16 drain into any permanent surface waters, and the nearest perennial surface water is the Rio
17 Grande River, located more than 10 mi (16 km) from the SEZ. Therefore, no direct or indirect
18 impacts on aquatic habitat or biota are expected to result from solar development activities.
19

20 As identified in Section 5.10.3, water quality in aquatic habitats could be affected by the
21 introduction of contaminants such as fuels, lubricants, or pesticides/herbicides during site
22 characterization, construction, operation, or decommissioning for a solar energy facility. Within
23 the SEZ, there is the potential for contaminants to enter the ephemeral washes and intermittent
24 wetlands, especially if heavy machinery is used in or near the channel. The potential for
25 introducing contaminants into permanent surface waters would be small, given that the washes
26 do not drain into any permanent surface water and given the relatively large distance from any
27 features to solar development activities (minimum of approximately 10 mi [16 km]).
28

29 In arid environments, reductions in the quantity of water in aquatic habitats are of
30 particular concern. Water quantity in aquatic habitats could be affected if significant amounts of
31 surface water or groundwater were utilized for power plant cooling water, for washing mirrors,
32 or for other needs. Of the technologies available, a PV system is the most practical given the
33 amount of groundwater present and the existing water allotments (see Section 12.2.9.2).
34 Additional details regarding the volume of water required and the types of organisms present in
35 potentially affected water bodies would be required in order to further evaluate the potential for
36 impacts from water withdrawals on intermittent wetlands inside the SEZ and surface water
37 outside the SEZ and area of indirect effects.
38

39
40 **12.2.11.4.3 SEZ-Specific Design Features and Design Feature Effectiveness**
41

42 The implementation of required programmatic design features described in Appendix A,
43 Section A.2.2, would greatly reduce or eliminate the potential for effects on aquatic biota and
44 aquatic habitats from development and operation of solar energy facilities. While some SEZ-
45 specific design features are best established when project details are being considered, a design
46 feature that can be identified at this time is as follows:

1
2
3
4
5
6
7
8
9
10
11
12
13
14

- Appropriate engineering controls should be implemented to minimize the amount of ground disturbance, contaminants, runoff, and fugitive dust near wetlands located within the SEZ.

If this SEZ-specific design feature is implemented in addition to programmatic design features and if the utilization of water from groundwater or surface water sources is adequately controlled to maintain sufficient water levels in aquatic habitats, the potential impacts on aquatic biota and habitats from solar energy development at the Mason Draw SEZ would be negligible.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.2.12 Special Status Species (Threatened, Endangered, Sensitive, and Rare Species)**
2

3 This section addresses special status species that are known to occur, or for which
4 suitable habitat occurs, within the potentially affected area of the proposed Mason Draw SEZ.
5 Special status species include the following types of species³:
6

7 Species listed as threatened or endangered under the ESA;

- 8
- 9 • Species that are proposed for listing, under review, or are candidates for
10 listing under the ESA;
 - 11
 - 12 • Species that are listed by the BLM as sensitive;
 - 13
 - 14 • Species that are listed by the State of New Mexico⁴; and
 - 15
 - 16 • Species that have been ranked by the State of New Mexico as S1 or S2, or
17 species of concern by the State of New Mexico or the USFWS; hereafter
18 referred to as “rare” species.
19

20 Special status species known to occur within 50 mi (80 km) of the Mason Draw SEZ
21 center (i.e., the SEZ region) were determined from natural heritage records available through
22 NatureServe Explorer (NatureServe 2010), information provided by the BLM Las Cruces
23 District Office (Hewitt 2009a), New Mexico Rare Plant Technical Council (1999), Biota
24 Information System of New Mexico (BISON-M) (NMDGF 2010), Natural Heritage New
25 Mexico (NHNM) (McCollough 2009), Southwest Regional Gap Analysis Project (SWReGAP)
26 (USGS 2004, 2005a, 2007), South Central GAP Analysis Program (USGS 2010d), Texas GAP
27 Analysis Program (USGS 2010b), and the USFWS Environmental Conservation Online System
28 (ECOS) (USFWS 2010). The information reviewed consisted of county-level occurrences as
29 determined from NatureServe and BISON-M, quad-level occurrences provided by the NHNM,
30 as well as modeled land cover types and predicted suitable habitats for the species within the
31 50-mi (80-km) region as determined from SWReGAP. The 50-mi (80-km) SEZ region intersects
32 Dona Ana, Luna, Otero, and Sierra Counties in New Mexico, as well as El Paso County, Texas,
33 and Chihuahua, Mexico. However, the SEZ and affected area occur only in Dona Ana County.
34 Appendix M presents additional information on the approach used to identify species that could
35 be affected by development within the SEZ.
36
37
38

³ See Section 4.6.4 for definitions of these species categories. Note that some of the categories of species included here do not fit BLM’s definition of special status species as defined in BLM Manual 6840 (BLM 2008). These species are included here to ensure broad consideration of species that may be most vulnerable to impacts.

⁴ State-listed species for the state of New Mexico are those plants listed as endangered under the Endangered Plant Species Act (NMSA 1978 § 75-6-1) or wildlife listed as threatened or endangered by the Wildlife Conservation Act (NMSA 1978 § 17-2-37).

1 **12.2.12.1 Affected Environment**
2

3 The affected area considered in the assessment included the areas of direct and indirect
4 effects. The area of direct effects was defined as the area that would be physically modified
5 during project development (i.e., where ground-disturbing activities would occur). For the
6 Mason Draw SEZ, the area of direct effects included only the SEZ itself. Because of the
7 proximity of existing infrastructure, the impacts of construction and operation of transmission
8 lines outside of the SEZ are not assessed, based on the assumptions that the existing transmission
9 infrastructure might be used to connect some new solar facilities to load centers and that
10 additional project-specific analysis would be conducted for new transmission line construction or
11 upgrades. Similarly, the impacts of construction of or upgrades to access roads were not assessed
12 for this SEZ because of the proximity of Interstate 10 (see Section 12.2.1.2 for a discussion of
13 development assumptions for this SEZ). The area of indirect effects was defined as the area
14 within 5 mi (8 km) of the SEZ boundary. Indirect effects considered in the assessment included
15 effects from groundwater withdrawals, surface runoff, dust, noise, lighting, and accidental spills
16 from the SEZ, but did not include ground-disturbing activities. For the most part, the potential
17 magnitude of indirect effects would decrease with increasing distance away from the SEZ. This
18 area of indirect effects was identified on the basis of professional judgment and was considered
19 sufficiently large to bound the area that would potentially be subject to indirect effects. The
20 affected area includes the areas of both direct and indirect effects.
21

22 The primary land cover habitat types within the affected area are Chihuahuan piedmont
23 semidesert grassland as well as Chihuahuan desert creosote-scrub (see Section 12.2.10).
24 Potentially unique habitats in the affected area in which special status species may reside include
25 grasslands, woodlands, cliff and rock outcrops, desert dunes, playas, washes, and riparian and
26 aquatic habitats. No aquatic habitats are known to occur on the SEZ or within the area of indirect
27 effects. The nearest surface water feature is the Rio Grande, about 12 mi (19 km) east of the SEZ
28 (Figure 12.2.12.1-1).
29

30 All special status species that are known to occur within the Mason Draw SEZ region
31 (i.e., within 50 mi [80 km] of the center of the SEZ) are listed, with their status, nearest recorded
32 occurrence, and habitats in Appendix J. Twenty-nine of these species could be affected by solar
33 energy development on the SEZ, based on recorded occurrences or the presence of potentially
34 suitable habitat in the affected area. These species, their status, and their habitats are presented in
35 Table 12.2.12.1-1. For many of the species listed in the table (especially plants), their predicted
36 potential occurrence in the affected area is based only on a general correspondence between
37 mapped land cover types and descriptions of species habitat preferences. This overall approach
38 to identifying species in the affected area probably overestimates the number of species that
39 actually occur there. For many of the species identified as having potentially suitable habitat in
40 the affected area, the nearest known occurrence is more than 20 mi (32 m) away from the SEZ.
41

42 Based on NHPM records and information provided by the BLM Las Cruces District
43 Office, occurrences for the following five special status species intersect the affected area of the
44 Mason Draw SEZ: desert night-blooming cereus, Texas horned lizard, northern aplomado falcon,
45 fringed myotis, and Townsend's big-eared bat. These species are indicated in bold text in
46 Table 12.2.12.1-1.




FIGURE 12.2.12.1-1 Known or Potential Occurrences of Species Listed as Endangered or Threatened under the ESA, Candidates for Listing under the ESA, or Species under Review for ESA Listing in the Affected Area of the Proposed Mason Draw SEZ (Sources: Hewitt 2009a; USGS 2007)

TABLE 12.2.12.1-1 Habitats, Potential Impacts, and Potential Mitigation for Special Status Species That Could Be Affected by Solar Energy Development on the Proposed Mason Draw SEZ

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Plants						
Alamo beard-tongue	<i>Penstemon alamosensis</i>	FWS-SC; NM-SC	Sacramento and San Andres Mountains in Dona Ana and Otero Counties, New Mexico, as well as the Hueco Mountains in El Paso County, Texas, in sheltered rocky areas, canyon sides, and canyon bottoms on limestone substrate. Elevations range between 4,300 and 5,300 ft. ^h Nearest recorded occurrence is 30 mi ⁱ northeast of the SEZ. About 10,000 acres ^j of potentially suitable habitat occurs in the SEZ region.	0 acres	100 acres of potentially suitable habitat (1.0% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Arizona coralroot	<i>Hexalectris spicata</i>	BLM-S; NM-E; FWS-SC; NM-S2	Oak and pinyon-juniper woodland communities in areas of heavy leaf litter. Known to occur in Dona Ana County. About 141,500 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	17 acres of potentially suitable habitat (<0.1% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Plants (Cont.)						
Desert night-blooming cereus^k	<i>Peniocereus greggii</i> var. <i>greggii^k</i>	BLM-S; NM-E; FWS-SC; NM-S1	Sandy to silty gravelly soils in desert grassland communities , gravelly flats, and washes. Known to occur in the affected area approximately 3 mi northeast of the SEZ. About 1,400,000 acres of potentially suitable habitat occurs in the SEZ region.	4,100 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat)	43,500 acres of potentially suitable habitat (3.1% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to desert grassland habitat on the SEZ could reduce impacts. In addition, , pre-disturbance surveys and avoidance or minimization of disturbance to occupied habitats in the area of direct effects; translocation of individuals from area of direct effects; or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Grama grass cactus	<i>Sclerocactus papyracanthus</i>	BLM-S	Pinyon-juniper woodlands and desert grasslands on sandy soils at elevations between 4,900 and 7,200 ft. Nearest recorded occurrence is 30 mi northeast of the SEZ. About 1,379,000 acres of potentially suitable habitat occurs in the SEZ region.	4,000 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat)	42,000 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to desert grassland habitat on the SEZ could reduce impacts. See desert night-blooming cereus for a list of other applicable mitigation.
Marble Canyon rockcress	<i>Sibara grisea</i>	BLM-S; FWS-SC; NM-SC	Rock crevices and the bases of limestone cliffs in chaparral and pinyon-juniper woodland communities at elevations between 4,500 and 6,000 ft. Known to occur in Dona Ana County. About 179,000 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	444 acres of potentially suitable habitat (0.2% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Plants (Cont.)						
Mosquito plant	<i>Agastache cana</i>	FWS-SC; NM-SC	Rock crevices of granite cliffs or in canyon habitats at the lower edge of the pinyon-juniper zone. Elevations range between 4,600 and 5,900 ft. Known to occur in Dona Ana County. About 10,000 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	100 acres of potentially suitable habitat (1.0% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
New Mexico rock daisy	<i>Perityle staurophylla</i> var. <i>staurophylla</i>	BLM-S; FWS-SC; NM-SC	Endemic to south-central New Mexico in crevices of limestone cliffs and boulders at elevations between 4,900 and 7,000 ft. Known to occur in Dona Ana County. About 10,000 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	100 acres of potentially suitable habitat (1.0% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Sand prickly-pear cactus	<i>Opuntia arenaria</i>	NM-E; FWS-SC; NM-S2	Sandy areas, particularly semi-stabilized sand dunes among open Chihuahuan desert scrub, often associated with sparse cover of grasses. Elevation ranges between 3,800 and 4,300 ft. Nearest occurrence is 18 mi southeast of the SEZ. About 762,500 acres of potentially suitable habitat occurs in the SEZ region.	1,000 acres of potentially suitable habitat lost (0.1% of available potentially suitable habitat)	7,300 acres of potentially suitable habitat (1.0% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to sand dunes and sand transport systems on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoidance or minimization of disturbance to occupied habitats in the area of direct effects; translocation of individuals from area of direct effects; or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Plants (Cont.)						
Sandberg pincushion cactus	<i>Escobaria sandbergii</i>	FWS-SC; NM-SC; NM-S2	San Andres and Fra Cristobal Mountains in Dona Ana and Sierra Counties, New Mexico, on rocky limestone soils in Chihuahuan desert scrub and open oak and pinyon-juniper woodlands at elevations between 4,200 and 7,400 ft. Known to occur in Dona Ana County. About 2,732,000 acres of potentially suitable habitat occurs in the SEZ region.	8,800 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat)	66,600 acres of potentially suitable habitat (2.4% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoidance or minimization of disturbance to occupied habitats in the area of direct effects; translocation of individuals from area of direct effects; or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Sandhill goosefoot	<i>Chenopodium cycloides</i>	BLM-S; NM-S2	Open sandy areas, frequently along the edges of sand dunes. Known to occur in Dona Ana County. About 801,000 acres of potentially suitable habitat occurs in the SEZ region.	1,000 acres of potentially suitable habitat lost (0.1% of available potentially suitable habitat)	7,200 acres of potentially suitable habitat (0.9% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to sand dunes and sand transport systems on the SEZ could reduce impacts. See sand prickly-pear cactus for a list of other applicable mitigations.
Sneed's pincushion cactus	<i>Escobaria sneedii</i> var. <i>sneedii</i>	ESA-E; NM-E; NM-S2	Limestone cracks of broken terrain on steep slopes and on limestone edges and rocky slopes in mountainous regions at elevations between 4,000 and 6,000 ft. Nearest recorded occurrences are approximately 32 mi southeast of the SEZ. About 10,000 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	100 acres of potentially suitable habitat (1.0% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Plants (Cont.)						
Villard pincushion cactus	<i>Escobaria villardii</i>	BLM-S; NM-E; FWS-SC; NM-S2	Franklin and Sacramento Mountains in Otero and Dona Ana Counties, New Mexico, on loamy soils of desert grassland on broad limestone benches at elevations between 4,500 and 6,500 ft. Known to occur in Dona Ana County. About 1,379,000 acres of potentially suitable habitat occurs in the SEZ region.	4,000 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat)	42,000 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to desert grassland habitats on the SEZ could reduce impacts. See desert night-blooming cereus for a list of applicable mitigations.
Invertebrates						
Samalayuca Dune grasshopper	<i>Cibolacris samalayucae</i>	NM-SC	Open sand dune habitats. Known to occur in Dona Ana County. About 801,000 acres of potentially suitable habitat occurs in the SEZ region.	1,000 acres of potentially suitable habitat lost (0.1% of available potentially suitable habitat)	7,200 acres of potentially suitable habitat (0.9% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to sand dunes and sand transport systems on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoidance minimization of disturbance to occupied habitats in the area of direct effects or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Shotwell's range grasshopper	<i>Shotwellia isleta</i>	NM-SC	Non-saline playas that are composed of clay soils. Known to occur in Dona Ana County. About 10,300 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	50 acres of potentially suitable habitat (0.5% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Reptiles Texas horned lizard	<i>Phrynosoma cornutum</i>	BLM-S	Flat, open, generally dry habitats with little plant cover, except for bunchgrass, cactus, and desert scrub in areas of sandy or gravelly soil. Nearest quad-level occurrence intersects the affected area within 5 mi east of the SEZ. About 4,038,500 acres of potentially suitable habitat occurs in the SEZ region.	12,900 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat)	110,100 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoidance or minimization of disturbance to occupied habitats in the area of direct effects; translocation of individuals from areas of direct effects; or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Birds American peregrine falcon	<i>Falco peregrinus anatum</i>	BLM-S; NM-T	Year-round resident in the SEZ region. Open habitats, including deserts, shrublands, and woodlands that are associated with high, near vertical cliffs and bluffs above 200 ft. When not breeding, activity is concentrated in areas with ample prey, such as farmlands, marshes, lakes, rivers, and urban areas. Known to occur in Dona Ana County. About 2,194,500 acres of potentially suitable habitat occurs in the SEZ region.	7,700 acres of potentially suitable foraging habitat lost (0.4% of available potentially suitable habitat)	59,000 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact. Direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effects.
Bald eagle	<i>Haliaeetus leucocephalus</i>	BLM-S; NM-T; FWS-SC	Winter resident in the SEZ region. Near large bodies of water or free-flowing rivers with abundant fish and waterfowl prey. Winters near open water. May occasionally forage in arid shrubland habitats. Known to occur in Dona Ana County. About 1,785,000 acres of potentially suitable habitat occurs in the SEZ region.	3,900 acres of potentially suitable foraging habitat lost (0.2% of available potentially suitable habitat)	42,200 acres of potentially suitable habitat (2.4% of available potentially suitable habitat)	Small overall impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effects.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Birds (Cont.)						
Eastern bluebird	<i>Sialia sialis</i>	NM-S1	Year-round resident in the SEZ region. Forest edges, open woodlands, and partly open situations with scattered trees, from coniferous or deciduous forest to riparian woodland. Also occurs in pine woodlands or savannas. Nests are in natural cavities, old woodpecker holes, bird boxes, or similar sites. Nearest quad-level occurrence is approximately 13 mi southeast of the SEZ. About 1,006,000 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	26,600 acres of potentially suitable habitat (2.6% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Ferruginous hawk	<i>Buteo regalis</i>	BLM-S; NM-S2	Winter resident in SEZ region in grasslands, sagebrush and saltbrush habitats, as well as the periphery of pinyon-juniper woodlands throughout the project area. Known to occur in Dona Ana County. About 154,000 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	325 acres of potentially suitable habitat (0.2% of available potentially suitable habitat)	Small overall impact on foraging habitat only; no direct impact. No species-specific mitigation is warranted.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Birds (Cont.)						
Gray vireo	<i>Vireo vicinior</i>	NM-T; NM-S2	Summer breeding resident in the SEZ region. Semiarid, shrubby habitats, especially mesquite and brushy pinyon-juniper woodlands; also chaparral, desert scrub, thorn scrub, oak-juniper woodland, pinyon-juniper, mesquite, and dry chaparral. Nests in shrubs or trees. Known to occur in Dona Ana County. About 745,000 acres of potentially suitable habitat occurs in the SEZ region.	3,700 acres of potentially suitable foraging or nesting habitat lost (0.5% of available potentially suitable habitat)	22,600 acres of potentially suitable habitat (3.0% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoidance or minimization of disturbance to occupied nests in the area of direct effects or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Northern aplomado falcon	<i>Falco femoralis septentrionalis</i>	ESA-E; NM-E; NM-S1	Year-round resident in the SEZ region. Open rangeland and savanna, semiarid grasslands with scattered trees, mesquite, and yucca. Nests in old stick nests of other raptors or ravens that are located in trees or shrubs in areas of desert grassland. Nearest occurrence is within the affected area approximately 3 mi southwest of the SEZ. About 2,686,500 acres of potentially suitable habitat occurs in the SEZ region.	8,000 acres of potentially suitable foraging or nesting habitat lost (0.3% of available potentially suitable habitat)	79,000 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact on foraging and nesting habitat. Avoiding or minimizing disturbance to desert grasslands on the SEZ could reduce impacts. Pre-disturbance surveys and avoidance or minimization of disturbance to occupied nests in the area of direct effects or compensatory mitigation of direct effects on occupied habitats could reduce impacts. The potential for impact and need for mitigation should be determined in consultation with the USFWS and NMDGF.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Birds (Cont.)						
Western burrowing owl	<i>Athene cunicularia</i>	BLM-S; FWS-SC; NM-SC	Year-round resident in the SEZ region. Open grasslands and prairies, as well as disturbed sites such as golf courses, cemeteries, and airports throughout the SEZ region. Nests in burrows constructed by mammals (prairie dog, badger, etc.). Known to occur in Dona Ana County. About 4,167,600 acres of potentially suitable habitat occurs in the SEZ region.	12,750 acres of potentially suitable foraging or nesting habitat lost (0.3% of available potentially suitable habitat)	108,000 acres of potentially suitable habitat (2.6% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoidance or minimization of disturbance to occupied burrows in the area of direct effects or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Mammals						
Desert bighorn sheep	<i>Ovis canadensis mexicana</i>	NM-T; NM-SC; NM-S1	Open, steep rocky terrain in mountainous habitats in desert regions. Rarely uses desert lowlands, but may use them as corridors for travel between mountain ranges. Known to occur in Dona Ana County. About 316,000 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	3,000 acres of potentially suitable habitat (1.0% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Fringed myotis	<i>Myotis thysanodes</i>	BLM-S	Year-round resident in the SEZ region. Wide range of habitats, including lowland riparian, desert shrub, pinyon-juniper, and sagebrush. Roosts in buildings and caves. Nearest quad-level occurrence intersects the affected area about 5 mi east of the SEZ. About 3,676,500 acres of potentially suitable habitat occurs in the SEZ region.	12,750 acres of potentially suitable foraging habitat lost (0.3% of available potentially suitable habitat)	100,500 acres of potentially suitable foraging or roosting habitat (2.7% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effects.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Mammals (Cont.)						
Long-legged myotis	<i>Myotis volans</i>	BLM-S	Year-round resident in the SEZ region. Primarily montane coniferous forests; also riparian and desert habitats. Hibernates in caves and mines. Roosts in abandoned buildings, rock crevices, and under bark of trees. Known to occur in Dona Ana County. About 3,462,500 acres of potentially suitable habitat occurs in the SEZ region.	11,750 acres of potentially suitable foraging habitat lost (0.3% of available potentially suitable habitat)	101,500 acres of potentially suitable foraging or roosting habitat (2.9% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effects.
Townsend's big-eared bat	<i>Corynorhinus townsendii</i>	BLM-S; FWS-SC; NM-SC	Year-round resident in the SEZ region. Near forests and shrubland habitats below 9,000 ft elevation throughout the SEZ region. Roosts and hibernates in caves, mines, and buildings. Nearest quad-level occurrence intersects the affected area about 5 mi east of the SEZ. About 3,221,100 acres of potentially suitable habitat occurs in the SEZ region.	8,100 acres of potentially suitable foraging habitat lost (0.3% of available potentially suitable habitat)	81,000 acres of potentially suitable foraging or roosting habitat (2.5% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effects.
Western red bat	<i>Lasiurus blossevillii</i>	FWS-SC; NM-S2	Year-round resident in the SEZ region. Forages in riparian and other wooded areas. Roosts primarily in cottonwood trees along riparian areas, but also in fruit orchards. Known to occur in Dona Ana County. About 77,200 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	770 acres of potentially suitable habitat (1.0% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.2.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Mammals (Cont.)						
Western small-footed myotis	<i>Myotis ciliolabrum</i>	BLM-S	Year-round resident in the SEZ region. Variety of woodlands and riparian habitats at elevations below 9,000 ft. Roosts in caves, buildings, mines, and crevices of cliff faces. Known to occur in Dona Ana County. About 4,394,000 acres of potentially suitable habitat occurs in the SEZ region.	12,800 acres of potentially suitable foraging habitat lost (0.3% of available potentially suitable habitat)	109,700 acres of potentially suitable foraging or roosting habitat (2.5% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effects.
Yellow-faced pocket gopher	<i>Cratogeomys castanops</i>	NM-S2	Deep sandy or silty soils that are relatively free of rocks. Prefers deep firm soils; rich soils of river valleys and streams, agricultural land (orchards, gardens, potato fields and other croplands), and meadows. Also in mesquite-creosote habitat. Constructs shallow foraging burrows and deeper ones between nest and food cache. Known to occur in Dona Ana County. About 1,608,700 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	35,000 acres of potentially suitable habitat (2.2% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

^a BLM-S = listed as a sensitive species by the BLM; ESA-C = candidate for listing under the ESA; ESA-E = listed as endangered under the ESA; FWS-SC = USFWS species of concern; NM-E = listed as endangered by the State of New Mexico; NM-T = listed as threatened by the State of New Mexico; NM-S1 = ranked as S1 in the State of New Mexico; NM-S2 = ranked as S2 in the State of New Mexico; NM-SC = species of concern in the State of New Mexico.

^b For plant species, potentially suitable habitat was determined by using land cover types from SWReGAP and the Texas Gap Analysis Program. For terrestrial vertebrate species, potentially suitable habitat was determined by using habitat suitability and land cover models from SWReGAP and the Texas Gap Analysis Program. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.

Footnotes continued on next page.

TABLE 12.2.12.1-3 (Cont.)

-
- ^c Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. Impacts of access road and transmission line construction, upgrade, or operation are not assessed in this evaluation because of the proximity of existing infrastructure to the SEZ.
- ^d Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.
- ^e Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary where ground-disturbing activities would not occur. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from project development. The potential degree of indirect effects would decrease with increasing distance away from the SEZ.
- ^f Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: $\leq 1\%$ of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but $\leq 10\%$ of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: $>10\%$ of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^g Species-specific mitigation measures are suggested here, but final mitigation measures should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^h To convert ft to m, multiply by 0.3048.
- ⁱ To convert mi to km, multiply by 1.609.
- ^j To convert acres to km², multiply by 0.004047.
- ^k Species in bold text have been recorded or have designated critical habitat within 5 mi (8 km) of the SEZ boundary.

1 **12.2.12.1.1 Species Listed under the Endangered Species Act That Could**
2 **Occur in the Affected Area**
3

4 In their scoping comments on the proposed Mason Draw SEZ (Stout 2009), the USFWS
5 expressed concern for impacts of project development within the SEZ on habitat for the northern
6 aplomado falcon—a species listed as endangered under the ESA. In addition to this species, the
7 Sneed’s pincushion cactus, listed as endangered under the ESA, may also occur in the affected
8 area of the Mason Draw SEZ. These two species are discussed below and information on their
9 habitat is presented in Table 12.2.12.1-1; additional basic information on life history, habitat
10 needs, and threats to populations of these species is provided in Appendix J.
11

12
13 **Sneed’s Pincushion Cactus**
14

15 The Sneed’s pincushion cactus is a perennial cactus listed as endangered under the ESA.
16 This species is endemic to a range of less than 100 mi (160 km) between Las Cruces,
17 New Mexico, and El Paso, Texas. This species is primarily known to occur in limestone cracks
18 of broken terrain on steep slopes at elevations between 4,000 and 6,000 ft (1,220 and 1,800 m).
19 Nearest recorded occurrences of this species are about 32 mi (51 km) southeast of the SEZ. The
20 USFWS did not identify the Sneed’s pincushion cactus in their scoping comments on the
21 proposed Mason Draw SEZ (Stout 2009). According to the SWReGAP land cover model, rocky
22 cliffs and outcrops that may be potentially suitable habitat for this species do not occur on the
23 SEZ; however, approximately 100 acres (0.4 km²) of potentially suitable rocky cliffs and
24 outcrops may occur in the area of indirect effects (Table 12.2.12.1-1). Critical habitat for this
25 species has not been designated.
26

27
28 **Northern Aplomado Falcon**
29

30 The northern aplomado falcon is a raptor that is listed as endangered under the ESA. This
31 species is known to occur in Chihuahuan grassland habitats in southern New Mexico, western
32 Texas, and northern Mexico. Suitable habitats include rangeland, savannas, and semiarid
33 grasslands with scattered trees, mesquite (*Prosopis glandulosa*), and *Yucca* spp. Within these
34 areas, the northern aplomado falcon feeds primarily on other small birds and infrequently on
35 small mammals and reptiles. Nests are located in old nests of other bird species (usually raptors
36 or ravens).
37

38 In their scoping comments on the Mason Draw SEZ, the USFWS discussed the potential
39 for northern aplomado falcons to occur in the affected area. Natural and reintroduced populations
40 may occur within the SEZ region (Stout 2009). Reintroductions of northern aplomado falcons in
41 southern New Mexico under Section 10(j) of the ESA began in 2006. According to the USFWS,
42 northern aplomado falcon populations may occur on the SEZ and throughout the affected area of
43 the proposed Mason Draw SEZ in areas of Chihuahuan desert grassland, especially where
44 scattered yucca, mesquite, and cactus are present. According to a field-validated habitat
45 suitability model provided by the BLM Las Cruces District Office (Hewitt 2009a), suitable
46 grassland habitat for this species occurs on the SEZ and in the area of indirect effects. The

1 species is known to occur in the affected area about 3 mi (5 km) southwest of the SEZ
2 (Figure 12.2.12.1-1; Table 12.2.12.1-1). According to the SWReGAP habitat suitability model,
3 approximately 8,000 acres (32 km²) and 79,000 acres (320 km²) of potentially suitable habitat
4 may occur on the SEZ and within the area of indirect effects, respectively. On the basis of
5 SWReGAP land cover data, approximately 4,000 acres (16 km²) of Chihuahuan grassland
6 habitat occurs on the SEZ. This habitat could provide foraging and nesting habitat. Based upon
7 this information, it is concluded that portions of the Mason Draw SEZ may provide suitable
8 habitat for the northern aplomado falcon. Critical habitat for this species has not been designated.
9

10 ***12.2.12.1.2 Species That Are Candidates for Listing under the ESA***

11
12
13 In their scoping comments on the proposed Mason Draw SEZ (Stout 2009), the USFWS
14 did not mention any species that are candidates for listing under the ESA that may be impacted
15 by solar energy development on the Mason Draw SEZ. On the basis of known occurrences and
16 the presence of potentially suitable habitat, there are no species that are candidates for ESA
17 listing that may occur in the affected area of the Mason Draw SEZ.
18

19 ***12.2.12.1.3 Species That Are under Review for Listing under the ESA***

20
21
22 In their scoping comments on the proposed Mason Draw SEZ (Stout 2009), the USFWS
23 did not mention any species that are under review for listing under the ESA that may be
24 impacted by solar energy development on the Mason Draw SEZ. On the basis of known
25 occurrences and the presence of potentially suitable habitat, there are no species under review
26 for ESA listing that may occur in the affected area of the Mason Draw SEZ.
27

28 ***12.2.12.1.4 BLM-Designated Sensitive Species***

29
30
31 There are 16 BLM-designated sensitive species may occur in the affected area of the
32 Mason Draw SEZ (Table 12.2.12.1-1), including the following (1) plants: Arizona coralroot,
33 desert night-blooming cereus, grama grass cactus, Marble Canyon rockcress, New Mexico rock
34 daisy, sandhill goosefoot, and Villard pincushion cactus; (2) reptiles: Texas horned lizard;
35 (3) birds: American peregrine falcon, bald eagle, ferruginous hawk, and western burrowing owl;
36 and (4) mammals: fringed myotis, long-legged myotis, Townsend's big-eared bat, and western
37 small-footed myotis. Occurrences of four of these species intersect the affected area of the
38 Mason Draw SEZ: desert night-blooming cereus, Texas horned lizard, fringed myotis, and
39 Townsend's big-eared bat. Habitats in which BLM-designated sensitive species are found, the
40 amount of potentially suitable habitat in the affected area, and known locations of the species
41 relative to the SEZ are presented in Table 12.2.12.1-1. These species as related to the SEZ are
42 described in the remainder of this section. Additional life history information for these species is
43 provided in Appendix J.
44
45
46

1 **Arizona Coralroot**

2
3 The Arizona coralroot is a perennial herb that is known from Arizona, New Mexico, and
4 Texas. It occurs in oak and pinyon-juniper woodland communities in areas with heavy leaf litter.
5 This species is known to occur in Dona Ana County. According to the SWReGAP land cover
6 model, potentially suitable woodland habitat does not occur on the SEZ. However, potentially
7 suitable woodland habitat may occur in the area of indirect effects within 5 mi (8 km) of the SEZ
8 (Table 12.2.12.1-1).

9
10
11 **Desert Night-Blooming Cereus**

12
13 The desert night-blooming cereus is a perennial shrub-like cactus that is known from
14 southern Arizona, New Mexico, and Texas. It occurs in sandy to silty soils in desert grassland
15 communities, flats, and washes. The species is known to occur in the affected area, about 3 mi
16 (5 km) northeast of the SEZ. Potentially suitable desert grassland habitat may occur on the SEZ
17 and in other portions of the affected area (Table 12.2.12.1-1).

18
19
20 **Grama Grass Cactus**

21
22 The grama grass cactus is a perennial shrub-like cactus that is known from southern
23 Arizona, New Mexico, and Texas. It occurs in pinyon-juniper woodlands and desert grasslands
24 on sandy soils. The nearest recorded occurrence of this species is about 30 mi (48 km) northeast
25 of the SEZ. Although it is not known to occur in the affected area, potentially suitable desert
26 grassland habitat may occur on the SEZ and in other portions of the affected area
27 (Table 12.2.12.1-1).

28
29
30 **Marble Canyon Rockcress**

31
32 The Marble Canyon rockcress is an annual herb that is known from southern New
33 Mexico and Texas. It occurs in rock crevices and at the bases of limestone cliffs in chaparral and
34 pinyon-juniper communities at elevations between 4,500 and 6,000 ft (1,350 and 1,800 m). This
35 species is known to occur in Dona Ana County. According to the SWReGAP land cover model,
36 potentially suitable rocky cliff and outcrop habitat does not occur on the SEZ. However,
37 potentially suitable habitat may occur in portions of the area of indirect effects within 5 mi
38 (8 km) from the SEZ (Table 12.2.12.1-1).

39
40
41 **New Mexico Rock Daisy**

42
43 The New Mexico rock daisy is a perennial herb that is endemic to south-central New
44 Mexico. It occurs in crevices of limestone cliffs and boulders at elevations between 4,900 and
45 7,000 ft (1,500 and 2,100 m). This species is known to occur in Dona Ana County. According to
46 the SWReGAP land cover model, potentially suitable rocky cliff and outcrop habitat does not

1 occur on the SEZ. However, potentially suitable habitat may occur in portions of the area of
2 indirect effects within 5 mi (8 km) from the SEZ (Table 12.2.12.1-1).

3
4
5 **Sandhill Goosefoot**

6
7 The sandhill goosefoot is an annual herb that ranges from Nebraska south to New Mexico
8 and Texas. It occurs in open sandy habitats, frequently along desert sand dunes. This species is
9 known to occur in Dona Ana County. According to the SWReGAP land cover model, potentially
10 suitable sand dune habitat may occur on the SEZ and other portions of the affected area
11 (Table 12.2.12.1-1).

12
13
14 **Villard Pincushion Cactus**

15
16 The Villard pincushion cactus is a perennial shrub-like cactus that is known from the
17 Franklin and Sacramento Mountains in southern New Mexico. It occurs on loamy soils on
18 limestone benches in desert grassland at elevations between 4,500 and 6,500 ft (1,370 and
19 2,000 m). This species is known to occur in Dona Ana County. According to the SWReGAP
20 land cover model, potentially suitable desert grassland habitat may occur on the SEZ and other
21 portions of the affected area (Table 12.2.12.1-1).

22
23
24 **Texas Horned Lizard**

25
26 The Texas horned lizard is widespread in the south-central United States and northern
27 Mexico. This lizard inhabits open arid and semiarid regions on sandy substrates and sparse
28 vegetation. Vegetation in suitable habitats includes grasses, cacti, or scattered brush or scrubby
29 trees. Nearest quad-level occurrences of this species intersect the affected area about 5 mi (8 km)
30 east of the SEZ. According to the SWReGAP habitat suitability model, potentially suitable
31 habitat for this species occurs on the SEZ and throughout portions of the affected area
32 (Table 12.2.12.1-1).

33
34
35 **American Peregrine Falcon**

36
37 The American peregrine falcon is known throughout the western United States from areas
38 with high vertical cliffs and bluffs that overlook large open areas such as deserts, shrublands, and
39 woodlands. Nests are usually constructed on rock outcrops and cliff faces. Foraging habitat
40 varies from shrublands and wetlands to farmland and urban areas. This species is known to occur
41 in Dona Ana County. According to the SWReGAP habitat suitability model, potentially suitable
42 year-round foraging and nesting habitat for the American peregrine falcon may occur within the
43 affected area of the Mason Draw SEZ. On the basis of an evaluation of SWReGAP land cover
44 types, however, potentially suitable nesting habitat (cliffs or outcrops) does not occur on
45 the SEZ.

1 **Bald Eagle**

2
3 The bald eagle is primarily known to occur in riparian habitats associated with larger
4 permanent water bodies such as lakes, rivers, and reservoirs. However, it may occasionally
5 forage in arid shrubland habitats. This species is a winter resident in Dona Ana County.
6 According to the SWReGAP habitat suitability model, potentially suitable winter foraging
7 habitat for this species may occur in the affected area of the Mason Draw SEZ
8 (Table 12.2.12.1-1).

9
10
11 **Ferruginous Hawk**

12
13 The ferruginous hawk is known to occur throughout the western United States.
14 According to the SWReGAP habitat suitability model, only potentially suitable winter foraging
15 habitat for this species occurs within the affected area of the Mason Draw SEZ. This species
16 inhabits open grasslands, sagebrush flats, desert scrub, and the edges of pinyon-juniper
17 woodlands. This species is known to occur in Dona Ana County. According to the SWReGAP
18 habitat suitability model, suitable habitat for this species does not occur on the SEZ; however,
19 potentially suitable foraging habitat occurs in portions of the area of indirect effects outside of
20 the SEZ (Table 12.2.12.1-1).

21
22
23 **Western Burrowing Owl**

24
25 The western burrowing owl forages in grasslands, shrublands, open disturbed areas, and
26 nests in burrows usually constructed by mammals. According to the SWReGAP habitat
27 suitability model for the western burrowing owl, potentially suitable year-round foraging and
28 nesting habitat may occur in the affected area of the Mason Draw SEZ. This species is known to
29 occur in Dona Ana County. Potentially suitable foraging and breeding habitat is expected to
30 occur on the SEZ and in other portions of the affected area (Table 12.2.12.1-1). The availability
31 of nest sites (burrows) within the affected area has not been determined, but shrubland habitat
32 that may be suitable for either foraging or nesting occurs throughout the affected area.

33
34
35 **Fringed Myotis**

36
37 The fringed myotis is a year-round resident in the Mason Draw SEZ region, where it
38 occurs in a variety of habitats, including riparian, shrubland, sagebrush, and pinyon-juniper
39 woodlands. The species roosts in buildings and caves. The nearest quad-level occurrence of this
40 species intersects the affected area about 5 mi (8 km) east of the SEZ. The SWReGAP habitat
41 suitability model for the species indicates that potentially suitable foraging habitat may occur on
42 the SEZ and in other portions of the affected area (Table 12.2.12.1-1). On the basis of an
43 evaluation of SWReGAP land cover types, there is no potentially suitable roosting habitat (rocky
44 cliffs and outcrops) on the SEZ, but about 100 acres (0.4 km²) of potentially suitable habitat
45 occurs in the area of indirect effects.

1 **Long-Legged Myotis**
2

3 The long-legged myotis is a year-round resident in the Mason Draw SEZ region, where
4 it is primarily known from montane coniferous forests. The species is also known to forage in
5 desert shrublands. The species roosts in buildings, caves, mines, and rock crevices. This species
6 is known to occur in Dona Ana County. The SWReGAP habitat suitability model for the species
7 indicates that potentially suitable foraging habitat may occur on the SEZ and in other portions of
8 the affected area (Table 12.2.12.1-1). On the basis of an evaluation of SWReGAP land cover
9 types, there is no suitable roosting habitat (rocky cliffs and outcrops) on the SEZ, but about
10 100 acres (0.4 km²) of potentially suitable habitat occurs in the area of indirect effects.
11

12 **Townsend’s Big-Eared Bat**
13

14 The Townsend’s big-eared bat is a year-round resident in the Mason Draw SEZ region,
15 where it forages in a wide variety of desert and non-desert habitats. The species roosts in caves,
16 mines, tunnels, buildings, and other man-made structures. The nearest quad-level occurrence of
17 this species intersects the affected area about 5 mi (8 km) east of the SEZ. According to the
18 SWReGAP habitat suitability model, potentially suitable year-round foraging habitat for this
19 species may occur on the SEZ and other portions of the affected area (Table 12.2.12.1-1). On the
20 basis of an evaluation of SWReGAP land cover types, there is no suitable roosting habitat (rocky
21 cliffs and outcrops) on the SEZ, but approximately 100 acres (0.4 km²) of potentially suitable
22 habitat occurs in the area of indirect effects.
23

24 **Western Small-Footed Myotis**
25

26 The western small-footed myotis is a year-round resident in the Mason Draw SEZ region,
27 where it occupies a wide variety of desert and non-desert habitats, including cliffs and rock
28 outcrops, grasslands, shrubland, and mixed woodlands. The species roosts in caves, mines,
29 tunnels, beneath boulders or loose bark, buildings, and other man-made structures. This species
30 is known to occur in Dona Ana County. According to the SWReGAP habitat suitability model,
31 potentially suitable year-round foraging habitat for this species may occur on the SEZ and other
32 portions of the affected area (Table 12.2.12.1-1). On the basis of an evaluation of SWReGAP
33 land cover types, there is no suitable roosting habitat (rocky cliffs and outcrops) on the SEZ, but
34 approximately 100 acres (0.4 km²) of potentially suitable habitat occurs in the area of indirect
35 effects.
36
37

38 **12.2.12.1.5 State-Listed Species**
39

40 There are 9 species listed by the State of New Mexico that may occur in the Mason Draw
41 SEZ affected area (Table 12.2.12.1-1). These state-listed species include the following (1) plants:
42 Arizona coralroot, desert night-blooming cereus, sand prickly-pear cactus, and Sneed’s
43 pincushion cactus; (2) birds: American peregrine falcon, bald eagle, gray vireo, and northern
44 aplomado falcon; and (3) mammal: desert bighorn sheep. All of these species are protected in
45
46

1 New Mexico under the Endangered Plant Species Act (NMSA 1978 §75-6-1) or the Wildlife
2 Conservation Act (NMSA 1978 §17-2-37). The following three of these species have not been
3 previously described due to their status under the ESA or BLM (Sections 12.2.12.1.1
4 or 12.2.12.1.4): sand prickly-pear cactus, gray vireo, and desert bighorn sheep. These species as
5 related to the SEZ are described in this section and Table 12.2.12.1-1. Additional life history
6 information for these species is provided in Appendix J.
7
8

9 **Sand Prickly-Pear Cactus**

10
11 The sand prickly-pear cactus occurs from southern New Mexico and western Texas. This
12 cactus species is listed as endangered in the State of New Mexico. It occurs in semi-stabilized
13 sand dunes in the Chihuahua Desert region in areas of sparse grass cover. This species is known
14 to occur as near as 18 mi (29 km) southeast of the SEZ. According to the SWReGAP land cover
15 model, potentially suitable desert dune habitat occurs on the SEZ and other portions of the
16 affected area (Table 12.2.12.1-1).
17
18

19 **Gray Vireo**

20
21 The gray vireo is a small neotropical migrant songbird that is known from the
22 southwestern United States and northern Mexico. This species is listed as threatened in the State
23 of New Mexico. According to the SWReGAP habitat suitability model, this species may occur
24 throughout the SEZ region as a summer breeding resident. Breeding and foraging habitat for this
25 species consists of semiarid shrublands, pinyon-juniper woodlands, oak-scrub woodlands, and
26 chaparral habitats. This species is known to occur in Dona Ana County, and potentially suitable
27 foraging or nesting habitat for this species may occur on the SEZ or in other portions of the
28 affected area (Table 12.2.12.1-1).
29
30

31 **Desert Bighorn Sheep**

32
33 The desert bighorn sheep is currently listed as threatened in the State of New Mexico. It
34 is one of several subspecies of bighorn sheep that is known to occur in the southwestern United
35 States. This subspecies occurs in eastern Arizona, New Mexico, and Texas. Within New Mexico,
36 desert bighorn sheep inhabit visually open, rocky, desert mountain ranges in the southern portion
37 of the state. The species rarely uses desert lowlands and valleys, but these areas may be
38 occasionally used as movement corridors between mountain ranges. This species is known to
39 occur in Dona Ana County. According to the SWReGAP habitat suitability model, potentially
40 suitable habitat for this species does not occur on the SEZ; however, potentially suitable habitat
41 may occur in the area of indirect effects within 5 mi (8 km) of the SEZ (Table 12.2.12.1-1).
42
43
44

1 **12.2.12.1.6 Rare Species**
2

3 Twenty-three rare species (i.e., state rank of S1 or S2 in New Mexico or a species of
4 concern by the USFWS or State of New Mexico) may be affected by solar energy development
5 on the Mason Draw SEZ (Table 12.2.12.1-1). Eight of these species have not been discussed
6 above: (1) plants: Alamo beardtongue, mosquito plant, and Sandberg pincushion cactus;
7 (2) invertebrates: Samalayuca Dune grasshopper and Shotwell’s range grasshopper; (3) birds:
8 eastern bluebird; and (4) mammals: western red bat and yellow-faced pocket gopher. These
9 species as related to the SEZ are described in Table 12.2.12.1-1.
10

11 **12.2.12.2 Impacts**
12

13 The potential for impacts on special status species from utility-scale solar energy
14 development within the proposed Mason Draw SEZ is presented in this section. The types of
15 impacts that special status species could incur from construction and operation of utility-scale
16 solar energy facilities are discussed in Section 5.10.4.
17

18 The assessment of impacts on special status species is based on available information on
19 the presence of species in the affected area as presented in Section 12.2.12.1 and following the
20 analysis approach described in Appendix M. It is assumed that prior to development, surveys
21 would be conducted to determine the presence of special status species and their habitats in and
22 near areas where ground-disturbing activities would occur. Additional NEPA assessments, ESA
23 consultations, and coordination with state natural resource agencies may be needed to address
24 project-specific impacts more thoroughly. These assessments and consultations could result in
25 additional required actions to avoid, minimize, or mitigate impacts on special status species (see
26 Section 12.2.12.3).
27

28 Solar energy development within the Mason Draw SEZ could affect a variety of habitats
29 (see Sections 12.2.9 and 12.2.10). These impacts on habitats could in turn affect special status
30 species that are dependent on those habitats. Based on NHNM records and information provided
31 by the BLM Las Cruces District Office, occurrences for the following five special status species
32 intersect the Mason Draw affected area: desert night-blooming cereus, Texas horned lizard,
33 northern aplomado falcon, fringed myotis, and Townsend’s big-eared bat. Suitable habitat for
34 each of these species may occur in the affected area. Other special status species may occur on
35 the SEZ or within the affected area based on the presence of potentially suitable habitat. As
36 discussed in Section 12.2.12.1, this approach probably overestimates the number of species that
37 actually occur in the affected area, and may therefore overestimate impacts to some special status
38 species.
39

40 Potential direct and indirect impacts on special status species within the SEZ and in the
41 area of indirect effects outside the SEZ are presented in Table 12.2.12.1-1. In addition, the
42 overall potential magnitude of impacts on each species (assuming programmatic design features
43 are in place) is presented along with any potential species-specific mitigation measures that
44 could further reduce impacts.
45
46

1 Impacts on special status species could occur during all phases of development
2 (construction, operation, and decommissioning and reclamation) of a utility-scale solar energy
3 project within the SEZ. Construction and operation activities could result in short- or long-term
4 impacts on individuals and their habitats, especially if these activities are sited in areas where
5 special status species are known to or could occur. As presented in Section 12.2.1.2, impacts of
6 access road and transmission line construction, upgrade, or operation are not assessed in this
7 evaluation because of the proximity of existing infrastructure to the SEZ.
8

9 Direct impacts would result from habitat destruction or modification. It is assumed that
10 direct impacts would occur only within the SEZ where ground-disturbing activities are expected
11 to occur. Indirect impacts could result from surface water and sediment runoff from disturbed
12 areas, fugitive dust generated by project activities, accidental spills, harassment, and lighting. No
13 ground-disturbing activities associated with project facilities are anticipated to occur within the
14 area of indirect effects. Decommissioning of facilities and reclamation of disturbed areas after
15 operations cease could result in short-term negative impacts to individuals and habitats adjacent
16 to project areas, but long-term benefits would accrue if original land contours and native plant
17 communities were restored in previously disturbed areas.
18

19 The successful implementation of programmatic design features (discussed in Appendix
20 A, Section A.2.2) would reduce direct impacts on some special status species, especially those
21 that depend on habitat types that can be easily avoided (e.g., desert dunes, washes, and
22 grasslands). Indirect impacts on special status species could be reduced to negligible levels by
23 implementing programmatic design features, especially those engineering controls that would
24 reduce groundwater consumption, runoff, sedimentation, spills, and fugitive dust.
25
26

27 ***12.2.12.2.1 Impacts on Species Listed under the ESA***

28
29 In their scoping comments on the proposed Mason Draw SEZ (Stout 2009), the USFWS
30 expressed concern for impacts of project development within the SEZ on the northern aplomado
31 falcon—a bird species listed as endangered under the ESA. In addition to this species, the
32 Sneed’s pincushion cactus—also listed as endangered under the ESA—may be affected by
33 project development on the SEZ. Impacts to these species are discussed below and summarized
34 in Table 12.2.12.1-1.
35
36

37 **Sneed’s Pincushion Cactus**

38
39 The Sneed’s pincushion cactus is endemic to a small region between Las Cruces and
40 El Paso. It inhabits limestone cracks of broken terrain on steep rocky slopes and is known to
41 occur within 32 mi (51 km) southeast of the Mason Draw SEZ. According to the SWReGAP
42 land cover model, potentially suitable rocky cliff and outcrop habitat for this species does not
43 occur on the SEZ. However, about 100 acres (0.4 km²) of suitable habitat occurs in the area of
44 potential indirect effects; this area represents about 1.0% of the available suitable habitat in the
45 region (Table 12.2.12.1-1).
46

1 The overall impact on the Sneed's pincushion cactus from construction, operation, and
2 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
3 considered small because no potentially suitable habitat for this species occurs in the area of
4 direct effects, and only indirect effects are possible. The implementation of programmatic design
5 features is expected to be sufficient to reduce indirect impacts to negligible levels.
6

7 If deemed necessary, actions to reduce impacts (e.g., reasonable and prudent alternatives,
8 reasonable and prudent measures, and terms and conditions of incidental take statements) on the
9 Sneed's pincushion cactus, including development of a survey protocol, avoidance measures,
10 minimization measures, and, potentially, compensatory mitigation, should be taken in
11 consultation with the USFWS under Section 7 of the ESA. Consultation with the New Mexico
12 Department of Game and Fish (NMDGF) should also occur to determine any state mitigation
13 requirements.
14

16 **Northern Aplomado Falcon**

17

18 The northern aplomado falcon inhabits Chihuahuan grasslands in southern New Mexico,
19 western Texas, and northern Mexico and is known to occur approximately 3 mi (5 km) southwest
20 of the Mason Draw SEZ (Figure 12.2.12.1-1). According to the SWReGAP habitat suitability
21 model, about 8,000 acres (32 km²) of potentially suitable habitat within the SEZ could be
22 directly affected by construction and operations of solar energy development on the Mason Draw
23 SEZ. This direct effects area represents about 0.3% of available suitable habitat in the region.
24 About 79,000 acres (320 km²) of suitable habitat occurs in the area of potential indirect effects;
25 this area represents about 2.9% of the available suitable habitat in the region (Table 12.2.12.1-1).
26 On the basis of SWReGAP land cover data, about 4,000 acres (16 km²) of Chihuahuan grassland
27 habitat occurs on the SEZ. In addition, a field-verified habitat suitability model provided by the
28 BLM Las Cruces District Office indicates that suitable grassland habitat for this species is known
29 to occur on the SEZ. Based upon this information, it is concluded that portions of the Mason
30 Draw SEZ may provide suitable habitat for the northern aplomado falcon.
31

32 The overall impact on the northern aplomado falcon from construction, operation, and
33 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
34 considered small because the amount of potentially suitable foraging and nesting habitat for this
35 species in the area of direct effects represents less than 1% of potentially suitable foraging
36 habitat in the SEZ region. The implementation of programmatic design features is expected to be
37 sufficient to reduce indirect impacts on this species to negligible levels.
38

39 Avoiding or minimizing disturbance to desert grassland habitat on the SEZ could reduce
40 direct impacts on the northern aplomado falcon to negligible levels. Impacts could also be
41 reduced by conducting pre-disturbance surveys and avoiding or minimizing disturbance to
42 potential nesting habitat in the area of direct effects. If avoidance or minimization are not
43 feasible options, a compensatory mitigation plan could be developed and implemented to
44 mitigate direct effects on suitable nesting habitats. Compensation could involve the protection
45 and enhancement of existing occupied or suitable habitats to compensate for habitats lost to
46 development. A comprehensive mitigation strategy that used one or both of these options could

1 be designed to completely offset the impacts of development. The need for mitigation, other than
2 programmatic design features, should be determined by conducting pre-disturbance surveys for
3 the species and its habitat in the area of direct effects.
4

5 Development of actions to reduce impacts (e.g., reasonable and prudent alternatives,
6 reasonable and prudent measures, and terms and conditions of incidental take statements) on the
7 northern aplomado falcon, including development of a survey protocol, avoidance measures,
8 minimization measures, and, potentially, compensatory mitigation, would require consultation
9 with the USFWS per Section 7 of the ESA. Consultation with NMDGF should also occur to
10 determine any state mitigation requirements.
11

12 13 ***12.2.12.2 Impacts on Species That Are Candidates for Listing under the ESA*** 14

15 In their scoping comments on the proposed Mason Draw SEZ (Stout 2009), the USFWS
16 did not mention any species that are candidates for listing under the ESA that may be impacted
17 by solar energy development on the Mason Draw SEZ. On the basis of known occurrences and
18 the presence of potentially suitable habitat, there are no species that are candidates for ESA
19 listing that may occur in the affected area of the Mason Draw SEZ.
20

21 22 ***12.2.12.3 Impacts on Species That Are under Review for Listing under the ESA*** 23

24 In their scoping comments on the proposed Mason Draw SEZ (Stout 2009), the USFWS
25 did not mention any species that are under review for listing under the ESA that may be
26 impacted by solar energy development on the Mason Draw SEZ. On the basis of known
27 occurrences and the presence of potentially suitable habitat, there are no species under review
28 for ESA listing that may occur in the affected area of the Mason Draw SEZ.
29

30 31 ***12.2.12.4 Impacts on BLM-Designated Sensitive Species*** 32

33 Impacts to 16 BLM-designated sensitive species that may be affected by solar energy
34 development on the Mason Draw SEZ but that have not previously discussed as listed under the
35 ESA, candidates, or under review for ESA listing are discussed below.
36

37 38 **Arizona Coralroot** 39

40 The Arizona coralroot is not known to occur in the affected area of the Mason Draw SEZ,
41 and suitable habitat does not occur on the SEZ; however, about 17 acres (<0.1 km²) of
42 potentially suitable pinyon-juniper woodland habitat occurs in the area of indirect effects within
43 5 mi (8 km) of the SEZ. This area represents less than 0.1% of the available suitable habitat in
44 the SEZ region (Table 12.2.12.1-1).
45

1 The overall impact on the Arizona coralroot from construction, operation, and
2 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
3 considered small because no potentially suitable habitat for this species occurs in the area of
4 direct effects, and only indirect effects are possible. The implementation of programmatic design
5 features is expected to be sufficient to reduce indirect impacts to negligible levels.
6
7

8 **Desert Night-Blooming Cereus**

9

10 The desert night-blooming cereus is known to occur about 3 mi (5 km) northeast of the
11 Mason Draw SEZ, and potentially suitable habitat occurs in the affected area. About 4,100 acres
12 (17 km²) of potentially suitable desert grassland habitat on the SEZ may be directly affected by
13 solar energy construction and operations (Table 12.2.12.1-1). This direct effects area
14 represents 0.3% of available suitable habitat in the region. About 43,500 acres (176 km²) of
15 potentially suitable grassland habitat occurs in the area of potential indirect effects; this area
16 represents about 3.1% of the available suitable habitat in the SEZ region (Table 12.2.12.1-1).
17

18 The overall impact on the desert night-blooming cereus from construction, operation,
19 and decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
20 considered small because less than 1% of potentially suitable habitat for this species occurs in
21 the area of direct effects. The implementation of programmatic design features is expected to be
22 sufficient to reduce indirect impacts to negligible levels.
23

24 Avoiding or minimizing disturbance to desert grasslands on the SEZ could reduce direct
25 impacts on the desert night-blooming cereus. Alternatively, impacts could be reduced by
26 conducting pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats
27 in the area of direct effects. If avoidance or minimization is not feasible, plants could be
28 translocated from the area of direct effects to protected areas that would not be affected directly
29 or indirectly by future development. Alternatively, or in combination with translocation, a
30 compensatory mitigation plan could be developed and implemented to mitigate direct effects on
31 occupied habitats. Compensation could involve the protection and enhancement of existing
32 occupied or suitable habitats to compensate for habitats lost to development. A comprehensive
33 mitigation strategy that uses one or more of these options could be designed to completely offset
34 the impacts of development.
35
36

37 **Grama Grass Cactus**

38

39 The grama grass cactus is known to occur about 30 mi (48 km) northeast of the Mason
40 Draw SEZ and potentially suitable habitat occurs in the affected area. About 4,000 acres
41 (16 km²) of potentially suitable desert grassland habitat on the SEZ may be directly affected by
42 construction and operations of solar energy development (Table 12.2.12.1-1). This direct effects
43 area represents 0.3% of available suitable habitat in the region. About 42,000 acres (170 km²) of
44 potentially suitable grassland habitat occurs in the area of potential indirect effects; this area
45 represents about 3.0% of the available suitable habitat in the SEZ region (Table 12.2.12.1-1).
46

1 The overall impact on the grama grass cactus from construction, operation, and
2 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
3 considered small because less than 1% of potentially suitable habitat for this species occurs in
4 the area of direct effects. The implementation of programmatic design features is expected to be
5 sufficient to reduce indirect impacts to negligible levels.
6

7 Avoidance or minimization of disturbance to desert grassland habitat in the area of direct
8 effects and the implementation of mitigation measures described previously for the desert night-
9 blooming cereus could reduce direct impacts on this species to negligible levels. The need for
10 mitigation, other than programmatic design features, should be determined by conducting pre-
11 disturbance surveys for the species and its habitat on the SEZ.
12
13

14 **Marble Canyon Rockcress**

15
16 The Marble Canyon rockcress is known to occur in Dona Ana County. According to the
17 SWReGAP land cover model, potentially suitable rocky cliff and outcrop and pinyon-juniper
18 habitats for this species do not occur on the SEZ. However, about 444 acres (2 km²) of
19 potentially suitable habitat occurs in the area of indirect effects within 5 mi (8 km) of the SEZ;
20 this area represents 0.2% of the available suitable habitat in the SEZ region (Table 12.2.12.1-1).
21

22 The overall impact on the Marble Canyon rockcress from construction, operation, and
23 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
24 considered small because no potentially suitable habitat for this species occurs in the area of
25 direct effects, and only indirect effects are possible. The implementation of programmatic design
26 features is expected to be sufficient to reduce indirect impacts to negligible levels.
27
28

29 **New Mexico Rock Daisy**

30
31 The New Mexico rock daisy is known to occur in Dona Ana County. According to the
32 SWReGAP land cover model, potentially suitable rocky cliff and outcrop habitat for this species
33 does not occur on the SEZ. However, about 100 acres (0.4 km²) of potentially suitable habitat
34 occurs in the area of indirect effects within 5 mi (8 km) of the SEZ; this area represents 1.0% of
35 the available suitable habitat in the SEZ region (Table 12.2.12.1-1).
36

37 The overall impact on the New Mexico rock daisy from construction, operation, and
38 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
39 considered small because no potentially suitable habitat for this species occurs in the area of
40 direct effects, and only indirect effects are possible. The implementation of programmatic design
41 features is expected to be sufficient to reduce indirect impacts to negligible levels.
42
43
44

1 **Sandhill Goosefoot**
2

3 The sandhill goosefoot is not known to occur in the affected area of the Mason Draw
4 SEZ. However, the species is known to occur in Dona Ana County, and about 1,000 acres
5 (4 km²) of potentially suitable desert sand dune habitat on the SEZ may be directly affected by
6 construction and operations of solar energy development. This direct effects area
7 represents 0.1% of available suitable habitat in the region. About 7,200 acres (29 km²) of
8 potentially suitable habitat occurs in the area of indirect effects within 5 mi (8 km) of the SEZ;
9 this area represents 0.9% of the available suitable habitat in the SEZ region (Table 12.2.12.1-1).
10

11 The overall impact on the sandhill goosefoot from construction, operation, and
12 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
13 considered small because less than 1% of potentially suitable habitat for this species occurs in
14 the area of direct effects. The implementation of programmatic design features is expected to be
15 sufficient to reduce indirect impacts to negligible levels.
16

17 Avoiding or minimizing disturbance to dunes and other sandy areas on the SEZ could
18 reduce direct impacts on this species. In addition, impacts could be reduced by conducting
19 pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area
20 of direct effects. If avoidance or minimization is not feasible, plants could be translocated from
21 the area of direct effects to protected areas that would not be affected directly or indirectly by
22 future development. Alternatively or in combination with translocation, a compensatory plan
23 could be developed and implemented to mitigate direct effects on occupied habitats. The
24 protection and enhancement of existing occupied or suitable habitats could compensate for
25 habitats lost to development. A comprehensive mitigation strategy that uses one or more of these
26 options could be designed to completely offset the impacts of development.
27
28

29 **Villard Pincushion Cactus**
30

31 The Villard pincushion cactus is not known to occur in the affected area of the Mason
32 Draw SEZ. However, the species is known to occur in Dona Ana County, and about 4,000 acres
33 (16 km²) of potentially suitable desert grassland habitat on the SEZ may be directly affected by
34 construction and operations of solar energy development (Table 12.2.12.1-1). This direct effects
35 area represents 0.3% of available suitable habitat in the region. About 42,000 acres (170 km²) of
36 potentially suitable grassland habitat occurs in the area of potential indirect effects; this area
37 represents about 3.0% of the available suitable habitat in the SEZ region (Table 12.2.12.1-1).
38

39 The overall impact on the Villard pincushion cactus from construction, operation, and
40 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
41 considered small because less than 1% of potentially suitable habitat for this species occurs in
42 the area of direct effects. The implementation of programmatic design features is expected to be
43 sufficient to reduce indirect impacts to negligible levels.
44

45 Avoidance or minimization of disturbance to desert grassland in the area of direct effects
46 and the implementation of mitigation measures described previously for the desert night-

1 blooming cereus could reduce direct impacts on this species to negligible levels. The need for
2 mitigation, other than programmatic design features, should be determined by conducting pre-
3 disturbance surveys for the species and its habitat on the SEZ.
4
5

6 **Texas Horned Lizard**

7

8 The Texas horned lizard is known to occur in the affected area of the Mason Draw SEZ.
9 About 12,900 acres (52 km²) of potentially suitable habitat on the SEZ could be directly affected
10 by construction and operations (Table 12.2.12.1-1). This direct impact area represents about
11 0.3% of potentially suitable habitat in the SEZ region. About 110,100 acres (446 km²) of
12 potentially suitable habitat occurs in the area of indirect effects; this area represents about 2.7%
13 of the potentially suitable habitat in the SEZ region (Table 12.2.12.1-1).
14

15 The overall impact on the Texas horned lizard from construction, operation, and
16 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
17 considered small because the amount of potentially suitable foraging habitat for this species in
18 the area of direct effects represents less than 1% of potentially suitable habitat in the SEZ region.
19 The implementation of programmatic design features is expected to be sufficient to reduce
20 indirect impacts on this species to negligible levels.
21

22 Avoidance of all potentially suitable habitats to mitigate impacts on the Texas horned
23 lizard is not feasible because potentially suitable desert scrub habitat is widespread throughout
24 the area of direct effects. However, direct impacts could be reduced by conducting pre-
25 disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of
26 direct effects. If avoidance or minimization is not feasible, individuals could be translocated
27 from the area of direct effects to protected areas that would not be affected directly or indirectly
28 by future development. Alternatively, or in combination with translocation, a compensatory
29 mitigation plan could be developed and implemented to mitigate direct effects on occupied
30 habitats. Compensation could involve the protection and enhancement of existing occupied or
31 suitable habitats to compensate for habitats lost to development. A comprehensive mitigation
32 strategy that used one or more of these options could be designed to completely offset the
33 impacts of development.
34
35

36 **American Peregrine Falcon**

37

38 The American peregrine falcon is a year-round resident in the Mason Draw SEZ region,
39 and potentially suitable habitat is expected to occur in the affected area. About 7,700 acres
40 (31 km²) of potentially suitable habitat on the SEZ could be directly affected by construction and
41 operations (Table 12.2.12.1-1). This direct impact area represents 0.4% of potentially suitable
42 habitat in the SEZ region. About 59,000 acres (239 km²) of potentially suitable habitat occurs in
43 the area of indirect effects; this area represents about 2.7% of the potentially suitable habitat in
44 the SEZ region (Table 12.2.12.1-1). Most of this area could serve as foraging habitat (open
45 shrublands). On the basis of an evaluation of SWReGAP land cover data, potentially suitable

1 nest sites for this species (rocky cliffs and outcrops) do not occur on the SEZ, but about
2 100 acres (0.4 km²) of this habitat may occur in the area of indirect effects.

3
4 The overall impact on the American peregrine falcon from construction, operation, and
5 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
6 considered small because direct effects would only occur on potentially suitable foraging habitat,
7 and the amount of this habitat in the area of direct effects represents less than 1% of potentially
8 suitable foraging habitat in the SEZ region. The implementation of programmatic design features
9 is expected to be sufficient to reduce indirect impacts on this species to negligible levels.
10 Avoidance of all potentially suitable foraging habitats is not feasible because potentially suitable
11 habitat is widespread throughout the area of direct effects and readily available in other portions
12 of the SEZ region.

13 14 15 **Bald Eagle**

16
17 The bald eagle is a winter resident in the Mason Draw SEZ region, and only potentially
18 suitable foraging habitat is expected to occur in the affected area. About 3,900 acres (16 km²) of
19 potentially suitable habitat on the SEZ could be directly affected by construction and operations
20 (Table 12.2.12.1-1). This direct impact area represents 0.2% of potentially suitable habitat in the
21 SEZ region. About 42,200 acres (171 km²) of potentially suitable habitat occurs in the area of
22 indirect effects; this area represents about 2.4% of the potentially suitable habitat in the SEZ
23 region (Table 12.2.12.1-1). Most of the suitable foraging habitat on the SEZ and in the area of
24 indirect effects is composed of desert shrubland and grassland.

25
26 The overall impact on the bald eagle from construction, operation, and decommissioning
27 of utility-scale solar energy facilities within the Mason Draw SEZ is considered small because
28 the amount of potentially suitable foraging habitat for this species in the area of direct effects
29 represents less than 1% of potentially suitable foraging habitat in the SEZ region. The
30 implementation of programmatic design features is expected to be sufficient to reduce indirect
31 impacts on this species to negligible levels. Avoidance of all potentially suitable foraging
32 habitats is not feasible because potentially suitable habitat is widespread throughout the area of
33 direct effects and readily available in other portions of the SEZ region.

34 35 36 **Ferruginous Hawk**

37
38 The ferruginous hawk is a winter resident in the Mason Draw SEZ region, and only
39 potentially suitable foraging habitat is expected to occur in the affected area. According to the
40 SWReGAP habitat suitability model, suitable habitat for this species does not occur within the
41 area of direct effects. However, about 325 acres (1 km²) of potentially suitable habitat occurs in
42 the area of indirect effects; this area represents about 0.2% of the potentially suitable habitat in
43 the SEZ region (Table 12.2.12.1-1).

44
45 The overall impact on the ferruginous hawk from construction, operation, and
46 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is

1 considered small because no potentially suitable habitat for this species occurs in the area of
2 direct effects, and only indirect effects are possible. The implementation of programmatic design
3 features is expected to be sufficient to reduce indirect impacts to negligible levels.
4
5

6 **Western Burrowing Owl**

7

8 The western burrowing owl is a year-round resident in the Mason Draw SEZ region, and
9 potentially suitable foraging and nesting habitat is expected to occur in the affected area. About
10 12,750 acres (52 km²) of potentially suitable habitat on the SEZ could be directly affected by
11 construction and operations (Table 12.2.12.1-1). This direct impact area represents 0.3% of
12 potentially suitable habitat in the SEZ region. About 108,000 acres (437 km²) of potentially
13 suitable habitat occurs in the area of indirect effects; this area represents about 2.6% of the
14 potentially suitable habitat in the SEZ region (Table 12.2.12.1-1). Most of this area could serve
15 as foraging and nesting habitat (shrublands). The abundance of burrows suitable for nesting in
16 the affected area has not been determined.
17

18 The overall impact on the western burrowing owl from construction, operation, and
19 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
20 considered moderate because the amount of potentially suitable habitat for this species in the
21 area of direct effects represents less than 1% of potentially suitable habitat in the SEZ region.
22

23 Avoidance of all potentially suitable habitats is not feasible because potentially suitable
24 desert scrub habitats are widespread throughout the area of direct effects and readily available in
25 other portions of the SEZ region. Impacts on the western burrowing owl could be reduced
26 through implementing programmatic design features and by conducting pre-disturbance surveys
27 and avoiding or minimizing disturbance to occupied burrows in the area of direct effects. If
28 avoidance or minimization not feasible, a compensatory mitigation plan could be developed and
29 implemented to mitigate direct effects on occupied habitats. Compensation could involve the
30 protection and enhancement of existing occupied or suitable habitats to compensate for habitats
31 lost to development. A comprehensive mitigation strategy that uses one or both of these options
32 could be designed to completely offset the impacts of development. The need for mitigation,
33 other than programmatic design features, should be determined by conducting pre-disturbance
34 surveys for the species and its habitat in the area of direct effects.
35
36

37 **Fringed Myotis**

38

39 The fringed myotis is a year-round resident within the Mason Draw SEZ region, and
40 quad-level occurrences of this species are known to intersect the affected area of the SEZ.
41 According to the SWReGAP habitat suitability model, about 12,750 acres (52 km²) of
42 potentially suitable habitat on the SEZ could be directly affected by construction and operations
43 (Table 12.2.12.1-1). This direct impact area represents 0.3% of potentially suitable habitat in the
44 SEZ region. About 100,500 acres (407 km²) of potentially suitable foraging habitat occurs in the
45 area of indirect effect; this area represents about 2.7% of the available suitable habitat in the
46 region (Table 12.2.12.1-1). Most of the potentially suitable habitat in the affected area is foraging

1 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
2 data, potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
3 about 100 acres (0.4 km²) of potentially suitable roost habitat may occur in the area of indirect
4 effects.

5
6 The overall impact on the fringed myotis from construction, operation, and
7 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
8 considered small because the amount of potentially suitable foraging habitat for this species in
9 the area of direct effects represents less than 1% of potentially suitable foraging habitat in the
10 SEZ region. The implementation of programmatic design features is expected to be sufficient to
11 reduce indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
12 foraging habitats is not feasible because potentially suitable habitat is widespread throughout the
13 area of direct effects and readily available in other portions of the SEZ region.

14 15 16 **Long-Legged Myotis**

17
18 The long-legged myotis is a year-round resident within the Mason Draw SEZ region.
19 According to the SWReGAP habitat suitability model, about 11,750 acres (48 km²) of
20 potentially suitable habitat on the SEZ could be directly affected by construction and operations
21 (Table 12.2.12.1-1). This direct impact area represents 0.3% of potentially suitable habitat in the
22 SEZ region. About 101,500 acres (411 km²) of potentially suitable foraging habitat occurs in the
23 area of indirect effects; this area represents about 2.9% of the available suitable habitat in the
24 region (Table 12.2.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
25 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
26 data, potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
27 about 100 acres (0.4 km²) of potentially suitable roost habitat may occur in the area of indirect
28 effects.

29
30 The overall impact on the long-legged myotis from construction, operation, and
31 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
32 considered small because the amount of potentially suitable foraging habitat for this species in
33 the area of direct effects represents less than 1% of potentially suitable foraging habitat in the
34 SEZ region. The implementation of programmatic design features is expected to be sufficient to
35 reduce indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
36 foraging habitats is feasible because potentially suitable habitat is widespread throughout the
37 area of direct effects and readily available in other portions of the SEZ region.

38 39 40 **Townsend's Big-Eared Bat**

41
42 The Townsend's big-eared bat is a year-round resident within the Mason Draw SEZ
43 region, and quad-level occurrences of this species are known to intersect the affected area of the
44 SEZ. According to the SWReGAP habitat suitability model, about 8,100 acres (33 km²) of
45 potentially suitable habitat on the SEZ could be directly affected by construction and operations
46 (Table 12.2.12.1-1). This direct impact area represents 0.3% of potentially suitable habitat in the

1 SEZ region. About 81,000 acres (328 km²) of potentially suitable habitat occurs in the area of
2 indirect effects; this area represents about 2.5% of the available suitable foraging habitat in the
3 region (Table 12.2.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
4 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
5 data, potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
6 about 100 acres (0.4 km²) of potentially suitable roost habitat may occur in the area of indirect
7 effects.
8

9 The overall impact on the Townsend's big-eared bat from construction, operation, and
10 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
11 considered small because the amount of potentially suitable foraging habitat for this species in
12 the area of direct effects represents less than 1% of potentially suitable foraging habitat in the
13 SEZ region. The implementation of programmatic design features is expected to be sufficient to
14 reduce indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
15 foraging habitats is not because potentially suitable habitat is widespread throughout the area of
16 direct effects and readily available in other portions of the SEZ region.
17
18

19 **Western Small-Footed Myotis**

20
21 The western small-footed myotis is a year-round resident within the Mason Draw SEZ
22 region. According to the SWReGAP habitat suitability model, about 12,800 acres (52 km²) of
23 potentially suitable habitat on the SEZ could be directly affected by construction and operations
24 (Table 12.2.12.1-1). This direct impact area represents 0.3% of potentially suitable habitat in the
25 SEZ region. About 109,700 acres (444 km²) of potentially suitable habitat occurs in the area of
26 indirect effects; this area represents about 2.5% of the available suitable foraging habitat in the
27 region (Table 12.2.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
28 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
29 data, potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
30 about 100 acres (0.4 km²) of such habitat may occur in the area of indirect effects.
31

32 The overall impact on the western small-footed myotis from construction, operation, and
33 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
34 considered small because the amount of potentially suitable foraging habitat for this species in
35 the area of direct effects represents less than 1% of potentially suitable foraging habitat in the
36 SEZ region. The implementation of programmatic design features is expected to be sufficient to
37 reduce indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
38 foraging habitats is not feasible because potentially suitable habitat is widespread throughout the
39 area of direct effects and readily available in other portions of the SEZ region.
40
41

42 ***12.2.12.2.5 Impacts on State-Listed Species***

43
44 Nine species listed by the State of New Mexico may occur in the Mason Draw SEZ
45 affected area (Table 12.2.12.1-1). Of these species, impacts to the following state-listed species
46 have not been previously described: sand prickly-pear cactus, gray vireo, and desert bighorn

1 sheep. Impacts on each of these three species are discussed below and summarized in
2 Table 12.2.12.1-1.

3 4 5 **Sand Prickly-Pear Cactus**

6
7 The sand prickly-pear cactus is known to occur as near as 18 mi (29 km) southeast of the
8 Mason Draw SEZ. According to the SWReGAP land cover model, about 1,000 acres (4 km²) of
9 potentially suitable sand dune habitat for this species on the SEZ could be directly affected by
10 construction and operations (Table 12.2.12.1-1). This direct impact area represents 0.1% of
11 potentially suitable habitat in the SEZ region. About 7,300 acres (30 km²) of potentially suitable
12 sand dune habitat occurs in the area of potential indirect effects; this area represents about 1.0%
13 of the available suitable habitat in the SEZ region (Table 12.2.12.1-1).

14
15 The overall impact on the sand prickly-pear cactus from construction, operation, and
16 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
17 considered small because less than 1% of potentially suitable habitat for this species occurs in
18 the area of direct effects. The implementation of programmatic design features is expected to be
19 sufficient to reduce indirect impacts to negligible levels.

20
21 Avoiding or minimizing disturbance to sand dunes and sand transport systems on the
22 SEZ and implementing mitigation measures described previously for the sandhill goosefoot
23 (Section 12.2.12.2.4) could reduce direct impacts on this species. The need for mitigation, other
24 than programmatic design features, should be determined by conducting pre-disturbance surveys
25 for the species and its habitat in the area of direct effects.

26 27 28 **Gray Vireo**

29
30 The gray vireo is known from the southwestern United States and occurs as a summer
31 breeding resident in the Mason Draw SEZ region. According to the SWReGAP habitat suitability
32 model, about 3,700 acres (15 km²) of potentially suitable habitat on the SEZ could be directly
33 affected by construction and operations (Table 12.2.12.1-1). This direct impact area
34 represents 0.5% of potentially suitable habitat in the SEZ region. About 22,600 acres (91 km²) of
35 potentially suitable habitat occurs in the area of indirect effects; this area represents about 3.0%
36 of the potentially suitable habitat in the SEZ region (Table 12.2.12.1-1). Most of the potentially
37 suitable habitat on the SEZ and throughout the area of indirect effects could serve as foraging or
38 nesting habitat where suitable shrubs and trees occur.

39
40 The overall impact on the gray vireo from construction, operation, and decommissioning
41 of utility-scale solar energy facilities within the Mason Draw SEZ is considered small because
42 less than 1% of potentially suitable habitat for this species occurs in the area of direct effects.
43 The implementation of programmatic design features is expected to be sufficient to reduce
44 indirect impacts to negligible levels.

1 Avoidance of all potentially suitable habitats is not a feasible means of mitigating
2 impacts on the gray vireo because potentially suitable shrubland habitat is widespread throughout
3 the area of direct effects and in other portions of the SEZ region. Impacts on the gray vireo could
4 be reduced by conducting pre-disturbance surveys and avoiding or minimizing disturbance to
5 occupied habitats, especially nesting habitat in the area of direct effects. If avoidance or
6 minimization is not feasible, a compensatory mitigation plan could be developed and
7 implemented to mitigate direct effects on occupied habitats. Compensation could involve the
8 protection and enhancement of existing occupied or suitable habitats to compensate for habitats
9 lost to development. A comprehensive mitigation strategy that uses one or both of these options
10 could be designed to completely offset the impacts of development. The need for mitigation,
11 other than programmatic design features, should be determined by conducting pre-disturbance
12 surveys for the species and its habitat in the area of direct effects.
13
14

15 **Desert Bighorn Sheep**

16
17 The desert bighorn sheep (*Ovis canadensis mexicana*), a subspecies of bighorn sheep, is
18 known in southeastern Arizona, southern New Mexico, and western Texas. According to the
19 SWReGAP habitat suitability model, suitable habitat for this species does not occur in the area of
20 direct effects. However, approximately 3,000 acres (12 km²) of potentially suitable habitat
21 occurs in the area of indirect effects; this area represents about 1.0 % of the potentially suitable
22 habitat in the SEZ region (Table 12.2.12.1-1).
23

24 The overall impact on the desert bighorn sheep from construction, operation, and
25 decommissioning of utility-scale solar energy facilities within the Mason Draw SEZ is
26 considered small because no potentially suitable habitat for this species occurs in the area of
27 direct effects, and only indirect effects are possible. The implementation of programmatic design
28 features is expected to be sufficient to reduce indirect impacts to negligible levels.
29
30

31 ***12.2.12.2.6 Impacts on Rare Species***

32
33 Twenty-three rare species (i.e., state rank of S1 or S2 in New Mexico or a species of
34 concern by the USFWS or State of New Mexico) may be affected by solar energy development
35 on the Mason Draw SEZ (Table 12.2.12.1-1). Impacts to eight rare species have not been
36 discussed previously. These include the following: (1) plants: Alamo beardtongue, mosquito
37 plant, and Sandberg pincushion; (2) invertebrates: Samalayuca Dune grasshopper and Shotwell's
38 range grasshopper; (3) bird: eastern bluebird; and (4) mammals: western red bat and yellow-
39 faced pocket gopher. Impacts on these species are described in Table 12.2.12.1-1.
40
41

42 **12.2.12.3 SEZ-Specific Design Features and Design Feature Effectiveness**

43
44 The implementation of required programmatic design features described in Appendix A,
45 Section A.2.2, would greatly reduce or eliminate the potential for effects of utility-scale solar
46 energy development on special status species. While some SEZ-specific design features are best

1 established when project details are being considered, some design features can be identified at
2 this time, including the following:

- 3
- 4 • Pre-disturbance surveys should be conducted within the SEZ to determine
5 the presence and abundance of special status species, including those
6 identified in Table 12.2.12.1-1; disturbance to occupied habitats for these
7 species should be avoided or minimized to the extent practicable. If avoiding
8 or minimizing impacts to occupied habitats is not possible, translocation of
9 individuals from areas of direct effects or compensatory mitigation of direct
10 effects on occupied habitats could reduce impacts. A comprehensive
11 mitigation strategy for special status species that uses one or more of these
12 options to offset the impacts of development should be prepared in
13 coordination with the appropriate federal and state agencies.
- 14
- 15 • Consultations with the USFWS and NMDGF should be conducted to
16 address the potential for impacts on the following species currently listed
17 as threatened or endangered under the ESA: Sneed's pincushion cactus
18 and northern aplomado falcon. Consultation would identify an appropriate
19 survey protocol, avoidance and minimization measures, and, if appropriate,
20 reasonable and prudent alternatives, reasonable and prudent measures, and
21 terms and conditions for incidental take statements (if necessary).
- 22
- 23 • Avoiding or minimizing disturbance to desert grassland habitat on the SEZ
24 could reduce or eliminate impacts on the following four special status species:
25 desert night-blooming cereus, grama grass cactus, Villard pincushion cactus,
26 and northern aplomado falcon.
- 27
- 28 • Avoiding or minimizing disturbance to sand dune habitat and sand transport
29 systems on the SEZ could reduce or eliminate impacts on the following three
30 special status species: sand prickly-pear cactus, sandhill goosefoot, and
31 Samalayuca Dune grasshopper.
- 32
- 33 • Harassment or disturbance of special status species and their habitats in the
34 affected area should be mitigated. This can be accomplished by identifying
35 any additional sensitive areas and implementing necessary protection
36 measures based upon consultation with the USFWS and NMDGF.
- 37

38 If these SEZ-specific design features are implemented in addition to required
39 programmatic design features, impacts on the special status and rare species could be reduced.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.2.13 Air Quality and Climate**

2
3
4 **12.2.13.1 Affected Environment**


5
6
7 **12.2.13.1.1 Climate**

8
9 The proposed Mason Draw SEZ is located in the west-central portion of Dona Ana
10 County in south-central New Mexico. The SEZ with an average elevation of about 4,530 ft
11 (1,380 m) is located about 12 mi (19 km) west of the Mesilla Valley, which is the floodplain of
12 the Rio Grande River running north–south. The SEZ is located in the northern portion of the
13 Chihuahuan Desert, the northern reaches of which protrude into New Mexico from north–central
14 Mexico. The area experiences a high desert arid climate, characterized by warm summers, mild
15 winters, light precipitation, a high evaporation rate, low relative humidity, abundant sunshine,
16 and relatively large annual and diurnal temperature ranges (NCDC 2010a). Meteorological data
17 collected at the Las Cruces International Airport, about 8 mi (13 km) east of the Mason Draw
18 SEZ boundary, and at NMSU, about 18 mi (29 km) east, are summarized below.

19
20 A wind rose from the Las Cruces International Airport, based on data collected 33 ft
21 (10 m) above the ground over the 5-year period 2005 to 2009, is presented in Figure 12.2.13.1-1
22 (NCDC 2010b). During this period, the annual average wind speed at the airport was about
23 7.1 mph (3.2 m/s); the prevailing wind direction was from the west (about 13.1% of the time)
24 and secondarily from the west–southwest (about 9.3% of the time). Westerly winds occurred
25 more frequently throughout the year, except from July through September when southeast winds
26 prevailed. Wind speeds categorized as calm (less than 1.1 mph [0.5 m/s]) occurred frequently
27 (about 16.6% of the time) because of the stable conditions caused by strong radiative cooling
28 from late night to sunrise. Average wind speeds by season were the highest in spring at 9.1 mph
29 (4.1 m/s); lower in winter and summer at 6.9 mph (3.1 m/s) and 6.8 mph (3.0 m/s), respectively;
30 and lowest in fall at 5.8 mph (2.6 m/s).

31
32 Elevation plays a larger role than latitude in determining the temperature of any specific
33 location in New Mexico (NCDC 2010a). For the period 1959 to 2010, the annual average
34 temperature at NMSU was 61.8°F (16.6°C) (WRCC 2010a). January was the coldest month, with
35 an average minimum of 28.1°F (–2.2°C), and July was the warmest, with an average maximum
36 of 94.8°F (34.9°C). In summer, daytime maximum temperatures higher than 90°F (32.2°C) are
37 common, and minimums are in the 60s. The minimum temperatures recorded were below
38 freezing ($\leq 32^{\circ}\text{F}$ [0°C]) during the colder months (from October to April, with a peak of about 24
39 days in January and 23 days in December), but subzero temperatures were very rare. During the
40 same period, the highest temperature, 110°F (43.3°C), was reached in June 1994, and the lowest,
41 –10°F (–23.3°C), in January 1962. In a typical year, about 98 days had a maximum temperature
42 of at least 90°F (32.2°C), while about 84 days had minimum temperatures at or below freezing.

43
44 In New Mexico, summer rains fall mostly during brief, but frequently intense
45 thunderstorms associated with general southeasterly circulation from the Gulf of Mexico
46 (NCDC 2010a). In contrast, winter precipitation is caused mainly by frontal activity associated



1

2

3

FIGURE 12.2.13.1-1 Wind Rose at 33 ft (10 m) at the Las Cruces International Airport, New Mexico, 2005 to 2009 (Source: NCDC 2010b)

1 with general movement of Pacific Ocean storms. For the 1959 to 2010 period, annual
2 precipitation at NMSU averaged about 9.38 in. (23.8 cm) (WRCC 2010a). On average, 50 days a
3 year have measurable precipitation (0.01 in. [0.025 cm] or higher). Seasonally, precipitation is
4 the highest in summer (nearly half of the annual total), lower in fall and winter, and tapers off
5 markedly in spring. Snow occurs mostly from November to February, and the annual average
6 snowfall at NMSU was about 3.5 in. (8.9 cm), with the highest monthly snowfall of 12.7 in.
7 (32.3 cm) in November 1976.

8
9 The proposed Mason Draw SEZ is far from major water bodies (more than 360 mi
10 [579 km] to the Gulf of California and 670 mi [1,078 km] to the Gulf of Mexico). Severe
11 weather events, with the exception of dust storms, are a rarity in Dona Ana County, which
12 encompasses the Mason Draw SEZ (NCDC 2010c).

13
14 General floods are seldom widespread in New Mexico. Rather, floods associated with
15 heavy thunderstorms may occur in small areas for a short time (NCDC 2010a). Since 1994,
16 44 floods (mostly flash floods) have been reported in Dona Ana County, most of which occurred
17 during July through September (NCDC 2010c). These floods caused no deaths or injuries,
18 though they did cause considerable property and minor crop damage.

19
20 In Dona Ana County, a total of 57 hailstorms have been reported since 1956, some of
21 which caused considerable property damage. Hail measuring 2.5 in. (6.4 cm) in diameter was
22 reported in 1991. In Dona Ana County, 46 thunderstorm wind events have been reported since
23 1959; those up to a maximum wind speed of 102 mph (46 m/s) occurred primarily during the
24 summer months, causing some property damage (NCDC 2010c).

25
26 No dust storms were reported in Dona Ana County (NCDC 2010c). However, the ground
27 surface of the SEZ is covered primarily with loamy fine sands and sandy loams, which have
28 relatively high dust storm potential. High winds can trigger large amounts of dust from areas of
29 dry and loose soils with sparse vegetation in Dona Ana County. Dust storms can deteriorate air
30 quality and visibility and may have adverse effects on health, particularly for people with asthma
31 or other respiratory problems. Dona Ana County experiences between 6 and 18 days per year
32 when dust levels exceed federal health standards (NMED 2000a). In this area, high winds are
33 common during the months of January through April, and most dust storms last about 4 hours.

34
35 Because of the considerable distances to major water bodies, hurricanes never hit New
36 Mexico. On rare occasions, remnants of a tropical storm system originating from the Pacific
37 Ocean or the Gulf of Mexico may dump rains in the area, but there is no record of serious wind
38 damage from these storms (NCDC 2010a). Historically, four tropical depressions passed within
39 100 mi (160 km) of the proposed Mason Draw SEZ (CSC 2010). In the period from 1950 to
40 April 2010, a total of 12 tornadoes (0.2 per year each) were reported in Dona Ana County
41 (NCDC 2010c). Most tornadoes occurring in Dona Ana County were relatively weak (i.e., nine
42 were F0 and three were F1 on the Fujita tornado scale), and these tornadoes caused no deaths or
43 injuries, though they did cause some property damage. Most of these tornadoes occurred far from
44 the SEZ; the nearest one hit about 5 mi (8 km) west of the SEZ.

1 **12.2.13.1.2 Existing Air Emissions**

2
3 Dona Ana County has a few industrial emission sources
4 over the county, but their emissions are relatively small, except
5 for two major NO_x emission sources: Rio Grande Generating
6 Station in Sunland Park and Physical Plant Boilers at NMSU.
7 Several emission sources are located around the proposed
8 Mason Draw SEZ but their emissions are relatively small.
9 Several major roads exist in Dona Ana County, such as I-10
10 and I-25, U.S. 70, and many state routes. Thus, onroad mobile
11 source emissions are substantial compared to other sources in
12 Dona Ana County. Data on annual emissions of criteria
13 pollutants and VOCs in Dona Ana County are presented in
14 Table 12.2.13.1-1 for 2002 (WRAP 2009). Emissions data are
15 classified into six source categories: point, area, onroad mobile,
16 nonroad mobile, biogenic, and fire (wildfires, prescribed fires,
17 agricultural fires, structural fires). In 2002, area sources were
18 major contributors to total emissions of SO₂ (about 41%),
19 PM₁₀ (about 91%), and PM_{2.5} (about 79%). Onroad sources
20 were major contributors to NO_x and CO emissions (about 48%
21 and 65%, respectively). Biogenic sources (i.e., vegetation—
22 including trees, plants, and crops—and soils) that release
23 naturally occurring emissions contributed secondarily to CO
24 emissions (about 16%), and accounted for most of VOC
25 emissions (about 89%). Nonroad sources were secondary
26 contributors to SO₂ and NO_x emissions. In Dona Ana County,
27 point and fire emissions sources were minor contributors to
28 criteria pollutants and VOCs.
29

30 In 2010, New Mexico is projected to produce about
31 89.4 MMt of *gross*⁵ CO₂e⁶ emissions, which is about 1.3% of
32 total U.S. GHG emissions in 2008 (Bailie et al. 2006). Gross GHG emissions in New Mexico
33 increased by about 31% from 1990 to 2010, compared to 14% growth in U.S. GHG emissions
34 during the 1990 to 2008 period. In 2010, about 89.1% of GHG emissions in New Mexico are
35 from energy sector: electric production (about 37.2%), transportation (about 19.7%), fossil fuel
36 industry (about 22.7%), and fuel use in the residential, commercial, and industrial sectors
37 combined (about 9.5%). New Mexico's *net* emissions in 2010 were about 68.5 MMt CO₂e,
38 considering carbon sinks from forestry activities and agricultural soils throughout the state. The
39 EPA (2009a) also estimated 2005 emissions in New Mexico. Its estimate of CO₂ emissions from

TABLE 12.2.13.1-1 Annual Emissions of Criteria Pollutants and VOCs in Dona Ana County, New Mexico, Encompassing the Proposed Mason Draw SEZ, 2002^a

Pollutant ^b	Emissions (tons/yr) ^c
SO ₂	788
NO _x	12,263
CO	73,129
VOCs	81,171
PM ₁₀	7,299
PM _{2.5}	2,316

^a Includes point, area, onroad and nonroad mobile, biogenic, and fire emissions.

^b Notation: CO = carbon monoxide; NO_x = nitrogen oxides; PM_{2.5} = particulate matter with a diameter of ≤2.5 μm; PM₁₀ = particulate matter with a diameter of ≤10 μm; SO₂ = sulfur dioxide; and VOCs = volatile organic compounds.

^c To convert tons to kilograms, multiply by 907.

Source: WRAP (2009).

⁵ Excluding GHG emissions removed as a result of forestry and other land uses and excluding GHG emissions associated with exported electricity.

⁶ This is a measure used to compare the emissions from various GHGs on the basis of their global warming potential, defined as the cumulative radiative forcing effects of a gas over a specified time horizon resulting from the emission of a unit mass of gas relative to a reference gas, CO₂. The CO₂e for a gas is derived by multiplying the mass of the gas by the associated global warming potential.

1 fossil fuel combustion was 59.0 MMt, which was a little lower than the state’s estimate. Electric
2 power generation and transportation accounted for about 53.8% and 26.0% of the CO₂ emissions
3 total, respectively, while the residential, commercial, and industrial sectors accounted for the
4 remainder (about 20.2%).
5
6

7 ***12.2.13.1.3 Air Quality*** 8

9 New Mexico has established more stringent standards than NAAQS for SO₂, NO₂, and
10 CO, but no standards for O₃, PM (PM₁₀ and PM_{2.5}), or Pb (EPA 2010a; Title 20, Chapter 2,
11 Part 3 of the *New Mexico Administrative Code* [20.2.3 NMAC]). In addition, the state has
12 adopted standards for hydrogen sulfide and total reduced sulfur, and still retains a standard for
13 TSP, which was formerly a criteria pollutant but was replaced by PM₁₀ in 1987.
14

15 Dona Ana County is located administratively within the El Paso-Las Cruces-Alamogordo
16 Interstate Air Quality Control Region (AQCR 153) (Title 40, Part 81, Section 82 of the *Code of*
17 *Federal Regulations* [40 CFR 81.82]), along with three other counties in New Mexico (Lincoln,
18 Otero, and Sierra) and six counties in Texas. Southeastern Dona Ana County, which borders
19 El Paso in Texas and Ciudad Juarez in Mexico, historically has experienced air quality problems,
20 notably PM and O₃ pollution. Dona Ana County is designated as being in attainment for all
21 criteria pollutants except PM₁₀ (40 CFR 81.332).⁷ The entire state is designated as an
22 unclassifiable/attainment area, except for a small portion of southeastern Dona Ana County
23 around Anthony, which is adjacent to El Paso, Texas, and has been designated nonattainment
24 for PM₁₀ since 1991. Accordingly, the area surrounding the proposed Mason Draw SEZ is in
25 unclassifiable/attainment for all six criteria pollutants.
26

27 As briefly discussed in Section 12.2.13.1.1, Dona Ana County frequently experiences
28 natural dust storm events, which cause PM₁₀ exceedances of the NAAQS. Western states
29 frequently plagued by natural dust storms requested that the EPA develop a commonsense
30 policy, called a NEP, to address high PM₁₀ pollution caused by natural events. Under the NEP,
31 state and local governments are required to develop a NEAP, which provides alternatives for
32 controlling significant sources of human-caused windblown dust, with the understanding that
33 dust storms sometimes override the best dust control efforts (NMED 2000b). The New Mexico
34 Air Quality Bureau submitted an original NEAP for Dona Ana County in December 2000 and
35 reevaluated the NEAP in 2005. In accordance with the NEAP for Dona Ana County, the county
36 and the City of Las Cruces maintain erosion control ordinances to protect and maintain the
37 natural environment and to reduce the negative health effects caused by the creation of fugitive
38 dust.
39

40 Ambient concentration data representative of the proposed Mason Draw SEZ for all
41 criteria pollutants except Pb are available for Dona Ana County. For CO, O₃, PM₁₀ and PM_{2.5},
42 concentration data from monitoring stations in and around Las Cruces are presented, located

⁷ A small, “marginal” 1-hour O₃ nonattainment area, the Sunland Park area, has existed in the southeastern part of the county since 1995. The area is no longer subject to the 1-hour standard because the standard was revoked in 2004, at which time Sunland Park was redesignated as a maintenance area for the 8-hour O₃ standard.

1 ranging from 11 mi (18 km) to 17 mi (27 km) east of the SEZ. For SO₂ and NO₂, concentration
2 data from Sunland Park, which is located about 43 mi (69 km) southeast of the SEZ, are
3 presented. Concentration levels for O₃, PM₁₀, and PM_{2.5} in southeastern Dona Ana County
4 (e.g., Anthony and Sunland Park) have frequently exceeded these standards. Ambient air quality
5 in Anthony and Sunland Park, which are small cities, is affected by the adjacent metropolitan
6 areas of El Paso, Texas, and Ciudad Juarez, Mexico, and by the Chihuahuan Desert. In contrast,
7 ambient air quality around the proposed Mason Draw SEZ represented by measurements in
8 Las Cruces is fairly good. The background concentration levels for SO₂, NO₂, CO, 1-hour O₃,
9 annual PM₁₀, and PM_{2.5} around the Mason Draw SEZ from 2004 through 2008 were less than or
10 equal to 68% of their respective standards, as shown in Table 12.2.13.1-2 (EPA 2010b).
11 However, the monitored 8-hour O₃ concentrations were approaching the applicable standard
12 (about 93%). Concentrations for 24-hour PM₁₀ were below its standard (about 94%) during the
13 2004 through 2007 period. However, the 24-hour PM₁₀ standard was exceeded in 2008 because
14 of the higher number of dust storm episodes than usual. No measurement data for Pb are
15 available for Dona Ana County, but Pb levels are expected to be low, considering that the most
16 recent Pb concentration in Albuquerque in 2004⁸ was only 2% of its standard.

17
18 The PSD regulations (see 40 CFR 52.21), which are designed to limit the growth of air
19 pollution in clean areas, apply to a major new source or modification of an existing major source
20 within an attainment or unclassified area (see Section 4.11.2.3). As a matter of policy, the EPA
21 recommends that the permitting authority notify the Federal Land Managers when a proposed
22 PSD source would locate within 62 mi (100 km) of a sensitive Class I area. Several Class I areas
23 are located in Arizona, New Mexico, and Texas, but none is within 62 mi (100 km) of the
24 proposed SEZ. The nearest is Gila WA (40 CFR 81.421), about 73 mi (117 km) northwest of the
25 Mason Draw SEZ. This Class I area is not located downwind of prevailing winds at the Mason
26 Draw SEZ (Figure 12.2.13.1-1). The next nearest Class I areas include Bosque del Apache WA
27 and White Mountains WA, which are located about 93 mi (150 km) north and 99 mi (160 km)
28 northeast of the SEZ, respectively.

31 **12.2.13.2 Impacts**

32
33 Potential impacts on ambient air quality associated with a solar project would be of
34 most concern during the construction phase. Impacts on ambient air quality from fugitive dust
35 emissions resulting from soil disturbances are anticipated, but they would be of short duration.
36 During the operations phase, only a few sources with generally low levels of emissions would
37 exist for any of the four types of solar technologies evaluated. A solar facility would either not
38 burn fossil fuels or burn only small amounts during operation. (For facilities using HTFs, fuel
39 could be used to maintain the temperature of the HTFs for more efficient daily start-up.)
40 Conversely, use of solar facilities to generate electricity would displace air emissions that would
41 otherwise be released from fossil fuel power plants.

42

⁸ Pb measurements have been discontinued since 2004 in the state of New Mexico due to continuously low readings after the phaseout of leaded gasoline.

TABLE 12.2.13.1-2 NAAQS, SAAQS, and Background Concentration Levels Representative of the Proposed Mason Draw SEZ in Dona Ana County, New Mexico, 2004 to 2008

Pollutant ^a	Averaging Time	NAAQS	SAAQS	Background Concentration Level	
				Concentration ^{b,c}	Measurement Location, Year
SO ₂	1-hour	75 ppb ^d	NA ^e	NA	NA
	3-hour	0.5 ppm	NA	0.006 ppm (1.2%; NA)	Sunland Park, 2005
	24-hour	0.14 ppm	0.10 ppm	0.004 ppm (2.9%; 4.0%)	Sunland Park, 2004
	Annual	0.030 ppm	0.02 ppm	0.001 ppm (3.3%; 5.0%)	Sunland Park, 2006
NO ₂	1-hour	100 ppb ^f	NA	NA	NA
	24-hour	NA	0.10 ppm	NA	NA
	Annual	0.053 ppm	0.05 ppm	0.011 ppm (21%; 22%)	Sunland Park, 2004
CO	1-hour	35 ppm	13.1 ppm	3.8 ppm (11%; 29%)	Las Cruces, 2004
	8-hour	9 ppm	8.7 ppm	2.7 ppm (30%; 31%)	Las Cruces, 2006
O ₃	1-hour	0.12 ppm ^g	NA	0.082 ppm (68%; NA)	Las Cruces, 2006
	8-hour	0.075 ppm	NA	0.070 ppm (93%; NA)	Las Cruces, 2006
PM ₁₀	24-hour	150 µg/m ³	NA	175 µg/m ³ (117%; NA)	Las Cruces, 2008
	Annual	50 µg/m ³ ^h	NA	25 µg/m ³ (50%; NA)	Las Cruces, 2008
PM _{2.5}	24-hour	35 µg/m ³	NA	15.0 µg/m ³ (43%; NA)	Las Cruces, 2007
	Annual	15.0 µg/m ³	NA	6.6 µg/m ³ (44%; NA)	Las Cruces, 2006
Pb	Calendar quarter	1.5 µg/m ³	NA	0.03 µg/m ³ (2.0%; NA)	Albuquerque, Bernalillo Co., 2004 ⁱ
	Rolling 3-month	0.15 µg/m ³ ⁱ	NA	NA	NA

^a Notation: CO = carbon monoxide; NO₂ = nitrogen dioxide; O₃ = ozone; Pb = lead; PM_{2.5} = particulate matter with a diameter of ≤2.5 µm; PM₁₀ = particulate matter with a diameter of ≤10 µm; and SO₂ = sulfur dioxide.

^b Monitored concentrations are the highest for calendar-quarter Pb; second-highest for all averaging times less than or equal to 24-hour averages, except fourth-highest daily maximum for 8-hour O₃ and the 98th percentile for 24-hour PM_{2.5}; and arithmetic mean for annual SO₂, NO₂, PM₁₀, and PM_{2.5}.

^c Values in parentheses are background concentration levels as a percentage of NAAQS and SAAQS, respectively. Calculation of 1-hour SO₂, 1-hour NO₂, and rolling 3-month Pb to NAAQS was not made, because no measurement data based on new NAAQS are available.

^d Effective August 23, 2010.

^e NA = not applicable or not available.

^f Effective April 12, 2010.

^g The EPA revoked the 1-hour O₃ standard in all areas, although some areas have continuing obligations under that standard (“anti-backsliding”).

Footnotes continued on next page

TABLE 12.2.13.1-2 (Cont.)

-
- ^h Effective December 18, 2006, the EPA revoked the annual PM₁₀ standard of 50 µg/m³ but annual PM₁₀ concentrations are presented for comparison purposes.
 - ⁱ Effective January 12, 2009.
 - ^j This location with the highest observed concentrations in the state of New Mexico is not representative of the Mason Draw SEZ; it is presented to show that Pb is not generally a concern in New Mexico.

Sources: EPA (2010a,b); 20.2.3 NMAC.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

Air quality impacts shared by all solar technologies are discussed in detail in Section 5.11.1, and technology-specific impacts are discussed in Section 5.11.2. Impacts specific to the proposed Mason Draw SEZ are presented in the following sections. Any such impacts would be minimized through the implementation of required programmatic design features described in Appendix A, Section A.2.2, and through the application of any additional mitigation measures. Section 12.2.13.3 below identifies SEZ-specific design features of particular relevance to the Mason Draw SEZ.

12.2.13.2.1 Construction

The Mason Draw SEZ site has a relatively flat terrain; thus, only a minimum number of site preparation activities, perhaps with no large-scale earthmoving operations, would be required. However, fugitive dust emissions from soil disturbances during the entire construction phase would be a major concern because of the large areas that would be disturbed in a region that experiences windblown dust problems. Fugitive dusts, which are released near ground level, typically have more localized impacts than similar emissions from an elevated stack with additional plume rise induced by buoyancy and momentum effects.

Methods and Assumptions

Air quality modeling for PM₁₀ and PM_{2.5} emissions associated with construction activities was performed by using the EPA-recommended AERMOD model (EPA 2009b). Details for emissions estimation, the description of AERMOD, input data processing procedures, and modeling assumption are described in Appendix M, Section M.13. Estimated air concentrations were compared with the applicable NAAQS levels at the site boundaries and nearby communities and with PSD increment levels at nearby Class I areas.⁹ However, no receptors were modeled for PSD analysis at the nearest Class I area, Gila WA, because it is about

⁹ To provide a quantitative assessment, the modeled air impacts of construction were compared to the NAAQS levels and the PSD Class I increment levels. Although the Clean Air Act exempts construction activities from PSD requirements, a comparison with the Class I increment levels was used to quantify potential impacts. Only monitored data can be used to determine the attainment status. Modeled data are used to assess potential problems and as a consideration in the permitting process.

1 73 mi (117 km) from the SEZ, which is more than the maximum modeling distance of 31 mi
2 (50 km) for the AERMOD. Rather, several regularly spaced receptors in the direction of the Gila
3 WA were selected as surrogates for the PSD analysis. For the Mason Draw SEZ, the modeling
4 was conducted based on the following assumptions and input:

- 5
- 6 • Uniformly distributed emissions of 3,000 acres (12.1 km²) each and 6,000
7 acres (24.3 km²) in total, in the eastern half of the SEZ, close to the nearest
8 residences and the towns of Mesilla and Las Cruces in the Mesilla Valley,
9
- 10 • Surface hourly meteorological data from the Las Cruces International Airport
11 and upper air sounding data from Santa Teresa for the 2005 to 2009 period,
12 and
13
- 14 • A regularly spaced receptor grid over a modeling domain of 62 mi × 62 mi
15 (100 km × 100 km) centered on the proposed SEZ, and additional discrete
16 receptors at the SEZ boundaries.
17

18

19 **Results**

20

21 The modeling results for concentration increments and total concentrations (modeled plus
22 background concentrations) for both PM₁₀ and PM_{2.5} that would result from construction-related
23 fugitive emissions are summarized in Table 12.2.13.2-1. Maximum 24-hour PM₁₀ concentration
24 increments modeled to occur at the site boundaries would be an estimated 498 µg/m³, which far
25 exceeds the relevant standard level of 150 µg/m³. Total 24-hour PM₁₀ concentrations of
26 673 µg/m³ would also exceed the standard level at the SEZ boundary. However, high PM₁₀
27 concentrations would be limited to the immediate areas surrounding the SEZ boundary and
28 would decrease quickly with distance. Predicted maximum 24-hour PM₁₀ concentration
29 increments would be about 50 µg/m³ at the nearest residences, located about 3.1 mi (5 km) east
30 of the SEZ; about 20 µg/m³ at Picacho (closest town to the SEZ); and about 10 to 20 µg/m³ at all
31 other cities in the Mesilla Valley, stretching from Anthony (to the south) to Salem (to the north).
32 Annual average modeled concentration increments and total concentrations (increment plus
33 background) for PM₁₀ at the SEZ boundary would be about 88.9 µg/m³ and 114 µg/m³,
34 respectively, which are higher than the NAAQS level of 50 µg/m³, which was revoked by the
35 EPA in December 2006. Annual PM₁₀ increments would be much lower, about 4 µg/m³ at the
36 nearest residences, about 1 µg/m³ at Picacho, and about 0.6 µg/m³ or lower at all other cities in
37 the Mesilla Valley. Total 24-hour PM_{2.5} concentrations would be 47.6 µg/m³ at the SEZ
38 boundary, which is higher than the NAAQS level of 35 µg/m³; modeled increments contribute
39 about twice the amount of background concentration to this total. The total annual average PM_{2.5}
40 concentration would be 15.5 µg/m³, which is somewhat higher than the NAAQS level of
41 15.0 µg/m³. At the nearest residences, predicted maximum 24-hour and annual PM_{2.5}
42 concentration increments would be about 3.5 and 0.4 µg/m³, respectively.
43

TABLE 12.2.13.2-1 Maximum Air Quality Impacts from Emissions Associated with Construction Activities for the Proposed Mason Draw SEZ

Pollutant ^a	Averaging Time	Rank ^b	Concentration ($\mu\text{g}/\text{m}^3$)				Percentage of NAAQS	
			Maximum Increment ^b	Background ^c	Total	NAAQS	Increment	Total
PM ₁₀	24 hours	H6H	498	175	673	150	332	449
	Annual	– ^d	88.9	25.0	114	50	178	228
PM _{2.5}	24 hours	H8H	32.6	15.0	47.6	35	93	136
	Annual	–	8.9	6.6	15.5	15.0	59	103

^a PM_{2.5} = particulate matter with a diameter of $\leq 2.5 \mu\text{m}$; PM₁₀ = particulate matter with a diameter of $\leq 10 \mu\text{m}$.

^b Concentrations for attainment demonstration are presented. H6H = highest of the sixth-highest concentrations at each receptor over the 5-year period. H8H = highest of the multiyear average of the eighth-highest concentrations at each receptor over the 5-year period. For the annual average, multiyear averages of annual means over the 5-year period are presented. Maximum concentrations are predicted to occur at the site boundaries.

^c See Table 12.2.13.1-2.

^d A dash indicates not applicable.

1
2
3 Predicted 24-hour and annual PM₁₀ concentration increments at the surrogate receptors
4 for the nearest Class I Area—Gila WA—would be about 11.8 and 0.34 $\mu\text{g}/\text{m}^3$, or 147% and 8%
5 of the PSD increments for the Class I area, respectively. These surrogate receptors are more than
6 40 mi (64 km) from the Gila WA, and thus, predicted concentrations in Gila WA would be much
7 lower than the above values (about 70% of the PSD increments for 24-hour PM₁₀), considering
8 the same decay ratio with distance.

9
10 In conclusion, predicted 24-hour and annual PM₁₀ and PM_{2.5} concentration levels could
11 exceed the standard levels at the SEZ boundaries and in the immediate surrounding areas during
12 the construction of solar facilities. To reduce potential impacts on ambient air quality and in
13 compliance with programmatic design features, aggressive dust control measures would be used.
14 Potential air quality impacts on nearby communities would be much lower. Modeling indicates
15 that emissions from construction activities are not anticipated to exceed Class I PSD PM₁₀
16 increments at the nearest federal Class I area (Gila WA). Construction activities are not subject
17 to the PSD program, and the comparison provides only a screen for gauging the magnitude of the
18 impact. Accordingly, it is anticipated that impacts of construction activities on ambient air
19 quality would be moderate and temporary.

20
21 Emissions from the engine exhaust from heavy construction equipment and vehicles have
22 the potential to cause impacts on AQRVs (e.g., visibility and acid deposition) at the nearby
23 federal Class I areas. However, SO_x emissions from engine exhaust would be very low, because
24 programmatic design features would require ultra-low-sulfur fuel with a sulfur content of

1 15 ppm. NO_x emissions from engine exhaust would be primary contributors to potential impacts
2 on AQRVs. If requested by a federal land manager in response to a permit application, site-
3 specific analyses for AQRVs would need to be done. Construction-related emissions are
4 temporary in nature and thus, would cause some unavoidable but short-term impacts.
5

6 For this analysis, the impacts of construction and operation of transmission lines outside
7 of the SEZ were not assessed, based on the assumptions that the existing regional 115-kV
8 transmission line might be used to connect some new solar facilities to load centers and that
9 additional project-specific analysis would be performed for new transmission construction or line
10 upgrades. However, some construction of transmission lines could occur within the SEZ.
11 Potential impacts on ambient air quality would be a minor component of construction impacts in
12 comparison to solar facility construction, and would be temporary in nature.
13

14 ***12.2.13.2.2 Operations***

15
16
17 Emission sources associated with the operation of a solar facility would include auxiliary
18 boilers; vehicle (commuter, visitor, support, and delivery) traffic; maintenance (e.g., mirror
19 cleaning and repair and replacement of damaged mirrors); and drift from cooling towers for the
20 parabolic trough or power tower technology, if wet cooling was implemented (drift constitutes
21 low-level PM emissions).
22

23 The type of emission sources caused by and offset by operation of a solar facility are
24 discussed in Appendix M, Section M.13.4.
25

26 Estimates of potential air emissions displaced by solar project development at the Mason
27 Draw SEZ are presented in Table 12.2.13.2-2. Total power generation capacity ranging from
28 1,147 to 2,065 MW is estimated for the Mason Draw SEZ for various solar technologies
29 (see Section 12.2.2). The estimated amount of emissions avoided for the solar technologies
30 evaluated depends only on the megawatts of conventional fossil fuel-generated power displaced,
31 because a composite emission factor per megawatt-hour of power by conventional technologies
32 is assumed (EPA 2009c). It is estimated that if the Mason Draw SEZ was fully developed,
33 emissions avoided would range from 5.9 to 11% of total emissions of SO₂, NO_x, Hg, and CO₂
34 from electric power systems in the state of New Mexico (EPA 2009c). Avoided emissions would
35 be up to 4.1% of total emissions from electric power systems in the six-state study area. When
36 compared to all source categories, power production from the same solar facilities would
37 displace up to 6.4% of SO₂, 2.4% of NO_x, and 5.5% of CO₂ emissions in the state of New
38 Mexico (EPA 2009a; WRAP 2009). These emissions would be up to 0.69% of total emissions
39 from all source categories in the six-state study area. Power generation from fossil fuel-fired
40 power plants accounts for more than 97% of the total electric power generated in New Mexico.
41 The contribution of coal combustion is about 85%, followed by natural gas combustion of about
42 12%. Thus, solar facilities built in the Mason Draw SEZ could displace relatively more fossil
43 fuel emissions than those built in other states that rely less on fossil fuel-generated power.
44

TABLE 12.2.13.2-2 Annual Emissions from Combustion-Related Power Generation Avoided by Full Solar Development of the Proposed Mason Draw SEZ

Area Size (acres)	Capacity (MW) ^a	Power Generation (GWh/yr) ^b	Emissions Displaced (tons/yr; 10 ³ tons/yr for CO ₂) ^c			
			SO ₂	NO _x	Hg	CO ₂
12,909	1,147–2,065	2,010–3,619	1,804–3,247	4,489–8,080	0.066–0.12	2,001–3,601
Percentage of total emissions from electric power systems in New Mexico ^d			5.9–11%	5.9–11%	5.9–11%	5.9–11%
Percentage of total emissions from all source categories in New Mexico ^e			3.5–6.4%	1.3–2.4%	– ^f	3.1–5.5%
Percentage of total emissions from electric power systems in the six-state study area ^d			0.72–1.3%	1.2–2.2%	2.3–4.1%	0.76–1.4%
Percentage of total emissions from all source categories in the six-state study area ^e			0.38–0.69%	0.17–0.30%	–	0.24–0.43%

^a It is assumed that the SEZ would eventually have development on 80% of the lands and that a range of 5 acres (0.020 km²) per MW (for parabolic trough technology) to 9 acres (0.036 km²) per MW (power tower, dish engine, and PV technologies) would be required.

^b A capacity factor of 20% was assumed.

^c Composite combustion-related emission factors for SO₂, NO_x, Hg, and CO₂ of 1.79, 4.47, 6.6 × 10⁻⁵, and 1,990 lb/MWh, respectively, were used for the state of New Mexico.

^d Emission data for all air pollutants are for 2005.

^e Emission data for SO₂ and NO_x are for 2002, while those for CO₂ are for 2005.

^f A dash indicates not estimated.

Sources: EPA (2009a,c); WRAP (2009).

1
2
3
4
5
6
7
8
9
10
11
12
13

As discussed in Section 5.11.1.5, the operation of associated transmission lines would generate some air pollutants from activities such as periodic site inspections and maintenance. However, these activities would occur infrequently, and the amount of emissions would be small. In addition, transmission lines could produce minute amounts of O₃ and its precursor NO_x associated with corona discharge (i.e., the breakdown of air near high-voltage conductors), which is most noticeable for high-voltage lines during rain or very humid conditions. Since the proposed Mason Draw SEZ is located in an arid desert environment, these emissions would be small, and potential impacts on ambient air quality associated with transmission lines would be negligible, considering the infrequent occurrences and small amount of emissions from corona discharges.

1 **12.2.13.2.3 Decommissioning/Reclamation**

2
3 As discussed in Section 5.11.1.4, decommissioning/reclamation activities are similar to
4 construction activities but occur on a more limited scale and are of shorter duration. Potential
5 impacts on ambient air quality would be correspondingly smaller than those from construction
6 activities. Decommissioning activities would last for a short period, and their potential impacts
7 would be moderate and temporary. The same mitigation measures adopted during the
8 construction phase would also be implemented during the decommissioning phase
9 (Section 5.11.3).

10
11
12 **12.2.13.3 SEZ-Specific Design Features and Design Feature Effectiveness**

13
14 No SEZ-specific design features are required. Limiting dust generation during
15 construction and operations at the proposed Mason Draw SEZ (such as increased
16 watering frequency or road paving or treatment) is a required design feature under
17 BLM’s Solar Energy Program. These extensive fugitive dust control measures would
18 keep off-site PM levels as low as possible during construction.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.2.14 Visual Resources**

2
3
4 **12.2.14.1 Affected Environment**

5
6 The proposed Mason Draw SEZ is located in Dona Ana County in southern New Mexico.
7 The southern border of the SEZ is 33 mi (53 km) north of the Mexican border. The SEZ occupies
8 12,909 acres (52.241 km²) and extends about 3.9 mi (6.3 km) east to west and nearly 6.1 mi
9 (9.8 km) north to south. The SEZ is within the Chihuahuan Desert physiographic province,
10 typified by alternating mountains and valleys. Flat valley basins form broad expanses of desert,
11 generally with grassland and shrubland vegetative cover (EPA 2010a). The proposed Mason
12 Draw SEZ is located within the Chihuahuan Basins and Playas Level IV ecoregion. The SEZ
13 ranges in elevation from 4,770 ft (1,454 m) in the northeastern portion to 4,370 ft (1,332 m) in
14 the southwestern portion.

15
16 The SEZ is located on West Mesa, west of Las Cruces, the Mesilla Valley, and the
17 Rio Grande. About 10 mi (16 km) northwest of the SEZ, the mountains of the Sierra de Las Uvas
18 begin to rise, with peaks more than 6,000 ft (1,800 m). The Sleeping Lady Hills rise 0.5 mi
19 (0.8 km) east of the SEZ and partially screen the SEZ from view from many areas to the east.
20 To the northeast are some limited views of the Robledo Mountains, about 8 mi (13 km) from the
21 SEZ. The Robledo Mountains include peaks more than 5,500 ft (1,676 m) in elevation. The
22 7,000-ft+ (2,100-m+) Florida Mountains, at about 25 mi (40 km) from the SEZ, are a prominent
23 feature on the western horizon. The West Potrillo Mountains are visible to the south of the SEZ.
24 I-10 runs east–west immediately south of the SEZ. It is the only major road in the immediate
25 vicinity of the SEZ. Portions of the proposed Afton SEZ are visible across I-10, 2.8 mi (4.5 km)
26 to the southeast of the proposed Mason Draw SEZ. The SEZ and surrounding lands are shown in
27 Figure 12.2.14.1-1.

28
29 The SEZ is located on a flat, treeless mesa, with a strong horizon line and surrounded by
30 mountain ranges, especially the Sleeping Lady Hills, being the dominant visual feature. Some
31 mountain ranges are too distant to add significantly to the scenic quality. The surrounding
32 mountains are generally tan in color, but distant mountains appear bluish-gray. Tan-colored soil
33 dominates the desert floor, which is covered with the olive-green of creosotebush in many parts
34 of the SEZ. Sand dunes in the south portion of the SEZ add some topographic relief.

35
36 Vegetation is generally sparse in much of the SEZ and is predominantly scrubland, with
37 creosotebush and other low shrubs dominating the desert floor within most of the SEZ. During a
38 July 2009 site visit, the vegetation presented a limited range of greens (mostly olive green
39 creosotebushes) with some browns and grays (from lower shrubs), with medium to coarse
40 textures, and generally low visual interest.

41
42 No permanent surface water is present within the SEZ.

43
44 Cultural disturbances visible within the SEZ include dirt and gravel roads, transmission
45 towers and conductors, a pipeline ROW, and telephone poles and lines. Traffic on I-10 is visible
46 from some locations in the southern portion of the SEZ. These cultural modifications generally

1 detract from the scenic quality of the SEZ; however, the SEZ is large enough that from some
2 locations within the SEZ, these features are distant and have a relatively small effect on views.
3

4 The general lack of topographic relief, water, and physical variety results in low scenic
5 value within the SEZ itself; however, because of the flatness of the landscape, the lack of trees,
6 and the breadth of the desert floor, the SEZ presents a panoramic landscape with sweeping views
7 of the surrounding lands that add somewhat to the scenic values within the SEZ viewshed. In
8 general, the varied and irregular forms and tan colors of the mountains provide visual contrasts to
9 the strong horizontal line and green vegetation of the mesa. A panoramic view of the SEZ and
10 other photographs of the SEZ are shown in Figures 12.2.14.1-2, 12.2.14.1-3, and 12.2.14.1-4.
11

12 The BLM conducted a VRI for the SEZ and surrounding lands in 2010 (BLM 2010b).
13 The VRI evaluates BLM-administered lands based on scenic quality; sensitivity level, in terms of
14 public concern for preservation of scenic values in the evaluated lands; and distance from travel
15 routes or KOPs. Based on these three factors, BLM-administered lands are placed into one of
16 four VRI Classes, which represent the relative value of the visual resources. Classes I and II are
17 the most valued; Class III represents a moderate value; and Class IV represents the least value.
18 Class I is reserved for specially designated areas, such as national wildernesses and other
19 congressionally and administratively designated areas where decisions have been made to
20 preserve a natural landscape. Class II is the highest rating for lands without special designation.
21 More information about VRI methodology is available in Section 5.12 and in *Visual Resource*
22 *Inventory*, BLM Manual Handbook 8410-1 (BLM 1986a).
23

24 The VRI map for the SEZ and surrounding lands is shown in Figure 12.2.14.1-5. The
25 VRI values for the SEZ and immediate surroundings are VRI Classes III, indicating moderate
26 visual values, except for the far northern portion of the SEZ, beyond 5 mi (8 km) from I-10,
27 which has a VRI value of Class IV, indicating low relative visual values. The inventory indicates
28 low scenic quality for the SEZ and its immediate surroundings. Positive scenic quality attributes
29 included adjacent scenery. The inventory indicates high sensitivity for most of the SEZ and its
30 immediate surroundings, because it is along a major travel corridor (I-10) with high levels of use,
31 noted in the inventory as providing “views of classic New Mexico landscapes.” Public interest,
32 however, is low.
33

34 Lands within the 25-mi (40-km), 650-ft (198-m) viewshed of the SEZ contain
35 114,304 acres (462.572 km²) of VRI Class II areas, primarily in the Sierra de las Uvas and
36 Robledo Mountains north of the SEZ and in the West Portillo Mountains south of the SEZ;
37 337,657 acres (1,366.45 km²) of Class III areas, primarily east and west of the SEZ in the I-10
38 corridor; and 358,420 acres (1,450.47 km²) of VRI Class IV areas, concentrated primarily
39 immediately north of the SEZ, northwest of the SEZ in the Uvas Valley, and on the West Mesa
40 south of the SEZ.
41

42 The Mimbres Resource Management Plan and Final EIS (BLM 1993) indicates that
43 the SEZ is managed as VRM Class III. VRM Class III objectives include partial retention
44 of landscape character and permit moderate modification of the existing character of the

1



2

3

4

5

FIGURE 12.2.14.1-2 Approximately 120° Panoramic View of the Proposed Mason Draw SEZ from the Northwestern Portion of the SEZ, Facing Southeast, Including Sleeping Lady Hills at Far Left and West Potrillo Mountains at Right

6



7

8

9

10

FIGURE 12.2.14.1-3 Approximately 180° Panoramic View of the Proposed Mason Draw SEZ from the Western Portion of the SEZ, Facing Southeast, Including Sleeping Lady Hills at Far Left and West Potrillo Mountains at Right


11

12

13



FIGURE 12.2.14.1-4 Photograph of the Proposed Mason Draw SEZ from the Northwest Portion of the SEZ Facing Northwest toward Sierra de Las Uvas and Butterfield Trail



1

2 **FIGURE 12.2.14.1-5 Visual Resource Inventory Values for the Proposed Mason Draw SEZ and**

3 **Surrounding Lands**

1 landscape. The VRM map for the SEZ and surrounding lands is shown in Figure 12.2.14.1.2-6.
2 More information about the BLM VRM program is available in Section 5.12 and in *Visual*
3 *Resource Management*, BLM Manual Handbook 8400 (BLM 1984).
4
5

6 **12.2.14.2 Impacts**

7

8 The potential for impacts from utility-scale solar energy facilities on visual resources
9 within the proposed Mason Draw SEZ and surrounding lands, as well as the impacts of related
10 projects (e.g., access roads and transmission lines) outside of the SEZ, is presented in this
11 section.
12


13 Site-specific impact assessment is needed to systematically and thoroughly assess visual
14 impact levels for a particular project. Without precise information about the location of a project
15 and a relatively complete and accurate description of its major components and their layout, it is
16 not possible to assess precisely the visual impacts associated with the facility. However, if the
17 general nature and location of a facility are known, a more generalized assessment of potential
18 visual impacts can be made by describing the range of expected visual changes and discussing
19 contrasts typically associated with such changes. In addition, a general analysis can identify
20 sensitive resources that may be at risk if a future project is sited in a particular area. Detailed
21 information about the methodology employed for the visual impact assessment used in this PEIS,
22 including assumptions and limitations, is presented in Appendix M.
23

24 *Potential Glint and Glare Impacts.* Similarly, the nature and magnitude of potential glint-
25 and glare-related visual impacts for a given solar facility are highly dependent on viewer
26 position, sun angle, the nature of the reflective surface and its orientation relative to the sun and
27 the viewer, atmospheric conditions, and other variables. The determination of potential impacts
28 from glint and glare from solar facilities within a given proposed SEZ requires precise
29 knowledge of these variables and is not possible given the scope of this PEIS. Therefore, the
30 following analysis does not describe or suggest potential contrast levels arising from glint and
31 glare for facilities that might be developed within the SEZ. However, it should be assumed that
32 glint and glare are possible visual impacts from *any* utility-scale solar facility, regardless of size,
33 landscape setting, or technology type. The occurrence of glint and glare at solar facilities could
34 potentially cause large though temporary increases in brightness and visibility of the facilities.
35 The visual contrast levels projected for sensitive visual resource areas discussed in the following
36 analysis do not account for potential glint and glare effects; however, these effects would be
37 incorporated into a future site-and project-specific assessment that would be conducted for
38 specific proposed utility-scale solar energy projects. For more information about potential glint
39 and glare impacts associated with utility-scale solar energy facilities, see Section 5.12 of this
40 PEIS.
41
42

43 **12.2.14.2.1 Impacts on the Proposed Mason Draw SEZ**

44

45 Some or all of the SEZ could be developed for one or more utility-scale solar energy
46 projects, utilizing one or more of the solar energy technologies described in Appendix F.



1

2 **FIGURE 12.2.14.1-6 Visual Resource Management Classes for the Proposed Mason Draw SEZ and**

3 **Surrounding Lands**

1 Because of the industrial nature and large size of utility-scale solar energy facilities, large visual
2 impacts on the SEZ would occur as a result of the construction, operation, and decommissioning
3 of solar energy projects. In addition, large impacts could occur at solar facilities utilizing highly
4 reflective surfaces or major light-emitting components (solar dish, parabolic trough, and power
5 tower technologies), with lesser impacts associated with reflective surfaces expected from
6 PV facilities. These impacts would be expected to involve major modification of the existing
7 character of the landscape and would likely dominate the views nearby. Additional and
8 potentially large impacts would occur as a result of the construction, operation, and
9 decommissioning of related facilities, such as access roads and electric transmission lines. While
10 the primary visual impacts associated with solar energy development within the SEZ would
11 occur during daylight hours, lighting required for utility-scale solar energy facilities would be a
12 potential source of visual impacts at night, both within the SEZ and on surrounding lands.
13

14 Common and technology-specific visual impacts from utility-scale solar energy
15 development, as well as impacts associated with electric transmission lines, are discussed in
16 Section 5.12 of this PEIS. Impacts would last throughout construction, operation, and
17 decommissioning, and some impacts could continue after project decommissioning. Visual
18 impacts resulting from solar energy development in the SEZ would be in addition to impacts
19 from solar energy and other projects that may occur on other public or private lands within the
20 SEZ viewshed. For discussion of cumulative impacts, see Section 12.2.22.4.13 of this PEIS.
21

22 The changes described above would be expected to be consistent with BLM VRM
23 objectives for VRM Class IV as seen from nearby KOPs. As noted above, and shown in
24 Figure 12.2.14.1-6, the SEZ is currently managed as VRM Class III. More information about
25 impact determination using the BLM VRM program is available in Section 5.12 and in *Visual*
26 *Resource Contrast Rating*, BLM Manual Handbook 8431-1 (BLM 1986b).
27

28 Implementation of programmatic design features (described in Appendix A, Section
29 A.2.2) would be expected to reduce visual impacts associated with utility-scale solar energy
30 development within the SEZ; however, the degree of effectiveness of these design features could
31 be assessed only at the site- and project-specific level. Given the large scale, reflective surfaces,
32 and strong regular geometry of utility-scale solar energy facilities and the lack of screening
33 vegetation and landforms within the SEZ viewshed, siting the facilities away from sensitive
34 visual resource areas and other sensitive viewing areas would be the primary means of mitigating
35 visual impacts. The effectiveness of other visual impact mitigation measures would generally be
36 limited, but would be important to reduce visual contrasts to the greatest extent possible.
37
38

39 ***12.2.14.2.2 Impacts on Lands Surrounding the Proposed Mason Draw SEZ*** 40

41 Because of the large size of utility-scale solar energy facilities and the generally flat,
42 open nature of the proposed SEZ, lands outside the SEZ would be subjected to visual impacts
43 related to construction, operation, and decommissioning of utility-scale solar energy facilities.
44 The affected areas and extent of impacts would depend on a number of visibility factors and
45 viewer distance (for a detailed discussion of visibility and related factors, see Section 5.12).
46 A key component in determining impact levels is the intervisibility between the project and

1 potentially affected lands; if topography, vegetation, or structures screen the project from viewer
2 locations, there is no impact.


3
4 Preliminary viewshed analyses were conducted to identify which lands surrounding the
5 proposed SEZ would have views of solar facilities in at least some portion of the SEZ
6 (see Appendix M for information on the assumptions and limitations of the methods used).
7 Four viewshed analyses were conducted, assuming four different heights representative of
8 project elements associated with potential solar energy technologies: PV and parabolic trough
9 arrays (24.6 ft [7.5 m]), solar dishes and power blocks for CSP technologies (38 ft [11.6 m]),
10 transmission towers and short solar power towers (150 ft [45.7 m]), and tall solar power towers
11 (650 ft [198.1 m]). Viewshed maps for the SEZ for all four solar technology heights are
12 presented in Appendix N.

13
14 Figure 12.2.14.2-1 shows the combined results of the viewshed analyses for all four solar
15 technologies. The colored segments indicate areas with clear lines of sight to one or more areas
16 within the SEZ and from which solar facilities within these areas of the SEZ would be expected
17 to be visible, assuming the absence of screening vegetation or structures and adequate lighting
18 and other atmospheric conditions. The light brown areas are locations from which PV and
19 parabolic trough arrays located in the SEZ could be visible. Solar dishes and power blocks for
20 CSP technologies would be visible from the areas shaded in light brown and the additional areas
21 shaded in light purple. Transmission towers and short solar power towers would be visible from
22 the areas shaded light brown, light purple, and the additional areas shaded in dark purple. Power
23 tower facilities located in the SEZ could be visible from areas shaded light brown, light purple,
24 and dark purple; and at least the upper portions of power tower receivers could be visible from
25 the additional areas shaded in medium brown.

26
27 For the following visual impact discussion, the tall solar power tower (650 ft [198.1 m])
28 and PV and parabolic trough array (24.6 ft [7.5 m]) viewsheds are shown in figures and
29 discussed in the text. These heights represent the maximum and minimum landscape visibility
30 for solar energy technologies analyzed in the PEIS. Viewsheds for solar dish and CSP
31 technology power blocks (38 ft [11.6 m]), and transmission towers and short solar power towers
32 (150 ft [45.7 m]) are available in Appendix N. The visibility of these facilities would fall
33 between that for tall power towers and PV and parabolic trough arrays.

34 35 36 **Impacts on Selected Federal-, State-, and BLM-Designated Sensitive Visual Resource Areas**

37
38 Figure 12.2.14.2-2 shows the results of a GIS analysis that overlays selected federal,
39 state, and BLM-designated sensitive visual resource areas onto the combined tall solar power
40 tower (650 ft [198.1 m]) and PV and parabolic trough array (24.6 ft [7.5 m]) viewsheds in order
41 to illustrate which of these sensitive visual resource areas would have views of solar facilities
42 within the SEZ and therefore potentially would be subject to visual impacts from those facilities.
43 Distance zones that correspond with BLM's VRM system-specified foreground-middleground
44 distance (5 mi [8 km]), background distance (15 mi [24 km]), and a 25-mi (40-km) distance zone
45 are shown as well, in order to indicate the effect of distance from the SEZ on impact levels,
46 which are highly dependent on distance.



1


2

3

4

5

FIGURE 12.2.14.2-1 Viewshed Analyses for the Proposed Mason Draw SEZ and Surrounding Lands, Assuming Solar Technology Heights of 24.6 ft (7.5 m), 38 ft (11.6 m), 150 ft (45.7 m), and 650 ft (198.1 m) (shaded areas indicate lands from which solar development within the SEZ could be visible)



1
 2 **FIGURE 12.2.14.2-2 Overlay of Selected Sensitive Visual Resource Areas onto Combined 650-ft**
 3 **(198.1-m) and 24.6-ft (7.5-m) Viewsheds for the Proposed Mason Draw SEZ**

1 The scenic resources included in the analyses were as follows:
2

- 3 • National Parks, National Monuments, National Recreation Areas, National
4 Preserves, National Wildlife Refuges, National Reserves, National
5 Conservation Areas, National Historic Sites;
6
- 7 • Congressionally authorized Wilderness Areas;
8
- 9 • Wilderness Study Areas;
10
- 11 • National Wild and Scenic Rivers;
12
- 13 • Congressionally authorized Wild and Scenic Study Rivers;
14
- 15 • National Scenic Trails and National Historic Trails;
16
- 17 • National Historic Landmarks and National Natural Landmarks;
18
- 19 • All-American Roads, National Scenic Byways, State Scenic Highways, and
20 BLM- and USFS-designated scenic highways/byways;
21
- 22 • BLM-designated Special Recreation Management Areas; and
23
- 24 • ACECs designated because of outstanding scenic qualities.
25

26 Potential impacts on specific sensitive resource areas visible from and within 25 mi
27 (40 km) of the proposed Mason Draw SEZ are discussed below. The results of this analysis are
28 also summarized in Table 12.2.14.2-1. Further discussion of impacts on these areas is available
29 in Sections 12.2.3 (Specially Designated Areas and Lands with Wilderness Characteristics) and
30 12.2.17 (Cultural Resources) of the PEIS.
31

32 The following visual impact analysis describes *visual contrast levels* rather than *visual*
33 *impact levels*. *Visual contrasts* are changes in the landscape as seen by viewers, including
34 changes in the forms, lines, colors, and textures of objects. A measure of *visual impact* includes
35 potential human reactions to the visual contrasts arising from a development activity, based on
36 viewer characteristics, including attitudes and values, expectations, and other characteristics that
37 are viewer- and situation-specific. Accurate assessment of visual impacts requires knowledge of
38 the potential types and numbers of viewers for a given development and their characteristics and
39 expectations, specific locations where the project might be viewed from, and other variables that
40 were not available or not feasible to incorporate in the PEIS analysis. These variables would be
41 incorporated into a future site- and project-specific assessment that would be conducted for
42 specific proposed utility-scale solar energy projects. For more discussion of visual contrasts and
43 impacts, see Section 5.12 of the PEIS.
44

TABLE 12.2.14.2-1 Selected Potentially Affected Sensitive Visual Resources within a 25-mi (40-km) Viewshed of the Proposed Mason Draw SEZ, Assuming a Target Height of 650 ft (198.1 m)

Feature Type	Feature Name (Total Acreage/ Linear Distance)	Feature Area or Linear Distance		
		Visible within 5 mi	Visible between	
			5 and 15 mi	15 and 25 mi
National Monument	Prehistoric Trackways (5,255 acres) ^a	0 acres	1,226 acres (23%) ^b	0 acres
WSAs	Aden Lava Flow (25,978 acres)	0 acres	8,962 acres (35%)	12,920 acres (50%)
	Las Uvas Mountains (11,084 acres)	0 acres	135 acres (1%)	356 acres (3%)
	Robledo Mountains (13,049 acres)	0 acres	2,534 acres (19%)	7 acres (0.05%)
	West Potrillo Mountains/Mt. Riley (159,323 acres)	0 acres	13,544 acres (9%)	29,773 acres (19%)
SRMAs	Aden Hills OHV Area (8,054 acres)	4,605 acres (57%)	2,518 acres (31%)	2 acres (0.03%)
	Dona Ana Mountain (8,345 acres)	0 acres	0 acres	3,117 acres (37%)
	Organ/Franklin Mountains (60,793 acres)	0 acres	0 acres	3,453 acres (6%)
ACECs designated for outstanding scenic values	Dona Ana Mountains (1,427 acres)	0 acres	0 acres	524 acres (37%)
	Organ/Franklin Mountains (58,512 acres)	0 acres	0 acres	3,504 acres (6%)
	Robledo Mountains (8,659 acres)	0 acres	1,227 acres (14%)	5 acres (0.06%)
National Historic Landmark	Mesilla Plaza	0 acres	Yes	

TABLE 12.2.14.2-1 (Cont.)

Feature Type	Feature Name (Total Acreage/ Highway Length)	Feature Area or Linear Distance		
		Visible within 5 mi	Visible between	
			5 and 15 mi	15 and 25 mi
National Historic Trail	El Camino Real de Tierra Adentro	0 mi	0.7 mi	25.6 mi
National Natural Landmark	Kilbourne Hole			Yes
Scenic Byway	El Camino Real (299 mi)	0 mi	2.2 mi	16.7 mi

^a To convert acres to km², multiply by 0.004047. To convert mi to km, multiply by 1.609.

^b Values in parentheses are percentages of feature acreage or length viewable.

1
2

GOOGLE EARTH™ VISUALIZATIONS

The visual impact analysis discussion in this section utilizes three-dimensional Google Earth™ perspective visualizations of hypothetical solar facilities placed within the SEZ. The visualizations include simplified wireframe models of a hypothetical solar power tower facility. The models were placed at various locations within the SEZ as visual aids for assessing the approximate size and viewing angle of utility-scale solar facilities. The visualizations are intended to show the apparent size, distance, and configuration of the SEZ, as well as the apparent size of a typical utility-scale solar power tower project and its relationship to the surrounding landscape, as viewed from potentially sensitive visual resource areas within the viewshed of the SEZ.

The visualizations are not intended to be realistic simulations of the actual appearance of the landscape or of proposed utility-scale solar energy projects. The placement of models within the SEZ did not reflect any actual planned or proposed projects within the SEZ and did not take into account engineering or other constraints that would affect the siting or choice of facilities for this particular SEZ. The number of facility models placed in the SEZ does not reflect the 80% development scenario analyzed in the PEIS, but it should be noted that the discussion of expected visual contrast levels does account for the 80% development scenario. A solar power tower was chosen for the models because the unique height characteristics of power tower facilities make their visual impact potential extend beyond other solar technology types.

3
4
5
6
7
8
9
10
11
12
13

National Monument

- Prehistoric Trackways National Monument. The Prehistoric Trackways National Monument occupies about 5,255 acres (21.27 km²) and is 8.3 mi (13.4 km) northeast of the SEZ, at the point of closest approach. The monument was established in 2009 to conserve, protect, and enhance the unique and nationally important paleontological, scientific, educational, scenic, and recreational resources and values of the Robledo Mountains. It is at an elevation of about 4,500 ft (1,372 m) and includes the southern

1 portion of the Robledo Mountains ACEC/WSA and the northern portion
2 of the Picacho SRMA.

3
4 Within 25 mi (40 km), solar energy facilities within the SEZ could be visible
5 from portions of the southeastern slopes of the mountains within the national
6 monument. Visible areas of the national monument within the 25-mi (40-km)
7 radius of analysis total about 1,226 acres (5.0 km²) in the 650-ft (198.1-m)
8 viewshed, or 23% of the total national monument acreage. None of the
9 monument is within the 24.6-ft (7.5-m) viewshed. As shown in Figure
10 12.2.14.2-2, the visible area of the national monument extends to about
11 10.8 mi (17.4 km) from the point of the closest approach at the northeastern
12 boundary of the SEZ.

13
14 Views of the SEZ from the national monument are almost completely
15 screened by the Sleeping Lady Hills directly west of the SEZ; however, taller
16 solar facility components at some locations within the SEZ could be visible
17 above the hills or in gaps between the hills from scattered viewpoints on peaks
18 and high southwest-facing ridges in the national monument. From some of
19 these viewpoints, the upper portions of transmission towers and lower-height
20 power towers might just be visible, but they might not be noticed by casual
21 viewers. At about 8 mi (13 km), the receivers of operating power towers
22 would likely be visible as bright points of light atop visible tower structures,
23 against a backdrop of the distant Florida Mountains. At night, if more than
24 200 ft (61 m) tall, power towers would have navigation warning lights that
25 could potentially be visible from the national monument.

26
27 Because of the near-complete screening of the SEZ from the national
28 monument, under the 80% development scenario analyzed in the PEIS, weak
29 levels of visual contrasts would be expected for viewpoints in the national
30 monument.

31 32 33 **Wilderness Study Areas**

- 34
- 35 • *Aden Lava Flow*. Aden Lava Flow is a 25,978-acre (105-km²) WSA 11 mi
36 (18 km) south of the SEZ. According to the Mimbres RMP, the area has
37 significant scenic and geologic values as well as interesting wildlife and
38 wildlife features (BLM 1993).

39
40 As shown in Figure 12.2.14.2-2, within 25 mi (40 km) of the SEZ, solar
41 energy facilities within the SEZ could be visible from significant portions of
42 the WSA (about 21,882 acres [88.553 km²] in the 650-ft [198.1-m] viewshed,
43 or 84% of the total WSA acreage, and 14,365 acres [58.133 km²] in the 25-ft
44 [7.5-m] viewshed, or 55% of the total WSA acreage). The visible area of the
45 WSA extends from the point of closest approach to the SEZ to 19 mi (31 km)
46 from the southern boundary of the SEZ.


1
2 Solar facilities within the SEZ could be visible from most of the Aden Lava
3 Flow WSA, although from some portions of the WSA, facility visibility
4 would be limited to taller solar facilities because of screening by intervening
5 topography. Both the WSA and the SEZ are very flat and are at similar
6 elevations, so there are open, but low-angle views, from the WSA to the SEZ.
7

8 Figure 12.2.14.2-3 is a Google Earth visualization of the SEZ as seen from an
9 unpaved road on the north rim of a volcanic cone in the northwestern portion
10 of the WSA, about 13 mi (21 km) south of the SEZ. The viewpoint, although
11 elevated with respect to the surrounding mesa, is about 120 ft (37 m) lower in
12 elevation than the SEZ. The visualization includes simplified wireframe
13 models of a hypothetical solar power tower facility. The models were placed
14 within the SEZ as a visual aid for assessing the approximate size and viewing
15 angle of utility-scale solar facilities. The receiver towers depicted in the
16 visualization are properly scaled models of a 459-ft (140-m) high power tower
17 with an 867-acre (3.5-km²) field of 12-ft (3.7-m) heliostats, each representing
18 about 100 MW of electric generating capacity. Five models were placed in the
19 SEZ for this and other visualizations shown in this section of this PEIS. In the
20 visualization, the SEZ area is depicted in orange; the heliostat fields in blue.
21

22 As shown in the visualization, because the viewpoint is lower in elevation
23 than the SEZ, the vertical angle of view is extremely low. Although
24 collector/reflector arrays for solar facilities within the SEZ would be visible,
25 they would be seen as very thin lines on the horizon, which would greatly
26 reduce their apparent size, conceal the strong regular geometry of the array,
27 and cause the arrays to appear to repeat the strong horizon line, thereby
28 reducing visual contrast. Taller solar facility components, such as
29 transmission towers, could be visible, depending on lighting, but might not be
30 noticed by casual observers.
31

32 Operating power towers within the SEZ would be visible, although the
33 heliostat arrays at their bases might be difficult to see. At almost 13 mi
34 (21 km), the receivers would likely appear as points of light atop discernable
35 tower structures against a sky backdrop just above the northern horizon. At
36 night, if sufficiently tall, the towers would have red flashing lights, or white or
37 red flashing strobe lights that would likely be visible, although other lights
38 also would likely be visible in this direction, including light from I-10 and the
39 Las Cruces Municipal Airport east of the SEZ.
40

41 Under the 80% development scenario analyzed in the PEIS, solar facilities
42 within the SEZ would be expected to cause weak visual contrast levels as



1

2

3

4

FIGURE 12.2.14.2-3 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a Volcanic Cone in the Northwest Portion of the Aden Lava Flow WSA

1 seen from this viewpoint. Because most other viewpoints within the WSA
2 have similar views, contrast levels in general would not be expected to rise
3 above weak levels.

4
5 The proposed Afton SEZ is partially in the line of sight to the proposed Mason
6 Draw SEZ from much of the Aden Lava Flow WSA east of the viewpoint
7 described above. If there were solar facilities within the western portions of
8 the Afton SEZ, they could add to the contrasts from solar facilities seen from
9 the Aden Lava Flow WSA, and because the Afton SEZ is much closer to the
10 WSA, impacts on the WSA from solar facilities in the Afton SEZ could
11 greatly exceed impacts arising from solar facilities within the much smaller
12 and more distant proposed Mason Draw SEZ.


- 13
14 • *Las Uvas Mountains*. Las Uvas Mountains is an 11,084-acre (44.855-km²)
15 WSA 13 mi (21 km) northwest of the SEZ.

16
17 As shown in Figure 12.2.14.2-2, within 25 mi (40 km) of the SEZ, solar
18 energy facilities within the SEZ could be visible from the southeastern
19 portions of the WSA (about 491 acres [1.99 km²] in the 650-ft [198.1-m]
20 viewshed, or 4% of the total WA acreage, and 137 acres [0.554 km²] in the
21 25-ft [7.5-m] viewshed, or 1% of the total WSA acreage). The visible area of
22 the WSA extends to 17 mi (27 km) from the northern boundary of the SEZ.

23
24 Views of the SEZ from most of the WSA are screened by mountains within
25 the Sierra de Las Uvas relatively near to the WSA; however, just under
26 500 acres (2.02 km²) of the WSA are within the SEZ viewshed, and of this
27 acreage, just 137 acres (0.554 km²) of land on scattered high ridges and peaks
28 within the WSA would have views of lower height solar facilities in portions
29 of the SEZ.

30
31 Figure 12.2.14.2-4 is a Google Earth visualization of the SEZ as seen from a
32 high ridge immediately east of Chivatós Canyon in the southeastern portion
33 of the WSA. The viewpoint is 15 mi (24 km) from the northwest corner of the
34 SEZ and is elevated about 1,400 ft (430 m) above the SEZ.

35
36 The view direction is south, through Valles Canyon toward the northwestern
37 portion of the SEZ. Mesa Azul screens the view of the western portion of the
38 SEZ, while unnamed ridges south of Tailholt Mountain screen the northeast
39 portion of the SEZ from view. The visualization suggests that from this
40 viewpoint, the SEZ would occupy a very small portion of the horizontal field
41 of view, because of the long distance to the SEZ, but also in part because
42 much of the SEZ is partially screened from view. However, visual attention
43 from this viewpoint could be focused on solar facilities within the visible
44 portion of the SEZ because of the “framing” effect of the view down the
45 length of the valley.



1

FIGURE 12.2.14.2-4 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a High Ridge in the Southeastern Portion of the Las Uvas Mountains WSA

1 Because of the long distance to the SEZ, the angle of view would be very low.
2 Collector/reflector arrays for solar facilities within the SEZ would be seen
3 nearly edge-on, which would reduce their apparent size, conceal their strong
4 regular geometry, and make them appear to repeat the strong horizon line,
5 thus reducing apparent visual contrast.

6
7 Operating power towers within the SEZ would likely be visible, although
8 the heliostat arrays at their bases might be screened from view if they were
9 located in the southern portion of the SEZ. At almost 15 mi (24 km), the
10 receivers would likely appear as points of light against a sky backdrop or the
11 mesa floor just above the southeastern horizon. The tower structures might be
12 visible, but might not be noticed by casual viewers. At night, if sufficiently
13 tall, the towers would have red flashing lights or white or red flashing strobe
14 lights that would likely be visible.

15
16 Under the 80% development scenario analyzed in the PEIS, solar facilities
17 within the SEZ would be expected to cause weak visual contrast levels as seen
18 from this viewpoint. Because most other viewpoints within the WSA have
19 similar or more obstructed views, contrast levels in general would not be
20 expected to rise above weak levels.

- 21
22 • *Robledo Mountains.* Robledo Mountains WSA is a 13,049-acre (52.807-km²)
23 WSA 7.8 mi (12.6 km) away at the point of closest approach northeast of
24 the SEZ.

25
26 As shown in Figure 12.2.14.2-2, within 25 mi (40 km), solar energy facilities
27 within the SEZ could be visible from high peaks and some southwest-facing
28 slopes of the WSA, primarily in the west-central portion. Visible areas of the
29 WSA within the 25-mi (40-km) radius of analysis total about 2,541 acres
30 (10.28 km²) in the 650-ft (198.1-m) viewshed, or 20% of the total WSA
31 acreage, and 336 acres (1.36 km²) in the 24.6-ft (7.5-m) viewshed, or 3% of
32 the total WSA acreage. The visible area of the WSA extends about 11.0 mi
33 (18 km) from the northeastern boundary of the SEZ.

34
35 Solar facilities within the SEZ could be visible from the highest peaks and
36 some southwest-facing slopes in the WSA, but only about 336 acres
37 (1.36 km²) at the highest elevations would have views of low-height solar
38 facilities within the SEZ. The Sleeping Lady Hills west of the SEZ would
39 partially screen views of the SEZ from many locations within the WSA,
40 especially lower-elevation viewpoints.

41
42 Figure 12.2.14.2-5 is a Google Earth visualization of the SEZ as seen from a
43 communications site at the end of an unpaved road atop Lookout Peak in the
44 northern portion of the WSA. The viewpoint is 11 mi (18 km) from the
45 northeast corner of the SEZ and is elevated about 1,100 ft (340 m) above the

1 SEZ. Because of its elevation and orientation with respect to the Sleeping
2 Lady Hills, Lookout Peak has a relatively unobstructed view of the SEZ.

3
4 The visualization suggests that from this viewpoint, the SEZ would occupy a
5 very small portion of the horizontal field of view, in part because more than
6 half (the southern portion) of the SEZ is partially screened from view by the
7 Sleeping Lady Hills. Collector/reflector arrays for solar facilities located in
8 the northern portion of the SEZ would likely be visible, although the angle of
9 view would be low. Collector/reflector arrays would be seen nearly edge-on,
10 which would reduce their apparent size, conceal their strong regular geometry,
11 and make them appear to repeat the strong horizon line, thus reducing
12 apparent visual contrast. Taller solar facility components, such as transmission
13 towers, could be visible, depending on lighting, but might not be noticed by
14 casual observers.


15
16 Operating power towers within the SEZ would likely be visible, although the
17 heliostat arrays at their bases might be screened from view if they were
18 located in the southern portion of the SEZ. At 11 mi (18 km), the receivers
19 would likely appear as points of light atop visible tower structures against a
20 sky backdrop just above the southwestern horizon. At night, if sufficiently tall,
21 the towers would have red flashing lights, or white or red flashing strobe
22 lights that would likely be visible. Other lighting associated with solar
23 facilities could be visible as well.

24
25 Under the 80% development scenario analyzed in the PEIS, solar facilities
26 within the SEZ would be expected to cause weak visual contrast levels as seen
27 from this viewpoint. Because most other viewpoints within the WSA have
28 similar or more obstructed views, even if closer to the SEZ, contrast levels
29 would not be expected to rise above weak levels.

- 30
31 • *West Potrillo Mountains/Mt. Riley.* West Potrillo Mountains/Mt. Riley WSA
32 is a 159,323-acre (644.76-km²) WSA located 10 mi (16 km) away at the point
33 of closest approach south of the SEZ.

34
35 As shown in Figure 12.2.14.2-2, within 25 mi (40 km), solar energy facilities
36 within the SEZ could be visible from the northern portion of the WSA. Visible
37 areas of the WSA within the 25-mi (40-km) radius of analysis total about
38 43,317 acres (175.30 km²) in the 650-ft (198.1-m) viewshed, or 27% of the
39 total WSA acreage, and 20,358 acres (82.386 km²) in the 24.6-ft (7.5-m)
40 viewshed, or 13% of the total WSA acreage. The visible area of the WSA
41 extends to about 24 mi (39 km) from the southern boundary of the SEZ.

42
43 Figure 12.2.14.2-6 is a Google Earth visualization of the SEZ as seen from the
44 summit of a volcanic cone in the far northern portion of the WSA. The
45 viewpoint is about 13 mi (21 km) west-southwest of the far southwestern
46



1

FIGURE 12.2.14.2-6 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from an Unnamed Summit in the Northern Portion of West Potrillo Mountains WSA

1 corner of the SEZ. The viewpoint is elevated about 750 ft (230 m) above the
2 SEZ.

3
4 The visualization suggests that from this viewpoint, the SEZ would occupy a
5 small to moderate amount of the horizontal field of view. The viewpoint is
6 sufficiently elevated that the SEZ would be visible as a narrow band below the
7 horizon. Collector/reflector arrays for solar facilities within the SEZ would be
8 seen nearly edge on, which would reduce their apparent size, conceal their
9 strong regular geometry, and make them appear to repeat the line of the
10 horizon, thus tending to reduce visual contrast. Taller solar facility
11 components, such as transmission towers, could be visible, depending on
12 lighting, but might not be noticed by casual observers.

13
14 Operating power towers within the SEZ would likely be visible. At more than
15 13 mi (21 km), the receivers would likely appear as points of light atop visible
16 tower structures against a sky backdrop just above the northeastern horizon.
17 At night, if sufficiently tall, the towers would have red flashing lights, or
18 white or red flashing strobe lights that would likely be visible.

19
20 Under the 80% development scenario analyzed in the PEIS, solar facilities
21 within the SEZ would be expected to cause weak to moderate visual contrast
22 levels as seen from this viewpoint. Most, but not all, other viewpoints within
23 the WSA have lower elevation and therefore more obstructed views, even if
24 closer to the SEZ. From these viewpoints, contrast levels would not be
25 expected to rise above weak levels.

26 27 28 **Special Recreation Management Areas**

- 29
- 30 • *Aden Hills*. The 8,054-acre (32.59-km²) Aden Hills SRMA is a BLM-
31 designated SRMA 2.4 mi (3.9 km) from the SEZ's southern boundary.
32 The SRMA is designated for OHV use. Annual usage is estimated at
33 10,000 visitors. About 7,125 acres (28.83 km²), or 89% of the SRMA, are
34 within the 650-ft (198.1-m) viewshed of the SEZ, and 6,059 acres
35 (24.52 km²), or 75% of the SRMA, are within the 24.6-ft (7.5-m) viewshed.
36 As shown in Figure 12.2.14.2-2, the portion of the SRMA within the viewshed
37 extends from the point of closest approach to 7.2 mi (11.6 km) from the SEZ.

38
39 Most of the SRMA has unobstructed views of the SEZ, although at least
40 partial screening of the SEZ might occur in some depressions, and some of
41 the western portion of the SRMA is screened by the Aden Hills. In general,
42 however, visitors to the SRMA would have solar facilities within the SEZ
43 in plain view to the north, and much of the SRMA would be within the
44 BLM VRM Program's foreground–middleground distance of 3-5 mi (5-8 km).
45 Furthermore, the Afton SEZ is adjacent to the SRMA's eastern boundary and
46 is visible from nearly the entire SRMA, so that if solar facilities were built

1 within the Afton SEZ, they could potentially add substantially to the visual
2 impacts associated with development in the proposed Mason Draw SEZ, and
3 could, for some locations, be much greater.
4


5 Figure 12.2.14.2-7 is a Google Earth visualization of the SEZ as seen from a
6 low hill in the far northern portion of the SRMA. The viewpoint is about
7 3.4 mi (5.5 km) south of the southern boundary of the SEZ. The viewpoint is
8 elevated about 225 ft (69 m) above the SEZ.
9

10 The visualization suggests that from this viewpoint, the SEZ would stretch
11 across most of the horizontal field of view. The vertical angle of view would
12 be very low, reducing visual contrast substantially. Solar facilities in the SEZ
13 would be seen in a band under the Sierra de Las Uvas, and west of the
14 Sleeping Lady Hills. The collector/reflector arrays of solar facilities in the
15 SEZ would be seen edge on or nearly so, which would reduce their apparent
16 size, conceal their strong regular geometry, and repeat the line of the horizon,
17 thus reducing visual contrasts with the surrounding strongly horizontal
18 landscape. Ancillary facilities, such as buildings, transmission towers, cooling
19 towers; and plumes, if present, would likely be visible projecting above the
20 collector/reflector arrays, and their forms, lines, and colors, as well as
21 reflective properties, could add to visual contrasts with the generally natural-
22 appearing and strongly horizontal surrounding landscape.
23

24 Operating power towers in the farther portions of the SEZ would likely be
25 visible as bright points of light atop discernable tower structures, but operating
26 power towers in the closest portions of the SEZ could be substantially
27 brighter, with the tower's structural details apparent. Receiver lights in the
28 closest portions of the SEZ could be bright enough to strongly attract visual
29 attention. At night, if sufficiently tall, the towers would have red flashing
30 lights, or white or red flashing strobe lights that would likely be conspicuous,
31 but would be viewed across the lights associated with I-10. Other lighting
32 associated with solar facilities in the SEZ could be visible as well.
33

34 Because of the short distance to, and generally unobstructed views of, the
35 SEZ, under the 80% development scenario analyzed in the PEIS, solar
36 facilities within the proposed Mason Draw SEZ would be expected to cause
37 strong visual contrast from this viewpoint in the Aden Hills SRMA.
38

39 Figure 12.2.14.2-8 is a Google Earth visualization of the SEZ as seen from a
40 point in the far northeastern portion of the SRMA. The viewpoint is about
41 4.1 mi (6.5 km) southeast of the southeast corner of the SEZ and about 50 ft
42 (15 m) lower in elevation than the southeast corner of the SEZ.
43



1

2 **FIGURE 12.2.14.2-7 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with**
3 **Power Tower Wireframe Models, as Seen from a Hill in the Northern Portion of Aden Hills SRMA**
4



1

FIGURE 12.2.14.2-8 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a Point in the Far Northeastern Portion of Aden Hills SRMA

2

3

4

1 The visualization suggests that from this viewpoint, the angle of view would
2 be extremely low, almost eliminating visibility of low-height collector/
3 reflector arrays in the middle of the SEZ and reducing visual contrasts from
4 collector/reflector arrays substantially, regardless of their locations within the
5 SEZ. Solar facilities in the SEZ would be seen in a band under the Sierra de
6 Las Uvas and the Sleeping Lady Hills. Where visible, collector/reflector
7 arrays of solar facilities in the SEZ would be seen edge-on, greatly reducing
8 their apparent size, concealing their strong regular geometry, and repeating the
9 line of the horizon, thus reducing visual contrasts with the surrounding
10 strongly horizontal landscape. Ancillary facilities, such as buildings,
11 transmission towers, cooling towers, and plumes, if present, would likely be
12 visible, projecting above the collector/reflector arrays. Their forms, lines, and
13 colors, as well as reflective properties, could add to visual contrasts with the
14 generally natural-appearing and strongly horizontal surrounding landscape.

15
16 Operating power towers in the farther portions of the SEZ would likely be
17 visible as bright points of light atop discernable tower structures, but if located
18 in the closest portions of the SEZ could be substantially brighter and could
19 strongly attract visual attention. At night, if sufficiently tall, the towers would
20 have red flashing lights, or white or red flashing strobe lights that would likely
21 be conspicuous, but other lights also would likely be visible in the area. Other
22 lighting associated with solar facilities in the SEZ could be visible as well, but
23 direct visibility of the lighting could be partially restricted by the very low
24 angle of view.

25
26 Under the 80% development scenario analyzed in the PEIS, the very low
27 angle of view would reduce visibility of collector/reflector arrays in the SEZ,
28 and although contrast levels would depend on project location within the SEZ,
29 the types of solar facilities and their designs, and other visibility factors,
30 moderate visual contrasts from solar energy development within the SEZ
31 would be expected from this viewpoint in the Aden Hills SRMA.

32
33 It should be noted that this viewpoint and many others within the SRMA
34 could also have views of solar facilities within the Afton SEZ, which borders
35 the SRMA on its eastern side. Because of the very large relative size of the
36 Afton SEZ and its close proximity to the SRMA, if solar facilities were
37 present in the Afton SEZ, they could greatly increase the perceived visual
38 impacts associated with solar energy development in this landscape setting.

39
40 In summary, the SRMA is very close to the proposed SEZ. Because the
41 SRMA and the SEZ are very flat, and in most of the SRMA there is generally
42 little screening by topography of views to the SEZ, most locations within the
43 SRMA would have open views of the SEZ. Although the vertical angle of
44 view is generally very low, as viewed from the SRMA the SEZ appears large
45 enough that it would stretch across much of the horizon, resulting in moderate
46 to strong visual contrast for many locations within the northern portion of the

1 SRMA. Lower contrast levels would be expected in the more distant southern
2 portions of the SRMA and at viewpoints in the western portion of the SRMA,
3 subject to partial screening by the Aden Hills.
4

- 5 • *Dona Ana Mountains.* Dona Ana Mountains SRMA is an 8,345-acre
6 (33.77-km²) BLM-designated SRMA 16 mi (26 km) northeast of the SEZ, at
7 the point of closest approach. The mountains offer a number of hiking trails,
8 15 mi (24 km) of mountain biking trails, and 7 mi (11 km) of horseback trails.
9

10 The area of the SRMA within the 650-ft (198.1-m) viewshed of the SEZ
11 includes 3,117 acres (12.61 km²), or 37% of the total SRMA acreage. The
12 area of the SRMA within the 24.6-ft (7.5-m) viewshed of the SEZ includes
13 16 acres (0.06 km²), or 0.2% of the total SRMA acreage. As shown in
14 Figure 12.2.14.2-2, the visible area extends from the point of closest approach
15 to 18 mi (29 km) into the SRMA.
16

17 Visibility of solar facilities within the proposed Mason Draw SEZ would be
18 from the south- and southwest-facing slopes of the Dona Ana Mountains,
19 portions of the plain south and east of the mountains, and the south slope of a
20 lone hill northeast of the community of Dona Ana. Outside of the Dona Ana
21 Mountains, the Sleeping Lady Hills and the eastern rim of West Mesa would
22 provide nearly complete screening of the entire SEZ as seen from the SRMA.
23

24 From high-elevation viewpoints within the Dona Ana Mountains in the
25 SRMA, if sufficiently tall power towers were located in certain portions of the
26 SEZ, the receivers could be visible just over the Sleeping Lady Hills, beyond
27 the eastern rim of West Mesa. However, at a minimum of 16 mi (26 km) from
28 the SEZ, if visible, the receivers could appear as points of light immediately
29 above a notch in the Sleeping Lady Hills, or just north of the northernmost
30 major summit in the Sleeping Lady Hills. Given the nearly complete screening
31 of the SEZ from the ACEC, there would be a small likelihood of seeing a
32 power tower in the SEZ; however, even if operating power towers were
33 visible, minimal visual contrast levels would be expected. If power towers
34 were visible, at night, if more than 200 ft (61 m) tall, power towers would
35 have navigation warning lights that could potentially be visible from the
36 SRMA.
37

- 38 • *Organ/Franklin Mountains.* Organ/Franklin Mountains SRMA is a BLM-
39 designated SRMA 24 mi (39 km) east of the SEZ at the point of closest
40 approach.
41

42 As shown in Figure 12.2.14.2-2, a portion of the 60,793-acre (246.02-km²)
43 Organ/Franklin Mountains SRMA is within the viewshed of the SEZ. The
44 area of the SRMA within the 650-ft (198.1-m) viewshed of the SEZ includes
45 3,453 acres (13.97 km²), or 6% of the total SRMA acreage. The area of the
46 SRMA within the 24.6-ft (7.5-m) viewshed of the SEZ includes 1,397 acres

1 (5.653 km²), or 2% of the total SRMA acreage. The visible area extends from
2 the point of closest approach to beyond 25 mi (40 km) from the eastern
3 boundary of the SEZ.
4

5 The Organ/Franklin Mountains SRMA is almost entirely contained within the
6 Organ/Franklin Mountains ACEC, and impacts to the SRMA are the same as
7 those described below for the Organ/Franklin Mountains ACEC.
8
9

10 **ACECs Designated for Outstandingly Remarkable Scenic Values**

- 11
12 • *Dona Ana Mountains.* The 1,427-acre (5.775-km²) Dona Ana Mountains
13 ACEC is 17 mi (27 km) northeast of the SEZ at the closest point of approach.
14 The ACEC's scenic value is noted in the Mimbres RMP (BLM 1993). The
15 jagged peaks of the Dona Ana Mountains are highly scenic and are within
16 view of most of the northern Mesilla Valley and the northeast portion of Las
17 Cruces. Scenic quality is of more than local significance and is enjoyed by
18 hundreds of thousands of motorists on I-25 annually (BLM 1993). About
19 3,117 acres (12.61 km²), or 37% of the ACEC, is within the 650-ft (198.1-m)
20 viewshed of the SEZ, and 16 acres (0.066 km²), or 1% of the total ACEC
21 acreage, is in the 24.6-ft (7.5-m) viewshed. The visible area of the ACEC
22 extends to about 18 mi (29 km) from the northeastern boundary of the SEZ.
23

24 The Dona Ana Mountains ACEC is wholly contained within the northern
25 portion of the Dona Ana Mountains SRMA, and impacts to the ACEC are the
26 same as those described above for the Dona Ana Mountains SRMA.
27

- 28 • *Organ Mountains/Franklin Mountains.* The 58,512-acre (236.79-km²)
29 Organ/Franklin Mountains ACEC is 24 mi (39 km) east of the SEZ at the
30 closest point of approach. The ACEC's scenic value is noted in the Mimbres
31 RMP (BLM 1993). The two mountain ranges comprise some of the most
32 spectacular scenery in southern New Mexico, with extensive viewsheds
33 containing both interstate highways and large metropolitan populations
34 (BLM 1993). About 3,504 acres (14.18 km²), or 6% of the ACEC, is within
35 the 650-ft (198.1-m) viewshed of the SEZ, and 1,398 acres (5.658 km²), or
36 2% of the total ACEC acreage, is in the 24.6-ft (7.5-m) viewshed. The visible
37 area extends from the point of closest approach to beyond 25 mi (40 km) from
38 the eastern boundary of the SEZ.
39

40 As shown in Figure 12.2.14.2-2, only the far western portions of the ACEC on
41 the lower slopes of the Organ Mountains are within the 25-mi (40-km) SEZ
42 viewshed, and in most of the area within the viewshed, visibility of solar
43 facilities within the SEZ would be limited to taller components. Views would
44 be across the urbanized and visual cluttered Mesilla Valley. Views of much of
45 the northern portions of the SEZ from the ACEC would be screened by the
46 Sleeping Lady Hills east of the SEZ. Within the ACEC, viewpoints in the SEZ

1 25-mi (40-km) viewshed are only a few hundred feet higher in elevation than
2 the SEZ, so at a distance of 24 to 25 mi (38 to 40 km), the vertical angle of
3 view is very low. Where visible, collector/reflector arrays for solar facilities
4 within the SEZ would be seen edge-on and would not likely be noticed unless
5 reflecting early morning sunlight. If visible, they would be seen as very short
6 horizontal lines on the distant horizon, just south of the Sierra de Las Uvas.
7 They would repeat the line of the horizon, tending to reduce visual contrast.
8 Because the SEZ would occupy a very small portion of the horizontal field of
9 view, the arrays would appear to be very small in any event.

10
11 If power towers were visible in the SEZ, when operating, they would likely
12 appear as distant light on the western horizon against a sky backdrop. At
13 night, if sufficiently tall, power towers in the SEZ would have red flashing
14 lights, or white or red flashing strobe lights that could be visible, but there
15 could be other lights visible in the SEZ area, including lights associated with
16 I-10 and the Las Cruces Municipal Airport. The highway and the airport both
17 are close to the line of sight from the ACEC to the SEZ. Other lighting
18 associated with solar facilities could be visible as well, but would not likely be
19 conspicuous at the long distance from the ACEC to the SEZ.

20
21 Because of the very long distance to the SEZ, the very low angle of view, and
22 partial screening of the SEZ, under the 80% development scenario analyzed in
23 the PEIS, solar facilities within the proposed Mason Draw SEZ would be
24 expected to cause minimal visual contrast for viewpoints in the
25 Organ/Franklin Mountains ACEC.

- 26
27 • *Robledo Mountains.* The 8,659-acre (35.04-km²) Robledo Mountains ACEC
28 is located 7.7 mi (12.4 km) northeast of the SEZ at the closest point of
29 approach. The ACEC's scenic value is noted in the Mimbres RMP (BLM
30 1993). The Robledos also provide a spectacular scenic quality to the
31 inhabitants of the northern Mesilla Valley. The scenery is enjoyed by
32 hundreds of thousands of travelers on I-25 annually. About 1,232 acres
33 (4.986 km²), or 14% of the ACEC, is within the 650-ft (198.1-m) viewshed of
34 the SEZ, and 223 acres (0.902 km²), or 3% of the total ACEC acreage, is in
35 the 24.6-ft (7.5-m) viewshed. The visible area of the ACEC extends to about
36 11 mi (18 km) from the northeastern boundary of the SEZ.

37
38 The Robledo Mountains ACEC is wholly contained within the Robledo
39 Mountains WSA, and impacts to the ACEC are the same as those described
40 above for the Robledo Mountains WSA.

41 42 43 **National Historic Landmark**

- 44
45 • *Mesilla Plaza.* Mesilla Plaza has been on the National Register of Historic
46 Places since 1982, and it also is a National Historic Landmark. Mesilla, with

1 2,200 residents, is the best-known and most visited historical community in
2 Southern New Mexico. The plaza is about 15 mi (24 km) east of the SEZ. It is
3 within the 650-ft (198.1-m) viewshed of the SEZ; however, it is not within the
4 24.6-ft (7.5-m) viewshed.

5
6 The Sleeping Lady Hills and the rim of West Mesa provide nearly complete
7 screening of the SEZ from Mesilla Plaza. If sufficiently tall power towers
8 were located in the far southeastern portion of the SEZ, the receivers could
9 potentially be visible just over the eastern rim of West Mesa. At almost 15 mi
10 (24 km), if visible, an operating receiver could appear as a point of light
11 immediately above West Mesa. At night, if more than 200 ft (61 m) tall,
12 power towers would have navigation warning lights that could potentially be
13 visible from the plaza. The line of sight from the Plaza to the SEZ passes
14 directly over I-10 and the Las Cruces Municipal Airport; both locations of
15 visible, frequent activity, and not natural settings. Given the nearly complete
16 screening of the SEZ from the Plaza, there would be very little chance of
17 seeing a power tower in the SEZ; however, even if power towers were visible,
18 minimal visual contrast levels would be expected.

21 **National Natural Landmark**

- 22
23 • *Kilbourne Hole*. A remnant of an ancient volcanic explosion, Kilbourne Hole
24 was designated a National Natural Landmark in 1975. This crater is in a desert
25 basin between the Potrillo Mountains and the Rio Grande, 9.3 mi (15.0 km)
26 south to southwest of the SEZ. The crater measures 1.7 mi (2.7 km) long by
27 well over a mile across, and is several hundred feet deep.

28
29 Views of the SEZ from inside the Kilbourne Hole crater would be completely
30 screened by the crater walls; however, there is a ridge around almost the entire
31 crater, and the SEZ would be visible from the ridgeline and north-facing
32 slopes of most of the ridge. The northernmost portion of the rim of Kilbourne
33 Hole is about 20 mi (32 km) from the SEZ. A trail runs along the top of much
34 of the ridge.

35
36 The rim of Kilbourne Hole varies in elevation, but its highest elevation is
37 slightly lower than the lowest elevation within the SEZ. Hence, at a minimum
38 of 20 mi (32 km) from the SEZ, the angle of view from Kilbourne Hole to the
39 SEZ is quite low. Furthermore, the SEZ would occupy a very small portion of
40 the horizontal field of view as seen from Kilbourne Hole. Low-height solar
41 facilities within the SEZ, if visible, would be seen edge-on, greatly reducing
42 their apparent size and concealing the strong regular geometry of the arrays.
43 Their line-like appearance would repeat the strong line of the horizon, tending
44 to reduce visual contrast, and at 20 mi (32 km), they might be difficult to
45 notice.

1 If power towers were located within the SEZ, when operating, the receivers
2 might be visible as distant points of light against the backdrop of the Sierra de
3 Las Uvas. At night, if sufficiently tall, the towers would have red flashing
4 lights, or white or red flashing strobe lights that could be visible, but there
5 would be other lights visible in the SEZ area, as the SEZ would be viewed
6 across I-10. Under the 80% development scenario analyzed in this PEIS, solar
7 facilities within the SEZ would be expected to create weak levels of visual
8 contrast as seen from viewpoints on the rim of Kilbourne Hole.
9

10 The proposed Afton SEZ is partially in the line of sight from Kilbourne Hole
11 to the Mason Draw SEZ. If there were solar facilities within the far western
12 portions of the Afton SEZ, they could add to the contrasts from solar facilities
13 seen from Kilbourne Hole, and because the Afton SEZ is much closer to
14 Kilbourne Hole, impacts from solar facilities in the Afton SEZ could greatly
15 exceed impacts arising from solar facilities within the much smaller and more
16 distant Mason Draw SEZ.
17
18

19 **National Historic Trail**

- 20
21 • *El Camino Real de Tierra Adentro*. El Camino Real de Tierra Adentro is a
22 congressionally designated historic trail that extends 404 mi (650 km) from El
23 Paso, Texas, to Ohkay Owingeh Pueblo, New Mexico. Historically, the trail
24 began in Mexico City, Mexico. The historic trail passes within 16 mi (26 km)
25 of the SEZ at the point of closest approach east of the SEZ. About 26 mi
26 (42 km) of the trail are within the 650-ft (198.1-m) viewshed of the SEZ, and
27 the distance to the SEZ ranges from the point of closest approach to beyond
28 25 mi (40 km) southeast of the southeastern boundary of the SEZ. None of the
29 byway is within any of the lower-height viewsheds of the SEZ.
30

31 In the vicinity of the SEZ, the El Camino Real de Tierra Adentro runs north
32 from Anthony, New Mexico, through the Mesilla Valley. The trail shares the
33 same route as the El Camino Real National Scenic Byway for a number of
34 miles and then roughly parallels I-10 and I-25 before leaving the valley north
35 of Radium Springs. The trail leaves the SEZ viewshed just south of
36 Dona Ana, but it reenters and leaves it again in three different locations north
37 of Radium Springs.
38

39 Much of the trail route through the Mesilla Valley is in rural or urbanized
40 landscapes, with substantial levels of cultural disturbance visible. Views from
41 the trail are sometimes screened briefly by orchards of tall trees that line the
42 roads in the valley, particularly away from Las Cruces.
43

44 For those portions of the historic trail within the 650-ft (198.1-m) viewshed of
45 the SEZ, the Sleeping Lady Hills and the eastern rim of West Mesa would
46 provide nearly complete screening of the entire SEZ as seen from the trail. If

1 sufficiently tall power towers were located in certain portions of the SEZ,
2 when operating, the receivers could potentially be visible just over the eastern
3 rim of West Mesa from those portions of the trail south of Radium Springs, or
4 through gaps in the Robledos Mountains for those portions of the trail within
5 the viewshed north of Radium Springs. However, at 16 mi (26 km) or more
6 from the SEZ, and considerably farther for most of the trail, if visible, a
7 receiver could appear as a distant star-like point of light immediately above
8 West Mesa. Given the nearly complete screening of the SEZ from the trail,
9 there would be a small likelihood of seeing a power tower in the SEZ;
10 however, even if power towers were visible, minimal visual contrast levels
11 would be expected.

12 13 14 **Scenic Byway**

- 15
16 • *El Camino Real.* El Camino Real is a congressionally designated scenic
17 byway that extends 299 mi (481 km) from the U.S.–Mexico border to
18 Santa Fe. The scenic byway passes within about 12 mi (19 km) of the SEZ at
19 the point of closest approach east of the SEZ. About 19 mi (31 km) of the
20 byway are within the 650-ft (198.1-m) viewshed of the SEZ, and the distance
21 within the viewshed to the SEZ ranges from 14 mi (23 km) northeast of the
22 SEZ to more than 31 mi (50 km) southeast of the southeastern boundary of
23 the SEZ. None of the byway is within any of the lower-height viewsheds of
24 the SEZ.

25
26 In the vicinity of the SEZ, the El Camino Real National Scenic Byway
27 extends north from El Paso through the Mesilla Valley. The byway shares the
28 same route as the El Camino Real de Tierra Adentro National Historic Trail,
29 for a number of miles, and then roughly parallels I-10 and I-25. Much of the
30 byway route through the Mesilla Valley is in rural or urbanized landscapes,
31 with substantial levels of cultural disturbance visible. Views from the byway
32 are sometimes screened briefly by orchards of tall trees that line the roads in
33 the valley, particularly away from Las Cruces.

34
35 The southern portion of the byway follows State Route 273, turns east briefly
36 at La Union for about 1 mi (1.6 km), then follows State Route 28 north for
37 about 5 mi (8 km) before turning east again at State Route 168. At this point,
38 the byway enters the 650-ft (198.1-m) viewshed of the SEZ; however,
39 northbound travelers would be facing east, away from the SEZ at this point.
40 The byway follows State Route 168 east for about 3 mi (5 km), then turns
41 north at State Route 478 and follows State Route 478 past the SEZ. Shortly
42 after crossing U.S. 70, the byway passes out of the SEZ viewshed, then
43 follows State Route 188 and then State Route 185 north and slightly west,
44 until it leaves the valley north of Radium Springs.
45

1 For those portions of the scenic byway within the 650-ft (198.1-m) viewshed
2 of the SEZ, the Sleeping Lady Hills and the eastern rim of West Mesa would
3 provide nearly complete screening of the entire SEZ as seen from the byway.
4 If sufficiently tall power towers were located in the far southeastern portion of
5 the SEZ, when operating, the receivers could potentially be visible just over
6 the eastern rim of the West Mesa. At night, if more than 200 ft (61 m) tall,
7 power towers would have navigation warning lights that could potentially be
8 visible from the byway. At 12 mi (19 km) or more from the SEZ, and
9 considerably farther for most of the byway, if visible, a receiver could appear
10 as a point of light immediately above West Mesa. Given the nearly complete
11 screening of the SEZ from the byway, there would be a small likelihood of
12 seeing a power tower in the SEZ; however, even if power towers were visible,
13 minimal visual contrast levels would be expected.
14

15 Additional scenic resources exist at the national, state, and local levels, and impacts may
16 occur on both federal and nonfederal lands, including sensitive traditional cultural properties
17 important to Tribes. In addition to the resource types and specific resources analyzed in this
18 PEIS, future site-specific NEPA analyses would include state and local parks, recreation areas,
19 other sensitive visual resources, and communities close enough to the proposed project to be
20 affected by visual impacts. Selected other lands and resources are included in the discussion
21 below.
22

23 In addition to impacts associated with the solar energy facilities themselves, sensitive
24 visual resources could be affected by other facilities that would be built and operated in
25 conjunction with the solar facilities. With respect to visual impacts, the most important
26 associated facilities would be access roads and transmission lines, the precise location of which
27 cannot be determined until a specific solar energy project is proposed. Currently a 115-kV
28 transmission line is within the proposed SEZ, so construction and operation of a transmission
29 line outside the proposed SEZ would not be required. However, construction of transmission
30 lines within the SEZ to connect facilities to the existing line would be required. For this analysis,
31 the impacts of construction and operation of transmission lines outside of the SEZ were not
32 assessed, based on the assumptions that the existing 115-kV transmission line might be used to
33 connect some new solar facilities to load centers and that additional project-specific analysis
34 would be performed for new transmission construction or line upgrades. Depending on project-
35 and site-specific conditions, visual impacts associated with access roads, and particularly
36 transmission lines, could be large. Detailed information about visual impacts associated with
37 transmission lines is presented in Section 5.7.1. A detailed site-specific NEPA analysis would be
38 required to determine visibility and associated impacts precisely for any future solar projects,
39 based on more precise knowledge of the facility location and characteristics.
40

41

42 **Impacts on Selected Other Lands and Resources**

43

44

45 ***Butterfield Trail.*** The Butterfield Trail is an historic mail and passenger stagecoach trail
46 that ran between Memphis, Tennessee; St Louis, Missouri; and San Francisco, California. The


1 trail was an important route that connected the eastern United States to the western frontier. The
2 trail's trace passes just north of both the proposed Afton and Mason Draw SEZs, and solar
3 facilities in both SEZs could be visible to trail users. About 17 mi (27 km) of the trail passes
4 through the proposed Mason Draw SEZ 25-mi (40-km) 650-ft (198.1 m) viewshed, with about
5 8.7 mi (14.0 km) in the 24.6-ft (7.5-m) viewshed. Much of the trail within the viewshed of the
6 proposed Mason Draw SEZ is also in the viewshed of the proposed Afton SEZ and could
7 potentially be subject to visual impacts from solar development in both SEZs. The proposed
8 Mason Draw SEZ is closer to the Butterfield Trail than the Afton SEZ.

9
10 The trail enters the 25-mi (40 km) viewshed about 5.8 trail mi (9.3 km) west of the
11 Mesilla Valley near Picacho Peak, and about 7.0 mi (11.3 km) west of the SEZ. The trail ascends
12 from a shallow canyon onto the West Mesa, where only the upper parts of tall solar power towers
13 within the SEZ could be in view, depending on their locations within the SEZ. For westbound
14 trail users, barring screening by the scrub vegetation common to the area or screening by small
15 undulations in local topography, the upper portions of sufficiently tall power towers in the far
16 southern portion of the SEZ could come into view above the western horizon just west of the
17 ruins of a Butterfield Trail stagecoach stop about 6.6 mi (10.7 km) east of the SEZ. If visible, at
18 distances of about 8 to 9 mi (13 to 14 km), operating power tower receivers would likely appear
19 as bright points of light, just above the Sleeping Lady Hills, against a sky backdrop. At this point
20 and at many points along the trail, visual contrasts from solar facilities in the proposed Mason
21 Draw SEZ would be minimal to weak. If sufficiently tall, at night, visible power towers in the
22 SEZ would have red flashing lights, or white or red flashing strobe lights that could be
23 noticeable.

24
25 For about 5.5 mi (8.9 km), views of the SEZ would be largely obscured by the Sleeping
26 Lady Hills just west of the SEZ. The trail eventually passes around the northern end of the
27 Sleeping Lady Hills, and the SEZ would be in view between the Sleeping Lady Hills and the
28 Rough and Ready Hills. At a point almost 2 mi (3 km) nearly straight north of the northeast
29 corner of the SEZ, low-height solar facilities within the SEZ would come into view briefly, then
30 be partially screened by a low rise between the trail and the SEZ. Although this trail segment
31 includes the point of closest approach of the trail to the SEZ, much of the SEZ would be
32 screened from view. Where operating power towers were visible, if located in the closest
33 portions of the SEZ, they would likely appear as brilliant white non-point light sources atop
34 towers with clearly discernable structural features and would strongly attract visual attention. If
35 sufficiently tall, at night, visible power towers in the SEZ would have red flashing lights or white
36 or red flashing strobe lights that could be very conspicuous from the trail at this location.

37
38 Figure 12.2.14.2-9 is a Google Earth visualization of the SEZ as seen from the Butterfield
39 Trail near the point of maximum potential visibility of solar facilities within the proposed Mason
40 Draw SEZ. The viewpoint is about 2.1 mi (3.4 km) north of the center of the northern boundary
41 of the SEZ and about 2.5 mi (4.0 km) west of the gap between the Rough and Ready Hills and
42 the Sleeping Lady Hills. The viewpoint is about 100 ft (30 m) higher in elevation than the nearest
43 point in the SEZ.

44
45 The visualization shows that at this viewpoint, barring screening by the scrub vegetation
46 common to the area or by small undulations in local topography, tall power towers throughout



1

2 **FIGURE 12.2.14.2-9 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with**
3 **Power Tower Wireframe Models, as Seen from the Butterfield Trail North of the SEZ**
4
5

1 much of the SEZ would likely be in view above the southern horizon, although low-height
2 facilities in much of the SEZ would be obscured by low rises between the trail and the SEZ.
3 The visualization shows four power tower models near the center of the SEZ, but if tall power
4 towers were located across the east-west width of the SEZ, they would stretch across the
5 southern horizon, nearly filling the horizontal field of view to the south. If operating power
6 towers in the far northern portion of the SEZ were in view, they would likely appear as brilliant
7 white nonpoint (i.e., having rectangular or cylindrical lit surfaces visible) light sources atop
8 towers with clearly discernable structural features. They would strongly attract visual attention,
9 potentially dominating views to the south, especially if multiple towers were visible. Power
10 towers in the far southern portion of the SEZ could still be visible, but would be less bright and
11 very low to the horizon; thus, more likely to be screened by vegetation and small undulations in
12 local topography.


13
14 Lower height facilities in some portions of the SEZ could be visible, but the vertical
15 angle of view would be very low. Collector/reflector arrays would be seen edge-on, if at all, and
16 would appear as very thin lines on the southern horizon, repeating the strong horizon line, which
17 would reduce contrasts. Ancillary facilities, such as buildings, STGs, and other power block
18 components, cooling towers, and transmission facilities, as well as plumes (if present), could be
19 visible above the collector/reflector arrays and could add form, color, and line contrast,
20 especially for facilities in the far northern portion of the SEZ.

21
22 The potential visual contrast expected for this viewpoint would vary greatly depending
23 on project locations within the SEZ, technologies, and site designs, but under the PEIS 80%
24 development scenario, solar facilities within the SEZ would be expected to create moderate to
25 strong visual contrasts as seen from this viewpoint, with stronger contrast levels expected if there
26 were multiple power towers visible in the northern portion of the SEZ, and much lower contrast
27 levels if only low-height solar facilities were located in the northern portion of the SEZ.

28
29 Farther west of the viewpoint just described, the trail runs more or less west, and
30 although the SEZ boundary turns southward, adding more distance between the trail and the
31 SEZ, the distance to the northern boundary of the SEZ is still within 3 mi (5 km). Contrast levels
32 would be generally similar to those just described, but decreasing slightly as trail users moved
33 west, because the elevation of the trail slowly drops, while the distance to the SEZ increases.
34 This causes the already low vertical angle of view to drop further, and thus more of the SEZ is
35 screened by intervening topography.

36
37 Figure 12.2.14.2-10 is a Google Earth visualization of the SEZ as seen from the
38 Butterfield Trail north of the western boundary of the SEZ. The viewpoint is about 3.1 mi
39 (5.0 km) north of the western boundary of the SEZ, and about 4.5 mi (7.3 km) west of the gap
40 between the Rough and Ready Hills and the Sleeping Lady Hills. The viewpoint is about 2.9 mi
41 (4.7 km) from the nearest point in the SEZ and about 55 ft (17 m) lower in elevation than the
42 nearest point in the SEZ.

43
44 The visualization shows that at this viewpoint, barring screening by the scrub vegetation
45 common to the area or by small undulations in local topography, tall power towers throughout
46 much of the SEZ would likely be in view above the southeastern horizon. However, low-height



1

2 **FIGURE 12.2.14.2-10 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with**
3 **Power Tower Wireframe Models, as Seen from the Butterfield Trail North of the SEZ's Western Boundary**
4

1 facilities in the SEZ would be obscured by low rises between the trail and the SEZ and some low
2 hills northwest of the SEZ. The visualization shows four power tower models near the center of
3 the SEZ, but similarly to the viewpoint just discussed, if tall power towers were located across
4 the east-west width of the SEZ, they would stretch across the southeastern horizon, nearly filling
5 the horizontal field of view to the southeast. If operating power towers in the far northwestern
6 portion of the SEZ were in view, they would likely appear as very bright white non-point light
7 sources atop towers with clearly discernable structural features. They would strongly attract
8 visual attention, especially if multiple towers were visible. If sufficiently tall, at night, visible
9 power towers in the SEZ would have red flashing lights or white or red flashing strobe lights that
10 could be conspicuous from the trail at this location. Power towers in the far southern portion of
11 the SEZ could still be visible, but they would be less bright and very low to the horizon; thus,
12 more likely to be screened by vegetation and small undulations in local topography.

13
14 Low-height facilities at the SEZ would not be visible, but taller components, such as the
15 tops of solar dishes, buildings, STG facilities, transmission towers, and plumes (if present), could
16 be visible just above the horizon. If enough of their surface was visible, they could add form,
17 line, and color contrasts, especially for facilities in the northwestern portion of the SEZ.

18
19 The potential visual contrast expected for this viewpoint would vary greatly depending on
20 project locations within the SEZ, technologies, and site designs, but under the PEIS
21 80% development scenario, solar facilities within the SEZ would be expected to create weak to
22 moderate visual contrasts as seen from this viewpoint. Stronger contrast levels would be
23 expected if there were multiple power towers visible in the northwestern portion of the SEZ, and
24 much lower contrast levels would be expected if only low-height solar facilities were located in
25 the northwestern portion of the SEZ.

26
27 Farther west of the viewpoint just described, the trail continues more or less westward.
28 Contrast levels continue to decrease slowly as trail users move west. The elevation of the trail
29 slowly drops, while the distance to the SEZ increases, so the already low, vertical angle of view
30 would drop further, and more of the SEZ would be screened by intervening topography.
31 Eventually, after crossing a large wash about 3.2 mi (5.1 km) north-northwest of the SEZ's
32 northwest corner, the trail's elevation begins to rise as the trail approaches the Sierra de
33 Las Uvas. About 1.4 mi (2.3 km) west of the wash, westbound travelers could once again be able
34 to see lower-height facilities in some portions of the SEZ.

35
36 Figure 12.2.14.2-11 is a Google Earth visualization of the SEZ as seen from the
37 Butterfield Trail near the westernmost extent of the SEZ's viewshed. The viewpoint is about
38 5.0 mi (8.0 km) northwest of the northwest corner of the SEZ and about 8.6 mi (13.8 km) west of
39 the gap between the Rough and Ready Hills and the Sleeping Lady Hills. The viewpoint is about
40 45 ft (14 m) higher in elevation than the nearest point in the SEZ.

41
42 The visualization suggests that from this viewpoint, the angle of view would be very low.
43 Hills and low rises between the viewpoint and the SEZ would screen much of the SEZ from
44 view, but similarly to the viewpoint just discussed, if tall power towers were located across the
45 east-west width of the SEZ, they would fill much of the horizontal field of view to the southeast.

46



1

2 **FIGURE 12.2.14.2-11 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with**
3 **Power Tower Wireframe Models, as Seen from the Butterfield Trail near the Westernmost Extent of the Proposed Mason Draw SEZ**
4 **Viewshed**
5

1 Where visible, collector/reflector arrays of solar facilities in the SEZ would be seen edge-
2 on, greatly reducing their apparent size, concealing their strong regular geometry, and repeating
3 the line of the horizon, thus reducing visual contrasts with the surrounding, strongly-horizontal
4 landscape. Ancillary facilities, such as buildings, transmission towers, cooling towers, and
5 plumes, if present, could be visible, projecting above the collector/reflector arrays. Their forms,
6 lines, and colors, as well as their reflective properties, could add to visual contrasts with the
7 generally natural-appearing and strongly-horizontal surrounding landscape.
8

9 Operating power towers in the closer portions of the SEZ would likely be visible as
10 bright, non-point light sources atop discernable tower structures, but if located in the closest
11 portions of the SEZ could be substantially brighter, and could strongly attract visual attention. At
12 night, if sufficiently tall, the towers would have red flashing lights, or white or red flashing
13 strobe lights that would likely be conspicuous, but other lights also would likely be visible in the
14 area. Other lighting associated with solar facilities in the SEZ could be visible as well.
15

16 The potential visual contrast expected for this viewpoint would vary greatly depending on
17 project locations within the SEZ, technologies, and site designs, but under the PEIS 80%
18 development scenario, solar facilities within the SEZ would be expected to create moderate
19 visual contrasts as seen from this viewpoint, with stronger contrast levels expected if there were
20 multiple power towers visible in the northwestern portion of the SEZ, and lower contrast levels if
21 only low-height solar facilities were located in the northwestern portion of the SEZ.
22

23 Eastbound travelers on the Butterfield Trail would have similar views of solar facilities
24 within the SEZ, but the order would be reversed, with one important potential distinction—if
25 solar facilities also were present in the proposed Afton SEZ, eastbound travelers would see the
26 visual contrasts associated with facilities in that SEZ after seeing any substantial visual contrasts
27 from solar facilities within the proposed Mason Draw SEZ, rather than seeing contrasts from
28 solar facilities in the proposed Afton SEZ before seeing facilities in the proposed Mason Draw
29 SEZ. The viewer would see the contrasts from solar facilities in the proposed Afton SEZ shortly
30 after seeing large contrasts from facilities within the proposed Mason Draw SEZ, which could
31 affect the perception of relative impact from the solar facilities in the two SEZs.
32

33 In summary, the Butterfield Trail roughly parallels the northern boundary of the proposed
34 Mason Draw SEZ throughout much of the SEZ viewshed, although in many places topographic
35 screening and the very low angle of view would limit visual contrasts from solar facilities within
36 the SEZ. Visual contrast levels seen from the trail would be highly dependent on the number,
37 location, and height of power towers and other tall solar facility components in the northern
38 portion of the SEZ. Under the 80% development scenario analyzed in the PEIS, potentially, up to
39 strong levels of visual contrasts could be seen from points on the trail if multiple power towers or
40 other tall solar facility components were located in the northern portions of the SEZ, with lower
41 contrasts expected if taller facilities were not located in the northern portions of the SEZ.
42 Regardless, in many portions of the trail within the SEZ viewshed, expected visual contrast
43 levels from solar development in the proposed Mason Draw SEZ would be minimal to weak, due
44 primarily to topographic screening and the very low angle of view between the trail and the SEZ.
45 Finally, from some locations on the Butterfield Trail, solar facilities in the proposed Afton and
46 Mason Draw SEZs could be visible simultaneously, potentially resulting in larger visual impacts.

1 **U.S. 70.** U.S. 70, a four-lane highway, enters Las Cruces from the northeast. West of
2 Las Cruces, it shares the same route as I-10, where it travels in a west-southwest to east-northeast
3 direction, near the southern boundary of the proposed Mason Draw SEZ. The AADT value for
4 the shared U.S. 70 and I-10 route in the vicinity of the SEZ is about 16,000 vehicles
5 (NM DOT 2009). About 52 mi (84 km) of U.S. 70 are within the SEZ 25-mi (40-km) viewshed,
6 with 22 mi (35 km) in the 24.6-ft (7.5-m) viewshed.
7

8 Solar facilities in the SEZ could be in view for westbound U.S. 70 travelers beyond 25 mi
9 (40 km) east of the SEZ, where they would enter the SEZ viewshed 1.1 mi (1.8 km) southwest of
10 Organ, New Mexico, while descending the lower slopes and bajadas of the Organ Mountains.
11 Visibility of solar facilities within the SEZ would be limited to taller solar facility components,
12 including transmission towers and power towers, which could be visible just over the tops of the
13 Sleeping Lady Hills above the rim of West Mesa. However, at the long distance to the SEZ, the
14 tops of transmission towers would likely be difficult to notice, and operating power tower
15 receivers would appear as distant, star-like points of light just over the Sleeping Lady Hills. At
16 night, if more than 200 ft (61 m) tall, power towers would have navigation warning lights that
17 could potentially be visible from this portion of U.S. 70. Expected contrast levels would be
18 minimal.
19

20 As westbound vehicles on U.S. 70 continued down the slope, the already low angle of
21 view would decrease further, and the Sleeping Lady Hills would screen even the tallest solar
22 facility components, so that just west of Las Cruces, U.S. 70 would pass out of the proposed
23 Mason Draw SEZ viewshed altogether until after joining I-10 and ascending to the top of West
24 Mesa. (U.S. 70 would also be subject to potential visual impacts from solar facilities that might
25 be built in the proposed Afton SEZ.)
26

27 After joining with I-10 east of West Mesa and subsequently ascending to the top of the
28 mesa, the route would be subject to strong contrast levels from solar development within the
29 proposed Mason Draw SEZ, as well as impacts from solar facilities built within the proposed
30 Afton SEZ. For a detailed description of potential impacts to those portions of U.S. 70 that share
31 the route with I-10 west of Las Cruces, see the Interstate 10 discussion below.
32

33 Eastbound U.S. 70 travelers would be subject to similar visual contrast levels as
34 described below for I-10 for the shared portion of the route; however, east of West Mesa, U.S. 70
35 heads almost directly away from the SEZ, so the SEZ would be almost directly behind eastbound
36 vehicles on U.S. 70. This would substantially decrease both the frequency and duration of views
37 of the SEZ. While taller solar facilities within the SEZ could be visible, given that they would be
38 at a long distance and directly behind eastbound vehicles, both visual contrast levels and
39 associated impacts would likely be minimal.
40

41
42 **Interstate 10.** I-10, a four-lane interstate highway, extends in a north–south direction
43 through the Mesilla Valley, from El Paso to Las Cruces, then turns east-west in Las Cruces to
44 pass between the proposed Afton and Mason Draw SEZs, then heads more or less straight west
45 across southern New Mexico. The AADT value for I-10 in the vicinity of the SEZ is about


1 16,000 vehicles at the Las Cruces Airport just north of the SEZ, but as high as 42,700 vehicles at
2 the I-10 – I-25 interchange in Las Cruces, east of the SEZ (NM DOT 2009).

3
4 About 53 mi (85 km) of I-10 is within the SEZ viewshed, and solar facilities in the SEZ
5 could be in full view from some portions of I-10 as travelers approached from both directions.
6 This distance would equate to about 45 minutes of total viewing time at highway speeds. I-10 is
7 within the SEZ 24.6-ft (7.5-m) viewshed for about 24 mi (39 km). This distance would equate to
8 about 20 minutes total viewing time at highway speeds.

9
10 Within the 25-mi (40-km) SEZ viewshed, northbound travelers on I-10 could first see
11 solar facilities within the SEZ as far south as the vicinity of Vado. However, because of
12 topographic screening by the Sleeping Lady Hills and the rim of West Mesa, views would be
13 sporadic, distant, and almost entirely screened for those portions of I-10. East of the Rio Grande
14 on I-10, solar development in the SEZ would be screened from view with the exception of the
15 upper portions of power towers in the far eastern portion of the SEZ that might be visible above
16 the rim of West Mesa. Where visible, the receiver lights would likely appear as distant star-like
17 points of light just above the rim of West Mesa. At night, if sufficiently tall, the towers would
18 have red flashing lights, or white or red flashing strobe lights that could attract attention, but
19 would be seen above the numerous lights of Las Cruces and the surrounding communities.
20 Expected visual contrast levels associated with solar development in the SEZ as seen from this
21 segment of I-10 would be minimal to weak.

22
23 At the I-10–I-25 interchange in Las Cruces, I-10 turns west to ascend the slope to West
24 Mesa and passes out of the viewshed briefly (for about 5.5 mi [8.9 km], or about 5 minutes of
25 travel time). After ascending the slope up to the top of West Mesa, I-10 re-enters the SEZ
26 viewshed, but for about the first 4.7 mi (7.6 km) only taller solar facility components, such as
27 transmission towers and power towers, would be visible in the SEZ, because the Sleeping Lady
28 Hills would still screen most of the SEZ from view. Operating power tower receivers would
29 appear much brighter than they would have from the Mesilla Alley floor, and could appear as
30 very bright point- or non-point light sources immediately above the Sleeping Lady Hills, or in
31 low areas between individual hills. Note that if there was solar development in the proposed
32 Afton SEZ, depending on project locations, types, sizes, and other visibility factors, those
33 facilities could be visible from I-10 in this area and could potentially create strong visual
34 contrasts.

35
36 As westbound vehicles approached the southern end of the Sleeping Lady Hills just west
37 of the SEZ, views of the SEZ from I-10 would open up, and expected visual contrast levels
38 would rise rapidly. Figure 12.2.14.2-12 is a Google Earth visualization of the SEZ as seen from
39 I-10, directly south of the Sleeping Lady Hills and about 1.75 mi (2.8 km) southeast of the
40 southeast corner of the SEZ. The view faces northwest toward a cluster of four power tower
41 models in the approximate center of the SEZ. The center of the cluster is about 4.5 mi (7.2 km)
42 from the viewpoint, with the closest tower at about 3.6 mi (5.8 km) from the viewpoint. These
43 distances are all within the BLM VRM program’s foreground–middleground distance of 5 mi
44 (8 km), where visual impacts would typically be greatest. The visualization suggests that from
45 this location, solar facilities in the southern portion of the SEZ would be in full view, but
46



1

2 **FIGURE 12.2.14.2-12 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with**
3 **Power Tower Wireframe Models, as Seen from I-10 South of the Sleeping Lady Hills**

1 facilities in the northern portion of the SEZ could still be screened by the Sleeping Lady Hills.
2 The SEZ would occupy a substantial portion of the horizontal field of view.

3
4 Facilities located within the southern portion of the SEZ would strongly attract the eye
5 and likely dominate views from I-10. Structural details of some facility components for nearby
6 facilities would likely be visible. Steam plumes, transmission towers, and other tall facility
7 components would be seen against a sky backdrop, projecting above the Sierra de Las Uvas
8 northwest of the SEZ. From this viewpoint, solar collector arrays would be seen nearly edge on
9 and would repeat the horizontal line of the plain in which the SEZ is situated, which would tend
10 to reduce visual line contrast. However, as the viewer approached the SEZ, the collector arrays
11 could increase in apparent size until their form was visible, and they no longer appeared as
12 horizontal lines.

13
14 If power towers were located within the SEZ, close to this viewpoint, the receivers would
15 likely appear as brilliant white nonpoint light sources atop towers with structural details clearly
16 visible. The towers and receivers would strongly attract visual attention.


17
18 At night, if sufficiently tall, visible power towers in the SEZ would have red flashing
19 lights, or white or red flashing strobe lights that could be very conspicuous from this viewpoint.

20
21 Because of the close proximity of this viewpoint to the SEZ, under the 80% development
22 scenario analyzed in the PEIS, strong visual contrasts from solar energy development within the
23 SEZ would be expected at this viewpoint. Note that at this viewpoint, vehicles would just be
24 passing the western boundary of the proposed Afton SEZ, and solar energy facilities within the
25 Afton SEZ would be falling behind the car, but could still be very conspicuous and likely would
26 dominate views to the south and southeast from this location on I-10.

27
28 Under the 80% development scenario analyzed in the PEIS, visual contrast levels would
29 be expected to peak for westbound I-10 travelers directly south of the SEZ, at the point of closest
30 approach of I-10 to the SEZ, about 9.5 mi (15.3 km) west of the Las Cruces Municipal Airport.
31 Figure 12.2.14.2-13 is a Google Earth visualization of the SEZ as seen from the point of closest
32 approach of I-10 to the SEZ, about 0.1 mi (0.2 km) directly south of the SEZ.

33
34 The closest tower is approximately 2.4 mi (3.9 km) from the viewpoint. The visualization
35 suggests that from this location, solar facilities within the SEZ would be in full view. The SEZ
36 would occupy more than the entire field of view north of I-10, so travelers would have to turn
37 their heads to scan across the full SEZ. Facilities located within the SEZ would strongly attract
38 the eye and likely would dominate views from I-10. Structural details of facility components for
39 nearby facilities would likely be visible. Steam plumes, transmission towers, and other tall
40 facility components would be seen projecting above collector/reflector arrays against a sky
41 backdrop. From this viewpoint, solar collector arrays would be seen nearly edge on, but they
42 could be large enough in apparent size/height that their forms would be visible, and they would
43 no longer appear as horizontal lines.

44
45 If power towers were located within the SEZ close to this viewpoint, the receivers would
46 likely appear as brilliant white non-point light sources atop towers with structural details that are



1

FIGURE 12.2.14.2-13 Google Earth Visualization of the Proposed Mason Draw SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from I-10 South of the SEZ

2

3

4

5

1 clearly discernable. The towers and receivers would strongly attract visual attention. At night, if
2 sufficiently tall, visible power towers in the SEZ would have red flashing lights, or white or red
3 flashing strobe lights that could be very conspicuous from this viewpoint. Other lighting
4 associated with solar facilities in the SEZ could be visible as well.
5

6 Under the 80% development scenario analyzed in the PEIS, the SEZ could contain
7 numerous solar facilities utilizing differing solar technologies as well as a variety of roads and
8 ancillary facilities. The array of facilities could create a visually complex landscape that would
9 exceed the visual absorption capability of the flat mesa in which the SEZ is located, leading to a
10 perception of visual clutter that would likely be perceived negatively by many viewers. Because
11 the SEZ would occupy so much of the horizontal field of view, although contrast levels would
12 depend on the project's location within the SEZ, the types of solar facilities and their designs,
13 and other visibility factors, strong visual contrasts from solar energy facilities within the SEZ
14 would be expected at this viewpoint, with the strongest contrast levels occurring if large solar
15 facilities, particularly power towers, were located in the far southern portions of the SEZ.
16

17 Shortly after vehicles pass the point of maximum visual contrast levels, westbound
18 vehicles would pass the western end of the SEZ, and impacts from solar development would
19 decrease rapidly, as the SEZ would be behind the vehicles.
20

21 Eastbound travelers on I-10 would see the same sorts and levels of visual contrasts from
22 solar development within the proposed Mason Draw SEZ; however, lower height solar facilities
23 within the SEZ would be in view for a relatively longer distance (and therefore longer driving
24 time) compared to the approach from the east over the rim of West Mesa. Solar facilities within
25 the SEZ would likely be in view longer, with much more gradual buildup in apparent size and
26 visual contrast, which could affect perceptions of visual impacts from the facilities. While taller
27 solar facilities within certain parts of the SEZ could come into view beyond 25 mi (40 km) west
28 of the SEZ, lower-height facilities could come into view briefly (less than a 1-minute duration at
29 highway speeds) about 22 mi (35 km) from the SEZ. I-10 would then be out of the SEZ's 7.5-m
30 (24.6-ft) viewshed because of screening by intervening topography until about 14 mi (23 km)
31 from the SEZ. After re-entering the 7.5-m (24.6-ft) viewshed, over the next 12 minutes or so,
32 visual contrast levels would very quickly reach strong to very strong levels.
33

34 Past the Sleeping Lady Hills, visual contrasts would diminish substantially, but for a
35 vehicle that descended from West Mesa into Mesilla Valley and turned south, solar facilities
36 within the SEZ could be in view on the right side as the vehicle traveled down the Mesilla
37 Valley, with expected contrast levels as described above (minimal to weak). Perceived impact
38 levels would drop off further as the vehicle headed south down the valley, as the distance from
39 the SEZ increased, and the viewing direction would be behind the vehicle.
40

41 In summary, solar facilities within the SEZ could be in view from I-10 for about
42 45 minutes of driving time at highway speeds, but most travelers' views would be much briefer.
43 Facilities within the SEZ could be in view for about 63 mi (85 km) of the roadway, from more
44 than 25 mi (40 km) west of the SEZ to beyond Vado. Northbound travelers could first see the
45 upper portions of tall power towers within the SEZ near Vado, with a slight increase in contrast
46 levels as I-10 passed north up the Mesilla Valley. The SEZ would pass out of view briefly after

1 I-10 turns west at Las Cruces, but solar facilities would be visible again (with partial screening)
2 after vehicles ascended to the West Mesa. Solar facilities within the SEZ would come into full
3 view as vehicles passed the Sleeping Lady Hills. Contrast levels would peak shortly thereafter,
4 straight south of the SEZ. Depending on the location, type, and height of solar facility
5 components in the SEZ, visual contrast levels could be strong. Eastbound travelers on I-10 would
6 experience a more gradual build-up of visual contrast as they approached the SEZ across West
7 Mesa.

8
9
10 **Interstate 25.** I-25, a four-lane interstate highway, extends north-south through the
11 Mesilla Valley in the SEZ viewshed, from Las Cruces to just north of the community of Radium
12 Springs. The AADT value for I-25 in the vicinity of the SEZ ranges from about 10,000 vehicles
13 at the I-25–I-10 interchange in Las Cruces to 39,200 vehicles at the East Lohman Avenue
14 interchange, and 16,300 vehicles north of the U.S. 70 interchange (NM DOT 2009). About 12 mi
15 (19 km) of I-25 passes through the 650-ft (198.1-m) viewshed of the SEZ about 15 mi (24 km)
16 east of the SEZ, extending northwest to southeast. The largest section of I-25 within the SEZ
17 viewshed extends from the southern terminus of I-25 (at its junction with I-10) north to the
18 vicinity of Dona Ana, a distance of about 10 mi (16 km). I-25 then passes out of the SEZ
19 viewshed and then re-enters it for about 1.6 mi (2.6 km) north of Radium Springs, after leaving
20 the Mesilla Valley.

21
22 For those portions of I-25 within the 650-ft (198.1-m) viewshed of the SEZ, the Sleeping
23 Lady Hills and the eastern rim of West Mesa would provide nearly complete screening of the
24 entire SEZ from the roadway. If sufficiently tall power towers were located in certain portions of
25 the SEZ, when operating, the receivers could potentially be visible just over the eastern rim of
26 West Mesa from those portions of I-25 within the viewshed south of Radium Springs, or through
27 gaps in the Robledos Mountains for those portions of the route within the viewshed north of
28 Radium Springs. However, at a minimum of 15 mi (24 km) from the SEZ (and considerably
29 farther for some of the roadway), if visible, a receiver could appear as a point of light
30 immediately above West Mesa. At night, if more than 200 ft (61 m) tall, power towers would
31 have navigation warning lights that could potentially be visible from this portion of I-25. Given
32 the nearly complete screening of the SEZ from I-25, there would be a small likelihood of seeing
33 a power tower in the SEZ; however, even if power towers were visible, minimal visual contrast
34 levels would be expected.

35
36
37 **Communities of Las Cruces, University Park, Mesilla, Spaceport City, San Miguel,**
38 **Mesquite, and Vado.** The viewshed analyses indicate potential visibility of solar facilities within
39 the SEZ from the communities of Las Cruces, University Park, Mesilla, and other communities
40 surrounding Las Cruces; Spaceport City; Mesquite; and Vado. These communities are located
41 from 15 to 25 mi (24 to 40 km) from the SEZ.

42
43 Visibility of solar facilities within these communities would be limited to the upper
44 portions of taller power towers located in the SEZ at points where they would be visible over the
45 Sleeping Bear Hills west of the SEZ. The Sleeping Bear Hills screen nearly the entire SEZ from
46 view from the Mesilla Valley. Screening by small undulations in topography, vegetation,

1 buildings, or other structures would likely further restrict or eliminate visibility of the SEZ and
2 associated solar facilities from many locations within these communities, but a detailed future
3 site-specific NEPA analysis is required to precisely determine visibility. Expected contrast levels
4 in these communities would be minimal in any event, because of the long distance to the SEZ,
5 but could be nonexistent in some cases.
6

7 *Other Impacts.* In addition to the impacts described for the resource areas above, nearby
8 residents and visitors to the area might experience visual impacts from solar energy facilities
9 located within the SEZ (as well as any associated access roads and transmission lines) from their
10 residences, or as they traveled area roads, including but not limited to I 10, I 25, and U.S. 70, as
11 noted above. The range of impacts experienced would be highly dependent on viewer location,
12 project types, locations, sizes, and layouts, as well as the presence of screening, but under the
13 80% development scenario analyzed in this PEIS, from some locations, strong visual contrasts
14 from solar development within the SEZ could potentially be observed.
15

16 ***12.2.14.2.3 Summary of Visual Resource Impacts for the Proposed Mason Draw SEZ*** 17

18
19 Because under the 80% development scenario analyzed in this PEIS there could be
20 numerous solar facilities within the SEZ, a variety of technologies employed, and a range of
21 supporting facilities that would contribute to visual impacts, a visually complex, man-made
22 appearing industrial landscape could result. This essentially industrial-appearing landscape
23 would contrast greatly with the surrounding generally natural-appearing lands. Therefore, large
24 visual impacts on the SEZ and surrounding lands within the SEZ viewshed would be associated
25 with solar energy development within the proposed Mason Draw SEZ because of major
26 modification of the character of the existing landscape. The potential exists for additional
27 impacts from construction and operation of transmission lines and access roads.
28

29 The SEZ is in an area of low scenic quality. Visitors to the area, workers, and residents of
30 nearby areas may experience visual impacts from solar energy facilities located within the SEZ
31 (as well as any associated access roads and transmission lines) as they travel area roads.
32

33 Utility-scale solar energy development within the proposed Mason Draw SEZ is likely to
34 result in moderate to strong visual contrasts at some viewpoints within the Aden Hills SRMA,
35 which is within 2.4 mi (3.9 km) of the SEZ, at the point of closest approach. Seventeen miles
36 (27 km) of the Butterfield Trail are within the SEZ's 25-mi (40-km) viewshed. Strong visual
37 contrasts associated with solar facilities in the SEZ could be observed from some points on the
38 Trail.
39

40 I-10 (and U.S. 70, which shares a route with I-10 in the vicinity of the SEZ) passes very
41 close to the SEZ, and travelers on the highway could be subjected to strong visual contrasts from
42 solar development within the SEZ, but typically their exposure would be brief.
43
44

1 **12.2.14.3 SEZ-Specific Design Features and Design Feature Effectiveness**
2

3 No SEZ-specific design features have been identified to protect visual resources for the
4 proposed Mason Draw SEZ. As noted in Section 5.12, the presence and operation of large-scale
5 solar energy facilities and equipment would introduce major visual changes into
6 non-industrialized landscapes and could create strong visual contrasts in line, form, color, and
7 texture that could not easily be mitigated substantially. Implementation of the programmatic
8 design features presented in Appendix A, Section A.2.2, would be expected to reduce the
9 magnitude of visual impacts experienced; however, the degree of effectiveness of these design
10 features could be assessed only at the site- and project-specific level. Given the large scale,
11 reflective surfaces, and strong regular geometry of utility-scale solar energy facilities and the
12 typical lack of screening vegetation and landforms within the SEZ viewshed, locating the
13 facilities away from sensitive visual resource areas and other sensitive viewing areas is the
14 primary means of mitigating visual impacts. The effectiveness of other visual impact mitigation
15 measures would be generally limited.
16

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

This page intentionally left blank.

1 **12.2.15 Acoustic Environment**

2
3
4 **12.2.15.1 Affected Environment**

5
6 The proposed Mason Draw SEZ is located in the west-central portion of Dona Ana
7 County in south-central New Mexico. Neither the State of New Mexico nor Dona Ana County
8 has established quantitative noise-limit regulations applicable to solar energy development.
9

10 I-10 runs east-west as close as about 500 ft (150 m) to the south. There is a good access
11 road from the interchange off I-10, and several roads run through the SEZ. The nearest railroad
12 runs as close as about 5 mi (8 km) to the southwest of the SEZ. Nearby airports include Las
13 Cruces International Airport and Stahmann Farms Airfield (listed as an abandoned field but used
14 by cropdusters on occasion), about 8 mi (13 km) east and 18 mi (29 km) east-southeast of the
15 SEZ, respectively. Privately owned Burris E Station Airport is located about 3 mi (5 km) west-
16 southwest of the SEZ, but it is permanently closed. No industrial activities occur around the SEZ,
17 but a transmission line, water pipeline, telephone cable, and facilities for livestock grazing exist
18 within the SEZ. Small-scale agricultural activities occur about 3 mi (5 mi) east of the SEZ.
19 Large-scale irrigated agricultural lands exist about 12 mi (19 km) to the east in the fertile Mesilla
20 Valley. No recreational land use except quail hunting occurs within the SEZ. No sensitive
21 receptors (e.g., residences, hospitals, schools, or nursing homes) exist close to the proposed
22 Mason Draw SEZ. The nearest residences lie about 3.1 mi (5.0 km) east of the SEZ, around the
23 small-scale agricultural lands. Many large and small population centers are developed in the
24 Mesilla Valley, including Dona Ana, Las Cruces, Mesilla, Picacho, and University Park to the
25 east, but they are more than 12 mi (19 km) from the SEZ. Accordingly, noise sources around the
26 SEZ include road traffic, railroad traffic, aircraft flyover, agricultural activities, livestock
27 grazing, and quail hunting. The proposed Mason Draw SEZ is mostly undeveloped, and its
28 overall character is considered to be rural. Background noise levels in the most areas of the SEZ
29 would be lower, except areas to the south of the SEZ along I-10. To date, no environmental noise
30 survey has been conducted around the proposed Mason Draw SEZ. On the basis of the
31 population density, the day-night average noise level (L_{dn} or DNL) is estimated to be 39 dBA
32 for Dona Ana County, typical of a rural area (33 to 47 dBA L_{dn}) (Eldred 1982; Miller 2002).¹⁰
33
34

35 **12.2.15.2 Impacts**

36
37 Potential noise impacts associated with solar projects in the Mason Draw SEZ would
38 occur during all phases of the projects. During the construction phase, potential noise impacts on
39 the nearest residences (about 3.1 mi [5.0 km] to the east of the SEZ boundary) associated with
40 operation of heavy equipment and vehicular traffic would be anticipated, albeit of short duration.
41 During the operations phase, potential impacts on nearby residences would be anticipated,
42 depending on the solar technologies employed. Noise impacts shared by all solar technologies

¹⁰ Rural and undeveloped areas have sound levels in the range of 33 to 47 dBA as L_{dn} (Eldred 1982). Typically, nighttime levels are 10 dBA lower than daytime levels, and they can be interpreted as 33 to 47 dBA (mean 40 dBA) during daytime hours and 23 to 37 dBA (mean 30 dBA) during nighttime hours.

1 are discussed in detail in Section 5.13.1, and technology-specific impacts are presented in
2 Section 5.13.2. Impacts specific to the proposed Mason Draw SEZ are presented in this section.
3 Any such impacts would be minimized through the implementation of required programmatic
4 design features described in Appendix A, Section A.2.2, and through the application of any
5 additional SEZ-specific design features (see Section 12.2.15.3 below). This section primarily
6 addresses potential noise impacts on humans, although potential impacts on wildlife at nearby
7 sensitive areas are discussed. Additional discussion on potential noise impacts on wildlife is
8 presented in Section 5.10.2.

11 **12.2.15.2.1 Construction**

12
13 The proposed Mason Draw SEZ has a relatively flat terrain; thus, minimal site
14 preparation activities would be required, and associated noise levels would be lower than those
15 during general construction (e.g., erecting building structures and installing equipment, piping,
16 and electrical).

17
18 For the parabolic trough and power tower technologies, the highest construction noise
19 levels would occur at the power block area, where key components (e.g., steam turbine/
20 generator) needed to generate electricity are located; a maximum of 95 dBA at a distance of
21 50 ft (15 m) is assumed, if impact equipment such as pile drivers or rock drills is not being used.
22 Typically, the power block area is located in the center of the solar facility, at a distance of more
23 than 0.5 mi (0.8 km) from the facility boundary. Noise levels from construction of the solar array
24 would be lower than 95 dBA. When geometric spreading and ground effects are considered, as
25 explained in Section 4.13.1, noise levels would attenuate to about 40 dBA at a distance of
26 1.2 mi (1.9 km) from the power block area. This noise level is typical of daytime mean rural
27 background levels. In addition, mid- and high-frequency noise from construction activities is
28 significantly attenuated by atmospheric absorption under the low-humidity conditions typical of
29 an arid desert environment, and by temperature lapse conditions typical of daytime hours; thus,
30 noise attenuation to a 40-dBA level would occur at distances somewhat shorter than 1.2 mi
31 (1.9 km). If a 10-hour daytime work schedule is considered, the EPA guideline level of 55 dBA
32 L_{dn} for residential areas (EPA 1974) would occur about 1,200 ft (370 m) from the power block
33 area, which would be well within the facility boundary. For construction activities occurring
34 near the residences closest to the eastern SEZ boundary, estimated noise levels at the nearest
35 residences would be about 29 dBA, which is well below the typical daytime mean rural
36 background level of 40 dBA. In addition, an estimated 40-dBA L_{dn} ¹¹ at these residences
37 (i.e., no contribution from construction activities) is well below the EPA guidance of 55 dBA
38 L_{dn} for residential areas.

39
40 It is assumed that a maximum of two projects at any one time would be developed for
41 SEZs greater than 10,000 acres (40.5 km²) but less than 30,000 acres (121.4 km²), such as the
42 Mason Draw SEZ. If two projects were to be built in the eastern portion of the SEZ near the
43 closest residences, noise levels would be about 3 dBA higher than the above-mentioned value

¹¹ For this analysis, background levels of 40 and 30 dBA for daytime and nighttime hours, respectively, are assumed, which result in a day-night average noise level (L_{dn}) of 40 dBA.

1 (29 dBA), equivalent to a just-noticeable increase of about 3 dBA over a single project, but
2 increase only 0.2 dBA in L_{dn} .

3
4 There are no specially designated areas within 5 mi (8 km) of the Mason Draw SEZ,
5 which is the farthest distance that noise, except extremely loud noise, would be discernable.
6 Thus, noise impacts for nearby specially designated areas were not modeled.

7
8 Depending on soil conditions, pile driving might be required for installation of solar dish
9 engines. However, the pile drivers used, such as vibratory or sonic drivers, would be relatively
10 small and quiet, in contrast to the impulsive impact pile drivers frequently used at large-scale
11 construction sites. Potential impacts on the nearest residences would be anticipated to be
12 negligible, considering the distance to the nearest residences (about 3.1 mi [5.0 km] from the
13 eastern SEZ boundary).

14
15 It is assumed that most construction activities would occur during the day, when noise is
16 better tolerated than at night, because of the masking effects of background noise. In addition,
17 construction activities for a utility-scale facility are temporary in nature (typically a few years).
18 Construction within the proposed Mason Draw SEZ would cause some unavoidable, but
19 localized, minimal, short-term noise impacts on neighboring communities, even when
20 construction activities would occur near the eastern SEZ boundary, close to the nearest
21 residences.

22
23 Construction activities could result in various degrees of ground vibration, depending
24 on the equipment used and construction methods employed. All construction equipment causes
25 ground vibration to some degree, but activities that typically generate the most severe vibrations
26 are high-explosive detonations and impact pile driving. As is the case for noise, vibration would
27 diminish in strength with distance. For example, vibration levels at receptors beyond 140 ft
28 (43 m) from a large bulldozer (87 VdB at 25 ft [7.6 m]) would diminish below the threshold of
29 perception for humans, which is about 65 VdB (Hanson et al. 2006). During the construction
30 phase, no major construction equipment that can cause ground vibration would be used, and no
31 residences or sensitive structures are located in close proximity. Therefore, no adverse vibration
32 impacts are anticipated from construction activities, including pile driving for dish engines.

33
34 For this analysis, the impacts of construction and operation of transmission lines outside
35 of the SEZ were not assessed, based on the assumptions that the existing regional 115-kV
36 transmission line might be used to connect some new solar facilities to load centers and that
37 additional project-specific analysis would be performed for new transmission construction or line
38 upgrades. However, some construction of transmission lines could occur within the SEZ.
39 Potential noise impacts on nearby residences would be a minor component of construction
40 impacts in comparison to solar facility construction, and would be temporary in nature.

41 42 43 **12.2.15.2.2 Operations**

44
45 Noise sources common to all or most types of solar technologies include equipment
46 motion from solar tracking; maintenance and repair activities (e.g., washing mirrors or replacing

1 broken mirrors) at the solar array area; commuter/visitor/support/delivery traffic within and
2 around the solar facility; and control/administrative buildings, warehouses, and other auxiliary
3 buildings/structures. Diesel-fired emergency power generators and firewater pump engines
4 would be additional sources of noise, but their operations would be limited to several hours per
5 month (for preventive maintenance testing).
6

7 With respect to the main solar energy technologies, noise-generating activities in the
8 PV solar array area would be minimal, related mainly to solar tracking, if used. On the other
9 hand, dish engine technology, which employs collector and converter devices in a single unit,
10 generally has the strongest noise sources.
11

12 For the parabolic trough and power tower technologies, most noise sources during
13 operations would be in the power block area, including the turbine generator (typically in an
14 enclosure), pumps, boilers, and dry- or wet-cooling systems. The power block is typically
15 located in the center of the facility. On the basis of a 250-MW parabolic trough facility with a
16 cooling tower (Beacon Solar, LLC 2008), simple noise modeling indicates that noise levels
17 around the power block would be more than 85 dBA, but about 51 dBA at the facility boundary,
18 about 0.5 mi (0.8 km) from the power block area. For a facility located near the eastern SEZ
19 boundary, the predicted noise level would be about 32 dBA at the nearest residences, located
20 about 3.1 mi (5.0 km) from the SEZ boundary, which is lower than the typical daytime mean
21 rural background level of 40 dBA. If TES were not used (i.e., if the operation were limited to
22 daytime, 12 hours only¹²), the EPA guideline level of 55 dBA (as L_{dn} for residential areas)
23 would occur at about 1,370 ft (420 m) from the power block area, and thus, would not be
24 exceeded outside of the proposed SEZ boundary. At the nearest residences, about 40 dBA L_{dn}
25 (i.e., no contribution from facility operation) would be estimated, which is well below the EPA
26 guideline of 55 dBA L_{dn} for residential areas. As for construction, if two parabolic trough and/or
27 power tower facilities would be operating close to the nearest residences, combined noise levels
28 would be about 3 dBA higher than the above-mentioned value (32 dBA), equivalent to a just-
29 noticeable increase of about 3 dBA over a single facility, but increase only 0.4 dBA in L_{dn} .
30 However, day-night average noise levels higher than those estimated above by using simple
31 noise modeling would be anticipated if TES were used during nighttime hours, as explained
32 below and in Section 4.13.1.
33

34 On a calm, clear night typical of the proposed Mason Draw SEZ setting, the air
35 temperature would likely increase with height (temperature inversion), because of strong
36 radiative cooling. Such a temperature profile tends to focus noise downward toward the ground.
37 There would be little, if any, shadow zone¹³ within 1 or 2 mi (2 or 3 km) of the noise source in
38 the presence of a strong temperature inversion (Beranek 1988). In particular, such conditions
39 add to the effect of noise being more discernable during nighttime hours, when the background
40 noise levels are lowest. To estimate the day-night average noise level (L_{dn}), 6-hour nighttime
41 generation with TES is assumed after 12-hour daytime generation. For nighttime hours under
42 temperature inversion, 10 dB is added to noise levels estimated from the uniform atmosphere

12 Maximum possible operating hours at the summer solstice, but limited to 7 to 8 hours at the winter solstice.

13 A shadow zone is defined as the region in which direct sound does not penetrate because of upward diffraction.

1 (see Section 4.13.1). On the basis of these assumptions, the estimated nighttime noise level at the
2 nearest residences (about 3.1 mi [5.0 km] from the eastern SEZ boundary) would be 42 dBA,
3 which is higher than the typical nighttime mean rural background level of 30 dBA. The day-
4 night average noise level is estimated to be about 45 dBA L_{dn} , which is still well below the EPA
5 guideline of 55 dBA L_{dn} for residential areas. The assumptions are conservative in terms of
6 operating hours, and no credit was given to other attenuation mechanisms, so it is likely that
7 noise levels would be lower than 45 dBA L_{dn} at the nearest residences, even if TES were used at
8 a solar facility. As for construction, if two projects were to be built within the SEZ near the
9 closest residences, noise levels would be about 3 dBA higher than the above-mentioned value
10 (42 dBA), equivalent to a just-noticeable increase of about 3 dBA over a single project, but
11 increase about 2 dBA in L_{dn} . Consequently, operating parabolic trough or power tower facilities
12 using TES and located near the eastern SEZ boundary could result in minor adverse noise
13 impacts on the nearest residences, depending on background noise levels and meteorological
14 conditions. In the permitting process, refined noise propagation modeling would be warranted,
15 along with measurement of background noise levels.

16
17 The solar dish engine is unique among CSP technologies, because it generates electricity
18 directly and does not require a power block. A single, large solar dish engine has relatively low
19 noise levels, but a solar facility might employ tens of thousands of dish engines, which would
20 cause high noise levels around such a facility. For example, the proposed 750-MW SES Solar
21 Two dish engine facility in California would employ as many as 30,000 dish engines (SES
22 Solar Two, LLC 2008). At the proposed Mason Draw SEZ, on the basis of the assumption of
23 dish engine facilities of up to 1,147-MW total capacity (covering 80% of the total area, or
24 10,327 acres [41.8 km²]), up to 45,900 25-kW dish engines could be employed. For a large dish
25 engine facility, several hundred step-up transformers would be embedded in the dish engine solar
26 field, along with a substation; however, the noise from these sources would be masked by dish
27 engine noise.

28
29 The composite noise level of a single dish engine would be about 88 dBA at a distance of
30 3 ft (0.9 m) (SES Solar Two, LLC 2008). This noise level would be attenuated to about 40 dBA
31 (typical of the mean rural daytime environment) within 330 ft (100 m). However, the combined
32 noise level from tens of thousands of dish engines operating simultaneously would be high in the
33 immediate vicinity of the facility, for example, about 50 dBA at 1.0 mi (1.6 km) and 46 dBA at
34 2 mi (3.2 km) from the boundary of the square-shaped dish engine solar field; both values are
35 higher than the typical daytime mean rural background level of 40 dBA. However, these levels
36 would occur at somewhat shorter distances than the aforementioned distances, considering noise
37 attenuation by atmospheric absorption and temperature lapse during daytime hours. To estimate
38 noise levels at the nearest residences, it was assumed dish engines were placed all over the
39 Mason Draw SEZ at intervals of 98 ft (30 m). Under these assumptions, the estimated noise level
40 at the nearest residences, about 3.1 mi (5.0 km) east of the SEZ boundary, would be about
41 43 dBA, which is a little higher than above the typical daytime mean rural background level of
42 40 dBA. On the basis of 12-hr daytime operation, the estimated 43 dBA L_{dn} at these residences
43 is well below the EPA guideline of 55 dBA L_{dn} for residential areas. On the basis of other noise
44 attenuation mechanisms, noise levels at the nearest residences would be lower than the values
45 estimated above. Noise from dish engines could cause adverse impacts on the nearest residences,
46 depending on background noise levels and meteorological conditions. Thus, consideration of

1 minimizing noise impacts is very important during the siting of dish engine facilities. Direct
2 mitigation of dish engine noise through noise control engineering could also limit noise impacts.
3

4 During operations, no major ground-vibrating equipment would be used. In addition,
5 no sensitive structures are located close enough to the proposed Mason Draw SEZ to experience
6 physical damage. Therefore, during operation of any solar facility, potential vibration impacts
7 on surrounding communities and vibration-sensitive structures would be negligible.
8

9 Transformer-generated humming noise and switchyard impulsive noises would be
10 generated during the operation of solar facilities. These noise sources would be located near the
11 power block area, typically near the center of a solar facility. Noise from these sources would
12 generally be limited within the facility boundary and not be heard at the nearest residences,
13 assuming a 3.6-mi (5.8-km) distance (at least 0.5 mi [0.8 km] to the facility boundary and 3.1 mi
14 [5.0 km] to the nearest residences). Accordingly, potential impacts of these noise sources on the
15 nearest residences would be negligible.
16

17 For impacts from transmission line corona discharge noise during rainfall events
18 (discussed in Section 5.13.1.5), the noise level at 50 ft (15 m) and 300 ft (91 m) from the
19 center of 230-kV transmission line towers would be about 39 and 31 dBA, respectively
20 (Lee et al. 1996), typical of daytime and nighttime mean background noise levels in rural
21 environments. Corona noise includes high-frequency components, considered to be more
22 annoying than low-frequency environmental noise. However, corona noise would not likely
23 cause impacts unless a residence was located close to it (e.g., within 500 ft [152 m] of a 230-kV
24 transmission line). The proposed Mason Draw SEZ is located in an arid desert environment, and
25 incidents of corona discharge are infrequent. Therefore, potential impacts on nearby residences
26 from corona noise along transmission lines within the SEZ would be negligible.
27
28

29 ***12.2.15.2.3 Decommissioning/Reclamation***

30

31 Decommissioning/reclamation requires many of the same procedures and equipment
32 used in traditional construction. Decommissioning/reclamation would include dismantling of
33 solar facilities and support facilities such as buildings/structures and mechanical/electrical
34 installations, disposal of debris, grading, and revegetation as needed. Activities for
35 decommissioning would be similar to those for construction, but more limited. Potential
36 noise impacts on surrounding communities would be correspondingly lower than those for
37 construction activities. Decommissioning activities would be of short duration, and their
38 potential impacts would be minimal and temporary in nature. The same mitigation measures
39 adopted during the construction phase could also be implemented during the decommissioning
40 phase.
41

42 Similarly, potential vibration impacts on surrounding communities and vibration-
43 sensitive structures during decommissioning of any solar facility would be lower than those
44 during construction and thus negligible.
45
46

1 **12.2.15.3 SEZ-Specific Design Features and Design Feature Effectiveness**
2

3 The implementation of required programmatic design features described in Section A.2.2,
4 would greatly reduce or eliminate the potential for noise impacts from development and
5 operation of solar energy facilities. Because of the considerable separation distances, activities
6 within the proposed Mason Draw SEZ during construction and operation would be anticipated to
7 cause only minor increases in noise levels at the nearest residences and specially designated
8 areas. Accordingly, SEZ-specific design features are not required.
9

10
11

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.2.16 Paleontological Resources**

2
3
4 **12.2.16.1 Affected Environment**

5
6 The proposed Mason Draw SEZ is composed primarily (7,462 acres [30.2 km²], or
7 58% of the SEZ) of unclassified Quaternary surface deposits (classified as QTs on geologic
8 maps) of the Upper Santa Fe Group. The PFYC (as discussed in Section 4.14) for QTs is
9 Class 4/5 (on the basis of the PFYC GIS data from the New Mexico State BLM Office
10 [Hester 2009]). Portions of the SEZ contain young alluvial sediments that are less than
11 10,000 years old with little or no paleontological potential. These areas, comprising 2,781 acres
12 (11.3 km²), or 21.5% of the SEZ, are PFYC Class 1. Other portions, totaling 2,391 acres
13 (9.7 km²), or 18.5% of the SEZ, contain andesitic intermediate volcanic units. While these
14 volcanic units are unlikely to contain preserved organic material themselves, interbedded
15 sediments dating to the Oligocene and Eocene have some potential to contain preserved
16 materials, and, therefore, the PFYC for these areas is Class 2. Additional diffuse portions of the
17 Mason Draw SEZ are composed of igneous rocks unlikely to contain paleontological resources;
18 59 acres (0.2 km²) of igneous rocks are classified as PFYC Class 1 (0.4%). However, ash flow
19 tuffs may preserve fossil material, and these areas (215 acres [0.9 km²], 1.6% of SEZ) have a
20 PFYC of Class 2.

21
22 A review of known localities of paleontological resources within New Mexico from the
23 New Mexico State BLM Office indicated no known localities within the proposed Mason Draw
24 SEZ and one locality within 5 mi (8 km) of the SEZ to the west. The one locality contains two
25 mammoth tusks found in an ash flow. Additional localities in the vicinity to the east in the
26 Robledos Mountains (Prehistoric Trackways National Monument) and southeast of the SEZ in
27 the Camp Rice Formation of the Upper Santa Fe Group are discussed in Section 12.1.16.1 for the
28 Afton SEZ.

29
30
31 **12.2.16.2 Impacts**

32
33 On the basis of the PFYC classification for this area, there could be impacts on
34 significant paleontological resources in the proposed Mason Draw SEZ, although the presence of
35 such resources is currently unknown. A more detailed look at the geological deposits of the SEZ
36 and their depth is needed, as well as a paleontological survey prior to development in PFYC
37 Class 4/5 areas, in accordance with BLM IM2008-009 and IM2009-011 (BLM 2007, 2008b). For
38 PFYC Class 1 and PFYC Class 2 areas, further assessment of paleontological resources is not
39 likely to be necessary; however, important resources could exist; if any are identified, they would
40 need to be managed on a case-by-case basis. Section 5.14 discusses the types of impacts that
41 could occur if significant paleontological resources are found to be present within the Mason
42 Draw SEZ during a paleontological survey. Impacts would be minimized through the
43 implementation of required programmatic design features described in Appendix A,
44 Section A.2.2. Programmatic design features assume that the necessary surveys would be
45 conducted.

1 Indirect impacts on paleontological resources outside of the SEZ, such as through looting
2 or vandalism, are unknown but unlikely because any such resources would be below the surface
3 and not readily accessible. However, such impacts are possible given the paleontological
4 potential of the surrounding area, especially if surface outcrops are present. If resources are
5 discovered in the area during a paleontological survey for a particular project, a management
6 plan should address a potential training program and a periodic monitoring schedule for the
7 project boundaries. Programmatic design features for controlling water runoff and sedimentation
8 would prevent erosion-related impacts on buried deposits outside of the SEZ.
9

10 No new access roads or transmission line ROWs are anticipated for the proposed Mason
11 Draw SEZ, based on the assumption that existing corridors would be used; thus no impacts on
12 paleontological resources are anticipated related to the creation of new access pathways.
13 However, impacts on paleontological resources related to the creation of new corridors not
14 assessed in this PEIS would be evaluated at the project-specific level if new road or transmission
15 construction or line upgrades are to occur.
16

17 The programmatic design feature requiring a stop work order in the event of an
18 inadvertent discovery of paleontological resources would reduce impacts by preserving some
19 information and allowing possible excavation of the resource, if warranted. Depending on the
20 significance of the find, it could also result in some modifications to the project footprint. Since
21 the SEZ is located in an area classified as PFYC 4/5, a stipulation would be included in the
22 permitting document to alert the solar energy developer that there is the possibility of a delay if
23 paleontological resources are uncovered during surface-disturbing activities.
24
25

26 **12.2.16.3 SEZ-Specific Design Features and Design Feature Effectiveness**

27

28 Impacts would be minimized through the implementation of required programmatic
29 design features, including a stop-work stipulation in the event that paleontological resources are
30 encountered during construction, as described in Appendix A, Section A.2.2.
31

32 The need for and the nature of any SEZ-specific design features would depend on the
33 results of future paleontological investigations.
34

1 **12.2.17 Cultural Resources**

2
3
4 **12.2.17.1 Affected Environment**

5
6
7 **12.2.17.1.1 Prehistory**

8
9 The proposed Mason Draw SEZ is located near the proposed Afton SEZ, and the
10 Mason Draw site follows the same prehistoric sequence as presented for the Afton site in
11 Section 12.1.17.1.¹⁴

12
13
14 **12.2.17.1.2 Ethnohistory**

15
16 The proposed Mason Draw SEZ is located on an upland plateau west of the Mesilla
17 Valley of the Rio Grande. When Spanish explorers first entered the general area in the sixteenth
18 century, they considered the area between El Paso and Socorro unoccupied, most likely because
19 they were unaware of Apache in the overlooking mountains (Kirkpatrick et al. 2001). However,
20 this territory was traditionally used by the Chiricahua Apache (Opler 1941, 1983b) and
21 historically was within the range of the Manso, who appear to have been allied with the Apache
22 (Griffen 1983). Given its location, the site of the proposed SEZ is likely to have been used
23 primarily for hunting and gathering and is also likely to have been known to the Tigua and Piroso
24 Pueblos located near modern El Paso, as well as the Chiricahua and Manso (Schroeder 1979;
25 Houser 1979).

26
27
28 **Chiricahua Apache**

29
30 Traditionally, the Chiricahua Apache were hunters and gatherers based in the mountains
31 of southern New Mexico and northern Mexico west of the Rio Grande, and in southeastern
32 Arizona (Opler 1941, 1983b). A brief ethnohistory of the Chiricahua is presented in
33 Section 12.1.17.1.2

34
35
36 **Manso**

37
38 The proposed SEZ also lies in the traditional range associated with the Manso. The
39 Spanish first encountered the Manso, sometimes called Manso Apache, near present-day El Paso.
40 They called them *manso*, tame or peaceful, because of their initial peaceful encounter. Little is
41 known of their affiliation, but they may have been Apache allies (Griffen 1983; Opler 1983a).

¹⁴ Distances presented in the prehistoric context from the proposed Afton SEZ to various known sites and areas would be roughly similar for the Mason Draw SEZ, which is 3 mi (5 km) northwest of Afton SEZ. Distances to the north would be roughly 6 mi (10 km) shorter, to the east 20 mi (32 km) longer, to the south 12 mi (20 km) longer, and to the west 6 mi (10 km) shorter.

1 The Manso form one element of the Tigua community of Tortugas in Las Cruces, associated
2 with the Pueblo of Ysleta del Sur in El Paso (Houser 1979).

3
4
5 **Piro**
6

7 The Piros are possible descendants of the Jornada Mogollon. When first encountered by
8 Coronado in 1540, Piro pueblos stretched along the banks of the Rio Grande from Mogollon
9 Gulch to the Rio Solado. They were farmers, employing both irrigation and rainfall agriculture.
10 They grew the traditional maize, beans, and squash along with cotton. Bison and turkey meat
11 supplied protein. Their numbers appear to have declined in the ensuing century, and by 1670
12 they were reduced to four pueblos. Left out of the conspiracy, they retreated south with the
13 Spanish during the Pueblo Revolt of 1680. Many Piros remained in the south and have joined
14 with Ysleta del Sur or the Tortugas community in Las Cruces (Schroeder 1979).

15
16
17 ***12.2.17.1.3 History***
18

19 The historic framework for the area of the proposed Mason Draw SEZ also follows
20 closely with that of the Afton SEZ area and is summarized in Section 12.1.17.1.3. Historic
21 properties of most relevance are discussed below in Section 12.2.17.1.5, and distances to those
22 properties from the SEZ are provided in that section.

23
24
25 ***12.2.17.1.4 Traditional Cultural Properties—Landscape***
26

27 While thus far no specific features within the proposed Mason Draw SEZ have been
28 identified as culturally important by Native Americans, the Potrillo and Florida Mountains
29 southwest of the proposed SEZ are known to have been exploited by the Chiricahua Apache and
30 may retain cultural importance. In general, the mountains surrounding Chiricahua territory were
31 traditionally seen as the homes of the Mountain People, beneficent supernatural beings who
32 shielded the Chiricahua from disease and invasion. From the Chiricahuan perspective, the
33 universe is pervaded by supernatural power that individuals may acquire for healing, success in
34 hunting, or other purposes. The power is made available through personified natural features and
35 phenomena such as plants, animals, wind, lightning, or celestial bodies. This power is often
36 acquired at its sacred home, usually in or near a well-known landmark (Opler 1941, 1947).
37 Natural features may thus be of importance in the quest for this power (Opler 1983a,b; Cole
38 1988). Salinas Peak located 73 mi (188 km) to the northeast in the San Andres Mountains has
39 been identified such a location for the Eastern Chiricahua (WSMR 1998). Ancient artifacts may
40 also be important. Stone projectile points found in the landscape were traditionally seen as the
41 result of arrows sent by the Lightning People during thunderstorms (Opler 1941).

1 **12.2.17.1.5 Cultural Surveys and Known Archaeological and Historical Resources**
2

3 The proposed Mason Draw SEZ encompasses 12,909 acres (52 km²), of which 187 acres
4 (0.75 km²), covering about 2% of the SEZ, have been surveyed. These surveys have resulted in
5 the recording of three cultural resources within the boundaries of the SEZ (Hewitt 2009b;
6 Fallis 2010). Within 5 mi (8 km) of the proposed Mason Draw SEZ, 5,563 acres (23 km²), about
7 5% of the 5-mi (8-km), buffer area have been surveyed. As a result of these surveys, 108 sites
8 have been recorded, 12 of which are considered eligible for inclusion in the NRHP. Two sites
9 have not been evaluated, and no information on eligibility status of the remaining 94 sites was
10 available in the GIS data (Fallis 2010). One eligible site is Fort Mason, also known as Slocum's
11 Ranch, Mason's Ranch Site, and Mason Stage Stop Station. The site is approximately 3 mi
12 (5 km) from the northwest corner of the proposed SEZ. It is along the Butterfield Trail, or
13 Butterfield Overland Mail Trail, and served as a stage stop from 1877 to 1883. Use of the wagon
14 trail decreased rapidly with the completion of the railroad in 1881. Remnants of the adobe
15 structure remain.
16

17 The BLM has designated several ACECs and SMAs in the vicinity of the proposed
18 Mason Draw SEZ, as these areas have been determined to be rich in cultural resources and
19 worthy of having the resources managed and protected by the BLM. The Los Tules ACEC is
20 14 mi (23 km) east of the proposed Mason Draw SEZ. The ACEC was designated to protect
21 a large pithouse village site that is the type site for the Jornada variant of the Mogollon
22 culture. Twenty-four miles (39 km) east of the SEZ is the Organ/Franklin Mountain ACEC,
23 a 56,480-acre (229-km²) area that contains the NRHP eligible sites of La Cueva and Dripping
24 Springs. The Robledo Mountain ACEC is 8 mi (13 km) northeast of the SEZ and includes
25 some of the earliest known habitation sites in New Mexico. The cultural resources in the
26 Dona Ana Mountains ACEC are located 17 mi (27 km) northeast of the SEZ. On the north
27 side of San Diego Mountain are several hundred of the most undisturbed petroglyphs in the
28 Mimbres Resource Area, representing the Jornada culture. They are located within the San Diego
29 Mountain ACEC, 19 mi (31 km) north of the SEZ. The Rincon ACEC is also a petroglyph site
30 representative of the Jornada culture, 24 mi (39 km) north of the SEZ. About 31 mi (50 km)
31 west of the proposed Mason Draw SEZ is the Cooke's Range ACEC. Resources protected by
32 this ACEC include Fort Cummings, a fort established in 1863 to protect travelers on the
33 emigrant trail to California, and the Massacre Peak and Pony Hill petroglyph sites, which are
34 representative of the Mimbres culture. An additional ACEC established in the region, but outside
35 of the 25-mi (40-km) distance for the viewshed analysis, is the Old Town ACEC, 47 mi (76 km)
36 west of the SEZ. This ACEC contains the remains of a Mimbres village site that has been heavily
37 looted. An estimated 1,000 whole pots have been removed illegally from the site, and
38 consequently, the ACEC designation is one attempt to curb the looting practices.
39

40 The cultural SMA in the vicinity of the proposed Mason Draw SEZ is the Butterfield
41 Trail, 2 mi (3 km) north of the SEZ. The trail is currently being considered for designation as
42 a National Historic Trail. The congressionally designated El Camino Real de Tierra Adentro
43 National Historic Trail, one of the oldest and longest continually used roads in the United States,
44 is 14 mi (23 km) east of the proposed SEZ. These trails would need to be evaluated for high
45 potential segments within the viewshed of the SEZ. Also in the vicinity of the proposed Mason
46 Draw SEZ is the Mesilla Plaza, a National Historic Landmark that protects the historic features

1 of the plaza that was built in 1848. It is about 15 mi (24 km) from the proposed SEZ. Of
2 additional regional interest, the White Sands National Monument, 42 mi (68 km) northeast of the
3 SEZ, was designated as a national monument for its cultural resources, in addition to its unique
4 geologic and environmental resources (BLM 1993).

7 ***National Register of Historic Places***

9 No properties listed in the NRHP are within the boundaries of the proposed Mason Draw
10 SEZ, nor are any located within 5 mi (8 km) of the SEZ. However, 12 of the sites that have been
11 recorded within 5 mi (8 km) of the SEZ have been determined to be eligible for inclusion in the
12 NRHP.

14 Twenty-six properties in Dona Ana County are listed in the NRHP, 14 of which are
15 located in the vicinity of Las Cruces, about 15 mi (24 km) east of the SEZ. Table 12.2.17.1-1
16 lists these properties. The Rio Grande Bridge at Radium Springs and Fort Selden are the
17 two closest properties to the proposed Mason Draw SEZ—12 mi (19 km) northeast. Mesilla,
18 16 mi (26 km) east of the SEZ, maintains three properties—the Mesilla Plaza (also a National
19 Historic Landmark), Barela-Reynolds House, and the La Mesilla Historic District. The town of
20 Dona Ana, 14 mi (23 km) east of the SEZ, has two properties. Three additional NRHP properties
21 are in Dona Ana County, but they are beyond the 25-mi (40-km) distance used for the viewshed
22 analysis. Those properties are L.B. Bentley General Merchandise (27 mi [43 km] east of the
23 SEZ), the International Boundary Marker No. 1, U.S. and Mexico (near El Paso, 43 mi [69 km]
24 southeast of the SEZ), and Launch Complex 33 (a National Historic Landmark on the White
25 Sands Missile Range, 40 mi [64 km] east of the SEZ). One property in Luna County is within
26 25 mi (40 km) of the SEZ—the Mahoney Building in Florida, New Mexico.

29 **12.2.17.2 Impacts**

31 Direct impacts on significant cultural resources could occur in the proposed Mason Draw
32 SEZ; however, further investigation is needed. A cultural resources survey of the entire area of
33 potential effect of a proposed project, including consultation with affected Native American
34 Tribes, would first need to be conducted to identify archaeological sites, historic structures and
35 features, and traditional cultural properties. An evaluation would need to follow to determine
36 whether any are eligible for listing in the NRHP as historic properties. The proposed Mason
37 Draw SEZ has potential for containing significant cultural resources, especially in the dune
38 areas. Section 5.15 discusses the types of effects that could occur on any significant cultural
39 resources found to be present within the proposed Mason Draw SEZ. Impacts would be
40 minimized through the implementation of required programmatic design features as described in
41 Appendix A, Section A.2.2. Programmatic design features assume that the necessary surveys,
42 evaluations, and consultations will occur.

44 Visual impacts on several property types are possible in the area this SEZ. Two important
45 trail systems are within 15 mi (24 km) of the SEZ, as well as several properties listed in the
46 NRHP and a National Historic Landmark. Additional analysis of the visual effects of solar

TABLE 12.2.17.1-1 National Register Properties within 25 mi (40 km) of the Proposed Mason Draw SEZ in Dona Ana County

NRHP Site	Distance from SEZ
Rio Grande Bridge at Radium Springs	12 mi (19 km)
Fort Selden	12 mi (19 km)
Our Lady of Purification Church	14 mi (23 km)
Dona Ana Village Historic District	14 mi (23 km)
Mesilla Plaza	15 mi (24 km)
Elephant Butte Irrigation District	Variable; Mesilla Diversion Dam 15 mi (24 km) (including split of West and East Side Canals)
Barela-Reynolds House	15 mi (24 km)
La Mesilla Historic District	15 mi (24 km)
Fort Fillmore	Address restricted
Alameda-Depot Historic District	16 mi (26 km)
Nestor Armijo House	16 mi (26 km)
Mesquite Street Original Townsite Historic District	16 mi (26 km)
Rio Grande Theatre	16 mi (26 km)
Thomas Branigan Memorial Library	16 mi (26 km)
Phillips Chapel CME Church	17 mi (27 km)
Hadley-Ludwick House	17 mi (27 km)
Goddard Hall	18 mi (29 km)
Foster Hall	18 mi (29 km)
Air Science	18 mi (29 km)
University President's House	18 mi (29 km)
Summerford Mountain Archaeological District	18 mi (29 km)
Green Bridge	19 mi (31 km)
San Jose Church	23 mi (37 km)
Mahoney Building ^a	24 mi (39 km)

^a The Mahoney Building is in Luna County, not in Dona Ana County, but it is within the 25-mi (40-km) viewshed distance of the SEZ.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

development on these properties would be needed prior to any development. (See Section 12.2.14 for an initial evaluation of visual effects.)

Programmatic design features to reduce water runoff and sedimentation would reduce the likelihood of indirect impacts on cultural resources resulting from erosion outside the SEZ boundary (including ROWs).

No requirements for new transmission lines or access corridors have currently been identified, assuming existing corridors would be used; therefore, no new areas of cultural concern would be made accessible as a result of development within the proposed Mason Draw SEZ, so indirect impacts resulting from vandalism or theft of cultural resources is not anticipated. However, impacts on cultural resources related to the creation of new corridors not

1 assessed in this PEIS would be evaluated at the project-specific level if new road or transmission
2 construction or line upgrades are to occur.

5 **12.2.17.3 SEZ-Specific Design Features and Design Feature Effectiveness**

7 Programmatic design features to mitigate adverse effects on significant cultural
8 resources, such as avoidance of significant sites and features and cultural awareness training for
9 the workforce on the sensitivity of certain types of cultural resources, including resources of
10 concern to Native Americans (see also Section 12.2.18), but also possible properties of
11 significance to the Hispanic population in this area, are provided in Appendix A, Section A.2.2.

- 13 • SEZ-specific design features would be determined in consultation with the
14 New Mexico SHPO and affected Tribes and would depend on the results of
15 future cultural investigations.
- 17 • Coordination with trails associations and historical societies regarding impacts
18 on El Camino Real de Tierra Adentro, the Butterfield Trail, and Mesilla Plaza,
19 as well as other NRHP-listed properties, is also recommended.

21 Section 12.2.14.3 presents recommended design features for reducing visual impacts on
22 the El Camino Real de Tierra Adentro National Historic Trail, the Butterfield Trail, and Mesilla
23 Plaza National Historic Landmark. Similar measures can be used if other NRHP properties and
24 their visual settings are determined to be potentially adversely affected by solar development on
25 the mesa. Consultation with the New Mexico SHPO is required, but coordination with trails
26 associations and local historical societies is also encouraged.

1 **12.2.18 Native American Concerns**
2

3 Many Native Americans tend to view their environment holistically and share many
4 environmental and socioeconomic concerns with other ethnic groups. Issues of possible
5 Native American concern shared with the population as a whole are addressed in several
6 sections of this PEIS. General topics of concern are addressed in Section 4.16. Specifically for
7 the proposed Mason Draw SEZ, Section 12.2.17 discusses archaeological sites, structures,
8 landscapes, and traditional cultural properties; Section 12.2.8 discusses mineral resources;
9 Section 12.2.9.1.3 discusses water rights and water use; Section 12.2.10 discusses plant species;
10 Section 12.2.11 discusses wildlife species, including wildlife migration patterns; Section 12.2.13
11 discusses air quality; Section 12.2.14 discusses visual resources; Sections 12.2.19 and 12.2.20
12 discuss socioeconomics and environmental justice, respectively; and issues of human health and
13 safety are discussed in Section 5.21. This section focuses on concerns that are specific to Native
14 Americans and to which Native Americans bring a distinct perspective.
15

16 All federally recognized Tribes with traditional ties to the area of the proposed Mason
17 Draw SEZ have been contacted so they could identify their concerns regarding solar energy
18 development. The Tribes with traditional ties to the proposed SEZ, who were contacted, are
19 listed in Table 12.2.18-1. Appendix K lists all federally recognized Tribes contacted for this
20 PEIS.
21

22
23 **12.2.18.1 Affected Environment**
24

25 The traditional use areas of Native American Tribes have varied over time, and
26 sometimes overlap. The proposed Mason Draw SEZ is within the traditional range of the
27 Eastern Band of the Chiricahua Apache. The Indian Claims Commission included the area in
28 the judicially established Chiricahua Apache traditional territory (Royster 2008). While the
29 bands of the Chiricahua Apache had a strong sense of place, the plateau above the west bank
30 of the Rio Grande was very likely shared with the neighboring Manso (Opler 1941, 1983b;
31 Griffen 1983).
32
33

**TABLE 12.2.18-1 Federally Recognized Tribes with
Traditional Ties to the Proposed Mason Draw SEZ**

Tribe	Location	State
Fort Sill Apache Tribe of Oklahoma	Apache	Oklahoma
Jicarilla Apache Nation	Dulce	New Mexico
Mescalero Apache Tribe	Mescalero	New Mexico
San Carlos Apache Tribe	San Carlos	Arizona
White Mountain Apache Tribe	Whiteriver	Arizona
Ysleta del Sur Pueblo	El Paso	Texas

1 **12.2.18.1.1 Territorial Boundaries**
2

3 The territorial boundaries of the Chiricahua Apache, Manso, and Piro are described in
4 Section 12.1.18.1.1 for the proposed Afton SEZ and are not repeated here.
5

6
7 **12.2.18.1.2 Plant Resources**
8

9 This section focuses on those Native American concerns that have an ecological as well
10 as cultural component. For many Native Americans, the taking of game or the gathering of plants
11 or other natural resources may have been seen as both a sacred and secular act
12 (Stoffle et al. 1990).
13

14 Currently, much of the proposed Mason Draw SEZ is flat, open terrain supporting widely
15 spaced desert scrub, with drainages providing some relief. The drainages and scattered
16 depressions support denser vegetation likely to include higher concentrations of plant resources
17 traditionally important to Tribes. The proposed SEZ is located on relatively dry, level upland
18 west of the Mesilla Valley of the Rio Grande. It was not well suited for indigenous agriculture
19 and was likely used as an area for hunting and gathering. The Chiricahua Apache were primarily
20 hunters and gatherers. They had access to a variety of ecosystems, and much of what they
21 gathered is found in the mountains. Important plants found at lower elevations include agave,
22 mesquite, yucca, cactus fruit, and seed-bearing plants, such as dropseed. Agave was a principal
23 source of wild plant food for the Chiricahua. Gathered in the spring, its crowns were roasted to
24 make mescal, which when sun-dried was storable for long periods. During a site visit, some
25 agave was observed in the proposed Mason Draw SEZ; however, the dominant land cover is
26 more likely to include mesquite, yucca, and wild grasses, also important to the Chiricahua
27 (Opler 1941, 1983b; Cole 1988). Little is known of the Manso before they joined the Ysleta.
28 Certainly thereafter they would have engaged in irrigation agriculture supplemented by hunting
29 and gathering, as was the case with the Piro (Houser 1979; Schroeder 1979). The proposed
30 Mason Draw SEZ supports plants that would have been attractive to the Apache groups in the
31 nearby mountains and the Puebloan groups along the Rio Grande.
32

33 The plant communities observed or likely to be present at the proposed Mason Draw SEZ
34 are discussed in Section 12.2.10. As shown in the USGS's Southwest Regional Gap Analysis, the
35 land cover at the proposed SEZ is a mixture of Apacherian-Chihuahuan Mesquite Upland Scrub,
36 Apacherian-Chihuahuan Desert Grassland and Steppe, and Chihuahuan Creosotebush Mixed
37 Desert and Thorn Scrub, with patches of Chihuahuan Mixed Salt Desert Scrub and North
38 American Warm Desert Pavement (USGS 2005a). While vegetation is sparse most of the year,
39 seasonal rains often produce a florescence of ephemeral herbaceous species.
40

41 Native American populations have traditionally made use of hundreds of native plants.
42 Table 12.2.18.1-1 lists plants traditionally used by the Chiricahua Apache that were either
43 observed at the proposed Mason Draw SEZ or are probable members of the cover type plant
44 communities identified for the SEZ. These plants are the dominant species; however, other plants
45 important to Native Americans also could occur in the SEZ, depending on local conditions and
46 the season. Over much of the proposed SEZ, creosotebush is dominant, but mesquite is also

TABLE 12.2.18.1-1 Plant Species Observed or Likely To Be Present in the Proposed Mason Draw SEZ That Were Important to Native Americans

Common Name	Scientific Name	Status
Agave	<i>Agave</i> spp.	Observed
Buckwheat	<i>Eriogonum</i> spp.	Possible
Creosotebush	<i>Larrea tridentata</i>	Observed
Honey Mesquite	<i>Prosopis Glandolosa</i>	Observed
Juniper	<i>Juniperus</i> spp.	Possible
Prickly Pear Cactus	<i>Opuntia</i> spp.	Possible
Screwbean Mesquite	<i>Prosopis pubescens</i>	Possible
Wild grasses	Various species	Observed
Yucca	<i>Yucca</i> spp.	Observed

Sources: Field visit; Opler (1941, 1983b); Cole (1988); USGS (2005a).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

common. Creosotebush is important in traditional Native American medicine. Mesquite was among the most important traditional Tribal food plants. Its long bean-like pods were harvested in the summer, could be processed and stored, and were widely traded.

12.2.18.1.3 Other Resources

Water is an essential prerequisite for life in the arid Southwest. As long-time desert dwellers, Native Americans have a great appreciation for the importance of water in a desert environment. They have expressed concern over the use and availability of water for solar energy installations (Jackson 2009). Tribes are also sensitive about the use of scarce local water supplies for the benefit of distant communities and recommend that determination of adequate water supplies be a primary consideration for whether a site is suitable for the development of a utility-scale solar energy facility (Moose 2009).

Between the mountainous terrain favored by the Apache and the river bottomland farmed by the Piro, it is likely that the uplands where the proposed Mason Draw SEZ is situated were seasonal hunting grounds. Deer was the principal Chiricahua game animal. Deer have been an important source of food and of bone, sinew, and hide used to make a variety of implements. They were especially hunted in the fall, when meat and hides were thought to be best. The proposed SEZ is within mule deer range. Pronghorn were also important, but the SEZ does not appear to be within pronghorn range. Other prized game animals included elk (wapiti) and bighorn sheep. The proposed SEZ does not provide suitable habitat for either (USGS 2005b). While big game was highly prized, smaller animals, such as desert cottontail, woodrats, and squirrels (all potentially present in the proposed SEZ), traditionally also added protein to the diet, as did some birds. The Chiricahua would not eat snakes, lizards, or animals, such as peccaries,

1 thought to feed on unclean species. Animals hunted for their skins or feathers include bobcat,
 2 mountain lion, badger, beaver, otter, and eagle (Opler 1941, 1983a). Wildlife likely to be found
 3 in the proposed Mason Draw SEZ is described in Section 12.2.11. Native American game
 4 species whose range includes the SEZ are listed in Table 12.2.18.1-2.

5
 6 In other areas, Native Americans have expressed concern over ecological segmentation,
 7 that is, development that fragments animal habitat and does not provide corridors for movement.
 8 They would prefer solar energy development take place on land that has already been disturbed,
 9 such as abandoned farmland, rather than on undisturbed ground (Jackson 2009).

10
 11
 12 **12.2.18.2 Impacts**

13
 14 To date, no comments have been received from the Tribes specifically referencing the
 15 proposed Mason Draw SEZ. However, the Tribal Historic Preservation Officer (THPO) for the
 16 Ysleta del Sur Pueblo in response to the 2008 notification of the impending PEIS, stated that the
 17 Ysleta did not believe that the actions addressed in the solar energy PEIS would adversely affect
 18 traditional, religious, or cultural sites important to Ysleta del Sur Pueblo. However, the THPO
 19 did request that Ysleta del Sur Pueblo be consulted if any burials or NAGPRA artifacts were
 20 encountered during development (Loera 2010).

21
 22 The impacts that would be expected from solar energy development within the proposed
 23 Mason Draw SEZ on resources important to Native Americans fall into two major categories:
 24 impacts on the landscape and impacts on discrete localized resources.

25
 26
**TABLE 12.2.18.1-2 Animal Species Used by
 Native Americans Whose Range Includes the
 Proposed Mason Draw SEZ**

Common Name	Scientific Name	Status
Badger	<i>Taxidea taxus</i>	Possible
Bald eagle	<i>Haliaeetus leucocephalus</i>	Winter
Bobcat	<i>Lynx rufus</i>	Possible
Desert cottontail	<i>Silvilagus audubonii</i>	All year
Gambel's quail	<i>Callipepla gambelii</i>	All year
Golden eagle	<i>Aquila chrysaetos</i>	Possible
Mountain lion	<i>Puma concolor</i>	Possible
Mourning dove	<i>Zenaida macroura</i>	All year
Mule deer	<i>Odocoileus hemionus</i>	All year
Rock squirrel	<i>Spermophilus variegates</i>	All year
Woodrats	<i>Neotoma spp.</i>	All year

Sources: Opler (1983b); USGS (2005b).

1 Potential landscape-scale impacts are those caused by the presence of an industrial
2 facility within a culturally important landscape that includes sacred mountains and other
3 geophysical features often tied together by a network of trails. Impacts may be visual—the
4 intrusion of an industrial feature in sacred space; audible—noise from the construction, operation
5 or decommissioning of a facility detracting from the traditional cultural values of the site; or
6 demographic—the presence of a larger number of outsiders in the area that would increase the
7 chance that the cultural importance of the area would be degraded by more foot and motorized
8 traffic. As consultation with the Tribes continues and project-specific analyses are undertaken, it
9 is possible that Native Americans will express concerns over potential visual effects of solar
10 energy development within the proposed SEZ on the landscape. In addition, many traditional
11 Chiricahua ritual specialists feel they derive their power from the sun (Opler 1947). They may be
12 sensitive to deriving electric energy from the sun.
13

14 Localized effects could occur both within the proposed SEZ and in adjacent areas.
15 Within the SEZ, these effects would include destroying or degrading important plant resources,
16 destroying the habitat of and impeding the movement of culturally important animal species,
17 destroying archaeological sites and burials, and the degrading or destroying trails. Plant
18 resources are known to exist in the SEZ. Any ground-disturbing activity associated with the
19 development of solar facilities within the SEZ has the potential for destruction of localized
20 resources. However, significant areas of mesquite and associated plants important to Native
21 Americans would remain outside the SEZ, and anticipated overall effects on these plant
22 populations would be small. Animal species important to Native Americans are listed in
23 Table 12.2.18.1-2. While the construction of utility-scale solar energy facilities would reduce
24 the amount of habitat available to many of these species, similar habitat is abundant, and the
25 effect on animal populations is likewise likely to be small.
26

27 Since solar energy facilities cover large tracts of ground, even taking into account the
28 implementation of design features, it is unlikely that avoidance of all resources would be
29 possible. The development of programmatic design features (see Appendix A, Section A.2.2)
30 was based on the assumption that the necessary cultural surveys, site evaluations, and tribal
31 consultations will occur. Implementation of programmatic design features should eliminate
32 impacts on Tribes' reserved water rights and the potential for groundwater contamination issues.
33
34

35 **12.2.18.3 SEZ-Specific Design Features and Design Feature Effectiveness**

36

37 Programmatic design features to address impacts of potential concern to Native
38 Americans, such as avoidance of sacred sites, water sources, and tribally important plant and
39 animal species, are provided in Appendix A, Section A.2.2.
40

41 The need for and nature of SEZ-specific design features regarding potential issues of
42 concern would be determined during government-to-government consultation with affected
43 Tribes listed in Table 12.2.18-1.
44

45 Mitigation of impacts on archaeological sites and traditional cultural properties is
46 discussed in Section 12.2.17.3, in addition to the design features for historic properties discussed
47 in Section A.2.2, Appendix A.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.2.19 Socioeconomics**

2
3
4 **12.2.19.1 Affected Environment**

5
6 This section describes current socioeconomic conditions and local community services
7 within the ROI surrounding the proposed Mason Draw SEZ. The ROI is a three-county area
8 consisting of Dona Ana County and Luna County in New Mexico and El Paso County in Texas.
9 It encompasses the area in which workers are expected to spend most of their salaries and in
10 which a portion of site purchases and nonpayroll expenditures from the construction, operation,
11 and decommissioning phases of the proposed SEZ facility are expected to take place.
12

13
14 **12.2.19.1.1 ROI Employment**

15
16 In 2008, employment in the ROI stood at 377,094 (Table 12.2.19.1-1). Over the period
17 1999 to 2008, annual average employment growth rates were higher in Luna County (2.8%) and
18 Dona Ana County (2.7%) than in El Paso County (0.7%). At 1.2%, the growth rate in the ROI as
19 a whole was somewhat less than the average state rates for New Mexico (1.5%) and Texas
20 (1.3%).
21

22 In 2006, the service sector provided the highest percentage of employment in the ROI at
23 53.0%, followed by wholesale and retail trade with 20.4% (Table 12.2.19.1-2). Smaller
24 employment shares were held by manufacturing (8.0%), transportation and public utilities
25 (5.2%), and finance, insurance and real estate (5.1%). Within the ROI, the distribution of
26
27

TABLE 12.2.19.1-1 ROI Employment in the Proposed Mason Draw SEZ

Location	1999	2008	Average Annual Growth Rate, 1999 to 2008 (%)
Dona Ana County, New Mexico	65,546	85,934	2.7
Luna County, New Mexico	8,687	11,436	2.8
El Paso County, Texas	261,213	279,724	0.7
ROI	335,446	377,094	1.2
New Mexico	793,052	919,466	1.5
Texas	9,766,299	11,126,436	1.3

Sources: U.S. Department of Labor (2009a,b).

TABLE 12.2.19.1-2 ROI Employment in the Proposed Mason Draw SEZ by Sector, 2006

Industry	Dona Ana County, New Mexico		Luna County, New Mexico		El Paso County, Texas		ROI	
	Employment	% of Total	Employment	% of Total	Employment	% of Total	Employment	% of Total
Agriculture ^a	5,042	9.8	668	11.8	1,038	0.5	6,748	2.6
Mining	175	0.3	–	0.0	375	0.2	550	0.2
Construction	4,798	9.3	205	3.6	8,856	4.4	13,859	5.3
Manufacturing	2,586	5.0	901	16.0	17,401	8.6	20,888	8.0
Transportation and public utilities	1,240	2.4	211	3.7	12,159	2.0	13,610	5.2
Wholesale and retail trade	8,957	17.3	1,339	23.7	42,676	21.1	52,972	20.4
Finance, insurance, and real estate	2,430	4.7	239	4.2	10,574	5.2	13,243	5.1
Services	26,497	51.3	2,138	37.9	108,952	53.8	137,587	53.0
Other	14	0.0	10	0.2	75	0.0	99	0.0
Total	51,658		5,641		202,368		259,667	

^a Agricultural employment includes 2007 data for hired farmworkers.

Sources: U.S. Bureau of the Census (2009a); USDA(2009a,b).

1 employment across sectors is similar to that of the ROI as a whole, with a slightly higher
 2 percentage of employment in agriculture (9.8%) and construction (9.3%), and slightly lower
 3 percentages in manufacturing (5.0%) and wholesale and retail trade (17.3%) in Dona Ana
 4 County compared to the ROI as a whole. Employment shares in Luna County in manufacturing
 5 (16.0%) and agriculture (11.8%) are larger than in the ROI as a whole, while employment in
 6 services (37.9%) is less important than in the ROI as a whole.

7
8
9 **12.2.19.1.2 ROI Unemployment**

10
11 Unemployment rates have varied across the three counties in the ROI. Over the period
 12 1999 to 2008, the average rate in Luna County was 14.6%, with lower rates of 7.0%, in El Paso
 13 County, and 5.8%, in Dona Ana County (Table 12.2.19.1-3). The average rate in the ROI over
 14 this period was 7.0%; higher than the average rate for New Mexico (5.0%) and Texas (5.3%).
 15 Unemployment has been a significant problem in Luna County over the last 10 years; the rate
 16 reached 23.5% in 1999 and has often been higher than 12% in recent years. Unemployment rates
 17 for the first five months of 2009 contrast somewhat with rates for 2008 as a whole; in Luna
 18 County the unemployment rate increased to 16.6%, while rates reached 8.2% and 5.8% in
 19 El Paso County and Dona Ana County, respectively. The average rates for the ROI (7.9%), for
 20 New Mexico (5.6%), and for Texas (6.6%) were also higher during this period than the
 21 corresponding average rates for 2008.

22
23 **TABLE 12.2.19.1-3 ROI Unemployment Rates (%) for
the Proposed Mason Draw SEZ**

Location	1999–2008	2008	2009 ^a
Dona Ana County, New Mexico	5.8	4.4	5.8
Luna County, New Mexico	14.6	11.3	16.6
El Paso County, Texas	7.0	6.3	8.2
ROI	7.0	6.0	7.9
New Mexico	5.0	4.2	5.6
Texas	5.3	4.9	6.6

^a Rates for 2009 are the average for January through May.

Sources: U.S. Department of Labor (2009a–c).

24
25
26

1 **12.2.19.1.3 ROI Urban Population**

2
3 The population of the ROI in 2006 to 2008 was 81% urban; the largest city, El Paso,
4 Texas, had an estimated 2006 to 2008 population of 609,248; other cities in the ROI include Las
5 Cruces, New Mexico (90,908) and Socorro, Texas (32,056) (Table 12.2.19.1-4). In addition,
6 there are eight smaller cities in the ROI with a 2006 to 2008 population of less than 20,000.
7

8 Population growth rates in the ROI have varied over the period 2000 and 2006 to 2008
9 (Table 12.2.19.1-4). Horizon City, Texas, grew at an annual rate of 12.1% during this period,
10 with higher-than-average growth also experienced in Las Cruces, New Mexico (2.6%) and
11 Socorro, Texas (2.1%). The city of El Paso, Texas (1.0%) experienced a lower growth rate
12 between 2000 and 2008, while Hatch, New Mexico (-0.2%) and Clint, Texas (-0.1%),
13 experienced negative growth rates during this period.
14

15
16 **12.2.19.1.4 ROI Urban Income**

17
18 Median household incomes vary across cities in the ROI. Two cities for which data are
19 available for 2006 to 2008—Las Cruces, New Mexico (\$37,402) and El Paso, Texas (\$36,649)—
20 had median incomes lower than the average for New Mexico (\$43,202), and Texas (\$49,078)
21 (Table 12.2.19.1-4).
22
23

TABLE 12.2.19.1-4 ROI Urban Population and Income for the Proposed Mason Draw SEZ

City	Population			Median Household Income (\$ 2008)		
	2000	2008	Average Annual Growth Rate, 2000–2008 (%)	1999	2006–2008	Average Annual Growth Rate, 1999 and 2006–2008 (%) ^a
Anthony, New Mexico	3,850	4,330	1.5	33,855	NA ^b	NA
Clint, Texas	980	970	-0.1	43,776	NA	NA
Columbus, New Mexico	1,765	1,832	0.5	17,733	NA	NA
Deming, New Mexico	14,116	15,414	1.1	25,855	NA	NA
El Paso, Texas	563,662	609,248	1.0	41,360	36,649	-1.3
Hatch, New Mexico	1,673	1,641	-0.2	27,360	NA	NA
Horizon City, Texas	5,233	13,019	12.1	62,559	NA	NA
Las Cruces, New Mexico	74,267	90,908	2.6	39,108	37,402	-0.5
Mesilla, New Mexico	2,180	2,196	0.1	54,430	NA	NA
Socorro, Texas	27,152	32,056	2.1	31,012	NA	NA
Sunland Park, New Mexico	13,309	14,436	1.0	25,961	NA	NA

^a Data are averages for the period 2006 to 2008.

^b NA = not available.

Source: U.S. Bureau of the Census (2009b-d).

1 Growth rates between 1999 and 2006 to 2008 were negative in Las Cruces, New Mexico
 2 (−1.3%) and El Paso, Texas (−0.5%). The average median household income growth rate for
 3 New Mexico as a whole over this period was −0.2%; in Texas the growth rate was −0.5%.

4
5
6 **12.2.19.1.5 ROI Population**
7

8 Table 12.2.19.1-5 presents recent and projected populations in the ROI and states as a
 9 whole. Population in the ROI stood at 1,009,542 in 2008, having grown at an average annual rate
 10 of 1.7% since 2000. Growth rates for the ROI have been similar to the rates for New Mexico
 11 (1.7%) and Texas (1.6%) over the same period.

12
13 Each county in the ROI has experienced growth in population since 2000. Dona Ana
 14 County recorded a population growth rate of 2.1% between 2000 and 2008; El Paso County,
 15 1.7%; and Luna County, 1.1%. The ROI population is expected to increase to 1,202,799 by 2021
 16 and to 1,227,080 by 2023.

17
18
19 **12.2.19.1.6 ROI Income**
20

21 Personal income in the ROI stood at \$25.8 billion in 2007 and has grown at an annual
 22 average rate of 3.0% over the period 1998 to 2007 (Table 12.2.19.1-6). ROI personal income per
 23 capita also rose over the same period at a rate of 1.6%, increasing from \$22,208 to \$25,957.
 24 Per-capita incomes were higher in El Paso County (\$26,237) in 2007 than in Dona Ana County
 25 (\$25,493) and Luna County (\$21,480). Although personal income and per-capita income growth
 26 rates in the ROI have been higher than for the states as a whole, personal income per capita was
 27
28

TABLE 12.2.19.1-5 ROI Population for the Proposed Mason Draw SEZ

Location	2000	2008	Average Annual Growth Rate, 2000–2008 (%)	2021	2023
Dona Ana County, New Mexico	174,682	206,486	2.1	260,227	267,444
Luna County, New Mexico	25,016	27,349	1.1	31,767	32,343
El Paso County, Texas	679,622	775,707	1.7	910,804	927,293
ROI	879,320	1,009,542	1.7	1,202,799	1,227,080
New Mexico	1,819,046	2,085,115	1.7	2,573,667	2,640,712
Texas	20,851,820	23,711,019	1.6	28,255,284	28,925,856

Sources: U.S. Bureau of the Census (2009e,f); Texas Comptroller’s Office (2009); University of New Mexico (2009).

TABLE 12.2.19.1-6 ROI Personal Income for the Proposed Mason Draw SEZ

Location	1998	2007	Average Annual Growth Rate, 1998–2007 (%)
Dona Ana County, New Mexico			
Total income ^a	3.8	5.1	3.0
Per-capita income	22,254	25,493	1.4
Luna County, New Mexico			
Total income ^a	0.4	0.6	2.7
Per-capita income	18,034	21,480	1.8
El Paso County, Texas			
Total income ^a	15.0	20.1	3.0
Per-capita income	22,349	26,237	1.6
ROI			
Total income ^a	19.3	25.8	3.0
Per-capita income	22,208	25,957	1.6
New Mexico			
Total income ^a	48.8	62.4	2.5
Per-capita income	27,182	30,497	1.2
Texas			
Total income ^a	668.1	914.9	3.2
Per-capita income	25,186	37,808	1.7

^a Unless indicated otherwise, values are reported in \$ billion 2008.

Sources: U.S. Department of Commerce (2009); U.S. Bureau of Census (2009e,f).

1
2
3
4
5
6
7
8
9
10

slightly higher in New Mexico (\$30,497) in 2007 than in the two counties. In El Paso County, per-capita income growth rates and per-capita incomes were slightly lower than for Texas as a whole (\$37,808).

Median household income in 2006 to 2008 varied from \$26,457 in Luna County, New Mexico, to \$35,637 in El Paso County, Texas, and to \$35,867 in Dona Ana County, New Mexico (U.S. Bureau of the Census 2009d).

1 **12.2.19.1.7 ROI Housing**
 2

3 In 2007, nearly 341,800 housing units were located in the three counties, with more than
 4 74% of those in El Paso County (Table 12.2.19.1-7). Owner-occupied units account for 65% of
 5 the occupied units in the three counties, with rental housing making up 35% of the total. At
 6 17.7%, vacancy rates in 2007 were higher in Luna County than in Dona Ana County (11.3%)
 7 and El Paso County (9.2%). With an overall vacancy rate of 10.0% in the ROI, there were
 8 34,139 vacant housing units in the ROI in 2007, of which 10,570 (7,422 in El Paso County,
 9 2,690 in Dona Ana County, and 458 in Luna County) are estimated to be rental units that would
 10 be available to construction workers. There were 1,806 seasonal, recreational, or occasional-use
 11 units vacant at the time of the 2000 Census.
 12
 13

**TABLE 12.2.19.1-7 ROI Housing Characteristics for
 the Proposed Mason Draw SEZ**

Parameter	2000	2007
Dona Ana County, New Mexico		
Owner-occupied	40,248	44,251
Rental	19,348	23,913
Vacant units	5,654	8,641
Seasonal and recreational use	551	NA ^a
Total units	65,210	76,805
Luna County, New Mexico		
Owner-Occupied	7,043	7,253
Rental	2,354	2,589
Vacant units	1,894	2,113
Seasonal and recreational use	370	NA
Total units	9,397	9,842
El Paso County, Texas		
Owner Occupied	133,624	149,345
Rental	76,398	80,310
Vacant units	14,425	23,385
Seasonal and recreational use	885	NA
Total units	224,447	253,040
ROI		
Owner Occupied	180,875	200,849
Rental	98,100	106,812
Vacant units	21,973	34,139
Seasonal and recreational use	1,806	NA
Total units	300,948	341,800

^a NA = data not available.

Sources: U.S. Bureau of the Census (2009h-j).

1 Housing stock in the ROI as a whole grew at an annual rate of 1.8% over the
2 period 2000 to 2007, with 40,852 new units added to the existing housing stock in the ROI
3 (Table 12.2.19.1-7).
4

5 The median value of owner-occupied housing in 2008 varied from \$87,000 in Luna
6 County, to \$97,800 in El Paso County, to \$133,300 in Dona Ana County (U.S. Bureau of the
7 Census 2009g).
8
9

10 **12.2.19.1.8 ROI Local Government Organizations**

11 The various local and county government organizations in the ROI are listed in
12 Table 12.2.19.1-8. There are no Tribal governments located in the ROI, although there are
13 members of other Tribal groups located in the ROI whose Tribal governments are located in
14 adjacent counties or states.
15
16
17

18 **12.2.19.1.9 ROI Community and Social Services**

19 This section describes educational, health care, law enforcement, and firefighting
20 resources in the ROI.
21
22
23

24 **Schools**

25 In 2007, there were a total of 334 public and private elementary, middle, and high schools
26 in the three-county ROI (NCES 2009). Table 12.2.19.1-9 provides summary statistics for
27
28
29

**TABLE 12.2.19.1-8 ROI Local Government Organizations
and Social Institutions in the Proposed Mason Draw SEZ**

Governments

City

Anthony, New Mexico	Horizon City, Texas
Clint, Texas	Las Cruces, New Mexico
Columbus, New Mexico	Mesilla, New Mexico
Deming, New Mexico	Socorro, Texas
El Paso, Texas	Sunland Park, New Mexico
Hatch, New Mexico	

County

Dona Ana County, New Mexico	El Paso County, Texas
Otero County, New Mexico	

Tribal

None

Sources: U.S. Bureau of the Census (2009b); U.S. Department of the Interior (2010).

1

TABLE 12.2.19.1-9 ROI School District Data for the Proposed Mason Draw SEZ, 2007

Location	Number of Students	Number of Teachers	Student-Teacher Ratio	Level of Service ^a
Dona Ana County, New Mexico	39,320	2,578	15.3	12.8
Luna County, New Mexico	5,511	345	16.0	12.8
El Paso County, Texas	170,382	11,443	14.9	15.0
ROI	215,213	14,366	15.0	14.4

^a Number of teachers per 1,000 population.

Source: NCES (2009).

2

3

4

enrollment, educational staffing, and two indices of educational quality: student teacher ratios and levels of service (number of teachers per 1,000 population). The student-teacher ratio in Luna County schools (16.0) is slightly higher than in Dona Ana County schools (15.3) and El Paso County schools (14.9), while the level of service is slightly higher in El Paso County schools (15.0).

9

10

11

Health Care

12

13

While El Paso County has a much larger number of physicians (1,557), the number of doctors per 1,000 population is only slightly higher than in Dona Ana County, but significantly higher than in Luna County (1.1) (Table 12.2.19.1-10). The smaller number of health care professionals in Luna County and Dona Ana County may mean that residents of these counties have less access to specialized health care; a substantial number of county residents might also travel to El Paso County for their medical care.

19

20

21

Public Safety

22

23

Several state, county, and local police departments provide law enforcement in the ROI. Luna County has 30 officers and would provide law enforcement services to the SEZ, while Dona Ana County and El Paso County have 131 and 251 officers, respectively (Table 12.2.19.1-11). There are currently 695 professional firefighters in El Paso County, 195 in Dona Ana County, and 20 in Luna County. Levels of service in police protection in El Paso County (0.3) are significantly lower than for the other two counties, while fire protection in each county is similar to that for the ROI as a whole (Table 12.2.19.1-11).

29

30

31

TABLE 12.2.19.1-10 Physicians in the Proposed Mason Draw SEZ ROI, 2007

Location	Number of Primary Care Physicians	Level of Service ^a
Dona Ana County, New Mexico	369	1.8
Luna County, New Mexico	30	1.1
El Paso County, Texas	1,557	2.0
ROI	1,956	2.0

^a Number of physicians per 1,000 population.

Source: AMA (2009).

1
2

TABLE 12.2.19.1-11 Public Safety Employment in the Proposed Mason Draw SEZ ROI

Location	Number of Police Officers ^a	Level of Service ^b	Number of Firefighters ^c	Level of Service
Dona Ana County, New Mexico	131	0.6	195	0.9
Luna County, New Mexico	30	1.1	20	0.7
El Paso County, Texas	251	0.3	695	0.9
ROI	412	0.4	910	0.9

^a 2007 data.

^b Number per 1,000 population.

^c 2008 data; number does not include volunteers.

Sources: U.S. Department of Justice (2008); Fire Departments Network (2009).

3
4
5
6
7
8
9
10
11
12
13
14

12.2.19.1.10 ROI Social Structure and Social Change

Community social structures and other forms of social organization within the ROI are related to various factors, including historical development, major economic activities and sources of employment, income levels, race and ethnicity, and forms of local political organization. Although an analysis of the character of community social structures is beyond the scope of the current programmatic analysis, project-level NEPA analyses would include a description of ROI social structures, contributing factors, their uniqueness, and consequently, the susceptibility of local communities to various forms of social disruption and social change.

1 Various energy development studies have suggested that once the annual growth in
 2 population is between 5 and 15% in smaller rural communities, alcoholism, depression, suicide,
 3 social conflict, divorce, and delinquency would increase, and levels of community satisfaction
 4 would deteriorate (BLM 1980, 1983, 1996). Tables 12.2.19.1-12 and 12.2.19.1-13 present data
 5 for a number of indicators of social change, including violent crime and property crime rates,
 6 alcoholism and illicit drug use, and mental health and divorce, that might be used to indicate
 7 social change.

8
 9 There is some variation in the level of crime across the ROI, with slightly higher rates
 10 of property-related crime rates in Dona Ana County (29.9) than in El Paso County (28.6) and
 11 Luna County (27.6). Violent crime rates were the same in Dona Ana County and El Paso County
 12 (4.2 per 1,000 population) and slightly lower in Luna County (3.8), meaning that overall crime
 13 rates in Dona Ana County (34.1) were slightly higher than for El Paso County (32.8) and Luna
 14 County (31.4).

15
 16 Other measures of social change—alcoholism, illicit drug use, and mental health—are
 17 not available at the county level and thus are presented for the SAMHSA region in which the
 18 ROI is located. There is some variation across the two regions in which the three counties are
 19 located, with slightly higher rates for alcoholism and mental illness in the region in which Dona
 20 Ana County and Luna County are located and the same rates of illicit drug use in both regions
 21 (Table 12.2.19.1-13).

22
 23 **TABLE 12.2.19.1-12 County and ROI Crime Rates for the Proposed Mason Draw SEZ
 ROI^a**

Location	Violent Crime ^b		Property Crime ^c		All Crime	
	Offenses	Rate	Offenses	Rate	Offenses	Rate
Don Ana County, New Mexico	842	4.2	6,028	29.9	6,870	34.1
Luna County, New Mexico	103	3.8	747	27.6	850	31.4
El Paso County, Texas	3,068	4.2	21,147	28.6	24,215	32.8
ROI	4,013	4.2	27,922	28.9	31,935	33.0

^a Rates are the number of crimes per 1,000 population.

^b Violent crime includes murder and non-negligent manslaughter, forcible rape, robbery, and aggravated assault.

^c Property crime includes burglary, larceny, theft, motor vehicle theft, and arson.

Sources: U.S. Department of Justice (2009a,b).

24
 25

TABLE 12.2.19.1-13 Alcoholism, Drug Use, Mental Health, and Divorce in the Proposed Mason Draw SEZ ROI^a

Geographic Area	Alcoholism	Illicit Drug Use	Mental Health ^b	Divorce ^c
New Mexico Region 5 (includes Dona Ana County and Luna County)	8.3	3.0	9.9	— ^d
Texas Region 10 (includes El Paso County)	7.0	3.0	8.3	—
New Mexico				4.3
Texas				3.3

^a Data for alcoholism and drug use represent percentage of the population over 12 years of age with dependence or abuse of alcohol or illicit drugs. Data are averages for 2004 to 2006.

^b Data for mental health represent percentage of the population over 18 years of age suffering from serious psychological distress. Data are averages for 2002 to 2004.

^c Divorce rates are the number of divorces per 1,000 population. Data are for 2007.

^d A dash indicates data not available.

Sources: SAMHSA (2009); CDC (2009).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24

12.2.19.1.11 ROI Recreation

Various areas in the vicinity of the proposed SEZ are used for recreational purposes, with natural, ecological, and cultural resources in the ROI attracting visitors for a range of activities, including hunting, fishing, boating, canoeing, wildlife watching, camping, hiking, horseback riding, mountain climbing, and sightseeing. These activities are discussed in Section 12.2.5.

Because the number of visitors using state and federal lands for recreational activities is not available from the various administering agencies, the value of recreational resources in these areas, based solely on the number of recorded visitors, is likely to be an underestimation. In addition to visitation rates, the economic valuation of certain natural resources can also be assessed in terms of the potential recreational destination for current and future users, that is, their nonmarket value (see Section 5.17.1.1.1).

Another method is to estimate the economic impact of the various recreational activities supported by natural resources on public land in the vicinity of the proposed solar facilities, by identifying sectors in the economy in which expenditures on recreational activities occur. Not all activities in these sectors are directly related to recreation on state and federal lands; some activity occurs on private land (e.g., dude ranches, golf courses, bowling alleys, and movie theaters). Expenditures associated with recreational activities form an important part of the economy of the ROI. In 2007, 40,797 people were employed in the ROI in the various sectors identified as recreation, constituting 11.0% of total ROI employment (Table 12.2.19.1-14).

TABLE 12.2.19.1-14 Recreation Sector Activity in the Proposed Mason Draw SEZ ROI, 2007

ROI	Employment	Income (\$ million)
Amusement and recreation services	747	15.0
Automotive rental	2,427	190.8
Eating and drinking places	31,602	447.4
Hotels and lodging places	2,099	41.6
Museums and historic sites	40	3.7
Recreational vehicle parks and campsites	109	2.3
Scenic tours	2,077	104.6
Sporting goods retailers	1,696	28.0
Total ROI	40,797	833.3

Source: MIG, Inc. (2010).

1
2
3 Recreation spending also produced almost \$833.3 million in income in the ROI in 2007. The
4 primary sources of recreation-related employment were eating and drinking places.

5
6
7 **12.2.19.2 Impacts**

8
9 The following analysis begins with a description of the common impacts of solar
10 development, including common impacts on recreation and on social change. These impacts
11 would occur regardless of the solar technology developed in the SEZ. The impacts of
12 development employing various solar energy technologies are analyzed in detail in subsequent
13 sections.

14
15
16 **12.2.19.2.1 Common Impacts**

17
18 Construction and operation of a solar energy facility at the proposed SEZ would produce
19 direct and indirect economic impacts. Direct impacts would occur as a result of expenditures on
20 wages and salaries, procurement of goods and services required for project construction and
21 operation, and the collection of state sales and income taxes. Indirect impacts would occur as
22 project wages and salaries, procurement expenditures, and tax revenues subsequently circulate
23 through the economy of each state, thereby creating additional employment, income, and tax
24 revenues. Facility construction and operation would also require in-migration of workers and
25 their families into the ROI surrounding the site, which would affect population, rental housing,
26 health service employment, and public safety employment. Socioeconomic impacts common to
27 all utility-scale solar energy facilities are discussed in detail in Section 5.17. These impacts will
28 be minimized through the implementation of programmatic design features described in
29 Appendix A, Section A.2.2.

1 **Recreation Impacts**

2
3 Estimating the impact of solar facilities on recreation is problematic, because it is not
4 clear how solar development in the SEZ would affect recreational visitation and nonmarket
5 values (i.e., the value of recreational resources for potential or future visits; see Appendix M).
6 While it is clear that some land in the ROI would no longer be accessible for recreation, the
7 majority of popular recreational locations would be precluded from solar development. It is also
8 possible that solar development in the ROI would be visible from popular recreation locations
9 and that construction workers residing temporarily in the ROI would occupy accommodation
10 otherwise used for recreational visits, thus reducing visitation and consequently affecting the
11 economy of the ROI.

12
13
14 **Social Change**

15
16 Although an extensive literature in sociology documents the most significant components
17 of social change in energy boomtowns, the nature and magnitude of the social impact of energy
18 development in small rural communities are still unclear (see Section 5.17.1.1.4). While some
19 degree of social disruption is likely to accompany large-scale in-migration during the boom
20 phase, there is insufficient evidence to predict the extent to which specific communities are
21 likely to be affected, which population groups within each community are likely to be most
22 affected, and the extent to which social disruption is likely to persist beyond the end of the boom
23 period (Smith et al. 2001). Accordingly, because of the lack of adequate social baseline data, it
24 has been suggested that social disruption is likely to occur once an arbitrary population growth
25 rate associated with solar energy development projects has been reached, with an annual rate
26 of between 5 and 10% growth in population assumed to result in a breakdown in social
27 structures, with a consequent increase in alcoholism, depression, suicide, social conflict,
28 divorce, delinquency, and deterioration in levels of community satisfaction (BLM 1980, 1983,
29 1996).

30
31 In overall terms, the in-migration of workers and their families into the ROI would
32 represent an increase of 0.1 % in ROI population during construction of the trough technology,
33 with smaller increases for the power tower, dish engine and PV technologies, and during the
34 operation of each technology. While it is possible that some construction and operations workers
35 will choose to locate in communities closer to the SEZ, the lack of available housing in smaller
36 rural communities in the ROI to accommodate all in-migrating workers and families, and the
37 insufficient range of housing choices to suit all solar occupations, many workers are likely to
38 commute to the SEZ from larger communities elsewhere in the ROI, reducing the potential
39 impact of solar development on social change. Regardless of the pace of population growth
40 associated with the commercial development of solar resources, and the likely residential
41 location of in-migrating workers and families in communities some distance from the SEZ itself,
42 the number of new residents from outside the ROI is likely to lead to some demographic and
43 social change in small rural communities in the ROI. Communities hosting solar development
44 are likely to be required to adapt to a different quality of life, with a transition away from a
45 more traditional lifestyle involving ranching and taking place in small, isolated, closely knit,
46 homogenous communities with a strong orientation toward personal and family relationships,

1 toward a more urban lifestyle, with increasing cultural and ethnic diversity and increasing
2 dependence on formal social relationships within the community.

3 4 5 **Livestock Grazing Impacts** 6

7 Cattle ranching and farming supported 565 jobs and \$6.0 million in income in the ROI in
8 2007 (MIG, Inc. 2010). The construction and operation of solar facilities in the proposed SEZ
9 could result in a decline in the amount of land available for livestock grazing, resulting in total
10 (direct plus indirect) impacts of the loss of less than 1 job and less than \$0.1 million in income in
11 the ROI. There would also be a decline in grazing fees payable to the BLM and to the USFS by
12 individual permittees based on the number of AUMs required to support livestock on public
13 land. Assuming the 2008 fee of \$1.35 per AUM, grazing fee losses would amount to \$1,310
14 annually on land dedicated to solar development in the SEZ.
15

16 17 **12.2.19.2.2 Technology-Specific Impacts** 18

19 The socioeconomic impacts of solar energy development in the proposed SEZ were
20 measured in terms of employment, income, state tax revenues (sales and income), BLM acreage
21 rental and capacity fees, population in-migration, housing, and community service employment
22 (education, health, and public safety). More information on the data and methods used in the
23 analysis can be found in Appendix M.
24

25 The assessment of the impact of the construction and operation of each technology was
26 based on SEZ acreage, assuming 80% of the area could be developed. To capture a range of
27 possible impacts, solar facility size was estimated on the basis of the land requirements of
28 various solar technologies, assuming that 9 acres/MW (0.04 km²/MW) would be required for
29 power tower, dish engine, and PV technologies and 5 acres/MW (0.02 km²/MW) for solar trough
30 technologies. Impacts of multiple facilities employing a given technology at each SEZ were
31 assumed to be the same as impacts for a single facility with the same total capacity. Construction
32 impacts were assessed for a representative peak year of construction, assumed to be 2021 for
33 each technology. Construction impacts assumed that a maximum of two projects could be
34 constructed within a given year, with a corresponding maximum land disturbance of up to
35 6,000 acres (24 km²). For operations impacts, a representative first year of operations was
36 assumed to be 2023 for each technology. The years of construction and operations were selected
37 as representative of the entire 20-year study period because they are the approximate midpoint;
38 construction and operations could begin earlier.
39

40 41 **Solar Trough** 42 43

44 **Construction.** Total construction employment impacts in the ROI (including direct and
45 indirect impacts) from the use of solar trough technology would be up to 10,676 jobs
46 (Table 12.2.19.2-1). Construction activities would constitute 2.3% of total ROI employment. A

TABLE 12.2.19.2-1 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Mason Draw SEZ with Trough Facilities^a

Parameter	Maximum Annual Construction Impacts	Annual Operations Impacts
Employment (no.)		
Direct	3,488	450
Total	10,676	754
Income ^b		
Total	588.2	25.9
Direct state taxes ^b		
Sales	27.5	0.4
Income	12.6	0.7
BLM payments ^b		
Rental	NA ^d	1.2
Capacity ^c	NA	13.6
In-migrants (no.)	1,486	57
Vacant housing ^e (no.)	743	52
Local community service employment		
Teachers (no.)	22	1
Physicians (no.)	3	0
Public safety (no.)	2	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 1200 MW (corresponding to 6,000 acres [24 km²] of land disturbance) could be built. Operations impacts were based on full build-out of the site, producing a total output of 2,065 MW.

^b Unless indicated otherwise, values are reported in \$ million 2008.

^c The BLM annual capacity payment was based on a fee of \$6,570 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), assuming a solar facility with no storage capability, and full build-out of the site. Projects with 3 or more hours of storage would generate higher payments, based on a fee of \$7,884 per MW.

^d NA = data not available.

^e Construction activities would affect vacant rental housing; operations activities would affect vacant owner-occupied housing.

1 solar development would also produce \$588.2 million in income. Direct sales taxes would be
2 \$27.5 million; direct income taxes, \$12.6 million.

3
4 Given the scale of construction activities and the likelihood of local worker availability
5 in the required occupational categories, construction of a solar facility would mean that some
6 in migration of workers and their families from outside the ROI would be required, with
7 1,486 persons in-migrating into the ROI. Although in-migration may potentially affect local
8 housing markets, the relatively small number of in-migrants and the availability of temporary
9 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
10 construction on the number of vacant rental housing units would not be expected to be large,
11 with 743 rental units expected to be occupied in the ROI. This occupancy rate would represent
12 5.0% of the vacant rental units expected to be available in the ROI.

13
14 In addition to the potential impact on housing markets, in-migration also would affect
15 community service (education, health, and public safety) employment. An increase in such
16 employment would be required to meet existing levels of service in the ROI. Accordingly,
17 22 new teachers, 3 physicians, and 2 public safety employees (career firefighters and uniformed
18 police officers) would be required in the ROI. These increases would represent 0.1% of total ROI
19 employment expected in these occupations.

20
21
22 **Operations.** Total operations employment impacts in the ROI (including direct and
23 indirect impacts) from a build-out using solar trough technologies would be 754 jobs
24 (Table 12.2.19.2-1). Such a solar development would also produce \$25.9 million in income.
25 Direct sales taxes would be \$0.4 million; direct income taxes, \$0.7 million. Based on fees
26 established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), acreage rental
27 payments would be \$1.2 million and solar generating capacity payments, at least \$13.6 million.

28
29 Given the likelihood of local worker availability in the required occupational categories,
30 operation of a solar facility would mean that some in-migration of workers and their families
31 from outside the ROI would be required, with 57 persons in-migrating into the ROI. Although
32 in-migration may potentially affect local housing markets, the relatively small number of in-
33 migrants and the availability of temporary accommodations (hotels, motels, and mobile home
34 parks) mean that the impact of solar facility operation on the number of vacant owner-occupied
35 housing units would not be expected to be large, with 52 owner-occupied units expected to be
36 occupied in the ROI.

37
38 In addition to the potential impact on housing markets, in-migration would affect
39 community service (health, education, and public safety) employment. An increase in such
40 employment would be required to meet existing levels of service in the provision of these
41 services in the ROI. Accordingly, one new teacher would be required in the ROI.

1 **Power Tower**
2
3

4 **Construction.** Total construction employment impacts in the ROI (including direct
5 and indirect impacts) from the use of power tower technology would be up to 4,252 jobs
6 (Table 12.2.19.2-2). Construction activities would constitute 0.9% of total ROI employment.
7 Such a solar development would also produce \$234.3 million in income. Direct sales taxes
8 would be \$10.9 million; direct income taxes, \$5.0 million.
9

10 Given the scale of construction activities and the likelihood of local worker availability
11 in the required occupational categories, construction of a solar facility would mean that some
12 in-migration of workers and their families from outside the ROI would be required, with
13 592 persons in-migrating into the ROI. Although in-migration may potentially affect local
14 housing markets, the relatively small number of in-migrants and the availability of temporary
15 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
16 construction on the number of vacant rental housing units would not be expected to be large,
17 with 296 rental units expected to be occupied in the ROI. This occupancy rate would represent
18 2.0% of the vacant rental units expected to be available in the ROI.
19

20 In addition to the potential impact on housing markets, in-migration would affect
21 community service (education, health, and public safety) employment. An increase in such
22 employment would be required to meet existing levels of service in the ROI. Accordingly,
23 9 new teachers, 1 physician, and 1 public safety employee would be required in the ROI. These
24 increases would represent less than 0.1% of total ROI employment expected in these
25 occupations.
26

27
28 **Operations.** Total operations employment impacts in the ROI (including direct and
29 indirect impacts) from a build-out using power tower technologies would be 330 jobs
30 (Table 12.2.19.2-2). Such a solar development would also produce \$10.6 million in income.
31 Direct sales taxes would be less than \$0.1 million; direct income taxes, \$0.4 million. Based on
32 fees established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), acreage
33 rental payments would be \$1.2 million and solar generating capacity payments, at least
34 \$7.5 million.
35

36 Given the likelihood of local worker availability in the required occupational categories,
37 operation of a power tower facility would mean that some in-migration of workers and their
38 families from outside the ROI would be required, with 30 persons in-migrating into the ROI.
39 Although in-migration may potentially affect local housing markets, the relatively small number
40 of in-migrants and the availability of temporary accommodations (hotels, motels, and mobile
41 home parks) mean that the impact of solar facility operation on the number of vacant owner-
42 occupied housing units would not be expected to be large, with 27 owner-occupied units
43 expected to be required in the ROI.
44

TABLE 12.2.19.2-2 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Mason Draw SEZ with Power Tower Facilities^a

Parameter	Maximum Annual Construction Impacts	Annual Operations Impacts
Employment (no.)		
Direct	1,389	232
Total	4,252	330
Income ^b		
Total	234.3	10.6
Direct state taxes ^b		
Sales	10.9	<0.1
Income	5.0	0.4
BLM payments ^b		
Rental	NA ^c	1.2
Capacity ^d	NA	7.5
In-migrants (no.)	592	30
Vacant housing ^e (no.)	296	27
Local community service employment		
Teachers (no.)	9	0
Physicians (no.)	1	0
Public safety (no.)	1	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 667 MW (corresponding to 6,000 acres [24 km²] of land disturbance) could be built. Operations impacts were based on full build-out of the site, producing a total output of 1,147 MW.

^b Unless indicated otherwise, values are reported in \$ million 2008.

^c NA = data not available.

^d The BLM annual capacity payment was based on a fee of \$6,570 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), assuming a solar facility with no storage capability, and full build-out of the site. Projects with 3 or more hours of storage would generate higher payments, based on a fee of \$7,884 per MW.

^e Construction activities would affect vacant rental housing; operations activities would affect vacant owner-occupied housing.

1 No new community service employment would be required to meet existing levels of
2 service in the ROI.

3 4 5 **Dish Engine**

6
7
8 **Construction.** Total construction employment impacts in the ROI (including direct
9 and indirect impacts) from the use of dish engine technology would be up to 1,729 jobs
10 (Table 12.2.19.2-3). Construction activities would constitute 0.4 % of total ROI employment.
11 Such a solar development would also produce \$95.2 million in income. Direct sales taxes
12 would be \$4.5 million; direct income taxes, \$2.0 million.

13
14 Given the scale of construction activities and the likelihood of local worker availability in
15 the required occupational categories, construction of a dish engine facility would mean that some
16 in-migration of workers and their families from outside the ROI would be required, with
17 241 persons in-migrating into the ROI. Although in-migration may potentially affect local
18 housing markets, the relatively small number of in-migrants and the availability of temporary
19 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
20 construction on the number of vacant rental housing units would not be expected to be large,
21 with 120 rental units expected to be occupied in the ROI. This occupancy rate would represent
22 0.8% of the vacant rental units expected to be available in the ROI.

23
24 In addition to the potential impact on housing markets, in-migration would affect
25 community service (education, health, and public safety) employment. An increase in such
26 employment would be required to meet existing levels of service in the ROI. Accordingly, four
27 new teachers would be required in the ROI. This increase would represent less than 0.1% of total
28 ROI employment expected in this occupation.

29
30 **Operations.** Total operations employment impacts in the ROI (including direct
31 and indirect impacts) from a build-out using dish engine technology would be 321 jobs
32 (Table 12.2.19.2-3). Such a solar development would also produce \$10.3 million in income.
33 Direct sales taxes would be less than \$0.1 million; direct income taxes, \$0.4 million. Based on
34 fees established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), acreage
35 rental payments would be \$1.2 million, and solar generating capacity payments would total at
36 least \$7.5 million.

37
38 Given the likelihood of local worker availability in the required occupational categories,
39 operation of a dish engine solar facility would mean that some in-migration of workers and their
40 families from outside the ROI would be required, with 29 persons in-migrating into the ROI.
41 Although in-migration may potentially affect local housing markets, the relatively small number
42 of in-migrants and the availability of temporary accommodations (hotels, motels, and mobile
43 home parks) mean that the impact of solar facility operation on the number of vacant owner-
44 occupied housing units would not be expected to be large, with 26 owner-occupied units
45 expected to be required in the ROI.

TABLE 12.2.19.2-3 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Mason Draw SEZ with Dish Engine Facilities^a

Parameter	Maximum Annual Construction Impacts	Annual Operations Impacts
Employment (no.)		
Direct	565	226
Total	1,729	321
Income ^b		
Total	95.2	10.3
Direct state taxes ^b		
Sales	4.5	<0.1
Income	2.0	0.4
BLM payments ^b		
Rental	NA ^c	1.2
Capacity ^d	NA	7.5
In-migrants (no.)	241	29
Vacant housing ^e (no.)	120	26
Local community service employment		
Teachers (no.)	4	0
Physicians (no.)	0	0
Public safety (no.)	0	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 667 MW (corresponding to 6,000 acres [24 km²] of land disturbance) could be built. Operations impacts were based on full build-out of the site, producing a total output of 1,147 MW.

^b Unless indicated otherwise, values are reported in \$ million 2008.

^c NA = data not available.

^d The BLM annual capacity payment was based on a fee of \$6,570 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), assuming a solar facility with no storage capability, and full build-out of the site. Projects with three or more hours of storage would generate higher payments, based on a fee of \$7,884 per MW.

^e Construction activities would affect vacant rental housing; operations activities would affect vacant owner-occupied housing.

1 No new community service employment would be required to meet existing levels of
2 service in the ROI.

3 4 5 **Photovoltaic**

6
7
8 **Construction.** Total construction employment impacts in the ROI (including direct and
9 indirect impacts) from the use of PV technology would be up to 806 jobs (Table 12.2.19.2-4).
10 Construction activities would constitute 0.2% of total ROI employment. Such a solar
11 development would also produce \$44.4 million in income. Direct sales taxes would be
12 \$2.1 million; direct income taxes, \$1.0 million.

13
14 Given the scale of construction activities and the likelihood of local worker availability
15 in the required occupational categories, construction of a solar facility would mean that some in-
16 migration of workers and their families from outside the ROI would be required, with
17 112 persons in-migrating into the ROI. Although in-migration may potentially affect local
18 housing markets, the relatively small number of in-migrants and the availability of temporary
19 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
20 construction on the number of vacant rental housing units would not be expected to be large,
21 with 56 rental units expected to be occupied in the ROI. This occupancy rate would represent
22 0.4% of the vacant rental units expected to be available in the ROI.

23
24 In addition to the potential impact on housing markets, in-migration would affect
25 community service (education, health, and public safety) employment. An increase in such
26 employment would be required to meet existing levels of service in the ROI. Accordingly,
27 two new teachers would be required in the ROI. This increase would represent less than 0.1%
28 of total ROI employment expected in this occupation.

29
30
31 **Operations.** Total operations employment impacts in the ROI (including direct and
32 indirect impacts) from a build-out using PV technologies would be 32 jobs (Table 12.2.19.2-4).
33 Such a solar development would also produce \$1.0 million in income. Direct sales taxes would
34 be less than \$0.1 million; direct income taxes, less than \$0.1 million. Based on fees established
35 by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), acreage rental payments
36 would be \$1.2 million, and solar generating capacity payments, at least \$6.0 million.

37
38 Given the likelihood of local worker availability in the required occupational categories,
39 operation of a PV solar facility would mean that some in-migration of workers and their families
40 from outside the ROI would be required, with three persons in-migrating into the ROI. Although
41 in-migration may potentially affect local housing markets, the relatively small number of
42 in-migrants and the availability of temporary accommodations (hotels, motels, and mobile home
43 parks) mean that the impact of solar facility operation on the number of vacant owner-occupied
44 housing units would not be expected to be large, with three owner-occupied units expected to be
45 required in the ROI.

TABLE 12.2.19.2-4 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Mason Draw SEZ with PV Facilities^a

Parameter	Maximum Annual Construction Impacts	Annual Operations Impacts
Employment (no.)		
Direct	263	23
Total	806	32
Income ^b		
Total	44.4	1.0
Direct state taxes ^b		
Sales	2.1	<0.1
Income	1.0	<0.1
BLM payments ^b		
Rental	NA ^c	1.2
Capacity ^d	NA	6.0
In-migrants (no.)	112	3
Vacant housing ^e (no.)	56	3
Local community service employment		
Teachers (no.)	2	0
Physicians (no.)	0	0
Public safety (no.)	0	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 667 MW (corresponding to 6,000 acres [24 km²] of land disturbance) could be built. Operations impacts were based on full build-out of the site, producing a total output of 1,147 MW.

^b Unless indicated otherwise, values are reported in \$ million 2008.

^c NA = data not available.

^d The BLM annual capacity payment was based on a fee of \$5,256 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), assuming full build-out of the site.

^e Construction activities would affect vacant rental housing; operations activities would affect owner-occupied housing.

1
2
3

1 No new community service employment would be required to meet existing levels of
2 service in the ROI.

3
4
5 **12.2.19.3 SEZ-Specific Design Features and Design Feature Effectiveness**

6
7 No SEZ-specific design features addressing socioeconomic impacts have been identified
8 for the proposed Mason Draw SEZ. Implementing the programmatic design features described in
9 Appendix A, Section A.2.2, as required under BLM's Solar Energy Program, would reduce the
10 potential for socioeconomic impacts during all project phases.
11

1 **12.2.20 Environmental Justice**

2
3
4 **12.2.20.1 Affected Environment**

5
6 Executive Order 12898, “Federal Actions to Address Environmental Justice in Minority
7 Populations and Low-Income Populations” (*Federal Register*, Volume 59, page 7629, Feb. 11,
8 1994), formally requires federal agencies to incorporate environmental justice as part of their
9 missions. Specifically, it directs them to address, as appropriate, any disproportionately high and
10 adverse human health or environmental effects of their actions, programs, or policies on minority
11 and low-income populations.

12
13 The analysis of the impacts of solar energy projects on environmental justice issues
14 follows guidelines described in the CEQ’s *Environmental Justice Guidance under the National*
15 *Environmental Policy Act* (CEQ 1997). The analysis method has three parts: (1) a description
16 of the geographic distribution of low-income and minority populations in the affected area is
17 undertaken; (2) an assessment is conducted to determine whether construction and operation
18 would produce impacts that are high and adverse; and (3) if impacts are high and adverse, a
19 determination is made as to whether these impacts disproportionately affect minority and low-
20 income populations.

21
22 Construction and operation of solar energy projects in the proposed SEZ could affect
23 environmental justice if any adverse health and environmental impacts resulting from either
24 phase of development are significantly high and if these impacts disproportionately affect
25 minority and low-income populations. If the analysis determines that health and environmental
26 impacts are not significant, there can be no disproportionate impacts on minority and low-income
27 populations. In the event impacts are significant, disproportionality would be determined by
28 comparing the proximity of any high and adverse impacts with the location of low-income and
29 minority populations.

30
31 The analysis of environmental justice issues associated with the development of solar
32 facilities considered impacts within the SEZ and in an associated 50-mi (80-km) radius around
33 the boundary of the SEZ. A description of the geographic distribution of minority and low-
34 income groups in the affected area was based on demographic data from the 2000 Census
35 (U.S. Bureau of the Census 2009k,l). The following definitions were used to define minority
36 and low-income population groups:

- 37
38 • Minority. Persons are included in the minority category if they identify
39 themselves as belonging to any of the following racial groups: (1) Hispanic,
40 (2) Black (not of Hispanic origin) or African American, (3) American Indian or
41 Alaska Native, (4) Asian, or (5) Native Hawaiian or Other Pacific Islander.

42
43 Beginning with the 2000 Census, where appropriate, the census form allows
44 individuals to designate multiple population group categories to reflect their
45 ethnic or racial origins. In addition, persons who classify themselves as being of
46 multiple racial origins may choose up to six racial groups as the basis of their

1 racial origins. The term minority includes all persons, including those classifying
2 themselves in multiple racial categories, except those who classify themselves as
3 not of Hispanic origin and as White or “Other Race” (U.S. Bureau of the Census
4 2009k).

5
6 The CEQ guidance proposed that minority populations be identified where either
7 (1) the minority population of the affected area exceeds 50% or (2) the minority
8 population percentage of the affected area is meaningfully greater than the
9 minority population percentage in the general population or other appropriate unit
10 of geographic analysis.

11
12 This PEIS applies both criteria in using the Census Bureau data for census block
13 groups, wherein consideration is given to the minority population that is both
14 greater than 50% and 20 percentage points higher than in the state (the reference
15 geographic unit).

- 16
17 • Low-Income. Individuals who fall below the poverty line. The poverty line takes
18 into account family size and age of individuals in the family. In 1999, for
19 example, the poverty line for a family of five with three children below the age of
20 18 was \$19,882. For any given family below the poverty line, all family members
21 are considered as being below the poverty line for the purposes of analysis
22 (U.S. Bureau of the Census 2009l).

23
24 The data in Table 12.2.20.1-1 show the minority and low-income composition of the
25 total population located in the proposed SEZ based on 2000 Census data and CEQ guidelines.
26 Individuals identifying themselves as Hispanic or Latino are included in the table as a separate
27 entry. However, because Hispanics can be of any race, this number also includes individuals
28 identifying themselves as being part of one or more of the population groups listed in the table.

29
30 A large number of minority and low-income individuals are located in the 50-mi (80-km)
31 area around the boundary of the SEZ. Within the 50-mi (80-km) radius in New Mexico, 65.9%
32 of the population is classified as minority, while 25.9% is classified as low-income. The number
33 of minority individuals exceeds 50% of the total population in the area, and the number of
34 minority individuals exceeds the state average by 20 percentage points or more; thus, there is
35 a minority population in the SEZ area based on 2000 Census data and CEQ guidelines. The
36 number of low-income individuals does not exceed the state average by 20 percentage points or
37 more and does not exceed 50% of the total population in the area; thus, there are no low-income
38 populations in the 50-mi (80-km) area around the boundary of the SEZ.

39
40 Within the 50-mi (80-km) radius in Texas, 72.8% of the population is classified as
41 minority, while 21.4% is classified as low income. The number of minority individuals exceeds
42 50% of the total population in the area, and the number of minority individuals exceeds the state
43 average by 20 percentage points or more; thus, there is a minority population in the SEZ area
44 based on 2000 Census data and CEQ guidelines. The number of low-income individuals does not
45 exceed the state average by 20 percentage points or more and does not exceed 50% of the total

TABLE 12.2.20.1-1 Minority and Low-Income Populations within the 50-mi (80-km) Radius Surrounding the Proposed Mason Draw SEZ

Parameter	New Mexico	Texas
Total population	211,236	272,931
White, non-Hispanic	72,142	74,101
Hispanic or Latino	130,937	177,550
Non-Hispanic or Latino minorities	8,247	21,280
One race	6,066	18,312
Black or African American	2,481	12,558
American Indian or Alaskan Native	1,523	767
Asian	1,336	4,386
Native Hawaiian or Other Pacific Islander	77	293
Some other race	649	308
Two or more races	2,181	2,968
Total minority	139,184	198,830
Low income	54,687	58,508
Percentage minority	65.9	72.8
State percentage minority	33.2	29.0
Percentage low-income	25.9	21.4
State percentage low-income	18.4	15.4


Source: U.S. Bureau of the Census (2009k,1).

1
2
3 population in the area; thus, there are no low-income populations in the 50-mi (80-km) area
4 around the boundary of the SEZ.

5
6 Figures 12.2.20.1-1 and 12.2.20.1-2 show the locations of the minority and low-income
7 population groups within the 50-mi (80-km) area around the boundary of the SEZ.
8

9
10 **12.2.20.2 Impacts**

11
12 Environmental justice concerns common to all utility-scale solar energy facilities are
13 described in detail in Section 5.18. These impacts will be minimized through the implementation



1

2

3

FIGURE 12.2.20.1-1 Minority Population Groups within the 50-mi (80-km) Area Surrounding the Proposed Mason Draw SEZ

1 of programmatic design features described in Appendix A, Section A.2.2, which address the
2 underlying environmental impacts contributing to the concerns. The potentially relevant
3 environmental impacts associated with solar energy facilities within the proposed SEZ include
4 noise and dust during the construction of solar facilities; noise and EMF effects associated with
5 solar project operations; the visual impacts of solar generation and auxiliary facilities, including
6 transmission lines; access to land used for economic, cultural, or religious purposes; and effects
7 on property values. These are areas of concern that might potentially affect minority and low-
8 income populations.

9
10 Potential impacts on low-income and minority populations could be incurred as a result
11 of the construction and operation of solar development involving each of the four technologies.
12 Although impacts are likely to be small, there are minority populations, as defined by CEQ
13 guidelines (Section 12.2.20.1), within the 50-mi (80-km) radius around the boundary of the SEZ;
14 thus any adverse impacts of solar projects could disproportionately affect minority populations.
15 Because there are low-income populations within the 50-mi (80-km) radius, according to CEQ
16 guidelines, there could also be impacts on low-income populations.

17 18 19 **12.2.20.3 SEZ-Specific Design Features and Design Feature Effectiveness**

20
21 No SEZ-specific design features addressing environmental justice impacts have been
22 identified for the proposed Mason Draw SEZ. Implementing the programmatic design features
23 described in Appendix A, Section A.2.2, as required under BLM's Solar Energy Program, would
24 reduce the potential for environmental justice impacts during all project phases.

1 **12.2.21 Transportation**
2

3 The proposed Mason Draw SEZ is accessible by road, rail, and air networks. Two
4 interstate highways, two major railroads, and a small regional airport serve the area. General
5 transportation considerations and impacts are discussed in Sections 3.4 and 5.19.
6

7
8 **12.2.21.1 Affected Environment**
9

10 The proposed Mason Draw SEZ is near the I-10 corridor, about 18 mi (29 km) west of
11 Las Cruces, New Mexico (Figure 12.2.21.1-1). A portion of the southern border of the SEZ is
12 adjacent to the north side of I-10. Dona Ana County dirt roads C003, C004, C005, and C006
13 cross the SEZ, with C003 and C005 terminating to the south at Gecko Road, which parallels
14 the northern boundary of I-10 and connects to Exit 116 on I-10. In the Mimbres RMP (BLM
15 1993), the SEZ area is included in the group of lands designated as “Limited, existing roads and
16 trails,” indicating that existing roads and trails are available for vehicle and OHV use. Deming,
17 New Mexico, is about 35 mi (56 km) west on I-10. East of the SEZ, I-10 joins I-25 in Las Cruces
18 and then travels south about 40 mi (64 km) to El Paso, Texas. Annual average traffic volumes for
19 the major roads in the area are provided in Table 12.2.21.1-1.
20

21 The BNSF and UP railroads serve the area. The BNSF Railroad extends from the north-
22 northwest to the south-southeast through Las Cruces east of the SEZ, with stops in Las Cruces,
23 Mesilla Park, Mesquite, Vado, and Berino (BNSF 2010). The closest BNSF Railroad stop to the
24 SEZ is in Las Cruces, about 20 mi (32 km) away. The UP Railroad comes within about 5.3 mi
25 (8.5 km) of the southwest portion of the SEZ at its closest approach as it goes to El Paso to the
26 southeast and Tucson to the west. The nearest UP Railroad stops to the SEZ are in Deming,
27 about 32 mi (51 km) west, and in El Paso, 62 mi (100 km) southeast (UP Railroad 2009).
28

29 Five airports (four small and one larger) open to the public are within a driving distance
30 of about 70 mi (113 km) from the proposed Mason Draw SEZ, as listed in Table 12.2.21.1-2.
31 The small airports do not have regularly scheduled passenger service. The nearest public airport
32 is Las Cruces International Airport, about 9 mi (14 km) east of the SEZ along I-10. The nearest
33 larger airport is in El Paso, about a 70-mi (113-km) southeast of the SEZ. The El Paso
34 International Airport is served by several major U.S. airlines, with 1.90 million passengers
35 having departed from and 1.88 million passengers having arrived at the airport in 2008
36 (BTS 2009). For the same year, a total of 60.8 million lb (27.6 million kg) of freight was shipped
37 from El Paso International Airport and 80.7 million lb (36.6 million kg) was received.
38

39
40 **12.2.21.2 Impacts**
41

42 As discussed in Section 5.19, the primary transportation impacts are anticipated to be
43 from commuting worker traffic. I-10 provides a regional traffic corridor that would experience
44 small impacts for single solar development projects that may have up to 1,000 daily workers,
45 with an additional 2,000 vehicle trips per day (maximum). Such an increase is less than 15% of
46 the current traffic on I-10 as it passes the southern section of the SEZ (as summarized in




FIGURE 12.2.21.1-1 Local Transportation Network Serving the Proposed Mason Draw SEZ

1

2

TABLE 12.2.21.1-1 AADT for 2008 on Major Roads near the Proposed Mason Draw SEZ

Road	General Direction	Location	AADT (Vehicles)
I-10	East-west	West of Exit 102 in Akela	19,500
		East of Exit 102/West of State Route 549 (Exit 116)	16,800
		East of State Route 549	15,800
	North-south	West of Exit 132 (Las Cruces Airport)	16,000
		East of Exit 132	16,700
		East of junction U.S. 70	20,100
		South of I-25 interchange	42,700
	South of Mesquite (Exit 151)	30,800	
I-25	North-south	North of University Park (Exit 1)	36,800
		North of East Lohman Ave. (Exit 3)	39,200
		North of junction U.S. 70	16,300
U.S. 70		Junction I-10	10,200
		West of Las Cruces	12,600
State Route 549	East-west	Southwest of junction with I-10 (Exit 116)	800

Source: NM DOT (2010).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

Table 12.2.21.1-1). However, the exits on I-10 might experience moderate impacts with some congestion. Local road improvements would be necessary in any portion of the SEZ near I-10 that might be developed so as not to overwhelm the local roads near any site access points.

Should up to two large projects with approximately 1,000 daily workers each be under development simultaneously, an additional 4,000 vehicle trips per day could be added to I-10 in the vicinity of the SEZ, assuming ride-sharing programs were not implemented. This change would be about a 25% increase in the current average daily traffic level on segments of I-10 near the southern portion of the SEZ and could have moderate impacts on traffic flow during peak commuter times. The extent of the problem would depend on the relative locations of the projects within the SEZ, where the worker populations originate, and the work schedules. The affected exits on I-10 would experience moderate impacts, with some congestion. As mentioned above, local road improvements would be necessary in any portion of the SEZ near I-10 that might be developed so as not to overwhelm the local roads near any site access points.

Solar development within the SEZ would affect public access along OHV routes designated open and available for public use. If there are any routes designated as open within the proposed SEZ, these routes crossing areas granted ROWs for solar facilities would be

TABLE 12.2.21.1-2 Airports Open to the Public in the Vicinity of the Proposed Mason Draw SEZ

Airport	Location	Owner/Operator	Runway 1 ^{a,b}			Runway 2 ^b		
			Length (ft [m])	Type	Condition	Length (ft [m])	Type	Condition
Las Cruces International	About 9 mi (14 km) east of the SEZ on I-10.	City of Las Cruces	6,069 (1,850)	Asphalt	Good	7,499 (2,286)	Concrete/ Grooved	Excellent
			7,499 (2,286)	Asphalt	Fair	NA ^c	NA	NA
Dona Ana County Airport at Santa Teresa	About 59 mi (95 km) southeast of the SEZ near I-10 in Santa Teresa.	Dona Ana County	8,500 (2,591)	Asphalt	Good	NA	NA	NA
Deming Municipal	About 32 mi (51 km) west of the SEZ along I-10 in Deming.	City of Deming	5,675 (1,730)	Asphalt	Fair	6,627 (2,020)	Asphalt	Good
El Paso International	About a 70-mi (113-km) drive southeast of the SEZ near I-10 in El Paso.	City of El Paso	5,499 (1,676)	Asphalt	Fair	9,025 (2,751)	Asphalt/ Grooved	Excellent
			12,020 (3,664)	Asphalt/ Grooved	Good	NA	NA	NA
Hatch Municipal	About 68 mi (109 km) north of the SEZ near I-25 in Hatch.	Village of Hatch	4,110 (1,253)	Asphalt	Good	NA	NA	NA

^a Las Cruces International and El Paso International each have three runways. In each case, information on two of the runways is presented in the “Runway 1” column, and information on the third is in the “Runway 2” column.

^b Source: FAA (2010).

^c NA = not applicable.

1 redesignated as closed (see Section 5.5.1 for more details on how routes coinciding with
2 proposed solar facilities would be treated).

3 4 5 **12.2.21.3 SEZ-Specific Design Features and Design Feature Effectiveness**

6
7 No SEZ-specific design features have been identified related to impacts on transportation
8 systems around the proposed Mason Draw SEZ. The programmatic design features described in
9 Appendix A, Section A.2.2, including local road improvements, multiple site access locations,
10 staggered work schedules, and ride-sharing, would all provide some relief to traffic congestion
11 on local roads leading to the site. Depending on the location of solar facilities within the SEZ,
12 more specific access locations and local road improvements could be implemented.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.2.22 Cumulative Impacts**
2

3 The analysis presented in this section addresses the potential cumulative impacts in the
4 vicinity of the proposed Mason Draw SEZ in Dona Ana County, New Mexico. The CEQ
5 guidelines for implementing NEPA define cumulative impacts as environment impacts resulting
6 from the incremental impacts of an action when added to other past, present, and reasonably
7 foreseeable future actions (40 CFR 1508.7). The impacts of other actions are considered without
8 regard to the agency (federal or nonfederal), organization, or person that undertakes them. The
9 time frame of this cumulative impacts assessment could appropriately include activities that
10 would occur up to 20 years in the future (the general time frame for PEIS analyses), but little or
11 no information is available for projects that could occur further than 5 to 10 years in the future.
12

13 The Mason Draw SEZ is located just west of the populated city of Las Cruces, New
14 Mexico. The nearest towns are Aden, about 7 mi (11 km) to the south, and Dona, about 10 mi
15 (16 km) to the southwest. The border with Mexico is approximately 33 mi (53 km) south of the
16 proposed SEZ. Within 50 mi (80 km) of the SEZ, there are about nine WSAs. The ARS Jornada
17 Experimental Range is 23 mi (37 km) northeast of the SEZ, the San Andres National Wildlife
18 Refuge is about 34 mi (54 km) northeast of the SEZ, the White Sands National Monument is
19 about 43 mi (69 km) northeast of the SEZ, and the Gila National Forest is about 44 mi (70 km)
20 northwest of the SEZ. The White Sands Missile Range is 28 mi (45 km) east of the SEZ, and the
21 Fort Bliss McGregor Range is 50 mi (80 km) east of the SEZ. In addition, the Mason Draw SEZ
22 is close to the Afton SEZ, and in some areas, impacts from the two SEZs overlap.
23

24 The geographic extent of the cumulative impacts analysis for potentially affected
25 resources near the proposed Mason Draw SEZ is identified in Section 12.2.22.1. An overview
26 of ongoing and reasonably foreseeable future actions is presented in Section 12.2.22.2. General
27 trends in population growth, energy demand, water availability, and climate change are discussed
28 in Section 12.2.22.3. Cumulative impacts for each resource area are discussed in
29 Section 12.2.22.4.
30
31

32 **12.2.22.1 Geographic Extent of the Cumulative Impacts Analysis**
33

34 The geographic extent of the cumulative impacts analysis for potentially affected
35 resources evaluated near the proposed Mason Draw SEZ is provided in Table 12.2.22.1-1. These
36 geographic areas define the boundaries encompassing potentially affected resources. Their extent
37 may vary based on the nature of the resource being evaluated and the distance at which an
38 impact may occur. The evaluation of air quality may have a greater regional extent of impact
39 than visual resources. The BLM, the DoD, and the USDA administer most of the lands around
40 the SEZ. The BLM administers approximately 32% of the lands within a 50-mi (80-km) radius
41 of the SEZ.
42
43

TABLE 12.2.22.1-1 Geographic Extent of the Cumulative Impacts Analysis by Resource Area: Proposed Mason Draw SEZ

Resource Area	Geographic Extent
Land Use	Dona Ana, Luna, Grant, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Specially Designated Areas and Lands with Wilderness Characteristics	Within a 25-mi (40-km) radius of the Mason Draw SEZ
Rangeland Resources	
Grazing	Grazing allotments within 5 mi (8 km) of the Mason Draw SEZ
Wild Horses and Burros	A 50-mi (80-km) radius from the center of the Mason Draw SEZ
Recreation	Dona Ana, Luna, Grant, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Military and Civilian Aviation	Dona Ana, Luna, Grant, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Soil Resources	Areas within and adjacent to the Mason Draw SEZ
Minerals	Dona Ana, Luna, Grant, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Water Resources	
Surface Water	Rio Grande River, West Side Canal, Mimbres River, Mason Draw, Kimble Draw
Groundwater	Mimbres and/or Mesilla groundwater basins
Air Quality and Climate	A 31-mi (50-km) radius from the center of the Mason Draw SEZ
Vegetation, Wildlife and Aquatic Biota, Special Status Species	A 50-mi (80-km) radius from the center of the Mason Draw SEZ, including portions of Dona Ana, Luna, Grant, Sierra, Otero Counties in New Mexico, and El Paso County in Texas
Visual Resources	Viewshed within a 25-mi (40-km) radius of the Mason Draw SEZ
Acoustic Environment (noise)	Areas adjacent to the Mason Draw SEZ
Paleontological Resources	Areas within and adjacent to the Mason Draw SEZ
Cultural Resources	Areas within and adjacent to the Mason Draw SEZ for archaeological sites; viewshed within a 25-mi (40-km) radius of the Mason Draw SEZ for other properties, such as traditional cultural properties
Native American Concerns	Areas within and adjacent to the Mason Draw SEZ; viewshed within a 25-mi (40-km) radius of the Mason Draw SEZ
Socioeconomics	A 50-mi (80-km) radius from the center of the Mason Draw SEZ
Environmental Justice	A 50-mi (80-km) radius from the center of the Mason Draw SEZ
Transportation	I-10 and 25; U.S. 54 and 70; several state highways including these nearby: 28, 185, 292, and 478.

1 **12.2.22.2 Overview of Ongoing and Reasonably Foreseeable Future Actions**
2

3 The future actions described below are those that are “reasonably foreseeable”; that is,
4 they have already occurred, are ongoing, are funded for future implementation, or are included
5 in firm near-term plans. Types of proposals with firm near-term plans are as follows:
6

- 7 • Proposals for which NEPA documents are in preparation or finalized;
- 8
- 9 • Proposals in a detailed design phase;
- 10
- 11 • Proposals listed in formal NOIs published in the Federal Register or state
12 publications;
- 13
- 14 • Proposals for which enabling legislations have been passed; and
- 15
- 16 • Proposals that have been submitted to federal, state, or county regulators to
17 begin a permitting process.
- 18

19 Projects in the bidding or research phase or that have been put on hold were not included in the
20 cumulative impact analysis.
21

22 The ongoing and reasonably foreseeable future actions described below are grouped
23 into two categories: (1) actions that relate to energy production and distribution, including
24 potential solar energy projects under the proposed action (Section 12.2.22.2.1), and (2) other
25 ongoing and reasonably foreseeable actions, including those related to mining and mineral
26 processing, grazing management, transportation, recreation, water management, and
27 conservation (Section 12.2.22.2.2). Together, these actions and trends have the potential to
28 affect human and environmental receptors within the geographic range of potential impacts
29 over the next 20 years.
30

31
32 ***12.2.22.2.1 Energy Production and Distribution***
33

34 In March 2007, New Mexico passed Senate Bill 418, which expands the State’s
35 Renewable Energy Standard to 20% by 2020, with interim standards of 10% by 2011 and
36 15% by 2015. The bill also establishes a standard for rural electric cooperatives of 10% by
37 2020. Furthermore, utilities are to set a goal of at least a 5% reduction in total retail sales to
38 New Mexico customers, adjusted for load growth, by January 1, 2020 (DSIRE 2010).
39

40 Reasonably foreseeable future actions related to renewable energy production and
41 energy distribution within 50 mi (80 km) of the proposed Mason Draw SEZ are identified in
42 Table 12.2.22.2-1 and are described in the following paragraphs. However, no projects for
43 fast-track solar energy, wind, or geothermal have been identified within this distance.
44
45

TABLE 12.2.22.2-1 Reasonably Foreseeable Future Actions Related to Energy Development and Distribution near the Proposed Mason Draw SEZ^a

Description	Status	Resources Affected	Primary Impact Location
Fast-Track Solar Energy Projects on BLM-Administered Land			
None			
Transmission and Distribution Systems			
SunZia Southwest Transmission Project (two 500-kV lines)	NOI May 29, 2009; Draft EIS is expected to be available for review and comment by late 2010	Land use, terrestrial habitats, visual	Project Study Area includes the proposed Mason Draw SEZ, most of central New Mexico, and a corridor through southwest New Mexico that connects to Arizona
High Plains Express Transmission Project (two 500-kV lines)	Feasibility Study Report June 2008	Land use, terrestrial habitats, visual	Conceptual route from northeast to southwest New Mexico via Luna, New Mexico, to Arizona

^a Projects in later stages of agency environmental review and project development.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

Renewable Energy Development

Renewable energy ROW applications are considered in two categories: fast-track and regular-track applications. Fast-track applications, which apply principally to solar energy facilities, are those applications on public lands for which the environmental review and public participation process is under way and the applications could be approved by December 2010. A fast-track project would be considered foreseeable, because the permitting and environmental review processes would be under way. There are no solar fast-track project applications within the ROI of the proposed Mason Draw SEZ. Regular-track proposals are considered potential future projects but not necessarily foreseeable projects, because not all applications would be expected to be carried to completion. These proposals are considered together as a general level of interest in development of renewable energy in the region and are discussed in the following section. The locations of these projects are shown on Figure 12.2.22-1.

Pending Renewable Energy ROW Applications on BLM-Administered Lands

One regular-track solar project ROW application has been submitted to the BLM that would be located within 50 mi (80 km) of the SEZ. Table 12.2.22.2-2 provides information on

TABLE 12.2.22.2-2 Pending Renewable Energy Project ROW Applications on BLM-Administered Land within 50-mi of the Mason Draw SEZ

Serial No.	Project Name	Application Received	Size (acres ^a)	MW	Technology	Status	Field Office
<i>Solar Applications</i>							
NMNM 119969	EnXco Development Corp.	Feb. 6, 2008	3,000	600	CSP/Trough	Pending	Las Cruces
<i>Wind Applications</i>							
NMNM 122188	Uriel Wind, Inc.	Oct. 16, 2008	3,200	– ^b	Wind	Authorized for Wind Site Testing	Las Cruces

^a To convert acres to km², multiply by 0.004047.

^b A dash indicates data not available.

1 the solar project that had a pending application submitted to BLM as of March 2010 (BLM and
2 USFS 2010b). Figure 12.2.22.2-1 shows the locations of this application. In addition, there is one
3 pending wind site testing ROW application within 50 mi (80 km) of the SEZ. The likelihood of
4 any of the regular-track application projects actually being developed is uncertain but is
5 generally assumed to be less than that for fast-track applications.


6 7 8 **Transmission and Distribution** 9

10 ***SunZia Southwest Transmission Project.*** This proposed project would be for two
11 500-kV transmission lines with an estimated total capacity of 3,000 MW. The proposed
12 transmission line would originate at a new substation in either Socorro County or Lincoln
13 County in the vicinity of Bingham or Ancho, New Mexico, and terminate at the Pinal Central
14 Substation in Pinal County near Coolidge, Arizona. A new substation is also proposed east of
15 Deming, New Mexico, about 25 mi (40 km) west of the proposed Mason Draw SEZ. The
16 transmission line route would be approximately 460 mi (736 km) long. The route and
17 alternatives would cross BLM lands on approximately 170 mi (272 km) in New Mexico and
18 45 mi (72 km) in Arizona, along with state and private lands (BLM 2010d). The project's Study
19 Area includes the proposed Mason Draw SEZ, most of central New Mexico, and a corridor
20 through southwest New Mexico that connects to Arizona. The project would transport electricity
21 generated by power generation resources, including primarily renewable resources, to western
22 power markets and load centers (BLM 2010d). A draft EIS is expected to be available for public
23 review and comment by late 2010. Other federal, state, and county permitting efforts are also
24 under way. SunZia is anticipated to be in service and delivering renewable energy by early 2014
25 (SunZia 2010).

26
27
28 ***High Plains Express Transmission Project.*** Two 500-kV transmission lines carrying up
29 to 4,000 MW of bulk power are proposed, which would traverse 1,300 mi (2,092 km) from east-
30 central Wyoming, through eastern Colorado, across New Mexico, to Arizona. The conceptual
31 route for one 500-kV line would connect to a substation located about 30 mi (48 km) west of the
32 proposed Mason Draw SEZ or interconnect with the proposed SunZia project for a portion of the
33 route near the SEZ. The project would strengthen the eastern portion of the western grid,
34 increase markets for renewable energy, increase system reliability, and allow economic transfers
35 of energy. The project is projected to cost more than \$5 billion (HPX 2008). Construction would
36 begin in 2015 and operation in 2018. A project feasibility study was completed in 2008, while
37 more detailed project studies are under way.

38 39 **12.2.22.2.2 Other Actions** 40

41
42 Other major ongoing and foreseeable actions identified within 50 mi (80 km) of the
43 proposed Mason Draw SEZ are listed in Table 12.2.22.2-3 and are described in the following
44 subsections.
45



1
 2 **FIGURE 12.2.22.2-1 Locations of Renewable Energy Project ROW Applications within a**
 3 **50-mi (80-km) Radius of the Proposed Mason Draw SEZ**

TABLE 12.2.22.2-3 Other Major Actions near the Proposed Mason Draw SEZ^a

Description	Status	Resources Affected	Primary Impact Location
Afton Generating Station	Operating since 2002	Land use, terrestrial habitats, air quality, visual	13 mi (21 km) southeast of the SEZ
Rio Grande Power Station	Operating since 1929	Land use, terrestrial habitats, water, air quality, visual	42 mi (68 km) southeast of the SEZ
Newman Power Station	Last unit began operating in 2009	Land use, terrestrial habitats, water, air quality, visual	38 mi (60 km) southeast of the SEZ
Fort Bliss	Established in 1854	Land use, terrestrial habitats, air quality, visual	42 mi (67 km) southeast of the SEZ
Fort Bliss McGregor Range	Operating since the 1940s	Land use, terrestrial habitats, air quality, visual	Nearest boundary 46 mi (75 km) east of the SEZ
Fort Bliss Dona Ana Range		Land use, terrestrial habitats, air quality, visual	23 mi (37 km) east of the SEZ
White Sands Missile Range	Operating since 1945	Land use, terrestrial habitats, air quality, visual	Nearest boundary about 25 mi (40 km) east of the SEZ
Jornada Experimental Range	Operating since 1912	Land use	Nearest boundary 17 mi (27 km) northeast of the SEZ
Opening of Hunting on the San Andres National Wildlife Refuge (NWR)	EA issued February 2007	Terrestrial habitat, wildlife	Boundary 27 mi (43 km) northeast of the SEZ
Mountain Lion Management on the San Andres NWR	EA issued September 2002	Terrestrial habitat, wildlife	Boundary 27 mi (43 km) northeast of the SEZ

^a Projects ongoing or in later stages of agency environmental review and project development.

1
2
3

1 **Other Ongoing Actions**
2
3

4 **Afton Generating Station.** PNM operates the Afton Generating Station, 12.5 mi (20 km)
5 southwest of Las Cruces, New Mexico and 13 mi (21 km) southwest of the SEZ. The 135-MW
6 plant consists of a simple-cycle, natural gas–fired facility (PNM 2002).
7
8

9 **Rio Grande Power Station.** El Paso Electric operates the Rio Grande Power Station,
10 located on the banks of the Rio Grande River, about 42 mi (68 km) southeast of the SEZ. The
11 plant consists of three steam-electric generating units with a total capacity of 246 MW. The units
12 operate primarily on natural gas but can also operate on fuel oil (El Paso Electric 2010).
13
14

15 **Newman Power Station.** El Paso Electric operates the Newman Power Station, in
16 El Paso, Texas, about 38 mi (60 km) southeast of the SEZ. The plant consists of three steam-
17 electric and two combined cycle generating units with a total capacity of 614 MW. The units
18 operate primarily on natural gas but can also operate on fuel oil (Reuters 2010).
19
20

21 **Fort Bliss.** The main cantonment area of Fort Bliss is adjacent to El Paso, Texas,
22 approximately 42 mi (67 km) southeast of the SEZ. The installation, which also includes the
23 McGregor Range, the Dona Ana Range, the North Training Area in New Mexico, and the South
24 Training Area in Texas, occupies a total of 1.12 million acres (4530 km²). Fort Bliss comprises a
25 complex of facilities, training, and test activities. The original Army Post was established in
26 1854 (GlobalSecurity.org 2006).
27
28

29 **Fort Bliss McGregor Range.** Fort Bliss McGregor Range, 46 mi (75 km) east of the
30 SEZ, encompasses 608,335 acres (2,461 km²) of withdrawn public land, 71,083 acres (288 km²)
31 of Army fee-owned land, and 18,004 acres (73 km²) of U.S. Forest Service land. Mission
32 activities include training to maintain the operational readiness of active duty, reserve, and
33 National Guard units through training, operations, and field exercises. Field exercises include
34 field operations, communications, command and control, simulated enemy contact, smoke
35 generation, and missile and weapons firing. Participation in joint training involves 10,000 to
36 20,000 personnel per year (GlobalSecurity.org 2005a).
37
38

39 **Fort Bliss Dona Ana Range.** Fort Bliss Dona Ana Range is 23 mi (37 km) east of
40 the SEZ. The Multi-Purpose Range Complex consists of target lanes with armor stationary
41 pits, moving and stationary targets, small arms ranges for mechanized infantry and
42 aerial gunnery, and smoke generators for training to screen friendly actions against aggressor
43 positions. Participation in joint training has involved more than 20,000 personnel per year
44 (GlobalSecurity.org 2005b).
45
46

1 **White Sands Missile Range (WSMR).** The White Sands Missile Range, the Department
2 of the Army’s largest installation, covers approximately 2.2 million acres (8,900 km²). The
3 closest boundary is 25 mi (40 km) northeast of the SEZ. The facility began operating in 1945
4 and employs approximately 2,700 military personnel and contractors. The primary mission is
5 to support missile development and test programs for the U.S. Army, Navy, Air Force, and
6 The National Aeronautics and Space Administration (NASA). WSMR supports approximately
7 3,200 to 4,300 test events annually (GlobalSecurity.org 2005c; WSMR 2009).
8
9

10 **Jornada Experimental Range.** The Department of Agriculture’s Jornada Experimental
11 Range encompasses 193,000 acres (780 km²). The closest boundary is 17 mi (27 km) north–
12 northeast of the SEZ. The mission of the facility, which began operation in 1912, is to develop
13 new knowledge of ecosystem processes as a basis for management and remediation of desert
14 rangelands (USDA 2008).
15
16

17 **Other Foreseeable Actions**

18
19

20 **Opening of Hunting on the San Andres NWR.** The USFWS intends to remove exotic
21 antelope oryx on the San Andres NWR through a limited hunting program. The closest
22 boundary of the NWR is 27 mi (43 km) northeast of the SEZ. The NWR encompasses
23 57,215 acres (232 km²). Oryx, a large African antelope introduced in the early 1970s, has
24 caused habitat damage and presents potential disease for desert mule deer and desert bighorn
25 sheep (USFWS 2007).
26
27

28 **Mountain Lion Management on the San Andres NWR.** The USFWS intends to protect
29 desert bighorn sheep from predation by mountain lions during restoration efforts of desert
30 bighorn sheep in the San Andres Mountains. The closest boundary of the NWR is 27 mi (43 km)
31 northeast of the SEZ. The NWR encompasses 57,215 acres (232 km²). Control of mountain lions
32 would be concentrated in a limited area around the desert bighorn sheep release sites. Any
33 mature mountain lion perceived to be a threat would be killed (USFWS 2002).
34
35

36 **Grazing Allotments**

37

38 One grazing allotment covers the entire Mason Draw SEZ. Within 50 mi (80 km) of the
39 SEZ, most of the land is covered with grazing allotments with the exception of the land to the
40 east.
41

42 **Mining**

43
44

45 Within 50 mi (80 km) of the proposed Mason Draw SEZ, the BLM *GeoCommunicator*
46 database (BLM and USFS 2010a) shows several active mining claims on file with BLM. The

1 highest density of claims is located 47 mi (75 km) northwest of the SEZ (101 to 200 claims per
2 township).

3 4 5 **12.2.22.3 General Trends**

6 7 8 **12.2.22.3.1 Population Growth**

9
10 Over the period 2000 to 2008, the counties in the ROI experienced growth in population.
11 The population in Dona Ana County in New Mexico grew at an annual rate of 2.1%, Luna
12 County in New Mexico by 1.1%, and El Paso County in Texas by 1.7 %. The population of the
13 ROI in 2008 was 1,009,542, having grown at an average annual rate of 1.7% since 2000. The
14 growth rate for the state of New Mexico, as a whole, was 1.7% (Section 12.2.10.1).

15 16 17 **12.2.22.3.2 Energy Demand**

18
19 The growth in energy demand is related to population growth through increases in
20 housing, commercial floorspace, transportation, manufacturing, and services. Given that
21 population growth is expected in Dona Ana, Luna, and El Paso Counties between 2006 and
22 2016, an increase in energy demand also is expected. However, the EIA projects a decline in
23 per-capita energy use through 2030, mainly because of the high cost of oil and improvements
24 in energy efficiency throughout the projection period. Primary energy consumption in the
25 United States between 2007 and 2030 is expected to grow by about 0.5% each year; the fastest
26 growth is projected for the commercial sector (at 1.1% each year). Transportation, residential,
27 and industrial energy consumption are expected to grow each year by about 0.5, 0.4, and 0.1%,
28 respectively (EIA 2009).

29 30 31 **12.2.22.3.3 Water Availability**

32
33 As described in Section 12.2.9.1, the Mason Draw SEZ is located on the eastern edge
34 of the Mimbres Groundwater Basin, which is adjacent to the West Mesa portion of the Mesilla
35 Groundwater Basin to the east. The two basins are hydraulically connected. Groundwater depth
36 in the vicinity of the proposed Mason Draw SEZ is not known. Wells in the Mesilla Basin that
37 are located over 3 mi (5 km) to the east have depth to groundwater values ranging between
38 185 and 320 ft (56 and 98 m). Groundwater extractions in the Mimbres Basin are greater towards
39 the town of Deming, which is located 25 mi (40 km) west of the proposed SEZ near the center of
40 the basin. Groundwater levels in this area have been decreasing at an average rate of 0.8 ft/yr
41 (0.2 m/yr) since the 1940s.

42
43 Estimates for the total groundwater recharge in the Mimbres Basin range from 39,940 to
44 55,300 ac-ft/yr (49.3 million and 68.2 million m³/yr). However, for the region around the
45 proposed SEZ, the estimated recharge is only 1,740 ac-ft/yr (2.1 million m³/yr). Total

1 groundwater recharge for the Mesilla Basin was estimated to be less than 10,000 ac-ft/yr
2 (12.3 million m³/yr) (Section 12.1.9.1.2).

3
4 In 2005, water withdrawals from surface waters and groundwater in Dona Ana County
5 were 521,000 ac-ft/yr (642 million m³/yr), of which 61% came from surface waters and 39%
6 came from groundwater. Agricultural was the largest use, at 470,000 ac-ft/yr (580 million
7 m³/yr), while public supply water use was 42,000 ac-ft/yr (52 million m³/yr). The City of Las
8 Cruces has obtained rights to 13,000 ac-ft/yr (16 million m³/yr) from a planned well field in the
9 West Mesa (Section 12.1.9.2.4).

10 11 12 **12.2.22.3.4 Climate Change** 13

14 A report on global climate change in the United States prepared by the U.S. Global
15 Research Program (GCRP 2009) documents current temperature and precipitation conditions
16 and historic trends. Excerpts of the conclusions from this report indicate the following for the
17 southwest region of the United States, which includes western and central New Mexico:
18

- 19 • Decreased precipitation, with a greater percentage of that precipitation coming
20 from rain, will result in a greater likelihood of winter and spring flooding and
21 decreased stream flow in the summer.
22
- 23 • Increased frequency and altered timing of flooding will increase risks to
24 people, ecosystems, and infrastructure.
25
- 26 • The average temperature in the Southwest has already increased by about
27 1.5°F (0.8°C) compared to a 1960 to 1979 baseline, and by the end of the
28 century, the average annual temperature is projected to rise 4°F to 10°F
29 (2°C to 6°C).
30
- 31 • A warming climate and the related reduction in spring snowpack and soil
32 moisture have increased the length of the wildfire season and intensity of
33 forest fires.
34
- 35 • Later snow and less snow coverage in ski resort areas could force ski areas to
36 shut down before the season would otherwise end.
37
- 38 • Much of the Southwest has experienced drought conditions since 1999. This
39 represents the most severe drought in the last 110 years. Projections indicate
40 an increasing probability of drought in the region.
41
- 42 • As temperatures rise, the landscape will be altered as species shift their ranges
43 northward and upward to cooler climates.
44
- 45 • Temperature increases, when combined with urban heat island effects for
46 major cities such as El Paso, present significant stress to health as well as
47 electricity and water supplies.
48

- 1 • Increased minimum temperatures and warmer springs extend the range and
2 lifetime of many pests that stress trees and crops, and lead to northward
3 migration of weed species.
4
5

6 **12.2.22.4 Cumulative Impacts on Resources** 7

8 This section addresses potential cumulative impacts in the proposed Mason Draw SEZ on
9 the basis of the following assumptions: (1) because of the moderate size of the proposed SEZ
10 (>10,000 and <30,000 acres [>40.5 and <121 km²]), up to two projects could be constructed at a
11 time, and (2) maximum total disturbance over 20 years would be about 10,327 acres (41.8 km²)
12 (80% of the entire proposed SEZ). For purposes of analysis, it is also assumed that no more than
13 3,000 acres (12.1 km²) would be disturbed per project annually and up to 250 acres (1.01 km²)
14 monthly on the basis of construction schedules planned in current applications. Since a 115-kV
15 line runs through the SEZ, no analysis of impacts has been conducted for the construction of a
16 new transmission line outside of the SEZ that might be needed to connect solar facilities to the
17 regional grid (see Section 12.2.1.2). Regarding site access, the nearest major road is I-10, which
18 runs adjacent to the southern boundary of the SEZ. It is assumed that no new access roads would
19 need to be constructed to reach this road and to support solar development in the SEZ.
20

21 Cumulative impacts that would result from the construction, operation, and
22 decommissioning of solar energy development projects within the proposed SEZ when added
23 to other past, present, and reasonably foreseeable future actions described in the previous
24 section in each resource area are discussed below. At this stage of development, because of the
25 uncertain nature of future projects in terms of size, number, and location within the proposed
26 SEZ and the types of technology that would be employed, the impacts are discussed qualitatively
27 or semiquantitatively, with ranges given as appropriate. More detailed analyses of cumulative
28 impacts would be performed in the environmental reviews for the specific projects in relation to
29 all other existing and proposed projects in the geographic area.
30

31 **12.2.22.4.1 Lands and Realty** 32

33
34 The area covered by the proposed Mason Draw SEZ is largely rural and undeveloped.
35 The areas surrounding the SEZ are both rural and industrial, with several large electric power
36 plants nearby. I-10, which runs just south of the SEZ, would provide access to the SEZ, while the
37 interior of the SEZ is accessible via two county roads (Section 12.2.2.1).
38

39 Development of the SEZ for utility-scale solar energy production would establish a
40 new industrial area that would exclude many existing and potential uses of the land, perhaps
41 in perpetuity. There is little development within the SEZ, while several industrial facilities and
42 a municipal airport lie along the I-10 corridor to the south. Thus, utility-scale solar energy
43 development within the SEZ would not be a new land use in the area, but would convert
44 additional rural land to such use. Access to portions of the SEZ holding solar facilities by
45 both the general public and much wildlife, for current uses, would be eliminated.
46

1 As shown in Table 12.2.22.2-2 and Figure 12.2.22.2-1, there are currently no solar
2 applications on the SEZ, and one solar, one wind, and no geothermal applications on public
3 land within a 50-mi (80-km) radius of the proposed SEZ. Other currently foreseeable projects
4 identified in Section 12.2.22.2.2 are mainly transmission projects located more than 20 mi
5 (32 km) from the SEZ (Section 12.2.22.2.2) and would have minimal impacts on land use near
6 the SEZ. The proposed Afton SEZ is located 3 mi (5 km) to the southeast.
7

8 The development of utility-scale solar projects in the proposed Mason Draw SEZ in
9 combination with other ongoing and foreseeable actions within the 50-mi (80-km) geographic
10 extent of effects could have small cumulative effects on land use through impacts on land access
11 and use for other purposes, and through impacts on groundwater availability and on visual
12 resources, especially if the proposed Mason Draw and Afton SEZs are fully developed with solar
13 facilities. It is not anticipated that approval of solar energy development within the SEZ would
14 have a significant impact on the amount of public lands available for future ROWs outside the
15 SEZ (Section 12.2.2.2.1), except lands developed with solar facilities in the nearby Afton SEZ.
16
17

18 ***12.2.22.4.2 Specially Designated Areas and Lands with Wilderness Characteristics***

19

20 There are 16 specially designated areas within 25 mi (40 km) of the proposed Mason
21 Draw SEZ in New Mexico that potentially could be affected by solar energy development within
22 the SEZ from impacts on scenic and wilderness characteristics (Section 12.2.3.1). Potential exists
23 for cumulative visual impacts on these areas from the construction of utility-scale solar energy
24 facilities within the SEZ and other development outside the SEZ within the geographic extent
25 of effects, including solar facilities in the proposed Afton SEZ. The magnitude of cumulative
26 effects from currently foreseeable development, however, would be low due to the small number
27 of projects identified. Existing urban, agricultural, and commercial development along I-10 and
28 in the Mesilla Valley along the Rio Grande would contribute to cumulative visual impacts on
29 sensitive areas.
30
31

32 ***12.2.22.4.3 Rangeland Resources***

33

34 The proposed Mason Draw SEZ covers about 7% of one grazing allotment
35 (Section 12.2.4.1.1). If utility-scale solar facilities were constructed on the SEZ, those
36 areas occupied by the solar projects would be excluded from grazing. In addition, the nearby
37 Afton SEZ includes significant portions of six allotments, including the allotment affected by
38 the proposed Mason Draw SEZ, which could be affected by solar facilities built there. Other
39 foreseeable projects within 50 mi (80 km) of the SEZ, mainly transmission projects, are not
40 expected to significantly affect grazing because of the nature and small number of the proposed
41 projects.
42

43 The proposed Mason Draw SEZ is about 120 mi (193 km) from the nearest wild horse
44 and burro HMA managed by the BLM and about 235 mi (378 km) from any wild horse and
45 burro territories administered by the USFS; thus solar energy development within the SEZ would

1 not directly or indirectly affect wild horses and burros (Section 12.2.4.2.2). The SEZ would not,
2 therefore, contribute to cumulative effects on wild horses and burros.
3
4

5 ***12.2.22.4.4 Recreation*** 6

7 The easy access of the proposed SEZ to nearby population centers invites some types
8 of outdoor recreation, including hiking, biking, backcountry driving, and small game hunting
9 (Section 12.2.5.1). Construction of utility-scale solar projects on the SEZ would preclude
10 recreational use of the affected lands for the duration of the projects, while access restrictions
11 within the SEZ could affect access to recreational areas within and outside the SEZ. The nearby
12 proposed Afton SEZ would have similar effects from solar facilities built there. Such effects
13 within either SEZ are expected to be small due to low current use and alternate recreational
14 areas, while the cumulative effects of two SEZs would be small as well. Effects on wilderness
15 characteristics in surrounding specially designated areas from visual impacts of solar facilities
16 are more difficult to assess, but small cumulative impacts on these areas from solar development
17 in both SEZs could accrue. Other foreseeable actions within the geographic extent of effects,
18 mainly transmission projects located more than 20 mi (32 km) from the SEZ, would not
19 contribute significantly to cumulative impacts on recreation.
20

21 ***12.2.22.4.5 Military and Civilian Aviation*** 22

23 One military training route overlaps the proposed Mason Draw SEZ. This route has a
24 minimum altitude level of 100 ft (30 m) above ground level, which could be affected by solar
25 facilities or transmission lines greater than this height. The Las Cruces International Airport
26 lies 8 mi (13 km) to the east of the SEZ (Section 12.2.6.1). FAA regulations, including height
27 restrictions on solar facilities and transmission lines, would prevent conflicts with civilian airport
28 operations there. Foreseeable development within 50 mi (80 km) of the SEZ, including potential
29 solar facilities within the nearby proposed Afton SEZ, would not affect military or civilian
30 aviation; thus, there would be no cumulative impacts.
31
32

33 ***12.2.22.4.6 Soil Resources*** 34

35 Ground-disturbing activities (e.g., grading, excavating, and drilling) during the
36 construction phase of a solar project, including the construction of any associated transmission
37 line connections and new roads, would contribute to soil loss due to wind erosion. Road use
38 during construction, operations, and decommissioning of the solar facilities would further
39 contribute to soil loss. Programmatic design features would be employed to minimize erosion
40 and loss. Residual soil losses with mitigations in place would be in addition to losses from
41 ongoing activities outside of the proposed SEZ, including military training operations and
42 agriculture. Cumulative impacts on soil resources from other ongoing and foreseeable projects
43 within the region are unlikely, because these projects are few in number, are mostly more than 20
44 mi (32 km) from SEZ, and generally do not produce significant soil disturbance (Section
45 12.2.22.2). Cumulative impacts from solar facilities in both the proposed Mason Draw SEZ and
46

1 the nearby Afton SEZ would depend on the number and size of facilities ultimately built, but are
2 expected to remain small with mitigations in place.

3
4 Landscaping of solar energy facility areas in the SEZ could alter drainage patterns and
5 lead to increased siltation of surface water streambeds, in addition to that from other activities
6 outside the SEZ. However, with the required design features in place, cumulative impacts would
7 likewise be small.

8 9 10 **12.2.22.4.7 Minerals (Fluids, Solids, and Geothermal Resources)**

11
12 As discussed in Section 12.2.8, there are currently no active oil and gas leases or mining
13 claims within the proposed Mason Draw SEZ, and there are no pending proposals for geothermal
14 energy development. Because of the generally low level of mineral production in the proposed
15 SEZ and surrounding area, and the expected low impact on mineral accessibility of other
16 foreseeable actions within the geographic extent of effects, including potential solar facilities
17 within the nearby proposed Afton SEZ, no cumulative impacts on mineral resources are
18 expected.

19 20 21 **12.2.22.4.8 Water Resources**

22
23 Section 12.2.9.2 describes the water requirements for various technologies if they were to
24 be employed on the proposed SEZ to develop utility-scale solar energy facilities. The amount of
25 water needed during the peak construction year for evaluated solar technologies would be up to
26 about 3,500 ac-ft/yr (4.3 million m³/yr). During operations, with full development of the SEZ
27 on more than 80% of its available land area, the amount of water needed for evaluated solar
28 technologies would range from 58 to 31,011 ac-ft/yr (71,000 to 38 million m³/yr). The amount
29 of water needed during decommissioning would be similar to or less than the amount used
30 during construction. In 2005, water withdrawals from surface waters and groundwater in Dona
31 Ana County were 521,000 ac-ft/yr (642 million m³/yr), of which 61% came from surface waters
32 and 39% came from groundwater. The largest water use was for agricultural irrigation, at
33 470,000 ac-ft/yr (580 million m³/yr) (Section 12.2.9.1.3). Therefore, cumulatively the additional
34 water resources needed for solar facilities in the SEZ during operations would constitute from a
35 very small (0.01%) to a moderate (6.0%) increment (the ratio of the annual water requirement
36 for operations to the annual amount withdrawn in Dona Ana County), depending on the solar
37 technology used (PV technology at the low end and the wet-cooled parabolic trough technology
38 at the high end).

39
40 Water use estimates for solar technologies at the proposed Mason Draw SEZ are small
41 compared to the water use in Dona Ana County; however, the physical location of the proposed
42 SEZ has limited water availability in the underlying groundwater aquifers. As discussed in
43 Section 12.2.9.1.2, the proposed Mason Draw SEZ is located on the eastern edge of the Mimbres
44 Groundwater Basin, which is adjacent to the West Mesa portion of the Mesilla Groundwater
45 Basin to the east. Estimates for the total groundwater recharge in the Mimbres Basin range from
46 39,940 to 55,300 ac-ft/yr (49.3 million and 68.2 million m³/yr). However, for the region around

1 the proposed SEZ, the estimated recharge is only 1,740 ac-ft/yr (2.1 million m³/yr). Thus, using
2 wet cooling for a full build-out of the Mason Draw SEZ would consume up to 78% of the entire
3 estimated recharge of the Mimbres Basin, while dry-cooling technologies could use up to 5% of
4 the basin-wide recharge and up to 100% of the estimated recharge of the portion of the basin
5 near the SEZ (Section 12.2.9.2.2).

6
7 While solar development of the proposed SEZ with water-intensive technologies that
8 would use groundwater would likely be judged infeasible because of concerns for groundwater
9 supplies, if employed, intensive groundwater withdrawals could cause drawdown of
10 groundwater, disturbance of regional groundwater flow and recharge patterns and potentially
11 affect ecological habitats. Cumulative impacts on groundwater could occur when combined
12 with other current and future development in the region. Groundwater withdrawals from the
13 Mimbres basin are concentrated near Deming, 25 mi (40 km) west of the SEZ, near the center of
14 the basin. The City of Las Cruces has rights to 13,000 ac-ft/yr (16 million m³/yr) from a planned
15 well field in the West Mesa, which would exceed the estimated recharge of that basin
16 (Section 12.1.9.2.4). Water use by solar energy facilities in the proposed Mason Draw SEZ could
17 thus contribute to impacts on groundwater in the Mimbres basin and in the West Mesa portion of
18 the Mesilla basin, where the nearby proposed Afton SEZ lies. Both the Mimbres and Mesilla
19 groundwater basins could be cumulatively affected from solar facilities built in the two SEZs.

20
21 Small quantities of sanitary wastewater would be generated during the construction and
22 operation of the potential utility-scale solar energy facilities. The amount generated from solar
23 facilities would be in the range of 19 to 148 ac-ft/yr (23,000 to 183,000 m³/yr) during the peak
24 construction year and 1 to 29 ac-ft/yr (up to 36,000 m³/yr) during operations. Because of the
25 small quantity, the sanitary wastewater generated by the solar energy facilities would not be
26 expected to put undue strain on available sanitary wastewater treatment facilities in the general
27 area of the SEZ. For technologies that rely on conventional wet-cooling systems, there would
28 also be 326 to 587 ac-ft/yr (0.40 million to 0.72 million m³/yr) of blowdown water from cooling
29 towers. Blowdown water would need to be either treated on-site or sent to an off-site facility.
30 Any on-site treatment of wastewater would have to ensure that treatment ponds are effectively
31 lined to prevent any groundwater contamination. Thus, blowdown water would not contribute to
32 cumulative effects on treatment systems or on groundwater.

33 34 35 ***12.2.22.4.9 Vegetation***

36
37 The proposed Mason Draw SEZ is located primarily within the Chihuahuan Basins and
38 Playas ecoregion, which supports communities of desert shrubs and grasses. The predominant
39 cover types within the proposed SEZ are: Apacherian-Chihuahuan Piedmont Semi-Desert
40 Grassland and Steppe, Apacherian-Chihuahuan Mesquite Upland Scrub, and Chihuahuan
41 Creosotebush, Mixed Desert and Thorn Scrub. Dominant species are creosotebush, banana
42 yucca, Torrey's yucca, soap tree yucca, tobosagrass, alkali sakaton, mesa dropseed, honey
43 mesquite, and snakeweed. Sensitive habitats on the SEZ include desert dry washes, dry wash
44 woodland, and sand dunes. Dry washes generally do not support wetland or riparian habitats, but
45 woodlands occur along the margins of a number of the larger washes. In addition, one palustrine
46 open water wetland covering about 2.5 acres (0.01 km²) and seven riverine wetlands (Kimble

1 Draw and tributaries) occur on the SEZ. Cover types associated with wetland and riparian areas
2 include North American Warm Desert Riparian Woodland and Shrubland, and North American
3 Warm Desert Playa. In the 5-mi (8-km) area of indirect effects, the predominant cover types are
4 Apacherian-Chihuahuan Piedmont Semi-Desert Grassland and Steppe, Apacherian-Chihuahuan
5 Mesquite Upland Scrub, and Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub
6 (Section 12.2.10.1). If utility-scale solar energy projects were to be constructed within the SEZ,
7 all vegetation within the footprints of the facilities would likely be removed during land-clearing
8 and land-grading operations. Full development of the SEZ over 80% of its area would result in
9 small impacts on the various cover types (Section 12.2.10.2.1).

10
11 Intermittently flooded areas downgradient from solar projects could be affected by
12 ground-disturbing activities. Alteration of surface drainage patterns or hydrology, sedimentation,
13 and siltation could adversely affect on-site and downstream wetland communities. Nearby
14 wetlands, such as those near Mason Draw, could also be affected by lower groundwater levels if
15 solar projects were to draw heavily on this resource. Additional impacts from the nearby Afton
16 SEZ could affect hydraulically shared areas. Wetland habitats along the Rio Grande River are
17 likely too far away to be affected by actions on the proposed Mason Draw SEZ.

18
19 The fugitive dust generated during the construction of the solar facilities could increase
20 the dust loading in habitats outside a solar project area, in combination with that from other
21 construction, mining, agriculture, recreation, and transportation activities. The cumulative dust
22 loading could result in reduced productivity or changes in plant community composition.
23 Programmatic design features would be used to reduce the impacts from solar energy projects
24 and thus reduce the overall cumulative impacts on plant communities and habitats.

25
26 While most of the cover types within the SEZ are relatively common in the SEZ region,
27 a number of species are relatively uncommon, representing less than 1% of the land area within
28 the region. In addition, sensitive areas are present within the SEZ, including dune communities
29 and shrubland communities, some likely with cryptogamic soil crusts. Thus, future solar
30 facilities, including facilities within the nearby proposed Afton SEZ, and other ongoing and
31 reasonably foreseeable future actions could have a cumulative effect on sensitive and rare cover
32 types, as well as on more abundant species. Such effects would likely be small for foreseeable
33 development due to the abundance of the primary species and the small number of foreseeable
34 actions within the geographic extent of effects. Cumulative impacts would increase if both the
35 proposed Mason Draw and Afton SEZs were fully developed with solar facilities.

36 37 38 ***12.2.22.4.10 Wildlife and Aquatic Biota***

39
40 Wildlife species that could potentially be affected by the development of utility-scale
41 solar energy facilities in the proposed Mason Draw SEZ include amphibians, reptiles, birds, and
42 mammals. The construction of utility-scale solar energy projects in the SEZ and any associated
43 transmission lines and roads in or near the SEZ would have an impact on wildlife through habitat
44 disturbance (i.e., habitat reduction, fragmentation, and alteration), wildlife disturbance, loss of
45 connectivity between natural areas, and wildlife injury or mortality. In general, species with
46 broad distributions and a variety of habitats would be less affected than species with narrowly

1 defined habitats within a restricted area. The use of programmatic design features would reduce
2 the severity of impacts on wildlife. These programmatic design features may include pre-
3 disturbance biological surveys to identify key habitat areas used by wildlife, followed by
4 avoidance or minimization of disturbance to those habitats.
5

6 Impacts from full build-out over 80% of the proposed SEZ would result in small impacts
7 on amphibian, reptile, bird, and mammal species (Section 12.2.11). Impacts from ongoing and
8 foreseeable development within the 50-mi (80-km) geographic extent of effects, including solar
9 development in the nearby proposed Afton SEZ, would add to those of the SEZ. Because few
10 foreseeable projects have been identified, mainly transmission projects more than 30 mi (48 km)
11 from the SEZ, cumulative effects in the region would be small for most species. Cumulative
12 impacts would increase if both the proposed Mason Draw and Afton SEZs were fully developed
13 with solar facilities. Two future actions have been identified that would benefit wildlife in the
14 region: removing introduced exotic antelope oryx on the San Andres NWR and protecting desert
15 bighorn sheep from predation by mountain lions in the San Andres Mountains.
16

17 There are no surface water bodies or perennial or intermittent streams present within the
18 proposed Mason Draw SEZ or within a 5-mi (8-km) radius of indirect effects. Ephemeral washes
19 on the SEZ drain into a dry plain and support minimal aquatic or riparian habitats. Such habitats
20 do occur in some abundance, however, within the 50-mi (80-km) geographic extent of effects,
21 most notably in the Rio Grande River and associated canals located 10 to 15 mi (16 to 24 km) to
22 the east (Section 12.2.11.1). Disturbance of land areas within the SEZ for solar energy facilities
23 could result in transport of soil into ephemeral washes on-site and in the area of indirect effects,
24 but such transport would not likely reach the Rio Grande River and associated wetlands. Such
25 impacts would be mitigated, and no contributions to cumulative impacts on aquatic biota and
26 habitats in the Rio Grande River would be expected in addition to those from construction of
27 solar facilities in the Afton SEZ to the southeast, for example, or from other foreseeable actions
28 in the region. Groundwater drawdown from solar facilities that use wet cooling might contribute
29 to small cumulative impacts on supported aquatic habitats, for example, in Mason Draw to the
30 west, in combination with impacts from the proposed Afton SEZ.
31
32

33 ***12.2.22.4.11 Special Status Species (Threatened, Endangered, Sensitive, 34 and Rare Species)*** 35

36 On the basis of recorded occurrences or suitable habitat, as many as 29 special status
37 species could occur within the proposed Mason Draw SEZ. Of these species, five are known or
38 are likely to occur within the affected area of the SEZ (including the SEZ, the 5-mi [8-km] area
39 of indirect effects): desert night-blooming cereus, Texas horned lizard, northern aplomado
40 falcon, fringed myotis, and Townsend's big-eared bat. In addition, the ESA-listed Sneed's
41 pincushion cactus may occur within the same area. Section 12.2.12.1 discusses the nature of
42 the special status listing of these species within state and federal agencies. Numerous additional
43 species that may occur on or in the vicinity of the SEZ are listed as threatened or endangered
44 by the State of New Mexico or listed as a sensitive species by the BLM. Design features to be
45 used to reduce or eliminate the potential for effects on these species from the construction and
46 operation of utility-scale solar energy facilities in the SEZ and related facilities (e.g., access

1 roads and transmission line connections) include avoidance of habitat and minimization of
2 erosion, sedimentation, and dust deposition. Ongoing effects on special status species within the
3 50-mi (80-km) geographic extent of effects include those from roads, transmission lines,
4 agriculture, and urban development in the area, particularly along the Rio Grande River. Special
5 status species are also likely present in areas outside the SEZ within the 50-mi (80-km)
6 geographic extent of effects that would be affected by future development, including possibly
7 solar development in the proposed Afton SEZ located 3 mi (5 km) to the southeast. However,
8 cumulative impacts on protected species are expected to be low for foreseeable development,
9 because few projects have been identified (Section 12.2.22.2). Projects would employ mitigation
10 measures to limit effects.

11 12 13 ***12.2.22.4.12 Air Quality and Climate*** 14

15 While solar energy generates minimal emissions compared with fossil fuels, the site
16 preparation and construction activities associated with solar energy facilities would be
17 responsible for some amount of air pollutants. Most of the emissions would be particulate matter
18 (fugitive dust) and emissions from vehicles and construction equipment. When these emissions
19 are combined with those from other nearby activities outside the proposed Mason Draw SEZ,
20 including from solar facilities within the proposed Afton SEZ located 3 mi (5 km) to the
21 southeast, or when they are added to natural dust generation from winds and windstorms, the air
22 quality in the general vicinity of the projects could be temporarily degraded. For example, during
23 construction of solar facilities the maximum 24-hour PM₁₀ concentration at or near the SEZ
24 boundaries could at times exceed the applicable standard of 150 µg/m³. Dust generation from
25 construction activities can be controlled by implementing aggressive dust control measures, such
26 as increased watering frequency or road paving or treatment.

27
28 Ozone, PM₁₀, and PM_{2.5} are of regional concern in the area because of high
29 temperatures, abundant sunshine, and windblown dust from occasional high winds and dry soil
30 conditions. Construction of solar facilities in the SEZ in addition to ongoing and potential future
31 sources in the geographic extent of effects could contribute cumulatively to short-term ozone and
32 PM increases. Cumulative air quality effects due to dust emissions are expected to be small and
33 short term.

34
35 Over the long term and across the region, the development of solar energy may have
36 beneficial cumulative impacts on the air quality and atmospheric values by offsetting the need
37 for energy production that results in higher levels of emissions, such as coal, oil, and natural gas.
38 As discussed in Section 12.2.13.2.2, air emissions from operating solar energy facilities are
39 relatively minor, while the displacement of criteria air pollutants, VOCs, TAPs, and GHG
40 emissions currently produced from fossil fuels could be significant. For example, if the Mason
41 Draw SEZ were fully developed (80% of its acreage) with solar facilities, the quantity of
42 pollutants avoided could be as large as 11% of all emissions from the current electric power
43 systems in New Mexico.

1 *12.2.22.4.13 Visual Resources*
2

3 The proposed Mason Draw SEZ is located in Dona Ana County in southern New Mexico
4 on West Mesa, about 15 mi (24 km) west of the Mesilla Valley and the Rio Grande. The SEZ
5 lies within a flat, treeless, mesa, with the strong horizon line and surrounding mountain ranges
6 being the dominant visual features (Section 12.2.14.1). Cultural modifications in and around the
7 SEZ include dirt and gravel roads, transmission and telephone lines, and a pipeline ROW. In
8 addition, I-10 runs along the southern SEZ boundary. The VRI values for the SEZ and
9 immediate surroundings are mostly VRI Class III, but with some areas of Class IV values away
10 from the I-10 corridor, indicating low and moderate visual values, respectively. The inventory
11 indicates low scenic quality for the SEZ and its immediate surroundings, while many locations
12 with high scenic value lie in the surrounding mountains. The inventory indicates high sensitivity
13 for portions of the SEZ and its immediate surroundings because of the SEZ's proximity to the
14 I-10 corridor, a high-use travel corridor.
15

16 Construction of utility-scale solar facilities on the SEZ would alter the natural scenic
17 quality of the immediate area, while the broader area, which is already affected by urban,
18 industrial, and agricultural development, would be further altered. Because of the large size of
19 utility-scale solar energy facilities and the generally flat, open nature of the proposed SEZ, some
20 lands outside the SEZ would also be subjected to visual impacts related to the construction,
21 operation, and decommissioning of utility-scale solar energy facilities. Visual impacts resulting
22 from solar energy development within the SEZ would be in addition to impacts caused by other
23 potential projects in the area, such as other solar facilities on private lands, transmission lines,
24 and other renewable energy facilities, like windmills. The presence of new facilities would
25 normally be accompanied by increased numbers of workers in the area, traffic on local roadways,
26 and support facilities, all of which would add to cumulative visual impacts.
27

28 There are currently no pending solar applications on the SEZ and only one solar,
29 one wind, and no geothermal applications on public lands within 50 mi (80 km) of the SEZ
30 (Figure 12.2.22.2-1). While the number of foreseeable and potential projects within the
31 geographic extent of visual effects is low, it may be concluded that the general visual character
32 of the landscape on and within the immediate vicinity of the SEZ could be cumulatively affected
33 by the presence of solar facilities on the SEZ in combination with solar facilities built on the
34 nearby proposed Afton SEZ and any other new and existing infrastructure within the viewshed.
35 The degree of cumulative visual impacts would depend in large part on the number and location
36 of solar facilities built in the two proposed SEZs. Because of the topography of the region, solar
37 facilities, located on mesa flats, would be visible at great distances from the surrounding
38 mountains. In addition, facilities would be located near major roads and thus would be viewable
39 by motorists, who would also be viewing transmission lines, towns, and other infrastructure, as
40 well as the road system itself.
41

42 As additional facilities are added, several projects might become visible from one
43 location, or in succession, as viewers move through the landscape, as by driving on local roads.
44 In general, the new facilities would be expected to vary in appearance, and depending on the
45 number and type of facilities, the resulting visual disharmony could exceed the visual absorption
46 capability of the landscape and add significantly to the cumulative visual impact. Considering the

1 low level of currently foreseeable development in the region, however, small to moderate
2 cumulative visual impacts would occur within the geographic extent of effects from future solar
3 and other existing and future development.
4
5

6 ***12.2.22.4.14 Acoustic Environment*** 7

8 The areas around the proposed Mason Draw SEZ are mostly rural. Existing noise sources
9 around the SEZ include road traffic, railroad traffic, aircraft flyover, agricultural activities,
10 livestock grazing, and quail hunting. The construction of solar energy facilities could increase
11 the noise levels periodically for up to three years per facility, but there would be little or minor
12 noise impacts during operation of solar facilities, except from solar dish engine facilities and
13 from parabolic trough or power tower facilities using TES, which could affect nearby residences.
14

15 Other ongoing and reasonably foreseeable and potential future activities in the general
16 vicinity of the SEZ are described in Section 12.2.22.2. Because few proposed projects lie nearby
17 outside the SEZ and noise from facilities built within the SEZ would be short range, cumulative
18 noise effects during the construction or operation of solar facilities are unlikely. The 3-mi (5-km)
19 distance between the proposed Mason Draw and Afton SEZs is occupied by the I-10 corridor,
20 where few residents live and noise from solar facilities would be largely masked by highway
21 noise.
22
23

24 ***12.2.22.4.15 Paleontological Resources*** 25

26 The proposed Mason Draw SEZ has the potential to contain significant paleontological
27 resources, although no known localities of paleontological resources have been recorded within
28 the SEZ. One known locality is within 5 mi (8 km) to the west (Section 12.2.16.1). The
29 Prehistoric Trackways National Monument, located within 8 to 11 mi (13 to 18 km) east of the
30 SEZ, includes fossilized footprints of amphibians, reptiles, and insects, as well as fossilized
31 plants and petrified wood dating back 280 million years. Given the high occurrence of significant
32 fossil material in the region, particularly in the Santa Fe Formation, the SEZ would require
33 further geological review and a paleontological survey prior to project approval in areas with
34 potential to contain resources (Section 12.2.16.2). Any resources encountered during a
35 paleontological survey would be mitigated to the extent possible by collecting detailed
36 information and allowing for possible excavation and relocation of the resource. Cumulative
37 impacts on paleontological resources would be dependent on whether significant resources are
38 found within the SEZ and in additional project areas in the region, including in the proposed
39 Afton SEZ located 3 mi (5 km) to the southeast, and the extent to which these resources would
40 be collectively affected and/or removed.
41
42

43 ***12.2.22.4.16 Cultural Resources*** 44

45 The proposed Mason Draw SEZ is rich in cultural history, with settlements dating as
46 far back as 12,000 years, and has the potential to contain significant cultural resources. Only

1 about 2% of the area of the SEZ has been surveyed for cultural resources. Surveys have
2 recorded three cultural resource sites within the SEZ. About 5% of the area within 5 mi (8 km)
3 of the SEZ has been surveyed, resulting in the recording of 108 sites within this range
4 (Section 12.2.17.1.5). Areas with potential for significant sites within the proposed SEZ include
5 dune areas (Section 12.2.17.2). Little foreseeable development has been identified within the
6 25-mi (40-km) geographic extent of effects (Section 12.2.22.2). While any future solar projects
7 would disturb large areas, the specific sites selected for future projects would be surveyed;
8 historic properties encountered would be avoided or mitigated to the extent possible. However,
9 visual impacts on the Butterfield Trail, El Camino Real de Tierra Adentro, and Mesilla Plaza, as
10 well as potentially other NRHP-listed properties in Mesilla and Las Cruces, from multiple
11 development projects in the area, including solar facilities in the proposed Afton SEZ 3 mi
12 (5 km) to the southeast, would have a cumulative effect on these properties. Through ongoing
13 consultation with the New Mexico SHPO and appropriate Native American governments, it is
14 likely that most adverse effects on significant resources in the region could be mitigated to some
15 degree, but this would depend on the results of future surveys and evaluations. Avoidance of all
16 NRHP-eligible sites and mitigation of all impacts may not be possible.

17 18 19 ***12.2.22.4.17 Native American Concerns*** 20

21 Government-to-government consultation is under way with federally recognized Native
22 American Tribes with possible traditional ties to the Mason Draw area. All such Tribes have
23 been contacted and provided an opportunity to comment or consult regarding this PEIS. To date,
24 no specific concerns have been raised to the BLM regarding the proposed Mason Draw SEZ.
25 However, the Pueblo of Ysleta del Sur has requested that they be consulted if human remains or
26 other NAGPRA materials are encountered during development, implying concern for human
27 burials and objects of cultural patrimony. Impacts of solar development on water resources in the
28 SEZ and in the surrounding area is likely to be of major concern to affected Tribes, as are
29 intrusions on the landscape and impacts on plants and game and on traditional resources at
30 specific locations (Section 12.2.18). The development of solar energy facilities in combination
31 with the development of other foreseeable projects in the area could reduce the traditionally
32 important plant and animal resources available to the Tribes. Such effects would be small for
33 foreseeable development due to the abundance of the most culturally important plant species and
34 the small number and minor effects of foreseeable actions within the geographic extent of
35 effects. Effects would increase if both the Mason Draw SEZ and the nearby Afton SEZ were
36 fully developed with solar facilities. Continued discussions with area Tribes through
37 government-to-government consultation is necessary to effectively consider and address the
38 Tribes' concerns tied to solar energy development in the Mason Draw SEZ.

39 40 41 ***12.2.22.4.18 Socioeconomics*** 42

43 Solar energy development projects in the proposed Mason Draw SEZ could cumulatively
44 contribute to socioeconomic effects in the immediate vicinity of the SEZ and in the surrounding
45 multicounty ROI. The effects could be positive (e.g., creation of jobs and generation of extra
46 income, increased revenues to local governmental organizations through additional taxes paid by

1 the developers and workers) or negative (e.g., added strain on social institutions such as schools,
2 police protection, and health care facilities). Impacts from solar development would be most
3 intense during facility construction, but of greatest duration during operations. Construction
4 would temporarily increase the number of workers in the area needing housing and services in
5 combination with temporary workers involved in any other new development in the area,
6 including other renewable energy projects. The number of workers involved in the construction
7 of solar projects in the peak construction year could range from about 260 to 3,500—depending
8 on the technology being employed—with solar PV facilities at the low end and solar trough
9 facilities at the high end. The total number of jobs created in the area could range from
10 approximately 800 (solar PV) to as high as 10,700 (solar trough). Cumulative socioeconomic
11 effects in the ROI from construction of solar facilities would occur to the extent that multiple
12 construction projects of any type were ongoing at the same time. It is a reasonable expectation
13 that this condition would occur within a 50-mi (80-km) radius of the SEZ occasionally over the
14 20-year or more solar development period, including in the nearby proposed Afton SEZ.

15
16 Annual impacts during the operation of solar facilities would be less, but of 20- to
17 30-year duration, and could combine with those from other new facilities in the area. Additional
18 employment could occur at other new, but not yet foreseen, facilities within 50 mi (80 km) of the
19 proposed SEZ. Based on the assumption of full build-out of the SEZ (Section 12.2.19.2.2), the
20 number of workers needed at the solar facilities in the SEZ would range from 23 to 450, with
21 approximately 32 to 750 total jobs created in the region. Population increases would contribute
22 to general upward trends in the region in recent years. The socioeconomic impacts overall would
23 be positive, through the creation of additional jobs and income. The negative impacts, including
24 some short-term disruption of rural community quality of life, would not likely be considered
25 large enough to require specific mitigation measures.

26 27 28 ***12.2.22.4.19 Environmental Justice*** 29

30 Any impacts from solar development could have cumulative impacts on minority and
31 low-income populations within 50 mi (80 km) of the proposed SEZ in combination with other
32 development in the area. Such impacts could be both positive, such as from increased economic
33 activity, and negative, such as from visual impacts, noise, and exposure to fugitive dust
34 (Section 12.2.20.2). Actual impacts would depend on where low-income populations are located
35 relative to solar and other proposed facilities, including in the proposed nearby Afton SEZ, and
36 on the geographic range and duration of effects. Overall, effects from facilities within the SEZ
37 are expected to be small, while those from other foreseeable actions would be minor and would
38 not likely combine with negative effects from the SEZ on minority or low-income populations,
39 with the possible exception of dust impacts from concurrent development of solar facilities
40 within the proposed Afton SEZ. It is not expected, however, that the proposed Mason Draw SEZ
41 would contribute to cumulative impacts on minority and low-income populations.

1 **12.2.22.4.20 Transportation**
2

3 I-10 lies adjacent to the southern border of the proposed Mason Draw SEZ. The nearest
4 public airport is Las Cruces International Airport, 9 mi (14 km) east of the SEZ and just north
5 of I-10. The nearest railroad stop is in Las Cruces, about 20 mi (32 km) from the SEZ. During
6 construction of utility-scale solar energy facilities, up to 1,000 workers could be commuting to
7 the construction site at the SEZ at a given time, which could increase the AADT on these roads
8 by 2,000 vehicle trips for each facility under construction. Traffic on I-10 would experience
9 modest increases, and exits on I-10 might experience moderate impacts with some congestion
10 during construction (Section 12.2.21.2). This increase in highway traffic from construction
11 workers could likewise have small cumulative impacts in combination with existing traffic levels
12 and increases from any additional future development in the area, including during construction
13 of solar facilities in the nearby proposed Afton SEZ, should construction schedules overlap.
14 Local road improvements might be necessary on affected portions of I-10 and on any other
15 affected roads. Any impacts during construction activities would be temporary. The impacts can
16 also be mitigated, to some degree, by staggered work schedules and ride-sharing programs.
17 Traffic increases during operation would be relatively small because of the low number of
18 workers needed to operate the solar facilities and it would have little contribution to cumulative
19 impacts.
20
21

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.2.23 References**

2
3 *Note to Reader:* This list of references identifies Web pages and associated URLs where
4 reference data were obtained for the analyses presented in this PEIS. It is likely that at the time
5 of publication of this PEIS, some of these Web pages may no longer be available or their URL
6 addresses may have changed. The original information has been retained and is available through
7 the Public Information Docket for this PEIS.

8
9 AECOM (Architectural Engineering, Consulting, Operations and Maintenance), 2009, *Project*
10 *Design Refinements*. Available at [http://energy.ca.gov/sitingcases/beacon/documents/applicant/](http://energy.ca.gov/sitingcases/beacon/documents/applicant/refinements/002_WEST1011185v2_Project_Design_Refinements.pdf)
11 [refinements/002_WEST1011185v2_Project_Design_Refinements.pdf](http://energy.ca.gov/sitingcases/beacon/documents/applicant/refinements/002_WEST1011185v2_Project_Design_Refinements.pdf). Accessed Sept. 2009.

12
13 AMA (American Medical Association), 2009, *Physician Characteristics and Distribution in the*
14 *U.S.*, Chicago, Ill. Available at <http://www.ama-assn.org/ama/pub/category/2676.html>.

15
16 Bailie, A., et al., 2006, *Appendix D: New Mexico Greenhouse Gas Inventory and Reference Case*
17 *Projections, 1990–2020*, prepared by the Center for Climate Strategies, for the New Mexico
18 Environment Department, Nov. Available at [http://www.nmenv.state.nm.us/cc/documents/](http://www.nmenv.state.nm.us/cc/documents/CCAGFinalReport-AppendixD-EmissionsInventory.pdf)
19 [CCAGFinalReport-AppendixD-EmissionsInventory.pdf](http://www.nmenv.state.nm.us/cc/documents/CCAGFinalReport-AppendixD-EmissionsInventory.pdf). Accessed Aug. 22, 2010.

20
21 Balch, R.S., et al., 2010, *The Socorro Midcrustal Magma Body*, Earth and Environmental
22 Science, New Mexico Tech. Available at <http://www.ees.nmt.edu/Geop/magma.html>. Accessed
23 Aug. 24, 2010.

24
25 Beacon Solar, LLC, 2008, *Application for Certification for the Beacon Solar Energy Project*,
26 submitted to the California Energy Commission, March. Available at [http://www.energy.ca.gov/](http://www.energy.ca.gov/sitingcases/beacon/index.html)
27 [sitingcases/beacon/index.html](http://www.energy.ca.gov/sitingcases/beacon/index.html).

28
29 Beranek, L.L., 1988, *Noise and Vibration Control*, rev. ed., Institute of Noise Control
30 Engineering, Washington, D.C.

31
32 BLM (Bureau of Land Management), 1980, *Green River—Hams Fork Draft Environmental*
33 *Impact Statement: Coal*, U.S. Department of the Interior.

34
35 BLM, 1983, *Final Supplemental Environmental Impact Statement for the Prototype Oil Shale*
36 *Leasing Program*, Colorado State Office.

37
38 BLM, 1984, *Visual Resource Management*, BLM Manual Handbook 8400, Release 8-24,
39 U.S. Department of the Interior.

40
41 BLM, 1986a, *Visual Resource Inventory*, BLM Manual Handbook 8410-1, Release 8-28,
42 U.S. Department of the Interior, Jan.

43
44 BLM, 1986b, *Visual Resource Contrast Rating*, BLM Manual Handbook 8431-1, Release 8-30,
45 U.S. Department of the Interior, Washington, D.C., Jan.

1 BLM, 1993, *Mimbres Resource Management Plan*, U.S. Department of the Interior, BLM
2 Las Cruces District Office, Las Cruces, N.M., Dec.
3
4 BLM, 1996, *White River Resource Area: Proposed Resource Management Plan and Final*
5 *Environmental Impacts Statement*, White River Resource Area.
6
7 BLM, 2001, *New Mexico Water Rights Fact Sheet*. Available at [http://www.blm.gov/nstc/](http://www.blm.gov/nstc/WaterLaws/pdf/Utah.pdf)
8 [WaterLaws/pdf/Utah.pdf](http://www.blm.gov/nstc/WaterLaws/pdf/Utah.pdf). Accessed June 16, 2010.
9
10 BLM, 2007, *Potential Fossil Yield Classification (PFYC) System for Paleontological Resources*
11 *on Public Lands*, Instruction Memorandum No. 2008-009, with attachments, Washington, D.C.,
12 Oct. 15.
13
14 BLM 2008a, *Rangeland Administration System*. Available at <http://www.blm.gov/ras/index.htm>.
15 Accessed Aug. 3, 2010.
16
17 BLM, 2008b, *Assessment and Mitigation of Potential Impacts to Paleontological Resources*,
18 Instruction Memorandum No. 2009-011, with attachments, Washington, D.C., Oct. 10.
19
20 BLM, 2009a, *Las Cruces District Office Mule Deer Range*, U.S. Bureau of Land Management,
21 New Mexico State Office, Santa Fe, N.M., May 13.
22
23 BLM, 2009b, *Las Cruces Office Pronghorn Range*, U.S. Bureau of Land Management, New
24 Mexico State Office, Santa Fe, N.M., May 13.
25
26 BLM, 2009c, *BLM Prehistoric Trackways National Monument, 2009 Manager's Report*, updated
27 July 28, 2010. Available at [http://www.blm.gov/nm/st/en/prog/recreation/las_cruces/](http://www.blm.gov/nm/st/en/prog/recreation/las_cruces/trackways.html)
28 [trackways.html](http://www.blm.gov/nm/st/en/prog/recreation/las_cruces/trackways.html). Accessed Aug. 27, 2010.
29
30 BLM, 2010a, *Wild Horse and Burro Statistics and Maps*, U.S. Department of the Interior,
31 Washington, D.C. Available at [http://www.blm.gov/wo/st/en/prog/wild_horse_and_burro/](http://www.blm.gov/wo/st/en/prog/wild_horse_and_burro/wh_b_information_center/statistics_and_maps/ha_and_hma_data.html)
32 [wh_b_information_center/statistics_and_maps/ha_and_hma_data.html](http://www.blm.gov/wo/st/en/prog/wild_horse_and_burro/wh_b_information_center/statistics_and_maps/ha_and_hma_data.html). Accessed June 25, 2010.
33
34 BLM, 2010b, *Draft Visual Resource Inventory*, U.S. Department of the Interior, BLM Las
35 Cruces District Office, Las Cruces, N.M., May.
36
37 BLM, 2010c, *Solar Energy Interim Rental Policy*, U.S. Department of Interior. Available at
38 [http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_](http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_instruction/2010/IM_2010-141.html)
39 [instruction/2010/IM_2010-141.html](http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_instruction/2010/IM_2010-141.html).
40
41 BLM, 2010d, SunZia Transmission Line Project. Available at [http://www.blm.gov/nm/st/en/](http://www.blm.gov/nm/st/en/prog/more/lands_realty/sunzia_southwest_transmission.html)
42 [prog/more/lands_realty/sunzia_southwest_transmission.html](http://www.blm.gov/nm/st/en/prog/more/lands_realty/sunzia_southwest_transmission.html). Accessed Aug. 19, 2010.
43
44 BLM and USFS, 2010a, *GeoCommunicator: Mining Claim Map*. Available at
45 <http://www.geocommunicator.gov/GeoComm/index.shtm>. Accessed June 21, 2010.
46

1 BLM and USFS, 2010b, *GeoCommunicator: Energy Map*. Available at
2 <http://www.geocommunicator.gov/GeoComm/index.shtm>. Accessed June 21, 2010.
3
4 BNSF (Burlington, Northern, and Santa Fe) Railroad, 2010, *BNSF Railway Company, Southwest*
5 *Operating Division, System Maintenance and Planning, Current May 2010*. Available at
6 http://www.bnsf.com/customers/pdf/maps/div_sw.pdf. Accessed Aug. 16, 2010.
7
8 Bolluch, E.H., Jr., and R.E. Neher, 1980, *Soil Survey of Dona Ana County Area New Mexico*.
9 U.S. Department of Agriculture, Soil Conservation Service.
10
11 Brown, D., 1994, “Chihuahuan Desertscrub,” in *Biotic Communities, Southwestern United States*
12 *and Northwestern Mexico*, D. Brown (editor), University of Utah Press, Salt Lake City, Utah.
13
14 BTS (Bureau of Transportation Statistics), 2009, *Air Carriers: T-100 Domestic Segment*
15 *(All Carriers)*, Research and Innovative Technology Administration, U.S. Department of
16 Transportation, Dec. Available at http://www.transtats.bts.gov/Fields.asp?Table_ID=311.
17 Accessed March 5, 2010.
18
19 CDC (Centers for Disease Control and Prevention), 2009, *Divorce Rates by State: 1990, 1995,*
20 *1999–2007*. Available at [http://www.cdc.gov/nchs/data/nvss/Divorce%20Rates%2090%2095](http://www.cdc.gov/nchs/data/nvss/Divorce%20Rates%2090%2095%20and%2099-07.pdf)
21 [%20and%2099-07.pdf](http://www.cdc.gov/nchs/data/nvss/Divorce%20Rates%2090%2095%20and%2099-07.pdf).
22
23 CDFG (California Department of Fish and Game), 2008, *Life History Accounts and Range*
24 *Maps—California Wildlife Habitat Relationships System*, Sacramento, Calif. Available at
25 <http://dfg.ca.gov/biogeodata/cwhr/cawildlife.aspx>. Accessed Feb. 19, 2010.
26
27 CEQ (Council on Environmental Quality), 1997, *Environmental Justice Guidance under the*
28 *National Environmental Policy Act*, Executive Office of the President, Washington, D.C., Dec.
29 Available at <http://www.whitehouse.gov/CEQ>.
30
31 Chapin, C.E., 1988, “Axial Basins of the Northern and Central Rio Grande Rifts,” pp. 165–170
32 in *Sedimentary Cover—North American Craton (U.S.)*, L.L. Sloss (editor), Geological Society of
33 America, Geology of North America.
34
35 Cole, D.C., 1988, *The Chiricahua Apache: 1846–1876 from War to Reservation*, University of
36 New Mexico Press, Albuquerque, N.M.
37
38 Contaldo, G.J., and J.E. Mueller, 1991, “Earth Fissures and Land Subsidence of the Mimbres
39 Basin, Southwestern New Mexico, USA,” in *Land Subsidence*, proceedings of the Fourth
40 International Symposium on Land Subsidence, IAHS Publication Number 200, May.
41
42 Cowherd, C., et al., 1988, *Control of Open Fugitive Dust Sources*, EPA 450/3-88-008,
43 U.S. Environmental Protection Agency, Research Triangle Park, N.C.
44

1 CSC (Coastal Services Center), 2010, *Historical Hurricane Tracks*, National Oceanic and
2 Atmospheric Administration (NOAA). Available at <http://csc-s-maps-q.csc.noaa.gov/hurricanes/>.
3 Accessed Aug. 13, 2010.
4

5 DOE (U.S. Department of Energy), 2009, *Report to Congress, Concentrating Solar Power
6 Commercial Application Study: Reducing Water Consumption of Concentrating Solar Power
7 Electricity Generation*, Jan. 13.
8

9 DSIRE (Database of State Incentives for Renewables and Efficiency), 2010, *New Mexico
10 Incentives/Policies for Renewables & Efficiency*. Available at [http://www.dsireusa.org/
11 incentives/incentive.cfm?Incentive_Code=NM05R&re=1&ee=1](http://www.dsireusa.org/incentives/incentive.cfm?Incentive_Code=NM05R&re=1&ee=1). Accessed Aug. 17, 2010.
12

13 EIA (Energy Information Administration), 2009, *Annual Energy Outlook 2009 with Projections
14 to 2030*, DOE/EIA-0383, March.
15

16 Eldred, K.M., 1982, “Standards and Criteria for Noise Control—An Overview,” *Noise Control
17 Engineering* 18(1):16–23.
18

19 El Paso Electric, 2010, *Power Plant Tours*. Available at [http://www.epelectric.com/
20 _8725712E0054BD02.nsf/0/232434BD7CD17B3D8725712E0055D6C5?Open](http://www.epelectric.com/_8725712E0054BD02.nsf/0/232434BD7CD17B3D8725712E0055D6C5?Open). Accessed
21 Aug. 9, 2010.
22

23 EPA (U.S. Environmental Protection Agency), 1974, *Information on Levels of Environmental
24 Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety*,
25 EPA-550/9-74-004, Washington, D.C., March. Available at [http://www.nonoise.org/library/
26 levels74/levels74.htm](http://www.nonoise.org/library/levels74/levels74.htm). Accessed Nov. 17, 2008.
27

28 EPA, 2007, *Level III Ecoregions*, Western Ecology Division, Corvallis, Ore. Available at
29 http://www.epa.gov/wed/pages/ecoregions/level_iii.htm. Accessed Oct. 2, 2008.
30

31 EPA, 2009a, *Energy CO₂ Emissions by State*, last updated June 12, 2009. Available at
32 http://www.epa.gov/climatechange/emissions/state_energyco2inv.html. Accessed June 23, 2008.
33

34 EPA, 2009b, *Preferred/Recommended Models—AERMOD Modeling System*. Available at
35 http://www.epa.gov/scram001/dispersion_prefrec.htm. Accessed Nov. 8, 2009.
36

37 EPA, 2009c, *eGRID*. Available at [http://www.epa.gov/cleanenergy/energy-resources/egrid/
38 index.html](http://www.epa.gov/cleanenergy/energy-resources/egrid/index.html), last updated Oct. 16, 2008. Accessed Jan. 12, 2009.
39

40 EPA, 2009d, *National Primary Drinking Water Regulations and National Secondary Drinking
41 Water Regulation*. Available at <http://www.epa.gov/safewater/standard/index.html>.
42

43 EPA, 2010a, *National Ambient Air Quality Standards (NAAQS)*, last updated June 3, 2010.
44 Available at <http://www.epa.gov/air/criteria.html>. Accessed June 4, 2010.
45

1 EPA, 2010b, *AirData: Access to Air Pollution Data*. Available at <http://www.epa.gov/oar/data>.
2 Accessed Aug. 13, 2010.
3

4 FAA (Federal Aviation Administration), 2010, "Airport Data (5010) & Contact Information,"
5 current as of June 3, 2010. Available at [http://www.faa.gov/airports/airport_safety/
6 airportdata_5010](http://www.faa.gov/airports/airport_safety/airportdata_5010). Accessed July 19, 2010.
7

8 Fallis, T., 2010, "Archaeological Site and Survey Data for New Mexico," personal
9 communication from Fallis (New Mexico State Historic Preservation Division, Albuquerque,
10 N.M.) to B. Cantwell (Argonne National Laboratory, Argonne, Ill.), Jan. 12.
11

12 FEMA (Federal Emergency Management Agency), 2009, *FEMA Map Service Center*. Available
13 at <http://www.fema.gov>. Accessed Nov. 20, 2009.
14

15 Fire Departments Network, 2009, *Fire Departments by State*. Available at
16 <http://www.firedepartments.net>.
17

18 Frenzel, P.F., et al., 1992, *Geohydrology and Simulation of Ground Water Flow in the Mesilla
19 Basin, Doña Ana County, New Mexico, and El Paso County, Texas*, U.S. Geological Survey
20 Professional Paper 1407-C.
21

22 GCRP (U.S. Global Change Research Program), 2009, *Global Climate Change Impacts in the
23 United States: A State of Knowledge Report from the U.S. Global Change Research Program*,
24 Cambridge University Press, Cambridge, Mass. Available at [http://downloads.globalchange.gov/
25 usimpacts/pdfs/climate-impacts-report.pdf](http://downloads.globalchange.gov/usimpacts/pdfs/climate-impacts-report.pdf). Accessed Jan. 25, 2010.
26

27 Giffen, R., 2009, "Rangeland Management Web Mail," personal communication from Giffen
28 (USDA Forest Service, Rangelands Management, Washington, D.C.) to W. Vinikour (Argonne
29 National Laboratory, Argonne, Ill.), Sept. 22, 2009.
30

31 GlobalSecurity.org, 2005a, *Military: McGregor Range*. Available at
32 <http://www.globalsecurity.org/military/facility/mcgregor.htm>. Accessed Aug. 17, 2010.
33

34 GlobalSecurity.org, 2005b, *Military: Dona Ana Range*. Available at
35 <http://www.globalsecurity.org/military/facility/dona-ana.htm>. Accessed Aug. 17, 2010.
36

37 GlobalSecurity.org, 2005c, *Space: White Sands Missile Range*. Available at
38 <http://www.globalsecurity.org/space/facility/wsmr.htm>. Accessed Aug. 17, 2010.
39

40 GlobalSecurity.org, 2006, *Military: Fort Bliss*. Available at [http://www.globalsecurity.org/
41 military/facility/fort-bliss.htm](http://www.globalsecurity.org/military/facility/fort-bliss.htm). Accessed Aug. 18, 2010.
42

43 Graham, T.B., 2001, *Survey of Ephemeral Pool Invertebrates at Wupatki NM: An Evaluation of
44 the Significance of Constructed Impoundments as Habitat*, WUPA-310, final report for Wupatki
45 National Monument and Southwest Parks and Monuments Association, Sept.
46

1 Griffen, W.B., 1983, "Southern Periphery: East," pp. 329-342 in *Handbook of North American*
2 *Indians, Vol. 10, Southwest*, A. Ortiz (editor), Smithsonian Institution, Washington, D.C.
3

4 Griffith, G., et al., 2006, *Ecoregions of New Mexico* (color poster with map, descriptive text,
5 summary tables, and photographs) (map scale 1:1,400,000), Reston, Va., U.S. Geological
6 Survey.
7

8 Hanson, C.E., et al., 2006, *Transit Noise and Vibration Impact Assessment*, FTA-VA-90-1003-
9 06, prepared by Harris Miller Miller & Hanson, Inc., Burlington, Mass., for U.S. Department of
10 Transportation, Federal Transit Administration, Washington, D.C., May. Available at
11 http://www.fta.dot.gov/documents/FTA_Noise_and_Vibration_Manual.pdf.
12

13 Hanson, R.T., et al., 1994, *Hydrogeologic Framework and Preliminary Simulation of Ground-*
14 *Water Flow in the Mimbres Basin, Southwestern New Mexico*, U.S. Geological Survey, Water
15 Resources Investigations Report, 94-4011.
16

17 Harter, T., 2003, *Water Well Design and Construction*, University of California Division of
18 Agriculture and Natural Resources, Publication 8086, FWQP Reference Sheet 11.3.
19

20 Hawley, J.W., and R.P. Lozinsky, 1992, *Hydrogeologic Framework of the Mesilla Basin in*
21 *New Mexico and Western Texas*, New Mexico Bureau of Mines and Mineral Resources and the
22 New Mexico Institute for Mining and Technology, Open File Report 323.
23

24 Hawley, J.W., et al., 2000, *Trans-International Boundary Aquifers in Southwest New Mexico*,
25 New Mexico Water Resources Research Institute, Technical Completion Report prepared for
26 U.S. Environmental Protection Agency—Region 6 and the International Boundary and Water
27 Commission. Available at <http://wrrri.nmsu.edu/publish/otherrpt/swnm/DjVu/downl.html>.
28

29 Hester, P., 2009, "GIS Data," personal communication with attachment from Hester (BLM,
30 New Mexico State Office. Santa Fe, N.M.) to K. Wescott (Argonne National Laboratory,
31 Argonne, Ill.), June 12.
32

33 Hewitt, R., 2009a, "GIS Data for the Las Cruces District Office," personal communication with
34 attachment from Hewitt (GIS Specialist, BLM, Las Cruces District Office, Las Cruces, N.M.) to
35 K. Smith (Argonne National Laboratory, Lakewood, Colo.), May 13.
36

37 Hewitt, R., 2009b, "Archaeological Sites for Las Cruces District Office," personal
38 communication from Hewitt (GIS Specialist, BLM, Las Cruces District Office, Las Cruces,
39 N.M.) to B. Cantwell (Argonne National Laboratory, Argonne, Ill.), May 13.
40

41 Heywood, C.E., 2002, *Estimation of the Alluvial-Fill Thickness in the Mimbres Ground-*
42 *Water Basin, New Mexico, from Interpretation of Isostatic Residual Gravity Anomalies*,
43 U.S. Geological Survey, Water-Resources Investigations Report, 02-4007.
44

45 Houser, N.P., 1979, "Tigua Pueblo," pp. 336-342 in *Handbook of North American Indians*,
46 *Vol. 9, Southwest*, A. Ortiz (editor), Smithsonian Institution, Washington, D.C.

1 HPX, 2008, *High Plains Express Transmission Project Feasibility Study Report*, final report,
2 June.
3
4 Jackson, M., Sr., 2009, "Quechan Indian Tribe's Comments on Programmatic Environmental
5 Impact Statement for Solar Energy Development," letter from Jackson (President, Quechan
6 Indian Tribe, Fort Yuma, Ariz.) to Argonne National Laboratory (Argonne, Ill.), Sept. 3.
7
8 Kenny, J. F., et al., 2009, *Estimated Use of Water in the United States in 2005*, U.S. Geological
9 Survey, Circular 1344. Available at <http://pubs.usgs.gov/circ/1344>. Accessed Jan. 4, 2010.
10
11 Kirkpatrick, D.T., et al., 2001, "Basin and Range Archaeology: An Overview of Prehistory in
12 South-Central New Mexico," in *The Archaeological Record of Southern New Mexico*, S.R. Katz
13 and P. Katz (editors), manuscript prepared for the Historic Preservation Division, State of New
14 Mexico, Albuquerque, N.M.
15
16 Lee, J.M., et al., 1996, *Electrical and Biological Effects of Transmission Lines: A Review*,
17 Bonneville Power Administration, Portland, Ore., Dec.
18
19 Loera, J., 2010, letter from Lorea (Ysleta del Sur Pueblo, El Paso, Texas) to S.J. Borchard
20 (California Desert District, BLM, Riverside, Calif.), Feb. 23.
21
22 Lovich, J., and D. Bainbridge, 1999, "Anthropogenic Degradation of the Southern California
23 Desert Ecosystem and Prospects for Natural Recovery and Restoration," *Environmental*
24 *Management* 24(3):309–326.
25
26 Machete, M.N. (compiler), 1996a, *Fault Number 2078, Ward Tank Fault (Class A)*, in
27 Quaternary Fault and Fold Database of the United States, U.S. Geological Survey. Available at
28 <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 20, 2010.
29
30 Machete, M.N. (compiler), 1996b, *Fault Number 2064, West Robledo Fault (Class A)*, in
31 Quaternary Fault and Fold Database of the United States, U.S. Geological Survey. Available at
32 <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 18, 2010.
33
34 Machete, M.N. (compiler), 1996c, *Fault Number 2077, Unnamed Faults and Folds on La Mesa*
35 *(Class A)*, in Quaternary Fault and Fold Database of the United States, U.S. Geological Survey.
36 Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 18, 2010.
37
38 Machete, M.N. (compiler), 1996d, *Fault Number 2063, East Robledo Fault (Class A)*, in
39 Quaternary Fault and Fold Database of the United States, U.S. Geological Survey. Available at
40 <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 20, 2010.
41
42 Machete, M.N. (compiler), 1996e, *Fault Number 2065, Fitzgerald Fault (Class A)*, in Quaternary
43 Fault and Fold Database of the United States, U.S. Geological Survey. Available at
44 <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 20, 2010.
45

1 Machete, M.N. (compiler), 1996f, *Fault Number 2066, East Potrillo Fault (Class A)*, in
2 Quaternary Fault and Fold Database of the United States, U.S. Geological Survey. Available at
3 <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Aug. 18, 2010.
4

5 McCollough, R., 2009, “New Mexico TES Data Request,” personal communication from
6 McCollough (Data Services Manager, Natural Heritage New Mexico, Albuquerque, New
7 Mexico) to L. Walston (Argonne National Laboratory, Argonne, Ill.), Sept. 17.
8

9 MIG (Minnesota IMPLAN Group), Inc., 2010, *State Data Files*, Stillwater, Minn.
10

11 Miller, N.P., 2002, “Transportation Noise and Recreational Lands,” in *Proceedings of Inter-*
12 *Noise 2002*, Dearborn, Mich., Aug. 19–21. Available at [http://www.hmmh.com/cmsdocuments/](http://www.hmmh.com/cmsdocuments/N011.pdf)
13 [N011.pdf](http://www.hmmh.com/cmsdocuments/N011.pdf). Accessed Aug. 30, 2007.
14

15 Montoya, J., 2010, personal communication from Montoya (BLM New Mexico, Las Cruces
16 District Office, Planning and Environmental Coordinator) to J. May (Argonne National
17 Laboratory, Lakewood, Colo.). Aug. 2010.
18

19 Moose, V., 2009, “Comments on Solar Energy Development Programmatic EIS,” letter from
20 Moose (Tribal Chairperson, Big Pine Paiute Tribe of the Owens Valley, Big Pine, Calif.) to
21 Argonne National Laboratory (Argonne, Ill.), Sept. 14.
22

23 Myers, R.G., and B.R. Orr, 1985, *Geohydrology of the Aquifer in the Santa Fe Group, Northern*
24 *West Mesa of the Mesilla Basin near Las Cruces, New Mexico*, Water Resources Investigations
25 Report 84-4190.
26

27 National Research Council, 1996, *Alluvial Fan Flooding*, Committee on Alluvial Fan Flooding,
28 Water Science and Technology Board, and Commission on Geosciences, Environment, and
29 Resources, National Academies Press, Washington, D.C.
30

31 NatureServe, 2010, *NatureServe Explorer: An Online Encyclopedia of Life*. Available at
32 <http://www.natureserve.org/explorer>. Accessed March 4, 2010.
33

34 NCDC (National Climatic Data Center), 2010a, *Climates of the States (CLIM60): Climate of*
35 *New Mexico*, National Oceanic and Atmospheric Administration, Satellite and Information
36 Service. Available at <http://cdo.ncdc.noaa.gov/cgi-bin/climatenormals/climatenormals.pl>.
37 Accessed Aug. 13, 2010.
38

39 NCDC, 2010b, *Integrated Surface Data (ISD), DS3505 Format*, database, Asheville, N.C.
40 Available at <ftp://ftp3.ncdc.noaa.gov/pub/data/noaa>. Accessed Aug. 13, 2010.
41

42 NCDC, 2010c, *Storm Events*, National Oceanic and Atmospheric Administration, Satellite and
43 Information Service. Available at [http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwEvent](http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwEvent~Storms)
44 [~Storms](http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwEvent~Storms). Accessed Aug. 13, 2010.
45

1 NCES (National Center for Education Statistics), 2009, *Search for Public School Districts*,
2 U.S. Department of Education. Available at <http://www.nces.ed.gov/ccd/districtsearch>.
3

4 New Mexico Rare Plant Technical Council, 1999, *New Mexico Rare Plants*, last update
5 July 22, 2010, Albuquerque, N.M. Available at <http://www.nmrareplants.unm.edu>. Accessed
6 Aug. 17, 2010.
7

8 NMBGMR (New Mexico Bureau of Geology and Mineral Resources), 2006, *New Mexico—*
9 *Earth Matters: Volcanoes of New Mexico*, Winter.
10

11 NMDA (New Mexico Department of Agriculture), 2009, *New Mexico Noxious Weed List*
12 *Update*, April. Available at [http://nmdaweb.nmsu.edu/animal-and-plant-protection/noxious-](http://nmdaweb.nmsu.edu/animal-and-plant-protection/noxious-weeds/weed_memo_list.pdf)
13 [weeds/weed_memo_list.pdf](http://nmdaweb.nmsu.edu/animal-and-plant-protection/noxious-weeds/weed_memo_list.pdf). Accessed Aug. 27, 2010.
14

15 NMDGF (New Mexico Department of Game and Fish), 2010, *Biota Information System of*
16 *New Mexico (BISON-M)*. Available at <http://www.bison-m.org>. Accessed Aug. 17, 2010.
17

18 NM DOT (New Mexico Department of Transportation), 2009, *2008 Annual Traffic Report*,
19 April. Available at <http://nmshtd.state.nm.us/main.asp?secid=14473>. Accessed Aug. 21, 2010.
20

21 NM DOT, 2010, *Traffic Flow Maps 2007 & 2008*. Available at
22 <http://nmshtd.state.nm.us/main.asp?secid=16260>. Accessed Aug. 16, 2010.
23

24 NMED (New Mexico Environment Department), 2000a, *Dust Storms and Health*, March.
25 Available at <http://www.health.state.nm.us/eheb/rep/air/DustStormsAndHealth.pdf>. Accessed
26 Aug. 23, 2009.
27

28 NMED, 2000b, *Natural Events Action Plan for High Wind Events, Dona Ana County*, Santa Fe,
29 N.M., Dec. 22. Available at <http://www.nmenv.state.nm.us/aqb/NEAP/neap-final.pdf>. Accessed
30 Aug. 23, 2010.
31

32 NMED, 2010, *The Storm Water Regulatory Program at the Surface Water Quality Bureau,*
33 *NMED*. Available at <http://www.nmenv.state.nm.us/swqb/stormwater>. Accessed Aug. 18, 2010.
34

35 NMOSE (New Mexico Office of the State Engineer), 2003, *New Mexico State Water Plan,*
36 *Office of State Engineer—Interstate Stream Commission*, Dec. 23.
37

38 NMOSE, 2004, *Part 13: Active Water Resource Management*, Title 19: Natural Resources and
39 Wildlife, Chapter 25: Administration and Use of Water—General Provisions, Dec. 30, 2004.
40

41 NMOSE, 2005a, *Rules and Regulations Governing the Appropriation and Use of the Surface*
42 *Waters of New Mexico*. Available at http://www.ose.state.nm.us/water_info_rights_rules.html.
43 Accessed June 16, 2010.
44

1 NMOSE, 2005b, *Rules and Regulations Governing Well Driller Licensing; Construction,*
2 *Repair, and Plugging of Wells.* Available at http://www.ose.state.nm.us/water_info_rights_
3 [rules.html](http://www.ose.state.nm.us/water_info_rights_rules.html). Accessed Aug. 18, 2010.
4

5 NMOSE, 2006, *Rules and Regulations Governing the Appropriation and Use of Groundwater in*
6 *New Mexico.* Available at http://www.ose.state.nm.us/water_info_rights_rules.html. Accessed
7 June 16, 2010.
8

9 NMOSE, 2010a, *District Offices.* Available at http://www.ose.state.nm.us/water_info_rights_
10 [offices.html](http://www.ose.state.nm.us/water_info_rights_offices.html). Accessed June 21, 2010.
11

12 NMOSE, 2010b, *Active Water Resource Management.* Available at <http://www.ose.state.nm.us/>
13 [water_info_awrm.html](http://www.ose.state.nm.us/water_info_awrm.html). Accessed June 17, 2010.
14

15 NMOSE, 2010c, *Priority Administration.* Available at http://www.ose.state.nm.us/water_
16 [info_awrm_admin.html](http://www.ose.state.nm.us/water_info_awrm_admin.html). Accessed June 18, 2010.
17

18 NMSU (New Mexico State University), 2007, *Weed Information Database Search.* Available at
19 <http://weeds.nmsu.edu/databasesearch.php>. Accessed Aug. 27, 2010.
20

21 NRCS (Natural Resources Conservation Service), 2008, *Soil Survey Geographic (SSURGO)*
22 *Database for Doña Ana County, New Mexico.* Available at <http://SoilDataMart.nrcs.usds.gov>.
23

24 NRCS, 2010, *Custom Soil Resource Report for Dona Ana County (covering the proposed Mason*
25 *Draw SEZ), New Mexico,* U.S. Department of Agriculture, Washington, D.C., Aug. 17.
26

27 Opler, M.E., 1941, *An Apache Life-Way: The Economic, Social, and Religious Institutions of the*
28 *Chiricahua Indians,* University of Chicago Press, Chicago, Ill.
29

30 Opler, M.E., 1947, “Notes on Chiricahua Apache Culture: 1. Supernatural Power and the
31 Shaman,” *Primitive Man* 20(1/2):1–14.
32

33 Opler, M. E., 1983a, “Apachean Culture Pattern and Its Origins,” pp. 368–392 in *Handbook of*
34 *North American Indians, Vol. 10 Southwest,* A. Ortiz (editor), Smithsonian Institution,
35 Washington, D.C.
36

37 Opler, M. E., 1983b, “Chiricahua Apache,” pp. 401–418 in *Handbook of North American*
38 *Indians, Vol. 10, Southwest,* A. Ortiz (editor), Smithsonian Institution, Washington, D.C.
39

40 PNM (Public Service Company of New Mexico), 2002, *PNM’s Afton Generating Station Up &*
41 *Running,* news release, Dec. Available at http://www.pnm.com/news/2002/1204_afton.htm.
42 Accessed Aug. 9, 2010.
43

44 Reuters, 2010, *El Paso Electric Company.* Available at <http://www.reuters.com/finance/stocks/>
45 [companyProfile?rpc=66&symbol=EE](http://www.reuters.com/finance/stocks/companyProfile?rpc=66&symbol=EE). Accessed Aug. 9, 2010.
46

1 Robson, S.G., and E.R. Banta, 1995, *Ground Water Atlas of the United States: Arizona,*
2 *Colorado, New Mexico, Utah*, U.S. Geological Survey, HA 730-C.
3

4 Royster, J., 2008, "Indian Land Claims," pp. 28–37 in *Handbook of North American Indians,*
5 *Vol. 2, Indians in Contemporary Society*, G.A. Bailey (editor), Smithsonian Institution,
6 Washington, D.C.
7

8 SAMHSA (Substance Abuse and Mental Health Services Administration), 2009, *National*
9 *Survey on Drug Use and Health, 2004, 2005 and 2006*, Office of Applied Studies,
10 U.S. Department of Health and Human Services. Available at [http://oas.samhsa.gov/](http://oas.samhsa.gov/substate2k8/StateFiles/TOC.htm#TopOfPage)
11 [substate2k8/StateFiles/TOC.htm#TopOfPage](http://oas.samhsa.gov/substate2k8/StateFiles/TOC.htm#TopOfPage).
12

13 Sanford, A.R., and K. Lin, 1998, *Strongest Earthquakes in New Mexico: 1860 to 1998*, New
14 Mexico Tech Geophysics Open File Report 87, June.
15

16 Sanford, A.R., et al., 2002, *Earthquake Catalogs for New Mexico and Bordering Areas: 1869–*
17 *1998*, Circular 210, New Mexico Bureau of Geology and Mineral Resources.
18

19 Sanford, A.R., et al., 2006, "Earthquake Catalogs for New Mexico and Bordering Areas II:
20 1999–2004," *New Mexico Geology* 28 (4).
21

22 Scholle, P.A., 2003, *Geologic Map of New Mexico (1:500,000)*, New Mexico Bureau of Geology
23 and Mineral Resources, published in cooperation with the U.S. Geological Survey.
24

25 Schroeder, A.H., 1979, "Pueblos Abandoned in Historic Times," pp. 236–254 in *Handbook of*
26 *North American Indians, Vol. 9, Southwest*, A. Ortiz (editor), Smithsonian Institution,
27 Washington, D.C.
28

29 SES (Stirling Energy Systems) Solar Two, LLC, 2008, *Application for Certification*, submitted
30 to the Bureau of Land Management, El Centro, Calif., and the California Energy Commission,
31 Sacramento, Calif., June. Available at [http://www.energy.ca.gov/sitingcases/solartwo/](http://www.energy.ca.gov/sitingcases/solartwo/documents/applicant/afc/index.php)
32 [documents/applicant/afc/index.php](http://www.energy.ca.gov/sitingcases/solartwo/documents/applicant/afc/index.php). Accessed Oct. 1, 2008.
33

34 Smith, M. D., et al., 2001, "Growth, Decline, Stability and Disruption: A Longitudinal Analysis
35 of Social Well-Being in Four Western Communities," *Rural Sociology* 66:425–450.
36

37 Stebbins, R.C., 2003, *A Field Guide to Western Reptiles and Amphibians*, Houghton Mifflin
38 Company, Boston, Mass.
39

40 Stoeser, D.B., et al., 2007, *Preliminary Integrated Geologic Map Databases for the United*
41 *States: Central States—Montana, Wyoming, Colorado, New Mexico, North Dakota, South*
42 *Dakota, Nebraska, Kansas, Oklahoma, Texas, Iowa, Missouri, Arkansas, and Louisiana,*
43 *Version 1.2*, U.S. Geological Survey Open File Report 2005-1351, updated Dec. 2007.
44

45 Stoffle, R.W., et al., 1990, *Native American Cultural Resource Studies at Yucca Mountain,*
46 *Nevada*, University of Michigan, Ann Arbor, Mich.

1 Stout, D., 2009, personal communication from Stout (Acting Assistant Director for Fisheries
2 and Habitat Conservation, U.S. Fish and Wildlife Service, Washington, D.C.) to L. Jorgensen
3 (Bureau of Land Management, Washington, D.C.) and L. Resseguie (Bureau of Land
4 Management, Washington, D.C.), Sept. 14, 2009.
5
6 SunZia, 2010, *Welcome to the SunZia Southwest Transmission Project*. Available at
7 <http://www.sunzia.net>. Accessed Aug. 23, 2010.
8
9 Texas Comptroller's Office, 2009, *Texas County Population Projections: 2000 to 2030:*
10 *Total Population*. Available at [http://www.window.state.tx.us/ecodata/popdata/
11 cpacopop1990_2030.xls](http://www.window.state.tx.us/ecodata/popdata/cpacopop1990_2030.xls).
12
13 University of New Mexico, 2009, *Population Projections for New Mexico and Counties. Bureau*
14 *of Business and Economic Research*. Available at <http://bber.unm.edu/demo/table1.htm>.
15
16 UP (Union Pacific) Railroad, 2009, *Allowable Gross Weight Map*. Available at
17 http://www.uprr.com/aboutup/maps/attachments/allow_gross_full.pdf. Accessed March 4, 2010.
18
19 U.S. Bureau of the Census, 2009a, *County Business Patterns, 2006*, Washington, D.C. Available
20 at <http://www.census.gov/ftp/pub/epcd/cbp/view/cbpview.html>.
21
22 U.S. Bureau of the Census, 2009b, *GCT-T1, Population Estimates*. Available at
23 <http://factfinder.census.gov/>.
24
25 U.S. Bureau of the Census, 2009c, *QT-P32. Income Distribution in 1999 of Households and*
26 *Families: 2000, Census 2000 Summary File (SF 3) – Sample Data*. Available at
27 <http://factfinder.census.gov/>.
28
29 U.S. Bureau of the Census, 2009d, *S1901. Income in the Past 12 Months, 2006-2008 American*
30 *Community Survey 3-Year Estimates*. Available at <http://factfinder.census.gov/>.
31
32 U.S. Bureau of the Census, 2009e, *GCT-PHI, GCT-PHI. Population, Housing Units, Area, and*
33 *Density: 2000, Census 2000 Summary File (SF 1) – 100-Percent Data*. Available at
34 <http://factfinder.census.gov/>.
35
36 U.S. Bureau of the Census, 2009f, *T1, Population Estimates*. Available at
37 <http://factfinder.census.gov/>.
38
39 U.S. Bureau of the Census, 2009g, *GCT2510, Median Housing Value of Owner-Occupied*
40 *Housing Units (Dollars), 2006–2008 American Community Survey 3-Year Estimates*. Available
41 at <http://factfinder.census.gov/>.
42
43 U.S. Bureau of the Census, 2009h, *QT-H1. General Housing Characteristics, 2000, Census 2000*
44 *Summary File 1 (SF 1) 100-Percent Data*. Available at <http://factfinder.census.gov/>.
45

1 U.S. Bureau of the Census, 2009i, *GCT-T9-R, Housing Units, 2008. Population Estimates*.
2 Available at <http://factfinder.census.gov/>.
3

4 U.S. Bureau of the Census, 2009j, *S2504, Physical Housing Characteristics for Occupied*
5 *Housing Units 2006–2008 American Community Survey 3-Year Estimates*. Available at
6 <http://factfinder.census.gov/>.
7

8 U.S. Bureau of the Census, 2009k, *Census 2000 Summary File 1 (SF 1) 100-Percent Data*.
9 Available at <http://factfinder.census.gov/>.
10

11 U.S. Bureau of the Census, 2009l, *Census 2000 Summary File 3 (SF 3)—Sample Data*.
12 Available at <http://factfinder.census.gov/>.
13

14 USDA (U. S. Department of Agriculture), 2004, *Understanding Soil Risks and Hazards—Using*
15 *Soil Survey to Identify Areas with Risks and Hazards to Human Life and Property*, G.B. Muckel
16 (editor).
17

18 USDA, 2008, *Jornada Experimental Range*, Agricultural Research Service. Available at
19 http://www.ars.usda.gov/main/site_main.htm?modecode=62-35-15-00. Accessed Aug. 17, 2010.
20

21 USDA, 2009a, *2007 Census of Agriculture: New Mexico State and County Data, Volume 1,*
22 *Geographic Area Series*, National Agricultural Statistics Service, Washington, D.C. Available at
23 [http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_L](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/New_Mexico/index.asp)
24 [evel/New Mexico/index.asp](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/New_Mexico/index.asp).
25

26 USDA, 2009b, *2007 Census of Agriculture: Texas State and County Data, Volume 1,*
27 *Geographic Area Series*, National Agricultural Statistics Service, Washington, DC. Available at
28 [http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_L](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/Texas/index.asp)
29 [evel/Texas/index.asp](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/Texas/index.asp).
30

31 USDA, 2010, *United States Department of Agriculture, Natural Resources Conservation*
32 *Service, Plants Database*. Available at <http://plants.usda.gov>. Accessed June 23, 2010.
33

34 U.S. Department of Commerce, 2009. *Local Area Personal Income*, Bureau of Economic
35 Analysis. Available at <http://www.bea.doc.gov/bea/regional/reis>.
36

37 U.S. Department of the Interior, 2010, *Native American Consultation Database*, National
38 NAGPRA Online Databases, National Park Service. Available at [http://grants.cr.nps.gov/](http://grants.cr.nps.gov/nacd/index.cfm)
39 [nacd/index.cfm](http://grants.cr.nps.gov/nacd/index.cfm).
40

41 U.S. Department of Justice, 2008, “Table 80: Full-time Law Enforcement Employees, by State
42 by Metropolitan and Nonmetropolitan Counties, 2007,” *Crime in the United States: 2007*.
43 Available at http://www.fbi.gov/ucr/cius2006/about/table_title.html.
44

1 U.S. Department of Justice, 2009a, "Table 8: Offences Known to Law Enforcement, by State and
2 City," *2008 Crime in the United States*, Federal Bureau of Investigation, Criminal Justice
3 Information Services Division. Available at http://www.fbi.gov/ucr/cius2008/data/table_08.html.
4

5 U.S. Department of Justice, 2009b, "Table 10: Offences Known to Law Enforcement, by State
6 and by Metropolitan and Non-metropolitan Counties," *2008 Crime in the United States*, Federal
7 Bureau of Investigation, Criminal Justice Information Services Division. Available at
8 http://www.fbi.gov/ucr/cius2008/data/table_10.html.
9

10 U.S. Department of Labor, 2009a, *Local Area Unemployment Statistics: States and Selected*
11 *Areas: Employment Status of the Civilian Noninstitutional Population, 1976 to 2007. Annual*
12 *Averages*, Bureau of Labor Statistics. Available at <http://www.bls.gov/lau/staadata.txt>.
13

14 U.S. Department of Labor, 2009b. *Local Area Unemployment Statistics: Unemployment Rates*
15 *for States*, Bureau of Labor Statistics. Available at <http://www.bls.gov/web/laumstrk.htm>.
16

17 U.S. Department of Labor, 2009c, *Local Area Unemployment Statistics: County Data. Bureau of*
18 *Labor Statistics*. Available at <http://www.bls.gov/lau>.
19

20 USFS (U.S. Forest Service), 2007, *Wild Horse and Burro Territories*, U.S. Forest Service,
21 Rangelands, Washington, D.C. Available at [http://www.fs.fed.us/rangelands/ecology/](http://www.fs.fed.us/rangelands/ecology/wildhorseburro//territories/index.shtml)
22 [wildhorseburro//territories/index.shtml](http://www.fs.fed.us/rangelands/ecology/wildhorseburro//territories/index.shtml). Accessed Oct. 20, 2009.
23

24 USFWS (U.S. Fish and Wildlife Service), undated, *National Wetlands Inventory, Corralitos*
25 *Ranch, New Mexico*, 15 minute quadrangle, prepared by Office of Biological Services.
26

27 USFWS, 2002, *Environmental Assessment Mountain Lion Management to Protect the State*
28 *Endangered Desert Bighorn Sheep*, Sept. Available at [http://www.fws.gov/southwest/refuges/](http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/Final%20Lion%20EA%200902.pdf)
29 [newmex/sanandres/PDF/Final%20Lion%20EA%200902.pdf](http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/Final%20Lion%20EA%200902.pdf). Accessed Aug. 18, 2010.
30

31 USFWS, 2007, *Environmental Assessment Opening of Hunting for San Andres National Wildlife*
32 *Refuge*, Feb. Available at [http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/](http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/ENVIRONMENTALASSESSMENT.pdf)
33 [ENVIRONMENTALASSESSMENT.pdf](http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/ENVIRONMENTALASSESSMENT.pdf). Accessed Aug. 18, 2010.
34

35 USFWS, 2009, *National Wetlands Inventory*. Available at <http://www.fws.gov/wetlands>.
36

37 USFWS, 2010, *Environmental Conservation Online System (ECOS)*. Available at
38 <http://www.fws.gov/ecos/ajax/ecos/indexPublic.do>. Accessed May 28, 2010.
39

40 USGS (U.S. Geological Survey), 2004, *National Gap Analysis Program, Provisional Digital*
41 *Land Cover Map for the Southwestern United States*, version 1.0, RS/GIS Laboratory, College of
42 Natural Resources, Utah State University. Available at
43 <http://earth.gis.usu.edu/swgap/landcover.html>. Accessed March 15, 2010.
44
45

1 USGS, 2005a, *National Gap Analysis Program, Southwest Regional GAP Analysis Project—*
2 *Land Cover Descriptions*, RS/GIS Laboratory, College of Natural Resources, Utah State
3 University. Available at http://earth.gis.usu.edu/swgap/legend_desc.html. Accessed
4 March 15, 2010.
5
6 USGS, 2005b, *Southwest Regional GAP Analysis Project*, U.S. Geological Survey National
7 Biological Information Infrastructure. Available at [http://fws-nmcfwru.nmsu.edu/swregap/
8 habitatreview/Review.asp](http://fws-nmcfwru.nmsu.edu/swregap/habitatreview/Review.asp).
9
10 USGS, 2007, *National Gap Analysis Program, Digital Animal-Habitat Models for the*
11 *Southwestern United States*, version 1.0, Center for Applied Spatial Ecology, New Mexico
12 Cooperative Fish and Wildlife Research Unit, New Mexico State University. Available at
13 <http://fws-nmcfwru.nmsu.edu/swregap/HabitatModels/default.htm>. Accessed March 15, 2010.
14
15 USGS, 2008, *National Seismic Hazard Maps – Peak Horizontal Acceleration (%g) with 10%*
16 *Probability of Exceedance in 50 Years (Interactive Map)*. Available at [http://gldims.cr.usgs.gov/
17 nshmp2008/viewer.htm](http://gldims.cr.usgs.gov/nshmp2008/viewer.htm). Accessed Aug. 17, 2010.
18
19 USGS, 2010a, *National Earthquake Information Center (NEIC) – Circular Area Database*
20 *Search (within 100-km of the center of the proposed Mason Draw SEZ)*. Available at
21 http://earthquake.usgs.gov/earthquakes/eqarchives/epic/epic_circ.php. Accessed Aug. 25, 2010.
22
23 USGS, 2010b, *Texas Vertebrate Habitat Suitability Maps, Gap Analysis Program (GAP)*.
24 Available at <http://www.gap.uidaho.edu/projects/FTP.htm>. Accessed Aug. 17, 2010.
25
26 USGS, 2010c, *Monitoring Network of the Ground-Water Flow System and Stream-Aquifer*
27 *Relations in the Mesilla Basin, Dona Ana County, New Mexico and El Paso County, Texas*.
28 Available at <http://nm.water.usgs.gov/projects/mesilla>. Accessed Aug. 30, 2010.
29
30 USGS, 2010d, *National Biological Information Infrastructure, Gap Analysis Program (GAP),*
31 *National Land Cover, South Central Dataset*. Available at [http://www.gap.uidaho.edu/Portal/
32 DataDownload.html](http://www.gap.uidaho.edu/Portal/DataDownload.html). Accessed Aug. 17, 2010.
33
34 USGS and NMBGMR (New Mexico Bureau of Mines and Mineral Resources), 2010,
35 *Quaternary Fault and Fold Database for the United States*. Available at [http://earthquake.
36 usgs.gov/regional/qfaults](http://earthquake.usgs.gov/regional/qfaults). Accessed Aug. 2010.
37
38 USGS, 2010f, *Water Resources of the United States—Hydrologic Unit Maps*. Available at
39 <http://water.usgs.gov/GIS/huc.html>. Accessed April 12, 2010.
40
41 Wolff, J.A., and J.N. Gardner, 1995, “Is the Valles Caldera Entering a New Cycle of Activity?”
42 *Geology* 23(5):415–418.
43
44 WRAP (Western Regional Air Partnership), 2009, *Emissions Data Management System*
45 *(EDMS)*. Available at <http://www.wrapedms.org/default.aspx>. Accessed June 4, 2009.
46

- 1 WRCC (Western Regional Climate Center), 2010a, *Western U.S. Climate Historical Summaries*.
2 Available at <http://www.wrcc.dri.edu/Climsum.html>. Accessed Aug. 13, 2010.
3
- 4 WRCC, 2010b, *Monthly Climate Summary, Florida, New Mexico, 293225*. Available at
5 <http://www.wrcc.dri.edu/cgi-bin/cliRECTM.pl?nm3225>. Accessed Aug. 24, 2010.
6
- 7 WRCC, 2010c, *Monthly Climate Summary, Latham Ranch, New Mexico, 294786*. Available at
8 <http://www.wrcc.dri.edu/cgi-bin/cliRECTM.pl?nm4786>. Accessed Aug. 24, 2010.
9
- 10 WRCC, 2010d, *Average Pan Evaporation Data by State*. Available at
11 <http://www.wrcc.dri.edu/htmlfiles/westevap.final.html>. Accessed Jan. 19, 2010.
12
- 13 WSMR (White Sands Missile Range), 1998, *Final White Sands Missile Range Range-wide*
14 *Environmental Impact Statement*, White Sands Missile Range, New Mexico, Jan.
15
- 16 WSMR, 2009, *Draft Environmental Impact Statement for Development and Implementation of*
17 *Range-Wide Mission and Major Capabilities at White Sands Missile Range, New Mexico*, Feb.
18 Available at http://aec.army.mil/usaec/nepa/wsmrdeis_feb09.pdf. Accessed Aug. 17, 2010.
19

1 **12.3 RED SANDS**

2
3
4 **12.3.1 Background and Summary of Impacts**

5
6
7 **12.3.1.1 General Information**

8
9 The proposed Red Sands SEZ is located in Otero County in south-central New Mexico
10 (Figure 12.3.1.1-1). The SEZ has a total area of 22,520 acres (91 km²). In 2008, the county
11 population was 65,373, while adjacent Dona Ana County to the west had a population of
12 206,486. The nearest town is Boles Acres, less than 2 mi (3 km) east of the SEZ. Alamogordo is
13 approximately 6 mi (10 km) northeast of SEZ, with a population of more than 35,000.
14


15 The nearest major road access to the SEZ is via U.S. 70, which borders the northern
16 edge of the Red Sands SEZ. The UP railroad runs along the eastern side of the SEZ; the closest
17 railroad stops are at Alamogordo and Omlee directly to the east of the SEZ. The nearest public
18 airport is Alamogordo–White Sands Regional Airport located approximately 2 mi (3 km) to the
19 northeast of the SEZ. The nearest larger airport, El Paso International Airport, is approximately
20 71 mi (114 km) south–southeast of the SEZ. The Holloman Air Force Base is 2 mi (3 km)
21 northwest of the SEZ.
22

23 Three 115-kV transmission lines pass through the SEZ. It is assumed that one or more of
24 these existing transmission lines could potentially provide access from the SEZ to the
25 transmission grid (see Section 12.3.1.1.2).
26

27 As of March 2010, there were no ROW applications for solar projects within the SEZ;
28 however, there is one ROW application for a wind project that would be located within 50 mi
29 (80 km) of the SEZ. This application is discussed in Section 12.3.22.2.1.
30

31 The proposed Red Sands SEZ is in an undeveloped rural area. The SEZ is located in the
32 Tularosa Basin, bordered on the west by the San Andres and Organ Mountains and on the east
33 by the Sacramento Mountains. The Jarilla Mountains lie to the south. Land within the SEZ is
34 undeveloped scrubland characteristic of a semiarid basin.
35

36 The proposed Red Sands SEZ and other relevant information are shown in
37 Figure 12.3.1.1-1. The criteria used to identify the SEZ as an appropriate location for solar
38 energy development included proximity to existing transmission lines or designated corridors,
39 proximity to existing roads, a slope of generally less than 2%, and an area of more than
40 2,500 acres (10 km²). In addition, the area was identified as being relatively free of other types
41 of conflicts, such as USFWS-designated critical habitat for threatened and endangered species,
42 ACECs, SRMAs, and NLCS lands (see Section 2.2.2.2 for the complete list of exclusions).
43 Although these classes of restricted lands were excluded from the proposed Red Sands SEZ,
44 other restrictions might be appropriate. The analyses in the following sections address the
45 affected environment and potential impacts associated with utility-scale solar energy
46



1
2
3

FIGURE 12.3.1.1-1 Proposed Red Sands SEZ

1 development in the proposed SEZ for important environmental, cultural, and socioeconomic
2 resources.

3
4 As initially announced in the *Federal Register* on June 30, 2009, the proposed Red Sands
5 SEZ encompassed 46,972 acres (190 km²). Subsequent to the study area scoping period, the
6 boundaries of the proposed Red Sands SEZ were altered substantially to avoid potentially
7 valuable habitat for northern aplomado falcon, cultural sites, ephemeral lakes, and other
8 resources. The revised SEZ is approximately 24,452 acres (99 km²) smaller than the original
9 SEZ as published in June 2009.

10 11 12 **12.3.1.2 Development Assumptions for the Impact Analysis**

13
14 Maximum solar development of the Red Sands SEZ is assumed to be 80% of the SEZ
15 area over a period of 20 years, a maximum of 18,016 acres (73 km²). These values are shown
16 in Table 12.3.1.2-1, along with other development assumptions. Full development of the Red
17 Sands SEZ would allow development of facilities with an estimated total of 2,002 MW of
18 electrical power capacity if power tower, dish engine, or PV technologies were used, assuming
19 9 acres/MW (0.04 km²/MW) of land required, and an estimated 3,603 MW of power if solar
20 trough technologies were used, assuming 5 acres/MW (0.02 km²/MW) of land required.

21
22 Availability of transmission facilities from SEZs to load centers will be an important
23 consideration for future development in SEZs. The nearest existing transmission line is a 115-kV
24 line that runs through the SEZ. It is possible that an existing line could be used to provide access
25 from the SEZ to the transmission grid, but the 115-kV capacity of that line would be inadequate
26 for 2,002 to 3,603 MW of new capacity (note: a 500-kV line can accommodate approximately
27 the load of one 700-MW facility). At full build-out capacity, it is clear that substantial new
28 transmission and/or upgrades of existing transmission lines would be required to bring electricity
29 from the proposed Red Sands SEZ to load centers; however, at this time the location and size of
30 such new transmission facilities are unknown. Generic impacts of transmission and associated
31 infrastructure construction and of line upgrades for various resources are discussed in Chapter 5.
32 Project-specific analyses would need to identify the specific impacts of new transmission
33 construction and line upgrades for any projects proposed within the SEZ.

34
35 For the purposes of analysis in the PEIS, it was assumed that an existing 115-kV
36 transmission line that runs through the proposed SEZ could provide initial access to the
37 transmission grid, and thus no additional acreage disturbance for transmission line access was
38 assessed. Access to an existing transmission line was assumed, without additional information on
39 whether this line would be available for connection of future solar facilities. If a connecting
40 transmission line were constructed in the future to connect facilities within the SEZ to a different
41 off-site grid location from the one assumed here, site developers would need to determine the
42 impacts from construction and operation of that line. In addition, developers would need to
43 determine the impacts of line upgrades if they are needed.

TABLE 12.3.1.2-1 Proposed Red Sands SEZ—Assumed Development Acreages, Solar MW Output, Access Roads, and Transmission Line ROWs

Total Acreage and Assumed Developed Acreage (80% of Total)	Assumed Maximum SEZ Output for Various Solar Technologies	Distance to Nearest State, U.S., or Interstate Highway	Distance and Capacity of Nearest Existing Transmission Line	Assumed Area of Transmission Line and Road ROWs	Distance to Nearest Designated Corridor ^e
22,520 acres and 18,016 acres ^a	2,002 MW ^b and 3,603 MW ^c	U.S. 70 0 mi ^d	0 mi and 115 kV	0 acres; 0 acres	39 mi

^a To convert acres to km², multiply by 0.004047.

^b Maximum power output if the SEZ were fully developed using power tower, dish engine, or PV technologies, assuming 9 acres/MW (0.04 km²/MW) of land required.

^c Maximum power output if the SEZ were fully developed using solar trough technologies, assuming 5 acres/MW (0.02 km²/MW) of land required.

^d To convert mi to km, multiply by 1.609.

^e BLM-designated corridors are developed for federal land use planning purposes only and are not applicable to state-owned or privately owned land.

Existing road access to the proposed Red Sands SEZ should be adequate to support construction and operation of solar facilities, because U.S. 70 runs along the northernmost border of the SEZ. Thus, no additional road construction outside of the SEZ was assumed to be required to support solar development.

12.3.1.3 Summary of Major Impacts and SEZ-Specific Design Features

In this section, the impacts and SEZ-specific design features assessed in Sections 12.3.2 through 12.3.21 for the proposed Red Sands SEZ are summarized in tabular form. Table 12.3.1.3-1 is a comprehensive list of impacts discussed in these sections; the reader may reference the applicable sections for detailed support of the impact assessment. Section 12.3.22 discusses potential cumulative impacts from solar energy development in the proposed SEZ.

Only those design features specific to the proposed Red Sands SEZ are included in Sections 12.3.2 through 12.3.21 and in the summary table. The detailed programmatic design features for each resource area to be required under BLM’s Solar Energy Program are presented in Appendix A, Section A.2.2. These programmatic design features would also be required for development in this and other SEZs.

TABLE 12.3.1.3-1 Summary of Impacts of Solar Energy Development within the Proposed Red Sands SEZ and SEZ-Specific Design Features^a

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Lands and Realty	<p>Full development of the SEZ could disturb up to 18,016 acres (73 km²). Development of the SEZ for utility-scale solar energy production would establish a large industrial area that would exclude many existing and potential uses of the land, perhaps in perpetuity. Utility-scale solar energy development would be a new and dominant land use in the area.</p> <p>Because of the fragmented nature of the SEZ it is likely that public access routes to lands outside the SEZ will be blocked by solar development.</p>	None.
Specially Designated Areas and Lands with Wilderness Characteristics	<p>Wilderness characteristics in the Culp Canyon WSA would be adversely affected.</p> <p>Scenic values and recreation use in the Sacramento Escarpment ACEC and the USFS Roadless Areas on the front of the Sacramento Mountains would be adversely affected. Visitors to the eastern and southeastern portions of the White Sands National Monument would have clear views of development in portions of the SEZ that would have an adverse effect on visitor experience in the monument.</p>	Design features for visual resources should be implemented to reduce adverse impacts on White Sands National Monument, wilderness characteristics in Culp Canyon WSA, and recreation and scenic resources along the Sacramento Front.
Rangeland Resources: Livestock Grazing	<p>Grazing permits for the Bar H W Ranch, Diamond A Ranch, Escondido Well, Lone Butte, and White Sands Ranch allotments would be reduced.</p> <p>A maximum of 2,495 AUMs would be lost among the five allotments.</p>	Development of range improvements and changes in grazing management should be considered to mitigate the loss of AUMs in the five affected grazing allotments.
Rangeland Resources: Wild Horses and Burros	None.	None.

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Recreation	Areas developed for solar energy production would be closed to recreational use.	None.
	Recreation use in the Culp Canyon WSA, Sacramento Escarpment ACEC, White Sands National Monument, and the USFS Roadless Areas likely would be adversely affected and would not be completely mitigated.	Adoption of design features for visual resources suggested in Section 12.3.14 would reduce adverse impacts on recreation use in some specially designated areas and should be considered.
Military and Civilian Aviation	<i>Military airspace:</i> The military has expressed concern over any facilities constructed in the SEZ that could impact their current operations, including the potential for flight restrictions above any solar facilities and the height of solar facilities that could interfere with approach/departure from Holloman Air Force Base or that would intrude into low-level airspace.	The BLM should modify its land records to require consultation with DoD in any areas of the SEZ under military airspace.
	<i>Civilian and Military aviation facilities</i>	Because Alamogordo-White Sands Regional Airport and Holloman Air Force Base are within 3 mi (4.8 km) of the SEZ, project developers must provide necessary safety restriction information to FAA addressing required distances from flight paths, hazard lighting of facilities, impacts on radar performance, and other requirements.
Geologic Setting and Soil Resources	Impacts on soil resources would occur mainly as a result of ground-disturbing activities (e.g., grading, excavating, and drilling), especially during the construction phase. Impacts include soil compaction, soil horizon mixing, soil erosion and deposition by wind, soil erosion by water and surface runoff, sedimentation, and soil contamination. These impacts may be impacting factors for other resources (e.g., air quality, water quality, and vegetation).	Avoid disturbing gypsite crusts to the extent possible to minimize the risk of soil loss by wind erosion.
Minerals	None.	None.

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Water Resources	<p>Ground-disturbing activities (affecting 27% of the total area in the peak construction year) could affect surface water quality due to surface runoff, sediment erosion, and contaminant spills.</p> <p>Construction activities may require up to 3,257 ac-ft (4.0 million m³) of water during peak construction year.</p> <p>Construction activities would generate as much as 148 ac-ft (182,600 m³) of sanitary wastewater.</p> <p>Assuming full development of the SEZ, operations would use the following amounts of water:</p> <ul style="list-style-type: none"> • For parabolic trough facilities (3,603-MW capacity), 2,573 to 5,455 ac-ft/yr (3.2 million to 6.7 million m³/yr) for dry-cooled systems; 18,066 to 54,098 ac-ft/yr (22.3 million to 66.76 million m³/yr) for wet-cooled systems. • For power tower facilities (2,002-MW capacity), 1,423 to 3,025 ac-ft/yr (1.8 million to 3.7 million m³/yr) for dry-cooled systems; 10,031 to 30,049 ac-ft/yr (12.4 million to 37.1 million m³/yr) for wet-cooled systems. • For dish engine facilities (2,002-MW capacity), 1,023 ac-ft/yr (1.26 million m³/yr). • For PV facilities (2,002-MW capacity), 102 ac-ft/yr (126,000 m³/yr). <p>Assuming full development of the SEZ, operations would generate up to 50 ac-ft/yr (62,000 m³/yr) of sanitary wastewater, and as much as 1,024 ac-ft/yr (1.2 million m³/yr) of blowdown water.</p>	<p>Water resource analysis indicates that wet-cooling options would not be feasible; other technologies should incorporate water conservation measures.</p> <p>Land-disturbance activities should minimize impacts on ephemeral streams located within the proposed SEZ.</p> <p>Siting of solar facilities and construction activities should avoid the areas identified as within a 100-year floodplain of the unnamed ephemeral wash running north to south through the center of the proposed SEZ totaling 54 acres (0.22 km²).</p> <p>Groundwater management/rights should be coordinated with the NMOSE.</p> <p>Groundwater monitoring and production wells should be constructed in accordance with state standards.</p> <p>Stormwater management BMPs should be implemented according to the guidance provided by the New Mexico Environment Department.</p> <p>Water for potable uses would have to meet or be treated to meet water quality standards as defined by the EPA.</p>

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Vegetation ^b	<p>Approximately 80% of the SEZ (18,016 acres) would be cleared of vegetation with full development of the SEZ; dune habitats would likely be affected; re-establishment of plant communities in disturbed areas would likely be very difficult because of the arid conditions.</p> <p>Indirect effects outside the SEZ boundaries would have the potential to degrade affected plant communities and may reduce biodiversity by promoting the decline or elimination of species sensitive to disturbance.</p> <p>Noxious weeds could become established in disturbed areas and colonize adjacent undisturbed habitats, thus reducing restoration success and potentially resulting in widespread habitat degradation.</p> <p>Grading could result in direct impacts on the wetlands within the SEZ and could potentially alter wetland plant communities and affect wetland function. In addition, project-related reductions in groundwater elevations could alter groundwater-dependent plant communities. Grading could affect riparian and dry wash communities within the SEZ. Alteration of surface drainage patterns or hydrology could adversely affect downstream communities, such as playas west of the SEZ.</p>	<p>An Integrated Vegetation Management Plan addressing invasive species control and an Ecological Resources Mitigation and Monitoring Plan addressing habitat restoration should be approved and implemented to increase the potential for successful restoration of desertscrub, dune, steppe, riparian, playa, and grassland communities and other affected habitats and to minimize the potential for the spread of invasive species, such as African rue. To reduce the use of herbicides, invasive species control should focus on biological and mechanical methods where possible.</p> <p>All wetland, riparian, dry wash, playa, succulent, and sand dune communities within the SEZ should be avoided to the extent practicable, and any impacts minimized and mitigated. A buffer area should be maintained around wetland and riparian habitats to reduce the potential for impacts. Any yucca, agave, ocotillo, and cacti (including <i>Opuntia</i> spp., <i>Cylindropuntia</i> spp., <i>Echinocactus</i> spp., and <i>Sclerocactus</i> spp.) and other succulent plant species that cannot be avoided should be salvaged.</p> <p>Appropriate engineering controls should be used to minimize impacts on wetland, dry wash, and playa habitats, including downstream occurrences, resulting from surface water runoff, erosion, sedimentation, altered hydrology, accidental spills, or fugitive dust deposition to these habitats. Appropriate buffers and engineering controls would be determined through agency consultation.</p>

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Vegetation ^b (Cont.)		Groundwater withdrawals should be limited to reduce the potential for indirect impacts on groundwater-dependent communities, such as mesquite, wetland, or riparian communities, or gypsum dune field communities, including those communities found on White Sands National Monument. Potential impacts on springs should be determined through hydrological studies.
Wildlife: Amphibians and Reptiles ^b	Direct impacts on amphibians and reptiles from SEZ development would be small (based on loss of $\leq 0.6\%$ of potentially suitable habitats within the SEZ region for all other representative amphibian and reptile species). With implementation of programmatic design features, indirect impacts would be expected to be negligible for all amphibian and reptile species.	Playa, wash, and wetland habitats should be avoided.
	Other impacts on amphibians and reptiles could result from being run over by vehicles, surface water and sediment runoff from disturbed areas, fugitive dust generated by project activities, spread of invasive species, accidental spills, collection, and harassment.	
Wildlife: Birds ^b	Direct impacts on representative bird species would be moderate for the killdeer (loss of 1.1% of its potentially suitable habitat within the SEZ region) and horned lark (loss of 2.4% of its potentially suitable habitat within the SEZ region) and small for all other representative bird species (i.e., loss of $\leq 0.5\%$ of potentially suitable habitats within the SEZ region).	The requirements contained within the 2010 Memorandum of Understanding between the BLM and USFWS to promote the conservation of migratory birds will be followed.
	Other impacts on birds could result from collisions with vehicles and infrastructure (e.g., buildings and fences), surface water and sediment runoff from disturbed areas, fugitive dust generated by project activities, noise, lighting, spread of invasive species, accidental spills, and harassment.	Take of golden eagles and other raptors should be avoided. Mitigation regarding the golden eagle should be developed in consultation with the USFWS and the NMDGF. A permit may be required under the Bald and Golden Eagle Protection Act.
		Wash, playa, and palustrine and wetland areas, which could provide unique habitats for some bird species, should be avoided.

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Wildlife: Mammals ^b	<p>Direct impacts on representative mammal species would be small (i.e., loss of $\leq 0.5\%$ of potentially suitable habitats within the SEZ region).</p> <p>Other impacts on mammals could result from collision with vehicles and infrastructure (e.g., fences), surface water and sediment runoff from disturbed areas, fugitive dust generated by project activities, noise, lighting, spread of invasive species, accidental spills, and harassment.</p>	<p>The fencing around the solar energy development should not block the free movement of mammals, particularly big game species.</p> <p>Wash, playa, and palustrine and riverine wetlands should be avoided.</p>
Aquatic Biota ^b	<p>There are no perennial streams, wetlands, or water bodies present within the SEZ, but intermittent or ephemeral surface water features are present and they could be affected by ground disturbance and sedimentation related to solar energy development. However, these features are typically dry and are not expected to contain aquatic habitat although aquatic biota may be seasonally present. Intermittent and ephemeral streams and the perennial Holloman Lake and associated wetlands are present in the area of indirect effects. Aquatic habitat and biota in Holloman Lake could be affected by soil transport via waterborne and airborne deposition. Solar energy development within the SEZ could introduce contaminants into intermittent surface water, but the lack of hydrologic connection between the SEZ and perennial surface water minimized the potential for introducing contaminants into perennial surface water.</p>	<p>Implement appropriate engineering controls to minimize the amount of ground disturbance, contaminants, surface water runoff and fugitive dust that reaches intermittent streams and wetlands within the SEZ.</p> <p>Implement appropriate engineering controls to minimize the amount of surface water runoff and fugitive dust that reaches Holloman Lake and the intermittent streams and wetlands outside of the SEZ.</p>
Special Status Species ^b	<p>Potentially suitable habitat for 43 special status species occurs in the affected area of the Red Sands SEZ. For most of these special status species, less than 1% of the potentially suitable habitat in the region occurs in the area of direct effects; for several special status species, between 2 and 3% of the potentially suitable habitat in the region occurs in the area of direct effects.</p>	<p>Pre-disturbance surveys should be conducted within the area of direct effects to determine the presence and abundance of special status species. Disturbance to occupied habitats for these species should be avoided or minimized to the extent practicable. If avoiding or minimizing impacts on occupied habitats is not possible for some species, translocation of</p>

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Special Status Species ^b (Cont.)	One groundwater-dependent species occurs outside of the areas of direct and indirect effects. Potential impacts on this species could range from small to large, depending on the solar energy technology deployed, the scale of development within the SEZ, and the cumulative rate of groundwater withdrawals.	<p>individuals from areas of direct effect; or compensatory mitigation of direct effects on occupied habitats could reduce impacts. A comprehensive mitigation strategy for special status species that used one or more of these options to offset the impacts of development should be developed in coordination with the appropriate federal and state agencies.</p> <p>Consultation with the USFWS and NMDGF should be conducted to address the potential for impacts on the following species currently listed as threatened or endangered under the ESA: Kuenzler’s hedgehog cactus, Sacramento Mountains prickly-poppy, interior least tern, and northern aplomado falcon. Consultation would identify an appropriate survey protocol, avoidance and minimization measures, and, if appropriate, reasonable and prudent alternatives, reasonable and prudent measures, and terms and conditions for incidental take statements (if necessary).</p> <p>Avoiding or minimizing disturbance to desert grasslands, sand dune habitat and sand transport systems, and playas on the SEZ could reduce or eliminate impacts on 11 special status species.</p> <p>Avoidance or minimization of groundwater withdrawals from the Tularosa Basin to serve solar energy development on the SEZ could reduce or eliminate impacts on the White Sands pupfish. In particular, impacts on spring-fed habitats in the Lost River and Salt Creek could be reduced with the avoidance of groundwater withdrawals in the region.</p>

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Special Status Species ^b (Cont.)		Harassment or disturbance of special status species and their habitats in the affected area should be mitigated. This can be accomplished by identifying any additional sensitive areas and implementing necessary protection measures based upon consultation with the USFWS and NMDGF.
Air Quality and Climate	<p><i>Construction:</i> Temporary exceedances of AAQS for 24-hour and annual PM₁₀ and PM_{2.5} concentration levels at the SEZ boundaries and in the immediate surrounding area, including the closest residence adjacent to the east-central SEZ boundary. Higher concentrations would be limited to the immediate area surrounding the SEZ boundary and would decrease quickly with distance. Modeling indicates that emissions from construction activities are not anticipated to exceed Class I PSD PM₁₀ increments at the nearest federal Class I area (White Mountain WA). In addition, construction emissions (primarily NO_x emissions) from the engine exhaust from heavy equipment and vehicles has the potential to affect AQRVs (e.g., visibility and acid deposition) at the nearest federal Class I area.</p> <p><i>Operations:</i> Positive impact due to avoided emission of air pollutants from combustion-related power generation: 10 to 18% of total emissions of SO₂, NO_x, Hg, and CO₂ from electric power systems in the state of New Mexico avoided (up to 5,665 tons/yr SO₂, 14,096 tons/yr NO_x, 0.21 ton/yr Hg, and 6,282,000 tons/yr CO₂).</p>	None.
Visual Resources	The SEZ is in an area of low scenic quality, with cultural disturbances already present. Residents, workers, and visitors to the area may experience visual impacts from solar energy facilities located within the SEZ (as well as any associated access roads and transmission lines) as they travel area roads.	The development of power tower facilities within the SEZ should be prohibited.

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Visual Resources (Cont.)	<p>Solar development could produce large visual impacts on the SEZ and surrounding lands within the SEZ viewshed due to major modification of the character of the existing landscape.</p> <p>The SEZ is located 4.1 mi (6.6 km) from White Sands National Monument. Because of the open views of the SEZ and its close proximity to the NM, strong visual contrasts could be observed by NM visitors.</p> <p>The SEZ is located 8.4 mi (13.5 km) from Culp Canyon WSA. Because of the open views of the SEZ and elevated viewpoints in the WSA, strong visual contrasts could be observed by WSA visitors.</p> <p>The SEZ is located 4.4 mi (7.1 km) from Sacramento Escarpment scenic ACEC. Because of the open views of the SEZ, elevated viewpoints in the ACEC, and close proximity of the SEZ to the ACEC, strong visual contrasts could be observed by ACEC visitors.</p> <p>Lone Butte is culturally significant to Native Americans and is visible throughout the surrounding valley. Lone Butte is within the SEZ. Because of the very close proximity of the Lone Butte to potential solar facilities within the SEZ, strong visual contrasts would be expected for viewers located at or near Lone Butte. Furthermore, the presence of solar facilities in the immediate vicinity of the Butte could impair direct views of the Butte from surrounding areas, as well as create strong visual contrasts with the Butte's natural-appearing forms, lines, colors, and textures.</p> <p>Approximately 62 mi (100 km) of U.S. 70 are within the SEZ viewshed. Because U.S. 70 passes through a portion of the SEZ, strong visual contrasts would be expected for some viewpoints on U.S. 70.</p> <p>Approximately 57 mi (92 km) of U.S. 54 are within the SEZ viewshed. Because a section of U.S. 4 is directly adjacent to the SEZ, strong-visual contrasts would be expected for some viewpoints on U.S. 54.</p>	

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Visual Resources (Cont.)	<p>The communities of Alamogordo, Boles Acres, La Luz, and Tularosa are located within the viewshed of the SEZ, although slight variations in topography and vegetation could provide some screening. Because of the close proximity of the SEZ to Alamogordo and Boles Acres, strong visual contrasts could be observed within Alamogordo, and Boles Acres. Weak visual contrasts could be observed within the other communities.</p>	
Acoustic Environment	<p><i>Construction:</i> For construction of a solar facility located near the east–central SEZ boundary, estimated noise levels at the nearest residence (next to the east–central SEZ boundary) would be about 74 dBA, which is well above the typical daytime mean rural background level of 40 dBA. In addition, an estimated 70-dBA L_{dn} at this residence is well above the EPA guidance of 55 dBA L_{dn} for residential areas.</p> <p><i>Operations:</i> For operation of a parabolic trough or power tower facility located near the east–central SEZ boundary, the predicted noise level would be about 51 dBA at the nearest residence, which is higher than the typical daytime mean rural background level of 40 dBA. If the operation were limited to daytime, 12 hours only, a noise level of about 49 dBA L_{dn} would be estimated for the nearest residence, which is below the EPA guideline of 55 dBA L_{dn} for residential areas. However, in the case of 6-hour TES, the estimated nighttime noise level at the nearest residence would be 61 dBA, which is well above the typical nighttime mean rural background level of 30 dBA. The day–night average noise level is estimated to be about 63 dBA L_{dn}, which is above the EPA guideline of 55 dBA L_{dn} for residential areas.</p> <p>If 80% of the SEZ were developed with dish engine facilities, the estimated noise level at the nearest residence would be about 58 dBA, which is well above the typical daytime mean rural background level of 40 dBA. On the basis of 12-hour daytime operation, the estimated 55 dBA L_{dn} at this residence would be equivalent to the EPA guideline of 55 dBA L_{dn} for residential areas.</p>	<p>Noise levels from cooling systems equipped with TES should be managed so that levels at the closest residences to the northern or eastern SEZ boundary are kept within applicable guidelines. This could be accomplished in several ways, for example, through placing the power block approximately 1 to 2 mi (1.6 to 3 km) or more from residences, limiting operations to a few hours after sunset, and/or installing fan silencers.</p> <p>Dish engine facilities within the Red Sands SEZ should be located more than 1 to 2 mi (1.6 to 3 km) from the nearby residences (i.e., the facilities should be located in the western or southern portion of the proposed SEZ). Direct noise control measures applied to individual dish engine systems could also be used to reduce noise impacts at nearby residences.</p>

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Paleontological Resources	The potential for impacts on significant paleontological resources in the proposed Red Sands SEZ is low. A more detailed look at the geological deposits is needed to verify the initial classifications of these areas as PFYC Class 1 and 2.	The need for and the nature of any SEZ-specific design features would depend on the results of future paleontological investigations; however, based on the current level of information, the need for SEZ-specific mitigation is not anticipated.
Cultural Resources	Direct impacts on significant cultural resources could occur in the proposed Red Sands SEZ; however, further investigation is needed. A cultural resources survey of the entire area of potential effects of any project proposed would first need to be conducted to identify archaeological sites, historic structures and features, and traditional cultural properties, and an evaluation would need to follow to determine whether any are eligible for listing in the NRHP.	SEZ-specific design features would be determined during consultations with the New Mexico SHPO and affected Tribes and would depend on the results of future investigations. Coordination with the White Sands National Monument and local historical societies regarding impacts on nearby NRHP-listed properties is also recommended.
Native American Concerns	The proposed Red Sands SEZ falls primarily within the traditional use area of the Mescalero Apache and elements of the Pueblo of Ysleta del Sur. The SEZ supports plants and habitat of animals traditionally important to these Tribes; however, these plants and habitats are abundant in surrounding areas. The adjacent Sacramento and San Andres Mountains were home bases for some Mescalero groups. Views from these mountains may be of cultural importance. The Pueblo of Ysleta del Sur has expressed a wish to be informed if human burials or other NAGPRA objects are encountered during development of the SEZ.	The need for and nature of SEZ-specific design features would be determined during government-to-government consultation with the affected Tribes.
Socioeconomics	<i>Livestock grazing:</i> Construction and operation of solar facilities could decrease the amount of land available for livestock grazing in the SEZ, resulting in the loss of less than 1 job (total) and \$0.1 million (total) in income in the ROI.	None.

TABLE 12.3.1.3-1 (Cont.)

Resource Area	Environmental Impacts—Proposed Red Sands SEZ	SEZ-Specific Design Features
Socioeconomics (<i>Cont.</i>)	<p><i>Construction:</i> A total 806 to 10,667 jobs would be added; ROI income would increase by \$44.3 million to \$587.0 million.</p> <p><i>Operations:</i> A total of 56 to 1,312 annual jobs would be added; ROI income would increase by \$1.8 million to \$45.1 million.</p>	
Environmental Justice	There are minority populations, as defined by CEQ guidelines, within the 50-mi (80-km) radius around the boundary of the SEZ. Therefore, any adverse impacts of solar projects, although likely to be small, could disproportionately affect minority populations.	None.
Transportation	<p>The primary transportation impacts are anticipated to be from commuting worker traffic. U.S. 54 and U.S. 70 provide regional traffic corridors that would experience small impacts for single projects that may have up to 1,000 workers each day, with an additional 2,000 vehicle trips per day (maximum). Such an increase ranges from less than 15% to more than 50% of the current traffic on U.S. 70 and U.S. 54. Light-to-moderate congestion impacts could occur on either highway, primarily near site access point(s).</p> <p>If construction of up to two large projects were to occur over the same period of time, there could be up to 4,000 additional vehicle trips per day, assuming no ride-sharing or other mitigation measures. If all site access were from U.S. 54 and U.S. 70, this would result in a about a 110% increase in traffic. Such an increase would have a moderate impact on traffic flow during peak commuter times.</p>	Siting of power towers with respect to the air traffic associated with Alamogordo-White Sands Regional Airport and Holloman Air Force Base should be carefully considered so as not to pose a hazard to navigation or to interfere with Air Force operations.

Footnotes continue on next page.

TABLE 12.3.1.3-1 (Cont.)

Abbreviations: AAQS = ambient air quality standards; ACEC = Area of Critical Environmental Concern; AQRV = air quality-related value; AUM = animal unit month; BLM = Bureau of Land Management; BMP = best management practice; CEQ = Council on Environmental Quality; CO₂ = carbon dioxide; dBA = A-weighted decibel; DoD = Department of Defense; EPA = U.S. Environmental Protection Agency; ESA = Endangered Species Act; Hg = mercury; L_{dn} = day-night average sound level; NAGPRA = Native American Graves Protection and Repatriation Act; NHHNM = National Heritage New Mexico; NM = National Monument; NMDGF = State of New Mexico Department of Game and Fish; NO_x = nitrogen oxides; NRHP = *National Register of Historic Places*; PM_{2.5} = particulate matter with an aerodynamic diameter of 2.5 μm or less; PM₁₀ = particulate matter with an aerodynamic diameter of 10 μm or less; PSD = prevention of significant deterioration; PV = photovoltaic; ROI = region of influence; SEZ = solar energy zone; SHPO = State Historic Preservation Office; SO₂ = sulfur dioxide; SRMA = Special Recreation Management Area; TES = thermal energy storage; USFS = U.S. Forest Service; USFWS = U.S. Fish and Wildlife Service; WA = Wilderness Area; WSA = Wilderness Study Area.

- ^a The detailed programmatic design features for each resource area to be required under BLM's Solar Energy Program are presented in Appendix A, Section A.2.2. These programmatic design features would be required for development in the proposed Red Sands SEZ.
- ^b The scientific names of all plants, wildlife, aquatic biota, and special status species are provided in Sections 12.3.10 through 12.3.12.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.3.2 Lands and Realty**

2
3
4 **12.3.2.1 Affected Environment**

5
6 The proposed Red Sands SEZ is a fragmented area of 22,520 acres (91 km²) of rural and
7 undeveloped BLM-administered land located about 6 mi (6.4 km) southwest of Alamogordo,
8 New Mexico. The area of the currently proposed SEZ is reduced in size from the original
9 proposal, which included 46,972 acres (190 km²). The SEZ is surrounded by state, private, and
10 other BLM-administered lands that are not included within the SEZ. The area also is bordered by
11 three different U.S. military installations on the north, east, and west. The White Sands National
12 Monument boundary lies about 4 mi (6.4 km) west of the SEZ. U.S. Highways 70 and 54
13 provide access to the area on the north and east, and the interior of the SEZ is accessible via
14 several dirt/gravel roads. The Alamogordo-White Sands Regional Airport is about 2 mi (3.2 km)
15 east of the northern portion of the SEZ and Holloman Air Force Base is about 2 mi (3.2 km)
16 northwest of the northern portion of the SEZ. The area along Highway 90 on the northern border
17 of the SEZ has an industrial/commercial character, while the areas within a few miles to the
18 northeast and east are residential. There are natural gas pipelines, water pipelines, electric
19 transmission lines, telecommunication lines, and livestock management facilities on public lands
20 within the SEZ.

21
22 As of February 2010, there were no ROW applications for solar energy facilities within
23 the SEZ (see Section 12.3.22.2).

24
25
26 **12.3.2.2 Impacts**

27
28
29 ***12.3.2.2.1 Construction and Operations***

30
31 Full development of the proposed Red Sands SEZ could disturb up to 18,016 acres
32 (73 km²) of BLM-administered lands (Table 12.3.1.2-1) and would establish a large industrial
33 area that would exclude many existing and potential uses of the land, perhaps in perpetuity.
34 Although there is industrial/commercial and residential development along or near the northern
35 and eastern borders of the SEZ, the overall appearance of the SEZ is rural and undeveloped, and
36 utility-scale solar energy development would be a new and discordant land use in the area. It is
37 possible that the state and private lands located within and adjacent to the SEZ would be
38 developed in the same or a complementary manner as the public lands.

39
40 The fragmented nature of the SEZ (see Figure 12.3.1.1-1) would likely complicate its
41 future development and the management of the private, state, and public lands that surround the
42 SEZ. The SEZ's shape would make it difficult to consolidate common facilities such as roads
43 and utilities to support development of the area. Management of sensitive resources on the
44 remaining public lands would also be complicated by the need to provide for access to parcels
45 that are available for development. Industrial-type development adjacent to private lands on the
46 eastern border of the SEZ may also create issues with the private landowners.

1 Roads and trails that provide public access to the area, especially from the east, would be
2 blocked or rerouted by solar energy development. Access to the remaining public lands that are
3 not within the SEZ likely would be impaired by solar development.
4

5 Current ROW authorizations in the SEZ would not be affected by solar energy
6 development, since they are prior rights. The existing ROWs remove land from potential solar
7 development within the SEZ and contribute to the fragmentation of the SEZ in some areas.
8 Should the proposed SEZ be identified as an SEZ in the ROD for this PEIS, the BLM would still
9 have discretion to authorize additional ROWs in the area until solar energy development was
10 authorized, and then, future ROWs would be subject to the rights granted for solar energy
11 development. It is not anticipated that approval of solar energy development within the SEZ
12 would have a significant impact on the amount of public land available for future ROWs near
13 the area.
14

15 ***12.3.2.2.2 Transmission Facilities and Other Off-Site Infrastructure*** 16

17
18 Three existing 115-kV transmission lines run through the SEZ; any of these lines might
19 be available to transport the power produced in this SEZ. Establishing a connection to one of
20 these existing lines would not involve the construction of a new transmission line outside of the
21 SEZ. If a connecting transmission line were constructed in a different location outside of the SEZ
22 in the future, site developers would need to determine the impacts from construction and
23 operation of that line. In addition, developers would need to determine the impacts of line
24 upgrades if they were needed.
25

26 Road access to the area is readily available from the U.S. highways that border the SEZ
27 on the north and east, so there would be no additional land disturbance outside the SEZ
28 associated with road construction to provide access to the SEZ.
29

30 Roads and power collection lines would be constructed within the SEZ as part of the
31 development of the area.
32

33 ***12.3.2.3 SEZ-Specific Design Features and Design Feature Effectiveness*** 34

35
36 No SEZ-specific design features for solar development within the proposed Red Sands
37 SEZ would be necessary. Implementing the programmatic design features described in
38 Appendix A, Section A.2.2, as required under BLM's Solar Energy Program would provide
39 adequate mitigation for lands and realty activities.
40

1 **12.3.3 Specially Designated Areas and Lands with Wilderness Characteristics**


2
3
4 **12.3.3.1 Affected Environment**

5
6 There are seven specially designated areas within 25 mi (40 km) of the proposed Red
7 Sands SEZ that potentially could be affected by solar energy development within the SEZ,
8 principally from impact on scenic, recreational, and/or wilderness resources. Additionally, it is
9 not anticipated that these areas would experience increased visitation impacts associated with
10 SEZ development. The ACEC included below has scenic values as one of the components
11 supporting the designation (BLM 1996). The Black Grama ACEC located southeast of the SEZ
12 is not being analyzed, because it was designated to protect natural vegetation communities. The
13 areas include the following (see Figure 12.3.3.1-1):

- 14
15 • Wilderness Study Area
16 – Culp Canyon
17
18 • Area of Critical Environmental Concern
19 – Sacramento Escarpment
20
21 • National Monument
22 – White Sands
23
24 • National Wildlife Refuge
25 – San Andres
26
27 • National Historic Landmark
28 – Launch Complex 33
29
30 • Scenic Byway
31 – Sunspot
32
33 • USFS Roadless Areas
34 – Sacramento Mountains
35

36 While not a “specially designated area,” because of its proximity and elevation relative to
37 the SEZ, portions of Alamogordo and surrounding areas would have clear views of solar energy
38 development in portions of the SEZ.

39
40 There are no lands near the SEZ and outside of designated WSAs that have been
41 identified by BLM to be managed to protect wilderness characteristics.
42
43
44



1

2 **FIGURE 12.3.3.1-1 Specially Designated Areas in the Vicinity of the Proposed Red Sands SEZ**

3

1 **12.3.3.2 Impacts**

2
3
4 **12.3.3.2.1 Construction and Operations**

5
6 The primary potential impact on the specially designated areas near the SEZ would
7 be from visual impacts of solar energy development that could affect scenic and/or recreation
8 resources, or wilderness characteristics of the areas. The visual impact could be associated with
9 direct views of the solar facilities, including transmission facilities, glint and glare from
10 reflective surfaces, steam plumes, hazard lighting of tall structures, and night lighting of the
11 facilities. For WSAs, visual impacts from solar development would be most likely to cause the
12 loss of outstanding opportunities for solitude and primitive and unconfined recreation. While the
13 visibility of solar facilities from specially designated areas is relatively easy to determine, the
14 impact of this visibility is difficult to quantify and would vary by solar technology employed, the
15 specific area being affected, and the perception of individuals viewing solar facilities while
16 recreating in areas within sight of the SEZ. Development of the SEZ, especially full
17 development, would be an important visual component in the viewshed from portions of some of
18 these specially designated areas, as summarized in Table 12.3.3.2-1. The data provided in the
19 table, which shows the area with visibility of development within the SEZ, assumes the use of
20 power tower solar energy technology, 198.1 m (650 ft) tall, which, because of the potential
21 height of these facilities, could be visible from the largest amount of land of the technologies
22 being considered in the PEIS. Viewshed analysis for this SEZ has shown that the visibility of
23 shorter solar energy facilities would be less in some areas than power tower technology.
24 Section 12.3.14 provides detail on all viewshed analyses discussed in this section. Potential
25 impacts discussed below are general, and assessment of the visual impact of solar energy
26 projects must be conducted on a site-specific and technology-specific basis to accurately identify
27 impacts.

28
29 In general, the closer a viewer is to solar development, the greater the effect on an
30 individual's perception of impact. From a visual analysis perspective, the most sensitive viewing
31 distances generally are from 0 to 5 mi (0 to 8 km), but could be further depending on other
32 factors, including the viewing height above or below a solar energy development area; the size of
33 the solar development area; and the purpose for which people visit an area. Individuals seeking a
34 wilderness or scenic experience within these specially designated areas could be expected to be
35 more adversely affected than those simply traveling along the highway with another destination
36 in mind. In the case of the Red Sands SEZ, the flat terrain and the low-lying location of the SEZ
37 in relation to portions of some of the surrounding specially designated areas would highlight the
38 industrial-like development in the SEZ.

39
40 The occurrence of glint and glare at solar facilities could potentially cause large though
41 temporary increases in brightness and visibility of the facilities. The visual contrast levels
42 projected for sensitive visual resource areas that were used to assess potential impacts on
43 specially designated areas do not account for potential glint and glare effects; however, these
44 effects would be incorporated into a future site-and project-specific assessment that would be
45 conducted for specific proposed utility-scale solar energy projects.

TABLE 12.3.3.2-1 Potentially Affected Sensitive Visual Resources within a 25-mi (40-km) Viewshed of the Proposed Red Sands SEZ, Assuming a Target Height of 650 ft (198.1 m)

Feature Type	Feature Name (Total Acreage/Linear Distance) ^a	Feature Area or Linear Distance		
		Visible within 5 mi	Visible between	
			5 and 15 mi	15 and 25 mi
WSA	Culp Canyon (11,276 acres ^a)	0 acres	6,385 acres (57%) ^b	0 acres
ACEC	Sacramento Escarpment (4,867 acres)	1,391 acres (29%)	3,406 acres (70%)	0 acres
National Monument	White Sands National Monument (152,363 acres)	1,835 acres (1%)	86,343 acres (57%)	58,927 acres (39%)
National Wildlife Refuge	San Andres National Wildlife Refuge (60,141 acres)	0 acres	0 acres	24,687 acres (41%)
National Historic Landmark	Launch complex 33	0 acres	0 acres	Yes
Scenic Byway	Sunspot	0 mi	0.2 mi	0 acres
USFS Roadless Areas	Sacramento Mountains	0 acres	0 acres ^c	0 acres

^a To convert acres to km², multiply by 0.004047. To convert mi to km, multiply by 1.609.

^b Values in parentheses are percentage of feature acreage or length visible.

^c This is a visual estimate and is not based on viewshed analysis.

Wilderness Study Area

Culp Canyon. Culp Canyon is an 11,276-acre (45.6-km²) WSA located 8.4 mi (13.5 km) southeast of the SEZ. The visible area of the WSA extends to 14.5 mi (23.3 km) from the southeastern boundary of the SEZ. The viewshed of the SEZ within the WSA includes about 6,385 acres (25.8 km²) or about 57% of the total acreage of the WSA. Because of the distance to the SEZ, the angle of view of solar reflector fields would be very low, resulting in reduced visual contrast with the surrounding and background areas. Under certain lighting conditions, glint and glare from the reflectors would be visible, and the SEZ would occupy most of the horizontal field of view. Taller facilities (such as power towers or transmission lines) would be visible, especially in the nearer portions of the SEZ, and at night, could have hazard warning lights that would contribute to their impact. Depending on where facilities would be constructed within the SEZ, the type of facilities, and the location of individuals viewing the solar development from

1 within the WSA, the visual contrast caused by the facilities could be strong and would adversely
2 affect wilderness characteristics.

3 4 5 **Area of Critical Environmental Concern** 6 7

8 ***Sacramento Escarpment.*** The 4,867-acre (19.7-km²) ACEC, located on the steep slopes
9 east of the SEZ, was established because of its dramatic appearance as viewed from outside of
10 the ACEC. Visitors within the ACEC would have a dominating view of the whole SEZ from
11 many locations. At its closest point, the Sacramento Escarpment is 4.4 mi (7.1 km) from the
12 boundary of the SEZ, and the viewshed within the ACEC extends to 7.0 mi (11.3 km) from the
13 SEZ, encompassing 4,797 acres (19.4 km²), or 99% of the ACEC. The proximity of the ACEC
14 to the SEZ and the elevated views of solar development within the area would result in strong
15 visual contrast with the surrounding area that would likely reduce the scenic values within the
16 ACEC. While it is difficult to correlate these visual impacts with impacts on other resource uses,
17 it is anticipated that this could result in reduced recreation use of the area. The presence of
18 existing residential and commercial development at the base of the ACEC may tend to moderate
19 the impact of solar development.
20

21 22 **National Monument** 23 24

25 ***White Sands.*** The monument is very large, containing 152,363 acres (616.6 km²), and
26 the closest boundary of the monument is 4.1 mi (6.6 km) west of the SEZ. Visitation to the
27 monument averages just under 600,000 visitors per year (Welsh 1995). About 97% of the
28 monument is within the viewshed of the SEZ and the area of the national monument with
29 visibility of the SEZ extends to 24.0 mi (38.6 km) from the western boundary of the SEZ. The
30 potential for impact on the monument is dependent upon the distance from which solar facilities
31 would be viewed. Generally, the southeastern and eastern portions of the monument would have
32 the clearest views of solar development within the SEZ. Since the monument is so flat and is
33 located at an elevation at or slightly below the SEZ, viewing angles of solar facilities would be
34 low, resulting in a reduction in visual contrast of solar reflector arrays. Visual contrast levels, as
35 viewed from the monument from closer locations, would be highly dependent on the presence or
36 absence of power towers, and to a lesser extent, other tall solar facility components in the nearer
37 portions of the SEZ. Absent these taller facility components, contrast levels would be expected to
38 be weak, but if multiple power towers were present, moderate-to-strong contrast levels would be
39 perceived as far into the monument as the area around the Monument Nature Center, which is
40 about 10.8 mi (17.4 km) from the nearest boundary of the SEZ. Visibility of solar facilities from
41 that point west would be expected to deteriorate rapidly.
42

43 The NPS has commented that lighting of solar facilities in the SEZ has the potential to
44 adversely affect the quality of night sky viewing from the monument. NPS has also indicated a
45 concern over potential adverse impacts of any groundwater withdrawals within the SEZ on
46 resources within the monument.

1 Visitors to the visitor center and the most heavily used eastern portion of the monument
2 would have extensive views of solar development in the SEZ, especially if power tower facilities
3 are present, and this would industrialize a presently undeveloped setting, likely creating an
4 adverse effect that detracts from the overall monument visitor's experience.
5
6

7 **National Wildlife Refuge**

8
9

10 **San Andres.** The 60,141-acre (243.4-km²) refuge is totally surrounded by the
11 White Sands Missile Range and is open to the public on only a limited, guided-tour basis. The
12 refuge is located 19.4 mi (31.2 km) west of the SEZ, and the portions of the refuge with visibility
13 of the SEZ extend to about 23.9 mi (38.5 km) from the SEZ. The refuge is located along the crest
14 of the San Andres Mountains and only the east-facing slopes would have views of development
15 within the SEZ. About 41% of the refuge is within the viewshed of the SEZ. Although there
16 would be long-distance views of solar facilities, it is anticipated that the very weak levels of
17 contrast caused by solar facilities would have no impact on the refuge.
18
19

20 **National Historic Landmark**

21
22

23 **Launch Complex 33.** This NHL is located within the White Sands Missile Range. The
24 area was established in 1945 to 1946 and was the site of the first rocket launches in the
25 United States. The missile range is closed to general public entry, but guided tours can be
26 arranged. The complex is located about 21.5 mi (34.6 km) from the southwestern boundary of
27 the SEZ. The topography between the SEZ and the launch complex is very flat and only the
28 tops of power towers possibly would be visible from this location. Because of the distance and
29 extremely low viewing angle, there would be no impacts on the NHL from construction within
30 the SEZ.
31
32

33 **National Scenic Byway**

34
35

36 **Sunspot.** This congressionally designated scenic byway that extends 14 mi (22.5 km)
37 through the Lincoln National Forest. The route runs along the rim of the Sacramento Mountains
38 and provides panoramic views of the Tularosa Basin and White Sands National Monument.
39 Although the scenic byway passes within 11.5 mi (18.5 km) east of the SEZ, only about 0.2 mi
40 (0.3 km) of the byway is within the viewshed of the SEZ. Based on viewshed analysis, if visible
41 at all, only the tops of power towers within the SEZ might be visible from the byway. The
42 distance to the SEZ and the brief time that facilities might be visible from the byway indicate
43 that there would be no adverse impact on the use of the byway caused by solar facility
44 development within the SEZ.
45
46

1 **U.S. Forest Service Roadless Areas**

2
3
4 ***Sacramento Mountain Front.*** There are about 58,507 acres (237 km²) of USFS-
5 administered roadless areas located along the front of the Sacramento Mountains that provide
6 extremely scenic backdrops and are important recreation resources. The SEZ is directly west and
7 below these areas, and about 50% of the area has visibility of the SEZ. Most of the areas with
8 visibility of the SEZ are located between 5 and 10 mi (8 to 16 km) from the western boundary
9 of the SEZ. The proximity of the roadless area to the SEZ, and the elevated views of solar
10 development that would be possible from within the area, would result in solar facilities creating
11 strong visual contrast with the surrounding area that would reduce the scenic qualities for users
12 of the roadless areas. While it is difficult to correlate these visual impacts with impacts on other
13 resource uses, it is anticipated that this could result in reduced recreation use of the area. The
14 presence of existing residential and commercial development at the base of the mountain front
15 may moderate the adverse visual impact of solar development.
16
17

18 ***12.3.3.2 Transmission Facilities and Other Off-Site Infrastructure***

19
20 Since there are three existing 115-kV transmission lines within the SEZ, no additional
21 construction of transmission facilities was assessed. Should additional transmission lines be
22 required outside of the SEZ, there may be additional impacts on specially designated areas. See
23 Section 12.3.1.2 for the development assumptions underlying this analysis.
24

25 Road access to the area is readily available from the U.S. highways that border the SEZ
26 on the north and east, so there would be no additional land disturbance outside the SEZ
27 associated with road construction to provide access to the SEZ.
28

29 Roads and power collection lines would be constructed within the SEZ as part of the
30 development of the area.
31
32

33 ***12.3.3.3 SEZ-Specific Design Features and Design Feature Effectiveness***

34
35 Implementing the programmatic design features described in Appendix A, Section A.2.2,
36 as required under BLM's Solar Energy Program would provide adequate mitigation for some
37 identified impacts.
38

39 There is one proposed design feature specific to the Red Sands SEZ:

- 40
41 • Design features for visual resources should be implemented to reduce adverse
42 impacts on White Sands National Monument, wilderness characteristics in
43 Culp Canyon WSA, and recreation and scenic resources along the Sacramento
44 Front.
45

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.3.4 Rangeland Resources**

2
3 Rangeland resources include livestock grazing and wild horses and burros, both of
4 which are managed by the BLM. These resources and possible impacts on them from solar
5 development within the proposed Red Sands SEZ are discussed in Sections 12.3.4.1
6 and 12.3.4.2.

7
8
9 **12.3.4.1 Livestock Grazing**

10
11
12 **12.3.4.1.1 Affected Environment**

13
14 There are five grazing allotments that are overlain by the SEZ, and all five have water
15 pipelines, fences, and water development installed. See Table 12.3.4.1-1 for a summary of key
16 allotment information.

17
18 **TABLE 12.3.4.1-1 Grazing Allotments within the Proposed Red Sands SEZ**

Allotment	Total Acres ^a	% of Acres in SEZ ^b	Active BLM AUMs ^c	No. of Permittees
Bar HW Ranch	11,873	16	876	1
Diamond A Ranch (Mogee Tank)	9,320	15	612	1
Escondido Well	29,641	13	2,364	1
Lone Butte	22,714	51	2,608	1
White Sands Ranch	19,158	19	1,782	1

^a Includes public, state, and private land included in the allotment based on the Allotment Master Reports included in the BLM’s Rangeland Administration System (BLM 2009c), dated March 16, 2010.

^b This is the calculated percentage of public lands located in the SEZ of the total allotment acreage.

^c This is the permitted use for the whole allotment including public, state, and private lands.

19
20

1 **12.3.4.1.2 Impacts**

2
3
4 **Construction and Operations**

5
6 Should utility-scale solar development occur in the SEZ, grazing would be excluded
7 from the areas developed, as provided for in the BLM grazing regulations (43 CFR Part 4100).
8 This would include reimbursement of the permittee for the portion of the value for any range
9 improvements in the area removed from the grazing allotment. The impact of this change in
10 the grazing permits would depend on several factors, including (1) how much of an allotment
11 the permittee might lose to development, (2) how important the specific land lost is to the
12 permittee's overall operation, and (3) the amount of actual forage production that would be lost
13 by the permittee. The specific location of solar facilities within the allotments is likely to disrupt
14 existing livestock improvements such as water pipelines, water development, and fences that
15 support livestock management activities. The actual impact on these facilities cannot be
16 determined until a specific solar project has been proposed. Impact on these management
17 facilities is one of the items that would be considered when analyzing the three factors
18 mentioned above.

19
20 The Lone Butte Allotment would experience the largest decrease in acreage, should
21 full-scale solar development occur in the SEZ. In addition to land in the allotment within the
22 SEZ (51%), there are approximately an additional 2,560 acres (10.4 km²), including two state,
23 one private, and parts of two public land sections that would be isolated by solar development
24 and would likely not be available for continued grazing use. If this is true, the total percentage
25 of the allotment that would be lost would be about 62%, not accounting for any disruption to
26 existing management facilities. There remains a consolidated block of land in the southwestern
27 corner of the allotment of approximately 6,720 acres (27.2 km²) that includes public, state, and
28 private lands that would likely still be physically usable for grazing; but whether it would be
29 economically feasible for the Lone Butte permittee to operate, and whether there would be
30 enough water facilities to support livestock use would need to be determined. It might be more
31 feasible to attach this remaining block of land to the Escondido Well allotment that adjoins it to
32 the south, which is also losing land in the SEZ.

33
34 Determining the actual impact on the Lone Butte allotment permittee would require a
35 specific analysis that considered, at a minimum, the three points identified in the first paragraph
36 of this section, but for the purpose of this PEIS, a simplified assumption is being made that the
37 percentage reduction in authorized AUMs would be the same as the percentage reduction in land
38 area of the allotment. Using this assumption, a total of 1,617 AUMs would be lost in the Lone
39 Butte allotment. This would be a major impact on this permittee and it is not clear that the
40 remainder of the land in the southwestern corner of the allotment could be used economically
41 by the Lone Butte permittee, so there could be additional losses over those assumed here.

42
43 Potential impacts on the White Sands Ranch and Escondido Well allotments are less
44 extensive than those described for Lone Butte. The primary reasons for this are that (1) less
45 acreage in these allotments is being affected, and (2) discrete and peripheral blocks of land are
46 being affected, while the main core of the allotments would be undisturbed. Using the simplified

1 procedure described above to identify the number of AUMs that could be lost from each
2 allotment, the following losses would occur: White Sands Ranch allotment (339 AUMs) and
3 Escondido Well allotment (307 AUMs). The level of impact on both of these allotments is
4 expected to be small, but the actual impact on each of the permittees would be determined by
5 their specific economic situations. These impacts may also be mitigated to a lower level if a
6 combination of changes to allotment livestock management systems and construction of
7 additional range improvements could be implemented.
8

9 Potential impacts on the Bar HW Ranch and Diamond A Ranch (Mogee Tank) allotments
10 may be more difficult to determine, because the lands included in the SEZ are located more in
11 the middle of these allotments and complications associated with livestock movement and
12 distribution may occur. There may also be issues associated with disruption of pipelines and
13 water sources. Definition of these impacts would require a specific analysis that would consider
14 the unique situation of each allotment and how it would be affected by a specific solar energy
15 development proposal. Again, applying the simplified procedure described above to identify the
16 number of AUMs that could be lost from each allotment, the following losses would occur: Bar
17 HW Ranch allotment, 140 AUMs, and the Diamond A Ranch allotment, 92 AUMs. The level of
18 impact on both of these allotments is expected to be small, but the actual impact on each of the
19 permittees would be determined by their specific economic situation. These impacts may also be
20 mitigated to a lower level if a combination of changes to allotment livestock management
21 systems and construction of additional range improvements could be implemented.
22

23 Assuming the loss of a total of 2,495 AUMs as described above, there would be a
24 minimal impact on livestock use within the Las Cruces District from the development of the
25 proposed Red Sands SEZ. This conclusion is derived from comparing the loss of the
26 2,495 AUMs with the total BLM-authorized AUMs in the District for grazing year 2009, which
27 totaled 413,702 AUMs (BLM 2009c). This represents a loss of about 0.6%. The actual level of
28 impact on the allotments/permittees would be affected by any mitigation of the anticipated losses
29 that could be accomplished on the remaining public lands in the allotments.
30
31

32 **Transmission Facilities and Other Off-Site Infrastructure**

33

34 Since there are three existing 115-kV transmission lines within the SEZ, and assuming
35 that additional project-specific analysis would be done for construction of transmission lines, no
36 assessment of the impacts of such activities outside of the SEZ was conducted (see
37 Section 12.3.1.2).
38

39 Road access to the area is readily available from the U.S. highways that border the SEZ
40 on the north and east, so it is assumed there would be no additional impact on livestock grazing
41 outside the SEZ associated with road construction to provide access to the SEZ.
42

43 Roads and power collection lines would be constructed within the SEZ as part of the
44 development of the area.
45
46

1 **12.3.4.1.3 SEZ-Specific Design Features and Design Feature Effectiveness**
2

3 Implementing the programmatic design features described in Appendix A, Section A.2.2,
4 as required under BLM’s Solar Energy Program would provide adequate mitigation for some
5 identified impacts.
6

7 Proposed design features specific to the Red Sands SEZ include:
8

- 9 • Development of range improvements and changes in grazing management
10 should be considered to mitigate the loss of AUMs in the five affected grazing
11 allotments.
12
13 • If the remaining block of the Lone Butte allotment cannot be economically
14 used by the existing Lone Butte permittee, consideration should be given to
15 including that block of land in the Escondido Well allotment, which could
16 mitigate some of the impact on that allotment and keep the public land in
17 livestock production.
18
19

20 **12.3.4.2 Wild Horses and Burros**
21

22 **12.3.4.2.1 Affected Environment**
23

24 Section 4.4.2 discusses wild horses (*Equus caballus*) and burros (*E. asinus*) that occur
25 within the six-state study area. Two wild horse and burro HMAs occur within New Mexico
26 (BLM 2010a). The Bordo Atravesado HMA in Socorro County, the closest HMA to the
27 proposed Red Sands SEZ, is located about 90 mi (145 km) north of the SEZ.
28
29

30 In addition to the HMAs managed by the BLM, the USFS has wild horse and burro
31 territories in Arizona, California, Nevada, New Mexico, and Utah, and is the lead management
32 agency that administers 37 of the territories (Giffen 2009; USFS 2007). USFS territories in
33 New Mexico occur primarily in the northern portion of the state, 200 mi (322 km) or more from
34 the proposed Red Sands SEZ region.
35
36

37 **12.3.4.2.2 Impacts**
38

39 Because the proposed Red Sands SEZ is about 90 mi (145 km) or more from any wild
40 horse and burro HMA managed by BLM, and about 200 mi (322 km) from any wild horse and
41 burro territory administered by the USFS, solar energy development within the SEZ would not
42 directly or indirectly affect wild horses and burros that are managed by these agencies.
43
44
45

1
2
3
4
5
6

12.3.4.2.3 SEZ-Specific Design Features and Design Feature Effectiveness

No SEZ-specific design features for solar development within the proposed Red Sands SEZ would be necessary to protect or minimize impacts on wild horses and burros.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.3.5 Recreation**

2
3
4 **12.3.5.1 Affected Environment**

5
6 The SEZ is generally flat and there is little within the area to attract recreation users,
7 except that it is public land that is easily accessible from Holloman Air Force Base located just
8 across Highway 70, and from Alamogordo, located a few miles to the northeast. Although there
9 are no recreation use figures for the area, Las Cruces BLM staff report there is very little
10 recreation use of the area (Montoya 2010). There are sand dunes in portions of the area that
11 provide some minor topography and interesting vegetative communities, and the area provides
12 opportunities for hiking, biking, backcountry driving, and hunting, especially during the cooler
13 months of the year. Principal species of interest to hunters include small game such as quail,
14 dove, and rabbits, but there is also a unique opportunity to hunt oryx, an exotic African antelope
15 originally introduced on the White Sands Missile Range, which is now found occasionally in the
16 area. A large off-highway vehicle (OHV) area exists immediately south of the SEZ and most
17 OHV activity occurs there. In the White Sands Resource Area RMP (BLM 1986c), the area in
18 the SEZ is among the 1,526,180 acres (6,176 km²) in the group of lands designated for OHV and
19 vehicle use as “Open.”
20

21
22 **12.3.5.2 Impacts**

23
24
25 ***12.3.5.2.1 Construction and Operations***

26
27 Areas developed for solar energy production would be closed and would be unavailable
28 for recreation use. There are numerous roads and trails that provide access throughout the area,
29 but because of the fragmented nature of the SEZ, public access to the area using these roads
30 and trails, especially from the east, would become more difficult; and whether the remaining
31 undeveloped areas outside the SEZ would be utilized by recreational visitors is unknown. Public
32 access on some roads through the area, outside of the developed solar areas, would continue to
33 be available. Because of the large amount of land closed in the immediate area of the SEZ for
34 military and the national monument, people displaced from this area would have to travel farther
35 to access BLM-managed public lands or move their activities onto National Forest lands.
36 Overall, it is not anticipated that there would be a large loss of recreation use if the area is
37 developed, but some users would be displaced.
38

39 Based on viewshed analysis (see Section 12.3.14) and as discussed in Section 12.3.3.2.1,
40 solar development in the SEZ would be visible from a wide area and, at full development, would
41 become a dominating feature of the landscape from portions of many of the listed scenic and
42 recreation areas, and from within portions of Alamogordo and adjacent communities. The
43 viewshed analysis shows that development within the SEZ would be visible from large portions
44 of the Culp Canyon WSA, White Sands National Monument, the Sacramento Escarpment
45 ACEC, and USFS Roadless Areas located along the front of the Sacramento Mountains. While it
46 is difficult to equate the visibility of industrial-looking solar energy facilities to a specific loss of

1 recreation use, adverse impacts on recreation use in these four areas is anticipated. This includes
2 the loss of outstanding opportunities for solitude and primitive and unconfined recreation in
3 portions of the Culp Canyon WSA. The extent of the impact of solar energy facilities on the level
4 of recreation use in affected areas is not known.

5
6 Solar development within the SEZ would affect public access along OHV routes
7 designated open and available for public use. If open routes within a proposed project area were
8 identified during project-specific analyses, they would be re-designated as closed (see
9 Section 5.5.1 for more details on how routes coinciding with proposed solar facilities would be
10 treated).

11 12 13 ***12.3.5.2.2 Transmission Facilities and Other Off-Site Infrastructure***

14
15 Since there are three existing 115-kV transmission lines within the SEZ no additional
16 construction of transmission or road facilities was assessed.

17
18 Road access to the area is readily available from the U.S. highways that border the SEZ
19 on the north and east, so it is assumed that there would be no additional impact on recreation use
20 outside the SEZ associated with road construction to provide access to the SEZ.

21
22 Roads and power collection lines would be constructed within the SEZ as part of the
23 development of the area.

24 25 26 ***12.3.5.3 SEZ-Specific Design Features and Design Feature Effectiveness***

27
28 Implementing the programmatic design features described in Appendix A, Section A.2.2,
29 as required under BLM's Solar Energy Program would provide adequate mitigation for some
30 identified impacts.

31
32 The following is a proposed design feature specific to the Red Sands SEZ:

- 33
34 • Adoption of design features for visual resources suggested in Section 12.3.14
35 would reduce adverse impacts on recreation use in some specially designated
36 areas and should be considered.
37

1 **12.3.6 Military and Civilian Aviation**

2
3
4 **12.3.6.1 Affected Environment**

5
6 Portions of the proposed Red Sands SEZ are bordered on the west by the White Sands
7 Missile Range, on the north by Holloman Air Force Base, and on the east by the Ft. Bliss
8 McGregor Training Range. The northern portion of the Red Sands SEZ is located within
9 about 2 mi (3.2 km) of an active runway at Holloman Air Force Base. The SEZ is also located in
10 the center of a concentration of MTRs and SUAs that support activities at these military
11 installations. BLM has identified lands in only a small portion of the southwestern portion of the
12 SEZ as requiring consultation with DoD prior to approval of any facilities that might have an
13 impact on military uses (BLM and USFS 2010b). Military activities include missile test firings,
14 airplane approach/departure at Holloman Air Force Base, and use of high-speed combat aircraft
15 and helicopter training routes.

16
17 The nearest public airport is Alamogordo-White Sands Regional Airport, which is located
18 approximately 2 mi (3 km) to the northeast of the SEZ along U.S. 70. This airport does have
19 regularly scheduled passenger service.

20
21
22 **12.3.6.2 Impacts**

23
24
25 ***12.3.6.2.1 Construction and Operations***

26
27 The military has identified concerns over any facilities constructed in the SEZ that could
28 impact their current operations. Specific concerns have been raised over the potential for flight
29 restrictions above any solar facilities; the height of solar facilities, specifically, any that could
30 interfere with Holloman Air Force Base operations or that would intrude into low-level airspace;
31 concerns that the presence of solar facilities would require restrictions on supersonic flight down
32 to 10,000 ft (3,048 m) MSL; any possible restrictions on hydrocarbon or residue from fuel burn
33 by military aircraft; possible glare from reflective surfaces that might affect pilot vision; and,
34 degradation of the performance of Holloman's final-approach radar.

35
36 The Alamogordo-White Sands Regional Airport is inside the 3-mi (4.8-km) zone within
37 which FAA requires specific application by project proponents to allow FAA to determine
38 necessary safety restrictions that would address required distances from flight paths, hazard
39 lighting of facilities, impacts on radar performance, and other requirements. FAA requirements
40 would prevent construction of any solar energy facilities that could adversely affect airport
41 operation.

1 **12.3.6.2.2 Transmission Facilities and Other Off-Site Infrastructure**
2

3 Since there are three existing 115-kV transmission lines within the SEZ, it is assumed
4 that there would be no additional impact on military or civilian aircraft use associated with
5 construction of additional transmission capacity to connect the SEZ to the regional grid.
6 Similarly, since there is adequate road access to the SEZ, it is assumed there would be no new
7 access road construction outside of the SEZ and no impact on military or civilian airspace.
8

9
10 **12.3.6.3 SEZ-Specific Design Features and Design Feature Effectiveness**
11

12 The programmatic design features described in Appendix A, Section A.2.2, would require early
13 coordination with the DoD to identify and mitigate, if possible, potential impacts on the use of
14 MTRs.
15

16 Proposed design features specific to the Red Sands SEZ include:
17

- 18 • Because Alamogordo-White Sands Regional Airport and Holloman Air Force
19 Base are within 3 mi (4.8 km) of the SEZ, project developers must provide
20 necessary safety restriction information to FAA addressing required distances
21 from flight paths, hazard lighting of facilities, impacts on radar performance,
22 and other requirements.
23
- 24 • The BLM should modify its land records to require consultation with DoD in
25 any areas of the SEZ under military airspace.
26
27
28
29

1 **12.3.7 Geologic Setting and Soil Resources**

2
3
4 **12.3.7.1 Affected Environment**

5
6
7 **12.3.7.1.1 Geologic Setting**


8
9
10 **Regional Setting**

11
12 The proposed Red Sands SEZ is located in the Tularosa Basin, an alluvium-filled
13 structural basin within the Basin and Range physiographic province in south-central New
14 Mexico (Figure 12.3.7.1-1). The valley is bordered on the west by the San Andres and
15 Organ Mountains and on the east by the Sacramento Mountains. The Jarilla Mountains lie
16 to the south.

17
18 The Tularosa Basin is an axial basin of the Rio Grande rift, a north-trending tectonic
19 feature that extends from south-central Colorado to northern Mexico, crossing (and bisecting)
20 the length of New Mexico. Basins in the rift zone generally follow the course of the Rio Grande
21 (river) and are bounded by normal faults that occur along the rift zone margins. The basin
22 extends about 75 mi (120 km) from the northern end of Carrizozo (Malpais) Lava Flow to the
23 Jarilla Mountains; it ranges in width from about 20 mi (30 km) at its northern end to 35 mi (60
24 km) near the Red Sands SEZ (Chapin 1988).

25
26 Basin fill consists of late Tertiary to Quaternary sediments of the Santa Fe Group,
27 which are at least 1,800 ft (550 m) thick below the Red Sands SEZ, based on logs of a railroad
28 well drilled near Valmont (less than a mile outside the northeast corner of the main site)
29 (Figure 12.3.7.1-2). The basin deepens to the south toward the Hueco Basin (Texas), where
30 unconsolidated sediments have been encountered in test wells at depths up to 4,920 ft (1,500 m)
31 (Kottlowski 1955). The lower and middle units of the Santa Fe Group were deposited during the
32 development of the Rio Grande rift (Miocene to Pliocene); they are predominantly made up of
33 eolian sands and fine-grained basin floor and playa lake sediments (in the valley center)
34 intertongued with alluvial fan deposits (along the valley margins). Tertiary volcanic and intrusive
35 rocks (Rubio Peak, Bell Top, Mimbres Peak, and Bear Springs Formations) overlie these
36 sediments. Above these units are the fluvial-deltaic sands of the upper Santa Fe Group. The main
37 component of the upper Santa Fe Group is the Camp Rice Formation; it is interlayered with late
38 Tertiary and Quaternary basalt flows (Fryberger 2010).

39
40 Exposed sediments near the proposed Red Sands SEZ consist mainly of alluvium
41 deposited on fan piedmont surfaces (Qp) by streams discharging through a series of canyons
42 along the western front of the Sacramento Mountains to the east. Fine-grained windblown
43 deposits (Qe and Qeg), originating from sediments of ancient Lake Otero, are abundant
44 throughout the valley and include the gypsum-rich deposits (Qeg) making up the dunes of the
45 White Sands National Monument (Figure 12.3.7.1-3). Playa lake sediments (Qpl) occur around



1

2 **FIGURE 12.3.7.1-1 Physiographic Features of the Tularosa Basin**





FIGURE 12.3.7.1-2 Generalized Cross Section (West to East) across Tularosa Basin near the Proposed Red Sands SEZ (see Figure 12.3.7.1-5 for Section Location [modified from Fryberger 2010])

1
2
3
4



1
2 **FIGURE 12.3.7.1-3 Geologic Map of the Tularosa Basin near the Proposed Red Sands SEZ (adapted from Stoeser et al. 2007;**
3 **Scholle 2003)**

1

2

3




FIGURE 12.3.7.1-3 (Cont.)

1 Lake Lucero and within the SEZ. Paleozoic sedimentary units of sandstone, shale, and
2 carbonates are exposed throughout the Sacramento Mountains.
3
4

5 **Topography**

6

7 The Tularosa Basin is a closed basin with a complexity of topographic features, including
8 alluvial fans, arroyos, active and inactive dune fields, coppice dunes, sand sheets, lunette dunes,
9 dry lakes, and rock outcrops. The proposed Red Sands SEZ is located in the southern part of the
10 basin, a few miles east of the White Sands National Monument in Otero County
11 (Figure 12.3.7.1-1). Its terrain is fairly flat, with a gentle slope to the southwest, toward the Rio
12 Grande valley. Elevations across the SEZ range from about 4,403 ft (1,342 m) near Twin Buttes
13 in the western part of the site to about 3,967 ft (1,209 m) in the southeastern part of the main site.
14 Low crescent-shaped ridges (lunette dunes) occur in the southeastern part of the main site; these
15 are shoreline remnants of an ancient basin floor lake (Figure 12.3.7.1-4).
16
17


18 **Geologic Hazards**

19

20 The types of geologic hazards that could potentially affect solar project sites and their
21 mitigation are discussed in Sections 5.7.3 and 5.7.4. The following sections provide a
22 preliminary assessment of these hazards at the proposed Red Sands SEZ. Solar project
23 developers may need to conduct a geotechnical investigation to assess geologic hazards locally
24 to better identify facility design criteria and site-specific design features to minimize their risk.
25
26


27 **Seismicity.** Seismicity in New Mexico is concentrated in the Rio Grande rift valley near
28 Socorro, an area referred to as the Socorro Seismic Anomaly (SSA). The SSA covers an area of
29 about 1.2 million acres (5,000 km²) and accounts for about 23% of earthquakes in New Mexico
30 with magnitudes greater than 2.0. It is thought to be the result of crustal extension occurring
31 above an upwelling magma body about 12 mi (19 km) below the ground surface. Seismic
32 activity outside of the SSA shows some concentration of earthquakes along a prominent
33 topographic lineation (the Socorro fracture zone) that extends from the SSA to the north-
34 northeast into eastern New Mexico. The strongest earthquakes in New Mexico tend to
35 occur near Socorro along the rift valley (Sanford and Lin 1998; Sanford et al. 2002, 2006;
36 Balch et al. 2010).
37

38 No known Quaternary faults occur within the proposed Red Sands SEZ; however, range-
39 bounding faults lie to the east and west of the site (Figure 12.3.7.1-5). These include the south
40 and central sections of the San Andres Mountains fault that runs along the eastern base of San
41 Andres Mountains, about 20 mi (30 km) to the west of the SEZ, and the McGregor and
42 Sacramento Mountains sections of the Alamogordo fault that runs along the western base of the
43 Sacramento Mountains, just 7 mi (12 km) to the east. The San Andres Mountains fault is a north-
44 trending high-angle normal fault with a total length of about 71 mi (114 km). Movement along
45 the fault has uplifted and tilted the western San Andres Mountains block, exposing Precambrian
46 and Paleozoic rocks along the fault plane (footwall). The eastern block has dropped down



1

2 **FIGURE 12.3.7.1-4 General Terrain of the Proposed Red Sands SEZ**



1
 2 **FIGURE 12.3.7.1-5 Quaternary Faults in the Tularosa Basin (USGS and NMBMMR 2009;**
 3 **USGS 2010a)**
 4

1 relative to the mountains and is covered by Tertiary and Quaternary basin-fill sediments. Offsets
2 of late Pleistocene sediments place the most recent movement along the fault at less than
3 130,000 years ago, with movement as recently as 15,000 years ago along the southern section
4 (based on scarp morphology). Slip rates along the south and central sections are thought to be
5 low. Recurrence intervals are estimated at 20,000 to 50,000 years. Study of the San Andres
6 Mountains fault has been limited due to its proximity to White Sands Proving Ground, which has
7 had restricted access since the mid 1940s (Machete 1996a,b).

8
9 The Alamogordo fault is also a north-striking high-angle normal fault; it has a total length
10 of about 68 mi (110 km). Movement along the fault has uplifted and tilted the Sacramento
11 Mountains to the east relative to the sediment-filled basin to the west. Offsets of late Pleistocene
12 and Holocene sediments place the most recent movement along the Sacramento section at less
13 than 15,000 years ago; movement along the McGregor section is less constrained, but likely
14 occurred less than 130,000 years ago. Slip rates along both sections are estimated to be less than
15 0.008 in./yr (0.2 mm/yr); recurrence intervals are estimated at 20,000 to 25,000 years (Machete
16 and Kelson 1996a,b).

17
18 From June 1, 2000, to May 31, 2010, only one earthquake was recorded within a 61-mi
19 (100-km) radius of the proposed Red Sands SEZ (USGS 2010a). The earthquake occurred on
20 November 14, 2004. It was located about 40 mi (80 km) northwest of the SEZ just south of the
21 Carrizozo Lava Flow and registered a magnitude¹ (LgGS) of 3.5 (Figure 12.3.7.1-5). The largest
22 earthquake in the region occurred on January 4, 1977, about 50 mi (85 km) southwest of the Red
23 Sands SEZ. The earthquake registered a magnitude (ML²) of 3.2. Six other earthquakes have
24 occurred in the region since 1977; three of these had a magnitude greater than 3.0
25 (USGS 2010a).

26
27
28 **Liquefaction.** The proposed Red Sands SEZ lies within an area where the peak horizontal
29 acceleration with a 10% probability of exceedance in 50 years is between 0.04 and 0.05 g.
30 Shaking associated with this level of acceleration is generally perceived as moderate; however,
31 potential damage to structures is very light (USGS 2008). Given the very low intensity of ground
32 shaking estimated for the area and the low incidence of historical seismicity in the region, the
33 potential for liquefaction in sediments within and around the SEZ is also likely to be low.

34
35
36 **Volcanic Hazards.** The major volcanic fields in New Mexico are associated with mantle
37 upwelling within two zones of crustal weakness—the Jemez lineament and the Rio Grande rift.

1 Surface wave magnitude (MLg) is an Lg magnitude determined by the USGS. It is based on the amplitude of the
Lg surface wave group and is commonly used for small to moderate-size earthquakes that have mostly
continental propagation paths (Leith 2010).

2 Richter scale magnitude (ML) was the original magnitude defined by Richter and Gutenberg for local
earthquakes in 1935. It was based on the maximum amplitude recorded on a Wood-Anderson torsion
seismograph but is currently calculated for earthquakes with magnitudes ranging from 2 to 6, using modern
instruments with adjustments (USGS 2010e).

1 The Jemez lineament is defined by a series of Tertiary to Quaternary volcanic vents with a
2 northeast alignment in northern New Mexico. These include the Zuni-Bandera volcanic field,
3 Mount Taylor, the Jemez volcanic field, and the Raton-Clayton volcanic field. Eruptions from
4 vents along the Jemez lineament have occurred within the past 10,000 years. The Jemez
5 Mountains (near Los Alamos) are located at the intersection of the Jemez lineament and the
6 north-trending Rio Grande rift. Rift valley vents nearest the Red Sands SEZ include Sierra
7 Blanca on the eastern edge of the Tularosa Basin near Mescalero about 40 mi (70 km) to the
8 northeast; and Jornada del Muerto, near Socorro about 70 mi (115 km) to the north. The
9 Mogollon-Datil volcanic field is about 120 mi (195 km) to the northwest. Except for the Valles
10 caldera in the Jemez Mountains, all these volcanoes are considered extinct and unlikely to erupt
11 again. The most likely location of new volcanism in New Mexico is near Socorro, where an
12 extensive magma body 12 mi (19 km) below the ground surface has created a zone of intense
13 seismic activity (the Socorro Seismic Anomaly) (NMBGMR 2006; Wolf and Gardner 1995).
14
15

16 ***Slope Stability and Land Subsidence.*** The incidence of rock falls and slope failures can
17 be moderate to high along mountain fronts and can present a hazard to facilities on the relatively
18 flat terrain of valley floors such as the Tularosa Basin, if they are located at the base of steep
19 slopes. The risk of rock falls and slope failures decreases toward the flat valley center.
20

21 While there have been no recent reports of land subsidence monitoring within the
22 Tularosa Basin to date, a study conducted by MacMillan et al. (1976) concluded that withdrawals
23 of large volumes of saline groundwater in the Tularosa Basin could potentially lower the water
24 table and land surface, with the greatest subsidence occurring in the north-central part of the
25 basin. Earth fissures have been documented in the Mimbres Basin about 90 mi (140 km) to the
26 west of the proposed Red Sands SEZ. The fissures are likely the result of land subsidence caused
27 by compaction of unconsolidated alluvial sediments due to groundwater withdrawal. The
28 maximum subsidence measured was about 14 in. (36 cm) in areas where groundwater levels had
29 declined at least 98 ft (30 m) (Contaldo and Mueller 1991).
30

31 ***Other Hazards.*** Other potential hazards at the proposed Red Sands SEZ include those
32 associated with soil compaction (restricted infiltration and increased runoff), expanding clay
33 soils (destabilization of structures), and hydro-compactable or collapsible soil (settlement).
34 Disturbance of soil crusts and desert pavement on soil surfaces may increase the likelihood of
35 soil erosion by wind.
36

37 Alluvial fan surfaces, such as those found in the Tularosa Basin, can be the sites of
38 damaging high-velocity “flash” floods and debris flows during periods of intense and prolonged
39 rainfall. The nature of the flooding and sedimentation processes (e.g., stream flow versus debris
40 flow fans) will depend on the specific morphology of the fan (National Research Council 1996).
41 Section 12.3.9.1.1 provides further discussion of flood risks within the Red Sands SEZ.
42
43
44

1 **12.3.7.1.2 Soil Resources**
2

3 Soils within the Red Sands SEZ are predominantly very fine sandy loams, silt loams, and
4 loamy fine sands of the Holloman-Reeves association and the Pintura-Dona Ana and Gypsum
5 land-Holloman complexes, which together make up about 76% of the soil coverage at the site
6 (Figure 12.3.7.1-6). Soil map units within the Red Sands SEZ are described in Table 12.3.7.1-1.
7 These level to nearly level soils are derived from gypsum-rich alluvial and eolian deposits. They
8 are characterized as shallow to very deep and well-drained. Most of the soils on the site have
9 high surface-runoff potential and high permeability. The water erosion potential is very low to
10 low for all soils at the site, except those of the Nickel-Tencee association, which have a high
11 potential. These soils occur along the slopes of Twin Buttes and Lone Butte and cover only about
12 2% of the site. The susceptibility to wind erosion is very high for all soils (except for those on
13 rock outcrops, which were not rated), with as much as 134 tons (122 metric tons) of soil eroded
14 by wind per acre (4,000 m²) each year (NRCS 2010). Biological soil crusts and desert pavement
15 have not been documented in the SEZ, but may be present. Older “fossil” dune terrains are
16 stabilized by gypsite crusts that formed as a result of long exposures to weathering and solution
17 redeposition by percolating rainwater (Freyberger 2010). These terrains are typical of the
18 downwind locations of Lake Lucero (e.g., Site NE 30 and the inactive parabolic dunes in that
19 region) to the west of U.S. 70, but may be present on land surfaces throughout the valley.
20


21 None of the soils within the Red Sands SEZ is rated as hydric.³ Flooding is not likely for
22 soils at the site, occurring with a frequency of less than once in 500 years. None of the soils is
23 classified as prime or unique farmland (NRCS 2010).
24
25

26 **12.3.7.2 Impacts**
27

28 Impacts on soil resources would occur mainly as a result of ground-disturbing activities
29 (e.g., grading, excavating, and drilling), especially during the construction phase of a solar
30 project. These include soil compaction, soil horizon mixing, soil erosion and deposition by wind,
31 soil erosion by water and surface runoff, sedimentation, and soil contamination. Such impacts are
32 common to all utility-scale solar energy development in varying degrees and are described in
33 more detail for the four phases of development in Section 5.7.1.
34

35 Because impacts on soil resources result from ground-disturbing activities in the project
36 area, soil impacts would be roughly proportional to the size of a given solar facility, with larger
37 areas of disturbed soil having a greater potential for impacts than smaller areas (Section 5.7.2).
38 The magnitude of impacts would also depend on the types of components built for a given
39 facility, because some components would involve greater disturbance and would take place over
40 a longer time frame.
41
42

³ A hydric soil is a soil that formed under conditions of saturation, flooding, or ponding (NRCS 2010).



1

2

FIGURE 12.3.7.1-6 Soil Map for the Proposed Red Sands SEZ (Source: NRCS 2008)

TABLE 12.3.7.1-1 Summary of Soil Map Units within the Proposed Red Sands SEZ

Map Unit Symbol	Map Unit Name	Water Erosion Potential ^a	Wind Erosion Potential ^b	Description	Area, in Acres ^c (percentage of SEZ)
HPB	Holloman-Reeves association (nearly level)	Very low	High (WEG 4) ^d	Consists of about 60% Holloman very fine sandy loam and 30% Reeves silt loam. Nearly level soils on basin floors. Parent material includes gypsiferous and calcareous fine-loamy alluvium and/or gypsiferous eolian deposits. Shallow and very shallow to very deep and well-drained, with high surface-runoff potential (very low infiltration rate) and moderately high permeability. Shrink-swell potential is high. Available water capacity is very low to moderate. Severe rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	8,990 (40)
PGB	Pintura-Doña Ana complex (0 to 5% slope)	Low	Very high (WEG 2)	Consists of about 45% Pintura loamy fine sand and 35% Dona Ana fine sandy loam. Level to nearly level soils on and between the dunes of basin floors. Parent material is coarse-loamy eolian deposits. Very deep and somewhat excessively well-drained, with low surface-runoff potential (high infiltration rate) and high permeability. Available water capacity is very moderate. Moderate rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	5,014 (22)
GZB	Gypsum land-Holloman complex (0 to 5% slope)	Low	High (WEG 4)	Consists of about 45% Gypsum land and 45% Holloman very fine sandy loam. Level to nearly level soils on basin floors and fan piedmonts. Parent material includes gypsiferous alluvium and/or gypsiferous eolian deposits (on lunette dunes). Shallow to very shallow and well-drained, with high surface-runoff potential (low infiltration rate) and high permeability. Available water capacity is very low. Severe rutting hazard. Used mainly for recreational purposes, rangeland, wildlife habitat, watershed, military, or esthetic purposes.	3,189 (14)
MPA	Mimbres-Prelo association (nearly level)	Very low	High (WEG 3)	Consists of about 50% Mimbres very fine sandy loam and 20% Prelo silt loam. Nearly level soils on alluvial fans and fan piedmonts. Parent material is calcareous fine-silty alluvium derived from limestone, sandstone, and shale. Deep to very deep and well-drained, with moderate surface runoff potential and low permeability. Available water capacity is high. Severe rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	1,760 (8)

TABLE 12.3.7.1-1 (Cont.)

Map Unit Symbol	Map Unit Name	Water Erosion Potential ^a	Wind Erosion Potential ^b	Description	Area, in Acres ^c (percentage of SEZ)
HOB	Holloman-Gypsum land-Yesum complex (0 to 5% slope)	Low	High (WEG 4)	Consists of about 35% Holloman very fine sandy loam, 30% Gypsum land, and 20% Yesum very fine sandy loam. Level to nearly level soils on basin floors. Parent material includes gypsiferous alluvium and/or gypsiferous eolian deposits. Shallow to very shallow and well-drained, with high surface runoff potential (very low infiltration rate) and moderately high permeability. Shrink-swell potential is high. Available water capacity is very low. Severe rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	1,124 (5)
HcA	Holloman-Gypsum land complex (0 to 1% slope)	Very low	High (WEG 4)	Consists of about 45% Holloman very fine sandy loam and 40% Gypsum land. Level to nearly level soils on basin floors and fan piedmonts. Parent material includes gypsiferous alluvium and/or gypsiferous eolian deposits. Shallow to very shallow and well-drained, with high surface-runoff potential (very low infiltration rate) and moderately high permeability. Shrink-swell potential is high. Available water capacity is very low. Severe rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	471 (2)
NTD	Nickel-Tencee association (strongly sloping)	High	Moderate (WEG 5)	Consists of about 50% Nickel gravelly fine sandy loam and 35% Tencee very gravelly sandy loam. Strongly sloping soils on alluvial fans and fan piedmonts. Parent material is mixed gravelly alluvium derived from limestone. Shallow and very deep and well-drained, with high surface runoff potential (low infiltration rate) and moderate permeability. Available water capacity is low to very low. Moderate rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	470 (2)
GyC	Gypsum land (0 to 9% slope)	Not rated	Not rated (particle)	Gently sloping soils on basin floors. Parent material consists of gypsiferous alluvium and/or gypsiferous eolian deposits. Well-drained with high surface runoff potential (low infiltration rate) and high permeability. Slight rutting hazard. Used mainly for recreational purposes, rangeland, wildlife habitat, watershed, military, or aesthetic purposes.	435 (2)

TABLE 12.3.7.1-1 (Cont.)

Map Unit Symbol	Map Unit Name	Water Erosion Potential ^a	Wind Erosion Potential ^b	Description	Area, in Acres ^c (percentage of SEZ)
HbA	Holloman very fine sandy loam (0 to 1% slope)	Very low	High (WEG 4)	Level to nearly level soils on basin floors. Parent material consists of gypsiferous alluvium and/or gypsiferous eolian deposits. Shallow and very shallow and well-drained, with high surface-runoff potential (very low infiltration rate) and moderately high permeability. Shrink-swell potential is high. Severe rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	347 (1.5)
BOA	Bluepoint-Onite-Wink association (nearly level)	Very low	Very high (WEG 2)	Consists of 35% Bluepoint, 25% Onite, and 20% Wink loamy fine sands. Nearly level soils on the dunes and within depressions of fan piedmonts. Parent material includes sandy eolian deposits and mixed coarse-loamy alluvium. Very deep and well- to somewhat excessively well-drained, with moderate surface-runoff potential and high permeability. Moderate rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	301 (1.5)
ROG	Rock outcrop (20 to 65% slope)	Not rated	Not rated (particle)	Steeply sloping soils on rock outcrops on the crests and slopes of hills. Parent material is igneous rock. High surface-runoff potential (very low infiltration rate). Slight rutting hazard. Used mainly for recreational purposes, rangeland, wildlife habitat, watershed, military, or esthetic purposes.	106 (<1)
PHB	Pintura-Tome-Dona Ana complex (0 to 5% slope)	Low	Very high (WEG 2)	Consists of 30% Pintura loamy fine sand, 25% Tome very fine sandy loam, and 20% fine sandy loam. Level to nearly level soils on and between dunes on basin floors and within relict lakebeds. Parent material includes coarse-loamy eolian deposits and mixed fine-silty or fine-loamy alluvium. Very deep and well- to somewhat excessively well-drained, with moderate surface runoff potential and high permeability. Moderate rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	83 (<1)
MEA	Mead silty clay loam (0 to 1% slope)	Very low	High (WEG 3)	Level to nearly level soils on alluvial fans. Parent material consists of mixed clayey alluvium. Very deep and poorly drained, with high surface-runoff potential (very low infiltration rate) and moderately low permeability. Shrink-swell potential is high. Available water capacity is low. Severe rutting hazard. Used mainly as rangeland, forestland, or wildlife habitat.	78 (<1)

Footnotes on next page.

TABLE 12.3.7.1-1 (Cont.)

- ^a Water erosion potential is a qualitative interpretation based on soil properties or a combination of properties that contribute to runoff and have low resistance to water erosion processes. The ratings are on a 1.0 scale and take into account soil features such as surface layer particle size, saturated hydraulic conductivity, and high runoff landscapes. A rating of “very high” (>0.9 to ≤ 1.0) indicates that the soil has the greatest relative vulnerability to water erosion; a rating of “very low” (<0.10) indicates that the soil has little or no relative water erosion vulnerability. A rating of “moderate” (>0.35 and ≤ 0.65) indicates the soil has medium relative water erosion vulnerability.
- ^b Wind erosion potential is a qualitative interpretation based on surface soil properties or a combination of properties that contribute to the soil’s potential wind erosivity. The ratings are on a 1.0 scale and assume that the affected area is bare and smooth and has a long distance exposed to the wind. It is not a measure of actual soil loss from erosion. A rating of “very high” (>0.9 to ≤ 1.0) denotes a soil with a surface layer of sandy particles, high carbonate content, low organic matter content, or no coarse fragment protection. A rating of “low” (>0.2 to ≤ 0.4) is given to soils with favorable surface particle size, high organic matter content, or protective coarse fragments.
- ^c To convert from acres to km^2 , multiply by 0.004047.
- ^d WEG = wind erodibility group. WEGs are based on soil texture, content of organic matter, effervescence of carbonates, content of rock fragments, and mineralogy, and also take into account soil moisture, surface cover, soil surface roughness, wind velocity and direction, and the length of unsheltered distance (USDA 2004). Groups range in value from 1 (most susceptible to wind erosion) to 8 (least susceptible to wind erosion). The NRCS provides a wind erodibility index, expressed as an erosion rate in tons per acre per year, for each of the wind erodibility groups: WEG 2, 134 tons (122 metric tons) per acre ($4,000 \text{ m}^2$) per year; WEGs 3 and 4, 86 tons (78 metric tons) per acre ($4,000 \text{ m}^2$) per year; and WEG 5, 56 tons (51 metric tons) per acre ($4,000 \text{ m}^2$) per year.

Source: NRCS (2010); Bolluch and Neher (1980).

1 **12.3.7.3 SEZ-Specific Design Features and Design Feature Effectiveness**
2

3 Implementing the programmatic design features described in Appendix A, Section A.2.2.,
4 as required under BLM’s Solar Energy Program would reduce the potential for soil impacts
5 during all project phases.
6

7 A proposed design feature specific to the Red Sands SEZ is as follows:
8

- 9 • Avoid disturbing gypsite crusts to the extent possible to minimize the risk of
10 soil loss by wind erosion.
11

1
2
3
4
5
6
7
8
9
10
11
12
13
14

This page intentionally left blank.

1 **12.3.8 Minerals (Fluids, Solids, and Geothermal Resources)**
2
3

4 **12.3.8.1 Affected Environment**
5

6 As of August 31, 2010, there were no active locatable mining claims within the proposed
7 Red Sands SEZ. There were numerous (now closed) claims in the past in the southeastern
8 portion of the SEZ, in T19S, R9E, and four claims in T18S and R8E. Of the latter four claims,
9 one was located in a quarter-section that is included in the SEZ (BLM and USFS 2010b). The
10 public land within the SEZ has been closed to locatable mineral entry since June 2009, pending
11 the outcome of this solar energy PEIS.
12

13 While there are no active oil and gas leases in the SEZ, most of the area in and around the
14 area has been leased in the past, but the leases have expired (BLM and USFS 2010a). The area
15 remains open for leasing for oil and gas and other leasable minerals, and for disposal of salable
16 minerals. There is no active geothermal leasing or development in or near the SEZ, nor has the
17 area been leased previously (BLM and USFS 2010a).
18
19

20 **12.3.8.2 Impacts**
21

22 If the area is identified as a solar energy zone, it would continue to be closed to all
23 incompatible forms of mineral development. It is assumed that future development of oil and gas
24 resources, should any be discovered, would continue to be possible, since such development
25 could occur, utilizing directional drilling from outside the SEZ.
26

27 Since the SEZ does not contain existing mining claims, it is also assumed that there
28 would be no future loss of locatable mineral production. The production of common minerals,
29 such as sand and gravel and mineral materials used for road construction or other purposes,
30 might take place in areas not directly developed for solar energy production.
31

32 The SEZ has had no history of development of geothermal resources. For that reason, it
33 is not anticipated that solar development would adversely affect the development of geothermal
34 resources.
35
36

37 **12.3.8.3 SEZ-Specific Design Features and Design Feature Effectiveness**
38

39 No SEZ-specific design features are required to protect mineral resources. Implementing
40 the programmatic design features described in Appendix A, Section A.2.2, as required under
41 BLM's Solar Energy Program would provide adequate mitigation for impacts on mineral
42 resources.
43
44

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.3.9 Water Resources**

2
3
4 **12.3.9.1 Affected Environment**

5
6 The proposed Red Sands SEZ is located within the Tularosa Valley Basin of the
7 Rio Grande Hydrologic Region (USGS 2010b) and the Basin and Range physiographic province
8 characterized by north-south trending basins flanked by small mountain ranges (Robson and
9 Banta 1995). The proposed SEZ is located in the Tularosa Valley between the San Andres
10 Mountains to the west, the Sacramento Mountains to the east, the Chupadera Mesa to the north,
11 and a low surface drainage divide to the south near the New Mexico-Texas border. Surface
12 elevations in the proposed SEZ range between 3,995 and 4,115 ft (1,218 and 1,254 m), with
13 surface elevations in the surrounding mountains reaching higher than 7,000 ft (2,134 m)
14 (Figure 12.3.9.1-1). Annual precipitation is estimated to be 9 in. (23 cm), with average annual
15 snowfalls of 2.5 in. (6.4 cm) in the Tularosa Valley (WRCC 2010a). In the higher elevations of
16 the Sacramento Mountains, annual precipitation is approximately 19 in. (48 cm), with average
17 annual snowfalls of 20 in. (51 cm) (WRCC 2010b). Evapotranspiration rates within the Tularosa
18 Valley have been estimated at 48 in./yr (122 cm/yr) (Huff 2004) and pan evaporation rates in the
19 vicinity of the proposed SEZ were estimated to be 92 in./yr (234 cm/yr) (Cowherd et al. 1988;
20 WRCC 2010c).

21
22
23 **12.3.9.1.1 Surface Waters (Including Drainages, Floodplains, and Wetlands)**

24
25 No perennial surface water features are located in the proposed Red Sands SEZ. Several
26 ephemeral washes drain off the Sacramento Mountains to the east of the proposed SEZ, with
27 some branches crossing the site, typically in a northeast to southwest direction. Several small
28 ponds and dry lakes are located between 5 and 10 mi (8 and 16 km) west of the proposed SEZ
29 near White Sands National Monument; these include Holloman (Raptor) Lake (perennial lake)
30 and Foster Lake (dry lake). Tularosa Creek is a perennial stream that drains out of the
31 Sacramento Mountains near the town of Tularosa, about 17 mi (27 km) north of the proposed
32 SEZ, where it becomes an intermittent stream (Figure 12.3.9.1-1). Salt Creek is a groundwater-
33 fed, intermittent stream that drains from the northwest to southeast and discharges to Big Salt
34 Lake, a small perennial lake covering 768 acres (3 km²) 25 mi (40 km) northwest of the
35 proposed SEZ. Discharges in Salt Creek have been measured to be less than 1 ft³/s (0.03 m³/s)
36 when flowing (Huff 2004). Lake Lucero is an intermittent lake covering 4,032 acres (16 km²)
37 located 15 mi (24 km) west of the proposed SEZ. The headwaters for the Sacramento River and
38 Rio Penasco (both intermittent streams) are located in the Sacramento Mountains about 13 mi
39 (21 km) east of the proposed SEZ and drain eastward.

40
41 Several springs are located within a radius of about 10 mi (16 km) from the proposed
42 SEZ, with a majority of these springs located near the base of the Sacramento Mountains at
43 elevations between 4,925 and 6,560 ft (1,500 and 2,000 m). Discharges from these springs are
44 typically less than 1 ft³/s (0.03 m³/s) (SCMR CDC 2002).




FIGURE 12.3.9.1-1 Surface Water Features near the Proposed Red Sands SEZ

1 Flood hazards have been mapped in the proposed Red Sands SEZ (FEMA 2009), with the
2 majority of the site being identified as being not within the 500-year floodplain (Zone X). Areas
3 along some of the ephemeral washes coming off the Sacramento Mountains are located within
4 the 100-year floodplain (Zone A), of which some cross the northern segment of the proposed
5 Red Sands SEZ, covering about 54 acres (0.2 km²). During storm events, intermittent flooding
6 may occur in these ephemeral wash features with temporary ponding of water along with channel
7 erosion and deposition.
8

9 According to the NWI survey, several small palustrine and riverine wetlands are located
10 within the proposed SEZ and within a 10-mi (16-km) radius of the site (USFWS 2009). Many of
11 the ephemeral washes contain reaches of riverine wetlands, and several of the palustrine
12 wetlands are located west of the SEZ near White Sands National Monument (Figure 12.3.9.1-1).
13 Within the proposed Red Sands SEZ, there are a total of 17 acres (0.069 km²) of palustrine
14 wetlands and 14,000 ft (4,300 m) of riverine wetlands. Further information on these wetland
15 features is provided in Section 12.3.10.1.
16
17

18 ***12.3.9.1.2 Groundwater*** 19

20 The proposed Red Sands SEZ is located in the Eastern subbasin of the Tularosa Basin.
21 The Tularosa Basin occupies about 4.16 million acres (16,840 km²) and lies between the
22 Sacramento Mountains to the east and the San Andres and Oscura Mountains to the west.
23 The basin is about 155 mi (249 km) long north to south, and about 43 mi (69 km) wide east to
24 west. The basin drains to the Hueco Bolson (Basin) to the south, and the basins are separated
25 by a low topographic rise near the New Mexico–Texas state line (SCMRCDC 2002). The
26 Tularosa–Hueco Basin complex is the primary source of water for the large cities of El Paso,
27 Texas, and Ciudad Juarez, Mexico, and for military installations and smaller cities in New
28 Mexico, Texas, and Mexico (CLABS 2001).
29

30 The Tularosa Basin is composed of basin-fill sediments derived from erosion of the
31 surrounding mountains. Unconsolidated coarse- to fine-grained piedmont deposits rim the basin
32 and grade basinward into finer alluvial, fluvial, and lacustrine deposits (Huff 2004). The basin
33 has been divided into three subbasins based on hydrologic characteristics. The Red Sands SEZ
34 lies within the Eastern Subbasin in a transition zone between the mountain front and the basin
35 center (SCMRCDC 2002). The areas of the Western and Eastern Subbasins are divided by the
36 Jarilla Fault, a north-south trending subsurface structural feature that creates a bedrock high and
37 separates the two subbasins (SCMRCDC 2002). However, there is no groundwater divide
38 between the two basins, and groundwater flows from northeast to southwest over the Jarilla Fault
39 (SCMRCDC 2002; Huff 2004).
40

41 The basin-fill is at least 2,500 ft (760 m) thick in the Eastern Subbasin and acts as the
42 primary aquifer, containing good-quality water in areas at or near alluvial fans adjacent to the
43 Sacramento Mountains (SCMRCDC 2002). Beneath the alluvial fan sediments, basin-fill
44 deposits are underlain by the Santa Fe Group deposited by the ancient Rio Grande of Late
45 Tertiary and early Pleistocene time. The Santa Fe Group is dominated by coarse-grained
46 sediments, such as sand, pebbles, and cobbles, with lesser amounts of clay (SCMRCDC 2002).

1 Transmissivities for the basin-fill aquifer range from about 60 to 20,000 ft²/day
2 (5.6 to 1,900 m²/day) and average around 1,400 to 2,700 ft²/day (130 to 250 m²/day near) the
3 eastern margin of the basin (SCMRCDC 2002; Huff 2004). Values of hydraulic conductivity
4 estimated from aquifer tests in the Holloman Air Force Base well field range from 6 to 23 ft/day
5 (1.8 to 7.0 m/day). Groundwater in the Tularosa Basin generally flows from northeast to
6 southwest with a hydraulic gradient of approximately 0.014, with deviations in the general flow
7 path occurring near well fields of concentrated groundwater pumping (e.g., well fields near the
8 city of Alamogordo and the Holloman Air Force Base) (Huff 2004).

9
10 Groundwater recharge in the Tularosa Basin occurs by mountain-front recharge,
11 infiltration of intermittent surface-water flows into coarse sediment of alluvial fans, and as
12 underflow along stream channels. Groundwater discharge is primarily by evapotranspiration,
13 groundwater extractions, subsurface flow to the Hueco Bolson, and discharge to streams and
14 springs (Huff 2004). Estimates of groundwater recharge and discharge processes for the Tularosa
15 Basin are highly variable depending upon the methods used. The regional water planning effort
16 done by the SCMRCDC (2002) suggests that total recharge ranges from 68,800 and
17 86,390 ac-ft/yr (84.8 million and 107 million m³/yr) based on estimates of average annual stream
18 flow to the basin, while groundwater extractions are on the order of 35,235 ac-ft/yr
19 (43.5 million m³/yr). The subsurface flow to the Hueco Bolson was estimated to be 5,922 ac-
20 ft/yr (7.3 million m³/yr) (Heywood and Yeager 2003) and the discharge to springs and streams
21 within the basin was estimated to range between 760 and 3,152 ac-ft/yr (937,400 and 3.9 million
22 m³/yr) (McLean 1970). The basin-scale groundwater model developed by Huff (2004) suggested
23 that in 1995 the total groundwater recharge for the Tularosa Basin was approximately 42,343 ac-
24 ft/yr (52.2 million m³/yr), and that groundwater discharge by evapotranspiration was between
25 30,052 and 34,052 ac-ft/yr (37.1 million to 42 million m³/yr), groundwater extractions were
26 24,576 ac-ft/yr (30.3 million m³/yr), subsurface discharge to the Hueco Bolson was between
27 3,849 to 4,125 ac-ft/yr (4.7 million to 5.1 million m³/yr), and discharge to springs and streams
28 was between 1,179 and 1,362 ac-ft/yr (1.5 million and 1.7 million m³/yr).

29
30 Examining basin-scale estimates of groundwater recharge and discharge processes is
31 complicated by the large-scale of the Tularosa Basin, in combination with spatially variable
32 hydrologic processes and concentrated areas of groundwater extractions, creates a situation
33 where localized groundwater balances can vary significantly. The NMOSE uses a numerical
34 groundwater model to assess groundwater right applications within a sub-area of the Tularosa
35 Basin, which includes the cities of Tularosa and Alamogordo, as well as the northern half of the
36 proposed Red Sands SEZ (see Section 12.3.9.1.3). For this sub-area, the numerical model
37 assumed that groundwater recharge was 11,890 ac-ft/yr (14.7 million m³/yr), and that
38 groundwater discharge by evapotranspiration was 9,905 ac-ft/yr (12.2 million m³/yr) and
39 16,491 ac-ft/yr (20.3 million m³/yr) by groundwater extractions in 2005 (Keyes 2005). Seasonal
40 patterns in temperature and precipitation, as well as periods of sustained drought conditions, can
41 cause variation in groundwater recharge and discharge processes as well (SCMRCDC 2002;
42 Fryberger 2010).

43
44 Depth to groundwater near the cities of Tularosa and Alamogordo in the Tularosa Basin
45 is between 20 and 150 ft (6 and 46 m) below the land surface (Sheng et al. 2001). Depth to water
46 in the vicinity of the Red Sands SEZ is about 75 ft (23 m) (SCMRCDC 2002). The depth to

1 water in USGS well 324539105573401 (about 3 mi [4.8 km] east of the SEZ) was about 90 ft
2 (27 m) in 2001 (USGS 2010c). Water levels have been observed to drop between 15 and 35 ft (5
3 and 11 m) between 1954 and 1996 east of the proposed SEZ (USGS 2010c; wells
4 324539105580301 and 324442105564501). This drawdown is occurring near well fields used to
5 supply water to Holloman Air Force Base, which are located in the freshwater aquifers that
6 receive mountain front recharge (USGS 2010c; SCMRCDC 2002; City of Alamogordo 2006).
7 Groundwater pumping in the Tularosa Basin has led to drawdown of the water table elevation.
8 By 1995, areas of water-level drawdown were observed in the Tularosa irrigation district, the
9 City of Alamogordo's La Luz well field, Boles Acres, White Sands (the San Andres well field),
10 near the Texas state line in the Western Tularosa Basin area, and in the Salt Basin irrigation
11 district near Crow Flat (SCMRCDC 2002).

12
13 Groundwater quality in the Tularosa Basin varies from freshwater to saline water, with
14 TDS concentrations ranging from less than 1,000 mg/L to more than 35,000 mg/L. Groundwater
15 with TDS concentrations of less than 1,000 mg/L are typically found in the alluvial fan deposits
16 near the base of the Sacramento Mountains to the east and near the base of the San Andres
17 Mountains to the west. Areas with the largest TDS concentrations are found near playa deposits
18 near Lake Lucero and Big Salt Lake, as well as throughout the gypsum sand dunes located in
19 White Sands National Monument (Figure 12.3.9.1-1) (Fryberger 2010). In the vicinity of the Red
20 Sands SEZ, TDS concentrations in groundwater are mainly 3,000 to 10,000 mg/L, but
21 groundwater in an area in the southwest portion of the SEZ contains TDS concentrations of
22 between 500 and 3,000 mg/L (Sandia National Laboratories 2002; WRI 2010).

23
24 Groundwater is a vital component with respect to the formation and maintenance of the
25 gypsum sand dunes located in White Sands National Monument (Bennett and Wilder 2009;
26 Langford et al. 2009; Fryberger 2010). Groundwater surface elevations are shallow, with depths
27 to groundwater ranging between 1 and 6 ft (0.3 and 1.8 m) below the land surface within the
28 White Sands National Monument (Langford et al. 2009). These groundwater surface elevations
29 are higher than expected in comparison to basin-scale groundwater patterns described by Huff
30 (2004) for the Tularosa Basin (Bennett and Wilder 2009). Some studies have suggested these
31 higher groundwater surface elevations are the result of a perched aquifer; however, there are no
32 data indicating that an unsaturated layer exists between the basin-fill aquifer and the shallow
33 groundwater levels in the vicinity of the dune fields (Bennett and Wilder 2009). The western
34 portion of the gypsum sand dunes do not support vegetation because the saline groundwater is
35 near the surface, while the eastern portion of the sand dunes are at a higher elevation and contain
36 shallow lenses of freshwater trapped from precipitation infiltration that support vegetation
37 growth (Langford et al. 2009). Ultimately, feedbacks between groundwater surface elevations,
38 groundwater salinity, freshwater lenses, vegetation growth, and eolian processes affect the
39 stability of the gypsum sand dunes located in White Sands National Monument (Fryberger 2010;
40 Langford et al. 2009).

41 42 43 ***12.3.9.1.3 Water Use and Water Rights Management*** 44

45 In 2005, water withdrawals from surface waters and groundwater in Otero County were
46 40,711 ac-ft/yr (50.2 million m³/yr), 27% of which came from surface waters and 73% from

1 groundwater. The largest water use category was agricultural irrigation, at 36,743 ac-ft/yr
2 (45.3 million m³/yr). Public supply water use accounted for 3,408 ac-ft/yr (4.2 million m³/yr),
3 which was provided by groundwater only. Aquaculture, livestock, and industrial supply made up
4 the remaining water use sectors, with each accounting for less than 225 ac-ft/yr (278,000 m³/yr)
5 (Kenny et al. 2009).
6

7 Water rights in New Mexico are managed using the doctrine of prior appropriation. All
8 waters (both groundwater and surface water) are public and subject to appropriation by a legal
9 entity with plans of beneficial use for the water (BLM 2001). A water right in New Mexico is a
10 legal entity's right to appropriate water for a specific beneficial use and is defined by seven
11 major elements: owner, point of diversion, place of use, purpose of use, priority date, amount of
12 water, and periods of use. Water rights in New Mexico are administered through the Water
13 Resources Allocation Program (WRAP) under the New Mexico Office of the State Engineer
14 (NMOSE 2010b). The WRAP and NMOSE are responsible for both surface water and
15 groundwater appropriations (both novel and transfer of existing water rights). The extent of the
16 NMOSE's authority to regulate groundwater applies only to groundwater basins that are
17 "declared" underground water basins; however, as of 2005, all groundwater basins within the
18 state have been declared. When assessing water right applications, the WRAP considers the
19 following: the existence of unappropriated waters within the basin, the possibility of impairing
20 existing water rights, whether granting the application would be contrary to the conservation of
21 water within the state, and if the application would be detrimental to public welfare (BLM 2001).
22

23 In most regions of the state, groundwater and surface water appropriation application
24 procedures are handled in a similar fashion. The criteria for which the applications are evaluated
25 and administered can vary by region or case (NMOSE 2005a, 2006). For select basins, in
26 addition to the routine evaluations described above, groundwater and surface water rights
27 applications may be subject to water management plans to ensure that the proposed junior water
28 rights will not be detrimental to more senior water rights or impair water conservation efforts in
29 their specific regions (NMOSE 2004). Under the WRAP is the Active Water Resource
30 Management (AWRM) initiative, which is responsible for administering the water management
31 plans in specific basins/regions (NMOSE 2010a). The AWRM is also responsible for prioritizing
32 basins that are in need of conservation and water management plans. For basins deemed
33 "priority," policies are set in place that mandate junior water rights be temporarily curtailed in
34 favor of more senior water rights in times of drought or shortage. These priority basins are
35 generally more restrictive in terms of awarding novel water rights and transferring existing water
36 rights (NMOSE 2004). Specific tools to be used in the AWRM initiative are associated with
37 (1) detailed accounting of water use, (2) implementing new or existing regulations, (3) creating
38 water districts for management purposes, and (4) assigning water masters to those districts
39 (NMOSE 2004). The water masters are tasked with prioritizing water rights; this effort is
40 necessary to accurately determine which rights will be curtailed and which will not in a time of
41 water shortage. The process of curtailing junior water rights in favor of more senior ones is
42 called "priority administration" (NMOSE 2010c).
43

44 Freshwater supplies (defined as having a TDS concentration of less than 1,000 mg/L) are
45 one of the primary factors governing the management of water resources in the Tularosa Basin.
46 The majority of the groundwater in the basin-fill aquifer is saline, with freshwater found

1 primarily in alluvial fan deposits along the base of the mountains surrounding the valley that
2 receive mountain front recharge (Orr and Meyers 1986). Surface water and groundwater
3 extractions in the Tularosa Basin are concentrated along the Sacramento Mountains to the east by
4 reservoirs collecting streams and spring discharge in the canyons and groundwater pumping
5 fields at the base of the mountains in the alluvial fan deposits (SCMRCDC 2002). Persistent
6 drought conditions have reduced surface water supplies (SCMRCDC 2002), and groundwater
7 extractions have historically exceeded recharge, resulting in the Tularosa Basin's being classified
8 as a "mined" basin (NMOSE 1997).

9
10 While water supplies are scarce in the Tularosa Basin, it is not a part of the AWRM
11 priority basin initiative, so water rights are managed by the NMOSE using criteria for declared
12 basins under WRAP. Surface waters are considered fully appropriated in the Tularosa Basin
13 (SCMRCDC 2002) and groundwater rights are managed by the NMOSE using a developed
14 criteria for the Alamogordo-Tularosa Administrative Area (ATAA), which includes the area
15 bounded by townships 13S-18S and ranges 8E-10E, and on a case-by-case basis for regions
16 outside the ATAA (NMOSE 1997). The northern half of the proposed Red Sands SEZ is located
17 within the ATAA. The administrative criteria used for the ATAA is to allow for the use of
18 groundwater to a specified amount of dewatering during a 40-year planning period
19 (NMOSE 1997), which is assessed by the NMOSE using a numerical groundwater model
20 (Keyes 2005). Groundwater withdrawals within the basin are limited to a drawdown of
21 groundwater surface elevations of less than 100 ft (30 m) over the 40-year planning period
22 (NMOSE 1997). This results in a maximum allowable drawdown rate of 2.5 ft/yr (0.8 m/yr) of
23 groundwater surface elevations. For the majority of the ATAA, this results in a dewatering of
24 approximately 25% of the thickness of the freshwater zone over the 40-year planning period
25 (SCMRCDC 2002; City of Alamogordo 2006). In certain areas of the ATAA, freshwater is
26 found in layers that are less than 400 ft (122 m) thick, so groundwater withdrawals in these areas
27 are limited to less than one-half of the recoverable freshwater (NMOSE 1997).

28
29 The scarcity of freshwater supplies in the Tularosa Basin has generated more interest in
30 desalinating groundwater with high TDS concentrations to meet future water demands
31 (SCMRCDC 2002; City of Alamogordo 2006), along with the development of a research facility
32 focused on technical issues and environmental consequences of desalination facilities (Sandia
33 National Laboratories 2002). The City of Alamogordo is currently implementing the
34 Alamogordo Water Supply Project, which consists of pumping up to 4,000 ac-ft/yr
35 (4.9 million m³/yr) of saline groundwater from a well field located approximately 25 mi (40 km)
36 north of the proposed SEZ (BLM 2010e).

37 38 39 **12.3.9.2 Impacts**

40
41 Potential impacts on water resources related to utility-scale solar energy development
42 include direct and indirect impacts on surface waters and groundwater. Direct impacts occur at
43 the place of origin and at the time of the proposed activity, while indirect impacts occur away
44 from the place of origin or later in time. Impacts on water resources considered in this analysis
45 are the result of land disturbance activities (construction, final developed site plan, as well as
46 off-site activities such as road and transmission line construction) and water use requirements for

1 solar energy technologies that take place during the four project phases: site characterization,
2 construction, operations, and decommissioning/reclamation. Both land disturbance and
3 consumptive water use activities can affect groundwater and surface water flows, cause
4 drawdown of groundwater surface elevations, modify natural drainage pathways, obstruct natural
5 recharge zones, and alter surface water-wetland-groundwater connectivity. Water quality can
6 also be degraded through the generation of wastewater, chemical spills, increased erosion and
7 sedimentation, and increased salinity (e.g., by the excessive withdrawal from aquifers).
8
9

10 ***12.3.9.2.1 Land Disturbance Impacts on Water Resources***

11
12 Impacts related to land disturbance activities are common to all utility-scale solar energy
13 facilities, which are described in more detail for the four phases of development in Section 5.9.1;
14 these impacts will be minimized through the implementation of programmatic design features
15 described in Appendix A, Section A.2.2. Land disturbance impacts in the vicinity of the
16 Red Sands SEZ should be minimized near ephemeral washes and wetlands to prevent channel
17 incision, erosion, and sedimentation impacts.
18
19

20 ***12.3.9.2.2 Water Use Requirements for Solar Energy Technologies***

21 **Analysis Assumptions**

22
23 A detailed description of the water use assumptions for the four utility-scale solar energy
24 technologies (parabolic trough, power tower, dish engine, and PV systems) is presented in
25 Appendix M. Assumptions regarding water use calculations specific to the proposed Red Sands
26 SEZ include the following:
27
28
29

- 30 • On the basis of a total area of 22,520 acres (91 km²), it is assumed that two
31 solar projects would be constructed during the peak construction year;
32
- 33 • Water needed to make concrete would come from an off-site source;
34
- 35 • The maximum land disturbance for an individual solar facility during the peak
36 construction year is 3,000 acres (12 km²);
37
- 38 • Assumptions on individual facility size and land requirements (Appendix M),
39 along with the assumed number of projects and maximum allowable land
40 disturbance, results in the potential to disturb up to 27% of the SEZ total area
41 during the peak construction year; and
42
- 43 • Water use requirements for hybrid cooling systems are assumed to be on the
44 same order of magnitude as those using dry cooling (see Section 5.9.2.1).
45
46

1 **Site Characterization**

2
3 During site characterization, water would be used mainly for controlling fugitive dust and
4 providing for the workforce potable water supply. Impacts on water resources during this phase
5 of development are expected to be negligible since activities would be limited in area, extent,
6 and duration; water needs could be met by trucking water in from an off-site source.
7

8
9 **Construction**

10
11 During construction, water would be used mainly for fugitive dust suppression and the
12 workforce potable supply. Because there are no significant surface water bodies on the proposed
13 Red Sands SEZ, the water requirements for construction activities could be met either by
14 trucking water to the sites or by using on-site groundwater resources. Water requirements for
15 dust suppression and potable water supply during the peak construction year, shown in
16 Table 12.3.9.2-1, could be as high as 3,257 ac-ft (4.0 million m³). Groundwater wells would
17 have to yield an estimated 2,020 gpm (7,640 L/min) to meet the estimated construction water
18 requirements, which is of the same order of magnitude as large agricultural and municipal
19 production wells (Harter 2003). The availability of groundwater and the impacts of groundwater
20 withdrawal would need to be assessed during the site characterization phase of a solar
21 development project.
22

23 Groundwater quality in the vicinity of the SEZ is known to have high concentrations of
24 TDS and would need to be tested to verify the quality would comply with drinking water
25 standards, if groundwater was to be used for potable supply during construction. Also during
26 construction, up to 148 ac-ft (182,000 m³) of sanitary wastewater would be generated annually
27 and would need to be either treated on-site or sent to an off-site facility.
28
29

30 **Operations**

31
32 During operations, water would be required for mirror/panel washing, the workforce
33 potable water supply, and cooling (parabolic trough and power tower only) (Table 12.3.9.2-2).
34 Water needs for cooling are a function of the type of cooling used (dry, hybrid, wet). Further
35 refinements to water requirements for cooling would result from the percentage of time that the
36 option was employed (30 to 60% range assumed) and the power of the system. The differences
37 between the water requirements reported in Table 12.3.9.2-2 for the parabolic trough and power
38 tower technologies are attributable to the assumptions of acreage per megawatt. As a result, the
39 water usage for the more energy-dense parabolic trough technology is estimated to be almost
40 twice as large as that for the power tower technology.
41
42

TABLE 12.3.9.2-1 Estimated Water Requirements during the Peak Construction Year for the Proposed Red Sands SEZ

Activity	Parabolic Trough	Power Tower	Dish Engine	Photovoltaic
Water use requirements ^a				
Fugitive dust control (ac-ft) ^{b,c}	2,111	3,167	3,167	3,167
Potable supply for workforce (ac-ft)	148	90	37	19
Total water use requirements (ac-ft)	2,259	3,257	3,204	3,186
Wastewater generated				
Sanitary wastewater (ac-ft)	148	90	37	19

^a Assumptions of water use for fugitive dust control, potable supply for workforce, and wastewater generation are presented in Table M.9-1 (Appendix M).

^b Fugitive dust control estimation assumes a local pan evaporation rate of 92 in./yr (234 cm/yr) (Cowherd et al. 1988; WRCC 2010c).

^c To convert ac-ft to m³, multiply by 1,234.

1
2

TABLE 12.3.9.2-2 Estimated Water Requirements during Operations at the Proposed Red Sands SEZ

Activity	Parabolic Trough	Power Tower	Dish Engine	Photovoltaic
Full build-out capacity (MW) ^{a,b}	3,603	2,002	2,002	2,002
Water use requirements				
Mirror/panel washing (ac-ft/yr) ^{c,d}	1,802	1,001	1,001	100
Potable supply for workforce (ac-ft/yr)	50	22	22	2
Dry cooling (ac-ft/yr) ^e	721–3,603	400–2,002	NA ^f	NA
Wet cooling (ac-ft/yr) ^e	16,214–52,246	9,008–29,026	NA	NA
Total water use requirements				
Non-cooled technologies (ac-ft/yr)	NA	NA	1,023	102
Dry-cooled technologies (ac-ft/yr)	2,5735,455	1,423–3,025	NA	NA
Wet-cooled technologies (ac-ft/yr)	18,066–54,098	10,031–30,049	NA	NA

3

TABLE 12.3.9.2-2 (Cont.)

Activity	Parabolic Trough	Power Tower	Dish Engine	Photovoltaic
Wastewater generated				
Blowdown (ac-ft/yr) ^g	1,024	569	NA	NA
Sanitary wastewater (ac-ft/yr)	50	22	22	2

- a Land area for parabolic trough was estimated at 5 acres/MW (0.02 km²/MW); land area for the power tower, dish engine, and PV technologies was estimated at 9 acres/MW (0.04 km²/MW).
- b Water needs are linearly related to power. Water usage for any other size project can be estimated by using multipliers provided in Table M.9-2 (Appendix M).
- c Value assumes a usage rate of 0.5 ac-ft/yr/MW for mirror washing for parabolic trough, power tower, and dish engine technologies and a rate of 0.05 ac-ft/yr/MW for panel washing for PV systems.
- d To convert ac-ft to m³, multiply by 1,234.
- e Dry-cooling value assumes 0.2 to 1.0 ac-ft/yr per MW and wet-cooling value assumes 4.5 to 14.5 ac-ft/yr per MW (range in these values represents 30 and 60% operating times) (DOE 2009).
- f NA = not applicable.
- g Value scaled from 250-MW Beacon Solar project with an annual discharge of 44 gpm (167 L/min) (AECOM 2009). Blowdown estimates are relevant to wet cooling only.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

Water use requirements among the solar energy technologies being evaluated are a factor of the full build-out capacity for the SEZ, as well as assumptions on water use and technology operations discussed in Appendix M. Table 12.3.9.2-2 lists the quantities of water needed for mirror/panel washing, potable water supply, and cooling activities for each solar energy technology. At full build-out capacity, the estimated total water use requirements for non-cooling technologies (i.e., technologies that do not use water for cooling) during operations are 102 and 1,023 ac-ft/yr (126,000 and 1.2 million m³/yr) for the PV and dish engine technologies, respectively. For technologies that use water for cooling (i.e., parabolic trough and power tower), total water needs range from 1,423 ac-ft/yr (1.8 million m³/yr) (power tower for an operating time of 30% using dry cooling) to 54,098 ac-ft/yr (67 million m³/yr) (parabolic trough for an operating time of 60% using wet cooling). Operations would generate up to 50 ac-ft/yr (62,000 m³/yr) of sanitary wastewater; in addition, for wet-cooled technologies, 569 to 1,024 ac-ft/yr (702,000 to 1.2 million m³/yr) of cooling system blowdown water would need to be either treated on-site or sent to an off-site facility. Any on-site treatment of wastewater would have to ensure that treatment ponds are effectively lined in order to prevent any groundwater contamination.

Groundwater in the basin fill aquifer is the primary water source available in the vicinity of the proposed Red Sands SEZ. The relatively shallow depth and isolated areas of the freshwater supply within the basin fill aquifer and the estimated value of local groundwater recharge limits the amount of usable groundwater for solar energy development. Given the estimates of needed water resources for the full build-out scenario (Table 12.3.9.2-2), technologies using wet cooling are not feasible because their water needs far exceed estimates of

1 local groundwater recharge. Technologies using dry cooling have water needs of similar
2 magnitude to the estimated local groundwater recharge rate, so impacts associated with potential
3 groundwater drawdown effects would need to be assessed during the site characterization phase.
4

5 PV and dish engine technologies have water use requirements that are reasonable
6 considering what information is known about groundwater in the vicinity of the proposed SEZ.
7 Further characterization of the effects of groundwater withdrawal rates on potential groundwater
8 elevations and flow directions would be needed during the site characterization phase of a solar
9 project and during the development of water supply wells. Groundwater quality in the vicinity of
10 the SEZ would need to be tested to verify the quality would comply with drinking water
11 standards for any potable water supply sources.
12
13

14 **Decommissioning/Reclamation**

15
16 During decommissioning/reclamation, all surface structures associated with the solar
17 project would be dismantled, and the site would be reclaimed to its preconstruction state.
18 Activities and water needs during this phase would be similar to those during the construction
19 phase (dust suppression and potable supply for workers) and may also include water to establish
20 vegetation in some areas. However, the total volume of water needed is expected to be less.
21 Because quantities of water needed during the decommissioning/reclamation phase would be less
22 than those for construction, impacts on surface and groundwater resources also would be less.
23
24

25 ***12.3.9.2.3 Off-Site Impacts: Roads and Transmission Lines***

26
27 Impacts associated with the construction of roads and transmission lines primarily deal
28 with water use demands for construction, water quality concerns relating to potential chemical
29 spills, and land disturbance effects on the natural hydrology. The extent of the impacts on water
30 resources is proportional to the amount and location of land disturbance needed to connect the
31 proposed SEZ to major roads and existing transmission lines. The proposed Red Sands SEZ is
32 located adjacent to existing roads and transmission lines, so impacts on water resources are
33 expected to be minimal.
34
35

36 ***12.3.9.2.4 Summary of Impacts on Water Resources***

37
38 The impacts on water resources from developing solar energy at the proposed Red Sands
39 SEZ are associated with land disturbance effects on the natural hydrology, water quality
40 concerns, and water use requirements for the various solar energy technologies. Land disturbance
41 activities can cause localized erosion and sedimentation issues, as well as alter groundwater
42 recharge and discharge processes. The Red Sands SEZ contains ephemeral wash features,
43 wetland areas, and areas within the 100-year floodplain. These areas are susceptible to increased
44 erosion and sedimentation as a result of solar energy development.
45

1 Impacts related to water use requirements for operations vary depending on the type of
2 solar technology built and, for technologies using cooling systems, the type of cooling (wet, dry,
3 or hybrid) used. Groundwater is the primary water resource available to solar energy facilities in
4 the proposed Red Sands SEZ. Given the large-scale and variability in local recharge and
5 discharge processes within the Tularosa Basin, it is difficult to assess potential impacts on
6 groundwater resources. Assuming the local groundwater recharge is 11,890 ac-ft/yr (14.7
7 million m³/yr) as used for the management area that includes portions of the proposed SEZ,
8 groundwater sources would not be able to support wet cooling for a full build-out of the Red
9 Sands SEZ. Even dry-cooling technologies could use up to 46% of the estimated local
10 groundwater recharge.

11
12 The Tularosa Basin is currently a mined basin, meaning that groundwater withdrawals
13 are higher than basin recharge, and the water table is declining in the basin. The NMOSE may
14 allow further withdrawals from the basin if groundwater modeling shows that the withdrawals do
15 not violate the administrative criteria discussed above in Section 12.3.9.1.3. A potential impact
16 of groundwater withdrawals from proposed solar energy development is the decline in
17 groundwater surface elevations in the vicinity of White Sands National Monument. It has been
18 suggested that any long-term rise or fall of 3 ft (1 m) in groundwater surface elevations would
19 initiate major changes in the dynamics that govern the gypsum sand dunes (Fryberger 2010).
20 Therefore, critical evaluation and numerical modeling efforts will be needed with respect to
21 groundwater use at the proposed Red Sands SEZ.

22
23 Groundwater quality in the vicinity of the SEZ is high in TDS concentrations.
24 Groundwater obtained for a solar development would need to be tested to verify the quality
25 would comply with drinking water standards for any potable water supply sources.

26 27 28 **12.3.9.3 SEZ-Specific Design Features and Design Feature Effectiveness**

29
30 The program for solar energy development on BLM-administered lands will require
31 implementation of the programmatic design features given in Appendix A, Section A.2.2, thus
32 mitigating some impacts on water resources. Design features would focus on coordinating with
33 federal, state, and local agencies that regulate the use of water resources to meet the requirements
34 of permits and approvals needed to obtain water for development, and conducting hydrological
35 studies to characterize the aquifer from which groundwater would be obtained (including
36 drawdown effects, if a new point of diversion is created). The greatest consideration for
37 mitigating water impacts would be in the selection of solar technologies. The mitigation of
38 impacts would be best achieved by selecting technologies with low water demands.

39
40 Design features specific to the proposed Red Sands SEZ include the following:

- 41
42 • Water resource analysis indicates that wet-cooling options would not be
43 feasible; other technologies should incorporate water conservation measures;
- 44
45 • Land-disturbance activities should minimize impacts on ephemeral streams
46 located within the proposed SEZ;

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

- Siting of solar facilities and construction activities should avoid the areas identified as within a 100-year floodplain of the unnamed ephemeral wash running north to south through the center of the proposed SEZ totaling 54 acres (0.22 km²);
- Groundwater management/rights should be coordinated with the NMOSE;
- Groundwater monitoring and production wells should be constructed in accordance with state standards (NMOSE 2005b);
- Stormwater management BMPs should be implemented according to the guidance provided by the New Mexico Environment Department (NMED 2010); and
- Water for potable uses would have to meet or be treated to meet water quality standards as defined by the EPA (2009d).

1 **12.3.10 Vegetation**
2

3 This section addresses vegetation that could occur or is known to occur within the
4 potentially affected area of the proposed Red Sands SEZ. The affected area considered in this
5 assessment includes the areas of direct and indirect effects. The area of direct effects is defined
6 as the area that would be physically modified during project development (i.e., where ground-
7 disturbing activities would occur) and includes only the SEZ. The area of indirect effects was
8 defined as the area within 5 mi (8 km) of the SEZ boundary where ground-disturbing activities
9 would not occur but that could be indirectly affected by activities in the area of direct effect.
10

11 Indirect effects considered in the assessment include effects from surface runoff, dust,
12 and accidental spills from the SEZ, but do not include ground-disturbing activities. The potential
13 degree of indirect effects would decrease with increasing distance from the SEZ. This area of
14 indirect effect was identified on the basis of professional judgment and was considered
15 sufficiently large to bound the area that would potentially be subject to indirect effects. The
16 affected area is the area bounded by the areas of direct and indirect effects. These areas are
17 defined and the impact assessment approach is described in Appendix M.
18
19

20 **12.3.10.1 Affected Environment**
21

22 The proposed Red Sands SEZ is located within the Chihuahuan Basins and
23 Playas Level IV ecoregion (EPA 2010c), which supports communities of desert shrubs and
24 grasses on alluvial fans, flat to rolling internally drained basins, and river valleys and includes
25 areas of saline and alkaline soils, salt flats, sand dunes, and areas of wind-blown sand
26 (Griffith et al. 2006). The dominant species of the desert shrubland is creosotebush (*Larrea*
27 *tridentata*), with tarbush (*Flourensia cernua*), yuccas (*Yucca* spp.), sand sage (*Artemisia*
28 *filifolia*), viscid acacia (*Acacia neovernicosa*), tasajillo (*Cylindropuntia leptocaulis*), lechuguilla
29 (*Agave lechuguilla*), and mesquite (*Prosopis* sp.) also frequently occurring. Gypsum areas
30 support gyp grama (*Bouteloua breviseta*), gyp mentzelia (*Mentzelia humulis*), and Torrey
31 ephedra (*Ephedra torreyana*). Fourwing saltbush (*Atriplex canescens*), seepweed (*Suaeda* sp.),
32 pickleweed (*Allenrolfea occidentalis*), and alkali sacaton (*Sporobolus airoides*) occur on saline
33 flats and along alkaline playa margins. Cacti, including horse creeper (*Echinocactus texensis*),
34 are common in this ecoregion. This ecoregion is located within the Chihuahuan Deserts
35 Level III ecoregion, which is described in Appendix I. Annual precipitation in the Chihuahuan
36 Desert occurs mostly in summer (Brown 1994), and is low in the area of the SEZ, averaging
37 about 9.0 in. (23 cm) at White Sands National Monument (see Section 12.3.13).
38

39 Areas surrounding the SEZ include this ecoregion as well as the Gypsiferous Dunes and
40 Chihuahuan Desert Slopes Level IV ecoregions. The Gypsiferous Dunes ecoregion consists of
41 white gypsum sand dunes that are mostly barren, with scattered vegetation on interdune flats
42 (Griffith et al. 2006). The Chihuahuan Desert Slopes ecoregion includes lower mountain slopes
43 that mostly support desert shrubs; however, grasslands occur near alluvial fans and on gentle
44 slopes (Griffith et al. 2006).
45

1 Land cover types described and mapped under SWReGAP (USGS 2005a) were used to
2 evaluate plant communities in and near the SEZ. Each cover type encompasses a range of similar
3 plant communities. Land cover types occurring within the potentially affected area of the
4 proposed Red Sands SEZ are shown in Figure 12.3.10.1-1. Table 12.3.10.1-1 lists the surface
5 area of each cover type within the potentially affected area.
6

7 Apacherian-Chihuahuan Piedmont Semi-Desert Grassland and Steppe, Chihuahuan
8 Stabilized Coppice Dune and Sand Flat Scrub, and Chihuahuan Mixed Salt Desert Scrub are the
9 predominant cover types within the proposed Red Sands SEZ. Additional cover types within the
10 SEZ are given in Table 12.3.10.1-1. During a July 2009 visit to the site, burrograss (*Scleropogon*
11 *brevifolius*), Alkali sacaton, and mesa dropseed (*Sporobolus flexuosus*) were the dominant
12 species observed in the grassland and shrub steppe communities present throughout most of the
13 SEZ, with soap tree yucca (*Yucca elata*) frequently occurring. Creosotebush, honey mesquite, and
14 fourwing saltbush also occur within the grasslands, increasing in the shrub steppe and becoming
15 dominant in desert scrub communities. Cacti observed on the SEZ included mound hedgehog
16 cactus (*Echinocereus triglochidiatus*), which is restricted to gypsum soils. Sensitive habitats on
17 the SEZ include wetlands, riparian areas, desert dry washes, playas, and sand dunes. The area has
18 a history of livestock grazing, and the plant communities on the SEZ have likely been affected
19 by grazing.
20

21 The area of indirect effects, including the area within 5 mi (8 km) around the SEZ,
22 includes 20 cover types, which are listed in Table 12.3.10.1-1. The predominant cover types in
23 the area of indirect effects are Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub,
24 Chihuahuan Mixed Salt Desert Scrub, and Apacherian-Chihuahuan Piedmont Semi-Desert
25 Grassland and Steppe.
26

27 Five palustrine wetlands mapped by the NWI occur in the Red Sands SEZ and total
28 approximately 17 acres (0.07 km²), and two riverine wetlands total 0.3 mi (0.4 km)
29 (USFWS undated). NWI maps are produced from high-altitude imagery and are subject to
30 uncertainties inherent in image interpretation (USFWS 2009). Three wetlands within the SEZ
31 are classified as palustrine flats wetlands, which are unvegetated or support sparse plant
32 communities. They are approximately 1, 2, and 3 acres (0.004, 0.008, and 0.01 km²) in size,
33 totaling approximately 6 acres (0.02 km²). Two riverine wetlands, located in intermittent
34 drainages, are temporarily flooded and total about 0.3 mi (0.4 km) in length. One palustrine
35 wetland with scrub-shrub plant communities in the northern portion of the SEZ is approximately
36 10.5 acres (0.04 km²) in size. One palustrine open water wetland, about 0.5 acres (0.002 km²) in
37 size, occurs in the central portion of the SEZ. Ephemeral dry washes occur within the SEZ and
38 typically contain water for short periods during or following precipitation events. These washes
39 generally do not support wetland habitats; however, some desert dry washes in the SEZ support
40 riparian communities.
41

42 Numerous riverine wetlands occur outside the SEZ, within the area of indirect effects, to
43 the north, east, and west. Scattered palustrine open water wetlands occur in several locations just
44 outside the SEZ boundary, and palustrine flat wetlands occur to the north and south within the
45 area of indirect effects. A large number of wetlands are located west of the SEZ, within the area




FIGURE 12.3.10.1-1 Land Cover Types within the Proposed Red Sands SEZ (Source: USGS 2004)

TABLE 12.3.10.1-1 Land Cover Types within the Potentially Affected Area of the Proposed Red Sands SEZ and Potential Impacts

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		
	Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	Overall Impact Magnitude ^e
Apacherian-Chihuahuan Piedmont Semi-Desert Grassland and Steppe: Occurs on gently sloping bajadas, as well as on mesas and steeper piedmont and foothill slopes. Consists of grassland, steppe, and savanna characterized by a high diversity of perennial grasses as well as succulents (such as <i>Agave</i> , sotol [<i>Dasyliirion</i> spp.], and <i>Yucca</i>) and tall shrub/short tree species.	6,706 acres ^f (0.5%, 2.2%)	27,483 acres (2.1%)	Small
Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub: Consists of vegetated dunes and sandsheets with open shrublands (generally 10 to 30% plant cover) that include grasses.	5,973 acres (0.9%, 8.6%)	78,780 acres (11.8%)	Small
Chihuahuan Mixed Salt Desert Scrub: Occurs in saline basins, often on alluvial flats and around playas. Consists of one or more species of <i>Atriplex</i> along with other halophytic plant species. Grasses are present in varying densities.	4,712 acres (2.7%, 30.0%)	39,402 acres (22.3%)	Moderate
North American Warm Desert Playa: Consists of barren and sparsely vegetated areas (generally <10% plant cover) that are intermittently flooded; salt crusts are common. Sparse shrubs occur around the margins, and patches of grass may form in depressions. In large playas, vegetation forms rings in response to salinity. Herbaceous species may be periodically abundant.	1,626 acres (1.6%, 35.1%)	3,806 acres (3.7%)	Moderate
North American Warm Desert Pavement: Consists of unvegetated to very sparsely vegetated (<2% plant cover) areas, usually in flat basins, with ground surfaces of fine to medium gravel coated with “desert varnish.” Desertscrub species are usually present. Herbaceous species may be abundant in response to seasonal precipitation.	1,574 acres (16.8%, 86.0%)	914 acres (9.7%)	Large
Chihuahuan Gypsophilous Grassland and Steppe: Occurs on gypsum outcrops and on basins and slopes with sandy gypsiferous and/or alkaline soils. Consists of generally sparse grassland, steppe, or dwarf shrubland.	1,366 acres (1.0%, 37.1%)	7,556 acres (5.4%)	Small

TABLE 12.3.10.1-1 (Cont.)

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		
	Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	Overall Impact Magnitude ^e
Apacherian-Chihuahuan Mesquite Upland Scrub: Occurs on foothills where deeper soil layers store winter precipitation. Dominant species are western honey mesquite (<i>Prosopis glandulosa</i>) or velvet mesquite (<i>P. velutina</i>) along with succulents and other deep-rooted shrubs. Cover of grasses is low.	241 acres (0.1%, 0.4%)	9,780 acres (3.9%)	Small
Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub: Occurs in basins and plains as well as the foothill transition zone. Consists of creosotebush (<i>Larrea tridentata</i>) alone or with thornscrub or other desertscrub species, including succulents such as <i>Agave</i> and cacti. Although grasses may be common, shrubs generally have greater cover.	177 acres (<0.1%, 0.1%)	19,981 acres (2.3%)	Small
North American Warm Desert Active and Stabilized Dune: Consists of unvegetated to sparsely vegetated (generally <10% plant cover) active dunes and sand sheets. Vegetation includes shrubs, forbs, and grasses. Includes unvegetated “blowouts” and stabilized areas.	100 acres (0.1%, 1.2%)	5,235 acres (3.4%)	Small
Chihuahuan Succulent Desert Scrub: Occurs on hot, dry colluvial slopes, upper bajadas, sideslopes, ridges, canyons, hills, and mesas. Includes an abundance of succulent species such as cacti, <i>Agave</i> , <i>Yucca</i> , and others. Shrubs are generally present and perennial grasses are sparse.	6 acres (0.4%, 3.2%)	11 acres (0.7%)	Small
Developed, Open Space-Low Intensity: Includes housing, parks, golf courses, and other areas planted in developed settings. Impervious surfaces comprise up to 49% of the total land cover.	0 acres	4,347 acres (22.3%)	Small
Developed, Medium-High Intensity: Includes housing and commercial/industrial development. Impervious surfaces compose 50–100% of the total land cover.	0 acres	3,284 acres (14.4%)	Small
Open Water: Plant or soil cover is generally less than 25%.	0 acres	289 acres (42.8%)	Small

TABLE 12.3.10.1-1 (Cont.)

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		
	Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	Overall Impact Magnitude ^e
Agriculture: Areas where pasture/hay or cultivated crops account for more than 20% of total vegetation cover.	0 acres	130 acres (1.9%)	Small
Chihuahuan Sandy Plains Semi-Desert Grassland: Occurs on sandy plains and sandstone mesas. Consists of grassland and steppe, and includes scattered desert shrubs and stem succulents such as <i>Yucca</i> spp.	0 acres	113 acres (0.5%)	Small
North American Warm Desert Wash: Consists of intermittently flooded linear or braided strips within desertscrub or grassland landscapes on bajadas, mesas, plains, and basin floors. Although often dry, washes are associated with rapid sheet and gully flow. The vegetation varies from sparse and patchy to moderately dense and typically occurs along the banks, but may occur within the channel. Shrubs and small trees are typically intermittent to open. Common upland shrubs often occur along the edges.	0 acres	101 acres (1.9%)	Small
North American Warm Desert Riparian Woodland and Shrubland: Occurs along medium to large perennial streams in canyons and desert valleys. Consists of a mix of riparian woodlands and shrublands. Vegetation is dependent upon annual or periodic flooding, along with substrate scouring, and/or a seasonally shallow water table.	0 acres	50 acres (0.7%)	Small
North American Warm Desert Bedrock Cliff and Outcrop: Occurs on subalpine to foothill steep cliff faces, narrow canyons, rock outcrops, and unstable scree and talus slopes. Consists of barren and sparsely vegetated areas (generally <10% plant cover) with desert species, especially succulents. Lichens are predominant in some areas.	0 acres	23 acres (0.2%)	Small
Inter-Mountain Basins Semi-Desert Shrub Steppe: Generally consists of perennial grasses with an open shrub and dwarf shrub layer.	0 acres	13 acres (0.2%)	Small

TABLE 12.3.10.1-1 (Cont.)

Land Cover Type ^a	Area of Cover Type Affected (acres) ^b		
	Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	Overall Impact Magnitude ^e
North American Arid West Emergent Marsh: Occurs in natural depressions, such as ponds, or bordering lakes, or slow-moving streams or rivers. Alkalinity is highly variable. The plant community is characterized by herbaceous emergent, submergent, and floating leaved species.	0 acres	7 acres (2.8%)	Small

^a Land cover descriptions are from USGS (2005a). Full descriptions of land cover types, including plant species, can be found in Appendix I.

^b Area in acres, determined from USGS (2004).

^c Includes the area of the cover type within the SEZ, the percentage that area represents of all occurrences of that cover type within the SEZ region (i.e., a 50-mi [80-km] radius from the center of the SEZ), and the percentage that area represents of all occurrences of that cover type on BLM lands within the SEZ region. The SEZ region intersects portions of New Mexico and Texas. However, the SEZ and affected area occur only in New Mexico.

^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary where ground-disturbing activities would not occur. Indirect effects include effects from surface runoff, dust, and other factors from project development. The potential degree of indirect effects would decrease with increasing distance away from the SEZ. Includes the area of the cover type within the area of indirect effects and the percentage that area represents of all occurrences of that cover type within the SEZ region.

^e Overall impact magnitude categories were based on professional judgment and include (1) *small*: a relatively small proportion ($\leq 1\%$) of the cover type within the SEZ region would be lost; (2) *moderate*: an intermediate proportion (>1 but $\leq 10\%$) of a cover type would be lost; (3) *large*: $>10\%$ of a cover type would be lost.

^f To convert acres to km², multiply by 0.004047.

1 of indirect effects, and include lacustrine open water and flats, palustrine scrub-shrub and open
2 water, and riverine wetlands. Several springs are located within approximately 10 mi (16 km) of
3 the SEZ. Most of these are located near the base of the Sacramento Mountains, east of the SEZ
4 (see Section 12.3.9.1.1).

5
6 The State of New Mexico maintains an official list of weed species that are designated
7 noxious species (NMDA 2009). Table 12.3.10.1-2 provides a summary of the noxious weed
8 species regulated in New Mexico that are known to occur in Otero County (USDA 2010;
9 NMSU 2007), which includes the proposed Red Sands SEZ. African rue (*Peganum harmala*),
10 included in Table 12.3.10.1-2, was observed on the SEZ in July 2009.

11
12 The New Mexico Department of Agriculture classifies noxious weeds into one of four
13 categories (NMDA 2009):

- 14
15 • “Class A species are currently not present in New Mexico, or have limited
16 distribution. Preventing new infestations of these species and eradicating
17 existing infestations is the highest priority.”
- 18
19 • “Class B species are limited to portions of the state. In areas with severe
20 infestations, management should be designed to contain the infestation and
21 stop any further spread.”
- 22
23 • “Class C species are widespread in the state. Management decisions for these
24 species should be determined at the local level, based on feasibility of control
25 and level of infestation.”
- 26
27 • “Watch List species are species of concern in the state. These species have the
28 potential to become problematic. More data is needed to determine if these
29 species should be listed. When these species are encountered, please
30 document their location and contact appropriate authorities.”

31 32 33 **12.3.10.2 Impacts**

34
35 The construction of solar energy facilities within the proposed Red Sands SEZ would
36 result in direct impacts on plant communities due to the removal of vegetation within the facility
37 footprint during land-clearing and land-grading operations. Approximately 80% of the SEZ
38 (18,016 acres [72.9 km²]) would be expected to be cleared with full development of the SEZ.
39 The plant communities affected would depend on facility locations, and could include any of
40 the communities occurring on the SEZ. Therefore, for the purposes of this analysis, all the area
41 of each cover type within the SEZ is considered to be directly affected by removal with
42 full development of the SEZ.

TABLE 12.3.10.1-2 Designated Noxious Weeds of New Mexico Occurring in Otero County

Common Name	Scientific Name	Category
African rue	<i>Peganum harmala</i>	Class B
Bull thistle	<i>Cirsium vulgare</i>	Class C
Hoary cress	<i>Cardaria</i> spp.	Class A
Jointed goatgrass	<i>Aegilops cylindrica</i>	Class C
Leafy spurge	<i>Euphorbia esula</i>	Class A
Malta starthistle	<i>Centaurea melitensis</i>	Class B
Musk thistle	<i>Carduus nutans</i>	Class B
Poison hemlock	<i>Conium maculatum</i>	Class B
Purple starthistle	<i>Centaurea calcitrapa</i>	Class A
Russian knapweed	<i>Acroptilon repens</i>	Class B
Russian olive	<i>Elaeagnus angustifolia</i>	Class C
Saltcedar	<i>Tamarix</i> spp.	Class C
Siberian elm	<i>Ulmus pumila</i>	Class C
Teasel	<i>Dipsacus fullonum</i>	Class B

Sources: NMDA (2009); NMSU (2007); USDA (2010).

1
2
3 Indirect effects (caused, for example, by surface runoff or dust from the SEZ) have the
4 potential to degrade affected plant communities and may reduce biodiversity by promoting the
5 decline or elimination of species sensitive to disturbance. Indirect effects can also cause an
6 increase in disturbance-tolerant species or invasive species. High impact levels could result in
7 the elimination of a community or the replacement of one community type by another.
8

9 Possible impacts from solar energy facilities on vegetation that are encountered within
10 the SEZ are described in more detail in Section 5.10.1. Any such impacts would be minimized
11 through the implementation of required programmatic design features described in Appendix A,
12 Section A.2.2 and any additional mitigation applied. Section 12.3.10.2.3, below identifies design
13 features of particular relevance to the proposed Red Sands SEZ.
14
15

16 **12.3.10.2.1 Impacts on Native Species**
17

18 The impacts of construction, operation, and decommissioning were considered small
19 if the impact affected a relatively small proportion ($\leq 1\%$) of the cover type in the SEZ region
20 (within 50 mi [80 km] of the center of the SEZ); a moderate impact (>1 but $\leq 10\%$) could affect
21 an intermediate proportion of a cover type; a large impact could affect greater than 10% of a
22 cover type.
23

24 Solar facility construction and operation in the proposed Red Sands SEZ would primarily
25 affect communities of the Apacherian-Chihuahuan Piedmont Semi-Desert Grassland and Steppe,
26 Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub, and Chihuahuan Mixed Salt Desert
27 Scrub cover types. Additional cover types that would be affected within the SEZ include North

1 American Warm Desert Playa, North American Warm Desert Pavement, Chihuahuan
2 Gypsophilous Grassland and Steppe, Apacherian-Chihuahuan Mesquite Upland Scrub,
3 Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub, North American Warm Desert
4 Active and Stabilized Dune, and Chihuahuan Succulent Desert Scrub. Table 12.3.10.1-1
5 summarizes the potential impacts on land cover types resulting from solar energy facilities in the
6 proposed Red Sands SEZ. Many of these cover types are relatively common in the SEZ region;
7 however, several are relatively uncommon, representing 1% or less of the land area within the
8 SEZ region: Chihuahuan Succulent Desert Scrub (0.03%), and North American Warm Desert
9 Pavement (0.2%). Wetlands, riparian areas, desert dry washes, playas, and sand dunes are
10 important sensitive habitats on the SEZ.

11
12 The construction, operation, and decommissioning of solar projects within the proposed
13 Red Sands SEZ would result in large impacts on the North American Warm Desert Pavement
14 cover type and moderate impacts on the Chihuahuan Mixed Salt Desert Scrub and North
15 American Warm Desert Playa cover types. Solar energy development would result in small
16 impacts on all other cover types in the affected area.

17
18 Disturbance of vegetation in dune communities within the SEZ, as by heavy equipment
19 operation, could result in the loss of substrate stabilization. Re-establishment of dune species
20 could be difficult due to the arid conditions and unstable substrates. Because of the arid
21 conditions, re-establishment of desertscrub communities in temporarily disturbed areas would
22 likely be very difficult and might require extended periods of time. In addition, noxious weeds
23 could become established in disturbed areas and colonize adjacent undisturbed habitats, thus
24 reducing restoration success and potentially resulting in widespread habitat degradation.
25 Cryptogamic soil crusts occur in many of the shrubland communities in the region, and likely
26 occur on the SEZ. Damage to these crusts, as by the operation of heavy equipment or other
27 vehicles, can alter important soil characteristics, such as nutrient cycling and availability, and
28 affect plant community characteristics (Lovich and Bainbridge 1999).

29
30 The deposition of fugitive dust from large areas of disturbed soil onto habitats outside a
31 solar project area could result in reduced productivity or changes in plant community
32 composition. Fugitive dust deposition could affect plant communities of each of the cover types
33 occurring within the area of indirect effects identified in Table 12.3.10.1-1.

34
35 Approximately 17 acres (0.07 km²) of palustrine wetlands and about 0.3 mi (0.4 km) of
36 riverine wetlands occur within the Red Sands SEZ. Grading could result in direct impacts on
37 these wetlands if fill material is placed within wetland areas. Grading near the wetlands in the
38 SEZ could disrupt surface water or groundwater flow characteristics, resulting in changes in the
39 frequency, duration, depth, or extent of inundation or soil saturation, and could potentially alter
40 wetland plant communities and affect wetland function. Increases in surface runoff from a solar
41 energy project site could also affect wetland hydrologic characteristics. The introduction of
42 contaminants into wetlands in or near the SEZ could result from spills of fuels or other materials
43 used on a project site. Soil disturbance could result in sedimentation in wetland areas, which
44 could degrade or eliminate wetland plant communities. Sedimentation effects or hydrologic
45 changes could also extend to wetlands outside of the SEZ, such as the playa areas to the west.

46

1 Grading could also affect dry washes within the SEZ. Some desert dry washes in the SEZ
2 support riparian communities. Alteration of surface drainage patterns or hydrology could
3 adversely affect downstream dry wash communities. Vegetation within these communities could
4 be lost by erosion or desiccation. Communities associated with intermittently flooded areas
5 downgradient from solar projects in the SEZ could be affected by ground-disturbing activities.
6 Site clearing and grading could result in hydrologic changes, and could potentially alter plant
7 communities and affect community function. Increases in surface runoff from a solar energy
8 project site could also affect hydrologic characteristics of these communities. The introduction of
9 contaminants into these habitats could result from spills of fuels or other materials used on a
10 project site. Soil disturbance could result in sedimentation in these areas, which could degrade or
11 eliminate sensitive plant communities. See Section 12.3.9 for further discussion of impacts on
12 washes.
13

14 Although the use of groundwater within the Red Sands SEZ for technologies with high
15 water requirements, such as wet-cooling systems, may be unlikely, groundwater withdrawals for
16 such systems could reduce groundwater elevations. Communities that depend on accessible
17 groundwater include mesquite communities on and near the SEZ and interdunal communities
18 associated with gypsum dune fields, which depend on a high water table, such as cottonwood
19 groves and other communities on White Sands National Monument west of the SEZ. These
20 communities could become degraded or lost as a result of lowered groundwater levels (See
21 Section 12.3.9 for further discussion of groundwater). The potential for impacts on springs in the
22 vicinity of the SEZ, such as those near the Sacramento Mountains, would need to be evaluated
23 by project-specific hydrological studies.
24
25

26 ***12.3.10.2.2 Impacts from Noxious Weeds and Invasive Plant Species*** 27

28 On February 8, 1999, the president signed E.O. 13112, “Invasive Species,” which directs
29 federal agencies to prevent the introduction of invasive species and provide for their control and
30 to minimize the economic, ecological, and human health impacts of invasive species (*Federal*
31 *Register*, Volume 64, page 61836, Feb. 8, 1999). Potential impacts of noxious weeds and
32 invasive plant species resulting from solar energy facilities are described in Section 5.10.1.
33 Invasive species, including African rue, occur on the SEZ. Additional species designated as
34 noxious weeds in New Mexico, and known to occur in Otero County, are given in
35 Table 12.3.10.1-2. Despite required design features to prevent the spread of noxious weeds,
36 project disturbance could potentially increase the prevalence of noxious weeds and invasive
37 species in the affected area of the proposed Red Sands SEZ, such that weeds could be
38 transported into areas that were previously relatively weed-free, resulting in reduced restoration
39 success and possible widespread habitat degradation.
40

41 Past or present land uses may affect the susceptibility of plant communities to the
42 establishment of noxious weeds and invasive species. Existing roads, grazing, and recreational
43 OHV use within the SEZ area of potential impact also likely contribute to the susceptibility of
44 plant communities to the establishment and the spread of noxious weeds and invasive species.
45 Disturbed areas, including 3,284 acres (13.3 km²) of Developed, Medium-High Intensity and

1 4,347 acres (17.6 km²) of Developed, Open Space-Low Intensity occur within the area of
2 indirect effects and may contribute to the establishment of noxious weeds and invasive species.
3
4

5 **12.3.10.3 SEZ-Specific Design Features and Design Feature Effectiveness**

6

7 In addition to programmatic design features, SEZ-specific design features would reduce
8 the potential for impacts on plant communities. While the specifics of some of these practices are
9 best established when considering specific project details, some SEZ-specific design features can
10 be identified at this time, as follows:
11

- 12 • An Integrated Vegetation Management Plan addressing invasive species
13 control and an Ecological Resources Mitigation and Monitoring Plan
14 addressing habitat restoration should be approved and implemented to
15 increase the potential for successful restoration of desertscrub, dune, steppe,
16 riparian, playa, and grassland communities and other affected habitats and to
17 minimize the potential for the spread of invasive species, such as African rue.
18 Invasive species control should focus on biological and mechanical methods
19 where possible to reduce the use of herbicides.
20
- 21 • All wetland, riparian, dry wash, playa, succulent, and sand dune communities
22 within the SEZ should be avoided to the extent practicable, and any impacts
23 minimized and mitigated. A buffer area should be maintained around wetland
24 and riparian habitats to reduce the potential for impacts. Any yucca, agave,
25 ocotillo, and cacti (including *Opuntia* spp., *Cylindropuntia* spp., *Echinocactus*
26 spp., and *Sclerocactus* spp.) and other succulent plant species that cannot be
27 avoided should be salvaged.
28
- 29 • Appropriate engineering controls should be used to minimize impacts on
30 wetland, riparian, dry wash, and playa habitats, including downstream
31 occurrences, resulting from surface water runoff, erosion, sedimentation,
32 altered hydrology, accidental spills, or fugitive dust deposition to these
33 habitats. Appropriate buffers and engineering controls would be determined
34 through agency consultation.
35
- 36 • Groundwater withdrawals should be limited to reduce the potential for indirect
37 impacts on groundwater-dependent communities, such as mesquite, wetland,
38 or riparian communities, or gypsum dune field communities, including those
39 communities found on White Sands National Monument. Potential impacts on
40 springs should be determined through hydrological studies.
41

42 If these SEZ-specific design features are implemented in addition to other programmatic
43 design features, it is anticipated that a high potential for impacts from invasive species and
44 potential impacts on wetland, riparian, dry wash, playa, succulent, and dune communities would
45 be reduced to a minimal potential for impact.
46
47

1 **12.3.11 Wildlife and Aquatic Biota**
2

3 This section addresses wildlife (amphibians, reptiles, birds, and mammals) and aquatic
4 biota that could occur within the potentially affected area of the proposed Red Sands SEZ.
5 Wildlife known to occur within 50 mi (80 km) of the SEZ (i.e., the SEZ region) were determined
6 from the SWReGAP (USGS 2007) and the BISON-M (NMDGF 2010). Land cover types
7 suitable for each species were determined from SWReGAP (USGS 2004, 2005a, 2007) and the
8 South Central Gap Analysis Program (USGS 2010d). The amount of aquatic habitat within the
9 SEZ region was determined by estimating the length of linear perennial stream and canal features
10 and the area of standing water body features (i.e., ponds, lakes, and reservoirs) within 50 mi
11 (80 km) of the SEZ using available GIS surface water datasets.
12

13 The affected area considered in this assessment included the areas of direct and indirect
14 effects. The area of direct effects was defined as the area that would be physically modified
15 during project development (i.e., where ground-disturbing activities would occur) within the
16 SEZ. The maximum developed area within the SEZ would be 18,016 acres (72.9 km²). No areas
17 of direct effects would occur for either a new transmission line or a new access road, because
18 existing transmission line and road corridors are adjacent to or through the SEZ.
19

20 The area of indirect effects was defined as the area within 5 mi (8 km) of the SEZ
21 boundary where ground-disturbing activities would not occur, but that could be indirectly
22 affected by activities in the area of direct effects (e.g., surface runoff, dust, noise, lighting, and
23 accidental spills in the SEZ). Potentially suitable habitats for a species within the SEZ greater
24 than the maximum of 18,016 acres (72.9 km²) of direct effects were also included as part of the
25 area of indirect effects. The potential degree of indirect effects would decrease with increasing
26 distance from the SEZ. The area of indirect effects was identified on the basis of professional
27 judgment and was considered sufficiently large to bound the area that would potentially be
28 subject to indirect effects. These areas of direct and indirect effects are defined and the impact
29 assessment approach is described in Appendix M.
30

31 The primary land cover habitat type within the affected area is Chihuahuan coppice dune
32 and sand flat scrub (see Section 12.3.10). Potentially unique habitats within the SEZ include
33 desert dunes, playas, washes, and riverine and palustrine wetlands. Approximately 1,600 acres
34 (6.5 km²) of desert playa habitat occurs on the SEZ. Desert playa, riparian, and marsh habitats
35 occur in the area of indirect effects. There are no permanent aquatic habitats known to occur on
36 the SEZ; however, permanent open water habitats occur in the area of indirect effects,
37 particularly at the Raptor Lake Recreational Area and Lagoon G Wildlife Refuge Area
38 associated with Holloman Air Force Base.
39
40
41

1 **12.3.11.1 Amphibians and Reptiles**

2
3
4 **12.3.11.1.1 Affected Environment**

5
6 This section addresses amphibian and reptile species that are known to occur, or for
7 which potentially suitable habitat occurs, on or within the potentially affected area of the
8 proposed Red Sands SEZ. Amphibian and reptile species potentially present in the SEZ area
9 were determined from species lists available from the BISON-M (NMDGF 2010). Range maps
10 and habitat information were obtained from SWReGAP (USGS 2007), with supplemental habitat
11 information obtained from the CDFG (2008) and NatureServe (2010). Land cover types suitable
12 for each species were determined from SWReGAP (USGS 2004, 2005a, 2007) and the South
13 Central GAP Analysis Program (USGS 2010d). See Appendix M for additional information on
14 the approach used.

15
16 More than 10 amphibian species occur in Otero County. Based on species distributions
17 within the area of the SEZ and habitat preferences of the amphibian species, Couch’s spadefoot
18 (*Scaphiopus couchii*), Great Plains toad (*Bufo cognatus*), plains spadefoot (*Spea bombifrons*),
19 and red-spotted toad (*Bufo punctatus*) would be expected to occur within the SEZ
20 (NMDGF 2010; USGS 2007; Stebbins 2003).

21
22 More than 50 reptile species occur within Otero County (NMDGF 2010; USGS 2007;
23 Stebbins 2003). Lizard species expected to occur within the proposed Red Sands SEZ include the
24 collared lizard (*Crotaphytus collaris*), eastern fence lizard (*Sceloporus undulatus*), Great Plains
25 skink (*Eumeces obsoletus*), long-nosed leopard lizard (*Gambelia wislizenii*), round-tailed horned
26 lizard (*Phrynosoma modestum*), side-blotched lizard (*Uta stansburiana*), and western whiptail
27 (*Cnemidophorus tigris*). Snake species expected to occur within the SEZ are the coachwhip
28 (*Masticophis flagellum*), common kingsnake (*Lampropeltis getula*), glossy snake (*Arizona*
29 *elegans*), gophersnake (*Pituophis catenifer*), groundsnake (*Sonora semiannulata*), long-nosed
30 snake (*Rhinocheilus lecontei*), and nightsnake (*Hypsiglena torquata*). The most common
31 poisonous snakes that could occur on the SEZ are the western diamond-backed rattlesnake
32 (*Crotalus atrox*) and western rattlesnake (*Crotalus viridis*).

33
34 Table 12.3.11.1-1 provides habitat information for representative amphibian and reptile
35 species that could occur within the proposed Red Sands SEZ. Special status amphibian and
36 reptile species are addressed in Section 12.3.12.

37
38
39 **12.3.11.1.2 Impacts**

40
41 The types of impacts that amphibians and reptiles could incur from construction,
42 operation, and decommissioning of utility-scale solar energy facilities are discussed in
43 Section 5.10.2.1. Any such impacts would be minimized through the implementation of required
44 programmatic design features described in Appendix A, Section A.2.2, and through any
45 additional mitigation applied. Section 12.3.11.1.3, below, identifies SEZ-specific design features
46 of particular relevance to the proposed Red Sands SEZ.

TABLE 12.3.11.1-1 Habitats, Potential Impacts, and Potential Mitigation for Representative Amphibian and Reptile Species That Could Occur on or in the Affected Area of the Proposed Red Sands SEZ

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Amphibians				
Couch's spadefoot (<i>Scaphiopus couchii</i>)	Desert washes, desert riparian, palm oasis, desert succulent shrub, and desertscrub habitats. Requires pools or potholes with water that lasts longer than 10 to 12 days for breeding sites. About 2,467,000 acres ^g of potentially suitable habitat occurs within the SEZ region.	7,124 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	57,364 acres of potentially suitable habitat (2.3% of available suitable habitat)	Small overall impact. Avoidance of wetlands, playa, and wash habitats could reduce impacts.
Great Plains toad (<i>Bufo cognatus</i>)	Prefers desert, grassland, and agricultural habitats. Breeds in shallow temporary pools, quiet areas of streams, marshes, irrigation ditches, and flooded fields. In cold winter months, it burrows underground and becomes inactive. About 1,453,500 acres of potentially suitable habitat occurs within the SEZ region.	8,072 acres of potentially suitable habitat lost (0.6% of available potentially suitable habitat) during construction and operations	35,341 acres of potentially suitable habitat (2.4% of available suitable habitat)	Small overall impact. Avoidance of wetland, playa, and wash habitats could reduce impacts.
Plains spadefoot (<i>Spea bombifrons</i>)	Common in areas of soft sandy/gravelly soils along stream floodplains. Also occurs in semidesert shrublands. Breeds in deep open-water playa habitats. Usually remains in underground burrows until it rains. About 1,124,000 acres of potentially suitable habitat occurs within the SEZ region.	3,169 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	31,343 acres of potentially suitable habitat (2.9% of available suitable habitat)	Small overall impact. Avoidance of wetland, playa and wash habitats could reduce impacts.
Red-spotted toad (<i>Bufo punctatus</i>)	Dry, rocky areas at lower elevations near desert springs and persistent pools along rocky arroyos; desert streams and oases; open grassland; scrubland oaks; and dry woodlands. About 3,955,100 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	184,271 acres of potentially suitable habitat (4.7% of available suitable habitat)	Small overall impact. Avoidance of wetland, playa and wash habitats, otherwise no species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.3.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Lizards				
Collared lizard (<i>Crotaphytus collaris</i>)	Level or hilly rocky terrain in a variety of vegetative communities. Typical habitats include lava fields, rocky canyons, slopes, and gullies. About 3,611,000 acres of potentially suitable habitat occurs within the SEZ region.	14,782 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	105,150 acres of potentially suitable habitat (2.9% of available suitable habitat)	Small overall impact.
Eastern fence lizard (<i>Sceloporus undulatus</i>)	Sunny, rocky habitats of cliffs, talus, old lava flows and cones, canyons, and outcrops. Various vegetation adjacent to or among rocks, including montane forests, woodlands, semidesert shrubland, and various forbs and grasses. About 4,058,900 acres of potentially suitable habitat occurs within the SEZ region.	18,106 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	151,378 acres of potentially suitable habitat (3.7% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Great Plains skink (<i>Eumeces obsoletus</i>)	Creosotebush desert, desert-grasslands, riparian corridors, pinyon-juniper woodlands, and pine-oak woodlands. About 3,729,900 acres of potentially suitable habitat occurs within the SEZ region.	13,568 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	105,734 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact. Avoidance of riverine wetlands could reduce impacts.
Long-nosed leopard lizard (<i>Gambelia wislizenii</i>)	Desert and semidesert areas with scattered shrubs. Prefers sandy or gravelly flats and plains. Also prefers areas with abundant rodent burrows that they occupy when inactive. About 1,967,000 acres of potentially suitable habitat occurs in the SEZ region.	11,109 acres of potentially suitable habitat lost (0.6% of available potentially suitable habitat) during construction and operations	147,954 acres of potentially suitable habitat (7.5% of available potentially suitable habitat)	Small overall impact.
Round-tailed horned lizard (<i>Phrynosoma modestum</i>)	Desert-grassland and desert shrubland habitats with scrubby vegetation and sandy or gravelly soil. About 3,429,600 acres of potentially suitable habitat occurs within the SEZ region.	11,842 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	96,680 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact.

TABLE 12.3.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Lizards (Cont.)				
Side-blotched lizard (<i>Uta stansburiana</i>)	Arid and semiarid locations with scattered bushes or scrubby trees. Often occurs in sandy washes with scattered rocks and bushes. About 3,434,800 acres of potentially suitable habitat occurs within the SEZ region.	11,842 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	96,781 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact. Avoidance of wash habitats could reduce impacts.
Western whiptail (<i>Cnemidophorus tigris</i>)	Arid and semiarid habitats with sparse plant cover. About 2,551,000 acres of potentially suitable habitat occurs within the SEZ region.	7,763 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	116,385 acres of potentially suitable habitat (4.6% of available potentially suitable habitat)	Small overall impact.
Snakes				
Coachwhip (<i>Masticophis flagellum</i>)	Creosotebush desert, shortgrass prairie, shrub-covered flats and hills. Sandy to rocky substrates. Avoids dense vegetation. About 3,731,600 acres of potentially suitable habitat occurs within the SEZ region.	13,308 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	109,484 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact.
Common kingsnake (<i>Lampropeltis getula</i>)	Coniferous forests, woodlands, swampland, coastal marshes, river bottoms, farmlands, prairies, chaparral, and deserts. Uses rock outcrops and rodent burrows for cover. About 4,711,100 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	197,833 acres of potentially suitable habitat (4.2% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.3.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Snakes (Cont.)				
Glossy snake (<i>Arizona elegans</i>)	Light shrubby to barren deserts, sagebrush flats, grasslands, and chaparral-covered slopes and woodlands. Prefers sandy grasslands, shrublands, and woodlands. About 3,488,700 acres of potentially suitable habitat occurs within the SEZ region.	17,915 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	180,786 acres of potentially suitable habitat (5.2% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Gophersnake (<i>Pituophis catenifer</i>)	Plains grasslands, sandhills, riparian areas, marshes, edges of ponds and lakes, rocky canyons, semidesert and mountain shrublands, montane woodlands, rural and suburban areas, and agricultural areas. Likely inhabits pocket gopher burrows in winter. About 4,431,900 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	202,950 acres of potentially suitable habitat (4.6% of available potentially suitable habitat)	Small overall impact. Avoidance of wetland habitats, otherwise no species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Groundsnake (<i>Sonora semiannulata</i>)	Arid and semiarid regions with rocky to sandy soils. River bottoms, desert flats, sand hummocks, and rocky hillsides. About 4,011,400 acres of potentially suitable habitat occurs within the SEZ region.	14,469 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	143,767 acres of potentially suitable habitat (3.6% of available potentially suitable habitat)	Small overall impact.
Long-nosed snake (<i>Rhinocheilus lecontei</i>)	Typically inhabits deserts, dry prairies, and river valleys. Occurs by day and lays eggs underground or under rocks. Burrows rapidly in loose soil. Common in desert regions. About 2,829,800 acres of potentially suitable habitat occurs within the SEZ region.	11,942 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	102,043 acres of potentially suitable habitat (3.6% of available suitable habitat)	Small overall impact.

TABLE 12.3.11.1-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Snakes (Cont.)				
Nightsnake (<i>Hypsiglena torquata</i>)	Arid and semiarid desert flats, plains, and woodlands; areas with rocky and sandy soils are preferred. During cold periods of the year, seeks refuge underground, in crevices, or under rocks. About 3,802,500 acres of potentially suitable habitat occurs within the SEZ region.	13,308 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	109,597 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact.
Western diamond-backed rattlesnake (<i>Crotalus atrox</i>)	Dry and semidry lowland areas. Usually found in brush-covered plains, dry washes, rock outcrops, and desert foothills. About 4,411,000 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	202,190 acres of potentially suitable habitat (4.6% of available suitable habitat)	Small overall impact. Avoidance of wash habitats, otherwise no species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effect.
Western rattlesnake (<i>Crotalus viridis</i>)	Most terrestrial habitats. Typically inhabits plains grasslands, sandhills, semidesert and mountain shrublands, riparian areas, and montane woodlands. About 4,925,600 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	197,843 acres of potentially suitable habitat (4.0% of available suitable habitat)	Small overall impact. Avoidance of riverine wetlands, otherwise no species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

Footnotes continued on next page.

TABLE 12.3.11.1-1 (Cont.)

-
- ^a Potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.
- ^b Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. A maximum of 18,016 acres of direct effects within the SEZ was assumed.
- ^c Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.
- ^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary. Potentially suitable habitat within the SEZ greater than the maximum of 18,016 acres of direct effects was also added to the area of indirect effects. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from the SEZ, but do not include ground-disturbing activities. The potential degree of indirect effects would decrease with increasing distance from the SEZ.
- ^e Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: $\leq 1\%$ of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but $\leq 10\%$ of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: $>10\%$ of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects, because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^f Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^g To convert acres to km², multiply by 0.004047.

Sources: CDFG (2008); NatureServe (2010); NMDGF (2010); USGS (2004, 2005a, 2007).

1 The assessment of impacts on amphibian and reptile species is based on available
2 information on the presence of species in the affected area as presented in Section 12.3.11.1.1,
3 following the analysis approach described in Appendix M. Additional NEPA assessments and
4 coordination with state natural resource agencies may be needed to address project-specific
5 impacts more thoroughly. These assessments and consultations could result in additional
6 required actions to avoid or mitigate impacts on amphibians and reptiles
7 (see Section 12.3.11.1.3).
8

9 In general, impacts on amphibians and reptiles would result from habitat disturbance
10 (i.e., habitat reduction, fragmentation, and alteration) and from disturbance, injury, or mortality
11 to individual amphibians and reptiles. On the basis of the magnitude of impacts on amphibians
12 and reptiles summarized in Table 12.3.11.1-1, direct impacts on amphibians and reptiles would
13 be small for all representative species, because 0.3 to 0.6% of the potentially suitable habitats
14 identified for these species in the SEZ would be lost. Larger areas of potentially suitable habitats
15 for the amphibian and reptile species occur within the area of potential indirect effects (e.g., up
16 to 7.5% of available habitat for the long-nosed leopard lizard). Other impacts on amphibians and
17 reptiles could result from surface water and sediment runoff from disturbed areas, fugitive dust
18 generated by project activities, accidental spills, collection, and harassment. These indirect
19 impacts are expected to be negligible with implementation of programmatic design features.
20

21 Decommissioning after operations cease could result in short-term negative impacts on
22 individuals and habitats within and adjacent to the SEZ. The negative impacts of
23 decommissioning would be reduced or eliminated as reclamation proceeds. Potentially long-term
24 benefits could accrue as habitats are restored in previously disturbed areas. Section 5.10.2.1.4
25 provides an overview of the impacts of decommissioning and reclamation on wildlife. Of
26 particular importance for amphibian and reptile species would be the restoration of original
27 ground surface contours, soils, and native plant communities associated with semiarid
28 shrublands.
29
30

31 ***12.3.11.1.3 SEZ-Specific Design Features and Design Feature Effectiveness*** 32

33 The implementation of required programmatic design features described in Appendix A,
34 Section A.2.2, would reduce the potential for effects on amphibians and reptiles, especially for
35 those species that utilize habitat types that can be avoided (e.g., wetlands, washes, and playas).
36 Indirect impacts could be reduced to negligible levels by implementing programmatic design
37 features, especially those engineering controls that would reduce runoff, sedimentation, spills,
38 and fugitive dust. While SEZ-specific design features are best established when considering
39 specific project details, one design feature that can be identified at this time is:
40

- 41 • Playa, wash, and wetland habitats should be avoided.
42

43 If this SEZ-specific design feature is implemented in addition to other programmatic
44 design features, impacts on amphibian and reptile species could be reduced. However, because
45 potentially suitable habitats for a number of the amphibian and reptile species occur throughout

1 much of the SEZ, additional species-specific mitigation of direct effects for those species would
2 be difficult or infeasible.

3 4 5 **12.3.11.2 Birds**

6 7 8 **12.3.11.2.1 Affected Environment**

9
10 This section addresses bird species that are known to occur, or for which potentially
11 suitable habitat occurs, on or within the potentially affected area of the proposed Red Sands SEZ.
12 Bird species potentially present in the SEZ area were determined from species lists available
13 from the BISON-M (NMDGF 2010). Range maps and habitat information were obtained from
14 SWReGAP (USGS 2007), with supplemental habitat information obtained from CDFG (2008)
15 and NatureServe (2010). Land cover types suitable for each species were determined from
16 SWReGAP (USGS 2004, 2005a, 2007) and the South Central Gap Analysis Program
17 (USGS 2010d). See Appendix M for additional information on the approach used.

18
19 More than 270 species of birds are reported from Otero County (NMDGF 2010);
20 however, suitable habitats for a number of these species are limited or nonexistent within the
21 proposed Red Sands SEZ (USGS 2007). Similar to the overview of birds provided for the six-
22 state study area (Section 4.10.2.2), the following discussion for the SEZ emphasizes the
23 following bird groups: (1) waterfowl, wading birds, and shorebirds; (2) neotropical migrants,
24 (3) birds of prey; and (4) upland game birds.

25 26 27 **Waterfowl, Wading Birds, and Shorebirds**

28
29 As discussed in Section 4.10.2.2.2, waterfowl (ducks, geese, and swans), wading birds
30 (herons and cranes), and shorebirds (avocets, gulls, plovers, rails, sandpipers, stilts, and terns) are
31 among the most abundant groups of birds in the six-state study area. However, within the
32 proposed Red Sands SEZ, waterfowl, wading birds, and shorebird species would be mostly
33 absent to uncommon. Wetland, playa, and wash habitats within the SEZ may attract shorebird
34 species, but the Rio Bonito, Rio Grande, Rio Ruidoso, West Side Canal, various intermittent
35 streams, Holloman (Raptor) Lake and associated lagoon complex, and intermittent and dry lakes
36 located within 50 mi (80 km) of the SEZ would provide more viable habitat for this group of
37 birds. The killdeer (*Charadrius vociferus*) is the shorebird species most likely to occur within the
38 SEZ.

39 40 41 **Neotropical Migrants**

42
43 As discussed in Section 4.10.2.2.3, neotropical migrants represent the most diverse
44 category of birds within the six-state study area. Species expected to occur within the proposed
45 Red Sands SEZ include the ash-throated flycatcher (*Myiarchus cinerascens*), black-tailed
46 gnatcatcher (*Polioptila melanura*), black-throated sparrow (*Amphispiza bilineata*), Brewer's

1 blackbird (*Euphagus cyanocephalus*), cactus wren (*Campylorhynchus brunneicapillus*), common
2 poorwill (*Phalaenoptilus nuttallii*), common raven (*Corvus corax*), Costa’s hummingbird
3 (*Calypte costae*), Crissal thrasher (*Toxostoma crissale*), greater roadrunner (*Geococcyx*
4 *californianus*), horned lark (*Eremophila alpestris*), ladder-backed woodpecker (*Picoides*
5 *scalaris*), lesser nighthawk (*Chordeiles acutipennis*), loggerhead shrike (*Lanius ludovicianus*),
6 Lucy’s warbler (*Vermivora luciae*), phainopepla (*Phainopepla nitens*), sage sparrow
7 (*Amphispiza belli*), Scott’s oriole (*Icterus parisorum*), verdin (*Auriparus flaviceps*), and western
8 meadowlark (*Sturnella neglecta*) (NMDGF 2010; USGS 2007).

9 10 11 **Birds of Prey** 12

13 Section 4.10.2.2.4 provides an overview of the birds of prey (raptors, owls, and vultures)
14 within the six-state study area. Raptor species that could occur within the proposed Red Sands
15 SEZ include the American kestrel (*Falco sparverius*), golden eagle (*Aquila chrysaetos*), great
16 horned owl (*Bubo virginianus*), long-eared owl (*Asio otus*), prairie falcon (*Falco mexicanus*),
17 red-tailed hawk (*Buteo jamaicensis*), and turkey vulture (*Cathartes aura*) (NMDGF 2010;
18 USGS 2007). Several other special status birds of prey are discussed in Section 12.3.12. These
19 include the American peregrine falcon (*Falco peregrinus anatum*), bald eagle (*Haliaeetus*
20 *leucocephalus*), ferruginous hawk (*Buteo regalis*), northern aplomado falcon (*Falco femoralis*
21 *septentrionalis*), osprey (*Pandion haliaetus*), and western burrowing owl (*Athene cunicularia*).
22
23

24 **Upland Game Birds** 25

26 Section 4.10.2.2.5 provides an overview of the upland game birds (primarily pheasants,
27 grouse, quail, and doves) that occur within the six-state solar study area. Upland game species
28 that could occur within the proposed Red Sands SEZ include the Gambel’s quail (*Callipepla*
29 *gambelii*), mourning dove (*Zenaida macroura*), scaled quail (*Callipepla squamata*), white-
30 winged dove (*Zenaida asiatica*), and wild turkey (*Meleagris gallopavo*) (NMDGF 2010;
31 USGS 2007).
32

33 Table 12.3.11.2-1 provides habitat information for representative bird species that could
34 occur within the proposed Red Sands SEZ. Special status bird species are discussed in
35 Section 12.3.12.
36
37

38 **12.3.11.2.2 Impacts** 39

40 The types of impacts that birds could incur from construction, operation, and
41 decommissioning of utility-scale solar energy facilities are discussed in Section 5.10.2.1. Any
42 such impacts would be minimized through the implementation of required programmatic design
43 features described in Appendix A, Section A.2.2, and through any additional mitigation applied.
44 Section 12.3.11.2.3, below, identifies design features of particular relevance to the proposed Red
45 Sands SEZ.
46

TABLE 12.3.11.2-1 Habitats, Potential Impacts, and Potential Mitigation for Representative Bird Species That Could Occur on or in the Affected Area of the Proposed Red Sands SEZ

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Shorebirds				
Killdeer (<i>Charadrius vociferus</i>)	Open areas such as fields, meadows, lawns, mudflats, and shores. Nests on ground in open dry or gravelly locations. About 153,929 acres ^g of potentially suitable habitat occurs within the SEZ region.	1,626 acres of potentially suitable habitat lost (1.1% of available potentially suitable habitat) during construction and operations	11,863 acres of potentially suitable habitat (7.7% of potentially suitable habitat)	Moderate overall impact. Avoidance of wetland, wash, and playa areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Neotropical Migrants				
Ash-throated flycatcher (<i>Myiarchus cinerascens</i>)	Common in scrub and woodland habitats including desert riparian and desert washes. Requires hole/cavity for nesting. Uses shrubs or small trees for foraging perches. About 4,148,900 acres of potentially suitable habitat occurs within the SEZ region.	17,815 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	175,588 acres of potentially suitable habitat (4.2% of potentially suitable habitat)	Small overall impact. Avoidance of wash and riverine wetland areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Black-tailed gnatcatcher (<i>Polioptila melanura</i>)	Nests in bushes mainly in wooded desert washes with dense mesquite, palo verde, ironwood, and acacia. Also occurs in desertscrub habitat. About 2,568,100 acres of potentially suitable habitat occurs within the SEZ region.	7,224 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	62,580 acres of potentially suitable habitat (2.4% of available suitable habitat)	Small overall impact. Avoidance of wash areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Black-throated sparrow (<i>Amphispiza bilineata</i>)	Chaparral and desertscrub habitats with sparse to open stands of shrubs. Often in areas with scattered Joshua trees. Nests in thorny shrubs or cactus. About 3,152,900 acres of potentially suitable habitat occurs within the SEZ region.	8,798 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	63,506 acres of potentially suitable habitat (2.0% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Brewer's blackbird (<i>Euphagus cyanocephalus</i>)	Meadows, grasslands, riparian areas, agricultural and urban areas, and occasionally in sagebrush in association with prairie dog colonies and other shrublands. Requires dense shrubs for nesting. Roosts in marshes or dense vegetation. In winter, most often near open water and farmyards with livestock. About 1,586,000 acres of potentially suitable habitat occurs within the SEZ region.	8,072 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	42,970 acres of potentially suitable habitat (2.7% of available suitable habitat)	Small overall impact. Avoidance of riverine wetlands could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Cactus wren (<i>Campylorhynchus brunneicapillus</i>)	Desert (especially areas with cholla cactus or yucca), mesquite, arid scrub, coastal sage scrub, and trees in towns in arid regions. Nests in <i>Opuntia</i> spp.; twiggy, thorny trees and shrubs; and sometimes in buildings. Nests may be used as winter roosts. About 2,241,800 acres of potentially suitable habitat occurs within the SEZ region.	6,889 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	47,649 acres of potentially suitable habitat (2.1% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Common poorwill (<i>Phalaenoptilus nuttallii</i>)	Scrubby and brushy areas, prairie, desert, rocky canyons, open woodlands, and broken forests. Mostly in arid and semiarid habitats. Nests in open areas on a bare site. About 1,810,600 acres of potentially suitable habitat occurs within the SEZ region.	177 acres of potentially suitable habitat lost (0.01% of available potentially suitable habitat) during construction and operations	20,155 acres of potentially suitable habitat (1.1% of potentially suitable habitat)	Small overall impact. Some measure of mitigation also provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Common raven (<i>Corvus corax</i>)	Occurs in most habitats. Trees and cliffs provide cover. Roosts primarily in trees. Nests on cliffs, bluffs, tall trees, or human-made structures. Forages in sparse, open terrain. About 4,691,700 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	192,102 acres of potentially suitable habitat (4.1% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Costa's hummingbird (<i>Calypte costae</i>)	Desert and semidesert areas, arid brushy foothills, and chaparral. Main habitats are desert washes, edges of desert riparian and valley foothill riparian areas, coastal shrub, desertscrub, desert succulent shrub, lower elevation chaparral, and palm oasis. Also in mountains, meadows, and gardens during migration and winter. Most common in canyons and washes when nesting. Nests are located in trees, shrubs, vines, or cacti. About 3,311,000 acres of potentially suitable habitat occurs within the SEZ region.	11,842 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	96,808 acres of potentially suitable habitat (2.9% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian wetland areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Crissal thrasher (<i>Toxostoma crissale</i>)	Desertscrub, mesquite, tall riparian brush and chaparral; usually beneath dense cover. Nests in low tree or shrubs. About 1,726,300 acres of potentially suitable habitat occurs within the SEZ region.	177 acres of potentially suitable habitat lost (0.01% of available potentially suitable habitat) during construction and operations	20,132 acres of potentially suitable habitat (1.2% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Greater roadrunner (<i>Geococcyx californianus</i>)	Desertscrub, chaparral, edges of cultivated lands, and arid open areas with scattered brush. Fairly common in many desert habitats. Requires thickets, large bushes, or small trees for shade, refuge, and roosting. Usually nests low in trees, shrubs, or clumps of cactus. Rarely nests on ground. About 4,602,300 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	199,500 acres of potentially suitable habitat (4.3% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Horned lark (<i>Eremophila alpestris</i>)	Common to abundant resident in a variety of open habitats. Breeds in grasslands, sagebrush, semidesert shrublands, and alpine tundra. During migration and winter, inhabits the same habitats other than tundra, and occurs in agricultural areas. Usually occurs where plant density is low and there are exposed soils. About 195,100 acres of potentially suitable habitat occurs in the SEZ region.	4,712 acres of potentially suitable habitat lost (2.4% of available potentially suitable habitat) during construction and operations	39,545 acres of potentially suitable habitat (20.3% of available potentially suitable habitat)	Moderate overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Ladder-backed woodpecker (<i>Picoides scalaris</i>)	Variety of habitats including deserts, arid scrub, riparian woodlands, mesquite, scrub oak, pinyon-juniper woodlands. Digs nest hole in rotted stub or dead or dying branches of various trees. Also nests in saguaro, agave, yucca, fence posts, and utility poles. Nests on ledges; branches of trees, shrubs, and cactus; and holes in trees or walls. About 3,516,100 acres of potentially suitable habitat occurs within the SEZ region.	11,842 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	96,808 acres of potentially suitable habitat (2.8% of potentially suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Lesser nighthawk (<i>Chordeiles acutipennis</i>)	Open country, desert regions, scrub, savanna, and cultivated areas. Usually near water including open marshes, salt ponds, large rivers, rice paddies, and beaches. Roosts on low perches or the ground. Nests in the open on bare sites. About 3,517,100 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	183,183 acres of potentially suitable habitat (5.2% of potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Loggerhead shrike (<i>Lanius ludovicianus</i>)	Open country with scattered trees and shrubs, savanna, desertscrub, desert riparian, Joshua tree, and occasionally, open woodland habitats. Perches on poles, wires, or fence posts (suitable hunting perches are important aspect of habitat). Nests in shrubs and small trees. About 4,445,300 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	188,912 acres of potentially suitable habitat (4.2% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Lucy's warbler (<i>Vermivora luciae</i>)	Breeds most often in dense lowland riparian mesquite woodlands. Inhabits dry washes, riparian forests, and thorn forests during winter and migration. About 3,193,600 acres of potentially suitable habitat occurs within the SEZ region.	7,124 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	57,395 acres of potentially suitable habitat (1.8% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian wetland areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Phainopepla (<i>Phainopepla nitens</i>)	Desertscrub, mesquite, juniper and oak woodlands, tall brush, washes, riparian woodlands, and orchards. Nests in dense foliage of large shrubs or trees, sometimes in a clump of mistletoe. About 4,196,000 acres of potentially suitable habitat occurs within the SEZ region.	13,203 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	141,551 acres of potentially suitable habitat (3.4% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian wetland areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Sage sparrow (<i>Amphispiza belli</i>)	Prefers shrubland, grassland, and desert habitats. The nest, constructed of twigs and grasses, is located either low in a shrub or on the ground. About 2,355,700 acres of potentially suitable habitat occurs within the SEZ region.	9,796 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	86,800 acres of potentially suitable habitat (3.7% of available potentially suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Neotropical Migrants (Cont.)				
Scott's oriole (<i>Icterus parisorum</i>)	Yucca, pinyon-juniper, arid oak scrub and palm oases. Foothills, desert slopes of mountains, and more elevated semiarid plains. Nests in trees or yuccas. About 2,851,700 acres of potentially suitable habitat occurs within the SEZ region.	12,916 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	116,167 acres of potentially suitable habitat (4.1% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Verdin (<i>Auriparus flaviceps</i>)	Desert riparian, desert wash, desertscrub, and alkali desertscrub areas with large shrubs and small trees. Nests in shrubs, small trees, or cactus. About 3,145,400 acres of potentially suitable habitat occurs within the SEZ region.	7,130 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	57,536 acres of potentially suitable habitat (1.8% of available suitable habitat)	Small overall impact. Avoidance of wash and riparian wetland areas could reduce impacts. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.
Western meadowlark (<i>Sturnella neglecta</i>)	Agricultural areas, especially in winter. Also inhabits native grasslands, croplands, weedy fields, and less commonly in semidesert and sagebrush shrublands. About 1,544,100 acres of potentially suitable habitat occurs within the SEZ region.	8,072 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	35,352 acres of potentially suitable habitat (2.3% of available suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Migratory Bird Treaty Act.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Birds of Prey				
American kestrel (<i>Falco sparverius</i>)	Occurs in most open habitats, in various shrub and early successional forest habitats, forest openings, and various ecotones. Perches on trees, snags, rocks, utility poles and wires, and fence posts. Uses cavities in trees, snags, rock areas, banks, and buildings for nesting and cover. About 4,012,600 acres of potentially suitable habitat occurs in the SEZ region.	13,208 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	112,173 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact.
Golden eagle (<i>Aquila chrysaetos</i>)	Grasslands, shrublands, pinyon-juniper woodlands, and ponderosa pine forests. Occasionally in most other habitats, especially during migration and winter. Nests on cliffs and sometimes trees in rugged areas, with breeding birds ranging widely over surrounding areas. About 4,085,200 acres of potentially suitable habitat occurs in the SEZ region.	14,834 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	108,449 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact. Some measure of mitigation provided by the requirements of the Bald and Golden Eagle Protection Act.
Great horned owl (<i>Bubo virginianus</i>)	Needs large abandoned bird nest or large cavity for nesting. Usually lives on forest edges and hunts in open areas. In desert areas, requires wooded cliff areas for nesting. About 5,017,500 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	205,770 acres of potentially suitable habitat (4.1% of potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Long-eared owl (<i>Asio otus</i>)	Nests and roosts in dense vegetation and hunts in open areas (e.g., creosotebush-bursage flats, desertscrub, grasslands, and agricultural fields). About 2,456,000 acres of potentially suitable habitat occurs within the SEZ region.	6,706 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	27,676 acres of potentially suitable habitat (1.1% of potentially suitable habitat)	Small overall impact.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Birds of Prey (Cont.)				
Prairie falcon (<i>Falco mexicanus</i>)	Associated primarily with perennial grasslands, savannahs, rangeland, some agricultural fields, and desertscrub areas. Nests in pothole or well-sheltered ledge on rocky cliff or steep earth embankment. May also nest in man-made excavations on otherwise unsuitable cliffs and old nests of ravens, hawks, and eagles. Forages in large patch areas with low vegetation. May forage over irrigated croplands in winter. About 5,017,500 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	205,770 acres of potentially suitable habitat (4.1% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Red-tailed hawk (<i>Buteo jamaicensis</i>)	Wide variety of habitats from deserts, mountains, and populated valleys. Open areas with scattered, elevated perch sites such as scrub desert, plains and montane grassland, agricultural fields, pastures urban parklands, broken coniferous forests, and deciduous woodland. Nests on cliff ledges or in tall trees. About 2,864,500 acres of potentially suitable habitat occurs in the SEZ region.	11,842 acres of potentially suitable habitat lost 0.4% of available potentially suitable habitat) during construction and operations	101,260 acres of potentially suitable habitat (3.5% of available potentially suitable habitat)	Small overall impact.
Turkey vulture (<i>Cathartes aura</i>)	Occurs in open stages of most habitats that provide adequate cliffs or large trees for nesting, roosting, and resting. Migrates and forages over most open habitats. Roosts communally in trees, exposed boulders, and occasionally transmission line support towers. About 1,423,700 acres of potentially suitable habitat occurs in the SEZ region.	5,136 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	69,377 acres of potentially suitable habitat (4.9% of available potentially suitable habitat)	Small overall impact.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Upland Game Birds				
Gambel's quail (<i>Callipepla gambelii</i>)	Deserts, especially in areas with brushy or thorny growth, and adjacent cultivated areas. Usually occurs near water. Nests on the ground under cover of small trees, shrubs, and grass tufts. About 3,692,400 acres of potentially suitable habitat occurs within the SEZ region.	13,208 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	104,513 acres of potentially suitable habitat (2.8% of potentially suitable habitat)	Small overall impact.
Mourning dove (<i>Zenaida macroura</i>)	Habitat generalist, occurring in grasslands, shrublands, croplands, lowland and foothill riparian forests, ponderosa pine forests, deserts, and urban and suburban areas. Rarely in aspen and other forests, coniferous woodlands, and alpine tundra. Nests on ground or in trees. Winters mostly in lowland riparian forests adjacent to cropland. About 4,585,500 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	188,706 acres of potentially suitable habitat (4.1% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Scaled quail (<i>Callipepla squamata</i>)	Desertscrub dominated by mesquite, yucca, and cactus and grasslands. Bare habitat is an important habitat component. About 3,672,400 acres of potentially suitable habitat occurs within the SEZ region.	13,208 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	104,276 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact.
White-winged dove (<i>Zenaida asiatica</i>)	Desert riparian, wash, succulent shrub, scrub, and Joshua tree habitats; orchards and vineyards, croplands, and pastures. About 2,746,500 acres of potentially suitable habitat occurs within the SEZ region.	11,942 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	101,993 acres of potentially suitable habitat (3.7% of available suitable habitat)	Small overall impact. Avoidance of wash and riverine wetland areas could reduce impacts.

TABLE 12.3.11.2-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Upland Game Birds</i> (Cont.)				
Wild turkey (<i>Meleagris gallopavo</i>)	Lowland riparian forests, foothill shrubs, pinyon-juniper woodlands, foothill riparian forests, and agricultural areas. About 1,482,800 acres of potentially suitable habitat occurs within the SEZ region.	241 acres of potentially suitable habitat lost (0.02% of available potentially suitable habitat) during construction and operations	9,944 acres of potentially suitable habitat (0.7% of available potentially suitable habitat)	Small overall impact.

- ^a Potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.
- ^b Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. A maximum of 18,016 acres of direct effects within the SEZ was assumed.
- ^c Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.
- ^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary. Potentially suitable habitat within the SEZ greater than the maximum of 18,016 acres of direct effects was also added to the area of indirect effects. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from the SEZ, but do not include ground-disturbing activities. The potential degree of indirect effects would decrease with increasing distance from the SEZ.
- ^e Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: ≤1% of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but ≤10% of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: >10% of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^f Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^g To convert acres to km², multiply by 0.004047.

Sources: CDFG (2008); NatureServe (2010); NMDGF (2010); USGS (2004, 2005a, 2007).

1 The assessment of impacts on bird species is based on available information on the
2 presence of species in the affected area as presented in Section 12.3.11.2.1, following the
3 analysis approach described in Appendix M. Additional NEPA assessments and coordination
4 with federal or state natural resource agencies may be needed to address project-specific impacts
5 more thoroughly. These assessments and consultations could result in additional required actions
6 to avoid or mitigate impacts on birds (see Section 12.3.11.2.3).

7
8 In general, impacts on birds would result from habitat disturbance (i.e., habitat reduction,
9 fragmentation, and alteration) and from disturbance, injury, or mortality to individual birds.
10 Table 12.3.11.2-1 summarizes the magnitude of potential impacts on representative bird species
11 resulting from solar energy development in the proposed Red Sands SEZ. Direct impacts on
12 representative bird species would be moderate for the killdeer (1.1% of the potentially suitable
13 habitats identified for the species in the SEZ would be lost) and horned lark (2.4% of the
14 potentially suitable habitats identified for the species in the SEZ would be lost). Direct impacts
15 on all other representative bird species would be small, because 0.01 to 0.5% of potentially
16 suitable habitats identified for those species in the SEZ region would be lost. Larger areas of
17 potentially suitable habitats for the bird species occur within the area of potential indirect effects
18 (e.g., up to 20.3% of available habitat for the horned lark) (Table 12.3.11.2-1). Other impacts on
19 birds could result from collision with vehicles and infrastructure (e.g., buildings and fences),
20 surface water and sediment runoff from disturbed areas, fugitive dust generated by project
21 activities, noise, lighting, spread of invasive species, accidental spills, and harassment. Indirect
22 impacts on areas outside the SEZ (e.g., impacts caused by dust generation, erosion, and
23 sedimentation) are expected to be negligible with implementation of programmatic design
24 features.

25
26 Decommissioning after operations cease could result in short-term negative impacts on
27 individuals and habitats within and adjacent to the SEZ. The negative impacts of
28 decommissioning would be reduced or eliminated as reclamation proceeds. Potentially long-term
29 benefits could accrue as habitats are restored in previously disturbed areas. Section 5.10.2.1.4
30 provides an overview of the impacts of decommissioning and reclamation on wildlife. Of
31 particular importance for bird species would be the restoration of original ground surface
32 contours, soils, and native plant communities associated with semiarid shrublands.

33 34 35 ***12.3.11.2.3 SEZ-Specific Design Features and Design Feature Effectiveness***

36
37 The successful implementation of programmatic design features presented in
38 Appendix A, Section A.2.2, would reduce the potential for effects on birds, especially for those
39 species that depend on habitat types that can be avoided (e.g., wetlands, washes and playas).
40 Indirect impacts could be reduced to negligible levels by implementing programmatic design
41 features, especially those engineering controls that would reduce runoff, sedimentation, spills,
42 and fugitive dust. While SEZ-specific design features important for reducing impacts on birds
43 are best established when project details are considered, some design features can be identified at
44 this time:

- 1 • For solar energy development within the SEZ, the requirements contained
2 within the 2010 Memorandum of Understanding between the BLM and
3 USFWS to promote the conservation of migratory birds will be followed.
4
- 5 • Take of golden eagles and other raptors should be avoided. Mitigation
6 regarding the golden eagle should be developed in consultation with the
7 USFWS and the NMDGF. A permit may be required under the Bald and
8 Golden Eagle Protection Act.
9
- 10 • Wash, playa, and palustrine and wetland areas, which could provide unique
11 habitats for some bird species, should be avoided.
12

13 If these SEZ-specific design features are implemented in addition to programmatic design
14 features, impacts on bird species could be reduced. However, because potentially suitable
15 habitats for a number of the bird species occur throughout much of the SEZ, additional species-
16 specific mitigation of direct effects for those species would be difficult or infeasible.
17

18 **12.3.11.3 Mammals**

19 ***12.3.11.3.1 Affected Environment***

20
21
22 This section addresses mammal species that are known to occur, or for which potentially
23 suitable habitat occurs, on or within the potentially affected area of the proposed Red Sands SEZ.
24 Mammal species potentially present in the SEZ area were determined from species lists available
25 from the BISON-M (NMDGF 2010). Range maps and habitat information were obtained from
26 SWReGAP (USGS 2007), with supplemental habitat information obtained from CDFG (2008)
27 and NatureServe (2010). Land cover types suitable for each species were determined from
28 SWReGAP (USGS 2004, 2005a, 2007) and the South Central Gap Analysis Program
29 (USGS 2010d). See Appendix M for additional information on the approach used.
30
31

32
33 About 90 species of mammals are reported from Otero County (NMDGF 2010);
34 however, suitable habitats for a number of these species are limited or nonexistent within the
35 proposed Red Sands SEZ (USGS 2007). Similar to the overview of mammals provided for the
36 six-state study area (Section 4.10.2.3), the following discussion for the SEZ emphasizes big
37 game and other mammal species that (1) have key habitats within or near the SEZ, (2) are
38 important to humans (e.g., big game, small game, and furbearer species), and/or (3) are
39 representative of other species that share similar habitats.
40

41 **Big Game**

42
43
44 The big game species that could occur within the vicinity of the proposed Red Sands SEZ
45 include cougar (*Puma concolor*), desert bighorn sheep (*Ovis canadensis mexicana*), mule deer
46 (*Odocoileus hemionus*), and pronghorn (*Antilocapra americana*) (NMDGF 2010; USGS 2007).

1 Because of its special species status, the desert bighorn sheep is addressed in Section 12.3.12.
2 Potentially suitable habitat for the cougar occurs throughout the SEZ. Figure 12.3.11.3-1 shows
3 the areas around the SEZ where mule deer are rare or absent and where they occur at a density of
4 less than 10 deer/mi² (less than 4 deer/km²). Figure 12.3.11.3-2 shows the mapped range of
5 pronghorn relative to the location of the SEZ.
6
7

8 **Other Mammals**

9

10 A number of small game and furbearer species occur within the area of the proposed Red
11 Sands SEZ. Species that could occur within the area of the SEZ include the American badger
12 (*Taxidea taxus*), black-tailed jackrabbit (*Lepus californicus*), bobcat (*Lynx rufus*), coyote (*Canis*
13 *latrans*), desert cottontail (*Sylvilagus audubonii*), gray fox (*Urocyon cinereoargenteus*), javelina
14 (*Pecari tajacu*), kit fox (*Vulpes macrotis*), ringtail (*Bassariscus astutus*), and striped skunk
15 (*Mephitis mephitis*) (NMDGF 2010; USGS 2007).
16


17 The nongame (small) mammals include rodents, bats, mice, and shrews. Representative
18 species for which potentially suitable habitat occurs within the proposed Red Sands SEZ include
19 Botta's pocket gopher (*Thomomys bottae*), cactus mouse (*Peromyscus eremicus*), canyon mouse
20 (*Peromyscus crinitus*), deer mouse (*P. maniculatus*), desert pocket mouse (*Chaetodipus*
21 *penicillatus*), desert shrew (*Notiosorex crawfordi*), Merriam's kangaroo rat (*Dipodomys*
22 *merriami*), northern grasshopper mouse (*Onychomys leucogaster*), Ord's kangaroo rat
23 (*Dipodomys ordii*), round-tailed ground squirrel (*Spermophilus tereticaudus*), southern plains
24 woodrat (*Neotoma micropus*), spotted ground squirrel (*Spermophilus pilosoma*), western
25 harvest mouse (*Reithrodontomys megalotis*), and white-tailed antelope squirrel
26 (*Ammospermophilus leucurus*) (NMDGF 2010; USGS 2007). Bat species that may occur within
27 the area of the SEZ include the big brown bat (*Eptesicus fuscus*), Brazilian free-tailed bat
28 (*Tadarida brasiliensis*), California myotis (*Myotis californicus*), silver-haired bat (*Lasionycteris*
29 *noctivagans*), spotted bat (*Euderma maculatum*), and western pipistrelle (*Parastrellus hesperus*)
30 (NMDGF 2010; USGS 2007). However, roost sites for the bat species (e.g., caves, hollow trees,
31 or buildings) would be limited to absent within the SEZ. Special status bat species that could
32 occur within the SEZ area are addressed in Section 12.3.12.
33

34 Table 12.3.11.3-1 provides habitat information for representative mammal species that
35 could occur within the proposed Red Sands SEZ. Special status mammal species are discussed in
36 Section 12.3.12.
37
38


39 **12.3.11.3.2 Impacts**

40

41 The types of impacts that mammals could incur from construction, operation, and
42 decommissioning of utility-scale solar energy facilities are discussed in Section 5.10.2.1. Any
43 such impacts would be minimized through the implementation of required programmatic design
44 features described in Appendix A, Section A.2.2, and through any additional mitigation applied.
45 Section 12.3.11.3.3, below, identifies design features of particular relevance to mammals for the
46 proposed Red Sands SEZ.



1
 2 **FIGURE 12.3.11.3-1 Density of Mule Deer within the Proposed Red Sands SEZ Region (Source:**
 3 **BLM 2009a)**



1

2 **FIGURE 12.3.11.3-2 Location of the Proposed Red Sands SEZ Relative to the Mapped Range of**
 3 **Pronghorn (Source: BLM 2009b)**

4

TABLE 12.3.11.3-1 Habitats, Potential Impacts, and Potential Mitigation for Representative Mammal Species That Could Occur on or in the Affected Area of the Proposed Red Sands SEZ

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Big Game				
Cougar (<i>Puma concolor</i>)	Most common in rough, broken foothills and canyon country, often in association with montane forests, shrublands, and pinyon-juniper woodlands. About 4,654,300 acres ^g of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	184,357 acres of potentially suitable habitat (4.0% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Mule deer (<i>Odocoileus hemionus</i>)	Most habitats including coniferous forests, desert shrub, chaparral, and grasslands with shrubs. Greatest densities in shrublands on rough, broken terrain that provides abundant browse and cover. About 4,936,900 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	199,686 acres of potentially suitable habitat (4.0% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Pronghorn (<i>Antilocapra americana</i>)	Grasslands and semidesert shrublands on rolling topography that affords good visibility. Most abundant in shortgrass or midgrass prairies and least common in xeric habitats. About 1,559,100 acres of potentially suitable habitat occurs in the SEZ region.	8,078 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	35,193 acres of potentially suitable habitat (2.3% of available potentially suitable habitat)	Small overall impact.

TABLE 12.3.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Small Game and Furbearers</i>				
American badger (<i>Taxidea taxus</i>)	Open grasslands and deserts, meadows in subalpine and montane forests, alpine tundra. Digs burrows in friable soils. Most common in areas with abundant populations of ground squirrels, prairie dogs, and pocket gophers. About 3,899,100 acres of potentially suitable habitat occurs in the SEZ region.	13,208 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	104,283 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact.
Black-tailed jackrabbit (<i>Lepus californicus</i>)	Open plains, fields, and deserts with scattered thickets or patches of shrubs. Also, open, early stages of forests and chaparral habitats. Rests during the day in shallow depressions, and uses shrubs for cover. About 3,789,800 acres of potentially suitable habitat occurs in the SEZ region.	8,596 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	74,710 acres of potentially suitable habitat (2.0% of available potentially suitable habitat)	Small overall impact.
Bobcat (<i>Lynx rufus</i>)	Most habitats except subalpine coniferous forest and montane meadow grasslands. Most common in rocky country from deserts through ponderosa forests. About 2,779,600 acres of potentially suitable habitat occurs in the SEZ region.	6,953 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	41,905 acres of potentially suitable habitat (1.5% of available potentially suitable habitat)	Small overall impact.
Coyote (<i>Canis latrans</i>)	All habitats at all elevations. Least common in dense coniferous forest. Where human control efforts occur, they are restricted to broken, rough country with abundant shrub cover and a good supply of rabbits or rodents. About 5,010,100 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	205,431 acres of potentially suitable habitat (4.1% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.3.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Small Game and Furbearers				
Desert cottontail (<i>Sylvilagus audubonii</i>)	Abundant to common in grasslands, open forests, and desert shrub habitats. Can occur in areas with minimal vegetation as long as adequate cover (e.g., rock piles, fallen logs, fence rows) is present. Thickets and patches of shrubs, vines, and brush also used as cover. About 4,417,600 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	188,749 acres of potentially suitable habitat (4.3% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Gray fox (<i>Urocyon cinereoargenteus</i>)	Deserts, open forests and brush. Prefer wooded areas, broken country, brushlands, and rocky areas. Tolerant of low levels of residential development. About 4,869,900 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	195,312 acres of potentially suitable habitat (4.0% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Javelina (spotted peccary) (<i>Pecari tajacu</i>)	Often in thickets along creeks and washes. Beds in caves, mines, boulder fields, and dense stands of brush. May visit a water hole on a daily basis. About 3,260,400 acres of potentially suitable habitat occurs within the SEZ region.	7,124 acres of potentially suitable habitat lost (0.2% of available potentially suitable habitat) during construction and operations	57,521 acres of potentially suitable habitat (1.8% of available suitable habitat)	Small overall impact. Avoidance of wash and riverine wetland areas could reduce impacts.
Kit fox (<i>Vulpes macrotis</i>)	Desert and semidesert areas with relatively open vegetative cover and soft soils. Seek shelter in underground burrows. About 3,794,100 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	195,152 acres of potentially suitable habitat (5.1% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.3.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
Small Game and Furbearers (Cont.)				
Ringtail (<i>Bassariscus astutus</i>)	Usually in rocky areas with cliffs or crevices for daytime shelter, desertscrub, chaparral, pine-oak and conifer woodlands. About 4,041,800 acres of potentially suitable habitat occurs within the SEZ region.	13,208 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	112,060 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact.
Striped skunk (<i>Mephitis mephitis</i>)	Occurs in most habitats other than alpine tundra. Common at lower elevations, especially in and near cultivated fields and pastures. Generally inhabits open country in woodlands, brush areas, and grasslands, usually near water. Dens under rocks, logs, or buildings. About 4,925,100 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	195,362 acres of potentially suitable habitat (4.0% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Nongame (small) Mammals				
Big brown bat (<i>Eptesicus fuscus</i>)	Most habitats from lowland deserts to timberline meadows. Roosts in hollow trees, rock crevices, mines, tunnels, and buildings. About 3,947,300 acres of potentially suitable habitat occurs in the SEZ region.	13,208 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	112,299 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact.
Botta's pocket gopher (<i>Thomomys bottae</i>)	Variety of habitats including shortgrass plains, oak savanna, agricultural lands, and deserts. Burrows are more common in disturbed areas such as roadways and stream floodplains. About 3,860,500 acres of potentially suitable habitat occurs in the SEZ region.	13,208 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	104,327 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact.

TABLE 12.3.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Brazilian free-tailed bat (<i>Tadarida brasiliensis</i>)	Cliffs, deserts, grasslands, old fields, savannas, shrublands, woodlands, and suburban/urban areas. Roosts in buildings, caves, and hollow trees. May roost in rock crevices, bridges, signs, or cliff swallow nests during migration. Large maternity colonies inhabit caves, buildings, culverts, and bridges. About 4,154,100 acres of potentially suitable habitat occurs in the SEZ region.	13,308 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	117,396 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact.
Cactus mouse (<i>Peromyscus eremicus</i>)	Variety of areas including desertscrub, semidesert chaparral, desert wash, semidesert grassland, and cliff and canyon habitats. About 3,360,200 acres of potentially suitable habitat occurs in the SEZ region.	8,496 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	65,095 acres of potentially suitable habitat (1.9% of available potentially suitable habitat)	Small overall impact.
California myotis (<i>Myotis californicus</i>)	Desertscrub, semidesert shrublands, lowland riparian, swamps, riparian suburban areas, plains grasslands, scrub-grasslands, woodlands, and forests. Roosts in caves, mine tunnels, hollow trees, and loose rocks. About 3,891,200 acres of potentially suitable habitat occurs in the SEZ region.	13,208 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	104,407 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact.
Canyon mouse (<i>Peromyscus crinitus</i>)	Associated with rocky substrates in a variety of habitats, including desertscrub, sagebrush shrublands, woodlands, cliffs and canyons, and volcanic rock and cinder lands. Source of free water not required. About 1,564,700 acres of potentially suitable habitat occurs within the SEZ region.	6,706 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	27,533 acres of potentially suitable habitat (1.8% of available suitable habitat)	Small overall impact.

TABLE 12.3.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small) Mammals (Cont.)</i>				
Deer mouse (<i>Peromyscus maniculatus</i>)	Tundra; alpine and subalpine grasslands; plains grasslands; open, sparsely vegetated deserts; warm, temperate swamps and riparian forests; and Sonoran desertscrub habitats. About 4,659,100 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	184,494 acres of potentially suitable habitat (4.0% of available potentially suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Desert pocket mouse (<i>Chaetodipus penicillatus</i>)	Sparsely vegetated sandy deserts. Prefers rock-free bottomland soils along rivers and streams. Sleeps and rears young in underground burrows. About 2,607,000 acres of potentially suitable habitat occurs within the SEZ region.	8,490 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	65,084 acres of potentially suitable habitat (4.0% of available potentially suitable habitat)	Small overall impact.
Desert shrew (<i>Notiosorex crawfordi</i>)	Generally found in arid areas with adequate cover for nesting and resting. Deserts, semiarid grasslands with scattered cactus and yucca, chaparral slopes, alluvial fans, sagebrush, gullies, juniper woodlands, riparian areas, and dumps. About 3,883,900 acres of potentially suitable habitat occurs within the SEZ region.	13,308 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	109,885 acres of potentially suitable habitat (2.8% of available suitable habitat)	Small overall impact. Avoidance of riverine wetland areas could reduce impacts.
Merriam's kangaroo rat (<i>Dipodomys merriami</i>)	Plains grasslands, scrub-grasslands, desertscrub, shortgrass plains, oak and juniper savannahs, mesquite dunes, and creosote flats. About 3,952,000 acres of potentially suitable habitat occurs in the SEZ region.	18,016 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat) during construction and operations	192,208 acres of potentially suitable habitat (4.9% of available potentially suitable habitat)	Moderate overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.

TABLE 12.3.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Northern grasshopper mouse (<i>Onychomys leucogaster</i>)	Occurs in grasslands, sagebrush deserts, overgrazed pastures, weedy roadside ditches, sand dunes, and other habitats with sandy soil and sparse vegetation. About 4,327,000 acres of potentially suitable habitat occurs within the SEZ region.	14,569 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	149,002 acres of potentially suitable habitat (3.4% of available potentially suitable habitat)	Small overall impact.
Ord's kangaroo rat (<i>Dipodomys ordii</i>)	Various habitats ranging from semidesert shrublands and pinyon-juniper woodlands to shortgrass or mixed prairie and silvery wormwood. Also occurs in dry, grazed, riparian areas if vegetation is sparse. Most common on sandy soils that allow for easy digging and construction of burrow systems. About 4,155,700 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	189,720 acres of potentially suitable habitat (4.6% of available suitable habitat)	Small overall impact. No species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Round-tailed ground squirrel (<i>Spermophilus tereticaudus</i>)	Optimum habitat includes desert succulent shrub, desert wash, desertscrub, alkali desertscrub, and levees in cropland habitat. Also occurs in urban habitats. Burrows usually at base of shrubs. About 1,134,800 acres of potentially suitable habitat occurs within the SEZ region.	418 acres of potentially suitable habitat lost (0.04% of available potentially suitable habitat) during construction and operations	29,811 acres of potentially suitable habitat (2.6% of available suitable habitat)	Small overall impact. Avoidance of wash habitat could reduce impacts.
Silver-haired bat (<i>Lasionycteris noctivagans</i>)	Urban areas, chaparral, alpine and subalpine grasslands, forests, scrub-grassland, oak savannah and desertscrub habitats. Roosts under bark, in hollow trees, caves, and mines. Forages over clearings and open water. About 3,589,400 acres of potentially suitable habitat occurs within the SEZ region.	11,601 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	94,890 acres of potentially suitable habitat (2.6% of available suitable habitat)	Small overall impact.

TABLE 12.3.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Southern plains woodrat (<i>Neotoma micropus</i>)	Semiarid and desert grassland environments. Burrows along the sides of arroyos and favors outwash plains and overgrazed lands. Occurs on rocky, gravelly, and sandy soils. About 4,642,200 acres of potentially suitable habitat occurs within the SEZ region.	18,016 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	189,770 acres of potentially suitable habitat (4.1% of available suitable habitat)	Moderate overall impact. Avoidance of wash and playa habitats, otherwise no species-specific mitigation of direct effects is feasible, because suitable habitat is widespread in the area of direct effects.
Spotted bat (<i>Euderma maculatum</i>)	Various habitats from desert to montane coniferous forests, mostly in open or scrub areas. Roosts in caves and cracks and crevices in cliffs and canyons. About 1,532,700 acres of potentially suitable habitat occurs within the SEZ region.	177 acres of potentially suitable habitat lost (0.01% of available potentially suitable habitat) during construction and operations	20,162 acres of potentially suitable habitat (1.3% of available suitable habitat)	Small overall impact.
Spotted ground squirrel (<i>Spermophilus pilosoma</i>)	Arid grasslands and deserts. About 4,290,000 acres of potentially suitable habitat occurs within the SEZ region.	14,569 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	148,952 acres of potentially suitable habitat (3.5% of available suitable habitat)	Small overall impact.
Western harvest mouse (<i>Reithrodontomys megalotis</i>)	Various habitats including scrub-grasslands, temperate swamps and riparian forests, salt marshes, shortgrass plains, oak savannah, dry fields, agricultural areas, deserts, and desertscrub. Grasses are the preferred cover. About 3,654,000 acres of potentially suitable habitat occurs in the SEZ region.	12,967 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	102,214 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact.

TABLE 12.3.11.3-1 (Cont.)

Common Name (Scientific Name)	Habitat ^a	Maximum Area of Potential Habitat Affected ^b		Overall Impact Magnitude ^e and Species-Specific Mitigation ^f
		Within SEZ (Direct Effects) ^c	Outside SEZ (Indirect Effects) ^d	
<i>Nongame (small)</i>				
<i>Mammals (Cont.)</i>				
Western pipistrelle (<i>Parastrellus hesperus</i>)	Deserts and lowlands, desert mountain ranges, desertscrub flats, and rocky canyons. Roosts mostly in rock crevices, sometimes mines and caves, and rarely in buildings. Suitable roosts occur in rocky canyons and cliffs. Most abundant bat in desert regions. About 3,641,500 acres of potentially suitable habitat occurs in the SEZ region.	12,967 acres of potentially suitable habitat lost (0.4% of available potentially suitable habitat) during construction and operations	102,100 acres of potentially suitable habitat (2.8% of available potentially suitable habitat)	Small overall impact.
White-tailed antelope squirrel (<i>Ammospermophilus leucurus</i>)	Low deserts, semidesert and montane shrublands, plateaus, and foothills in areas with sparse vegetation and hard gravelly surfaces. Spends nights and other periods of inactivity in underground burrows. About 2,384,500 acres of potentially suitable habitat occurs within the SEZ region.	6,889 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat) during construction and operations	47,725 acres of potentially suitable habitat (2.0% of available potentially suitable habitat)	Small overall impact.

- ^a Potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.
- ^b Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. A maximum of 18,016 acres of direct effects within the SEZ was assumed.
- ^c Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.
- ^d Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary. Potentially suitable habitat within the SEZ greater than the maximum of 18,016 acres of direct effects was also added to the area of indirect effects. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from the SEZ, but do not include ground-disturbing activities. The potential degree of indirect effects would decrease with increasing distance away from the SEZ.

Footnotes continued on next page.

TABLE 12.3.11.3-1 (Cont.)

-
- ^e Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: $\leq 1\%$ of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but $\leq 10\%$ of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: $>10\%$ of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects, because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^f Species-specific mitigations are suggested here, but final mitigations should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^g To convert acres to km^2 , multiply by 0.004047.

Sources: CDFG (2008); NatureServe (2010); NMDGF (2010); USGS (2004, 2005a, 2007).

1 The assessment of impacts on mammal species is based on available information on the
2 presence of species in the affected area as presented in Section 12.3.11.3.1, following the
3 analysis approach described in Appendix M. Additional NEPA assessments and coordination
4 with state natural resource agencies may be needed to address project-specific impacts more
5 thoroughly. These assessments and consultations could result in additional required actions to
6 avoid or mitigate impacts on mammals (see Section 12.3.11.3.3).

7
8 Table 12.3.11.3-1 summarizes the magnitude of potential impacts on representative
9 mammal species resulting from solar energy development (with the inclusion of design features)
10 in the proposed Red Sands SEZ.

11 12 13 **Cougar**

14
15 Up to 18,016 acres (72.9 km²) of potentially suitable cougar habitat could be lost by SEZ
16 development within the proposed Red Sands SEZ. This represents about 0.4% of potentially
17 suitable cougar habitat within the SEZ region. About 184,360 acres (746 km²) of potentially
18 suitable cougar habitat occurs within the area of indirect effects. Overall, impacts on cougar from
19 solar energy development in the SEZ would be small.

20 21 22 **Mule Deer**

23
24 Based on land cover analyses, up to 18,016 acres (72.9 km²) of potentially suitable mule
25 deer habitat could be lost by SEZ development within the proposed Red Sands SEZ. This
26 represents about 0.4% of potentially suitable mule deer habitat within the SEZ region. More than
27 199,700 acres (808 km²) of potentially suitable mule deer habitat occurs within the area of
28 indirect effects. Based on mapped ranges, up to 22,520 acres (91.1 km²) of mule deer range
29 where deer are rare or absent could be directly impacted by solar energy development in the
30 SEZ. This is 1.0% of such range within the SEZ region. About 224,185 acres (907 km²) of this
31 low-density deer range occurs within the area of indirect effects. No acreage of higher-density
32 mule deer range (i.e., less than 10 deer/mi² [less than 4 deer/km²]) occur within the area of direct
33 or indirect effects (Figure 12.3.11.3-1). Overall, impacts on mule deer from solar energy
34 development in the SEZ would be small.

35 36 37 **Pronghorn**

38
39 Based on land cover analyses, up to 8,078 acres (32.7 km²) of potentially suitable
40 pronghorn habitat could be lost by SEZ development within the proposed Red Sands SEZ. This
41 represents about 0.5% of potentially suitable mule deer habitat within the SEZ region. About
42 35,200 acres (142.4 km²) of potentially suitable pronghorn habitat occurs within the area of
43 indirect effects. However, based on mapped range, pronghorn do not occur within the SEZ or
44 areas of indirect impacts (Figure 12.3.11.3-2). Overall, impacts on pronghorn from solar energy
45 development in the SEZ would be small.

1 **Other Mammals**

2
3 Direct impacts on all other representative mammal species would be small, because
4 0.01 to 0.5% of potentially suitable habitats identified for those species in the proposed Red
5 Sands SEZ region would be lost. Larger areas of potentially suitable habitat for the
6 representative mammal species occur within the area of potential indirect effects (e.g., up to
7 5.1% of available habitat for the kit fox) (Table 12.3.11.3-1).

8
9
10 **Summary**

11
12 Overall, direct impacts on mammal species from habitat loss would be small
13 (Table 12.3.11.3-1). Other impacts on mammals could result from collision with vehicles and
14 infrastructure (e.g., fences), surface water and sediment runoff from disturbed areas, fugitive dust
15 generated by project activities, noise, lighting, spread of invasive species, accidental spills, and
16 harassment. Indirect impacts on areas outside the SEZ (e.g., impacts caused by dust generation,
17 erosion, and sedimentation) would be negligible with implementation of programmatic design
18 features.

19
20 Decommissioning after operations cease could result in short-term negative impacts on
21 individuals and habitats within and adjacent to the SEZ. The negative impacts of
22 decommissioning would be reduced or eliminated as reclamation proceeds. Potentially long-term
23 benefits could accrue as habitats are restored in previously disturbed areas. Section 5.10.2.1.4
24 provides an overview of the impacts of decommissioning and reclamation on wildlife. Of
25 particular importance for mammal species would be the restoration of original ground surface
26 contours, soils, and native plant communities associated with semiarid shrublands.

27
28
29 ***12.3.11.3.3 SEZ-Specific Design Features and Design Feature Effectiveness***

30
31 The implementation of required programmatic design features described in Appendix A,
32 Section A.2.2, would reduce the potential for effects on mammals. Indirect impacts could be
33 reduced to negligible levels by implementing design features, especially those engineering
34 controls that would reduce runoff, sedimentation, spills, and fugitive dust. While SEZ-specific
35 design features important for reducing impacts on mammals are best established when
36 considering specific project details, design features that can be identified at this time are as
37 follow:

- 38
39 • The fencing around the solar energy development should not block the free
40 movement of mammals, particularly big game species.
41
42 • Wash, playa, and palustrine and riverine wetlands should be avoided.
43

44 If these SEZ-specific design features are implemented in addition to other programmatic
45 design features, impacts on mammals could be reduced. However, potentially suitable habitats

1 for a number of the mammal species occur throughout much of the SEZ; therefore, species-
2 specific mitigation of direct effects for those species would be difficult or infeasible.
3
4

5 **12.3.11.4 Aquatic Biota**

6
7

8 **12.3.11.4.1 Affected Environment**

9

10 This section addresses aquatic habitats and biota known to occur in the proposed
11 Red Sands SEZ itself or within an area that could be affected, either directly or indirectly, by
12 activities associated with solar energy development within the proposed SEZ. There are no
13 perennial water bodies or streams within the proposed Red Sands SEZ. NWI maps
14 (USFWS undated) indicate there are 17 acres (0.07 km²) of palustrine wetlands and 0.3 mi (0.4
15 km) of intermittent stream wetlands as well as small ephemeral washes and unnamed dry lakes
16 within the SEZ (see Section 12.3.10). The streams and washes within the SEZ do not drain into
17 any permanent surface water. The ephemeral and intermittent surface waters within the SEZ are
18 normally dry and typically do not support aquatic or riparian habitats. Although not considered
19 aquatic habitat, nonpermanent surface waters may contain invertebrates that are either aquatic
20 opportunists (i.e., species that occupy both temporary and permanent waters) or specialists
21 adapted to living in temporary aquatic environments (Graham 2001). On the basis of information
22 from ephemeral pools in the American Southwest, ostracods (seed shrimp) and small planktonic
23 crustaceans (e.g., copepods or cladocerans) are expected to be present, and larger branchiopod
24 crustaceans such as fairy shrimp could occur (Graham 2001). Various types of insects that have
25 aquatic larval stages, such as dragonflies and a variety of midges and other fly larvae, may also
26 occur, depending on the duration of standing water, the distance to permanent water features, and
27 the abundance of other invertebrates for prey (Graham 2001).
28

29 There are no perennial streams located within the area of indirect effects associated with
30 the proposed Red Sands SEZ. However, one dry lake (Foster Lake) is present, west of the SEZ.
31 In addition, Holloman Lake is a permanent water body within the area of indirect effects,
32 approximately 3 mi (5 km) west of the SEZ along U.S. 70. There are also wetlands, canals, and
33 lagoons associated with Holloman Lake. Holloman Lake is a man-made lake supplied by
34 groundwater and surface water runoff (Holloman Air Force Base 2009). Holloman Lake and the
35 associated surface waters provide habitat for aquatic biota, but the only fish species currently
36 present are introduced mosquito fish (*Gambusia affinis*), although there are plans to stock hybrid
37 striped bass (*Morone* sp.) (Holloman Air Force Base 2009). In addition, intermittent streams,
38 wetlands, and ephemeral washes are present within the area of indirect effects. However, most of
39 these features are typically dry and not likely to contain aquatic habitat, although opportunistic
40 aquatic biota may be present. Streams within the area of indirect effects do not drain into any
41 perennial surface waters.
42

43 Outside of the potential indirect effects area, but within 50 mi (80 km) of the proposed
44 Red Sands SEZ, there are 4,041 acres (16 km²) of intermittent lake (Lake Lucero), 776 acres
45 (3 km²) of perennial lake (Caballo Reservoir), and 263 acres (1 km²) of dry lake. There are
46 487 mi (784 km) of intermittent stream, 108 mi (174 km) of perennial stream (primarily the

1 Rio Grande), and 11 mi (18 km) of canals within 50 mi (80 km) of the proposed SEZ. In
2 addition, there are scattered wetlands, many of which are associated with the Rio Grande River.
3 The White Sands National Monument is also located within 50 mi (80 km) of the SEZ. White
4 Sands contains playa lakes and interdunal areas containing encysted macroinvertebrates during
5 dry periods that become active and reproduce when these areas fill with water. These temporary
6 invertebrate communities in turn provide a food source for the hundreds of migratory shore and
7 water birds that pass through the monument.

10 ***12.3.11.4.2 Impacts***

11
12 Section 5.10.3.2 discusses the types of impacts that could occur on aquatic habitats and
13 biota because of the development of utility-scale solar energy facilities. Effects particularly
14 relevant to aquatic habitats and communities include water withdrawal and changes in water,
15 sediment, and contaminant inputs associated with runoff. The consequences of these habitat
16 changes for aquatic biota are described in detail in Section 5.10.3.

17
18 No permanent streams, water bodies, or wetlands are present within the area of direct
19 effects, but there are intermittent streams and wetlands that may be affected by ground
20 disturbance and sedimentation associated with solar energy development within the proposed
21 Red Sands SEZ. However, the intermittent surface water features within the SEZ are typically
22 dry and not likely to contain aquatic habitat. A perennial lake (Holloman Lake) and several
23 intermittent streams and wetlands are present within the area of indirect effects, and disturbance
24 of land areas within the SEZ could increase the transport of soil into these features via
25 waterborne and airborne pathways. The intermittent streams and wetlands in the area of indirect
26 effects are typically dry. Therefore, no impacts on aquatic habitat and biota in these features are
27 expected, although more detailed site surveys for biota in ephemeral and intermittent surface
28 waters would be necessary to determine whether solar energy development activities would
29 result in direct or indirect impacts on aquatic biota. Soil deposition could adversely affect the
30 aquatic biota in Holloman Lake. The introduction of waterborne sediments into Holloman Lake
31 and the intermittent streams and wetlands within the SEZ and the area of indirect effects could be
32 minimized by using common mitigation measures such as settling basins, silt fences, or directing
33 water draining from the developed areas away from streams. The intermittent streams in the area
34 of direct and indirect effects do not drain into any permanent surface water, which reduces the
35 potential for sedimentation in permanent surface water features outside of the SEZ and the area
36 of indirect effects.

37
38 As identified in Section 5.10.3, water quality in aquatic habitats could be affected by the
39 introduction of contaminants such as fuels, lubricants, or pesticides/herbicides during site
40 characterization, construction, operation, or decommissioning for a solar energy facility. Within
41 the proposed Red Sands SEZ, there is the potential for contaminants to enter intermittent and
42 ephemeral washes and wetlands, especially if heavy machinery were used in or near the feature.
43 However, aquatic habitat and biota are not likely to be present in intermittent and ephemeral
44 surface water, and the potential for introducing contaminants could be minimized by avoiding
45 these features during solar energy development within the SEZ. The potential for introducing
46 contaminants into permanent surface waters would be small, given the relatively large distance

1 of any permanent surface waters from the SEZ (approximately 3 mi [5 km]) and the lack of
2 connectivity between washes within the SEZ and any permanent surface water.

3
4 In arid environments, reductions in the quantity of water in aquatic habitats are of
5 particular concern. Water quantity in aquatic habitats could be affected if significant amounts of
6 surface water or groundwater were utilized for power plant cooling water, for washing mirrors,
7 or for other needs. There is the potential that groundwater withdrawals could reduce surface
8 water levels in the man-made Holloman Lake. Groundwater withdrawals also have the potential
9 to directly or indirectly reduce the aquatic habitat available for groundwater-dependent seasonal
10 aquatic invertebrate communities in the White Sands National Monument. However, additional
11 details regarding the volume of water required and the types of organisms present in potentially
12 affected water bodies would be required in order to further evaluate the potential for reduced
13 water levels in surrounding surface water features from water withdrawals.

14 15 16 ***12.3.11.4.3 SEZ-Specific Design Features and Design Feature Effectiveness***

17
18 The implementation of required programmatic design features described in Appendix A,
19 Section A.2.2, would greatly reduce or eliminate the potential for effects on aquatic biota and
20 aquatic habitats from development and operation of solar energy facilities. While some SEZ-
21 specific design features are best established when specific project details are being considered,
22 design features that can be identified at this time include the following:

- 23
24 • Appropriate engineering controls should be implemented to minimize the
25 amount of ground disturbance, contaminants, surface water runoff, and
26 fugitive dust that reaches intermittent streams and wetlands within the SEZ.
- 27
28 • Appropriate engineering controls should be implemented to minimize the
29 amount of surface water runoff and fugitive dust that reaches Holloman Lake
30 and the intermittent streams and wetlands outside of the SEZ.

31
32 If these SEZ-specific design features are implemented in addition to programmatic design
33 features and if the utilization of water from groundwater or surface water sources is adequately
34 controlled to maintain sufficient water levels in aquatic habitats, the potential impacts on aquatic
35 biota and habitats from solar energy development at the Red Sands SEZ would be negligible.

1 **12.3.12 Special Status Species (Threatened, Endangered, Sensitive, and Rare Species)**
2

3 This section addresses special status species that are known to occur, or for which
4 suitable habitat occurs, within the potentially affected area of the proposed Red Sands SEZ.
5 Special status species include the following types of species⁴:
6

- 7 • Species listed as threatened or endangered under the ESA;
- 8
- 9 • Species that are proposed for listing, under review, or are candidates for
10 listing under the ESA;
- 11
- 12 • Species that are listed by the BLM as sensitive;
- 13
- 14 • Species that are listed by the State of New Mexico⁵; and
- 15
- 16 • Species that have been ranked by the State of New Mexico as S1 or S2, or
17 species listed as of concern by the State of New Mexico or the USFWS
18 (hereafter referred to as “rare” species).
19

20 Special status species known to occur within 50 mi (80 km) of the center of the
21 Red Sands SEZ (i.e., the SEZ region) were determined from natural heritage records available
22 through NatureServe Explorer (NatureServe 2010), information provided by the BLM
23 Las Cruces District Office (Hewitt 2009b), New Mexico Rare Plant Technical Council (1999),
24 BISON-M (NMDGF 2010), NHNM (McCollough 2009), SWReGAP (USGS 2004, 2005a,
25 2007), and the USFWS ECOS (USFWS 2010). Information reviewed consisted of county-level
26 occurrences as determined from NatureServe and BISON-M, quad-level occurrences provided
27 by the NHNM, as well as modeled land cover types and predicted suitable habitats for the
28 species within the 50-mi (80-km) region as determined from SWReGAP. The 50-mi (80-km)
29 SEZ region intersects Chaves, Doña Ana, Lincoln, Otero, and Sierra Counties in New Mexico.
30 However, the SEZ and affected area occur only in Otero County. Additional information on the
31 approach used to identify species that could be affected by development within the SEZ is
32 provided in Appendix M.
33

34
35 **12.3.12.1 Affected Environment**
36

37 The affected area considered in this assessment included the areas of direct and indirect
38 effects. The area of direct effects was defined as the area that would be physically modified
39 during project development (i.e., where ground-disturbing activities would occur). For the

⁴ See Section 4.6.4 for definitions of these species categories. Note that some of the categories of species included here do not fit BLM’s definition of special status species as defined in BLM Manual 6840 (BLM 2008). These species are included here to ensure broad consideration of species that may be most vulnerable to impacts.

⁵ State listed species for the state of New Mexico are those plants listed as endangered under the Endangered Plant Species Act (NMSA 1978 § 75-6-1) or wildlife listed as threatened or endangered under the Wildlife Conservation Act (NMSA 1978 § 17-2-37).

1 Red Sands SEZ, the area of direct effect included only the SEZ itself. Because of the proximity
2 of existing infrastructure, the impacts of construction and operation of transmission lines outside
3 of the SEZ are not assessed, assuming that the existing transmission infrastructure might be used
4 to connect some new solar facilities to load centers, and that additional project-specific analysis
5 would be conducted for new transmission construction or line upgrades. Similarly, the impacts of
6 construction or upgrades to access roads were not assessed for this SEZ because of the proximity
7 of I-10 (see Section 12.3.1.2 for a discussion of development assumptions for this SEZ). The
8 area of indirect effects was defined as the area within 5 mi (8 km) of the SEZ boundary. Indirect
9 effects considered in the assessment included effects from groundwater withdrawals, surface
10 runoff, dust, noise, lighting, and accidental spills from the SEZ, but did not include ground-
11 disturbing activities. For the most part, the potential magnitude of indirect effects would decrease
12 with increasing distance away from the SEZ. This area of indirect effects was identified on the
13 basis of professional judgment and was considered sufficiently large to bound the area that
14 would potentially be subject to indirect effects. The affected area includes both the direct and
15 indirect effects areas.

16
17 The primary land cover habitat type within the affected area is Chihuahuan coppice dune
18 and sand flat scrub (see Section 12.3.10). Potentially unique habitats in the affected area in which
19 special status species may reside include grassland, woodland, cliff and rock outcrop, desert
20 dune, playa, wash, riparian, and aquatic habitats. No permanent aquatic habitats are known to
21 occur on the SEZ; however, permanent open water habitats occur in the area of indirect effects
22 on the Holloman Lake and the Raptor Lake Recreation Area about 3 mi (4.8 km) from the SEZ
23 boundary. About 1,600 acres (6 km²) of desert playa habitat occurs on the SEZ. Desert playa,
24 riparian, and marsh habitats occur in the area of indirect effects within 5 mi (8 km) outside of the
25 SEZ boundary.

26
27 All special status species that are known to occur within the Red Sands SEZ region
28 (i.e., within 50 mi [80 km] of the center of the SEZ) are listed, with their status, nearest recorded
29 occurrence, and habitats in Appendix J. Forty-three of these species could be affected by solar
30 energy development on the SEZ, based on recorded occurrences or the presence of potentially
31 suitable habitat in the affected area. These species, their status, and their habitats are presented in
32 Table 12.3.12.1-1. For many of the species listed in the table (especially plants), their predicted
33 potential occurrence in the affected area is based only on a general correspondence between
34 mapped land cover types and descriptions of species habitat preferences. This overall approach
35 to identifying species in the affected area probably overestimates the number of species that
36 actually occur in the affected area. For many of the species identified as having potentially
37 suitable habitat in the affected area, the nearest known occurrence is more than 20 mi (32 m)
38 from the SEZ.

39
40 Based on NHPM records and information provided by the BLM Las Cruces District
41 Office, occurrences for the following 17 special status species intersect the affected area of the
42 Red Sands SEZ: Alamo beardtongue, golden columbine, grama grass cactus, Sacramento
43 Mountains prickly-poppy, Scheer's pincushion cactus, Villard pincushion cactus, White Sands
44 pupfish, Texas horned lizard, American peregrine falcon, Baird's sparrow, black tern, gray vireo,
45 interior least tern, northern aplomado falcon, western burrowing owl, white-faced ibis, and
46 spotted bat. These species are indicated in bold text in Table 12.3.12.1-1.

TABLE 12.3.12.1-1 Habitats, Potential Impacts, and Potential Mitigation for Special Status Species That Could Be Affected by Solar Energy Development on the Proposed Red Sands SEZ

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
<i>Plants</i> Alamo beard-tongue ^h	<i>Penstemon alamosensis</i> ^h	FWS-SC; NM-SC	Sacramento and San Andres Mountains in Dona Ana and Otero Counties, New Mexico, as well as the Hueco Mountains in El Paso County, Texas, in sheltered rocky areas, canyon sides, and canyon bottoms on limestone substrate. Elevations range between 4,300 and 5,300 ft. ⁱ Known to occur in the affected area about 4 mi ^j northeast of the Red Sands SEZ. About 15,300 acres ^k of potentially suitable habitat occurs in the SEZ region.	0 acres	23 acres of potentially suitable habitat (0.2% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Burgess' scale broom	<i>Lepidospartum burgessii</i>	BLM-S; NM-E; FWS-SC; NM-S1	Stabilized gypsum dunes in Chihuahuan Desert Scrub and grassland communities. Elevations range between 3,500 and 3,700 ft. About 2,120,800 acres of potentially suitable habitat occurs in the SEZ region.	14,000 acres of potentially suitable habitat lost (0.7% of available potentially suitable habitat)	114,000 acres of potentially suitable habitat (5.4% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect; translocation of individuals from area of direct effect; or compensatory mitigation of direct effects on occupied habitats could reduce impacts. Note that these same potential mitigation measures apply to all special status plants.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Plants (Cont.)						
Glass Mountain coralroot	<i>Hexalectris nitida</i>	BLM-S; NM-E; FWS-SC; NM-S1	Deep canyons in leaf litter and under oak trees at elevations near 4,300 ft. Known to occur in Otero County, New Mexico. About 312,700 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	124 acres of potentially suitable habitat (<0.1% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Golden columbine	<i>Aquilegia chrysantha var. chaplinei</i>	FWS-SC; NM-SC; NM-S2	Limestone seeps and springs in montane scrub or riparian canyon bottoms at elevations between 4,700 and 5,500 ft. Quad-level occurrences intersect the affected area within 5 mi east of the SEZ. About 27,500 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	150 acres of potentially suitable habitat (0.5% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Grama grass cactus	<i>Sclerocactus papyracanthus</i>	BLM-S	Pinyon-juniper woodlands and desert grasslands on sandy soils at elevations between 4,900 and 7,200 ft. Known to occur on the SEZ and in portions of the area of indirect effects north of the SEZ. About 1,451,700 acres of potentially suitable habitat occurs in the SEZ region.	8,075 acres of potentially suitable habitat lost (0.6% of available potentially suitable habitat)	35,150 acres of potentially suitable habitat (2.4% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to desert grassland habitats on the SEZ could reduce impacts. See Burgess' scale broom for a list of potential mitigation measures applicable to all special status plant species.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Plants (Cont.)						
Kuenzler's hedgehog cactus	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>	ESA-E; NM-E; NM-S1	Endemic to southern New Mexico from the Capitan, Guadalupe, and Sacramento Mountains. Gentle, gravelly to rocky slopes and benches on limestone in Great Plains grasslands, oak woodlands, and pinyon-juniper woodlands. Elevation ranges between 5,200 and 6,600 ft. Nearest recorded occurrences are about 38 mi east of the SEZ. About 133,000 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	23 acres of potentially suitable habitat (<0.1% of available potentially suitable habitat)	Small overall impact; no direct impact. The potential for impact and need for mitigation should be determined in consultation with the USFWS and NMDGF.
Marble Canyon rockcress	<i>Sibara grisea</i>	BLM-S; FWS-SC; NM-SC	Rock crevices and at the bases of limestone cliffs in chaparral and pinyon-juniper woodland communities at elevations between 4,500 and 6,000 ft. Known to occur in Otero County, New Mexico. About 563,700 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	23 acres of potentially suitable habitat (<0.1% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
New Mexico rock daisy	<i>Perityle staurophylla</i> var. <i>staurophylla</i>	BLM-S; FWS-SC; NM-SC	Crevice of limestone cliffs and boulders at elevations between 4,900 and 7,000 ft. Known to occur in Otero County, New Mexico. About 15,300 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	23 acres of potentially suitable habitat (<0.1% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
<i>Plants (Cont.)</i>						
Sacramento Mountains prickly-poppy	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>	ESA-E; NM-E; NM-S2	Endemic to the Sacramento Mountains in Otero County, New Mexico, on loose, gravelly soils of open disturbed sites in canyon bottoms, on slopes, and along roadsides. Elevation ranges between 4,200 and 7,100 ft. Known to occur in the affected area about 4 mi east of the Red Sands SEZ. About 57,650 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	7,650 acres of potentially suitable habitat (13.3% of available potentially suitable habitat)	Small overall impact; no direct impact. The potential for impact and need for mitigation should be determined in consultation with the USFWS and NMDGF.
Scheer's pincushion cactus	<i>Coryphantha scheeri</i> var. <i>valida</i>	NM-E; FWS-SC; NM-S2	Desert grassland and Chihuahuan Desert scrub communities, and occasionally on rocky benches, washes, or bajadas. Elevation ranges between 3,300 and 3,600 ft. Quad-level occurrences intersect the affected area about 5 mi west of the SEZ. About 3,423,850 acres of potentially suitable habitat occurs in the SEZ region.	18,000 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat)	202,400 acres of potentially suitable habitat (5.9% of available potentially suitable habitat)	Small overall impact. See Burgess' scale broom for a list of potential mitigation measures applicable to all special status plant species.
Villard pincushion cactus	<i>Escobaria villardii</i>	BLM-S; NM-E; FWS-SC; NM-S2	Franklin and Sacramento Mountains in Otero and Dona Ana Counties, New Mexico, on loamy soils of desert grassland and on broad limestone benches at elevations between 4,500 and 6,500 ft. Known to occur in the affected area about 4 mi east of the SEZ. About 1,451,700 acres of potentially suitable habitat occurs in the SEZ region.	8,075 acres of potentially suitable habitat lost (0.6% of available potentially suitable habitat)	35,150 acres of potentially suitable habitat (2.4% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to desert grassland habitats on the SEZ could reduce impacts. See Burgess' scale broom for a list of other potential mitigation measures applicable to all special status plant species.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Plants (Cont.)						
Wright's marsh thistle	<i>Cirsium wrightii</i>	BLM-S; NM-E; FWS-SC; NM-S2	Wet, alkaline soils in springs, seeps, and marshy areas of streams and ponds. Elevation ranges between 3,450 and 8,500 ft. Known to occur in Otero County, New Mexico. About 126,400 acres of potentially suitable habitat occurs in the SEZ region.	1,600 acres of potentially suitable habitat lost (1.3% of available potentially suitable habitat)	3,890 acres of potentially suitable habitat (3.1% of available potentially suitable habitat)	Moderate overall impact. Avoiding or minimizing disturbance to desert playa habitat on the SEZ could reduce impacts. See Burgess' scale broom for a list of other potential mitigation measures applicable to all special status plant species.
Invertebrates						
Blunt ambersnail	<i>Oxyloma retusum</i>	NM-S1	Marshy riparian habitats in association with wetland plants. Known to occur in Otero County, New Mexico. About 22,500 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	50 acres of potentially suitable habitat (0.3% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Boisduval's blue butterfly	<i>Icaricia icarioides</i>	FWS-SC	Desert sand dunes, mountain meadows, riparian areas, open woodlands, and sagebrush-dominated landscapes. Known to occur in Otero County, New Mexico. About 1,650,200 acres of potentially suitable habitat occurs in the SEZ region.	7,700 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat)	87,900 acres of potentially suitable habitat (5.3% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to sand dunes and desert playa habitats on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
<i>Invertebrates (Cont.)</i>						
Hebard's blue-winged desert grasshopper	<i>Anconia hebardii</i>	NM-SC	Open sand dune habitats. Known to occur in Otero County, New Mexico. About 823,850 acres of potentially suitable habitat occurs in the SEZ region.	6,100 acres of potentially suitable habitat lost (0.7% of available potentially suitable habitat)	84,000 acres of potentially suitable habitat (10.2% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to sand dunes on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Obese thorn snail	<i>Carychium exiguum</i>	NM-S2	Damp habitats such as marshy riparian areas, floodplains, and ponds. Known to occur in Otero County, New Mexico. About 22,500 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	50 acres of potentially suitable habitat (0.3% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Samalayuca Dune grasshopper	<i>Cibolacris samalayucae</i>	NM-SC	Open sand dune habitats. Known to occur in Otero County, New Mexico. About 823,850 acres of potentially suitable habitat occurs in the SEZ region.	6,100 acres of potentially suitable habitat lost (0.7% of available potentially suitable habitat)	84,000 acres of potentially suitable habitat (10.2% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to sand dunes on the SEZ could reduce impacts. In addition, pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Fish White Sands pupfish	<i>Cyprinodon tularosa</i>	NM-T; FWS-SC; NM-S1	Endemic to the Tularosa Basin in southern New Mexico. Restricted to Malpais Spring and Lost River in Otero County, Salt Creek in Sierra County, and Mound Springs in Lincoln County. Shallow pools and calm spring runs over mud-silt and sand-gravel substrates. Quad-level occurrences intersect the affected area about 5 mi west of the SEZ. About 900 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	300 acres of potentially suitable habitat (33.3% of available potentially suitable habitat)	Small to large overall impact; no direct impact. Suitable habitat for this species in the Lost River could be affected by groundwater withdrawals on the SEZ. Avoiding or limiting groundwater withdrawals on the SEZ could reduce impacts on this species.
Reptiles Texas horned lizard	<i>Phrynosoma cornutum</i>	BLM-S	Flat, open, generally dry habitats with little plant cover, except for desert scrub, bunchgrass, and cactus. Occurs in areas of loose soil that is sandy, loamy, or rocky. Quad-level occurrences intersect the affected area about 5 mi west of the SEZ. About 3,683,000 acres of potentially suitable habitat occurs in the SEZ region.	22,500 acres of potentially suitable habitat lost (0.6% of available potentially suitable habitat)	193,250 acres of potentially suitable habitat (5.2% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect; translocation of individuals from areas of direct effect; or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
<i>Birds</i>						
American peregrine falcon	<i>Falco peregrinus anatum</i>	BLM-S; NM-T	Year-round resident in the SEZ region. Open habitats, including deserts, shrublands, and woodlands that are associated with high, near vertical cliffs and bluffs above 200 ft. When not breeding, activity is concentrated in areas with ample prey, such as farmlands, marshes, lakes, rivers, and urban areas. Quad-level occurrences intersect the affected area about 5 mi north of the SEZ. About 2,425,300 acres of potentially suitable habitat occurs in the SEZ region.	2,050 acres of potentially suitable foraging habitat lost (0.1% of available potentially suitable habitat)	42,050 acres of potentially suitable habitat (1.7% of available potentially suitable habitat)	Small overall impact. Direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.
Baird's sparrow	<i>Ammodramus bairdii</i>	BLM-S; NM-T; FWS-SC; NM-S1	Winter resident in the project area in open grasslands and overgrown fields. Quad-level occurrences intersect the affected area about 5 mi west of the SEZ. About 1,513,700 acres of potentially suitable habitat occurs in the SEZ region.	8,100 acres of potentially suitable foraging habitat lost (0.5% of available potentially suitable habitat)	35,150 acres of potentially suitable foraging habitat (2.3% of available potentially suitable habitat)	Small overall impact on foraging habitat only. Avoiding or minimizing disturbance to desert grasslands on the SEZ could reduce impacts. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Birds (Cont.)						
Bald eagle	<i>Haliaeetus leucocephalus</i>	BLM-S; NM-T; FWS-SC	Winter resident in the SEZ region. Near large bodies of water or free-flowing rivers with abundant fish and waterfowl prey. Winters near open water. May occasionally forage in arid shrubland habitats. Known to occur in Otero County, New Mexico. About 2,343,500 acres of potentially suitable habitat occurs in the SEZ region.	7,900 acres of potentially suitable foraging habitat lost (0.3% of available potentially suitable habitat)	43,100 acres of potentially suitable habitat (1.8% of available potentially suitable habitat)	Small overall impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.
Bell's vireo	<i>Vireo bellii</i>	NM-T; FWS-SC; NM-S2	Summer breeding resident in the SEZ region. Dense shrublands or woodlands along lower elevation riparian areas among willows, scrub oak, and mesquite. May nest in any successional stage with dense understory vegetation. Known to occur in Otero County, New Mexico. About 206,000 acres of potentially suitable habitat occurs in the SEZ region.	6,850 acres of potentially suitable foraging or nesting habitat lost (3.3% of available potentially suitable habitat)	35,150 acres of potentially suitable habitat (17.1% of available potentially suitable habitat)	Moderate overall impact on foraging and nesting habitat. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats, especially nesting habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Black tern	<i>Chlidonias niger</i>	BLM-S; FWS-SC	Migratory transient in the project area. Wet grasslands, marshes, flooded agricultural fields, playa margins, and open water habitats in desert lowland areas. Quad-level occurrences intersect the affected area about 5 mi north of the SEZ. About 900 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	300 acres of potentially suitable habitat (33.3% of available potentially suitable habitat)	Small overall impact; no direct impact. Species may only occur in the affected area as a migratory transient. No species-specific mitigation is warranted.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Birds (Cont.)						
Ferruginous hawk	<i>Buteo regalis</i>	BLM-S; NM-S2	Winter resident in the project area in grasslands, sagebrush, and saltbrush habitats, as well as the periphery of pinyon-juniper woodlands throughout the project area. Known to occur in Otero County, New Mexico. About 27,600 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	225 acres of potentially suitable habitat (0.8% of available potentially suitable habitat)	Small overall impact on foraging habitat only; no direct impact. No species-specific mitigation is warranted.
Gray vireo	<i>Vireo vicinior</i>	NM-T; NM-S2	Summer breeding resident in the SEZ region. Semiarid, shrubby habitats, including mesquite, brushy pinyon-juniper woodlands, chaparral, desert scrub, thorn scrub, oak-juniper woodland, mesquite, and dry chaparral. Nests in shrubs or trees. Quad-level occurrences intersect the affected area about 5 mi west of the SEZ. About 851,000 acres of potentially suitable habitat occurs in the SEZ region.	215 acres of potentially suitable foraging or nesting habitat lost (<0.1% of available potentially suitable habitat)	9,435 acres of potentially suitable habitat (1.1% of available potentially suitable habitat)	Small overall impact on foraging and nesting habitat. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats, especially nesting habitats, in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Interior least tern	<i>Sterna antillarum athalassos</i>	ESA-E; NM-E; NM-S1	Migratory transient in the SEZ region. Beaches and sandbars of large rivers and lakes; open water habitats and playas in the southwest. Quad-level occurrences intersect the affected area about 5 mi east of the SEZ. About 900 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	300 acres of potentially suitable habitat (33.3% of available potentially suitable habitat)	Small overall impact; no direct impact. Species may only occur in the affected area as a migratory transient. No species-specific mitigation is warranted. The potential for impact and need for mitigation should be determined in consultation with the USFWS and NMDGF.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Birds (Cont.)						
Loggerhead shrike	<i>Lanius ludovicianus</i>	BLM-S	A year-round resident in the SEZ region in open country with scattered trees and shrubs, savanna, desert scrub, and occasionally open woodlands. Nests in grasslands or pasture areas in shrubs or small trees. Known to occur in Otero County, New Mexico. About 4,444,000 acres of potentially suitable habitat occurs in the SEZ region.	19,100 acres of potentially suitable foraging or nesting habitat lost (0.4% of available potentially suitable habitat)	188,000 acres of potentially suitable habitat (4.2% of available potentially suitable habitat)	Small overall impact on foraging and nesting habitat. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats, especially nesting habitats, in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Northern aplomado falcon	<i>Falco femoralis septentrionalis</i>	ESA-E; NM-E; NM-S1	Year-round resident in the SEZ region. Open rangeland and savanna, semiarid grasslands with scattered trees, mesquite, and yucca. Nests in old stick nests of other raptor species in trees or shrubs in areas of desert grassland. Known to occur in the affected area of the Red Sands SEZ within 3 mi west of the SEZ. About 2,515,250 acres of potentially suitable habitat occurs in the SEZ region.	12,900 acres of potentially suitable foraging or nesting habitat lost (0.5% of available potentially suitable habitat)	95,200 acres of potentially suitable habitat (3.8% of available potentially suitable habitat)	Small overall impact on foraging and nesting habitat. Avoiding or minimizing disturbance to desert grasslands on the SEZ could reduce impacts. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats, especially nesting habitats, in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts. The potential for impact and need for mitigation should be determined in consultation with the USFWS and NMDGF.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Birds (Cont.)						
Osprey	<i>Pandion haliaetus</i>	NM-SC; NM-S2	Winter resident in the SEZ region. Rivers, lakes, and reservoirs. Nests on living or dead trees, and on man-made structures such as utility poles, wharf pilings, windmills, microwave towers, chimneys, and channel markers. Nests are usually near or above water. Known to occur in Otero County, New Mexico. About 77,650 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	325 acres of potentially suitable habitat (0.4% of available potentially suitable habitat)	Small overall impact; no direct impact. No species-specific mitigation is warranted.
Western burrowing owl	<i>Athene cunicularia hypugaea</i>	BLM-S; FWS-SC; NM-SC	Year-round resident in the SEZ region. Open grasslands and prairies, as well as disturbed sites such as golf courses, cemeteries, and airports throughout the SEZ region. Nests in burrows constructed by mammals (prairie dog, badger, etc.). Quad-level occurrences intersect the affected area within 5 mi west and north of the SEZ. About 3,733,800 acres of potentially suitable habitat occurs in the SEZ region.	21,000 acres of potentially suitable foraging or nesting habitat lost (0.6% of available potentially suitable habitat)	196,800 acres of potentially suitable habitat (5.3% of available potentially suitable habitat)	Small overall impact on foraging and nesting habitat. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied burrows and habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
White-faced Ibis	<i>Plegadis chihi</i>	BLM-S; NM-SC; NM-S2	Winter resident or migrant in the SEZ region. Marshes, swamps, ponds, rivers, and riparian areas. Quad-level occurrences intersect the affected area within 5 mi west and north of the SEZ. About 900 acres of potentially suitable habitat occurs in the SEZ region.	0 acres	300 acres of potentially suitable habitat (33.3% of available potentially suitable habitat)	Small overall impact; no direct impact. Species may only occur in the affected area as a migratory transient. No species-specific mitigation is warranted.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Mammals						
Arizona myotis	<i>Myotis occultus</i>	BLM-S; NM-SC	Year-round resident in the SEZ region. Ponderosa pine and oak-pine woodlands near water; riparian habitats, and desert areas. Usually associated with large bodies of water. Roosts in buildings, mines, and dead trees. Known to occur in Otero County, New Mexico. About 4,841,100 acres of potentially suitable habitat occurs in the SEZ region.	21,000 acres of potentially suitable foraging habitat lost (0.4% of available potentially suitable habitat)	200,400 acres of potentially suitable habitat (4.1% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.
Big free-tailed bat	<i>Nyctinomops macrotis</i>	BLM-S; NM-S2	Year-round resident in the SEZ region. Forages primarily in coniferous forests and arid shrublands. Roosts in rock crevices on cliff faces or in buildings. Known to occur in Otero County, New Mexico. About 4,820,500 acres of potentially suitable habitat occurs in the SEZ region.	22,500 acres of potentially suitable foraging habitat lost (0.5% of available potentially suitable habitat)	201,500 acres of potentially suitable habitat (4.2% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.
Black-tailed prairie dog	<i>Cynomys ludovicianus</i>	FWS-SC; NM-SC; NM-S2	Dry, flat or gently sloping, open grasslands with relatively sparse vegetation, including areas grazed by cattle or in vacant lots in residential areas. Known to occur in Otero County, New Mexico. About 1,269,500 acres of potentially suitable habitat occurs in the SEZ region.	6,650 acres of potentially suitable habitat lost (0.5% of available potentially suitable habitat)	31,850 acres of potentially suitable habitat (2.5% of available potentially suitable habitat)	Small overall impact. Avoiding or minimizing disturbance to desert grasslands on the SEZ could reduce impacts. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats and burrows in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Mammals (Cont.)						
Desert pocket gopher	<i>Geomys arenarius</i>	FWS-SC	Loose soils of disturbed areas or sandy areas along rivers, ponds, or canals. Known to occur in Otero County, New Mexico. About 2,688,000 acres of potentially suitable habitat occurs in the SEZ region.	7,500 acres of potentially suitable habitat lost (0.3% of available potentially suitable habitat)	130,200 acres of potentially suitable habitat (4.8% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Fringed myotis	<i>Myotis thysanodes</i>	BLM-S	Summer or year-round resident in project area. Wide range of habitats including lowland riparian, desert shrub, pinyon-juniper, and sagebrush habitats. Roosts in buildings and caves. Known to occur in Otero County, New Mexico. About 4,026,300 acres of potentially suitable habitat occurs in the SEZ region.	13,100 acres of potentially suitable foraging habitat lost (0.3% of available potentially suitable habitat)	116,600 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.
Long-legged myotis	<i>Myotis volans</i>	BLM-S	Year-round resident in the SEZ region. Montane coniferous forests, riparian, and desert habitats. Hibernates in caves and mines. Roosts in abandoned buildings, rock crevices, and under bark of trees. Known to occur in Otero County, New Mexico. About 3,981,600 acres of potentially suitable habitat occurs in the SEZ region.	13,100 acres of potentially suitable foraging habitat lost (0.3% of available potentially suitable habitat)	109,400 acres of potentially suitable habitat (2.7% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Mammals (Cont.)						
Spotted bat	<i>Euderma maculatum</i>	BLM-S; NM-T; NM-S2	Year-round resident in the foothills and desert regions of the southwestern United States. Arid deserts, grasslands, and mixed coniferous forests at elevations below 10,000 ft. Roosts in caves, rock crevices, and buildings. Quad-level occurrences intersect the affected area about 5 mi north of the SEZ. About 919,500 acres of potentially suitable habitat occurs in the SEZ region.	250 acres of potentially suitable foraging habitat lost (<0.1% of available potentially suitable habitat)	20,750 acres of potentially suitable habitat (2.3% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.
Townsend's big-eared bat	<i>Corynorhinus townsendii</i>	BLM-S; FWS-SC; NM-SC	Summer or year-round resident in the project area. Forests and shrubland habitats below 9,000 ft elevation throughout the SEZ region. Roosts and hibernates in caves, mines, and buildings. Known to occur in Otero County, New Mexico. About 3,809,000 acres of potentially suitable habitat occurs in the SEZ region.	13,000 acres of potentially suitable foraging habitat lost (0.3% of available potentially suitable habitat)	108,600 acres of potentially suitable habitat (2.9% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.
Western small-footed myotis	<i>Myotis ciliolabrum</i>	BLM-S	Summer or year-round resident in the project area. Woodlands and riparian habitats at elevations below 9,000 ft. Roosts in caves, buildings, mines, and crevices of cliff faces. Known to occur in Otero County, New Mexico. About 4,663,600 acres of potentially suitable habitat occurs in the SEZ region.	19,200 acres of potentially suitable foraging habitat lost (0.4% of available potentially suitable habitat)	191,400 acres of potentially suitable habitat (4.1% of available potentially suitable habitat)	Small overall impact; direct impact on foraging habitat only. Avoidance of direct impacts on all foraging habitat is not feasible because suitable foraging habitat is widespread in the area of direct effect.

TABLE 12.3.12.1-1 (Cont.)

Common Name	Scientific Name	Listing Status ^a	Habitat ^b	Maximum Area of Potential Habitat Affected ^c		Overall Impact Magnitude ^f and Species-Specific Mitigation ^g
				Within SEZ (Direct Effects) ^d	Outside SEZ (Indirect Effects) ^e	
Mammals (Cont.)						
White sands woodrat	<i>Neotoma micropus leucophaea</i>	FWS-SC	Known only from the White Sands region in Otero County, New Mexico, in desert grasslands, shrublands, and riparian areas. About 1,250,000 acres of potentially suitable habitat occurs in the SEZ region.	19,280 acres of potentially suitable habitat lost (1.5% of available potentially suitable habitat)	188,400 acres of potentially suitable habitat (15.1% of available potentially suitable habitat)	Moderate overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.
Yellow-faced pocket gopher	<i>Cratogeomys castanops</i>	NM-S2	Deep sandy or silty soils that are relatively free of rocks. Prefers deep firm soils; rich soils of river valleys and streams, agricultural land (orchards, gardens, potato fields and other croplands), and meadows. Also in mesquite-creosotebush habitat. Known to occur in Otero County, New Mexico. About 2,263,800 acres of potentially suitable habitat occurs in the SEZ region.	13,000 acres of potentially suitable habitat lost (0.6% of available potentially suitable habitat)	103,600 acres of potentially suitable habitat (4.6% of available potentially suitable habitat)	Small overall impact. Pre-disturbance surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effect or compensatory mitigation of direct effects on occupied habitats could reduce impacts.

^a BLM-S = listed as a sensitive species by the BLM; ESA-C = candidate for listing under the ESA; ESA-E = listed as endangered under the ESA; FWS-SC = USFWS species of concern; NM-E = listed as endangered by the State of New Mexico; NM-T = listed as threatened by the State of New Mexico; NM-S1 = ranked as S1 in the state of New Mexico; NM-S2 = ranked as S2 in the state of New Mexico; NM-SC = species of concern in the state of New Mexico.

^b For plant species, potentially suitable habitat was determined by using SWReGAP land cover types. For terrestrial vertebrate species, potentially suitable habitat was determined by using SWReGAP habitat suitability and land cover models. Area of potentially suitable habitat for each species is presented for the SEZ region, which is defined as the area within 50 mi (80 km) of the SEZ center.

Footnotes continued on next page.

TABLE 12.3.12.1-1 (Cont.)

- ^c Maximum area of potentially suitable habitat that could be affected relative to availability within the SEZ region. Habitat availability for each species within the region was determined by using SWReGAP habitat suitability and land cover models. This approach probably overestimates the amount of suitable habitat in the project area. Impacts of access road and transmission line construction, upgrade, or operation are not assessed in this evaluation because of the proximity of existing infrastructure to the SEZ.
- ^d Direct effects within the SEZ consist of the ground-disturbing activities associated with construction and the maintenance of an altered environment associated with operations.
- ^e Area of indirect effects was assumed to be the area adjacent to the SEZ within 5 mi (8 km) of the SEZ boundary where ground-disturbing activities would not occur. Indirect effects include effects from surface runoff, dust, noise, lighting, and so on from project development. The potential degree of indirect effects would decrease with increasing distance away from the SEZ.
- ^f Overall impact magnitude categories were based on professional judgment and are as follows: (1) *small*: $\leq 1\%$ of the population or its habitat would be lost and the activity would not result in a measurable change in carrying capacity or population size in the affected area; (2) *moderate*: >1 but $\leq 10\%$ of the population or its habitat would be lost and the activity would result in a measurable but moderate (not destabilizing) change in carrying capacity or population size in the affected area; (3) *large*: $>10\%$ of a population or its habitat would be lost and the activity would result in a large, measurable, and destabilizing change in carrying capacity or population size in the affected area. Note that much greater weight was given to the magnitude of direct effects because those effects would be difficult to mitigate. Programmatic design features would reduce most indirect effects to negligible levels.
- ^g Species-specific mitigation measures are suggested here, but final mitigation measures should be developed in consultation with state and federal agencies and should be based on pre-disturbance surveys.
- ^h Species in bold text have been recorded or have designated critical habitat within 5 mi (8 km) of the SEZ boundary.
- ⁱ To convert ft to m, multiply by 0.3048.
- ^j To convert mi to km, multiply by 1.609.
- ^k To convert acres to km², multiply by 0.004047.

1 ***12.3.12.1.1 Species Listed under the Endangered Species Act That Could Occur***
2 ***in the Affected Area***
3


4 In their scoping comments on the proposed Red Sands SEZ, the USFWS (Stout 2009)
5 expressed concern for impacts of project development within the SEZ on habitat for the northern
6 aplomado falcon—a species listed as endangered under the ESA. In addition, three other species
7 listed under the ESA may occur in the affected area of the Red Sands SEZ based on the presence
8 of potentially suitable habitat or known occurrences in the area: Kuenzler’s hedgehog cactus,
9 Sacramento Mountains prickly-poppy, and interior least tern. These species are discussed below
10 and information on their habitat is presented in Table 12.3.12.1-1; additional basic information
11 on life history, habitat needs, and threats to populations of these species is provided in
12 Appendix J.
13
14

15 **Kuenzler’s Hedgehog Cactus**
16

17 The Kuenzler’s hedgehog cactus is listed as endangered under the ESA. This species is
18 endemic to southern New Mexico from the Capitan, Guadalupe, and Sacramento Mountains on
19 gravelly to rocky slopes in woodland habitats such as oak-pine and pinyon-juniper communities.
20 Nearest recorded occurrences of this species are about 38 mi (61 km) east of the SEZ. The
21 USFWS did not identify the Kuenzler’s hedgehog cactus in their scoping comments on the
22 proposed Red Sands SEZ (Stout 2009). According to the SWReGAP land cover model, rocky
23 cliffs and outcrops that may be potentially suitable habitat for this species do not occur on the
24 SEZ; however, about 23 acres (0.1 km²) of potentially suitable rocky cliffs and outcrops may
25 occur in the area of indirect effects (Table 12.3.12.1-1). Critical habitat for this species has not
26 been designated.
27
28

29 **Sacramento Mountains Prickly-Poppy**
30

31 The Sacramento Mountains prickly-poppy is a perennial herb listed as endangered under
32 the ESA. This species is endemic to the Sacramento Mountains in Otero County, New Mexico,
33 where it occurs on loose, gravelly soils of open disturbed sites in canyon bottoms, slopes, and
34 along roadsides. This species is known to occur in the affected area of the Red Sands SEZ,
35 within 4 mi (6 km) east of the SEZ (Figure 12.3.12.1-1; Table 12.3.12.1-1). The USFWS did not
36 identify the Sacramento Mountains prickly-poppy in their scoping comments on the proposed
37 Red Sands SEZ (Stout 2009). According to the SWReGAP land cover model, low- and
38 moderately disturbed areas that may be potentially suitable habitat for this species do not occur
39 on the SEZ; however, about 7,650 acres (31 km²) of potentially suitable disturbed habitat may
40 occur in the area of indirect effects (Table 12.3.12.1-1). Critical habitat for this species has not
41 been designated.
42
43



1
2
3
4
5
6

FIGURE 12.3.12.1-1 Known or Potential Occurrences of Species Listed as Endangered or Threatened under the ESA, Candidates for Listing under the ESA, or Species under Review for ESA Listing in the Affected Area of the Proposed Red Sands SEZ (Sources: Hewitt 2009b; USGS 2007)

1 **Interior Least Tern**
2

3 The interior least tern is a migratory shorebird with distinct breeding and wintering areas.
4 Most breeding occurs on interior rivers, primarily along the major tributaries of the Mississippi
5 River drainage from eastern Montana south to Texas and east to western Illinois, Missouri,
6 Arkansas, and Louisiana. Wintering is thought to occur on beaches in Central and
7 South America. This species may occur as a migratory transient in the state of New Mexico and
8 throughout the southwestern United States. Within the SEZ region, interior least terns have been
9 observed at beaches and sandbars of large rivers and reservoirs, as well as open water habitats
10 and playas in desert regions. Quad-level occurrences for this species intersect the affected area of
11 the Red Sands SEZ within 5 mi (8 km) east of the SEZ (Figure 12.3.12.1-1; Table 12.3.12.1-1).
12 The USFWS did not identify the interior least tern in their scoping comments on the proposed
13 Red Sands SEZ (Stout 2009), and, according to the SWReGAP habitat suitability model, suitable
14 habitat for this species does not occur in the affected area. However, on the basis of the
15 SWReGAP land cover model, about 300 acres (1 km²) of potentially suitable open water and
16 emergent marshland habitat occurs in the area of indirect effects outside of the SEZ
17 (Table 12.3.12.1-1). Transient individuals may be observed in these habitats. On the basis of
18 SWReGAP habitat suitability and land cover models, there is no suitable habitat for this species
19 on the SEZ. Critical habitat for this species has not been designated.
20

21
22 **Northern Aplomado Falcon**
23

24 The northern aplomado falcon is a raptor listed as endangered under the ESA. This
25 species is known to occur in Chihuahuan grassland habitats in southern New Mexico, western
26 Texas, and northern Mexico. Suitable habitats include rangeland, savannas, and semiarid
27 grasslands with scattered trees, mesquite (*Prosopis glandulosa*), and *Yucca* spp. Within these
28 areas, the northern aplomado falcon feeds primarily on other small birds and infrequently on
29 small mammals and reptiles. Nests are located in old nests of other bird species (usually raptors
30 or ravens).
31

32 In their scoping comments on the Red Sands SEZ, the USFWS discussed the potential for
33 the northern aplomado falcon to occur in the affected area. Natural and reintroduced populations
34 may occur within the SEZ region (Stout 2009). Reintroductions of northern aplomado falcons in
35 southern New Mexico under Section 10(j) of the ESA began in 2006. According to the USFWS,
36 the northern aplomado falcon may occur on the SEZ and throughout the affected area of the
37 proposed Red Sands SEZ in areas of Chihuahuan Desert grassland, especially where scattered
38 yucca, mesquite, and cactus are present. According to a field-validated habitat suitability model
39 provided by the BLM Las Cruces District Office (Hewitt 2009b), suitable grassland habitat for
40 this species occurs on the SEZ and in the area of indirect effects. The species is known to occur
41 in the affected area about 3 mi (5 km) west of the SEZ (Figure 12.3.12.1-1; Table 12.3.12.1-1).
42 According to the SWReGAP habitat suitability model, about 12,900 acres (52 km²) and
43 95,200 acres (385 km²) of potentially suitable habitat may occur on the SEZ and within the area
44 of indirect effects, respectively. Critical habitat for this species has not been designated.
45
46

1 ***12.3.12.1.2 Species That Are Candidates for Listing under the ESA***
2

3 In their scoping comments on the proposed Red Sands SEZ (Stout 2009), the USFWS did
4 not mention any species that are candidates for listing under the ESA that may be impacted by
5 solar energy development on the Red Sands SEZ. On the basis of known occurrences and the
6 presence of potentially suitable habitat, there are no species that are candidates for ESA listing
7 that may occur in the affected area of the Red Sands SEZ.
8

9
10 ***12.3.12.1.3 Species That Are under Review for Listing under the ESA***
11

12 In their scoping comments on the proposed Red Sands SEZ (Stout 2009), the USFWS did
13 not mention any species that are under review for listing under the ESA that may be impacted by
14 solar energy development on the Red Sands SEZ. On the basis of known occurrences and the
15 presence of potentially suitable habitat, there are no species under review for ESA listing that
16 may occur in the affected area of the Red Sands SEZ.
17

18
19 ***12.3.12.1.4 BLM-Designated Sensitive Species***
20

21 There are 23 BLM-designated sensitive species that may occur in the affected area of the
22 Red Sands SEZ (Table 12.3.12.1-1), including the following: (1) plants: Burgess' scale broom,
23 Glass Mountain coralroot, grama grass cactus, Marble Canyon rockcress, New Mexico rock
24 daisy, Villard pincushion cactus, and Wright's marsh thistle; (2) reptiles: Texas horned lizard;
25 (3) birds: American peregrine falcon, Baird's sparrow, bald eagle, black tern, ferruginous hawk,
26 loggerhead shrike, western burrowing owl, and white-faced ibis; and (4) mammals: Arizona
27 myotis, big free-tailed bat, fringed myotis, long-legged myotis, spotted bat, Townsend's big-
28 eared bat, and western small-footed myotis. Of these BLM-designated sensitive species with
29 potentially suitable habitat in the affected area, occurrences of the following species intersect the
30 affected area of the Red Sands SEZ: grama grass cactus, Villard pincushion cactus, Texas horned
31 lizard, American peregrine falcon, Baird's sparrow, black tern, western burrowing owl, white-
32 faced ibis, and spotted bat. Habitats in which BLM-designated sensitive species are found, the
33 amount of potentially suitable habitat in the affected area, and known locations of the species
34 relative to the SEZ are presented in Table 12.3.12.1-1. Additional information on these species as
35 related to the SEZ is provided in the following paragraphs. Additional life history information
36 for these species is provided in Appendix J.
37

38
39 **Burgess' Scale Broom**
40

41 The Burgess' scale broom is a perennial shrub known from southern Otero County, New
42 Mexico, and adjacent western Texas. It occurs on stabilized gypsum dunes in Chihuahuan Desert
43 scrub and grassland communities at elevations between 3,500 and 7,500 ft (1,066 and 2,286 m).
44 According to the SWReGAP land cover model, potentially suitable desert scrub and grassland
45 habitat may occur on the SEZ and in other portions of the affected area (Table 12.3.12.1-1).
46

1 **Glass Mountain Coralroot**

2
3 The Glass Mountain coralroot is a perennial herb known from southern New Mexico
4 and adjacent western Texas. It occurs in deep canyon regions among leaf litter under oak trees
5 at elevations near 4,300 ft (1,310 m). This species is known to occur in Otero County,
6 New Mexico. According to the SWReGAP land cover model, potentially suitable canyon or
7 woodland habitat does not occur on the SEZ. However, potentially suitable woodland habitat
8 may occur in the area of indirect effects within 5 mi (8 km) of the SEZ (Table 12.3.12.1-1).

9
10
11 **Grama Grass Cactus**

12
13 The grama grass cactus is a perennial shrub-like cactus known from southern Arizona,
14 New Mexico, and Texas. It occurs in pinyon-juniper woodlands and desert grasslands on sandy
15 soils. This species is known to occur on the Red Sands SEZ and in portions of the area of indirect
16 effects within 5 mi (8 km) of the SEZ. According to the SWReGAP land cover model,
17 potentially suitable desert grassland habitat may occur on the SEZ and in other portions of the
18 affected area (Table 12.3.12.1-1).

19
20
21 **Marble Canyon Rockcress**

22
23 The Marble Canyon rockcress is an annual herb known from southern New Mexico and
24 Texas. It occurs in rock crevices and at the bases of limestone cliffs in chaparral and pinyon-
25 juniper communities at elevations between 4,500 and 6,000 ft (1,350 and 1,800 m). This species
26 is known to occur in Otero County, New Mexico. According to the SWReGAP land cover
27 model, potentially suitable rocky cliff and outcrop habitat does not occur on the SEZ. However,
28 potentially suitable habitat may occur in portions of the area of indirect effects within 5 mi
29 (8 km) of the SEZ (Table 12.3.12.1-1).

30
31
32 **New Mexico Rock Daisy**

33
34 The New Mexico rock daisy is a perennial herb that is endemic to south-central
35 New Mexico. It occurs in crevices of limestone cliffs and boulders at elevations between 4,900
36 and 7,000 ft (1,500 and 2,100 m). This species is known to occur in Otero County, New Mexico.
37 According to the SWReGAP land cover model, potentially suitable rocky cliff and outcrop
38 habitat does not occur on the SEZ. However, potentially suitable habitat may occur in portions of
39 the area of indirect effects within 5 mi (8 km) of the SEZ (Table 12.3.12.1-1).

40
41
42 **Villard Pincushion Cactus**

43
44 The Villard pincushion cactus is a perennial shrub-like cactus known from the Franklin
45 and Sacramento Mountains in southern New Mexico. It occurs on loamy soils on limestone
46 benches in desert grassland at elevations between 4,500 and 6,500 ft (1,370 and 2,000 m). This

1 species is known to occur in the affected area of the Red Sands SEZ, within 4 mi (6 km) east of
2 the SEZ. According to the SWReGAP land cover model, potentially suitable desert grassland
3 habitat may occur on the SEZ and other portions of the affected area (Table 12.3.12.1-1).
4
5

6 **Wright's Marsh Thistle**

7

8 The Wright's marsh thistle is a perennial herb known from southern New Mexico,
9 western Texas, and adjacent Chihuahua, Mexico. It occurs on moist alkaline soils near springs,
10 seeps, and marshy areas along streams and ponds. This species is known to occur in Otero
11 County, New Mexico. According to the SWReGAP land cover model, potentially suitable desert
12 playa habitat may occur on the SEZ and other portions of the affected area (Table 12.3.12.1-1).
13
14

15 **Texas Horned Lizard**

16

17 The Texas horned lizard is widespread in the south-central United States and northern
18 Mexico. This lizard inhabits open arid and semiarid regions on sandy substrates and sparse
19 vegetation. Vegetation in suitable habitats includes grasses, cacti, or scattered brush or scrubby
20 trees. Nearest quad-level occurrences of this species intersect the affected area about 5 mi (8 km)
21 west of the SEZ. According to the SWReGAP habitat suitability model, potentially suitable
22 habitat for this species occurs on the SEZ and throughout portions of the affected area
23 (Table 12.3.12.1-1).
24
25

26 **American Peregrine Falcon**

27

28 The American peregrine falcon occurs throughout the western United States in areas with
29 high vertical cliffs and bluffs that overlook large open areas such as deserts, shrublands, and
30 woodlands. Nests are usually constructed on rock outcrops and cliff faces. Foraging habitat
31 varies from shrublands and wetlands to farmland and urban areas. Nearest quad-level
32 occurrences of this species intersect the affected area about 5 mi (8 km) north of the SEZ.
33 According to the SWReGAP habitat suitability model, potentially suitable year-round foraging
34 and nesting habitat for the American peregrine falcon may occur within the affected area of the
35 Red Sands SEZ. On the basis of an evaluation of SWReGAP land cover types, however,
36 potentially suitable nesting habitat (cliffs or outcrops) does not occur on the SEZ.
37
38

39 **Baird's Sparrow**

40

41 The Baird's sparrow is a small neotropical migrant songbird with relatively small distinct
42 breeding and wintering ranges. Breeding occurs in prairie grasslands of southern Canada,
43 Montana, North Dakota, South Dakota, and Minnesota. Wintering occurs in dense grasslands in
44 southern Texas, New Mexico, and northern Mexico. This species is known to occur in Otero
45 County, New Mexico, where it is considered to be a winter resident, and quad-level occurrences
46 of this species intersect the affected area of the Red Sands SEZ within 5 mi (8 km) west of the

1 SEZ. According to the SWReGAP habitat suitability model, potentially suitable wintering
2 habitat for the Baird's sparrow may occur within the affected area of the Red Sands SEZ.
3
4

5 **Bald Eagle**

6
7 The bald eagle primarily occurs in riparian habitats associated with larger permanent
8 water bodies such as lakes, rivers, and reservoirs. However, it may occasionally forage in arid
9 shrubland habitats. This species is a winter resident in Otero County, New Mexico. According to
10 the SWReGAP habitat suitability model, potentially suitable winter foraging habitat for this
11 species may occur in the affected area of the Red Sands SEZ (Table 12.3.12.1-1).
12
13

14 **Black Tern**

15
16 The black tern is a migratory shorebird with distinct breeding and wintering areas. Most
17 breeding occurs in the northern United States and Canada in marshes, meadows, lakeshores, and
18 riparian areas along rivers and streams. Wintering occurs on beaches, estuaries, and reservoirs in
19 Central and South America. This species may occur as a migratory transient in New Mexico and
20 throughout the southwestern United States. Within the region, black terns have been observed at
21 beaches and sandbars of large rivers and reservoirs, as well as open water habitats and playas in
22 desert regions. Quad-level occurrences for this species intersect the affected area of the
23 Red Sands SEZ about 5 mi (8 km) north of the SEZ (Figure 12.3.12.1-1, Table 12.3.12.1-1).
24 According to the SWReGAP habitat suitability model, suitable habitat for this species does not
25 occur in the affected area. However, on the basis of the SWReGAP land cover model, potentially
26 suitable open water and emergent marshland habitat occurs in the area of indirect effects
27 (Table 12.3.12.1-1). Transient individuals may be observed in these habitats. On the basis of
28 SWReGAP habitat suitability and land cover models, there is no suitable habitat for this species
29 on the SEZ.
30
31

32 **Ferruginous Hawk**

33
34 The ferruginous hawk occurs throughout the western United States. According to the
35 SWReGAP habitat suitability model, only potentially suitable winter foraging habitat for this
36 species occurs within the affected area of the Red Sands SEZ. This species inhabits open
37 grasslands, sagebrush flats, desert scrub, and the edges of pinyon-juniper woodlands. This
38 species is known to occur in Otero County, New Mexico. According to the SWReGAP habitat
39 suitability model, suitable habitat for this species does not occur on the SEZ; however,
40 potentially suitable foraging habitat occurs in portions of the area of indirect effects outside of
41 the SEZ (Table 12.3.12.1-1).
42
43

44 **Loggerhead Shrike**

45
46 The loggerhead shrike is a migratory bird that occurs as a year-round resident in the
47 southwestern United States. This species inhabits open country with scattered trees and shrubs,

1 such as savannas, desert shrublands, and open woodlands. Individuals are often observed
2 perching on poles, wires, or fence posts. Nesting occurs in grasslands or pasture areas in shrubs
3 or small trees. This species is known to occur in Otero County, New Mexico. According to the
4 SWReGAP habitat suitability model, potentially suitable foraging and breeding habitat may
5 occur on the SEZ and in other portions of the affected area (Table 12.3.12.1-1).
6
7

8 **Western Burrowing Owl**

9

10 The western burrowing owl forages in grasslands, shrublands, open disturbed areas, and
11 nests in burrows usually constructed by mammals. According to the SWReGAP habitat
12 suitability model for the western burrowing owl, potentially suitable year-round foraging and
13 nesting habitat may occur in the affected area of the Red Sands SEZ. This species is known to
14 occur in Otero County, New Mexico, and quad-level occurrences for this species intersect the
15 affected area of the Red Sands SEZ (Figure 12.3.12.1-1; Table 12.3.12.1-1). Potentially suitable
16 foraging and breeding habitat is expected to occur on the SEZ and in other portions of the
17 affected area (Table 12.3.12.1-1). The availability of nest sites (burrows) within the affected area
18 has not been determined, but shrubland habitat that may be suitable for either foraging or nesting
19 occurs throughout the affected area.
20

21 **White-Faced Ibis**

22

23
24 The white-faced ibis is a migratory wading bird with distinct breeding and wintering
25 areas. Breeding primarily occurs in temperate areas of western North America in marshes,
26 swamps, and riverine systems. Wintering occurs in marshes, meadows, riverine systems, and
27 meadows from southern California and Arizona, coastal Texas and Louisiana, south to Central
28 and South America. This species may occur as a migratory transient in the state of New Mexico,
29 where individuals have been observed at irrigated agricultural fields, open water areas, and
30 desert playa habitats. Quad-level occurrences for this species intersect the affected area of the
31 Red Sands SEZ (Figure 12.3.12.1-1; Table 12.3.12.1-1). According to the SWReGAP habitat
32 suitability model, suitable habitat for this species does not occur in the affected area. However,
33 on the basis of the SWReGAP land cover model, potentially suitable open water and emergent
34 marshland habitat occurs in the area of indirect effects (Table 12.3.12.1-1). Transient individuals
35 may be observed in these habitats. On the basis of SWReGAP habitat suitability and land cover
36 models, there is no suitable habitat for this species on the SEZ.
37
38

39 **Arizona Myotis**

40

41 The Arizona myotis is a year-round resident in the Red Sands SEZ region, occurring
42 primarily in woodland and riparian habitats. Suitable habitats for this species include ponderosa
43 pine and oak-pine woodlands near water. The species also occasionally forages in desert
44 shrubland areas. The species roosts in buildings, mines, and dead trees. This species is known to
45 occur in Otero County, New Mexico. The SWReGAP habitat suitability model for the Arizona
46 myotis indicates that potentially suitable foraging habitat may occur on the SEZ and in other

1 portions of the affected area (Table 12.3.12.1-1). On the basis of an evaluation of SWReGAP
2 land cover types, there is no potentially suitable roosting habitat (rocky cliffs and outcrops) on
3 the SEZ, but about 23 acres (0.1 km²) of potentially suitable roosting habitat occurs in the area of
4 indirect effects.
5
6

7 **Big Free-Tailed Bat**

8

9 The big free-tailed bat is a year-round resident in the Red Sands SEZ region, where it
10 forages in a variety of habitats, including coniferous forests and desert shrublands. The species
11 roosts in rock crevices or in buildings. This species is known to occur in Otero County,
12 New Mexico. The SWReGAP habitat suitability model for the big free-tailed bat indicates that
13 potentially suitable foraging habitat may occur on the SEZ and in other portions of the affected
14 area (Table 12.3.12.1-1). On the basis of an evaluation of SWReGAP land cover types, no
15 potentially suitable roosting habitat (rocky cliffs and outcrops) occurs on the SEZ, but about
16 23 acres (0.1 km²) of potentially suitable roosting habitat occurs in the area of indirect effects.
17
18

19 **Fringed Myotis**

20

21 The fringed myotis is a year-round resident in the Red Sands SEZ region, occurring in a
22 variety of habitats, including riparian, shrubland, sagebrush, and pinyon-juniper woodlands. The
23 species roosts in buildings and caves. This species is known to occur in Otero County,
24 New Mexico. The SWReGAP habitat suitability model for the fringed myotis indicates that
25 potentially suitable foraging habitat may occur on the SEZ and in other portions of the affected
26 area (Table 12.3.12.1-1). On the basis of an evaluation of SWReGAP land cover types, there is
27 no potentially suitable roosting habitat (rocky cliffs and outcrops) on the SEZ, but about 23 acres
28 (0.1 km²) of potentially suitable roosting habitat occurs in the area of indirect effects.
29
30

31 **Long-Legged Myotis**

32

33 The long-legged myotis is a year-round resident in the Red Sands SEZ region, where it is
34 primarily known from montane coniferous forests. The species is also known to forage in desert
35 shrublands. The species roosts in buildings, caves, mines, and rock crevices. This species is
36 known to occur in Otero County, New Mexico. The SWReGAP habitat suitability model for the
37 long-legged myotis indicates that potentially suitable foraging habitat may occur on the SEZ and
38 in other portions of the affected area (Table 12.3.12.1-1). On the basis of an evaluation of
39 SWReGAP land cover types, no potentially suitable roosting habitat (rocky cliffs and outcrops)
40 occurs on the SEZ, but about 23 acres (0.1 km²) of potentially suitable roosting habitat occurs in
41 the area of indirect effects.
42
43

44 **Spotted Bat**

45

46 The spotted bat is a year-round resident in the Red Sands SEZ region, occurring in desert
47 shrublands, grasslands, and mixed coniferous forests. The species roosts in caves, rock crevices,

1 and buildings. Quad-level occurrences of this species intersect the affected area of the Red Sands
2 SEZ. The SWReGAP habitat suitability model for the spotted bat indicates that potentially
3 suitable foraging habitat may occur on the SEZ and in other portions of the affected area
4 (Table 12.3.12.1-1). On the basis of an evaluation of SWReGAP land cover types, there is no
5 potentially suitable roosting habitat (rocky cliffs and outcrops) on the SEZ, but about 23 acres
6 (0.1 km²) of potentially suitable roosting habitat occurs in the area of indirect effects.
7
8

9 **Townsend's Big-Eared Bat**

10
11 The Townsend's big-eared bat is a year-round resident in the Red Sands SEZ region,
12 where it forages in a wide variety of desert and non-desert habitats. The species roosts in caves,
13 mines, tunnels, buildings, and other man-made structures. This species is known to occur in
14 Otero County, New Mexico. The SWReGAP habitat suitability model for the Townsend's big-
15 eared bat indicates that potentially suitable foraging habitat may occur on the SEZ and in other
16 portions of the affected area (Table 12.3.12.1-1). On the basis of an evaluation of SWReGAP
17 land cover types, there is no potentially suitable roosting habitat (rocky cliffs and outcrops) on
18 the SEZ, but about 23 acres (0.1 km²) of potentially suitable roosting habitat occurs in the area of
19 indirect effects.
20

21 **Western Small-Footed Myotis**

22
23
24 The western small-footed myotis is a year-round resident in the Red Sands SEZ region,
25 occupying a wide variety of desert and non-desert habitats, including cliffs and rock outcrops,
26 grasslands, shrubland, and mixed woodlands. The species roosts in caves, mines, tunnels,
27 buildings, other man-made structures, and beneath boulders or loose bark. This species is known
28 to occur in Otero County, New Mexico. The SWReGAP habitat suitability model for the western
29 small-footed myotis indicates that potentially suitable foraging habitat may occur on the SEZ and
30 in other portions of the affected area (Table 12.3.12.1-1). On the basis of an evaluation of
31 SWReGAP land cover types, no potentially suitable roosting habitat (rocky cliffs and outcrops)
32 occurs on the SEZ, but about 23 acres (0.1 km²) of potentially suitable roosting habitat occurs in
33 the area of indirect effects.
34
35

36 **12.3.12.1.5 State-Listed Species**

37
38 There are 16 species listed by the State of New Mexico that may occur in the Red Sands
39 SEZ affected area (Table 12.3.12.1-1). These state-listed species include the following:
40 (1) plants: Burgess' scale broom, Glass Mountain coralroot, Kuenzler's hedgehog cactus,
41 Sacramento Mountains prickly-poppy, Scheer's pincushion cactus, Villard pincushion cactus,
42 and Wright's marsh thistle; (2) fish: White Sands pupfish; (3) birds: American peregrine falcon,
43 Baird's sparrow, bald eagle, Bell's vireo, gray vireo, interior least tern, and northern aplomado
44 falcon; and (4) mammal: spotted bat. All of these species are protected in New Mexico under the
45 Endangered Plant Species Act (NMSA 1978 § 75-6-1) or the Wildlife Conservation Act
46 (NMSA 1978 § 17-2-37). Of these species, the following four have not been previously

1 described because of their status under the ESA or BLM (Sections 12.3.12.1.1 or 12.3.12.1.4):
2 Scheer's pincushion cactus, White Sands pupfish, Bell's vireo, and gray vireo. These species as
3 related to the SEZ are described in this section and Table 12.3.12.1-1. Additional life history
4 information for these species is provided in Appendix J.
5
6

7 **Scheer's Pincushion Cactus**

8
9 The Scheer's pincushion cactus occurs from southeastern Arizona, southern
10 New Mexico, and western Texas. This species is listed as endangered by the State of
11 New Mexico. It occurs in Chihuahuan Desert shrubland and grassland communities, and
12 occasionally along washes or bajadas. Quad-level occurrences for this species intersect the
13 affected area of the Red Sands SEZ within 5 mi (8 km) west of the SEZ. According to the
14 SWReGAP land cover model, potentially suitable desert shrubland and grassland habitat occurs
15 on the SEZ and other portions of the affected area (Table 12.3.12.1-1).
16
17

18 **White Sands Pupfish**

19
20 The White Sands pupfish is a small fish species endemic to the Tularosa Basin in
21 southern New Mexico, where it is known from four isolated spring systems. This species is listed
22 as threatened by the State of New Mexico. Populations occur in the Salt Creek drainage,
23 including Malpais Spring, which occurs in Otero, Sierra, and Lincoln Counties within the White
24 Sands Missile Range. The White Sands pupfish was also presumably introduced at Holloman Air
25 Force Base and the White Sands National Monument near Alamogordo in a spring-fed section of
26 the Lost River near Malone Draw. A population is also known to occur in Mound Spring
27 associated with the Salt Creek drainage. This species is known to occur along the Lost River
28 within the White Sands Missile Range and White Sands National Monument about 5 mi (8 km)
29 west of the SEZ. These spring-fed habitats for the White Sands pupfish are supported by
30 groundwater in the Tularosa Basin that may also be used to support solar energy development
31 within the Red Sands SEZ (Table 12.3.12.1-1).
32
33

34 **Bell's Vireo**

35
36 The Bell's vireo is a small neotropical migrant songbird that is widespread in the central
37 and southwestern United States and northern Mexico. This species is listed as threatened by the
38 state of New Mexico. According to the SWReGAP habitat suitability model, this species may
39 occur throughout the SEZ region as a summer breeding resident. Breeding and foraging habitat
40 for the Bell's vireo consists of dense shrub-scrub vegetation such as riparian woodlands where
41 there is an abundance of willows, scrub-oak communities, and mesquite woodlands. This species
42 is known to occur in Otero County, New Mexico, and potentially suitable foraging or nesting
43 habitat may occur on the SEZ or in other portions of the affected area (Table 12.3.12.1-1).
44
45
46

1 **Gray Vireo**
2

3 The gray vireo is a small neotropical migrant songbird that is known from the
4 southwestern United States and northern Mexico. This species is listed as threatened by the State
5 of New Mexico. According to the SWReGAP habitat suitability model, this species may occur
6 throughout the SEZ region as a summer breeding resident. Breeding and foraging habitat for the
7 gray vireo consists of semiarid shrublands, pinyon-juniper woodlands, oak-scrub woodlands, and
8 chaparral habitats. Quad-level occurrences of this species intersect the affected area of the
9 Red Sands SEZ. Potentially suitable foraging or nesting habitat for this species may occur on the
10 SEZ or in other portions of the affected area (Table 12.3.12.1-1).
11
12

13 **12.3.12.1.6 Rare Species**
14

15 There are 36 rare species (i.e., state rank of S1 or S2 in New Mexico or considered a
16 species of concern by the USFWS or State of New Mexico) that may be affected by solar energy
17 development on the Red Sands SEZ (Table 12.3.12.1-1). Eleven of these rare species have not
18 been discussed previously. These include the following: (1) plants: Alamo beardtongue and
19 golden columbine; (2) invertebrates: blunt ambersnail, Boisduval’s blue butterfly, Hebard’s blue-
20 winged desert grasshopper, obese thorn snail, and Samalayuca Dune grasshopper; (3) birds:
21 osprey; and (4) mammals: black-tailed prairie dog, desert pocket gopher, White Sands woodrat,
22 and yellow-faced pocket gopher. These species as related to the SEZ are described in
23 Table 12.3.12.1-1.
24
25

26 **12.3.12.2 Impacts**
27

28 The potential for impacts on special status species from utility-scale solar energy
29 development within the proposed Red Sands SEZ is addressed in this section. The types of
30 impacts that special status species could incur from construction and operation of utility-scale
31 solar energy facilities are discussed in Section 5.10.4.
32

33 The assessment of impacts on special status species is based on available information on
34 the presence of species in the affected area as presented in Section 12.3.12.1 and following the
35 analysis approach described in Appendix M. It is assumed that, prior to development, surveys
36 would be conducted to determine the presence of special status species and their habitats in and
37 near areas where ground-disturbing activities would occur. Additional NEPA assessments,
38 ESA consultations, and coordination with state natural resource agencies may be needed to
39 address project-specific impacts more thoroughly. These assessments and consultations could
40 result in additional required actions to avoid, minimize, or mitigate impacts on special status
41 species (see Section 12.3.12.3).
42

43 Solar energy development within the Red Sands SEZ could affect a variety of habitats
44 (see Sections 12.3.9 and 12.3.10). These impacts on habitats could in turn affect special status
45 species that are dependent on those habitats. Based on NHNM records and information provided
46 by the BLM Las Cruces District Office, occurrences for the following 17 special status species

1 intersect the Red Sands affected area: Alamo beardtongue, golden columbine, grama grass
2 cactus, Sacramento Mountains prickly-poppy, Scheer's pincushion cactus, Villard pincushion
3 cactus, White Sands pupfish, Texas horned lizard, American peregrine falcon, Baird's sparrow,
4 black tern, gray vireo, interior least tern, northern aplomado falcon, western burrowing owl,
5 white-faced ibis, and spotted bat. Suitable habitat for each of these species may occur in the
6 affected area. Other special status species may occur on the SEZ or within the affected area on
7 the basis of the presence of potentially suitable habitat. As discussed in Section 12.3.12.1, this
8 approach to identifying the species that could occur in the affected area probably overestimates
9 the number of species that actually occur there, and may therefore overestimate impacts on some
10 special status species.

11
12 Impacts on special status species could occur during all phases of development
13 (construction, operation, and decommissioning and reclamation) of a utility-scale solar energy
14 project within the SEZ. Construction and operation activities could result in short- or long-term
15 impacts on individuals and their habitats, especially if these activities take place in areas where
16 special status species are known to or could occur. As presented in Section 12.3.1.2, impacts of
17 access road and transmission line construction, upgrade, or operation are not assessed in this
18 evaluation because of the proximity of existing infrastructure to the SEZ.

19
20 Direct impacts would result from habitat destruction or modification. It is assumed that
21 direct impacts would occur only within the SEZ where ground-disturbing activities are expected
22 to occur. Indirect impacts could result from surface water and sediment runoff from disturbed
23 areas, fugitive dust generated by project activities, accidental spills, harassment, and lighting. No
24 ground-disturbing activities associated with project development are anticipated to occur within
25 the area of indirect effects. Decommissioning of facilities and reclamation of disturbed areas
26 after operations cease could result in short-term negative impacts on individuals and habitats
27 adjacent to project areas, but long-term benefits would accrue if original land contours and native
28 plant communities were restored in previously disturbed areas.

29
30 The successful implementation of programmatic design features (discussed in
31 Appendix A, Section A.2.2) would reduce direct impacts on some special status species,
32 especially those that depend on habitat types that can be easily avoided (e.g., desert dunes,
33 washes, and grasslands). Indirect impacts on special status species could be reduced to negligible
34 levels by implementing appropriate programmatic design features, especially those engineering
35 controls that would reduce groundwater consumption, runoff, sedimentation, spills, and fugitive
36 dust.

37 38 39 ***12.3.12.2.1 Impacts on Species Listed under the ESA***

40
41 In their scoping comments on the proposed Red Sands SEZ (Stout 2009), the USFWS
42 expressed concern for impacts of project development within the SEZ on the northern aplomado
43 falcon—a bird species listed as endangered under the ESA. In addition, three other species listed
44 under the ESA may be affected by solar energy development on the Red Sands SEZ—Kuenzler's
45 hedgehog cactus, Sacramento Mountains prickly-poppy, and interior least tern. Impacts on these
46 species are discussed below and summarized in Table 12.3.12.1-1.

1 **Kuenzler’s Hedgehog Cactus**
2

3 The Kuenzler’s hedgehog cactus is listed as endangered under the ESA and is endemic to
4 southern New Mexico on rocky slopes and woodland habitats such as oak-pine and pinyon-
5 juniper communities. It is known to occur in Otero County, New Mexico, and nearest known
6 occurrences are about 38 mi (61 km) east of the Red Sands SEZ. According to the SWReGAP
7 land cover model, potentially suitable rocky cliff and outcrop habitat for this species does not
8 occur on the SEZ. However, about 23 acres (0.1 km²) of suitable habitat occurs in the area of
9 potential indirect effects; this area represents less than 1.0% of the available suitable habitat in
10 the region (Table 12.3.12.1-1).
11

12 The overall impact on the Kuenzler’s hedgehog cactus from construction, operation, and
13 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
14 small because no potentially suitable habitat for this species occurs in the area of direct effects,
15 and only indirect effects are possible. The implementation of programmatic design features is
16 expected to be sufficient to reduce indirect impacts to negligible levels.
17

18 If deemed necessary, mitigation for the Kuenzler’s hedgehog cactus, including a survey
19 protocol, avoidance measures, minimization measures, and, potentially, compensatory
20 mitigation, should be developed in consultation with the USFWS in accordance with Section 7 of
21 the ESA. Consultation with the New Mexico Department of Game and Fish (NMDGF) should
22 also occur to determine any state mitigation requirements.
23
24

25 **Sacramento Mountains Prickly-Poppy**
26

27 The Sacramento Mountains prickly-poppy is listed as endangered under the ESA and is
28 endemic to the Sacramento Mountains in Otero County, New Mexico. This species inhabits
29 disturbed areas such as canyon bottoms, slopes, and roadsides. This species is known to occur in
30 the affected area of the Red Sands SEZ, within 4 mi (6 km) east of the SEZ (Figure 12.3.12.1-1;
31 Table 12.3.12.1-1). According to the SWReGAP land cover model, low- and moderately
32 disturbed areas that may be potentially suitable habitat for this species do not occur on the SEZ.
33 However, about 7,650 acres (31 km²) of this potentially suitable habitat occurs in the area of
34 potential indirect effects; this area represents about 13.3% of the available suitable habitat in the
35 region (Table 12.3.12.1-1).
36

37 The overall impact on the Sacramento Mountains prickly-poppy from construction,
38 operation, and decommissioning of utility-scale solar energy facilities within the Red Sands SEZ
39 is considered small because no potentially suitable habitat for this species occurs in the area of
40 direct effects, and only indirect effects are possible. The implementation of programmatic design
41 features is expected to be sufficient to reduce indirect impacts to negligible levels.
42

43 If deemed necessary, mitigation for the Sacramento Mountains prickly-poppy, including
44 a survey protocol, avoidance measures, minimization measures, and, potentially, compensatory
45 mitigation, should be developed in consultation with the USFWS in accordance with Section 7 of

1 the ESA. Consultation with the New Mexico Department of Game and Fish (NMDGF) should
2 also occur to determine any state mitigation requirements.
3
4

5 **Interior Least Tern**

6

7 The interior least tern is listed as endangered under the ESA and is known to breed on
8 sandy beaches and shorelines of large rivers and reservoirs in the central and midwestern
9 United States; it is known to occur in the southwestern United States only as a migratory
10 transient. Within New Mexico, interior least terns have been observed at beaches and sandbars
11 of large rivers and reservoirs, as well as open water habitats and playas in desert regions. Quad-
12 level occurrences for this species intersect the affected area of the Red Sands SEZ within 5 mi
13 (8 km) east of the SEZ (Figure 12.3.12.1-1; Table 12.3.12.1-1). According to the SWReGAP
14 land cover and habitat suitability models, suitable habitat for this species does not occur on the
15 SEZ, and the SWReGAP habitat suitability model does not indicate potentially suitable habitat
16 anywhere within the area of indirect effects. However, on the basis of the SWReGAP land cover
17 model, about 300 acres (1 km²) of open water and emergent marshland habitat occurs in the area
18 of indirect effects; this area represents about 33.3% of the available open water and emergent
19 marshland habitat in the region (Table 12.3.12.1-1).
20

21 The overall impact on the interior least tern from construction, operation, and
22 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
23 small because no potentially suitable habitat for this species occurs in the area of direct effects,
24 and only indirect effects are possible. The implementation of programmatic design features is
25 expected to be sufficient to reduce indirect impacts to negligible levels.
26

27 If deemed necessary, mitigation for the interior least tern, including development of a
28 survey protocol, avoidance measures, minimization measures, and, potentially, compensatory
29 mitigation, should be developed in consultation with the USFWS in accordance with Section 7 of
30 the ESA. Consultation with the New Mexico Department of Game and Fish (NMDGF) should
31 also occur to determine any state mitigation requirements.
32
33

34 **Northern Aplomado Falcon**

35

36 The northern aplomado falcon inhabits Chihuahuan grasslands in southern New Mexico,
37 western Texas, and northern Mexico and is known to occur about 3 mi (5 km) west of the
38 Red Sands SEZ (Figure 12.3.12.1-1). According to the SWReGAP habitat suitability model,
39 about 12,900 acres (52 km²) of potentially suitable habitat occurs within the SEZ and could be
40 directly affected by construction and operations of solar energy development on the Red Sands
41 SEZ. This direct effects area represents about 0.5% of available suitable habitat in the region.
42 About 95,200 acres (385 km²) of suitable habitat occurs in the area of potential indirect effects;
43 this area represents about 3.8% of the available suitable habitat in the region (Table 12.3.12.1-1).
44 In addition, a field-verified habitat suitability model provided by the BLM Las Cruces District
45 Office indicates that suitable grassland habitat for this species is known to occur on the SEZ. On

1 the basis of this information, it is concluded that portions of the Red Sands SEZ may provide
2 suitable habitat for the northern aplomado falcon.

3
4 The overall impact on the northern aplomado falcon from construction, operation, and
5 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
6 small because the amount of potentially suitable foraging and nesting habitat for this species in
7 the area of direct effects represents less than 1% of potentially suitable foraging habitat in the
8 SEZ region. The implementation of programmatic design features is expected to be sufficient to
9 reduce indirect impacts on this species to negligible levels.

10
11 Avoiding or minimizing disturbance to desert grassland habitat on the SEZ could reduce
12 direct impacts on the northern aplomado falcon to negligible levels. Impacts could also be
13 reduced by conducting pre-disturbance surveys and avoiding or minimizing disturbance to
14 occupied habitats (especially nests) in the area of direct effects. If avoidance or minimization is
15 not a feasible option, a compensatory mitigation plan could be developed and implemented to
16 mitigate direct effects on occupied habitats. Compensation could involve the protection and
17 enhancement of existing occupied or suitable habitats to compensate for habitats lost to
18 development. A comprehensive mitigation strategy that used one or both of these options could
19 be designed to completely offset the impacts of development. The need for mitigation, other than
20 programmatic design features, should be determined by conducting pre-disturbance surveys for
21 the species and its habitat in the area of direct effects.

22
23 Development of actions to reduce impacts (e.g., reasonable and prudent alternatives,
24 reasonable and prudent measures, and terms and conditions) on the northern aplomado falcon,
25 including development of a survey protocol, avoidance measures, minimization measures, and,
26 potentially, compensatory mitigation, should be developed in consultation with the USFWS per
27 Section 7 of the ESA. This consultation may also be used to develop incidental take statements
28 per Section 10 of the ESA (if necessary). Consultation with NMDGF should also occur to
29 determine any state mitigation requirements.

30 31 32 ***12.3.12.2.2 Impacts on Species That Are Candidates for Listing under the ESA***

33
34 In their scoping comments on the proposed Red Sands SEZ (Stout 2009), the USFWS did
35 not mention any species that are candidates for listing under the ESA that may be impacted by
36 solar energy development on the Red Sands SEZ. On the basis of known occurrences and the
37 presence of potentially suitable habitat, there are no species that are candidates for ESA listing
38 that may occur in the affected area of the Red Sands SEZ.

39 40 41 ***12.3.12.2.3 Impacts on Species That Are under Review for Listing under the ESA***

42
43 In their scoping comments on the proposed Red Sands SEZ (Stout 2009), the USFWS did
44 not mention any species that are under review for listing under the ESA that may be impacted by
45 solar energy development on the Red Sands SEZ. On the basis of known occurrences and the

1 presence of potentially suitable habitat, there are no species under review for ESA listing that
2 may occur in the affected area of the Red Sands SEZ.

3 4 5 **12.3.12.2.4 Impacts on BLM-Designated Sensitive Species**

6
7 There are 23 BLM-designated sensitive species that were not previously discussed as
8 listed under the ESA, candidates, or under review for ESA listing that may be affected by solar
9 energy development on the Red Sands SEZ. Impacts on these BLM-designated sensitive species
10 are discussed below.

11 12 13 **Burgess' Scale Broom**

14
15 The Burgess' scale broom occurs in Otero County, New Mexico, and potentially suitable
16 habitat occurs in the affected area of the Red Sands SEZ. According to the SWReGAP land
17 cover model, about 14,000 acres (57 km²) of potentially suitable desert shrub and grassland
18 habitat on the SEZ may be directly affected by construction and operations of solar energy
19 development (Table 12.3.12.1-1). This direct effects area represents about 0.7% of available
20 suitable habitat in the region. About 114,000 acres (461 km²) of potentially suitable desert
21 shrubland and grassland habitat occurs in the area of potential indirect effects; this area
22 represents about 5.4% of the available potentially suitable habitat in the SEZ region
23 (Table 12.3.12.1-1).

24
25 The overall impact on the Burgess' scale broom from construction, operation, and
26 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
27 small because less than 1% of potentially suitable habitat for this species occurs in the area of
28 direct effects. The implementation of programmatic design features is expected to be sufficient to
29 reduce indirect impacts to negligible levels.

30
31 Avoidance of all potentially suitable habitat for the Burgess' scale broom is not a feasible
32 way to mitigate impacts because potentially suitable habitat is widespread throughout the area of
33 direct effect and readily available in other portions of the SEZ region. For this species and other
34 special status plants, impacts could be reduced by conducting pre-disturbance surveys and
35 avoiding or minimizing disturbance to occupied habitats in the area of direct effects. If avoidance
36 or minimization is not a feasible option, plants could be translocated from the area of direct
37 effects to protected areas that would not be affected directly or indirectly by future development.
38 Alternatively, or in combination with translocation, a compensatory mitigation plan could be
39 developed and implemented to mitigate direct effects on occupied habitats. Compensation could
40 involve the protection and enhancement of existing occupied or suitable habitats to compensate
41 for habitats lost to development. A comprehensive mitigation strategy that used one or more of
42 these options could be designed to completely offset the impacts of development.

1 **Glass Mountain Coralroot**

2
3 The Glass Mountain coralroot occurs in Otero County, New Mexico, and potentially
4 suitable habitat occurs in the affected area of the Red Sands SEZ. According to the SWReGAP
5 land cover model, potentially suitable canyon and woodland habitat does not occur on the SEZ.
6 However, about 124 acres (0.5 km²) of potentially suitable canyon and woodland habitat occurs
7 in the area of indirect effects; this area represents less than 0.1% of the available suitable habitat
8 in the SEZ region (Table 12.3.12.1-1).

9
10 The overall impact on the Glass Mountain coralroot from construction, operation, and
11 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
12 small because no potentially suitable habitat for this species occurs in the area of direct effects,
13 and only indirect effects are possible. The implementation of programmatic design features is
14 expected to be sufficient to reduce indirect impacts to negligible levels.

15
16
17 **Grama Grass Cactus**

18
19 The grama grass cactus is known to occur on the Red Sands SEZ and in other portions of
20 the affected area. About 8,075 acres (33 km²) of potentially suitable desert grassland habitat on
21 the SEZ may be directly affected by construction and operations of solar energy development
22 (Table 12.3.12.1-1). This direct effects area represents 0.6% of available suitable habitat in the
23 region. About 35,150 acres (142 km²) of potentially suitable grassland habitat occurs in the area
24 of potential indirect effects; this area represents about 2.4% of the available suitable habitat in
25 the SEZ region (Table 12.3.12.1-1).

26
27 The overall impact on the grama grass cactus from construction, operation, and
28 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
29 small because less than 1% of potentially suitable habitat for this species occurs in the area of
30 direct effects. The implementation of programmatic design features is expected to be sufficient to
31 reduce indirect impacts to negligible levels. Avoiding or minimizing disturbance to desert
32 grassland habitat in the area of direct effects and the implementation of mitigation measures
33 described previously for the Burgess' scale broom could reduce direct impacts on this species to
34 negligible levels. The need for mitigation, other than programmatic design features, should be
35 determined by conducting pre-disturbance surveys for the species and its habitat on the SEZ.

36
37
38 **Marble Canyon Rockcress**

39
40 The Marble Canyon rockcress occurs in Otero County, New Mexico. According to the
41 SWReGAP land cover model, potentially suitable rocky cliff and outcrop and pinyon-juniper
42 habitats for this species do not occur on the SEZ. However, about 23 acres (0.1 km²) of
43 potentially suitable habitat occurs in the area of indirect effects within 5 mi (8 km) of the SEZ;
44 this area represents less than 0.1% of the available suitable habitat in the SEZ region
45 (Table 12.3.12.1-1).

1 The overall impact on the Marble Canyon rockcress from construction, operation, and
2 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
3 small because no potentially suitable habitat for this species occurs in the area of direct effects,
4 and only indirect effects are possible. The implementation of programmatic design features is
5 expected to be sufficient to reduce indirect impacts to negligible levels.
6
7

8 **New Mexico Rock Daisy** 9

10 The New Mexico rock daisy occurs in Otero County, New Mexico. According to the
11 SWReGAP land cover model, potentially suitable rocky cliff and outcrop habitat for this species
12 does not occur on the SEZ. However, about 23 acres (0.1 km²) of potentially suitable habitat
13 occurs in the area of indirect effects within 5 mi (8 km) of the SEZ; this area represents less
14 than 0.1% of the available suitable habitat in the SEZ region (Table 12.3.12.1-1).
15

16 The overall impact on the New Mexico rock daisy from construction, operation, and
17 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
18 small because no potentially suitable habitat for this species occurs in the area of direct effects,
19 and only indirect effects are possible. The implementation of programmatic design features is
20 expected to be sufficient to reduce indirect impacts to negligible levels.
21
22

23 **Villard Pincushion Cactus** 24

25 The Villard pincushion cactus is known to occur about 4 mi (6 km) east of the SEZ, and
26 potentially suitable habitat occurs in the affected area. About 8,075 acres (33 km²) of potentially
27 suitable desert grassland habitat on the SEZ may be directly affected by construction and
28 operations of solar energy development (Table 12.3.12.1-1). This direct effects area represents
29 0.6% of available suitable habitat in the region. About 35,150 acres (142 km²) of potentially
30 suitable grassland habitat occurs in the area of potential indirect effects; this area represents
31 about 2.4% of the available suitable habitat in the SEZ region (Table 12.3.12.1-1).
32

33 The overall impact on the Villard pincushion cactus from construction, operation, and
34 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
35 small because less than 1% of potentially suitable habitat for this species occurs in the area of
36 direct effects. The implementation of programmatic design features is expected to be sufficient to
37 reduce indirect impacts to negligible levels. Avoiding or minimizing disturbance to desert
38 grassland habitat in the area of direct effects and the implementation of mitigation measures
39 described previously for the Burgess' scale broom could reduce direct impacts on this species to
40 negligible levels. The need for mitigation, other than programmatic design features, should be
41 determined by conducting pre-disturbance surveys for the species and its habitat on the SEZ.
42
43
44

1 **Wright’s Marsh Thistle**
2

3 The Wright’s marsh thistle occurs in Otero County, New Mexico, and potentially suitable
4 habitat may occur in the affected area of the Red Sands SEZ. About 1,600 acres (6 km²) of
5 potentially suitable desert playa habitat on the SEZ may be directly affected by construction and
6 operations of solar energy development (Table 12.3.12.1-1). This direct effects area represents
7 1.3% of available suitable habitat in the region. About 3,890 acres (16 km²) of potentially
8 suitable grassland habitat occurs in the area of potential indirect effects; this area represents
9 about 3.1% of the available suitable habitat in the SEZ region (Table 12.3.12.1-1).

10
11 The overall impact on the Wright’s marsh thistle from construction, operation, and
12 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
13 moderate because more than 1% but less than 10% of potentially suitable habitat for this species
14 occurs in the area of direct effects. The implementation of programmatic design features is
15 expected to be sufficient to reduce indirect impacts to negligible levels. Avoiding or minimizing
16 disturbance to desert playa habitat in the area of direct effects and the implementation of
17 mitigation measures described previously for the Burgess’ scale broom could reduce direct
18 impacts on this species to negligible levels. The need for mitigation, other than programmatic
19 design features, should be determined by conducting pre-disturbance surveys for the species and
20 its habitat on the SEZ.

21
22
23 **Texas Horned Lizard**
24

25 The Texas horned lizard is known to occur in the affected area of the Red Sands SEZ.
26 About 22,500 acres (91 km²) of potentially suitable habitat on the SEZ could be directly affected
27 by construction and operations (Table 12.3.12.1-1). This direct impact area represents about
28 0.6% of potentially suitable habitat in the SEZ region. About 193,250 acres (782 km²) of
29 potentially suitable habitat occurs in the area of indirect effects; this area represents about 5.2%
30 of the potentially suitable habitat in the SEZ region (Table 12.3.12.1-1).

31
32 The overall impact on the Texas horned lizard from construction, operation, and
33 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
34 small because the amount of potentially suitable foraging habitat for this species in the area of
35 direct effects represents less than 1% of potentially suitable habitat in the SEZ region. The
36 implementation of programmatic design features is expected to be sufficient to reduce indirect
37 impacts on this species to negligible levels.

38
39 Avoidance of all potentially suitable habitats to mitigate impacts on the Texas horned
40 lizard is not feasible because potentially suitable desertscrub habitat is widespread throughout the
41 area of direct effect. However, direct impacts could be reduced by conducting pre-disturbance
42 surveys and avoiding or minimizing disturbance to occupied habitats in the area of direct effects.
43 If avoidance or minimization is not a feasible option, individuals could be translocated from the
44 area of direct effects to protected areas that would not be affected directly or indirectly by future
45 development. Alternatively, or in combination with translocation, a compensatory mitigation
46 plan could be developed and implemented to mitigate direct effects on occupied habitats.

1 Compensation could involve the protection and enhancement of existing occupied or suitable
2 habitats to compensate for habitats lost to development. A comprehensive mitigation strategy
3 that used one or more of these options could be designed to completely offset the impacts of
4 development.
5
6

7 **American Peregrine Falcon**

8

9 The American peregrine falcon is a year-round resident in the Red Sands SEZ region and
10 is known to occur in the affected area. About 2,050 acres (8 km²) of potentially suitable habitat
11 on the SEZ could be directly affected by construction and operations (Table 12.3.12.1-1). This
12 direct impact area represents 0.1% of potentially suitable habitat in the SEZ region. About
13 42,050 acres (170 km²) of potentially suitable habitat occurs in the area of indirect effects; this
14 area represents about 1.7% of the potentially suitable habitat in the SEZ region
15 (Table 12.3.12.1-1). Most of this area could serve as foraging habitat (open shrublands). On the
16 basis of an evaluation of SWReGAP land cover data, potentially suitable nest sites for this
17 species (rocky cliffs and outcrops) do not occur on the SEZ, but about 23 acres (0.1 km²) of this
18 habitat may occur in the area of indirect effects.
19

20 The overall impact on the American peregrine falcon from construction, operation, and
21 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
22 small because direct effects would only occur on potentially suitable foraging habitat, and the
23 amount of this habitat in the area of direct effects represents less than 1% of potentially suitable
24 foraging habitat in the SEZ region. The implementation of programmatic design features is
25 expected to be sufficient to reduce indirect impacts on this species to negligible levels.
26 Avoidance of all potentially suitable foraging habitats is not a feasible way to mitigate impacts
27 because potentially suitable habitat is widespread throughout the area of direct effect and readily
28 available in other portions of the SEZ region.
29
30

31 **Baird's Sparrow**

32

33 The Baird's sparrow is a winter (non-breeding) resident in the Red Sands SEZ region
34 and is known to occur in the affected area. About 8,100 acres (33 km²) of potentially suitable
35 foraging habitat on the SEZ could be directly affected by construction and operations
36 (Table 12.3.12.1-1). This direct impact area represents 0.5% of potentially suitable habitat in the
37 SEZ region. About 35,150 acres (142 km²) of potentially suitable foraging habitat occurs in the
38 area of indirect effects; this area represents about 2.3% of the potentially suitable habitat in the
39 SEZ region (Table 12.3.12.1-1).
40

41 The overall impact on the Baird's sparrow from construction, operation, and
42 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
43 small because direct effects would only occur on potentially suitable foraging habitat, and the
44 amount of this habitat in the area of direct effects represents less than 1% of potentially suitable
45 foraging habitat in the SEZ region. The implementation of programmatic design features is
46 expected to be sufficient to reduce indirect impacts on this species to negligible levels.

1 Avoiding or minimizing disturbance to desert grassland habitat on the SEZ could reduce
2 direct impacts on the Baird’s sparrow to negligible levels. In addition, impacts could be reduced
3 by conducting pre-disturbance surveys and avoiding or minimizing disturbance to occupied
4 habitats in the area of direct effects. If avoidance or minimization is not a feasible option, a
5 compensatory mitigation plan could be developed and implemented to mitigate direct effects on
6 occupied habitats. Compensation could involve the protection and enhancement of existing
7 occupied or suitable habitats to compensate for habitats lost to development. A comprehensive
8 mitigation strategy that used one or both of these options could be designed to completely offset
9 the impacts of development.

12 **Bald Eagle**

14 The bald eagle is a winter resident in the Red Sands SEZ region, and only potentially
15 suitable foraging habitat is expected to occur in the affected area. About 7,900 acres (32 km²) of
16 potentially suitable habitat on the SEZ could be directly affected by construction and operations
17 (Table 12.3.12.1-1). This direct impact area represents 0.3% of potentially suitable habitat in the
18 SEZ region. About 43,100 acres (174 km²) of potentially suitable habitat occurs in the area of
19 indirect effects; this area represents about 1.8% of the potentially suitable habitat in the SEZ
20 region (Table 12.3.12.1-1). Most of the suitable foraging habitat on the SEZ and in the area of
21 indirect effects consists of desert shrubland and grassland.

23 The overall impact on the bald eagle from construction, operation, and decommissioning
24 of utility-scale solar energy facilities within the Red Sands SEZ is considered small because the
25 amount of potentially suitable foraging habitat for this species in the area of direct effects
26 represents less than 1% of potentially suitable foraging habitat in the SEZ region. The
27 implementation of programmatic design features is expected to be sufficient to reduce indirect
28 impacts on this species to negligible levels. Avoidance of all potentially suitable foraging
29 habitats is not a feasible way to mitigate impacts because potentially suitable habitat is
30 widespread throughout the area of direct effect and readily available in other portions of the SEZ
31 region.

34 **Black Tern**

36 The black tern is a migratory transient in the southwestern United States, including the
37 affected area of the Red Sands SEZ. According to the SWReGAP land cover and habitat
38 suitability models, suitable habitat for this species does not occur on the SEZ, and the
39 SWReGAP habitat suitability model does not indicate potentially suitable habitat anywhere
40 within the area of indirect effects. However, on the basis of the SWReGAP land cover model,
41 about 300 acres (1 km²) of open water and emergent marshland habitat occurs in the area of
42 indirect effects; this area represents about 33.3% of the available open water and emergent
43 marshland habitat in the region (Table 12.3.12.1-1).

45 The overall impact on the black tern from construction, operation, and decommissioning
46 of utility-scale solar energy facilities within the Red Sands SEZ is considered small because no

1 potentially suitable habitat for this species occurs in the area of direct effects, and only indirect
2 effects are possible. The implementation of programmatic design features is expected to be
3 sufficient to reduce indirect impacts to negligible levels.
4
5

6 **Ferruginous Hawk**

7

8 The ferruginous hawk is a winter resident in the Red Sands SEZ region, and potentially
9 suitable foraging habitat is expected to occur in the affected area. According to the SWReGAP
10 habitat suitability model, suitable habitat for this species does not occur within the area of direct
11 effects. However, about 225 acres (1 km²) of potentially suitable habitat occurs in the area of
12 indirect effects; this area represents about 0.8% of the potentially suitable habitat in the SEZ
13 region (Table 12.3.12.1-1).
14

15 The overall impact on the ferruginous hawk from construction, operation, and
16 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
17 small because no potentially suitable habitat for this species occurs in the area of direct effects,
18 and only indirect effects are possible. The implementation of programmatic design features is
19 expected to be sufficient to reduce indirect impacts to negligible levels.
20

21 **Loggerhead Shrike**

22

23
24 The loggerhead shrike is a year-round resident in the Red Sands SEZ region, and
25 potentially suitable habitat occurs in the affected area. About 19,100 acres (77 km²) of
26 potentially suitable desert shrubland and grassland habitat on the SEZ could be directly affected
27 by construction and operations (Table 12.3.12.1-1). This direct impact area represents 0.4% of
28 potentially suitable habitat in the SEZ region. About 188,000 acres (761 km²) of potentially
29 suitable desert shrubland and grassland habitat occurs in the area of indirect effects; this area
30 represents about 4.2% of the potentially suitable habitat in the SEZ region (Table 12.3.12.1-1).
31 These areas represent potentially suitable foraging and nesting habitats.
32

33 The overall impact on the loggerhead shrike from construction, operation, and
34 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
35 small because less than 1% of potentially suitable habitat for this species occurs in the area of
36 direct effects. The implementation of programmatic design features is expected to be sufficient to
37 reduce indirect impacts to negligible levels.
38

39 Avoidance of all potentially suitable habitats (desert shrublands and grasslands) is not a
40 feasible means of mitigating impacts on the loggerhead shrike because potentially suitable
41 shrubland habitat is widespread throughout the area of direct effect and in other portions of the
42 SEZ region. Impacts could be reduced by conducting pre-disturbance surveys and avoiding or
43 minimizing disturbance to occupied habitats (especially nests) in the area of direct effects. If
44 avoidance or minimization is not a feasible option, a compensatory mitigation plan could be
45 developed and implemented to mitigate direct effects on suitable habitats. Compensation could
46 involve the protection and enhancement of existing occupied or suitable habitats to compensate

1 for habitats lost to development. A comprehensive mitigation strategy that used one or both of
2 these options could be designed to completely offset the impacts of development.

3 4 5 **Western Burrowing Owl**

6
7 The western burrowing owl is a year-round resident in the Red Sands SEZ region, and the
8 species is known to occur in the affected area. About 21,000 acres (85 km²) of potentially
9 suitable habitat on the SEZ could be directly affected by construction and operations
10 (Table 12.3.12.1-1). This direct impact area represents 0.6% of potentially suitable habitat in the
11 SEZ region. About 196,800 acres (796 km²) of potentially suitable habitat occurs in the area of
12 indirect effects; this area represents about 5.3% of the potentially suitable habitat in the SEZ
13 region (Table 12.3.12.1-1). Most of this area could serve as foraging and nesting habitat
14 (shrublands). The abundance of burrows suitable for nesting in the affected area has not been
15 determined.

16
17 The overall impact on the western burrowing owl from construction, operation, and
18 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
19 small because the amount of potentially suitable habitat for this species in the area of direct
20 effects represents less than 1% of potentially suitable habitat in the SEZ region. The
21 implementation of programmatic design features is expected to be sufficient to reduce indirect
22 impacts to negligible levels.

23
24 Avoidance of all potentially suitable habitats is not a feasible way to mitigate impacts on
25 the western burrowing owl because potentially suitable desert shrub habitats are widespread
26 throughout the area of direct effect and is readily available in other portions of the SEZ region.
27 Impacts on the western burrowing owl could be reduced to negligible levels through the
28 implementation of programmatic design features and by conducting pre-disturbance surveys and
29 avoiding or minimizing disturbance to occupied habitats in the area of direct effects. If avoidance
30 or minimization is not a feasible option, a compensatory mitigation plan could be developed and
31 implemented to mitigate direct effects on occupied habitats. Compensation could involve the
32 protection and enhancement of existing occupied or suitable habitats to compensate for habitats
33 lost to development. A comprehensive mitigation strategy that used one or both of these options
34 could be designed to completely offset the impacts of development. The need for mitigation,
35 other than programmatic design features, should be determined by conducting pre-disturbance
36 surveys for the species and its habitat in the area of direct effects.

37 38 39 **White-Faced Ibis**

40
41 The white-faced ibis is a migratory transient wading bird species in the Red Sands SEZ
42 region, and potentially suitable habitat may occur in the affected area. According to the
43 SWReGAP land cover and habitat suitability models, suitable habitat for this species does not
44 occur on the SEZ, and the SWReGAP habitat suitability model does not indicate potentially
45 suitable habitat anywhere within the area of indirect effects. However, on the basis of the
46 SWReGAP land cover model, about 300 acres (1 km²) of open water and emergent marshland

1 habitat occurs in the area of indirect effects; this area represents about 33.3% of the available
2 open water and emergent marshland habitat in the region (Table 12.3.12.1-1).

3
4 The overall impact on the white-faced ibis from construction, operation, and
5 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
6 small because no potentially suitable habitat for this species occurs in the area of direct effects,
7 and only indirect effects are possible. The implementation of programmatic design features is
8 expected to be sufficient to reduce indirect impacts to negligible levels.

9 10 11 **Arizona Myotis**

12
13 The Arizona myotis is a year-round resident within the Red Sands SEZ region, and
14 potentially suitable habitat may occur in the affected area of the SEZ. According to the
15 SWReGAP habitat suitability model, about 21,000 acres (85 km²) of potentially suitable habitat
16 on the SEZ could be directly affected by construction and operations (Table 12.3.12.1-1). This
17 direct impact area represents 0.4% of potentially suitable habitat in the SEZ region. About
18 200,400 acres (811 km²) of potentially suitable foraging habitat occurs in the area of indirect
19 effect; this area represents about 4.1% of the available suitable habitat in the region
20 (Table 12.3.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
21 habitat represented by desert shrubland. An evaluation of SWReGAP land cover data indicates
22 that potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
23 about 23 acres (0.1 km²) of potentially suitable roost habitat may occur in the area of indirect
24 effects.

25
26 The overall impact on the Arizona myotis from construction, operation, and
27 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
28 small because the amount of potentially suitable foraging habitat for this species in the area of
29 direct effects represents less than 1% of potentially suitable foraging habitat in the SEZ region.
30 The implementation of programmatic design features is expected to be sufficient to reduce
31 indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
32 foraging habitat is not a feasible way to mitigate impacts because potentially suitable foraging
33 habitat is widespread throughout the area of direct effect and is readily available in other portions
34 of the SEZ region.

35 36 37 **Big Free-Tailed Bat**

38
39 The big free-tailed bat is a year-round resident within the Red Sands SEZ region, and
40 potentially suitable habitat may occur in the affected area of the SEZ. According to the
41 SWReGAP habitat suitability model, about 22,500 acres (91 km²) of potentially suitable habitat
42 on the SEZ could be directly affected by construction and operations (Table 12.3.12.1-1). This
43 direct impact area represents 0.5% of potentially suitable habitat in the SEZ region. About
44 201,500 acres (815 km²) of potentially suitable foraging habitat occurs in the area of indirect
45 effect; this area represents about 4.2% of the available suitable habitat in the region
46 (Table 12.3.12.1-1). Most of the potentially suitable habitat in the affected area is foraging

1 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
2 data, potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
3 about 23 acres (0.1 km²) of such habitat may occur in the area of indirect effects.
4

5 The overall impact on the big free-tailed bat from construction, operation, and
6 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
7 small because the amount of potentially suitable foraging habitat for this species in the area of
8 direct effects represents less than 1% of potentially suitable foraging habitat in the SEZ region.
9 The implementation of programmatic design features is expected to be sufficient to reduce
10 indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
11 foraging habitat is not a feasible way to mitigate impacts because potentially suitable foraging
12 habitat is widespread throughout the area of direct effect and is readily available in other portions
13 of the SEZ region.
14

15 **Fringed Myotis**

16
17
18 The fringed myotis is a year-round resident within the Red Sands SEZ region, and
19 potentially suitable habitat may occur in the affected area of the SEZ. According to the
20 SWReGAP habitat suitability model, about 13,100 acres (53 km²) of potentially suitable habitat
21 on the SEZ could be directly affected by construction and operations (Table 12.3.12.1-1). This
22 direct impact area represents 0.3% of potentially suitable habitat in the SEZ region. About
23 116,600 acres (472 km²) of potentially suitable foraging habitat occurs in the area of indirect
24 effect; this area represents about 2.9% of the available suitable habitat in the region
25 (Table 12.3.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
26 habitat represented by desert shrubland. On the basis of an evaluation of SWReGAP land cover
27 data, potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
28 about 23 acres (0.1 km²) of such habitat may occur in the area of indirect effects.
29

30 The overall impact on the fringed myotis from construction, operation, and
31 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
32 small because the amount of potentially suitable foraging habitat for this species in the area of
33 direct effects represents less than 1% of potentially suitable foraging habitat in the SEZ region.
34 The implementation of programmatic design features is expected to be sufficient to reduce
35 indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
36 foraging habitat is not a feasible way to mitigate impacts because potentially suitable foraging
37 habitat is widespread throughout the area of direct effect and is readily available in other portions
38 of the SEZ region.
39

40 **Long-Legged Myotis**

41
42
43 The long-legged myotis is a year-round resident within the Red Sands SEZ region, and
44 potentially suitable habitat may occur in the affected area of the SEZ. According to the
45 SWReGAP habitat suitability model, about 13,100 acres (53 km²) of potentially suitable habitat
46 on the SEZ could be directly affected by construction and operations (Table 12.3.12.1-1). This

1 direct impact area represents 0.3% of potentially suitable habitat in the SEZ region. About
2 109,400 acres (443 km²) of potentially suitable foraging habitat occurs in the area of indirect
3 effect; this area represents about 2.7% of the available suitable habitat in the region
4 (Table 12.3.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
5 habitat represented by desert shrubland. An evaluation of SWReGAP land cover data indicates
6 that potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
7 about 23 acres (0.1 km²) of such habitat may occur in the area of indirect effects.
8

9 The overall impact on the long-legged myotis from construction, operation, and
10 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
11 small because the amount of potentially suitable foraging habitat for this species in the area of
12 direct effects represents less than 1% of potentially suitable foraging habitat in the SEZ region.
13 The implementation of programmatic design features is expected to be sufficient to reduce
14 indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
15 foraging habitat is not a feasible way to mitigate impacts because potentially suitable foraging
16 habitat is widespread throughout the area of direct effect and is readily available in other portions
17 of the SEZ region.
18
19

20 **Spotted Bat**

21

22 The spotted bat is a year-round resident within the Red Sands SEZ region, and quad-level
23 occurrences for this species are known to intersect the affected area. According to the
24 SWReGAP habitat suitability model, about 250 acres (1 km²) of potentially suitable habitat on
25 the SEZ could be directly affected by construction and operations (Table 12.3.12.1-1). This
26 direct impact area represents less than 0.1% of potentially suitable habitat in the SEZ region.
27 About 20,750 acres (84 km²) of potentially suitable foraging habitat occurs in the area of
28 indirect effect; this area represents about 2.3% of the available suitable habitat in the region
29 (Table 12.3.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
30 habitat represented by desert shrubland. An evaluation of SWReGAP land cover data indicates
31 that potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
32 about 23 acres (0.1 km²) of potentially suitable roost habitat may occur in the area of indirect
33 effects.
34

35 The overall impact on the spotted bat from construction, operation, and decommissioning
36 of utility-scale solar energy facilities within the Red Sands SEZ is considered small because the
37 amount of potentially suitable foraging habitat for this species in the area of direct effects
38 represents less than 1% of potentially suitable foraging habitat in the SEZ region. The
39 implementation of programmatic design features is expected to be sufficient to reduce indirect
40 impacts on this species to negligible levels. Avoidance of all potentially suitable foraging habitat
41 is not a feasible way to mitigate impacts because potentially suitable foraging habitat is
42 widespread throughout the area of direct effect and is readily available in other portions of the
43 SEZ region.
44
45
46

1 **Townsend’s Big-Eared Bat**
2

3 The Townsend’s big-eared bat is a year-round resident within the Red Sands SEZ region,
4 and potentially suitable habitat may occur in the affected area. According to the SWReGAP
5 habitat suitability model, about 13,000 acres (53 km²) of potentially suitable habitat on the SEZ
6 could be directly affected by construction and operations (Table 12.3.12.1-1). This direct impact
7 area represents 0.3% of potentially suitable habitat in the SEZ region. About 108,600 acres
8 (439 km²) of potentially suitable habitat occurs in the area of indirect effect; this area represents
9 about 2.9% of the available suitable foraging habitat in the region (Table 12.3.12.1-1). Most of
10 the potentially suitable habitat in the affected area is foraging habitat represented by desert
11 shrubland. An evaluation of SWReGAP land cover data indicates that potentially suitable roost
12 habitat (rocky cliffs and outcrops) does not occur on the SEZ, but about 23 acres (0.1 km²) of
13 such habitat may occur in the area of indirect effects.
14

15 The overall impact on the Townsend’s big-eared bat from construction, operation, and
16 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
17 small because the amount of potentially suitable foraging habitat for this species in the area of
18 direct effects represents less than 1% of potentially suitable foraging habitat in the SEZ region.
19 The implementation of programmatic design features is expected to be sufficient to reduce
20 indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
21 foraging habitat is not a feasible way to mitigate impacts because potentially suitable foraging
22 habitat is widespread throughout the area of direct effect and is readily available in other portions
23 of the SEZ region.
24
25

26 **Western Small-Footed Myotis**
27

28 The western small-footed myotis is a year-round resident within the Red Sands SEZ
29 region, and potentially suitable habitat may occur in the affected area. According to the
30 SWReGAP habitat suitability model, about 19,200 acres (78 km²) of potentially suitable habitat
31 on the SEZ could be directly affected by construction and operations (Table 12.3.12.1-1). This
32 direct impact area represents 0.4% of potentially suitable habitat in the SEZ region. About
33 191,400 acres (775 km²) of potentially suitable habitat occurs in the area of indirect effect; this
34 area represents about 4.1% of the available suitable foraging habitat in the region
35 (Table 12.3.12.1-1). Most of the potentially suitable habitat in the affected area is foraging
36 habitat represented by desert shrubland. An evaluation of SWReGAP land cover data indicates
37 that potentially suitable roost habitat (rocky cliffs and outcrops) does not occur on the SEZ, but
38 about 23 acres (0.1 km²) of such habitat may occur in the area of indirect effects.
39

40 The overall impact on the western small-footed myotis from construction, operation, and
41 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
42 small because the amount of potentially suitable foraging habitat for this species in the area of
43 direct effects represents less than 1% of potentially suitable foraging habitat in the SEZ region.
44 The implementation of programmatic design features is expected to be sufficient to reduce
45 indirect impacts on this species to negligible levels. Avoidance of all potentially suitable
46 foraging habitat is not a feasible way to mitigate impacts because potentially suitable foraging

1 habitat is widespread throughout the area of direct effects and is readily available in other
2 portions of the SEZ region.

3 4 5 **12.3.12.2.5 Impacts on State-Listed Species**

6
7 Sixteen species listed by the State of New Mexico may occur in the Red Sands SEZ
8 affected area (Table 12.3.12.1-1). Of those species, impacts on the following four state-listed
9 species have not been previously described: Scheer's pincushion cactus, White Sands pupfish,
10 Bell's vireo, and gray vireo. Impacts on each of these species are discussed below and
11 summarized in Table 12.3.12.1-1.

12 13 14 **Scheer's Pincushion Cactus**

15
16 The Scheer's pincushion cactus is known to occur in the affected area of the Red Sands
17 SEZ, and potentially suitable habitat may occur on the site. According to the SWReGAP land
18 cover model, about 18,000 acres (73 km²) of potentially suitable desert shrubland and grassland
19 habitat for this species on the SEZ could be directly affected by construction and operations
20 (Table 12.3.12.1-1). This direct impact area represents 0.5% of potentially suitable habitat in
21 the SEZ region. About 202,400 acres (819 km²) of potentially suitable desert shrubland and
22 grassland habitat occurs in the area of potential indirect effects; this area represents about
23 5.9% of the available suitable habitat in the SEZ region (Table 12.3.12.1-1).

24
25 The overall impact on the Scheer's pincushion cactus from construction, operation, and
26 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
27 small because less than 1% of potentially suitable habitat for this species occurs in the area of
28 direct effects. The implementation of programmatic design features is expected to be sufficient to
29 reduce indirect impacts to negligible levels. Avoidance of all potentially suitable habitat is not
30 feasible because suitable habitat (desert shrubland) is widespread in the area of direct effects.
31 However, impacts may be reduced through the implementation of mitigation measures described
32 previously for the Burgess' broom scale (Section 12.3.12.2.4). The need for mitigation, other
33 than programmatic design features, should be determined by conducting pre-disturbance surveys
34 for the species and its habitat in the area of direct effects.

35 36 37 **White Sands Pupfish**

38
39 The White Sands pupfish is endemic to the Tularosa Basin in southern New Mexico and
40 nearest recorded occurrences and potentially suitable habitat intersect the affected area of the
41 Red Sands SEZ. Suitable spring-fed habitats for this species in the Lost River and Salt Creek are
42 supported in part by groundwater withdrawals from the Tularosa Basin, and groundwater from
43 this basin may be used to support solar energy development on the Red Sands SEZ. An
44 evaluation of SWReGAP land cover types indicates that suitable habitat for this species does not
45 occur on the SEZ. However, about 300 acres (1 km²) of potentially suitable open water and

1 emergent marshland habitat may occur in the affected area of the Red Sands SEZ; this area
2 represents about 33.3% of the available suitable habitat in the SEZ region (Table 12.3.12.1-1).

3
4 Impacts of groundwater depletion from solar energy development in the Red Sands SEZ
5 cannot be quantified without identification of the cumulative amount of groundwater
6 withdrawals needed to support development on the SEZ. Consequently, the overall impact on the
7 White Sands pupfish could range from small to large, and would depend in part on the solar
8 energy technology deployed, the scale of development within the SEZ, the type of cooling
9 system used, and the degree of influence water withdrawals in the SEZ would have on drawdown
10 and surface water discharges in habitats supporting this species (Table 12.3.12.1-1). Impacts on
11 the White Sands pupfish could be minimized or eliminated by avoiding or limiting groundwater
12 withdrawals from the Tularosa Basin to support solar energy development on the Red Sands
13 SEZ.

14 15 16 **Bell's Vireo**

17
18 The Bell's vireo is widespread in the central and southwestern United States and is
19 known to occur as a summer breeding resident in the Red Sands SEZ region. According to the
20 SWReGAP habitat suitability model, about 6,850 acres (28 km²) of potentially suitable habitat
21 on the SEZ could be directly affected by construction and operations (Table 12.3.12.1-1).
22 This direct impact area represents 3.3% of potentially suitable habitat in the SEZ region.
23 About 35,150 acres (142 km²) of potentially suitable habitat occurs in the area of indirect
24 effects; this area represents about 17.1% of the potentially suitable habitat in the SEZ region
25 (Table 12.3.12.1-1). Most of the potentially suitable habitat on the SEZ and throughout the area
26 of indirect effects could serve as foraging or nesting habitat where suitable dense shrub-scrub
27 vegetation occurs.

28
29 The overall impact on the Bell's vireo from construction, operation, and
30 decommissioning of utility-scale solar energy facilities within the Red Sands SEZ is considered
31 moderate because more than 1% but less than 10% of potentially suitable habitat for this species
32 occurs in the area of direct effects. The implementation of programmatic design features is
33 expected to be sufficient to reduce indirect impacts to negligible levels.

34
35 Avoidance of all potentially suitable habitats is not a feasible way to mitigate impacts on
36 the Bell's vireo because potentially suitable shrub-scrub habitat is widespread throughout the
37 area of direct effect and is readily available in other portions of the SEZ region. Impacts on the
38 Bell's vireo could be reduced by conducting pre-disturbance surveys and avoiding or minimizing
39 disturbance to occupied habitats (especially nesting habitat) in the area of direct effects. If
40 avoidance or minimization is not a feasible option, a compensatory mitigation plan could be
41 developed and implemented to mitigate direct effects on occupied habitats. Compensation could
42 involve the protection and enhancement of existing occupied or suitable habitats to compensate
43 for habitats lost to development. A comprehensive mitigation strategy that used one or both of
44 these options could be designed to completely offset the impacts of development.

1 **Gray Vireo**
2

3 The gray vireo is known from the southwestern United States and occurs as a summer
4 breeding resident in the Red Sands SEZ region. According to the SWReGAP habitat suitability
5 model, about 215 acres (1 km²) of potentially suitable habitat on the SEZ could be directly
6 affected by construction and operations (Table 12.3.12.1-1). This direct impact area represents
7 less than 0.1% of potentially suitable habitat in the SEZ region. About 9,435 acres (38 km²) of
8 potentially suitable habitat occurs in the area of indirect effects; this area represents about 1.1%
9 of the potentially suitable habitat in the SEZ region (Table 12.3.12.1-1). Most of the potentially
10 suitable habitat on the SEZ and throughout the area of indirect effects could serve as foraging or
11 nesting habitat where suitable shrubs and trees occur.
12

13 The overall impact on the gray vireo from construction, operation, and decommissioning
14 of utility-scale solar energy facilities within the Red Sands SEZ is considered small because less
15 than 1% of potentially suitable habitat for this species occurs in the area of direct effects. The
16 implementation of programmatic design features is expected to be sufficient to reduce indirect
17 impacts to negligible levels.
18

19 Avoidance of all potentially suitable habitats is not a feasible means of mitigating
20 impacts on the gray vireo because potentially suitable shrubland habitat is widespread throughout
21 the area of direct effect and in other portions of the SEZ region. Impacts on the gray vireo could
22 be reduced by conducting pre-disturbance surveys and avoiding or minimizing disturbance to
23 occupied habitats (especially nesting habitat) in the area of direct effects. If avoidance or
24 minimization is not a feasible option, a compensatory mitigation plan could be developed and
25 implemented to mitigate direct effects on occupied habitats. Compensation could involve the
26 protection and enhancement of existing occupied or suitable habitats to compensate for habitats
27 lost to development. A comprehensive mitigation strategy that used one or both of these options
28 could be designed to completely offset the impacts of development.
29
30

31 ***12.3.12.2.6 Impacts on Rare Species***
32

33 Thirty-six rare species (i.e., state rank of S1 or S2 in New Mexico or a species considered
34 of concern by the USFWS or State of New Mexico) may be affected by solar energy
35 development on the Red Sands SEZ (Table 12.3.12.1-1). Impacts on 11 rare species have not
36 been discussed previously. These include the following (1) plants: Alamo beardtongue and
37 golden columbine; (2) invertebrates: blunt ambersnail, Boisduval's blue butterfly, Hebard's blue-
38 winged desert grasshopper, obese thorn snail, and Samalayuca Dune grasshopper; (3) bird:
39 osprey; and (4) mammals: black-tailed prairie dog, desert pocket gopher, White Sands woodrat,
40 and yellow-faced pocket gopher. Impacts on these species are described in Table 12.3.12.1-1.
41
42

43 **12.3.12.3 SEZ-Specific Design Features and Design Feature Effectiveness**
44

45 The implementation of required programmatic design features described in Appendix A,
46 Section A.2.2, would greatly reduce or eliminate the potential for effects of utility-scale solar

1 energy development on special status species. While some SEZ-specific design features are best
2 established when specific project details are being considered, some design features can be
3 identified at this time, including the following:
4

- 5 • Pre-disturbance surveys should be conducted within the SEZ to determine the
6 presence and abundance of special status species, including those identified in
7 Table 12.3.12.1-1; disturbance to occupied habitats for these species should be
8 avoided or minimized to the extent practicable. If avoiding or minimizing
9 impacts on occupied habitats is not possible, translocation of individuals from
10 areas of direct effect, or compensatory mitigation of direct effects on occupied
11 habitats, could reduce impacts. A comprehensive mitigation strategy for
12 special status species that used one or more of these options to offset the
13 impacts of development should be developed in coordination with the
14 appropriate federal and state agencies.
15
- 16 • Consultation with the USFWS and NMDGF should be conducted to
17 address the potential for impacts on the following species currently listed
18 as threatened or endangered under the ESA: Kuenzler's hedgehog cactus,
19 Sacramento Mountains prickly-poppy, interior least tern, and northern
20 aplomado falcon. Consultation would identify an appropriate survey protocol,
21 avoidance and minimization measures, and, if appropriate, reasonable and
22 prudent alternatives, reasonable and prudent measures, and terms and
23 conditions for incidental take statements (if necessary).
24
- 25 • Avoiding or minimizing disturbance to desert grassland habitat on the SEZ
26 could reduce or eliminate impacts on the following special status species:
27 grama grass cactus, Villard pincushion cactus, Baird's sparrow, northern
28 aplomado falcon, and black-tailed prairie dog.
29
- 30 • Avoiding or minimizing disturbance to sand dune habitat and sand transport
31 systems on the SEZ could reduce or eliminate impacts on the following three
32 special status species: Boisduval's blue butterfly, Hebard's blue-winged desert
33 grasshopper, and Samalayuca Dune grasshopper.
34
- 35 • Avoiding or minimizing disturbance to playa habitat on the SEZ could reduce
36 or eliminate impacts on the following two special status species: Wright's
37 marsh thistle and Boisduval's blue butterfly.
38
- 39 • Avoidance or minimization of groundwater withdrawals from the Tularosa
40 Basin to serve solar energy development on the SEZ could reduce or eliminate
41 impacts on the White Sands pupfish. In particular, impacts on spring-fed
42 habitats in the Lost River and Salt Creek could be reduced with the avoidance
43 of groundwater withdrawals in the region.
44
- 45 • Harassment or disturbance of special status species and their habitats in the
46 affected area should be mitigated. This can be accomplished by identifying

1
2
3
4
5
6
7
8
9
10
11

any additional sensitive areas and implementing necessary protective measures based upon consultation with the USFWS and NMDGF.

If these SEZ-specific design features are implemented in addition to required programmatic design features, impacts on the special status and rare species could be reduced.

1 **12.3.13 Air Quality and Climate**


2
3
4 **12.3.13.1 Affected Environment**

5
6
7 **12.3.13.1.1 Climate**

8
9 The proposed Red Sands SEZ, with an average elevation of about 4,010 ft (1,220 m), is
10 located in the west-central portion of Otero County in south-central New Mexico. The SEZ is in
11 the central portion of Tularosa Basin, which extends about 150 mi (240 km) north-south, mostly
12 in Otero County. The SEZ is located in the northern portion of the Chihuahuan Desert, the
13 northern reaches of which protrude into New Mexico from north-central Mexico. The area
14 experiences a high desert arid climate, characterized by warm summers, mild winters, light
15 precipitation, a high evaporation rate, low relative humidity, abundant sunshine, and relatively
16 large annual and diurnal temperature ranges (NCDC 2010a). Meteorological data collected at the
17 Alamogordo White Sands Regional Airport, about 2 mi (3 km) northeast of the Red Sands SEZ
18 boundary, and at the White Sands National Monument, about 7 mi (11 km) northwest, are
19 summarized below.

20
21 A wind rose from the Alamogordo White Sands Regional Airport, based on data
22 collected 33 ft (10 m) above the ground over the 5-year period 2005 to 2009, is presented in
23 Figure 12.3.13.1-1 (NCDC 2010b). During this period, the annual average wind speed at the
24 airport was about 6.5 mph (2.9 m/s); the prevailing wind direction was from the south-southeast
25 (about 11.0% of the time) and secondarily from the south (about 10.6% of the time). South-
26 southeasterly winds occurred more frequently throughout the year, except from late spring
27 through early fall when southerly winds prevailed. Wind speeds categorized as calm (less than
28 1.1 mph [0.5 m/s]) occurred frequently (about 19.8% of the time) because of the stable
29 conditions caused by strong radiative cooling from late night to sunrise. Average wind speeds by
30 season were the highest in spring at 8.0 mph (3.6 m/s); lower in summer and winter at 6.4 mph
31 (2.9 m/s) and 6.1 mph (2.7 m/s), respectively; and lowest in fall at 5.7 mph (2.5 m/s).

32
33 Elevation plays a larger role than does latitude in determining the temperature of any
34 specific location in New Mexico (NCDC 2010a). For the period 1939 to 2010, the annual
35 average temperature at the White Sands National Monument was 59.7°F (15.4°C)
36 (WRCC 2010d). December was the coldest month, with an average minimum of 21.6°F (-5.8°C),
37 and July was the warmest, with an average maximum of 97.1°F (36.2°C). In summer, daytime
38 maximum temperatures over 90°F (32.2°C) are common, and minimums are in the 60s. The
39 minimum temperatures recorded were below freezing ($\leq 32^\circ\text{F}$ [0°C]) during the colder months
40 (from October to May with peaks of about 27 days in January and December), but subzero
41 temperatures were very rare. During the same period, the highest temperature, 111°F (43.9°C),
42 was reached in June 1981, and the lowest, -25°F (-31.7°C), in January 1962. In a typical year,
43 about 113 days had a maximum temperature of at least 90°F (32.2°C), while about 126 days had
44 minimum temperatures at or below freezing.



1
2
3
4

FIGURE 12.3.13.1-1 Wind Rose at 33 ft (10 m) at the Alamogordo White Sands Regional Airport, New Mexico, 2005 to 2009 (Source: NCDC 2010b)

1 In New Mexico, summer rains fall mostly during brief but frequently intense
2 thunderstorms associated with general southeasterly circulation from the Gulf of Mexico
3 (NCDC 2010a). In contrast, winter precipitation is caused mainly by frontal activity associated
4 with general movement of Pacific Ocean storms. For the 1939 to 2010 period, annual
5 precipitation at the White Sands National Monument averaged about 9.0 in. (22.9 cm)
6 (WRCC 2010d). On average, 42 days a year have measurable precipitation (0.01 in. [0.025 cm]
7 or more). Seasonally, precipitation is the highest in summer (nearly half of the annual total),
8 lower in fall and winter, and the lowest in spring. Snow occurs from November to March, and
9 the annual average snowfall at the White Sands National Monument was about 2.5 in. (6.4 cm),
10 with the highest monthly snowfall of 17.5 in. (44.5 cm) in December 1987.

11
12 The proposed Red Sands SEZ is far from major water bodies (more than 420 mi [676 km]
13 to the Gulf of California and 630 mi [1,014 km] to the Gulf of Mexico). Severe weather events
14 are a rarity in Otero County, which encompasses the Red Sands SEZ (NCDC 2010c).

15
16 General, widespread floods seldom occur in New Mexico. Instead, floods associated with
17 heavy thunderstorms may occur in small areas for a short time (NCDC 2010a). Since 1999,
18 26 floods (mostly flash floods) have been reported in Otero County; most of these occurred
19 during summer months (NCDC 2010c). These floods caused no deaths or injuries but some
20 property damage.

21
22 In Otero County, a total of 65 hail events have been reported since 1959, some of which
23 caused property and crop damages. Hail measuring 3.0 in. (7.6 cm) in diameter was reported
24 in 1999. In Otero County, one high wind event was reported in 1995, and 37 thunderstorm winds
25 have been reported since 1957. Those up to a maximum wind speed of 115 mph (51 m/s) occur
26 primarily during the summer months and cause some property and crop damages (NCDC 2010c).

27
28 No dust storm events were reported in Otero County (NCDC 2010c). However, the
29 ground surface of the SEZ is covered predominantly with very fine sandy loams, loamy fine
30 sands, and silt loams, which have relatively high dust storm potential. High winds can trigger
31 large amounts of dust from areas of dry and loose soils and sparse vegetation in Otero County.
32 Dust storms can deteriorate air quality and visibility and may have adverse effects on health,
33 particularly for people with asthma or other respiratory problems. No dust storm data are
34 available for Otero County, but dust storm data for Dona Ana County might be applicable to
35 Otero County, considering such storms are prevalent all over the state. Dona Ana County
36 experiences between 6 to 18 days per year when dust levels exceed federal health standards
37 (NMED 2000). In this area, high winds are common during the months of January to April, and
38 most dust storms last about 4 hours.

39
40 Because of the considerable distances to major water bodies, hurricanes never hit
41 New Mexico. On rare occasion, remnants of a tropical storm system originating from the
42 Pacific Ocean or the Gulf of Mexico may dump rains in the area, but there is no record of serious
43 wind damage from these storms (NCDC 2010a). Historically, two tropical depressions passed
44 within 100 mi (160 km) of the proposed Red Sands SEZ (CSC 2010). In the period from 1950 to
45 April 2010, a total of 15 tornadoes (0.3 per year) were reported in Otero County (NCDC 2010c).
46 Most tornadoes occurring in Otero County were relatively weak (i.e., 10 were F0, 4 were F1, and

1 1 was F2 on the Fujita tornado scale), and these tornadoes
 2 caused no death or injuries but some property damage. Most of
 3 these tornadoes occurred relatively far from the SEZ; the
 4 nearest one hit an area about 2.5 mi (4.0 km) north of the SEZ.

7 **12.3.13.1.2 Existing Air Emissions**

9 Otero County has a few industrial emission sources
 10 around Alamogordo, all of which are located within 5 mi (8 km)
 11 from the proposed Red Sands SEZ, but their emissions are
 12 relatively small. Several major roads, such as U.S. 54, 70,
 13 and 82, and several state routes are located in Otero County.
 14 Thus, onroad mobile source emissions are relatively substantial
 15 compared with industrial emission sources in Otero County.
 16 Data on annual emissions of criteria pollutants and VOCs in
 17 Otero County are presented in Table 12.3.13.1-1 for 2002
 18 (WRAP 2009). Emission data are classified into six source
 19 categories: point, area, onroad mobile, nonroad mobile,
 20 biogenic, and fire (wildfires, prescribed fires, agricultural fires,
 21 structural fires). In 2002, fire sources were primary contributors
 22 to total emissions of SO₂ (about 41%), CO (about 40%), and
 23 PM_{2.5} (about 73%), and secondary contributors to PM₁₀
 24 (about 47%). Onroad sources were major contributors to NO_x
 25 emissions (about 36%). Biogenic sources (i.e., vegetation—
 26 including trees, plants, and crops—and soils) that release
 27 naturally occurring emissions contributed secondarily to CO
 28 emissions (about 28%) and accounted for most VOC emissions
 29 (about 97%). Area sources were major contributors to PM₁₀
 30 (about 50%) and secondary contributors to PM_{2.5} (about 23%).
 31 Nonroad sources were secondary contributors to SO₂ and NO_x
 32 emissions. In Otero County, point emissions sources were minor contributors to criteria
 33 pollutants and VOCs.

35 In 2010, New Mexico is projected to produce about 89.4 MMt of gross⁶ CO₂e⁷
 36 emissions, which is about 1.3% of total U.S. GHG emissions in 2008 (Bailie et al. 2006). Gross
 37 GHG emissions in New Mexico increased by about 31% from 1990 to 2010, compared to
 38 14% growth in U.S. GHG emissions during the period from 1990 to 2008. In 2010, about 89.1%
 39 of GHG emissions in New Mexico is from energy sector: electric production (about 37.2%),

TABLE 12.3.13.1-1 Annual Emissions of Criteria Pollutants and VOCs in Otero County, New Mexico, Encompassing the Proposed Red Sands SEZ, 2002^a

Pollutant ^b	Emissions (tons/yr) ^c
SO ₂	340
NO _x	4,571
CO	55,046
VOCs	116,227
PM ₁₀	4,654
PM _{2.5}	2,557

^a Includes point, area, onroad and nonroad mobile, biogenic, and fire emissions.

^b Notation: CO = carbon monoxide; NO_x = nitrogen oxides; PM_{2.5} = particulate matter with a diameter of ≤2.5 μm; PM₁₀ = particulate matter with a diameter of ≤10 μm; SO₂ = sulfur dioxide; and VOCs = volatile organic compounds.

^c To convert tons to kilograms, multiply by 907.

Source: WRAP (2009).

⁶ Excluding GHG emissions removed as a result of forestry and other land uses and excluding GHG emissions associated with exported electricity.

⁷ This is a measure used to compare the emissions from various GHGs on the basis of their global warming potential, defined as the cumulative radiative forcing effects of a gas over a specified time horizon resulting from the emission of a unit mass of gas relative to a reference gas, CO₂. The CO₂e for a gas is derived by multiplying the mass of the gas by the associated global warming potential.

1 transportation (about 19.7%), fossil fuel industry (about 22.7%), and fuel use in the residential,
2 commercial, and industrial sectors combined (about 9.5%). New Mexico's *net* emissions in 2010
3 were about 68.5 MMt CO₂e, considering carbon sinks from forestry activities and agricultural
4 soils throughout the state. The EPA (2009a) also estimated 2005 emissions in New Mexico. Its
5 estimate of CO₂ emissions from fossil fuel combustion was 59.0 MMt, which was a little lower
6 than the state's estimate. Electric power generation and transportation accounted for about 53.8%
7 and 26.0% of the CO₂ emissions total, respectively, while the residential, commercial, and
8 industrial sectors accounted for the remainder (about 20.2%).

11 ***12.3.13.1.3 Air Quality***

12
13 New Mexico has established more stringent standards than NAAQS for SO₂, NO₂, and
14 CO, but no standards for O₃, PM (PM₁₀ and PM_{2.5}), or Pb (EPA 2010a; Title 20, Chapter 2,
15 Part 3 of the *New Mexico Administrative Code* [20.2.3 NMAC]). In addition, the state has
16 adopted standards for hydrogen sulfide and total reduced sulfur and still retains a standard for
17 TSP, which was formerly a criteria pollutant but was replaced by PM₁₀ in 1987.

18
19 Otero County is located administratively within the El Paso-Las Cruces-Alamogordo
20 Interstate Air Quality Control Region (AQCR 153) (Title 40, Part 81, Section 82 of the *Code of*
21 *Federal Regulations* [40 CFR 81.82]), along with three other counties in New Mexico (Dona
22 Ana, Lincoln, and Sierra) and six counties in Texas. Otero County, encompassing the proposed
23 Red Sands SEZ, is designated as being in unclassifiable/attainment for all criteria pollutants
24 (40 CFR 81.332). The entire state is designated as an unclassifiable/attainment area for all
25 criteria pollutants, except for a small portion of southeastern Dona Ana County around Anthony,
26 which is adjacent to El Paso, Texas, and has been designated nonattainment for PM₁₀ since
27 1991.

28
29 No ambient air-monitoring stations exist in Otero County.⁸ Considering that Otero
30 County is downwind of Dona Ana County, ambient concentration data for Dona Ana County are
31 presented as being representative of the proposed Red Sands SEZ for all criteria pollutants
32 except Pb. For CO, O₃, PM₁₀ and PM_{2.5}, concentration data from monitoring stations in and
33 around Las Cruces are presented. The locations of those stations range from 43 mi (69 km) to
34 49 mi (79 km) southwest of the SEZ. For SO₂ and NO₂, concentration data from Sunland Park,
35 which is located about 63 mi (101 km) south-southwest of the SEZ, are presented. Concentration
36 levels for O₃, PM₁₀, and PM_{2.5} in southeastern Dona Ana County (e.g., Anthony and
37 Sunland Park) have frequently exceeded these standards. Ambient air quality in Anthony and
38 Sunland Park, which are small cities, is affected by the adjacent metropolitan areas of El Paso,
39 Texas, and Ciudad Juarez, Mexico, and by the Chihuahuan Desert. In contrast, ambient air
40 quality for the proposed Red Sands SEZ represented by measurements in Las Cruces is fairly
41 good. The background concentration levels for SO₂, NO₂, CO, 1-hour O₃, annual PM₁₀, and
42 PM_{2.5} for the Red Sands SEZ from 2004 through 2008 were less than or equal to 68% of their
43 respective standards, as shown in Table 12.3.13.1-2 (EPA 2010b). However, the monitored

⁸ In 2007, PM₁₀ concentrations were monitored at the elementary school in the Mescalero Apache Tribal Lands at the request of parents because there was a crusher operation nearby.

1 8-hour O₃ concentrations were approaching the applicable standard (about 93%). Concentrations
2 for 24-hour PM₁₀ were below its standard (about 94%) during the period 2004 through 2007.
3 However, the 24-hour PM₁₀ standard was exceeded in 2008 because of a higher number of dust
4 storm episodes than usual. No measurement data for Pb are available for Otero County, but Pb
5 levels are expected to be low, considering that the most recent Pb concentration in Albuquerque
6 in 2004⁹ was only 2% of its standard.

7
8 The PSD regulations (see 40 CFR 52.21), which are designed to limit the growth of air
9 pollution in clean areas, apply to a major new source or modification of an existing major source
10 within an attainment or unclassified area (see Section 4.11.2.3). As a matter of policy, the EPA
11 recommends that the permitting authority notify the Federal Land Managers when a proposed
12 PSD source would locate within 62 mi (100 km) of a sensitive Class I area. Several Class I
13 areas are located in New Mexico and Texas, one of which is situated within the 62-mi (100-km)
14 range of the proposed SEZ. The nearest is White Mountain WA (40 CFR 81.421), about
15 38.5 mi (62 km) north-northeast of the Red Sands SEZ. This Class I area is not located directly
16 downwind of prevailing winds at the Red Sands SEZ (Figure 12.3.13.1-1). The next nearest
17 Class I areas include Bosque del Apache WA, Guadalupe Mountains NP in Texas, and Carlsbad
18 Caverns NP, which are located about 75 mi (121 km) north-northwest, 75 mi (121 km) southeast,
19 and 86 mi (138 km) east-southeast of the SEZ, respectively.

20 21 22 **12.3.13.2 Impacts**

23
24 Potential impacts on ambient air quality associated with a solar project would be of most
25 concern during the construction phase. Impacts on ambient air quality from fugitive dust
26 emissions resulting from soil disturbances are anticipated, but they would be of short duration.
27 During the operations phase, only a few sources with generally low levels of emissions would
28 exist for any of the four types of solar technologies evaluated. A solar facility would either not
29 burn fossil fuels or burn only small amounts during operation. (For facilities using HTFs, fuel
30 could be used to maintain the temperature of the HTFs for more efficient daily start-up.)
31 Conversely, use of solar facilities to generate electricity would displace air emissions that would
32 otherwise be released from fossil fuel power plants.

33
34 Air quality impacts shared by all solar technologies are discussed in detail in
35 Section 5.11.1, and technology-specific impacts are discussed in Section 5.11.2. Impacts specific
36 to the proposed Red Sands SEZ are presented in the following sections. Any such impacts would
37 be minimized through the implementation of required programmatic design features described in
38 Appendix A, Section A.2.2, and through any additional mitigation applied. Section 12.3.13.3
39 below identifies SEZ-specific design features of particular relevance to the Red Sands SEZ.

40

⁹ Pb measurements have been discontinued since 2004 in the state of New Mexico due to continuously low readings after the phaseout of leaded gasoline.

TABLE 12.3.13.1-2 NAAQS, SAAQS, and Background Concentration Levels Representative of the Proposed Red Sands SEZ in Otero County, New Mexico, 2004 to 2008

Pollutant ^a	Averaging Time	NAAQS	SAAQS	Background Concentration Level	
				Concentration ^{b,c}	Measurement Location, Year ^d
SO ₂	1-hour	75 ppb ^e	NA ^f	NA	NA
	3-hour	0.5 ppm	NA	0.006 ppm (1.2%; NA)	Sunland Park, 2005
	24-hour	0.14 ppm	0.10 ppm	0.004 ppm (2.9%; 4.0%)	Sunland Park, 2004
	Annual	0.030 ppm	0.02 ppm	0.001 ppm (3.3%; 5.0%)	Sunland Park, 2006
NO ₂	1-hour	100 ppb ^g	NA	NA	NA
	24-hour	NA	0.10 ppm	NA	NA
	Annual	0.053 ppm	0.05 ppm	0.011 ppm (21%; 22%)	Sunland Park, 2004
CO	1-hour	35 ppm	13.1 ppm	3.8 ppm (11%; 29%)	Las Cruces, 2004
	8-hour	9 ppm	8.7 ppm	2.7 ppm (30%; 31%)	Las Cruces, 2006
O ₃	1-hour	0.12 ppm ^h	NA	0.082 ppm (68%; NA)	Las Cruces, 2006
	8-hour	0.075 ppm	NA	0.070 ppm (93%; NA)	Las Cruces, 2006
PM ₁₀	24-hour	150 µg/m ³	NA	175 µg/m ³ (117%; NA)	Las Cruces, 2008
	Annual	50 µg/m ³ ⁱ	NA	25 µg/m ³ (50%; NA)	Las Cruces, 2008
PM _{2.5}	24-hour	35 µg/m ³	NA	15.0 µg/m ³ (43%; NA)	Las Cruces, 2007
	Annual	15.0 µg/m ³	NA	6.6 µg/m ³ (44%; NA)	Las Cruces, 2006
Pb	Calendar quarter	1.5 µg/m ³	NA	0.03 µg/m ³ (2.0%; NA)	Albuquerque, Bernalillo Co., 2004 ^k
	Rolling 3-month	0.15 µg/m ³ ^j	NA	NA	NA

^a Notation: CO = carbon monoxide; NO₂ = nitrogen dioxide; O₃ = ozone; Pb = lead; PM_{2.5} = particulate matter with a diameter of ≤2.5 µm; PM₁₀ = particulate matter with a diameter of ≤10 µm; and SO₂ = sulfur dioxide.

^b Monitored concentrations are the highest for calendar-quarter Pb; second-highest for all averaging times less than or equal to 24-hour averages, except fourth-highest daily maximum for 8-hour O₃ and the 98th percentile for 24-hour PM_{2.5}; and arithmetic mean for annual SO₂, NO₂, PM₁₀, and PM_{2.5}.

^c First and second values in parentheses are background concentration levels as a percentage of NAAQS and SAAQS, respectively. Calculation of 1-hour SO₂, 1-hour NO₂, and rolling 3-month Pb to NAAQS was not made, because no measurement data based on new NAAQS are available.

^d All monitoring stations listed, except Pb monitoring station, are located in Dona Ana County.

^e Effective August 23, 2010.

^f NA = not applicable or not available.

^g Effective April 12, 2010.

^h The EPA revoked the 1-hour O₃ standard in all areas, although some areas have continuing obligations under that standard (“anti-backsliding”).

Footnotes continued on next page.

TABLE 12.3.13.1-2 (Cont.)

- i Effective December 18, 2006, the EPA revoked the annual PM₁₀ standard of 50 µg/m³ but annual PM₁₀ concentrations are presented for comparison purposes.
- j Effective January 12, 2009.
- k This location with the highest observed concentrations in the state of New Mexico is not representative of the Red Sands SEZ; it is presented to show that Pb is not generally a concern in New Mexico.

Sources: EPA (2010a,b); *New Mexico Administrative Code* 20.2.3.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

12.3.13.2.1 Construction

The Red Sands SEZ site has a relatively flat terrain; thus only a minimum number of site preparation activities, perhaps with no large-scale earthmoving operations, would be required. However, fugitive dust emissions from soil disturbances during the entire construction phase would be a major concern because of the large areas that would be disturbed in a region that experiences windblown dust problems. Fugitive dusts, which are released near ground level, typically have more localized impacts than similar emissions from an elevated stack with additional plume rise induced by buoyancy and momentum effects.

Methods and Assumptions

Air quality modeling for PM₁₀ and PM_{2.5} emissions associated with construction activities was performed using the EPA-recommended AERMOD model (EPA 2009b). Details for emissions estimation, the description of AERMOD, input data processing procedures, and modeling assumption are described in Section M.13 of Appendix M. Estimated air concentrations were compared with the applicable NAAQS levels at the site boundaries and nearby communities and with PSD increment levels at nearby Class I areas.¹⁰ However, no receptors were modeled for PSD analysis at the nearest Class I area, White Mountain WA, because it is about 38.5 mi (62 km) from the SEZ, which is over the maximum modeling distance of 31 mi (50 km) for the AERMOD. Rather, several regularly spaced receptors in the direction of the White Mountain WA were selected as surrogates for the PSD analysis. For the Red Sands SEZ, the modeling was conducted based on the following assumptions and input:

- Uniformly distributed emissions from 3,000 acres (12.1 km²) each, and 6,000 acres (24.3 km²) in total, in the northeastern and eastern portions of the SEZ, close to the nearest residence and the nearby towns, such as Boles Acres, Alamogordo, and Holloman Air Force Base,

¹⁰ To provide a quantitative assessment, the modeled air impacts of construction were compared to the NAAQS levels and the PSD Class I increment levels. Although the Clean Air Act exempts construction activities from PSD requirements, a comparison with the Class I increment levels was used to quantify potential impacts. Only monitored data can be used to determine the attainment status. Modeled data are used to assess potential problems and as a consideration in the permitting process.

- Surface hourly meteorological data from the Alamogordo White Sands Regional Airport¹¹ and upper air sounding data from Santa Teresa for the 2005 to 2009 period, and
- A regularly spaced receptor grid over a modeling domain of 62 × 62 mi (100 km × 100 km) centered on the proposed SEZ, and additional discrete receptors at the SEZ boundaries.

Results

The modeling results for concentration increments and total concentrations (modeled plus background concentrations) for both PM₁₀ and PM_{2.5} that would result from construction-related fugitive emissions are summarized in Table 12.3.13.2-1. Maximum 24-hour PM₁₀ concentration

TABLE 12.3.13.2-1 Maximum Air Quality Impacts from Emissions Associated with Construction Activities for the Proposed Red Sands SEZ

Pollutant ^a	Averaging Time	Rank ^b	Concentration (µg/m ³)				Percentage of NAAQS	
			Maximum Increment ^b	Background ^c	Total	NAAQS	Increment	Total
PM ₁₀	24 hours	H6H	717	175	892	150	478	595
	Annual	- ^d	104	25.0	129	50	208	258
PM _{2.5}	24 hours	H8H	41.4	15.0	56.4	35	118	161
	Annual	-	10.4	6.6	17.0	15.0	69	113

^a PM_{2.5} = particulate matter with a diameter of ≤2.5 µm; PM₁₀ = particulate matter with a diameter of ≤10 µm.

^b Concentrations for attainment demonstration are presented. H6H = highest of the sixth-highest concentrations at each receptor over the 5-year period. H8H = highest of the multiyear average of the eighth-highest concentrations at each receptor over the 5-year period. For the annual average, multiyear averages of annual means over the 5-year period are presented. Maximum concentrations are predicted to occur at the site boundaries.

^c See Table 12.3.13.1-2.

^d A dash indicates not applicable.

¹¹ The number of missing hours at the Alamogordo White Sands Regional Airport amounts to about 16.8% of the total hours, which may not be acceptable for regulatory applications because that percentage exceeds the 10% limit defined by the EPA. However, because the wind patterns at Alamogordo White Sands Regional Airport are more representative of wind at the Red Sands SEZ than the wind patterns at other airports (which have more complete data but are located in different topographic features), the former values were used for this screening analysis.

1 increments modeled to occur at the site boundaries would be an estimated 717 $\mu\text{g}/\text{m}^3$, which
2 far exceeds the relevant standard level of 150 $\mu\text{g}/\text{m}^3$. Total 24-hour PM_{10} concentrations of
3 892 $\mu\text{g}/\text{m}^3$ would also exceed the standard level at the SEZ boundary. In particular, PM_{10}
4 concentrations are predicted to be about 300 $\mu\text{g}/\text{m}^3$ at the nearest residence, which is adjacent
5 to the east-central SEZ boundary and about 0.3 mi (0.5 km) west of U.S. 54. High PM_{10}
6 concentrations of about 250 $\mu\text{g}/\text{m}^3$ are also predicted at the Holloman Air Force Base housing
7 complex. However, high PM_{10} concentrations would be limited to the immediate areas
8 surrounding the SEZ boundary and would decrease quickly with distance. Predicted maximum
9 24-hour PM_{10} concentration increments would be about 40 to 60 $\mu\text{g}/\text{m}^3$ at Boles Acres (closest
10 town to the SEZ), about 10 to 30 $\mu\text{g}/\text{m}^3$ at Alamogordo, about 15 $\mu\text{g}/\text{m}^3$ at Tularosa, and about
11 8 $\mu\text{g}/\text{m}^3$ at La Luz. Annual average modeled concentration increments and total concentrations
12 (increment plus background) for PM_{10} at the SEZ boundary would be about 104 $\mu\text{g}/\text{m}^3$ and
13 129 $\mu\text{g}/\text{m}^3$, respectively, which are higher than the NAAQS level of 50 $\mu\text{g}/\text{m}^3$, which was
14 revoked by the EPA in December 2006. Annual PM_{10} increments would be much lower—about
15 40 $\mu\text{g}/\text{m}^3$ at the nearest residence, about 20 $\mu\text{g}/\text{m}^3$ at the Holloman Air Force Base housing
16 complex, about 2 to 4 $\mu\text{g}/\text{m}^3$ at Boles Acres, about 1 to 2 $\mu\text{g}/\text{m}^3$ at Alamogordo, and less than
17 0.8 $\mu\text{g}/\text{m}^3$ at Tularosa and La Luz.

18
19 Total 24-hour $\text{PM}_{2.5}$ concentrations would be 56.4 $\mu\text{g}/\text{m}^3$ at the SEZ boundary, which is
20 higher than the NAAQS level of 35 $\mu\text{g}/\text{m}^3$; modeled increments contribute nearly three times
21 background concentration to this total. The total annual average $\text{PM}_{2.5}$ concentration would be
22 17.0 $\mu\text{g}/\text{m}^3$, which is somewhat higher than the NAAQS level of 15.0 $\mu\text{g}/\text{m}^3$. At the nearest
23 residence, predicted maximum 24-hour and annual $\text{PM}_{2.5}$ concentration increments would be
24 about 17 and 4.0 $\mu\text{g}/\text{m}^3$, respectively.

25
26 Predicted 24-hour and annual PM_{10} concentration increments at the surrogate receptors
27 for the nearest Class I Area—White Mountain WA—would be about 7.0 and 0.5 $\mu\text{g}/\text{m}^3$, or 87%
28 and 12% of the PSD increments for the Class I area, respectively. These surrogate receptors are
29 more than 16 mi (25 km) from the White Mountain WA, and thus predicted concentrations in
30 White Mountain WA would be lower than the above values (about 56% of the PSD increments
31 for 24-hour PM_{10}), considering the same decay ratio with distance.

32
33 In conclusion, predicted 24-hour and annual PM_{10} and $\text{PM}_{2.5}$ concentration levels could
34 exceed the standard levels at the SEZ boundaries and in the immediate surrounding areas during
35 the construction of solar facilities. To reduce potential impacts on ambient air quality and in
36 compliance with programmatic design features, aggressive dust control measures would be used.
37 Potential air quality impacts on nearby communities would be much lower. Modeling indicates
38 that emissions from construction activities are not anticipated to exceed Class I PSD PM_{10}
39 increments at the nearest federal Class I area (White Mountain WA). Construction activities are
40 not subject to the PSD program, and the comparison provides only a screen for gauging the
41 magnitude of the impact. Accordingly, it is anticipated that impacts of construction activities on
42 ambient air quality would be moderate and temporary.

43
44 Emissions from the engine exhaust from heavy construction equipment and vehicles have
45 the potential to cause impacts on AQRVs (e.g., visibility and acid deposition) at the nearby
46 federal Class I areas. However, SO_x emissions from engine exhaust would be very low, because

1 programmatic design features would require use of ultra-low-sulfur fuel with a sulfur content of
2 15 ppm. NO_x emissions from engine exhaust would be primary contributors to potential impacts
3 on AQRVs. If requested by an FLM in response to a permit application, site-specific analyses for
4 AQRVs would need to be done. Construction-related emissions are temporary in nature and thus
5 would cause some unavoidable but short-term impacts.

6
7 For this analysis, the impacts of construction and operation of transmission lines outside
8 of the SEZ were not assessed, assuming that an existing regional 115-kV transmission line might
9 be used to connect some new solar facilities to load centers, and that additional project-specific
10 analysis would be done for new transmission construction or line upgrades. However, some
11 construction of transmission lines could occur within the SEZ. Potential impacts on ambient air
12 quality would be a minor component of construction impacts in comparison with solar facility
13 construction and would be temporary in nature.

14 15 16 **12.3.13.2.2 Operations**

17
18 Emission sources associated with the operation of a solar facility would include auxiliary
19 boilers; vehicle (commuter, visitor, support, and delivery) traffic; maintenance (e.g., mirror
20 cleaning and repair and replacement of damaged mirrors); and drift from cooling towers for the
21 parabolic trough or power tower technology if wet cooling was implemented (drift constitutes
22 low-level PM emissions).

23
24 The types of emissions caused by and offset by operation of a solar facility are discussed
25 in Appendix M, Section M.13.4.

26
27 Estimates of potential air emissions displaced by solar project development at the
28 Red Sands SEZ are presented in Table 12.3.13.2-2. Total power generation capacity ranging
29 from 2,002 to 3,603 MW is estimated for the Red Sands SEZ for various solar technologies
30 (see Section 12.3.2). The estimated amount of emissions avoided for the solar technologies
31 evaluated depends only on the megawatts of conventional fossil fuel-generated power displaced,
32 because a composite emission factor per megawatt-hour of power by conventional technologies
33 is assumed (EPA 2009c). It is estimated that if the Red Sands SEZ was fully developed,
34 emissions avoided would range from 10 to 18% of total emissions of SO₂, NO_x, Hg, and CO₂
35 from electric power systems in the state of New Mexico (EPA 2009c). Avoided emissions would
36 be up to 7.1% of total emissions from electric power systems in the six-state study area. When
37 compared with all source categories, power production from the same solar facilities would
38 displace up to 11% of SO₂, 4.2% of NO_x, and 9.7% of CO₂ emissions in the state of New
39 Mexico (EPA 2009a; WRAP 2009). These emissions would be up to 1.2% of total emissions
40 from all source categories in the six-state study area. Power generation from fossil fuel-fired
41 power plants accounts for over 97% of the total electric power generated in New Mexico. The
42 contribution of coal combustion is about 85%, followed by natural gas combustion of about 12%.
43 Thus, solar facilities built in the Red Sands SEZ could displace relatively more fossil fuel
44 emissions than those built in other states that rely less on fossil fuel-generated power.
45

TABLE 12.3.13.2-2 Annual Emissions from Combustion-Related Power Generation Avoided by Full Solar Development of the Proposed Red Sands SEZ

Area Size (acres)	Capacity (MW) ^a	Power Generation (GWh/yr) ^b	Emissions Displaced (tons/yr; 10 ³ tons/yr for CO ₂) ^c			
			SO ₂	NO _x	Hg	CO ₂
22,520	2,002–3,603	3,507–6,313	3,147–5,665	7,831–14,096	0.12–0.21	3,490–6,282
Percentage of total emissions from electric power systems in New Mexico ^d			10–18%	10–18%	10–18%	10–18%
Percentage of total emissions from all source categories in New Mexico ^e			6.2–11%	2.4–4.2%	– ^f	5.4–9.7%
Percentage of total emissions from electric power systems in the six-state study area ^d			1.3–2.3%	2.1–3.8%	3.9–7.1%	1.3–2.4%
Percentage of total emissions from all source categories in the six-state study area ^e			0.67–1.2%	0.29–0.52%	–	0.42–0.75%

- ^a It is assumed that the SEZ would eventually have development on 80% of the lands and that a range of 5 acres (0.020 km²) per MW (for parabolic trough technology) to 9 acres (0.036 km²) per MW (power tower, dish engine, and PV technologies) would be required.
- ^b A capacity factor of 20% was assumed.
- ^c Composite combustion-related emission factors for SO₂, NO_x, Hg, and CO₂ of 1.79, 4.47, 6.6 × 10⁻⁵, and 1,990 lb/MWh, respectively, were used for the state of New Mexico.
- ^d Emission data for all air pollutants are for 2005.
- ^e Emission data for SO₂ and NO_x are for 2002, while those for CO₂ are for 2005.
- ^f A dash indicates not estimated.

Sources: EPA (2009a,c); WRAP (2009).

1
2
3
4
5
6
7
8
9
10
11
12
13
14

As discussed in Section 5.11.1.5, the operation of associated transmission lines would generate some air pollutants from activities such as periodic site inspections and maintenance. However, these activities would occur infrequently, and the amount of emissions would be small. In addition, transmission lines could produce minute amounts of O₃ and its precursor NO_x associated with corona discharge (i.e., the breakdown of air near high-voltage conductors), which is most noticeable for high-voltage lines during rain or very humid conditions. Since the proposed Red Sands SEZ is located in an arid desert environment, these emissions would be small, and potential impacts on ambient air quality associated with transmission lines would be negligible, considering the infrequent occurrences and small amount of emissions from corona discharges.

1 **12.3.13.2.3 Decommissioning/Reclamation**
2

3 As discussed in Section 5.11.1.4, decommissioning/reclamation activities are similar to
4 construction activities but are on a more limited scale and of shorter duration. Potential impacts
5 on ambient air quality would be correspondingly less than those from construction activities.
6 Decommissioning activities would last for a short period, and their potential impacts would be
7 moderate and temporary. The same mitigation measures adopted during the construction phase
8 would also be implemented during the decommissioning phase (Section 5.11.3).
9

10
11 **12.3.13.3 SEZ-Specific Design Features and Design Feature Effectiveness**
12

13 No SEZ-specific design features are required. Limiting dust generation during
14 construction and operations at the proposed Red Sands SEZ (such as by increased watering
15 frequency or road paving or treatment) is a required design feature under BLM’s Solar Energy
16 Program. These extensive fugitive dust control measures would keep off-site PM levels as low as
17 possible during construction.
18
19
20
21

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.3.14 Visual Resources**

2
3
4 **12.3.14.1 Affected Environment**


5
6 The proposed Red Sands SEZ is located in Otero County in southern New Mexico. The
7 southern border of the SEZ is 43.7 mi (70.3 km) north of Texas the Texas border. The SEZ
8 occupies 22,520 acres (91.1 km²) and extends approximately 8.3 mi (13.4 km) east to west and
9 nearly 15.0 mi (24.1 km) north to south. The SEZ is within the Chihuahuan desert physiographic
10 province, typified by alternating mountains and valleys. Flat valley basins form broad expanses
11 of desert, generally with grassland and shrubland vegetative cover (EPA 2010c). Red Sands SEZ
12 is located within the EPA’s Chihuahuan Basins and Playas Level IV ecoregion. The SEZ ranges
13 in elevation from 3,990 ft (1,216 m) in the central portion to 4,115 ft (1,254 m) in the northern
14 portion.

15
16 The SEZ is located in the Tularosa Valley, between the White Sands Missile Range and
17 Ft. Bliss McGregor Range. U.S. 70 runs southwest to northeast on the west and north sides of the
18 SEZ, with U.S. 54 running north–south close to the east side of the SEZ. The Twin Buttes lie just
19 inside and beyond the western boundary of the SEZ, and Lone Butte is located within the central
20 portion of the SEZ. The Sacramento Mountains are located east of the SEZ and include peaks
21 generally over 9,000 ft (2,700 m) in elevation. West of the SEZ, beyond White Sands National
22 Monument and Alkali Flat, lie the San Andres Mountains, with elevations of 5,000 to 7,000 ft
23 (1,500 to 2,100 m). From north to south into Texas, the broad Tularosa Valley extends more than
24 110 mi (180 km) and is about 35 mi (56 km) wide. The SEZ and surrounding areas are shown in
25 Figure 12.3.14.1-1.

26
27 The SEZ is located within a flat, generally treeless valley, with the strong horizon line
28 and the Sacramento Escarpment being the dominant visual features in much of the SEZ;
29 however, the forms of Twin Buttes and Lone Butte are dominant visual features in the central
30 portions of the SEZ. Other, smaller buttes are local visual landmarks. The surrounding mountains
31 are generally tan in color, or dark green where forested at higher elevations, but with distant
32 mountains appearing blue to purple. On the valley floor, where vegetation is absent, tan-colored
33 sand is evident, but some areas have dense enough vegetation that the greens and olive greens of
34 creosotebush, yucca, and cacti are the dominant colors.

35
36 Vegetation is generally sparse in much of the SEZ, with scrubland and desert grassland
37 dominating the desert floor within the SEZ. During a July 2009 site visit, the vegetation
38 presented a limited range of greens (mostly olive green of creosotebushes, and darker greens of
39 taller shrubs) with some browns, golds, and grays (from lower shrubs and grasses). Textures
40 ranged from medium to coarse in shrublands, to fine in grasslands, with generally low visual
41 interest. Yuccas add small vertical accents where present, as well as some color contrasts from
42 their lighter green foliage.

43
44 No permanent surface water is present within the SEZ; however, playas and other
45 depressions are visible in or near the SEZ. One large inundated playa was observed just east of
46 the SEZ during the 2009 site visit, adding visual interest for nearby portions of the SEZ.



1

2 **FIGURE 12.3.14.1-1 Proposed Red Sands SEZ and Surrounding Lands**

1 Cultural disturbances visible within the SEZ include dirt and gravel roads, existing
2 transmission towers, a gravel pit, and grazing facilities. These cultural modifications generally
3 detract from the scenic quality of the SEZ; however, the SEZ is large enough that from many
4 locations within the SEZ, these features are either not visible or are so distant as to have minimal
5 effects on views. From most locations within the SEZ, the landscape is generally natural in
6 appearance, with little visible disturbance.
7

8 The general lack of topographic relief, water, and physical variety results in low scenic
9 value within the SEZ itself; however, because of the flatness of the landscape, the lack of trees,
10 and the breadth of the desert floor, the SEZ presents a vast panoramic landscape with sweeping
11 views of the Sacramento Escarpment and San Andres Mountains that add significantly to the
12 scenic values within the SEZ viewshed. In particular, the Sacramento Escarpment provides a
13 dramatic visual backdrop to views toward the east from the SEZ and lands west of the SEZ. The
14 varied and irregular forms and colors of the Escarpment and the San Andres Mountains provide
15 visual contrasts to the strong horizontal line, green vegetation, and tan-colored sand of the valley
16 floor, particularly when viewed from nearby locations within the SEZ. Panoramic views of the
17 SEZ are shown in Figures 12.3.14.1-2, 12.3.14.1-3, and 12.3.14.1-4.
18

19 The BLM conducted a VRI for the SEZ and surrounding lands in 2010 (BLM 2010b).
20 The VRI evaluates BLM-administered lands based on scenic quality; sensitivity level, in terms of
21 public concern for preservation of scenic values in the evaluated lands; and distance from travel
22 routes or KOPs. Based on these three factors, BLM-administered lands are placed into one of
23 four Visual Resource Inventory Classes, which represent the relative value of the visual
24 resources. Class I and II are the most valued; Class III represents a moderate value; and Class IV
25 represents the least value. Class I is reserved for specially designated areas, such as national
26 wildernesses and other congressionally and administratively designated areas where decisions
27 have been made to preserve a natural landscape. Class II is the highest rating for lands without
28 special designation. More information about VRI methodology is available in Section 5.12 and
29 in *Visual Resource Inventory*, BLM Manual Handbook 8410-1 (BLM 1986a).
30

31 The VRI map for the SEZ and surrounding lands is shown in Figure 12.3.14.1-5. The
32 VRI values for the SEZ and immediate surroundings are VRI Classes III and II, indicating
33 moderate and high relative visual values. More than 90% of the SEZ is VRI Class III, indicating
34 moderate scenic values. Three small areas are VRI II areas: an area surrounding Lone Butte in
35 the southern part of the SEZ, a site sensitive to native Americans; a small portion of the SEZ
36 near Twin Buttes, in the far southwestern portion of the SEZ; and another area with playas in the
37 far northern portion of the SEZ near U.S. 70. The inventory indicates moderate scenic quality for
38 the SEZ and its immediate surroundings, with low scores for color, vegetation, scarcity, and
39 cultural modification; a moderate score for adjacent scenery and the presence of water; and
40 moderate to low score for landform. The inventory noted that the area of the SEZ is a panoramic
41 landscape containing buttes, with lakes north of the SEZ, but that cultural disturbances visible in
42 the SEZ area detracted slightly from the scenic quality. The inventory indicates moderate
43 sensitivity for the SEZ and its immediate surroundings (except for Lone Butte). and noted its
44 visibility from White Sands National Monument and Lincoln National Forest. Although rating as
45 a low level of use, the VRI noted that Lone Butte is culturally significant to Native Americans
46 and visible from most of the valley, and it therefore is an area with high sensitivity.

1
2
3
4
5



FIGURE 12.3.14.1-2 Approximately 120° Panoramic View of the Proposed Red Sands SEZ from the Southeastern Corner of the SEZ Facing Northwest, San Andres Mountains at Left

6
7
8
9
10




FIGURE 12.3.14.1-3 Approximately 180° Panoramic View of the Proposed Red Sands SEZ from the Central Portion of the SEZ Facing Northeast, with Lone Butte at Left and Sacramento Escarpment at Center

1
2
3



FIGURE 12.3.14.1-4 Approximately 120° Panoramic View of the Proposed Red Sands SEZ from the Western Portion of the SEZ Facing Southwest, Including Twin Buttes at Right and San Andres Mountains at Left Center



1
 2 **FIGURE 12.3.14.1-5 Visual Resource Inventory Values for the Proposed Red Sands SEZ and**
 3 **Surrounding Lands**

1 Lands within the 25-mi (40-km), 650-ft (198-m) viewshed of the SEZ contain
2 25,263 acres (102.24 km²) of VRI Class II areas, primarily northwest and southeast of the SEZ;
3 263,066 acres (1064.59 km²) of Class III areas, primarily south of the SEZ; and 170,414 acres
4 (689.64 km²) of VRI Class IV areas, concentrated primarily to the north and southeast of the
5 SEZ.
6


7 Portions of the SEZ are managed as visual resource management (VRM) Class III along
8 U.S. 70 and U.S. 54, and as VRM Class IV elsewhere. VRM Class III objectives include partial
9 retention of landscape character and permit moderate modification of the existing character of
10 the landscape. Class IV permits major modification of the existing character of the landscape.
11 The VRM map for the SEZ and surrounding lands is shown in Figure 12.3.14.1.2-6. More
12 information about the BLM VRM program is available in Section 5.12 and in *Visual Resource*
13 *Management*, BLM Manual Handbook 8400 (BLM 1984).
14

15 **12.3.14.2 Impacts**

16
17
18 The potential for impacts from utility-scale solar energy development on visual resources
19 within the proposed Red Sands SEZ and surrounding lands, as well as the impacts of related
20 facilities (e.g., access roads and transmission lines) outside of the SEZ, is presented in this
21 section.
22

23 Site-specific impact assessment is needed to systematically and thoroughly assess visual
24 impact levels for a particular project. Without precise information about the location of a project,
25 a relatively complete and accurate description of its major components, and their layout, it is not
26 possible to precisely assess the visual impacts associated with the facility. However, if the
27 general nature and location of a facility are known, a more generalized assessment of potential
28 visual impacts can be made by describing the range of expected visual changes and discussing
29 contrasts typically associated with these changes. In addition, a general analysis can identify
30 sensitive resources that may be at risk if a future project is sited in a particular area. Detailed
31 information about the methodology employed for the visual impact assessment used in this PEIS,
32 including assumptions and limitations, is presented in Appendix M.
33

34 *Potential Glint and Glare Impacts.* Similarly, the nature and magnitude of potential glint-
35 and glare-related visual impacts for a given solar facility are highly dependent on viewer
36 position, sun angle, the nature of the reflective surface and its orientation relative to the sun and
37 the viewer, atmospheric conditions, and other variables. The determination of potential impacts
38 from glint and glare from solar facilities within a given proposed SEZ would require precise
39 knowledge of these variables, and is not possible given the scope of the PEIS. Therefore, the
40 following analysis does not describe or suggest potential contrast levels arising from glint and
41 glare for facilities that might be developed within the SEZ; however, it should be assumed that
42 glint and glare are possible visual impacts from *any* utility-scale solar facility, regardless of size,
43 landscape setting, or technology type. The occurrence of glint and glare at solar facilities could
44 potentially cause large though temporary increases in brightness and visibility of the facilities.
45 The visual contrast levels projected for sensitive visual resource areas discussed in the following
46 analysis do not account for potential glint and glare effects; however, these effects would be



1
 2 **FIGURE 12.3.14.1-6 Visual Resource Management Classes for the Proposed Red Sands SEZ and**
 3 **Surrounding Lands**

1 incorporated into a future site-and project-specific assessment that would be conducted for
2 specific proposed utility-scale solar energy projects. For more information about potential glint
3 and glare impacts associated with utility-scale solar energy facilities, see Section 5.12 of this
4 PEIS.

7 ***12.3.14.2.1 Impacts on the Proposed Red Sands SEZ***

9 Some or all of the SEZ could be developed for one or more utility-scale solar energy
10 projects, utilizing one or more of the solar energy technologies described in Appendix F.
11 Because of the industrial nature and large size of utility-scale solar energy facilities, large visual
12 impacts on the SEZ would occur as a result of the construction, operation, and decommissioning
13 of solar energy projects. In addition, large impacts could occur at solar facilities utilizing highly
14 reflective surfaces or major light-emitting components (solar dish, parabolic trough, and power
15 tower technologies), with lesser impacts associated with reflective surfaces expected from PV
16 facilities. These impacts would be expected to involve major modification of the existing
17 character of the landscape and would likely dominate the views nearby. Additional, and
18 potentially large impacts would occur as a result of the construction, operation, and
19 decommissioning of related facilities, such as access roads and electric transmission lines. While
20 the primary visual impacts associated with solar energy development within the SEZ would
21 occur during daylight hours, lighting required for utility-scale solar energy facilities would be a
22 potential source of visual impacts at night, both within the SEZ and on surrounding lands.

24 Common and technology-specific visual impacts from utility-scale solar energy
25 development, as well as impacts associated with electric transmission lines, are discussed in
26 Section 5.12 of this PEIS. Impacts would last throughout construction, operation, and
27 decommissioning, and some impacts could continue after project decommissioning. Visual
28 impacts resulting from solar energy development in the SEZ would be in addition to impacts
29 from solar energy development and other development that may occur on other public or private
30 lands within the SEZ viewshed, and are subject to cumulative effects. For discussion of
31 cumulative impacts, see Section 12.3.22.4.13 of this PEIS.

33 The changes described above would be expected to be consistent with BLM VRM
34 objectives for VRM Class IV, as seen from nearby KOPs. More information about impact
35 determination using the BLM VRM program is available in Section 5.12 and in *Visual Resource*
36 *Contrast Rating*, BLM Manual Handbook 8431-1 (BLM 1986b).

38 Implementation of the programmatic design features intended to reduce visual impacts
39 (described in Appendix A, Section A.2.2) would be expected to reduce visual impacts associated
40 with utility-scale solar energy development within the SEZ; however, the degree of effectiveness
41 of these design features could be assessed only at the site- and project-specific level. Given the
42 large scale, reflective surfaces, and strong regular geometry of utility-scale solar energy facilities
43 and the lack of screening vegetation and landforms within the SEZ viewshed, siting the facilities
44 away from sensitive visual resource areas and other sensitive viewing areas would be the primary
45 means of mitigating visual impacts. The effectiveness of other visual impact mitigation measures

1 would generally be limited, but would be important to reduce visual contrasts to the greatest
2 extent possible.


3 4 5 ***12.3.14.2.2 Impacts on Lands Surrounding the Proposed Red Sands SEZ*** 6

7 Because of the large size of utility-scale solar energy facilities and the generally flat,
8 open nature of the proposed SEZ, lands outside the SEZ would be subjected to visual impacts
9 related to construction, operation, and decommissioning of utility-scale solar energy facilities.
10 The affected areas and extent of impacts would depend on a number of visibility factors and
11 viewer distance (for a detailed discussion of visibility and related factors, see Section 5.12). A
12 key component in determining impact levels is the intervisibility between the project and
13 potentially affected lands; if topography, vegetation, or structures screen the project from viewer
14 locations, there is no impact.

15
16 Preliminary viewshed analyses were conducted to identify which lands surrounding the
17 proposed SEZ would have views of solar facilities in at least some portion of the SEZ
18 (see Appendix M for information on the assumptions and limitations of the methods used). Four
19 viewshed analyses were conducted, assuming four different heights representative of project
20 elements associated with potential solar energy technologies: PV and parabolic trough arrays
21 (24.6 ft [7.5 m]), solar dishes and power blocks for CSP technologies (38 ft [11.6 m]),
22 transmission towers and short solar power towers (150 ft [45.7 m]), and tall solar power towers
23 (650 ft [198.1 m]). Viewshed maps for the SEZ for all four solar technology heights are
24 presented in Appendix N.
25

26 Figure 12.3.14.2-1 shows the combined results of the viewshed analyses for all four solar
27 technologies. The colored segments indicate areas with clear lines of sight to one or more areas
28 within the SEZ and from which solar facilities within these areas of the SEZ would be expected
29 to be visible, assuming the absence of screening vegetation or structures and adequate lighting
30 and other atmospheric conditions. The light brown areas are locations from which PV and
31 parabolic trough arrays located in the SEZ could be visible. Solar dishes and power blocks for
32 CSP technologies would be visible from the areas shaded in light brown and the additional areas
33 shaded in light purple. Transmission towers and short solar power towers would be visible from
34 the areas shaded light brown, light purple, and the additional areas shaded in dark purple. Power
35 tower facilities located in the SEZ could be visible from areas shaded light brown, light purple,
36 dark purple, and at least the upper portions of power tower receivers would be visible from the
37 additional areas shaded in medium brown.
38

39 For the following visual impact discussion, the tall solar power tower (650 ft [198.1 m])
40 and PV and parabolic trough array (24.6 ft [7.5 m]) viewsheds are shown in figures and
41 discussed in the text. These heights represent the maximum and minimum landscape visibility
42 for solar energy technologies analyzed in the PEIS. Viewsheds for solar dish and CSP
43 technology power blocks (38 ft [11.6 m]), and transmission towers and short solar power towers
44 (150 ft [45.7 m]) are presented in Appendix N. The visibility of these facilities would fall
45 between that for tall power towers and PV and parabolic trough arrays.
46



1
 2 **FIGURE 12.3.14.2-1 Viewshed Analyses for the Proposed Red Sands SEZ and Surrounding**
 3 **Lands, Assuming Solar Technology Heights of 24.6 ft (7.5 m), 38 ft (11.6 m), 150 ft (45.7 m),**
 4 **and 650 ft (198.1 m) (shaded areas indicate lands from which solar development within the**
 5 **SEZ could be visible)**

1 **Impacts on Selected Federal-, State-, and BLM-Designated Sensitive Visual**
2 **Resource Areas**


3
4 Figure 12.3.14.2-2 shows the results of a GIS analysis that overlays selected federal,
5 state, and BLM-designated sensitive visual resource areas onto the combined tall solar power
6 tower (650 ft [198.1 m]) and PV and parabolic trough array (24.6 ft [7.5 m]) viewsheds in order
7 to illustrate which of these sensitive visual resource areas would have views of solar facilities
8 within the SEZ and therefore potentially would be subject to visual impacts from those facilities.
9 Distance zones that correspond with BLM’s VRM system-specified foreground-middleground
10 distance (5 mi [8 km]), background distance (15 mi [24 km]), and a 25-mi (40-km) distance zone
11 are shown as well, in order to indicate the effect of distance from the SEZ on impact levels,
12 which are highly dependent on distance.

13
14 The scenic resources included in the analyses were as follows:

- 15 • National Parks, National Monuments, National Recreation Areas, National
16 Preserves, National Wildlife Refuges, National Reserves, National
17 Conservation Areas, National Historic Sites;
- 18 • Congressionally authorized Wilderness Areas;
- 19 • Wilderness Study Areas;
- 20 • National Wild and Scenic Rivers;
- 21 • Congressionally authorized Wild and Scenic Study Rivers;
- 22 • National Scenic Trails and National Historic Trails;
- 23 • National Historic Landmarks and National Natural Landmarks;
- 24 • All-American Roads, National Scenic Byways, State Scenic Highways, and
25 BLM- and USFS-designated scenic highways/byways;
- 26 • BLM-designated Special Recreation Management Areas; and
- 27 • ACECs designated because of outstanding scenic qualities.

28
29
30
31
32
33
34
35
36
37
38
39 Potential impacts on specific sensitive resource areas visible from and within 25 mi (40 km)
40 of the proposed Red Sands SEZ are discussed below. The results of this analysis are also
41 summarized in Table 12.3.14.2-1. Further discussion of impacts on these areas is available in
42 Sections 12.3.3 (Specially Designated Areas and Lands with Wilderness Characteristics) and
43 12.3.17 (Cultural Resources) of the PEIS.

44
45 The following visual impact analysis describes *visual contrast levels* rather than *visual*
46 *impact levels*. *Visual contrasts* are changes in the landscape as seen by viewers, including



1
 2 **FIGURE 12.3.14.2-2 Overlay of Selected Sensitive Visual Resource Areas onto Combined 650-ft**
 3 **(198.1-m) and 24.6-ft (7.5-m) Viewsheds for the Proposed Red Sands SEZ**

TABLE 12.3.14.2-1 Selected Potentially Affected Sensitive Visual Resources within 25-mi (40-km) Viewshed of the Proposed Red Sands SEZ, Assuming a Target Height of 650 ft (198.1 m)

Feature Type	Feature Name (Total Acreage/Linear Distance) ^a	Feature Area or Linear Distance		
		Visible within 5 mi	Visible between	
			5 and 15 mi	15 and 25 mi
WSA	Culp Canyon (11,276 acres ^a)	0	6,385 acres (57%) ^b	0
ACEC designated for outstanding scenic values	Sacramento Escarpment (4,867 acres)	1,391 acres (29%)	3,406 acres (70%)	0
National Monument	White Sands National Monument (152,363 acres)	1,835 acres (1%)	86,343 acres (57%)	58,927 acres (39%)
National Wildlife Refuge	San Andres National Wildlife Refuge (60,141 acres)	0	0	24,687 acres (41%)
National Historic Landmark	Launch Complex 33	NA ^c	NA	Yes
Scenic Byway	Sunspot	0	0.2 mi	0

^a To convert acres to km², multiply by 0.004047. To convert ft to mi, multiply by 1.609.

^b Percentage of total feature acreage or road length viewable.

^c NA = not applicable.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

changes in the forms, lines, colors, and textures of objects. A measure of *visual impact* includes potential human reactions to the visual contrasts arising from a development activity, based on viewer characteristics, including attitudes and values, expectations, and other characteristics that are viewer- and situation-specific. Accurate assessment of visual impacts requires knowledge of the potential types and numbers of viewers for a given development and their characteristics and expectations, specific locations where the project might be viewed from, and other variables that were not available or not feasible to incorporate in the PEIS analysis. These variables would be incorporated into a future site-and project-specific assessment that would be conducted for specific proposed utility-scale solar energy projects. For more discussion of visual contrasts and impacts, see Section 5.12 of the PEIS.

GOOGLE EARTH™ VISUALIZATIONS

The visual impact analysis discussion in this section utilizes three-dimensional Google Earth™ perspective visualizations of hypothetical solar facilities placed within the SEZ. The visualizations include simplified wireframe models of a hypothetical solar power tower facility. The models were placed at various locations within the SEZ as visual aids for assessing the approximate size and viewing angle of utility-scale solar facilities. The visualizations are intended to show the apparent size, distance, and configuration of the SEZ, as well as the apparent size of a typical utility-scale solar power tower project and its relationship to the surrounding landscape, as viewed from potentially sensitive visual resource areas within the viewshed of the SEZ.

The visualizations are not intended to be realistic simulations of the actual appearance of the landscape or of proposed utility-scale solar energy projects. The placement of models within the SEZ did not reflect any actual planned or proposed projects within the SEZ and did not take into account engineering or other constraints that would affect the siting or choice of facilities for this particular SEZ. The number of facility models placed in the SEZ does not reflect the 80% development scenario analyzed in the PEIS, but it should be noted that the discussion of expected visual contrast levels does account for the 80% development scenario. A solar power tower was chosen for the models because the unique height characteristics of power tower facilities make their visual impact potential extend beyond other solar technology types.

National Monument

- *White Sands National Monument*—The White Sands National Monument is 152,363 acres (616.591 km²) and located 4.1 mi (6.6 km) west of the SEZ at the point of closest approach. An 8 mi (13 km) scenic drive leads from the Visitors Center to the dune field. The scenic drive—like most of the monument—is in the viewshed of the SEZ, and thus solar facilities within the SEZ could potentially be seen from the scenic drive.

As shown in Figure 12.3.14.2-2, within 25 mi (40 km), solar energy facilities within the SEZ could be visible from nearly the entire national monument. Areas of the national monument within the 25-mi (40-km) radius of analysis with potential visibility of solar facilities in the SEZ total about 147,105 acres (595.313 km²) in the 650-ft (198.1-m) viewshed, or 97% of the total national monument acreage, and 114,542 acres (463.54 km²) is in the 24.6-ft (7.5-m) viewshed, or 75% of the total ACEC acreage. The visible area of the national monument extends to nearly 24 mi (39 km) from the western boundary of the SEZ.

The national monument is very flat, and at nearly the same or slightly lower elevation than the SEZ, so while nearly the entire national monument is within the viewshed of the SEZ, the angle of view from the national monument to the SEZ is very low, which would reduce visibility of solar facilities, especially low-height facilities, from many parts of the national monument. The southeastern and far eastern portions of the national monument would be more subject to contrasts from solar facilities in the SEZ, not only because they are closer to the SEZ, but also because they are less subject to screening of low-

1 height solar facilities by small undulations in topography between the national
2 monument and the SEZ.

3
4 Figure 12.3.14.2-3 is a Google Earth visualization of the SEZ as seen from a
5 water tower in the portion of the national monument southeast of U.S. 70,
6 about 0.8 mi (1.3 km) east of the National Monument Visitor Center on
7 U.S. 70. The viewpoint is about 5.5 mi (8.9 km) from the nearest point on the
8 western side of the SEZ. The viewpoint is elevated about 35 ft (11 m) with
9 respect to the nearest point in the SEZ. The visualization includes simplified
10 wireframe models of a hypothetical solar power tower facility. The models
11 were placed within the SEZ as a visual aid for assessing the approximate size
12 and viewing angle of utility-scale solar facilities. The receiver towers depicted
13 in the visualization are properly scaled models of a 459-ft (140-m) power
14 tower with an 867-acre (3.5-km²) field of 12-ft (3.7-m) heliostats, each
15 representing about 100 MW of electric generating capacity. Eight models
16 were placed in the SEZ for this and other visualizations shown in this section
17 of the PEIS. In the visualizations, the SEZ area is depicted in orange, the
18 heliostat fields in blue.

19
20 The visualization suggests that from this short distance to the SEZ, the SEZ
21 would be too large to be encompassed in one view, and viewers would need to
22 turn their heads to scan across the whole visible portion of the SEZ. Because
23 the viewpoint is only slightly elevated with respect to the SEZ, however, the
24 vertical angle of view is very low, and solar facilities within the SEZ would
25 appear in a very narrow band at the base of the Sacramento Escarpment to the
26 west. Note that in this visualization, some power towers are difficult to see
27 against the dark background of the escarpment as portrayed in Google Earth,
28 but in reality, the operating receivers would be very bright light sources that
29 could be visually conspicuous against a dark background. Six power towers
30 are shown in the visualization.

31
32 The collector/reflector arrays of solar facilities within the SEZ would be seen
33 edge-on, which would greatly reduce their apparent size and conceal their
34 strong regular geometry. They would repeat the line of the horizon in this
35 strongly horizontal landscape, which would tend to reduce visual contrasts
36 from the arrays. Taller solar facility components such as transmission towers
37 would likely be visible, and in the closest parts of the SEZ, they could attract
38 visual attention. Other ancillary facilities, such as buildings, cooling towers,
39 STGs, and plumes (if present) would likely be visible in the nearer portions of
40 the SEZ projecting above the solar collector/reflector arrays. Their forms,
41 lines, and colors could contrast with the strongly horizontal lines of the
42 collector/reflector arrays and the surrounding landscape.

43
44 Operating power towers in the farther portions of the SEZ would likely be
45 visible as points of light atop discernable tower structures against the
46 backdrop of the Sacramento Escarpment, or the distant mountains south of the



FIGURE 12.3.14.2-3 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a Point in the Northern Portion of the White Sands National Monument

1 SEZ. Operating power towers in the closest portion of the SEZ would be
2 much brighter, and could be large enough to appear as cylinders or other
3 nonpoint light sources. They could attract visual attention, with the tower
4 structures plainly visible beneath the receivers, against the backdrop of the
5 Sacramento Escarpment. If sufficiently tall, the towers could have red flashing
6 lights at night, or white or red flashing strobe lights that could be visually
7 conspicuous, but other lights would likely be visible in the area. Other lighting
8 associated with solar facilities could be visible as well.
9

10 Visual contrast levels observed at this location would be highly dependent on
11 the presence or absence of power towers, and to a lesser extent other tall solar
12 facility components in the nearer portions of the SEZ. Absent these taller
13 facility components, contrast levels would be expected to be weak. However,
14 the SEZ appears so large from this viewpoint that, if multiple power towers
15 were present, the towers could stretch across much of the Sacramento
16 Escarpment across the valley, with moderate or even strong contrast levels
17 likely.
18

19 Figure 12.3.14.2-4 is a Google Earth visualization of the SEZ as seen from the
20 National Monument Visitor Center on U.S. 70. The viewpoint is about 6.1 mi
21 (9.8 km) from the nearest point on the western side of the SEZ, and is about
22 35 ft (11 m) lower in elevation than the nearest point in the SEZ.
23

24 Similar to the view shown in Figure 12.3.14.2-3, the SEZ would be far too
25 large to be encompassed in one view, and viewers would need to turn their
26 heads to scan across the whole visible portion of the SEZ. Because the
27 viewpoint is at a slightly lower elevation than the SEZ, however, the vertical
28 angle of view is extremely low, and solar facilities within the SEZ would
29 appear in a very narrow band at the base of the Sacramento Escarpment to the
30 west. Note that in this visualization, some power towers are difficult to see
31 against the dark background of the escarpment as portrayed in Google Earth,
32 but in reality, the operating receivers would be very bright light sources that
33 could be visually conspicuous against a dark background. Six power towers
34 are shown in the visualization.
35

36 The view from the Visitor Center would be very similar to that seen from the
37 viewpoint shown in Figure 12.3.14.2-3, but expected contrast levels would be
38 slightly lower because of the increased distance to the SEZ and the slightly
39 lower viewpoint.
40

41 Similar to the viewpoint shown in Figure 12.3.14.2-3, visual contrast levels
42 observed at this location would be highly dependent on the presence or
43 absence of power towers, and to a lesser extent other tall solar facility
44 components in the nearer portions of the SEZ. Absent these taller facility
45 components, contrast levels would be expected to be weak, but if multiple
46 power towers were present, the SEZ appears so large from this viewpoint that




FIGURE 12.3.14.2-4 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from the White Sands National Monument Visitor Center on U.S. 70

1 the towers could stretch across much of the Sacramento Escarpment across the
2 valley, with moderate or even strong contrast levels likely. At night, if more
3 than 200 ft (61 m) tall, power towers would have navigation warning lights
4 that could be visible from this location..
5

6 Figure 12.3.14.2-5 is a Google Earth visualization of the SEZ as seen from the
7 National Monument Nature Center on Dune Drive. The viewpoint is about 11
8 mi (18 km) from the nearest point on the western side of the SEZ. The
9 viewpoint is about 40 ft (12 m) lower in elevation than the nearest point in the
10 SEZ.
11

12 The SEZ would be too large to be encompassed in one view, and viewers
13 would need to turn their heads to scan across the whole visible portion of the
14 SEZ. Again, because the viewpoint is at a slightly lower elevation than the
15 SEZ, the vertical angle of view is extremely low, and solar facilities within the
16 SEZ would appear in a very narrow band at the base of the Sacramento
17 Escarpment to the west. Note that in this visualization, some power towers are
18 difficult to see against the dark background of the escarpment as portrayed in
19 Google Earth, but in reality, the operating receivers would be bright light
20 sources that could be visually conspicuous against a dark background. Seven
21 power towers are shown in the visualization.
22

23 The view from the Nature Center would be generally similar to that seen from
24 the viewpoint shown in Figure 12.3.14.2-4, but with some minor differences
25 arising from the substantially increased distance to the SEZ. Power towers in
26 portions of the SEZ farthest from the viewpoint could be more than 15 mi
27 (24 km) away, so the tower structures may be visible but unlikely to attract
28 notice. Expected contrast levels would be somewhat lower because of the
29 substantially increased distance to the SEZ.
30

31 Similar to the other viewpoints, visual contrast levels from solar facilities in
32 the SEZ observed at the Nature Center would be highly dependent on the
33 presence or absence of power towers, and to a lesser extent other tall solar
34 facility components in the nearer portions of the SEZ. Absent these taller
35 facility components, contrast levels would be expected to be weak. However,
36 the SEZ appears large enough from this viewpoint that, if multiple power
37 towers were present, the towers could stretch across much of the Sacramento
38 Escarpment across the valley, and moderate contrast levels would be possible.
39

40 Locations farther west in the interior of the national monument are generally
41 at similar elevations to the viewpoints discussed above, but are farther from
42 the SEZ. Expected contrast levels would largely be a function of distance,
43 with weak contrast levels expected for the western portions of the national
44 monument.
45



FIGURE 12.3.14.2-5 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from the White Sands National Monument Nature Center on Dune Drive

1 In summary, although portions of the national monument are within a
2 relatively short distance from the SEZ, and there are generally open views of
3 the SEZ from the national monument, the very low vertical angle of view
4 between the national monument and the SEZ makes expected visual contrast
5 levels highly dependent on the presence of power towers in the northern and
6 northwestern portions of the SEZ. Were only low-height facilities present in
7 these portions of the SEZ, expected contrast levels could be weak. Under the
8 80% development scenario analyzed in the PEIS, however, expected contrast
9 levels from solar facilities in the SEZ could be strong for locations in the
10 national monument closest to the SEZ, with weak or moderate contrast levels
11 experienced at locations farther west in the national monument.
12
13

14 *Wilderness Study Area*

- 15
16 • *Culp Canyon*—Culp Canyon is an 11,276-acre (45.632-km²) wilderness study
17 area (WSA) located 8.4 mi (13.5 km) southeast of the SEZ. The area is valued
18 for its outstanding opportunities for solitude and primitive, unconfined
19 recreation such as hiking, hunting, horseback riding, and backpacking
20 (BLM 2005).
21

22 As shown in Figure 12.3.14.2-2, within 25 mi (40 km) of the SEZ, solar
23 energy facilities within the SEZ could be visible from substantial portions of
24 the WSA (about 6,385 acres [25.84 km²] in the 650-ft [198.1-m] viewshed, or
25 57% of the total WSA acreage, and 5,701 acres [23.07 km²] in the 25-ft [7.5-
26 m] viewshed, or 51% of the total WSA acreage). The visible area of the WSA
27 extends from the point of closest approach to about 15 mi (24 km) from the
28 southeastern boundary of the SEZ.
29

30 Figure 12.3.14.2-6 is a Google Earth visualization of the SEZ as seen from an
31 unnamed peak in the far northwestern portion of Culp Canyon WSA, about
32 9.5 mi (15.3 km) from the southeast corner of the SEZ. The viewpoint in the
33 visualization is about 860 ft (260 m) higher in elevation than the SEZ.
34 Because of the long distance to the SEZ, the angle of view would be very low,
35 and from this location collector/reflector arrays for solar facilities within the
36 SEZ would be seen nearly edge-on. This would reduce their apparent size,
37 conceal their strong regular geometry, and make them appear to repeat the
38 strong horizon line, reducing apparent visual contrast. However, because of
39 the large size of the SEZ, and its orientation with respect to the viewpoint, the
40 SEZ would occupy most of the horizontal field of view, and would appear in a
41 narrow but long band at the base of the San Andres Mountains.
42

43 Taller ancillary facilities, such as buildings, transmission structures, and
44 cooling towers; and plumes (if present) could be visible projecting above the
45 collector/reflector arrays, at least for facilities in the closer portions of the
46 SEZ. The ancillary facilities could create form and line contrasts with the




FIGURE 12.3.14.2-6 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a Point in the Northwestern Portion of the Culp Canyon WSA

1 strongly horizontal, regular, and repeating forms and lines of the
2 collector/reflector arrays.

3
4 Operating power towers throughout the SEZ would likely be visible. Power
5 towers in the southernmost portions of the SEZ would likely appear as bright
6 points of light atop discernible tower structures. For power towers further
7 north in the SEZ, the receivers would appear less bright, and the tower
8 structures might be visible but might not be noticed by casual viewers.

9
10 If sufficiently tall, the towers could have red flashing lights at night, or white
11 or red flashing strobe lights that would likely be visible from this location.
12 Other lighting associated with solar facilities could be visible as well,
13 especially for facilities in the southern portion of the SEZ.

14
15 Under the 80% development scenario analyzed in the PEIS, and depending on
16 project location within the SEZ, the types of solar facilities and their designs,
17 and other visibility factors, strong visual contrasts from solar energy
18 development within the SEZ would be expected at this location. Lower levels
19 of visual contrast would be expected for most other viewpoints in the WSA, as
20 they would generally be farther from the SEZ and at lower elevation than this
21 viewpoint.

22 23 24 ***ACEC Designated for Outstandingly Remarkable Scenic Values***

- 25
26 • *Sacramento Escarpment*—The 4,867-acre (19.70-km²) Sacramento
27 Escarpment ACEC is located 4.4 mi (7.1 km) east of the SEZ at the closest
28 point of approach. The ACEC was designated in for its scenic, special status
29 species, biological, and riparian values.

30
31 As shown in Figure 12.3.14.2-2, because the ACEC almost exclusively
32 occupies very steep slopes close to the SEZ, nearly the entire ACEC has open,
33 elevated views of the SEZ. Approximately 4,797 acres (19.4 km²), or 99% of
34 the ACEC, is within the 650-ft (198.1-m) viewshed of the SEZ and
35 4,786 acres (19.4 km²), or 98% of the total ACEC acreage, is in the 24.6-ft
36 (7.5-m) viewshed. The visible area of the ACEC extends approximately
37 7.0 mi (11.3 km) from the eastern boundary of the SEZ to the southern portion
38 of the ACEC.

39
40 The following discussion examines potential visual impacts of solar
41 development within the Red Sands Proposed SEZ on viewpoints within the
42 Sacramento Escarpment ACEC, rather than impacts on views of the
43 Sacramento Escarpment ACEC from viewpoints outside the ACEC.
44 Discussion of potential impacts on views of the Sacramento Escarpment
45 ACEC from viewpoints outside the ACEC can be found under the analyses for

1 other local sensitive viewing areas, including White Sands National
2 Monument and U.S. 70.

3
4 Figure 12.3.14.2-7 is a Google Earth visualization of the SEZ as seen from a
5 point in the northern portion of the ACEC east of Calle de Paz in
6 Alamogordo. The viewpoint is partway up the escarpment along an unpaved
7 road (accessed from Old El Paso Highway) leading up to a tank, and is about
8 5.3 mi (8.6 km) east-northeast of the nearest point in the SEZ in the far
9 northern portion of the SEZ. The viewpoint is about 570 ft (170 m) higher in
10 elevation than the SEZ. The closest power tower model in the visualization
11 (at the far right) is about 6.2 mi (10.0 km) from the viewpoint.

12
13 The visualization suggests that at this short distance from the SEZ, the SEZ
14 would be too large to be encompassed in one view, and viewers would need
15 to turn their heads to scan across the whole visible portion of the SEZ. The
16 view would be across the urbanized and visually cluttered landscape of the
17 community of Boles Acres and southern Alamogordo, and across U.S. 54.

18
19 Despite the somewhat elevated viewpoint, the viewing angle is low, and
20 where visible, collector/reflector arrays of solar facilities in the SEZ would be
21 seen at a low angle, reducing their apparent size somewhat. The angle of view
22 is not low enough, however, that the tops of the collector/reflector arrays
23 would not be visible, so their strong regular geometry could be evident, at
24 least for nearby facilities, and there would be increased potential for
25 reflections from the tops of the collectors and reflectors.

26
27 Ancillary facilities, such as buildings, transmission towers, cooling towers;
28 and plumes, if present, would likely be visible projecting above the
29 collector/reflector arrays, at least in the nearby portions of the SEZ. Their
30 forms, lines, and colors, as well as their reflective properties, could add to
31 visual contrasts with the generally horizontal surrounding landscape.

32
33 Operating power towers in the farther portions of the SEZ would likely be
34 visible as points of light against a backdrop of the valley floor. If located in
35 the closest portions of the SEZ, however, they could appear as substantially
36 brighter light sources atop plainly discernable tower structures, and could
37 strongly attract visual attention. If sufficiently tall, the towers could have red
38 flashing lights at night, or white or red flashing strobe lights that would likely
39 be conspicuous for nearby facilities, but many other lights would likely be
40 visible in the area. Other lighting associated with solar facilities in the SEZ
41 could be visible as well.

42
43 The low angle of view would reduce visibility of solar facilities in the SEZ
44 somewhat, but the SEZ would cross more than the normal horizontal field of
45 view, and solar facilities in the northern portion of the SEZ would be close
46 enough to cause large visual contrasts. Under the 80% development scenario



FIGURE 12.3.14.2-7 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a Point in the Northern Portion of the Sacramento Escarpment ACEC

1 analyzed in the PEIS, while contrast levels would depend on project location
2 within the SEZ, the types of solar facilities and their designs, and other
3 visibility factors, strong visual contrasts from solar energy development
4 within the SEZ would be expected for this viewpoint in the ACEC.
5

6 Figure 12.3.14.2-8 is a Google Earth visualization of the SEZ as seen from
7 nearly the highest elevation in the ACEC, a remote point east of Boles Acres.
8 The viewpoint is at the top of the escarpment, at an elevation of about 6,500 ft
9 (2,000 m) AMSL, or about 2,400 ft (730 m) above the SEZ. The viewpoint is
10 about 5.8 mi (9.3 km) east of the nearest point in the SEZ in the northern
11 portion of the SEZ. The closest power tower model in the visualization (at the
12 far right) is about 6.3 mi (10.1 km) from the viewpoint.
13

14 The visualization suggests that at this short distance from the SEZ, the SEZ
15 would be too large to be encompassed in one view, and viewers would need to
16 turn their heads to scan across the whole visible portion of the SEZ. The view
17 would be across the urbanized and visually cluttered landscape of the
18 community of Boles Acres, and across U.S. 54.
19

20 Because of the elevated viewpoint and relatively short distance to the SEZ, the
21 viewing angle is high enough that the tops of collector/reflector arrays of solar
22 facilities in nearer portions of the SEZ would be clearly visible, so their strong
23 regular geometry could be evident, and there would be increased potential for
24 reflections from the tops of the collectors and reflectors.
25

26 Ancillary facilities, such as buildings, transmission towers, cooling towers,
27 and plumes, if present, would likely be visible projecting above the
28 collector/reflector arrays, at least in the nearby portions of the SEZ. The
29 ancillary facilities could create form and line contrasts with the strongly
30 horizontal, regular, and repeating forms and lines of the collector/reflector
31 arrays. Color and texture contrasts would also be possible, but their extent
32 would depend on the materials and surface treatments utilized in the facilities.
33

34 Operating power towers in the farther portions of the SEZ would likely be
35 visible as points of light atop plainly discernable tower structures, against a
36 backdrop of the valley floor. If located in the closer portions of the SEZ,
37 operating power towers could appear as substantially brighter light sources,
38 and could strongly attract visual attention. If sufficiently tall, the towers could
39 have red flashing lights at night, or white or red flashing strobe lights that
40 would likely be conspicuous for nearby facilities, but many other lights would
41 likely be visible in the area. Other lighting associated with solar facilities in
42 the SEZ could be visible as well.
43

44 Because of the relatively high viewing angle, and because the SEZ would
45 cross more than the normal horizontal field of view, solar facilities in the
46 central and northern portions of the SEZ would be close enough to cause large




FIGURE 12.3.14.2-8 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from a High-Elevation Viewpoint in the Central Portion of the Sacramento Escarpment ACEC

1 visual contrasts. Under the 80% development scenario analyzed in the PEIS,
2 while contrast levels would depend on project location within the SEZ, the
3 types of solar facilities and their designs, and other visibility factors, strong
4 visual contrasts from solar energy development within the SEZ would be
5 expected for this viewpoint in the ACEC.
6

7 Figure 12.3.14.2-9 is a Google Earth visualization of the SEZ as seen from a
8 point in the southern portion of the ACEC in San Andres Canyon, east of Pasa
9 Por Aqui Lane. The viewpoint is partway up the escarpment at the end of an
10 unpaved road running part way up the canyon. The viewpoint is about 5.6 mi
11 (9.1 km) east of the nearest point in the SEZ, and is about 580 ft (180 m)
12 higher in elevation than the SEZ. The closest power tower model in the
13 visualization (at the far right) is about 6.1 mi (9.8 km) from the viewpoint.
14

15 Because the viewpoint is within a canyon, the canyon walls would “frame”
16 the view of the SEZ, greatly restricting visibility of the SEZ. The view would
17 be across the urbanized strip along U.S. 54. The portion of the SEZ visible in
18 this “framed” view is only 1 mi (1.6 km) east to west, so it would appear as a
19 narrow horizontal strip across the valley floor under the San Andres
20 Mountains.
21

22 Despite the somewhat elevated viewpoint, the viewing angle is low, and
23 where visible, collector/reflector arrays of solar facilities in the SEZ would be
24 seen at a low angle, reducing their apparent size somewhat. The angle of view
25 is not low enough, however, that the tops of the collector/reflector arrays
26 would not be visible, so their strong regular geometry could be evident, and
27 there would be increased potential for reflections from the tops of the
28 collectors and reflectors.
29

30 Ancillary facilities, such as buildings, transmission towers, cooling towers,
31 and plumes, if present, would likely be visible projecting above the
32 collector/reflector arrays. Their forms, lines, and colors, as well as their
33 reflective properties, could add to visual contrasts with the generally
34 horizontal surrounding landscape.
35

36 Operating power towers in the visible portions of the SEZ would appear as
37 very bright light sources, atop plainly discernable tower structures, and in this
38 framed view would be likely to strongly attract visual attention. If sufficiently
39 tall, the towers could have red flashing lights at night, or white or red flashing
40 strobe lights that would likely be conspicuous from this viewpoint, though
41 other lights would likely be visible in the area. Other lighting associated with
42 solar facilities in the SEZ could be visible as well.
43

44 The low angle of view would reduce visibility of solar facilities in the SEZ
45 somewhat, but the SEZ would be framed by the canyon walls in this view, and
46 because of this, could dominate views westward from this location. Under the




FIGURE 12.3.14.2-9 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from San Andres Canyon in the Southern Portion of the Sacramento Escarpment ACEC

1 80% development scenario analyzed in the PEIS, while contrast levels would
2 depend on project location within the SEZ, the types of solar facilities and
3 their designs, and other visibility factors, strong visual contrasts from solar
4 energy development within the SEZ would be expected for this viewpoint in
5 the ACEC.
6

7 In summary, the ACEC is close to the proposed SEZ, and the entire SEZ is
8 visible from the elevated viewpoints in the ACEC. Although the vertical angle
9 of view is generally low as viewed from the ACEC, from many locations in
10 the ACEC the SEZ would appear large enough that it could not be
11 encompassed in one view, resulting in strong visual contrast levels for most
12 viewpoints in the ACEC. Lower, but often still strong visual contrast levels,
13 would be evident from viewpoints recessed into canyons running up the
14 escarpment, due in part to the framing of views of solar facilities within the
15 SEZ by canyon walls.
16

17 *National Wildlife Refuge*

- 18 • *San Andres*—The 60,141-acre (243.38-km²) San Andres NWR is about 19 mi
19 (31 km) west of the SEZ at the closest point of approach. With the exception
20 of occasional special guided tours for education or research groups, the
21 San Andres National Wildlife Refuge remains closed to the public for safety
22 and security concerns. The Refuge is completely surrounded by the
23 2.2-million-acre (8,903-km²) White Sands Missile Range.
24
25
26

27 The NWR occupies the crest of the southern San Andres Mountains. As
28 shown in Figure 12.3.14.2-2, visibility of solar facilities in the SEZ would be
29 limited to the east-facing slopes of the San Andres Mountains in the NWR.
30 About 24,687 acres (99.9 km²), or 41% of the NWR, are within the 650-ft
31 (198.1-m) viewshed of the SEZ, and 24,384 acres (98.7 km²), also 41% of the
32 NWR, are within the 24.6-ft (7.5-m) viewshed. The portions of the NWR
33 within the viewshed extend from the point of closest approach to
34 approximately 24 mi (39 km) from the SEZ.
35

36 Figure 12.3.14.2-10 is a Google Earth visualization of the SEZ (highlighted in
37 orange) as seen from an unnamed ridge in the eastern portion of the NWR,
38 about 1.8 mi (2.8 km) south of San Andres Canyon, and about 0.5 mi (0.8 km)
39 southeast of Dripping Springs. The viewpoint is about 23 mi (36 km) from the
40 SEZ and 935 ft (285 m) higher in elevation than the SEZ.
41

42 The visualization suggests that at this distance, the SEZ would occupy a very
43 small portion of the field of view. From this location, collector/reflector arrays
44 for solar facilities within the SEZ would be seen nearly edge-on, which would
45 reduce their apparent size, conceal their strong regular geometry, and make
46




FIGURE 12.3.14.2-10 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from an Unnamed Ridge within the San Andres Mountains NWR

1 them appear to repeat the strong horizon line, reducing apparent visual
2 contrast.

3
4 Operating power towers within the SEZ would be visible from this location.
5 At almost 23 mi (36 km), the receivers would likely appear as distant points of
6 light to the east, against the backdrop of the base of the Sacramento
7 Mountains or the Tularosa Valley floor. If sufficiently tall, the towers could
8 have red flashing lights at night, or white or red flashing strobe lights that
9 would likely be visible. Other lighting associated with solar facilities could be
10 visible as well.

11
12 Visual contrasts associated with solar energy development within the SEZ
13 would depend on solar facility type, size, and location within the SEZ, as well
14 as other visibility factors. Under the 80% development scenario analyzed in
15 this PEIS, weak levels of visual contrast would be expected for views from
16 this location.

17
18 Figure 12.3.14.2-11 is a Google Earth visualization of the SEZ (highlighted in
19 orange) as seen from the northernmost summit of Bennett Mountain, just
20 south of Bighorn Springs in the southern portion of the NWR. The viewpoint
21 is at the point of closest approach from the NWR to the SEZ at slightly more
22 than 19 mi (31 km) and has an open view of the SEZ. The viewpoint is about
23 2,600 ft (790 m) higher in elevation than the SEZ.

24
25 The visualization suggests that because of the large size of the SEZ, and its
26 orientation with respect to the viewpoint, the SEZ would occupy most of the
27 horizontal field of view, and would appear in a narrow band at the base of the
28 Sacramento Mountains. Despite the elevated viewpoint, the vertical angle of
29 view to the SEZ is low enough that collector/reflector arrays for solar facilities
30 within the SEZ would be seen nearly edge-on. The low-angle view would
31 reduce their apparent size, conceal their strong regular geometry, and make
32 them appear to repeat the strong horizon line, reducing apparent visual
33 contrast.

34
35 Operating power towers within the SEZ would be visible from this location.
36 At almost 20 mi (32 km), the receivers would likely appear as distant points of
37 light to the east, against the backdrop of the base of the Sacramento
38 Mountains or the Tularosa Valley floor. There would be potential for glint and
39 glare from power tower heliostats and the collector/reflector arrays of other
40 solar technologies. If sufficiently tall, the towers could have red flashing lights
41 at night, or white or red flashing strobe lights that would likely be visible.

42
43 Visual contrasts associated with solar energy development within the SEZ
44 would depend on solar facility type, size, and location within the SEZ, as well
45 as other visibility factors. Under the 80% development scenario analyzed in
46




FIGURE 12.3.14.2-11 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from Viewpoint within the San Andres Mountains NWR

1 this PEIS, weak levels of visual contrast would be expected for views from
2 this location.

3
4 Visual contrasts associated with solar energy development within the SEZ
5 would depend on viewer location within the NWR; solar facility type, size,
6 and location within the SEZ; and other visibility factors. Under the 80%
7 development scenario analyzed in this PEIS, weak levels of visual contrast
8 would be expected. The highest contrast levels would be expected for high-
9 elevation viewpoints in the NWR, with lower contrasts expected for lower-
10 elevation viewpoints in the NWR.

11 12 13 ***National Historic Landmark***

- 14
15 • *Launch Complex 33*—Launch Complex 33 is a national historic landmark
16 about 22 mi (35 km) southwest of the SEZ at the point of closest approach. It
17 is within the White Sands Missile Range and contains two important
18 structures: the old Army Blockhouse and the launching crane, known as the
19 Gantry Crane.

20
21 Launch Complex 33 is at an elevation slightly below the lowest point in the
22 SEZ, and at nearly 22 mi (35 km) from the SEZ, the vertical angle of view to
23 solar facilities within the SEZ would be very low. If solar facilities were
24 located in the far southwestern portion of the SEZ, they could potentially be
25 visible from Launch Complex 33. If power towers were visible, when
26 operating, the receivers could appear as distant points of light against the
27 backdrop of the Sacramento Escarpment. At night, if more than 200 ft (61 m)
28 tall, power towers would have navigation warning lights that could potentially
29 be visible from Launch Complex 33. Given the very low angle of view and
30 the long distance to the SEZ, solar facilities within the SEZ would be unlikely
31 to be seen by casual observers; however, even if power towers were visible
32 within the SEZ, minimal visual contrast levels would be expected.

33 34 35 ***Scenic Byway***

- 36
37 • *Sunspot*—Sunspot is a congressionally designated scenic byway that extends
38 14 mi (22.5 km) through the Lincoln National Forest. This route runs along
39 the front rim of the Sacramento Mountains, providing panoramic scenic views
40 of the Tularosa Basin and the sand dunes of White Sands National Monument.

41
42 The scenic byway passes within 12 mi (19 km) of the SEZ at the point of
43 closest approach east of the SEZ. Approximately 0.2 mi (0.3 km) of the
44 byway are within the 650-ft (198.1-m) viewshed of the SEZ, and the distance
45 within the viewshed to the SEZ ranges from 12.5 mi (20.1 km), east of the
46 SEZ, to 12.7 mi (20.4 km).

1 As the scenic highway descends a short slope in Cathey Canyon, about 1.3 mi
2 (2.1 km) from the community of Sunspot, facing the Tularosa Valley, the
3 upper portions of power towers in particular locations in the southern portion
4 of the SEZ might be visible briefly (for approximately 15 seconds). The area
5 along the roadway is heavily wooded, and it is possible that views of the SEZ
6 are entirely screened by vegetation; however, if not, solar facilities in only a
7 very small portion of the SEZ could be in view, and for such a brief period of
8 time that visual impacts would be minimal.
9

10 Additional scenic resources exist at the national, state, and local levels, and impacts may
11 occur on both federal and nonfederal lands, including sensitive traditional cultural properties
12 important to Tribes. Note that in addition to the resource types and specific resources analyzed
13 in this PEIS, future site-specific NEPA analyses would include state and local parks, recreation
14 areas, other sensitive visual resources, and communities close enough to the proposed project to
15 be affected by visual impacts. Selected other lands and resources are included in the discussion
16 below.
17

18 In addition to impacts associated with the solar energy facilities themselves, sensitive
19 visual resources could be affected by other facilities that would be built and operated in
20 conjunction with the solar facilities. With respect to visual impacts, the most important
21 associated facilities would be access roads and transmission lines, the precise location of which
22 cannot be determined until a specific solar energy project is proposed. Currently a 115-kV
23 transmission line is within the proposed SEZ, so construction and operation of a transmission
24 line outside the proposed SEZ would not be required. However, construction of transmission
25 lines within the SEZ to connect facilities to the existing line would be required. For this analysis,
26 the impacts of construction and operation of transmission lines outside of the SEZ were not
27 assessed, assuming that an existing 115-kV transmission line might be used to connect some new
28 solar facilities to load centers, and that additional project-specific analysis would be done for
29 new transmission construction or line upgrades. Note that depending on project- and site-specific
30 conditions, visual impacts associated with access roads, and particularly transmission lines, could
31 be large. Detailed information about visual impacts associated with transmission lines is
32 presented in Section 5.7.1. A detailed site-specific NEPA analysis would be required to
33 determine visibility and associated impacts precisely for any future solar projects, based on more
34 precise knowledge of facility location and characteristics.
35
36

37 **Impacts on Selected Other Lands and Resources**

38
39

40 ***Lone Butte.*** Lone Butte is culturally significant to Native Americans and a prominent
41 landmark visible from most of the Tularosa Valley. Lone Butte is located with the south-central
42 portion of the SEZ, 3.7 mi (5.9 km) west of U.S. 54.
43

44 Because of the very close proximity of the Lone Butte to potential solar facilities within
45 the SEZ, under the 80% development scenario analyzed in the PEIS, strong visual contrasts
46 would be expected for viewers located at or near Lone Butte. Furthermore, the presence of solar

1 facilities in the immediate vicinity of the butte could impair direct views of the butte from
2 surrounding areas, as well as creating strong visual contrasts with the butte’s natural-appearing
3 form, lines, colors, and textures.
4
5

6 **U.S. 70.** U.S. 70, generally a four-lane highway, runs in a northeast–southwest direction
7 to Tularosa, where it joins U.S. 54 into Alamogordo. From Las Cruces, U.S. 70 travels generally
8 northeast, with a portion running along the southeast boundary of White Sands National
9 Monument. As shown in Figure 12.3.14.2-2, approximately 62 mi (100 km) of U.S. 70 are within
10 the SEZ 25-mi (40-km) viewshed, nearly all of which are within the 24.6-ft (7.5-m) SEZ
11 viewshed. This distance would equate to about 55 minutes total viewing time at highway speeds.
12 Eastbound travelers on U.S. 70 could have views of solar facilities within the SEZ from almost
13 any point on the road east of the crest of the Organ Mountains to a few miles east of Tularosa.
14 The AADT value for U.S. 70 in the vicinity of the SEZ is between 7,700 and 9,100 vehicles (NM
15 DOT 2009).
16

17 For eastbound U.S. 70 travelers from Las Cruces, the solar facilities in the SEZ could
18 come into view about 6 mi (10 km) east of Organ, as they entered the SEZ 25-mi (40-km)
19 viewshed. The SEZ would be visible across the wide expanse of the Tularosa Valley, about
20 45 degrees to the left of the direction of travel. Views would be elevated about 850 ft (260 m)
21 above the SEZ when the SEZ first came into view, but would decrease rapidly as vehicles
22 descended the eastern slope of the Organ Mountains. At night, if more than 200 ft (61 m) tall,
23 power towers would have navigation warning lights that could potentially be visible from these
24 distances on U.S. 70, though there could be other lights visible in the vicinity of the SEZ as well.
25 Visual contrasts from solar facilities at this long distance would be weak, but would gradually
26 rise as travelers approached the SEZ, although the loss of elevation as vehicles traveled eastward
27 would decrease the vertical angle of view, partially offsetting the increased contrast from being
28 closer to the SEZ.
29

30 After about 2 mi (3 km), U.S. 70 turns toward the northeast so that vehicles would face
31 the SEZ more directly, but as elevation drops rapidly in this segment of the roadway, there would
32 not be a substantial increase in impacts from the change in direction. After about another 3 mi
33 (5 km), the road would turn northeast again, so that the direction of travel would be slightly
34 northward of the SEZ. After several miles (close to about 15 mi [24 km] from the SEZ), there
35 would be a decrease in contrasts because the elevation of the roadway would drop slightly below
36 that of the SEZ, so that the vertical angle of view between the road and the SEZ would be
37 extremely low. In fact, solar facilities within most of the SEZ would not be visible because of
38 screening by intervening terrain; however, the receivers of operating power towers could be
39 visible against the backdrop of the Sacramento Escarpment, including the Sacramento
40 Escarpment ACEC. At this distance, the tower structures under the receivers might be visible,
41 but might not be noticeable to casual viewers. If sufficiently tall, the towers could have red
42 flashing lights at night, or white or red flashing strobe lights that could be visually conspicuous,
43 but other lights would likely be visible in the area. Other lighting associated with solar facilities
44 could be visible as well.
45

1 By about 10 mi (16 km) from the SEZ, the SEZ would occupy most of the horizontal
2 field of view, and while the vertical angle of view would still be extremely low, depending on
3 the number and location of power towers within the SEZ, visual contrasts could approach
4 moderate levels, if multiple power towers were located in the western portions of the SEZ, and
5 visible across much the north–south axis of the SEZ. If there were very few or no operating
6 power towers present, or they were located far from U.S. 70 in the SEZ, contrast levels would
7 likely remain at weak levels.
8

9 Contrast levels would continue to rise as travelers passed along the boundary of White
10 Sands National Monument. As U.S. 70 approaches the National Monument Visitor Center, the
11 roadway is within a relatively short distance of the SEZ (less than 5 mi [8 km]), and there are
12 generally open views of the SEZ from U.S. 70. The very low vertical angle of view between the
13 road and the SEZ makes expected visual contrast levels highly dependent on the presence of
14 power towers in the northern and northwestern portions of the SEZ. Were only low-height
15 facilities present in these portions of the SEZ, expected contrast levels could remain at weak
16 levels. Under the 80% development scenario analyzed in the PEIS, however, expected contrast
17 levels from solar facilities in the SEZ could be strong for those portions of U.S. 70 in this stretch
18 of the roadway closest to the SEZ. At night, if more than 200 ft (61 m) tall, power towers would
19 have navigation warning lights that could be conspicuous from this area. Other lighting
20 associated with solar facilities could be visible as well. Figure 12.3.14.2-4 (see the White Sands
21 National Monument impact analysis above) is a visualization of the SEZ from the National
22 Monument Visitor Center on U.S. 70.
23

24 After passing the National Monument Visitor Center, U.S. 70 approaches the
25 northernmost part of the SEZ, reaching it at about 8.2 mi (13.2 km) east of the National
26 Monument Visitor Center, just beyond Holloman Air Force Base. U.S. 70 passes through 0.9 mi
27 (1.4 km) of the SEZ just inside the northernmost boundary of the SEZ. As eastbound U.S. 70
28 travelers approached the boundary of the SEZ, solar facilities within the SEZ would be in full
29 view. The SEZ would occupy more than the entire field of view to the southeast, so travelers
30 would have to turn their heads to scan across the full SEZ. Facilities located within the far
31 northern portion of the SEZ could strongly attract the eye and would likely dominate views
32 from U.S. 70.
33

34 Visual contrast would increase further as travelers on U.S. 70 entered the SEZ. If power
35 tower facilities were located in the SEZ, the receivers could appear as brilliant light sources on
36 either side of the highway and would likely strongly attract views. Farther on down the roadway,
37 if solar facilities were located on both the north and south sides of I-10, the banks of solar
38 collectors on both sides could form a visual “tunnel,” which travelers would pass through briefly.
39 If solar facilities were located close to the roadway, given the 80% development scenario
40 analyzed in this PEIS, they would be expected to dominate views from I-10 and would create
41 strong visual contrasts. After travelers pass through the section of SEZ, the SEZ would still be
42 very close to I-10 on one side of the highway or the other. Impact levels would be dependent on
43 the presence of solar facilities in areas near the roadway and on solar facility characteristics.
44

45 Figure 12.3.14.2-12 is a Google Earth perspective visualization of the SEZ as seen from
46 U.S. 70 within the SEZ, approximately 0.3 mi (0.4 km) east of the intersection of the highway



FIGURE 12.3.14.2-12 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from U.S. 70 within the SEZ

1 and the SEZ, facing south–southwest toward a power tower model 1.3 mi (2 km) south of the
2 viewpoint. Other power towers are visible to the south. The visualization suggests that from this
3 location, solar facilities within the SEZ would be in full view. The SEZ would occupy more than
4 the entire field of view, so travelers would have to turn their heads to scan across the full SEZ.
5 Facilities located within the far northern portion of the SEZ would strongly attract the eye and
6 would be likely to dominate views from U.S. 70. From this viewpoint, solar collector/reflector
7 arrays would be seen nearly edge-on and would repeat the horizontal line of the plain in which
8 the SEZ is situated; this would tend to reduce visual line contrast, but for the closest facilities,
9 the collector/reflector arrays would likely appear large enough that they would no longer be seen
10 as horizontal lines against the natural-appearing backdrop. Their strong regular geometry and
11 structural details would likely be discernable.

12
13 Ancillary facilities, such as buildings, transmission towers, cooling towers; and plumes, if
14 present, would likely be visible projecting above the collector/reflector arrays. Their forms and
15 lines, as well as reflective properties, could add to visual contrasts with the strongly horizontal
16 arrays and surrounding landscape. Color and texture contrasts would also be likely, but their
17 extent would depend on the materials and surface treatments utilized in the facilities.

18
19 As travelers approach and pass through the SEZ, depending on the solar technologies
20 present, facility layout, and mitigation measures employed, there would be the potential for
21 reflections from facility components, which could cause visual discomfort for travelers and be
22 distracting to drivers. These potential impacts could be reduced by siting reflective components
23 away from the roadway, employing various screening mechanisms, and/or adjusting the mirror
24 operations to reduce potential impacts. However, because of their height, the receivers of power
25 towers located close to the roadway could be difficult to screen.

26
27 Views of the Sacramento Escarpment and the mountain ranges south of the valley could
28 be partially screened by solar facilities, depending on the layout of solar facilities within the
29 SEZ. Because of the potentially very short distance from solar facilities to U.S. 70, strong visual
30 contrasts could result, depending on solar project characteristics and location within the SEZ.

31
32 After eastbound travelers on U.S. 70 passed out of the SEZ to the northeast, visual
33 contrast levels and associated perceived impacts would decrease rapidly because solar facilities
34 within the SEZ would be behind and to the right of the eastbound vehicles, so that the frequency
35 and duration of views would decrease substantially. As vehicles entered the urbanized
36 Alamogordo area about 2 mi (3 km) northeast of the SEZ, structures and vegetation would be
37 more likely to screen views of the SEZ, further decreasing frequency and duration of views.
38 About 5 mi northeast of the SEZ, U.S. 70 turns north, and contrasts would drop even further as
39 distance from the SEZ increased.

40
41 Travelers heading west on U.S. 70 would in general be subjected to the same types of
42 visual contrasts, but the order would be reversed, and this could change the perceived impact
43 levels. Because of differences in topography between the eastern and western approaches to the
44 SEZ, for westbound travelers on U.S. 70, the approach to the SEZ within the SEZ viewshed
45 would be shorter in both time and distance. Contrast levels would rise much faster than for

1 eastbound travelers on U.S. 70, as eastbound travelers would have the SEZ in view, with
2 gradually rising contrast levels, for much longer.

3
4 Solar facilities within the SEZ could be visible as far a few miles east of the community
5 of Tularosa on U.S. 70. From Tularosa to just beyond Alamogordo, U.S. 70 and U.S. 54 share
6 the same route, and the following remarks would apply to both highways. Tularosa is located
7 approximately 16.2 mi (26.1 km) from the nearest point in the SEZ, and is elevated about 350 ft
8 (110 m) with respect to the SEZ. Where open views toward the SEZ existed from
9 U.S. 70/U.S. 54 in Tularosa, the SEZ would occupy a small portion of the horizontal field of
10 view. Because of the long distance to the SEZ, the vertical angle of view to the SEZ would be
11 very low, with weak visual contrasts expected from solar facilities within the SEZ.

12
13 La Luz is located approximately 10.5 mi (16.9 km) from the nearest point in the SEZ, and
14 is elevated about 650 ft (200 m) with respect to the SEZ. Where open views toward the SEZ
15 existed from U.S. 70/U.S. 54 in La Luz, the SEZ would occupy a moderate portion of the
16 horizontal field of view. Because of the relatively long distance, the angle of view to the SEZ
17 would be low, and weak visual contrasts from solar facilities within the SEZ would be expected.

18
19 Alamogordo is located approximately 4.8 mi (7.7 km) from the nearest point in the SEZ;
20 however, some subdivisions are as close as 2.2 mi (3.5 km), although U.S. 70 and U.S. 54 would
21 have already split off from each other this close to the SEZ. Screening by structures and
22 vegetation would reduce visibility of solar development in many locations within Alamogordo,
23 but where open views existed from the housing units closest to the SEZ, the SEZ would occupy
24 most of the horizontal field of view. Because the vertical angle of view to the SEZ from the
25 roadway would be very low, expected contrast levels would be heavily dependent on the
26 presence and number of power tower and other tall solar facility components in the SEZ close to
27 the roadway. However, moderate visual contrasts would be expected for some locations within
28 Alamogordo, with strong visual contrasts likely within a few miles of the SEZ, after U.S. 70
29 splits off from U.S. 54.

30
31 As discussed above, contrast levels would peak at strong levels as U.S. 70 passed through
32 the SEZ southwest of Alamogordo. About 12 mi (19 km) southwest of the White Sands National
33 Monument Visitor Center, impact levels would drop off, as westbound travelers on U.S. 70
34 would pass the SEZ, and view frequency and duration would begin to decrease rapidly.

35
36 In summary, approximately 62 mi (100 km) of U.S. 70 are within the SEZ 25-mi (40-km)
37 viewshed, nearly all of which is within the 24.6-ft (7.5-m) SEZ viewshed. Solar facilities could
38 be in view for about 55 minutes total viewing time at highway speeds for travelers on U.S. 70,
39 but for most travelers, view duration would be much briefer. Eastbound travelers on U.S. 70
40 would see a gradual buildup of visual contrasts from solar facilities in the SEZ as they crossed
41 the Tularosa Valley from southwest to northeast, while westbound travelers would see contrasts
42 build up more quickly as they approached the SEZ from the north. Travelers in both directions
43 could see strong contrasts from solar development within the SEZ as U.S. 70 passed through the
44 SEZ south of Alamogordo.

1 **U.S. 54.** U.S. 54, a four-lane divided highway, runs in a north–south direction through the
2 Tularosa Valley in the SEZ viewshed, from Tularosa to just north of the unincorporated
3 community of Orogrande. The AADT value for U.S. 54 in the vicinity of the SEZ ranges from
4 about 6,500 vehicles south of Alamogordo to 14,000 vehicles where U.S. 54 and U.S. 70 are
5 together, between Alamogordo and Tularosa (NM DOT 2009).
6

7 As shown in Figure 12.3.14.2-2, about 57 mi (92 km) of U.S. 54 is within the SEZ
8 viewshed, and solar facilities within the SEZ could be in full view from some portions of U.S. 54
9 as travelers approached from both directions. U.S. 54 is within the SEZ 7.5-m (24.6-ft) viewshed
10 for 53 mi (85 km). This distance would equate to about 45 minutes total viewing time at highway
11 speeds.
12

13 Southbound travelers on U.S. 54 could first see solar facilities within the SEZ north of
14 the community of Tularosa, about 8.4 mi (13.5 km) north of where U.S. 54 joins U.S. 70 in
15 Tularosa, and about 24 mi (39 km) straight north of the SEZ. Visual contrasts from solar
16 facilities within the SEZ for this stretch of U.S. 54 are described above (see impact discussion for
17 U.S. 70).
18

19 After passing through Alamogordo, U.S. 54 roughly parallels but gradually very closely
20 approaches the eastern boundary of the SEZ. Figure 12.3.14.2-13 is a Google Earth perspective
21 visualization of the SEZ as seen from U.S. 54 at Boles Acres just south of 2nd Street,
22 approximately 2.5 mi (4.0 km) east of the SEZ, facing southwest toward a power tower model
23 3.1 mi (5.1 km) southwest of the viewpoint. Other power towers are visible to the south. The
24 visualization suggests that, from this location, solar facilities within the SEZ would be in full
25 view. The SEZ would occupy more than the entire field of view, so travelers would have to turn
26 their heads to scan across the full SEZ. Facilities located within the closest portions of the SEZ
27 would strongly attract visual attention. From this viewpoint, solar collector/reflector arrays
28 would be seen nearly edge-on and would repeat the horizontal line of the plain in which the SEZ
29 is situated; this would tend to reduce visual line contrast. Ancillary facilities, such as buildings,
30 transmission towers, and cooling towers, and plumes, if present, would likely be visible
31 projecting above the collector/reflector arrays. Their forms, lines, and colors, as well as their
32 reflective properties, could add to visual contrasts with the strongly horizontal arrays and
33 surrounding landscape.
34

35 If operating power towers were located in nearby portions of the SEZ, they would likely
36 appear as very bright cylindrical or other shape light sources atop plainly discernable tower
37 structures. They would likely strongly attract visual attention, and if tall enough to require hazard
38 navigation lighting, could be conspicuous from this viewpoint at night.
39

40 Views of the San Andres Mountains across the Tularosa Valley could be partially
41 screened by solar facilities, depending on the types and layouts of solar facilities within the SEZ.
42 Because of the potentially short distance from solar facilities to U.S. 54, strong visual contrasts
43 could be observed from this viewpoint, depending on solar project numbers, characteristics, and
44 locations within the SEZ.
45



FIGURE 12.3.14.2-13 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from U.S. 54 at Boles Acres

1 For travelers on U.S. 54, visual contrast levels would peak in a 7-mi (11-km) stretch of
2 the road starting about 10 mi (16 km) south of the junction of U.S. 54 and U.S. 70, where
3 U.S. 54 closely approaches and then abuts the SEZ. Figure 12.3.14.2-14 is a Google Earth
4 perspective visualization of the SEZ as seen from the perspective of a northbound traveler on
5 U.S. 54 almost 14 mi (23 km) south of the U.S. 54–U.S. 70 junction, immediately adjacent to the
6 SEZ. The view faces northwest toward a power tower model 1.0 mi (5.1 km) from the viewpoint.
7 Other power towers are visible to the north. The visualization suggests that from this viewpoint,
8 solar collector/reflector arrays would be seen nearly edge-on and would repeat the horizontal line
9 of the plain in which the SEZ is situated; this would tend to reduce visual line contrast, but for
10 the closest facilities, the collector/reflector arrays would likely appear large enough that they
11 would no longer be seen as horizontal lines against the natural-appearing backdrop. Their strong
12 regular geometry and structural details would likely be discernable.
13

14 Ancillary facilities, such as buildings, transmission towers, and cooling towers, and
15 plumes, if present, would likely be visible projecting above the collector/reflector arrays. Their
16 forms, lines, and colors, as well as their reflective properties, could add to visual contrasts with
17 the strongly horizontal arrays and surrounding landscape.
18

19 If operating power towers were located in nearby portions of the SEZ, they would likely
20 appear as brilliant white cylindrical or other shape light sources atop plainly discernable tower
21 structures. They would likely strongly attract visual attention, and would be expected to
22 dominate views from the roadway. At night, if more than 200 ft (61 m) tall, power towers would
23 have navigation warning lights that could be very conspicuous from the roadway. Other lighting
24 associated with solar facilities would likely be visible as well.
25

26 As travelers approach and pass through the SEZ, depending on the solar technologies
27 present, facility layout, and mitigation measures employed, there would be the potential for
28 substantial levels of reflections from facility components, which could cause visual discomfort
29 for travelers and be distracting to drivers. These potential impacts could be reduced by siting
30 reflective components away from the roadway, employing various screening mechanisms, and/or
31 adjusting the mirror operations to reduce potential impacts. However, because of their height, the
32 receivers of power towers located close to the roadway could be difficult to screen.
33

34 Views of the San Andres Mountains across the valley could be partially screened by solar
35 facilities, depending on the layout of solar facilities within the SEZ. Because of the potentially
36 very short distance of solar facilities from U.S. 54, strong visual contrasts could result,
37 depending on solar project characteristics and location within the SEZ.
38

39 Travelers heading north on U.S. 54 would in general be subjected to the same types of
40 visual contrasts as southbound travelers, but the order would be reversed, and this could change
41 the perceived impact levels. Northbound travelers on U.S. 54 would approach the SEZ across a
42 largely uninhabited landscape, relatively free of cultural distances, while southbound travelers
43 would approach the SEZ through several communities and a much more visually cluttered
44 landscape. Northbound travelers on U.S. 54 might therefore perceive higher levels of impact
45 associated with the greater contrast levels they would see between the SEZ and the surrounding
46 landscape than southbound travelers.




FIGURE 12.3.14.2-14 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from U.S. 54 Adjacent to the SEZ Boundary

1 In summary, approximately 57 mi (92 km) of U.S. 54 are within the SEZ 25-mi (40-km)
2 viewshed. Solar facilities could be in view for about 45 minutes total viewing time at highway
3 speeds for travelers on U.S. 54, but for most travelers, view duration would be much briefer.
4 Travelers on U.S. 54 would see a gradual buildup of visual contrasts from solar facilities in the
5 SEZ as they approached the SEZ from either direction. Travelers in both directions could see
6 strong contrasts from solar development within the SEZ where U.S. 54 borders the proposed
7 SEZ south of Boles Acres.
8
9

10 ***Communities of Alamogordo, Boles Acres, La Luz, and Tularosa.*** The viewshed
11 analyses indicate potential visibility of solar facilities within the SEZ from the communities of
12 Tularosa, La Luz, Alamogordo, Boles Acres, and Valmont. All of these communities are located
13 in the Tularosa Valley.
14

15 Note that screening by small undulations in topography, vegetation, buildings, or other
16 structures would likely restrict or eliminate visibility of the SEZ and associated solar facilities
17 from many locations within these communities, but detailed future site-specific NEPA analysis is
18 required to determine visibility precisely. However, note that even with existing screening, solar
19 power towers, cooling towers, plumes, transmission lines and towers, or other tall structures
20 associated with the development could potentially be tall enough to exceed the height of
21 screening in some areas and cause visual impacts on these communities.
22

23 Alamogordo is located approximately 4.8 mi (7.7 km) from the nearest point in the SEZ;
24 however, some subdivisions are as close as 2.2 mi (3.5 km). Screening by structures and
25 vegetation would reduce visibility of solar development in many locations within Alamogordo,
26 but where open views existed from housing units closest to the SEZ, the SEZ would occupy most
27 of the horizontal field of view.
28

29 Figure 12.3.14.2-15 is a Google Earth visualization of the SEZ (highlighted in orange) as
30 seen from the closest subdivision to the SEZ in or near Alamogordo, near the intersection of
31 Airport Road and Post Avenue. The viewpoint is at the point of closest approach from the
32 Alamogordo urban area to the SEZ, 2.2 mi (3.5 km). The viewpoint is about 60 ft (18 m) higher
33 in elevation than the SEZ. The closest power tower model in the visualization is 3.2 mi (5.2 km)
34 from this viewpoint.
35

36 The visualization suggests that from this short distance to the SEZ, the SEZ would be too
37 large to be encompassed in one view, and viewers would need to turn their heads to scan across
38 the whole visible portion of the SEZ. The vertical angle of view to the SEZ is low enough that
39 collector/reflector arrays for solar facilities within the SEZ would be seen nearly edge-on. The
40 low-angle view would reduce their apparent size, conceal their strong regular geometry, and
41 make them appear to repeat the strong horizon line, reducing apparent visual contrast. Ancillary
42 facilities, such as buildings, STGs, cooling towers, transmission facilities, and plumes (if
43 present) would likely be visible projecting over the tops of collector/reflector arrays in the nearer
44 portions of the SEZ, and their forms, lines, colors, and potential reflectivity could contrast with
45 the strong horizontal lines of collector/reflector arrays, as well as the surrounding landscape.
46



FIGURE 12.3.14.2-15 Google Earth Visualization of the Proposed Red Sands SEZ (shown in orange tint) and Surrounding Lands, with Power Tower Wireframe Models, as Seen from Subdivision in Alamogordo

1 Operating power towers within the SEZ would be visible from this location. If power
2 towers were located in the closest portion of the SEZ, they could appear as brilliant cylindrical
3 white lights or lights of other shape atop easily discernable tower structures, and would strongly
4 command visual attention. If sufficiently tall, the towers could have red flashing lights at night,
5 or white or red flashing strobe lights that would likely be conspicuous, though there would be
6 many other lights visible in this area. Other lighting associated with solar facilities could be
7 visible as well.
8

9 Visual contrasts associated with solar energy development within the SEZ would depend
10 on solar facility type, size, and location within the SEZ, as well as other visibility factors. Under
11 the 80% development scenario analyzed in this PEIS, strong levels of visual contrast would be
12 expected for views from this location.
13

14 Because of the very short distance to the SEZ, under the 80% development scenario
15 analyzed in the PEIS, strong visual contrasts from solar facilities within the SEZ would be
16 expected for those parts of Alamogordo closest to the SEZ. Moderate contrast levels would be
17 expected for locations farther north in Alamogordo that would have unobstructed views of solar
18 facilities within the SEZ.
19

20 Boles Acres is located approximately 1.9 mi (3.1 km) east from the nearest point in the
21 SEZ, and is elevated about 40 ft (12 m) with respect to the SEZ. Where open views toward the
22 SEZ existed in Boles Acres, the SEZ would be too large to be encompassed in one view, and
23 viewers would need to turn their heads to scan across the whole visible portion of the SEZ.
24 Because of the very short distance to the SEZ, under the 80% development scenario analyzed in
25 the PEIS, strong visual contrasts from solar facilities within the SEZ would be expected. See
26 Figure 12.3.14.2-13 (under U.S. 54 impact discussion above) for a view of the SEZ from U.S. 54
27 at Boles Acres.
28

29 La Luz is located approximately 11 mi (18 km) from the nearest point in the SEZ, and is
30 elevated about 650 ft (200 m) with respect to the SEZ. Where open views toward the SEZ
31 existed in La Luz, the SEZ would occupy a moderate portion of the horizontal field of view.
32 Because of the relatively long distance, the angle of view to the SEZ would be low, decreasing
33 contrasts associated with solar facilities. Under the 80% development scenario analyzed in the
34 PEIS, weak visual contrasts from solar facilities within the SEZ would be expected.
35

36 Tularosa is located approximately 16 mi (26 km) from the nearest point in the SEZ, and
37 is elevated about 350 ft (110 m) with respect to the SEZ. Where open views toward the SEZ
38 existed in Tularosa, the SEZ would occupy a small portion of the horizontal field of view.
39 Because of the long distance to the SEZ, the vertical angle of view to the SEZ would be very
40 low, decreasing contrasts associated with solar facilities. Under the 80% development scenario
41 analyzed in the PEIS, weak visual contrasts from solar facilities within the SEZ would be
42 expected.
43

44 *Other Impacts.* In addition to the impacts described for the resource areas above, nearby
45 residents and visitors to the area may experience visual impacts from solar energy facilities
46 located within the SEZ (as well as any associated access roads and transmission lines) from their

1 residences, or as they travel area roads, including but not limited to U.S. 70 and U.S. 54, as noted
2 above. The range of impacts experienced would be highly dependent on viewer location, project
3 types, locations, sizes, and layouts, as well as the presence of screening, but under the 80%
4 development scenario analyzed in the PEIS, from some locations, strong visual contrasts from
5 solar development within the SEZ could potentially be observed.
6
7

8 ***12.3.14.2.3 Summary of Visual Resource Impacts for the Proposed Red Sands SEZ*** 9

10 Under the 80% development scenario analyzed in the PEIS, the SEZ would contain
11 multiple solar facilities utilizing differing solar technologies, as well as a variety of roads and
12 ancillary facilities. The array of facilities could create a visually complex landscape that would
13 contrast strongly with the strongly horizontal landscape of the flat valley in which the SEZ is
14 located. Large visual impacts on the SEZ and surrounding lands within the SEZ viewshed would
15 be associated with solar energy development within the Red Sands SEZ because of major
16 modification of the character of the existing landscape. There is the potential for additional
17 impacts from construction and operation of transmission lines and access roads within the SEZ.
18

19 The SEZ is in an area of moderate scenic quality; however, it is within the viewshed of a
20 number of sensitive visual resource areas, including wilderness study area, a national monument,
21 and a BLM-designated scenic ACEC. With the exception of the Sacramento Escarpment ACEC,
22 these areas are insufficiently elevated with respect to the SEZ to afford commanding views of
23 solar facilities within the SEZ; however, a number of the sensitive areas are close enough to the
24 nearly 23,000-acre (93-km²) SEZ that solar facilities in the SEZ could stretch across much of the
25 field of view from many viewpoints within these areas, potentially creating panoramic views of
26 solar facilities across the landscape. As a result, a number of these sensitive resource areas could
27 be subjected to moderate to strong visual contrasts from solar facilities within the SEZ.
28

29 Furthermore, because the northern and eastern sides of the SEZ are very close to
30 Alamogordo and Boles Acres, solar facilities in those portions of the SEZ would be in full or
31 partial view of those communities, as well as U.S. 70 and U.S. 54, which are the major highways
32 in the area. These communities and major roads within the Tularosa Valley could be subjected to
33 moderate to strong visual contrasts from solar development within the SEZ.
34

35 Under the 80% development scenario analyzed in the PEIS, the following sensitive visual
36 resource areas would be expected to be subjected to strong visual contrast levels from solar
37 facilities within the Red Sands SEZ:
38

- 39 • White Sands National Monument;
- 40
- 41 • Culp Canyon WSA; and
- 42
- 43 • Sacramento Escarpment ACEC.
44

45 The following selected visually sensitive other lands and resources could be subjected to strong
46 contrast levels from solar facilities within the Red Sands SEZ:

- 1 • Lone Butte;
- 2
- 3 • U.S. 70; and
- 4
- 5 • U.S. 54.
- 6

7 The following selected communities in the Mesilla Valley could be subjected to strong contrast
8 levels from solar facilities within the Red Sands SEZ:

- 9
- 10 • Alamogordo and
- 11
- 12 • Boles Acres.
- 13

14 In addition, visitors to the area, workers, and residents may be subjected to minimal to
15 strong visual contrasts from solar energy facilities located within the SEZ (as well as any
16 associated access roads and transmission lines) as they travel area roads.

17

18

19 **12.3.14.3 SEZ-Specific Design Features and Design Feature Effectiveness**

20

21 The presence and operation of large-scale solar energy facilities and equipment would
22 introduce major visual changes into nonindustrialized landscapes and could create strong visual
23 contrasts in line, form, color, and texture that could not easily be substantially mitigated.
24 Implementation of programmatic design features intended to reduce visual impacts (described in
25 Appendix A, Section A.2.2, of this PEIS) would be expected to reduce visual impacts associated
26 with utility-scale solar energy development within the SEZ; however, the degree of effectiveness
27 of these design features could be assessed only at the site- and project-specific level. Given the
28 large scale, reflective surfaces, strong regular geometry of utility-scale solar energy facilities,
29 and the lack of screening vegetation and landforms within the SEZ viewshed, siting the facilities
30 away from sensitive visual resource areas and other sensitive viewing areas is the primary means
31 of mitigating visual impacts. The effectiveness of other visual impact mitigation measures would
32 generally be limited.

33

34 While the applicability and appropriateness of some measures would depend on site- and
35 project-specific information that would only be available after a specific solar energy project had
36 been proposed, there is an SEZ-specific design feature that can be identified for the Red Sands
37 SEZ at this time:

- 38
- 39 • The development of power tower facilities within the SEZ should be prohibited.
- 40

41 Application of the SEZ-specific design feature above would substantially reduce visual
42 impacts associated with solar energy development within the SEZ, and also would substantially
43 reduce potential visual impacts on White Sands National Monument and the Sacramento
44 Escarpment ACEC by reducing the potential for solar facilities to be visible from the national
45 monument and by reducing the obstruction of views of the Sacramento Escarpment from the
46 national monument and nearby areas. The measure would also reduce impacts on the

1 communities within the Tularosa Valley by limiting impacts visible within these communities
2 and on local roads, where potential visual impacts would be greatest because of the number of
3 viewers and duration of views.
4

5 This design feature would substantially reduce impacts on the following sensitive visual
6 resource areas:

- 7
- 8 • White Sands National Monument;
- 9
- 10 • Culp Canyon WSA;
- 11
- 12 • Sacramento Escarpment ACEC;
- 13
- 14 • Lone Butte;
- 15
- 16 • U.S. 70;
- 17
- 18 • U.S. 54;
- 19
- 20 • Community of Alamogordo; and
- 21
- 22 • Community of Boles Acres.
- 23

1 **12.3.15 Acoustic Environment**

2
3
4 **12.3.15.1 Affected Environment**

5
6 The proposed Red Sands SEZ is located in the west-central portion of Otero County in
7 south-central New Mexico. Neither the State of New Mexico nor Otero County has established
8 quantitative noise-limit regulations applicable to solar energy development.
9

10 U.S. 70 extends northeast–southwest along the northernmost boundary of the Red Sands
11 SEZ, while U.S. 54 passes north–south along the southeastern boundary of the SEZ. Improved
12 road access to the SEZ is limited, but numerous dirt roads, mostly ranch roads, run through the
13 SEZ. The nearest railroad passes north-south along U.S. 54. Nearby airports include Alamogordo
14 White Sands Regional Airport and Holloman Air Force Base, which are about 2 mi (3 km) east
15 and west of the northern tip of the SEZ, respectively. Another airport is the Condron Army Air
16 Field, about 26 mi (42 km) southwest of the SEZ. No major industrial activities occur around the
17 SEZ, but transmission line and pipeline facilities, as well as facilities for livestock operations
18 exist within the SEZ. Little sign of recreational use is evident in the SEZ, but small game hunting
19 may occur there. Areas north and east of the SEZ are somewhat developed, with Boles Acres,
20 Alamogordo, and Holloman Air Force Base located there. To the west, the SEZ borders White
21 Sands Missile Range (WSMR), a major Department of Defense range and test facility. No
22 sensitive receptor locations (e.g., hospitals, schools, or nursing homes) exist close to the
23 proposed Red Sands SEZ. The nearest residence (apparently a ranch) is adjacent to the east-
24 central SEZ boundary about 0.3 mi (0.5 km) west of U.S. 54. Many small and large population
25 centers occur along U.S. 54 and 70 to the east and the north, including Boles Acres,
26 Alamogordo, and Holloman Air Force Base.
27

28 The proposed Red Sands SEZ is mostly undeveloped, but because of the proximity to
29 developed areas, the overall character of the area is considered rural to industrial. Noise sources
30 around the SEZ include road traffic, railroad traffic, commercial/military aircraft flyover, grazing
31 livestock, the WSMR, and community activities and events. Background noise levels in the most
32 areas of the SEZ would be relatively high, considering the many kinds of noise sources around
33 the SEZ. Noise surveys have been made associated with current activities at the WSMR, but to
34 date, no environmental noise survey has been conducted around the proposed Red Sands SEZ.
35 On the basis of the population density, the day-night average noise level (L_{dn} or DNL) is
36 estimated to be 32 dBA for Otero County, the low end of the background noise level typical of a
37 rural area (33 to 47 dBA L_{dn}) (Eldred 1982; Miller 2002).¹²
38
39
40

¹² Rural and undeveloped areas have sound levels in the range of 33 to 47 dBA as L_{dn} (Eldred 1982). Typically, nighttime levels are 10 dBA lower than daytime levels, and they can be interpreted as 33 to 47 dBA (mean 40 dBA) during daytime hours and 23 to 37 dBA (mean 30 dBA) during nighttime hours.

1 **12.3.15.2 Impacts**
2

3 Noise impacts associated with solar projects in the Red Sands SEZ could occur during all
4 project phases. During the construction phase, potential noise impacts would be anticipated
5 (albeit of short duration) at the nearest residence (just next to the east-central SEZ boundary)
6 from operation of heavy equipment and vehicular traffic. During the operations phase, potential
7 impacts also would be expected at nearby residences; the nature and magnitude of those
8 impacts would depend on the solar technologies employed. Noise impacts shared by all solar
9 technologies are discussed in detail in Section 5.13.1, and technology-specific impacts are
10 presented in Section 5.13.2. Impacts specific to the proposed Red Sands SEZ are presented in
11 this section. Any such impacts would be minimized through the implementation of required
12 programmatic design features described in Appendix A, Section A.2.2, and through any
13 additional SEZ-specific design features applied (see Section 12.3.15.3 below). This section
14 primarily addresses potential noise impacts on humans, although potential impacts on wildlife at
15 nearby sensitive areas are discussed. Additional discussion on potential noise impacts on wildlife
16 is presented in Section 5.10.2.
17
18

19 **12.3.15.2.1 Construction**
20

21 The proposed Red Sands SEZ has a relatively flat terrain; thus, minimal site preparation
22 activities would be required, and associated noise levels would be lower than those during
23 general construction (e.g., erecting building structures and installing equipment, piping, and
24 electrical).
25

26 For the parabolic trough and power tower technologies, the highest construction noise
27 levels would occur at the power block area, where key components (e.g., steam turbine/
28 generator) needed to generate electricity would be located. A maximum of 95 dBA at a distance
29 of 50 ft (15 m) is assumed, if impact equipment such as pile drivers or rock drills is not being
30 used. Typically, the power block area is located in the center of the solar facility, at a distance of
31 more than 0.5 mi (0.8 km) from the facility boundary. Noise levels from construction of the solar
32 array would be lower than 95 dBA. When geometric spreading and ground effects are
33 considered, as explained in Section 4.13.1, noise levels would attenuate to about 40 dBA at a
34 distance of 1.2 mi (1.9 km) from the power block area. This noise level is typical of daytime
35 mean rural background levels. In addition, mid- and high-frequency noise from construction
36 activities is significantly attenuated by atmospheric absorption under the low-humidity
37 conditions typical of an arid desert environment and by temperature lapse conditions typical of
38 daytime hours. Therefore, noise attenuation to a 40-dBA level would occur at distances
39 somewhat shorter than 1.2 mi (1.9 km). If a 10-hour daytime work schedule is considered, the
40 EPA guideline level of 55 dBA L_{dn} for residential areas (EPA 1974) would occur about 1,200 ft
41 (370 m) from the power block area, which would be well within the facility boundary. For
42 construction activities occurring near the closest residence of the east-central SEZ boundary,

1 estimated noise levels at the nearest residences would be about 74 dBA,¹³ which is well above
2 the typical daytime mean rural background level of 40 dBA. In addition, an estimated 70-dBA
3 L_{dn}¹⁴ at this residence is well above the EPA guidance of 55 dBA L_{dn} for residential areas.
4

5 It is assumed that a maximum of two projects would be developed at any one time for
6 SEZs greater than 10,000 acres (40.5 km²) but less than 30,000 acres (121.4 km²), such as the
7 Red Sands SEZ. If two projects were to be built in the eastern portion of the SEZ near the closest
8 residence, noise levels would be slightly higher than the above-mentioned values, lower than a
9 just-noticeable increase of about 3 dBA over a single project.
10

11 In addition, noise impact analysis is considered at the specially designated areas within a
12 5-mi (8-km) range of the Red Sands SEZ, which is the farthest distance that noise, except
13 extremely loud noise, would be discernable. There are two specially designated areas within the
14 range where noise might be an issue: White Sands National Monument, which is about 4.1 mi
15 (6.6 km) northwest of the SEZ; and Sacramento Mountains, which is about 4.7 mi (7.6 km) east
16 of the SEZ. Considering the distances from the SEZ, construction noise from the SEZ is not
17 likely to adversely affect wildlife or visitors in these specially designated areas (Manci et al.
18 1988), as discussed in Section 5.10.2. Thus, noise impacts for nearby specially designated areas
19 were not modeled.
20

21 Depending on soil conditions, pile driving might be required for installation of solar dish
22 engines. However, the pile drivers used, such as vibratory or sonic drivers, would be relatively
23 small and quiet in contrast to the impulsive impact pile drivers frequently used at large-scale
24 construction sites. Potential impacts on the nearest residence would be anticipated to be
25 negligible, except when pile driving would occur near the residence (next to the east-central SEZ
26 boundary).
27

28 It is assumed that most construction activities would occur during the day, when noise is
29 better tolerated, than at night because of the masking effects of background noise. In addition,
30 construction activities for a utility-scale facility are temporary in nature (typically a few years).
31 Construction within the proposed Red Sands SEZ would cause some unavoidable but localized,
32 short-term noise impacts on neighboring communities, even when construction activities would
33 occur near the eastern SEZ boundary, close to the nearby residences.
34

35 Construction activities could result in various degrees of ground vibration, depending on
36 the equipment and construction methods used. All construction equipment causes ground
37 vibration to some degree, but activities that typically generate the most severe vibrations are
38 high-explosive detonations and impact pile driving. As is the case for noise, vibration would
39 diminish in strength with distance. For example, vibration levels at receptors beyond 140 ft
40 (43 m) from a large bulldozer (87 VdB at 25 ft [7.6 m]) would diminish below the threshold of

13 Typically, the heavy equipment operators would not allow public access any closer than 330 ft (100 m) for safety reasons. In other words, construction of solar facilities would not occur within this distance from the nearest residence.

14 For this analysis, background levels of 40 and 30 dBA for daytime and nighttime hours, respectively, are assumed, which result in a day-night average noise level (L_{dn}) of 40 dBA.

1 perception for humans, which is about 65 VdB (Hanson et al. 2006). During the construction
2 phase, no major construction equipment that can cause ground vibration would be used, and no
3 residences or sensitive structures are located in close proximity. Therefore, no adverse vibration
4 impacts are anticipated from construction activities, except when pile driving would occur close
5 to the nearest residence.
6

7 For this analysis, the impacts of construction and operation of transmission lines outside
8 of the SEZ were not assessed, assuming that an existing regional 115-kV transmission line might
9 be used to connect some new solar facilities to load centers, and that additional project-specific
10 analysis would be done for new transmission construction or line upgrades. However, some
11 construction of transmission lines could occur within the SEZ. Potential noise impacts on nearby
12 residences would be a minor component of construction impacts in comparison with solar
13 facility construction and would be temporary in nature.
14

15 **12.3.15.2.2 Operations**

16
17
18 Noise sources common to all or most types of solar technologies include equipment
19 motion from solar tracking; maintenance and repair activities (e.g., washing mirrors or replacing
20 broken mirrors) at the solar array area; commuter/visitor/support/delivery traffic within and
21 around the solar facility; and noises from control/administrative buildings, warehouses, and other
22 auxiliary buildings/structures. Diesel-fired emergency power generators and firewater pump
23 engines would be additional sources of noise, but their operations would be limited to several
24 hours per month (for preventive maintenance and testing).
25

26 With respect to the main solar energy technologies, noise-generating activities in the
27 PV solar array area would be minimal, related mainly to solar tracking, if used. On the other
28 hand, dish engine technology, which employs collector and converter devices in a single unit,
29 generally has the strongest noise sources.
30

31 For the parabolic trough and power tower technologies, most noise sources during
32 operations would be in the power block area; sources would include the turbine generator
33 (typically in an enclosure), pumps, boilers, and dry- or wet-cooling systems. The power block is
34 typically located in the center of the facility. For a 250-MW parabolic trough facility with a
35 cooling tower (Beacon Solar, LLC 2008), simple noise modeling indicates that noise levels
36 would be more than 85 dBA around the power block, but about 51 dBA at the facility boundary,
37 about 0.5 mi (0.8 km) from the power block area. For a facility located near the east-central SEZ
38 boundary, the predicted noise level would be about 51 dBA at the nearest residence, just next to
39 the SEZ boundary. That noise level is higher than the typical daytime mean rural background
40 level of 40 dBA. If TES were not used (i.e., if the operation were limited to daytime, 12 hours
41 only¹⁵), the EPA guideline level of 55 dBA (as L_{dn} for residential areas) would occur at about
42 1,370 ft (420 m) from the power block area and thus would not be exceeded outside of the
43 proposed SEZ boundary. At the nearest residence, about 49 dBA L_{dn} would be estimated, which
44 is below the EPA guideline of 55 dBA L_{dn} for residential areas. As for construction, if two

¹⁵ Maximum possible operating hours at the summer solstice, but limited to 7 to 8 hours at the winter solstice.

1 parabolic trough and/or power tower facilities were operating close to the nearest residence,
2 combined noise levels would be slightly higher than the above-mentioned values, lower than a
3 just-noticeable increase of about 3 dBA over a single facility. However, day-night average noise
4 levels higher than those estimated above by using simple noise modeling would be anticipated if
5 TES were used during nighttime hours, as explained below and in Section 4.13.1.

6
7 On a calm, clear night typical of the proposed Red Sands SEZ setting, the air temperature
8 would likely increase with height (temperature inversion) because of strong radiative cooling.
9 Such a temperature profile tends to focus noise downward toward the ground. There would be
10 little, if any, shadow zone¹⁶ within 1 or 2 mi (1.6 or 3 km) of the noise source in the presence of
11 a strong temperature inversion (Beranek 1988). In particular, such conditions add to the effect of
12 noise being more discernable during nighttime hours, when the background noise levels are
13 lowest. To estimate the day-night average noise level (L_{dn}), 6-hour nighttime generation with
14 TES is assumed after 12-hour daytime generation. For nighttime hours under temperature
15 inversion, 10 dB is added to noise levels estimated for the uniform atmosphere (see
16 Section 4.13.1). On the basis of these assumptions, the estimated nighttime noise level at the
17 nearest residence (just next to the SEZ boundary and about 0.5 mi [0.8 km] from the power block
18 area for a solar facility) would be 61 dBA, which is well above the typical nighttime mean rural
19 background level of 30 dBA. The day-night average noise level is estimated to be about 63 dBA
20 L_{dn} , which is above the EPA guideline of 55 dBA L_{dn} for residential areas. The assumptions are
21 conservative in terms of operating hours, and no credit was given to other attenuation
22 mechanisms, so it is likely that noise levels would be lower than 63 dBA L_{dn} at the nearest
23 residence, even if TES were used at a solar facility. As for construction, if two parabolic trough
24 and/or power tower facilities were operating close to the nearest residence, combined noise
25 levels would be slightly higher than the above-mentioned values, lower than a just-noticeable
26 increase of about 3 dBA over a single facility. Consequently, operating parabolic trough or
27 power tower facilities using TES and located near the SEZ boundary could result in adverse
28 noise impacts on the nearest residence. In the permitting process, refined noise propagation
29 modeling would be warranted along with measurement of current background noise levels.

30
31 The solar dish engine is unique among CSP technologies because it generates electricity
32 directly and does not require a power block. A single, large solar dish engine has relatively low
33 noise levels, but a solar facility might employ tens of thousands of dish engines, which would
34 cause high noise levels around such a facility. For example, the proposed 750-MW SES Solar
35 Two dish engine facility in California would employ as many as 30,000 dish engines
36 (SES Solar Two, LLC 2008). At the proposed Red Sands SEZ, on the basis of the assumption of
37 dish engine facilities of up to 2,002-MW total capacity (covering 80% of the total area, or
38 18,016 acres [72.9 km²]), up to 80,070 25-kW dish engines could be employed. For a large dish
39 engine facility, over a thousand step-up transformers would be embedded in the dish engine solar
40 field, along with a substation; however, the noise from these sources would be masked by dish
41 engine noise.

42
43 The composite noise level of a single dish engine would be about 88 dBA at a distance of
44 3 ft (0.9 m) (SES Solar Two, LLC 2008). This noise level would be attenuated to about 40 dBA

¹⁶ A shadow zone is defined as the region in which direct sound does not penetrate because of upward diffraction.

1 (typical of the mean rural daytime environment) within 330 ft (100 m). However, the combined
2 noise level from tens of thousands of dish engines operating simultaneously would be high in the
3 immediate vicinity of the facility, for example, about 51 dBA at 1.0 mi (1.6 km) and 47 dBA at
4 2 mi (3 km) from the boundary of the square-shaped dish engine solar field. Both of these values
5 are higher than the typical daytime mean rural background level of 40 dBA. However, these
6 levels would occur at somewhat shorter distances than the aforementioned distances, considering
7 noise attenuation by atmospheric absorption and temperature lapse during daytime hours. To
8 estimate noise levels at the nearest residences, it was assumed that dish engines were placed all
9 over the Red Sands SEZ at intervals of 98 ft (30 m). Under this assumption, the estimated noise
10 level at the nearest residence, just next to the east-central SEZ boundary, would be about
11 58 dBA, which is well above the typical daytime mean rural background level of 40 dBA. On the
12 basis of 12-hour daytime operation, the estimated 55 dBA L_{dn} at this residence is equivalent to
13 the EPA guideline of 55 dBA L_{dn} for residential areas. Considering other noise attenuation
14 mechanisms, noise levels at the nearest residence would be lower than the values estimated
15 above. Noise from dish engines could cause adverse impacts on the nearby residences,
16 depending on background noise levels and meteorological conditions. Thus, consideration of
17 minimizing noise impacts is very important during the siting of dish engine facilities. Direct
18 mitigation of dish engine noise through noise control engineering could also limit noise impacts.
19

20 During operations, no major ground-vibrating equipment would be used. In addition, no
21 sensitive structures are located close enough to the proposed Red Sands SEZ to experience
22 physical damage. Therefore, during operation of any solar facility, potential vibration impacts on
23 surrounding communities and vibration-sensitive structures would be negligible.
24

25 Transformer-generated humming noise and switchyard impulsive noises would be
26 generated during the operation of solar facilities. These noise sources would be located near the
27 power block area, typically near the center of a solar facility. Noise from these sources would
28 generally be limited within the facility boundary and not be heard at the nearest residence,
29 assuming a 0.5-mi (0.8-km) distance to the facility boundary and to the nearest residence).
30 Accordingly, potential impacts of these noise sources on the nearest residences would be
31 minimal.
32

33 For impacts from transmission line corona discharge noise during rainfall events
34 (discussed in Section 5.13.1.5), the noise levels at 50 ft (15 m) and 300 ft (91 m) from the center
35 of 230-kV transmission line towers would be about 39 and 31 dBA (Lee et al. 1996),
36 respectively, typical of daytime and nighttime mean background noise levels in rural
37 environments. Corona noise includes high-frequency components, considered to be more
38 annoying than low-frequency environmental noise. However, corona noise would not likely
39 cause impacts unless a residence was located close to it (e.g., within 500 ft [152 m] of a 230-kV
40 transmission line). The proposed Red Sands SEZ is located in an arid desert environment, and
41 incidents of corona discharge are infrequent. Therefore, potential impacts on nearby residences
42 from corona noise along transmission lines within the SEZ would be negligible.
43
44
45

1 **12.3.15.2.3 Decommissioning/Reclamation**
2

3 Decommissioning/reclamation requires many of the same procedures and equipment used
4 in traditional construction. Decommissioning/reclamation activities would include dismantling
5 of solar facilities and support facilities, such as buildings/structures and mechanical/electrical
6 installations; disposal of debris; grading; and revegetation, as needed. Activities for
7 decommissioning would be similar to those for construction but more limited. Potential noise
8 impacts on surrounding communities would be correspondingly lower than those for
9 construction activities. Decommissioning activities would be of short duration, and their
10 potential impacts would be minor, except moderate for activities occurring near the residences,
11 and temporary in nature. The same mitigation measures adopted during the construction phase
12 could also be implemented during the decommissioning phase.
13

14 Similarly, potential vibration impacts on surrounding communities and vibration-
15 sensitive structures during decommissioning of any solar facility would be lower than those
16 during construction and thus negligible.
17

18
19 **12.3.15.3 SEZ-Specific Design Features and Design Feature Effectiveness**
20

21 The implementation of required programmatic design features described in Appendix A,
22 Section A.2.2, would greatly reduce or eliminate the potential for noise impacts from
23 development and operation of solar energy facilities. While some SEZ-specific design features
24 are best established when specific project details are being considered, measures that can be
25 identified at this time include the following:
26

- 27 • Noise levels from cooling systems equipped with TES should be managed so that
28 levels at the nearest residences to the northern or eastern SEZ boundary are kept
29 within applicable guidelines. This could be accomplished in several ways, for
30 example, through placing the power block approximately 1 to 2 mi (1.6 to 3 km) or
31 more from residences, limiting operations to a few hours after sunset, and/or
32 installing fan silencers.
33
- 34 • Dish engine facilities within the Red Sands SEZ should be located more than 1 to
35 2 mi (1.6 to 3 km) from the nearby residences (i.e., the facilities should be located in
36 the western or southern portion of the proposed SEZ). Direct noise control measures
37 applied to individual dish engine systems could also be used to reduce noise impacts
38 at nearby residences.
39
40
41

1
2
3
4
5
6
7
8
9
10
11
12
13
14

This page intentionally left blank.

1 **12.3.16 Paleontological Resources**

2
3
4 **12.3.16.1 Affected Environment**

5
6 The proposed Red Sands SEZ is composed primarily of a variety of Quaternary deposits
7 less than 10,000 years old. The largest portion of the SEZ (10,119 acres [41 km²], or 45%)
8 consists of lacustrine and playa lake deposits (Qpl on geologic maps) in the center of the SEZ.
9 These deposits are classified as PFYC Class 1 (on the basis of PFYC GIS data from the New
10 Mexico State BLM Office [Hester 2009]). The north and east sections of the SEZ (8,348 acres
11 [34 km²], or 37%) are composed of Upper Middle Quaternary piedmont alluvial deposits (Qp)
12 and are also classified as PFYC Class 1. The southwestern portion of the SEZ (3,893 acres
13 [16 km²], or 17%) is predominantly landslide deposits and colluvium (Qe/Qpl) with a PFYC of
14 Class 2. The potential for fossil material in these deposits depends on the rock unit that has been
15 displaced by the landslide. A small, 81-acre (0.3-km²), parcel in the western portion of the SEZ
16 composed of the Yeso Formation (Py), consisting of a depositional environment that is less
17 likely to contain vertebrates, is also PFYC 2. Another small, 79-acre (0.3-km²) parcel of
18 intrusive igneous rocks (Tli) within the SEZ is unlikely to preserve fossil material and has been
19 classified as PFYC Class 1.
20

21 A review of known localities of paleontological resources within New Mexico from the
22 New Mexico State BLM Office indicated no known localities within the proposed Red Sands
23 SEZ, or within 5 mi (8 km) of the SEZ. One locality about 6 mi (10 km) west of the SEZ
24 contains a number of shark teeth (Ptychodus) in the Mancos Shale Formation. Additional
25 paleontological localities in the vicinity are to the east in the Sacramento Mountains and to the
26 south in the Jarilla Mountains.
27

28
29 **12.3.16.2 Impacts**

30
31 On the basis of the PFYC classification for this area, there is a low potential for impacts
32 on significant paleontological resources in the proposed Red Sands SEZ. A more detailed look at
33 the geological deposits of the SEZ and their depth is needed to verify the initial classification of
34 the areas as PFYC 1 and 2. Further assessment of paleontological resources is not likely to be
35 necessary; however, important resources could exist; and if identified, they would need to be
36 managed on a case-by-case basis. Section 5.14 discusses the types of impacts that could occur if
37 significant paleontological resources were found within the Red Sands SEZ. Impacts would be
38 minimized through the implementation of required programmatic design features described in
39 Appendix A, Section A.2.2.
40

41 Indirect impacts on paleontological resources outside of the SEZ, such as through looting
42 or vandalism, are unknown but unlikely because any such resources would be below the surface
43 and not readily accessed. Programmatic design features for controlling water runoff and
44 sedimentation would prevent erosion-related impacts on buried deposits outside of the SEZ.
45

1 No new off-site access roads or transmission line ROWs are anticipated for the proposed
2 Red Sands SEZ, assuming existing corridors would be used; thus no impacts on paleontological
3 resources are anticipated from the creation of new access pathways. However, impacts on
4 paleontological resources related to the creation of new corridors not assessed in this PEIS would
5 be evaluated at the project-specific level if new road or transmission construction or line
6 upgrades are to occur.
7
8

9 **12.3.16.3 SEZ-Specific Design Features and Design Feature Effectiveness**

10
11 Impacts would be minimized through the implementation of required programmatic
12 design features as described in Appendix A, Section A.2.2.
13

14 The need for and the nature of any SEZ-specific design features would depend on the
15 results of future paleontological investigations; however, based on the current level of
16 information, a need for mitigation of PFYC Class 1 and 2 areas is not anticipated.
17
18

1 **12.3.17 Cultural Resources**

2
3
4 **12.3.17.1 Affected Environment**

5
6
7 **12.3.17.1.1 Prehistory**

8
9 The proposed Red Sands SEZ is located in the Tularosa Basin, in the northern portion of
10 the Chihuahua Desert, within the basin and range province of south-central New Mexico. The
11 earliest known use of the area was during the Paleoindian Period, sometime between 14,000 and
12 12,000 B.P. Usually associated with big game hunting, the people of this period are thought to
13 have relied on hunting large migrating mammal species, such as *Bison antiquus*, that have since
14 become extinct. Paleoindian sites are rare in southern New Mexico, and tend to be associated
15 with dune fields or the margins of playas or *ciengas* (small, shallow wetlands). Stone tools in the
16 possession of local private collectors indicate a full range of Paleoindian exploitation of the area.
17 However, surveys of the area conducted by professional archaeologists have yielded few
18 Paleoindian sites. Finds of Paleoindian projectile points, such as the fluted Folsom and Clovis
19 points, are primarily isolated finds or are associated with multi-component sites. Within the
20 vicinity of the proposed Red Sands SEZ, Paleoindian sites have been documented in the
21 Tularosa Basin, and near Lake Lucero, 14 mi (23 km) west of the SEZ. It is likely that during
22 Paleoindian times, the proposed Red Sands SEZ supported grasslands that would have been
23 attractive to the large migrating mammals that were hunted by the Paleoindians
24 (Kirkpatrick et al. 2001; Katz and Katz 1994).

25
26 The Archaic Period began around 9,000 B.P. and extended until about 1,800 B.P., and is
27 sometimes referred to as the Cochise Culture or the Chihuahua Tradition (MacNeish and
28 Beckett 1987). Sites dating to this period reflect a reliance on a broader subsistence base, with
29 groups hunting a larger variety of small game, and utilizing a broader range of plant resources.
30 A pattern emerges of base camps and widely scattered special use sites for gathering, hunting,
31 processing, and manufacturing tools is indicative of a highly mobile lifeway. The number of
32 recorded Archaic sites increases over time, as settlements become more permanent and
33 population tends to aggregate in villages during the Late Archaic. During the Late Archaic as
34 groups became more sedentary, evidence of agriculture and pottery become prevalent in the
35 archaeological record. Sites in the Archaic Period are often associated with sand dunes, stands
36 of mesquite, shallow playas, and rock outcrops. Features associated with Archaic Period sites
37 include shallow pits, hearths, fire-cracked rock, and burned caliche. The Archaic archaeological
38 assemblage also includes grinding stones, reflecting the increased use of plant resources, and
39 stone projectile points, usually associated with *atlatl* darts. While not present at the proposed
40 Red Sands SEZ, contemporary cave sites in south-central New Mexico have yielded basketry,
41 cordage, sandals, fur, feathers, wood, stone artifacts, and early maize (BLM 1993). The area in
42 and around the proposed Red Sands SEZ was likely suitable for Archaic Period groups, and
43 camp sites or special use sites are likely to be present here (Kirkpatrick et al. 2001). Archaic
44 period sites have been reported from adjacent areas of the White Sands Missile Range
45 (WSMR 1998) and the McGregor Range (BLM 2005).

1 The Mogollon Culture is characteristic of the south-central New Mexico region during
2 the Formative Period, which lasted from 1,800 to 550 B.P. The proposed Red Sands SEZ lies
3 close to the boundary between the Mimbres Mogollon variant, the settlements of which were
4 centered in the well-watered montane regions, and the Jornada Mogollon variant, which were
5 more adapted to the desert. Mimbres influences can be seen in the region, but the proposed Red
6 Sands SEZ is probably within the western reach of the Jornada culture. The major difference
7 between the two Mogollon variants is in ceramics; the Mimbres developed a distinctive black-
8 on-white pottery, while the Jornada made brown-ware-style pottery. Sedentism among the
9 Jornada developed later than among the Mimbres; however, the aggregation of populations in
10 villages increased throughout the Formative Period in both groups. The early or Mesilla phase of
11 the Jornada (1,400 to 900 B.P.) continued the Archaic traditions of seed harvesting and
12 processing, and hunting and gathering. Mesilla Phase pithouses are found in the arroyos leading
13 to the Rio Grande. Typical sites consist of lithic scatters, brown-ware ceramics, and fire-cracked
14 rock or burned caliche. Temporary camps continue to be located near playas and dune ridges.
15 The proposed Red Sands SEZ is likely to have been exploited only intermittently during this
16 time to harvest specific resources (Kirkpatrick et al. 2001).

17
18 The Dona Ana or Transitional Pueblo Phase of the Jornada Mogollon (900 to 800 B.P.)
19 sees the shift from pithouse architecture to above ground pueblo structures and an associated
20 change in subsistence and settlement patterns. Distinctions between this phase and the
21 subsequent El Paso Phase are not always evident from surface materials. Pit structures disappear
22 by the El Paso Phase (800 to 550 B.P.), when sites shift to adobe pueblos and primary residences
23 located near rivers, or on valley bluffs. In general, there are fewer, but larger, pueblos built with
24 room blocks around plazas that include ceremonial structures. There are fewer procurement sites,
25 but hunting and gathering sites continue to be present in dune locations. Mimbres characteristics
26 disappear by this phase and there is broad homogeneity with Arizona pueblos. It is likely that the
27 proposed Red Sands SEZ was devoid of pueblos, which would have been located on arable land
28 closer to the Rio Grande, and this area continued to be used as an area for hunting and gathering.
29 Most of the pueblos were abandoned by 1400, with complete abandonment by 1450
30 (Kirkpatrick et al. 2001).

31
32 The reason for abandonment of the pueblos is not known. The larger population centers
33 were forgone in favor of a highly mobile lifestyle based on hunting and gathering, with some
34 limited agriculture as practiced by the southern Athabaskan-speaking Apache, who arrived in
35 southern New Mexico by 1500. These and other ethnohistoric groups of the area are discussed in
36 greater detail in the following section (Section 12.3.17.2).

37 38 39 ***12.3.17.1.2 Ethnohistory***

40
41 The proposed Red Sands SEZ is located in the Tularosa Basin between the Sacramento
42 and San Andres Mountains. Both of these ranges and the valley in between them fall into the
43 traditional use area of the Mescalero Apache (Castetter and Opler 1936; Opler 1983b;
44 Ball 2000), and may have been known to the neighboring Piro and Manso (Griffen 1983;
45 Schroeder 1979).

1 **Mescalero Apache**
2

3 Traditionally, the Mescalero Apache were hunters and gatherers based in the mountains
4 of southern New Mexico east of the Rio Grande, west Texas and northern Mexico. They were
5 divided into two bands: the Edge of the Mountains People, located in the vicinity of the
6 Sacramento and Sierra Blanca mountain ranges, and the Plains People, located farther east, but
7 they were culturally uniform throughout. Traditionally, they had no overarching political
8 structure. They lived in matrilineal kin-based groups headed by charismatic leaders. Their home
9 bases were chosen for defensibility; closeness to water, fuel, and forage; and access to a wide
10 range of food sources. Although based in the mountains, they would range seasonally into
11 lowland plains and valleys in search of buffalo and lowland plants, and to trade and raid. They
12 were on good terms with their western neighbors, the Chiricahua Apache, but sometimes came
13 into conflict with the plains tribes to the east, and were culturally influenced by their Pueblo
14 neighbors to the north (Castetter and Opler 1936; Opler 1983b; Tweedie 1968).
15

16 As befitted their mobile lifestyle, Mescalero material culture was simple and light.
17 Characteristic mountain dwellings or wickiups were dome-shaped structures covered with grass
18 thatching, hides, or bark. When on the plains, skin tipis were transported by a simple travois.
19 Pitch-covered woven jars served to hold water, and twined burden baskets were used when
20 harvesting wild foods, along with coiled basketry winnowing trays and stone manos and metates.
21 Implements for hunting and warfare included bows, arrows, slings, flint knives, clubs, and
22 buckskin. Rope and cordage was woven from plant fiber (Castetter and Opler 1936;
23 Opler 1983b; Sonnichsen 1973).
24

25 Like other southern Athapaskan speakers, the Mescalero Apache migrated to the
26 Southwest from what is now Canada, arriving in the southwest before 1500. Dubbed Mescalero
27 by the Spanish for their reliance on agave, or mescal, as a food source, their traditional use area
28 remained constant from the earliest Spanish record of them in the seventeenth century through
29 the third quarter of the nineteenth century. From their mountain retreats, they raided and harried
30 Spanish colonists, turning the area east of the Rio Grande between El Paso and Socorro into the
31 Jornada del Muerto, the “day’s journey of the dead.” They sided with the Pueblos in the revolt of
32 1680. Their presence in the area prevented colonization of the area throughout the eighteenth
33 century, despite Spanish military expeditions into the Sacramento, Guadalupe, and Organ
34 Mountains. Initially, the Spanish government recognized no Indian title to their lands, but they
35 entered into a treaty with the Mescalero in 1810, granting them rations and the right to occupy
36 sizable lands in Chihuahua and in New Mexico from El Paso to the Sacramento Mountains. The
37 Mescalero took the side of the insurgents when Texas revolted against Mexico, and favored the
38 Americans in their war with Mexico; however, this goodwill towards Americans was not to last
39 (Opler 1983b).
40

41 Like the Spanish, the incoming Americans recognized no Indian land claims. At first, the
42 American presence in New Mexico was small, but with the construction of good military roads,
43 the discovery of mineral wealth in the west, and the tendency of troops mustered out of the Army
44 after the war with Mexico to remain in the southwest, the American presence began to grow and
45 conflicts with the Apache, who felt the loss of their lands and the plants and game that they
46 relied on, increased. In the 1860s, 500 Mescaleros were confined at Bosque Redondo near

1 Fort Sumner on the Pecos River. With the addition of 9,000 Navajo, the population of the reserve
2 far exceeded its carrying capacity. In November of 1865, all but nine of the Mescalero returned
3 to their former lands. In 1873, a reservation was created by executive order for the Mescalero
4 within their traditional use area. It included the eastern slopes of the White and Sacramento
5 Mountains, and was briefly shared with the Jicarilla Apache. This reservation confined the
6 Mescalero to the mountains, barring them from the lowlands during the winter. The boundaries
7 of the reservation have been adjusted over the years to accommodate mining and other interests.
8 Despite various attempts to disband the reservation, in 1922 Congress confirmed Indian title to
9 the lands. Today, in addition to Mescalero descendants, the reservation includes descendants of
10 Lipan Apache, driven from Mexico in 1903, and descendants of Chiricahua Apache freed from
11 prisoner-of-war status in 1913. The three groups have blended over the years. They were granted
12 the right to vote in 1948 and have developed cattle, timber, and recreation industries on the
13 reservation (Opler 1983b).

14 15 16 **Manso**

17
18 The proposed SEZ also lies in the traditional range associated with the Manso. The
19 Spanish first encountered the Manso, sometimes called Manso Apache, near present-day El Paso.
20 They called them *manso*, tame or peaceful, because of their initial peaceful encounter. Little is
21 known of their affiliation, but they may have been Apache allies (Griffen 1983; Opler 1983a).
22 The Manso form one element of the Tigua community of Tortugas in Las Cruces, New Mexico,
23 associated with the Pueblo of Ysleta del Sur in El Paso (Houser 1979).

24 25 26 **Piro**

27
28 The Piro are possible descendants of the Jornada Mogollon. When first encountered by
29 Coronado in 1540, Piro pueblos stretched along the banks of the Rio Grande from Mogollon
30 Gulch to the Rio Solado. They were farmers, employing both irrigation and rainfall agriculture.
31 They grew the traditional maize, beans, and squash, along with cotton. Bison and turkey meat
32 supplied protein. Their numbers appear to have declined in the ensuing century and by 1670 they
33 were reduced to four pueblos. Left out of the conspiracy, they retreated south with the Spanish
34 during the Pueblo Revolt of 1680. Many Piro remained in the south and have joined with
35 Ysleta del Sur or the Tortugas community in Las Cruces (Schroeder 1979).

36 37 38 **12.3.17.1.3 History**

39
40 Spanish colonists arrived at the Rio Grande near El Paso de Norte in 1598 under the
41 leadership of Don Juan de Oñate, and eventually continued northward along the river to Socorro,
42 establishing a capital at the Tewa village of Ohke, more than 200 mi (320 km) north of the SEZ.
43 Spanish settlement in New Mexico remained centered well north of the proposed Red Sands
44 SEZ, and a new capital was established at Santa Fe in 1607. El Camino Real de Tierra Adentro
45 (the Royal Road of the Interior), which passes about 43 mi (69 km) west of the proposed
46 Red Sands SEZ, connected the capital with Chihuahua City and New Spain, generally following

1 trails located just east of the Rio Grande that had been in use since prehistoric times. Every 10 to
2 15 mi (16 to 24 km) along this congressionally designated National Historic Trail, *parajes*, or
3 campsites, were placed; however, because of the natural meandering of the river and agricultural
4 development of the bottom lands, few of these campsites currently survive. The region between
5 El Paso de Norte and Socorro remained unsettled by non-Native Americans, at least partly due to
6 Apache hostility. This situation began to change with Mexican independence from Spanish
7 colonial rule in 1821. Thereafter, Mexican farmers began to expand along the Rio Grande from
8 El Paso, with the towns of Las Cruces and Dona Ana founded in the 1840s. The new border
9 drawn between Mexico and the United States as a result of the Treaty of Guadalupe Hidalgo,
10 which ended the Mexican-American War in 1848, left the town of Dona Ana in the
11 United States. Those wishing to stay in the area but remain in Mexico developed the *parajes* of
12 Mesilla into a settlement (NPS and BLM 2004).

13
14 The United States acquired most of what is now New Mexico by conquest in the
15 Mexican-American War. In 1851, the United States established a military outpost at
16 Fort Fillmore, near Mesilla, over 40 mi (64 km) west of the proposed Red Sands SEZ, to protect
17 both American and Mexican settlers from Apache raids. However, even after the Treaty of
18 Guadalupe Hidalgo was signed, the boundary between Mexico and New Mexico west of the
19 Rio Grande remained in dispute. The conflict was resolved in 1853 as part of the Gadsden
20 Purchase, when the United States purchased land from Mexico suitable for the construction of
21 a continental railroad over a snow-free route. While the railroad did not materialize until the
22 1880s, beginning in 1858 the Butterfield Overland Mail provided stage service over a route
23 similar to that of the railroad, about 45 mi (72 km) south of the SEZ.

24
25 With the establishment of an American military presence, settlement in south-central
26 New Mexico steadily increased, along with ranching, homesteading, and mining. With the arrival
27 of the railroad exploiting the southern transcontinental route and a series of wetter than normal
28 years, significant growth in the ranching industry in the region occurred. The Southern Pacific
29 Railroad, constructed by the Southern Pacific Company, built a spur that is adjacent to the
30 eastern boundary of the SEZ. The town of Alamogordo, just 5 mi (8 km) north of the SEZ, was
31 developed as a railroad junction in 1898, connecting a nearby mountain lumber railroad to this
32 railroad. By World War II, ranching was in decline, and consequently, the government began
33 purchasing large tracts of land for military testing and training. The White Sands Missile Range
34 and the Fort Bliss McGregor Range are located less than a mile (1.6 km) to the east and west
35 respectively, of the SEZ. The Trinity Site, the site of the first nuclear detonation, is located in the
36 northern portion of the White Sands Missile Range, about 85 mi (137 km) north of the SEZ.
37 Another military installation, Holloman Air Force Base, is situated less than a mile (1.6 km)
38 northwest of the proposed Red Sands SEZ.

39 40 41 ***12.3.17.1.4 Traditional Cultural Properties—Landscape***

42
43 While no specific features within the proposed Red Sands SEZ have been identified as
44 culturally important by Native Americans, the Mescalero regard all mountains within their
45 traditional range as sacred, and four specific mountains representative of the four directions are
46 thought particularly sacred (Ball 2000). The San Andres Mountains 21 mi (33.5 km) west of the

1 SEZ and the Sacramento Mountains 7 mi (11.5 km) east of the proposed SEZ are known to have
2 been traditional home bases for Mescalero Apache groups (Castettler and Opler 1936; Opler
3 1983b) and are likely to retain cultural importance. In general, mountains are seen as the homes
4 of the Mountain People or Mountain Spirits who shield the Mescalero from disease and invasion.
5 Because of the biodiversity found on their slopes, mountains have always played a dominant role
6 in the Mescalero food quest. Some mountains are known as “medicine mountains” because of
7 the diversity of medicinal plants to be found there. In general, the higher up in the mountains the
8 plant is obtained, the more medicinally potent it is thought to be (Ball 2000).

9
10 White Mountain, 39 mi (63 km) north–northeast of the proposed SEZ, is a medicine
11 mountain considered to be the heart of Mescalero territory and one of four sacred mountains that
12 protect the Mescalero homeland. The others are the Guadalupe Mountains, 63 mi (101 km)
13 southeast of the SEZ, the Three Sisters, to the west, and the Oscura Mountains, 60 mi (96.5 km)
14 north–northwest of the SEZ (Ball 2000). Other peaks regarded as sacred are Salinas Peak, the
15 highest peak in the San Andres Mountains and located 41 mi (67 km) to the northwest, and
16 Capitan Peak, located in the Capitan Mountains, 62 mi (101 km) to the northeast. *Tsedažai*,
17 rocks south of San Augustine Pass in the Organ Mountains, 28 mi (46 km) southwest of the
18 proposed SEZ is a sacred place where the drumming of the Mountain People can be heard
19 (Basehart 1960).

20
21 From the Mescalero perspective, the universe is suffused with supernatural power that
22 individuals may acquire for healing, success in hunting, or other purposes. The power is made
23 available through personified natural features and phenomena such as plants, animals, wind,
24 lightning, or celestial bodies. This power, and its associated ceremony, is often acquired at its
25 sacred home, usually in a cave in a sacred mountain (Opler 1983b; Ball 2000). Ancient artifacts
26 may also be important. Stone projectile points found in the landscape were traditionally seen as
27 the result of arrows sent by the Lightning People during thunderstorms (Opler 1983b).

28 29 30 ***12.3.17.1.5 Cultural Surveys and Known Archaeological and Historical Resources***

31
32 The proposed Red Sands SEZ encompasses 22,520 acres (91 km²), 1,494 acres (6 km²)
33 of which have been surveyed, covering about 7% of the total SEZ area. These surveys have
34 resulted in the recording of 18 sites in the SEZ, at least five of which are prehistoric in nature
35 (Hewitt 2009a; Fallis 2010). Four of these prehistoric sites are located in the southwestern
36 portion of the proposed Red Sands SEZ. The four prehistoric sites include an artifact scatter with
37 nine fire-cracked rock (FCR) features and an unmodified rock concentration, a ceramic and lithic
38 scatter with three FCR features, a ceramic and lithic scatter with eight associated features, and a
39 lithic scatter with 16 associated features. The other prehistoric site is located in the northeastern
40 portion of the SEZ and is a ceramic and lithic scatter. Currently, the available information does
41 not provide the eligibility status of these sites for their inclusion in the NRHP. The results of
42 archaeological surveys in the proposed Red Sands SEZ suggest that dune and dune-blowout
43 areas are among the most likely to yield archaeological remains, including artifacts from the
44 earliest periods. The Lone Butte area has been identified as an area with important archeological
45 resources where OHVs are restricted to existing roads and trails in order to protect cultural
46 remains (BLM 1986c).

1 Within 5 mi (8 km) of the proposed Red Sands SEZ, about 11% of the surrounding area
2 has been surveyed for cultural resources, with 21,504 acres (87 km²) resulting in the recording
3 of 849 sites within this buffer (Fallis 2010). Of these 849 sites, 490 are prehistoric in nature,
4 consisting of 208 sites with structural remains. Seventy-six historic sites have been documented
5 in the 5 mi (8 km) buffer surrounding the SEZ, of which 57 sites contain structural remains.
6 There are 29 multi-component sites, 24 of which are structural in nature. The remaining 254 sites
7 are of an unknown temporal range, although it is known that 97 consist of structural remains. As
8 with the sites in the proposed Red Sands SEZ, the available information does not provide
9 eligibility status for inclusion in the NRHP.

10
11 The BLM has designated several ACECs in the vicinity of the proposed Red Sands SEZ,
12 as these resources have been determined to have valuable cultural resources that are in need of
13 protection by the BLM; however, none of the cultural ACECs are located within 25 mi (40 km)
14 of the SEZ. The nearest ACECs to the proposed SEZ with cultural values are the Organ/Franklin
15 Mountain ACEC, 28 mi (45 km) southwest of the SEZ, designated to protect the biological,
16 scenic, cultural, special status species, riparian, and recreational values associated with the
17 ACEC area, and the Three Rivers Petroglyph ACEC, about 34 mi (55 km) north of the SEZ,
18 designated to protect the cultural resources located there.

19
20 In the vicinity of the proposed Red Sands SEZ are several known cultural properties, the
21 largest being the White Sands Missile Range, adjacent to the western and southern portions of
22 the SEZ. Holloman Air Force Base is located to the northeast of the SEZ, and to the southeast of
23 the SEZ is the Fort Bliss McGregor Range. Also adjacent to the eastern portion of the SEZ is the
24 White Sands National Monument. Along portions of the eastern boundary of the proposed
25 Red Sands SEZ is the historic, but still operational, Southern Pacific Railroad. The Kitt Peak
26 National Observatory, commissioned in 1962, and the National Solar Observatory are located in
27 the Sacramento Mountains, about 12 mi (19 km) to the east of the proposed Red Sands SEZ.

28 29 30 ***National Register of Historic Places***

31
32 No properties listed in the NRHP are in the SEZ or located within 5 mi (8 km) of the
33 SEZ. However, there are five sites in the SEZ that have been field-determined to be eligible for
34 inclusion in the NRHP according to data provided by the BLM (Hewitt 2009a).

35
36 There are 28 properties in Otero County that are listed in the NRHP. The closest property
37 to the SEZ is the White Sands Historic District, 6 mi (10 km) west. The town of Alamogordo,
38 6 mi (10 km) north of the SEZ, maintains seven properties in the NRHP. The town of La Luz,
39 11 mi (18 km) north of the SEZ, maintains five properties in the NRHP, and Cloudcroft, 20 mi
40 (32 km) northeast of the SEZ, maintains four NRHP properties. These and other nearby NRHP
41 properties within 25 mi (40 km) of the proposed SEZ are listed in Table 12.3.17.1-1. Launch
42 Complex 33, a National Historic Landmark associated with the White Sands Missile Range, is
43 located in Dona Ana County, 21 mi (34 km) to the southwest of the SEZ.

TABLE 12.3.17.1-1 National Register Properties within 25 mi (40 km) of the Red Sands SEZ in Otero and Dona Ana County

NRHP Site	Distance from SEZ
White Sands National Monument Historic District	6 mi (10 km)
U.S. Post Office-Alamogordo	6 mi (10 km)
Alamogordo Woman’s Club	6 mi (10 km)
Jackson House	6 mi (10 km)
Auditorium and Recreation Building	6 mi (10 km)
Administration Building	6 mi (10 km)
Central Receiving Building	6 mi (10 km)
Infirmery Building	7 mi (11 km)
La Luz Historic District	11 mi (18 km)
Juan Garcia House	11 mi (18 km)
Queen Anne House	11 mi (18 km)
D.H. Sutherland House	11 mi (18 km)
La Luz Pottery Factory	12 mi (19 km)
Fresnal Shelter	Address Restricted
Tularosa Original Townsite District	16 mi (26 km)
Circle Cross Ranch Headquarters	17 mi (27 km)
Mexican Canyon Trestle	18 mi (29 km)
Hubble Canyon Log Chute	Address Restricted
Wills Canyon Spur Trestle	Address Restricted
Launch Complex 33	21 mi (34 km)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

12.3.17.2 Impacts

Direct impacts on significant cultural resources could occur in the proposed Red Sands SEZ; however, further investigation is needed. A cultural resources survey of the entire area of potential effect (APE) of a proposed project, including consultation with affected Native American Tribes, would first need to be conducted to identify archaeological sites, historic structures and features, and traditional cultural properties, and an evaluation would need to follow to determine whether any are eligible for listing in the NRHP as historic properties. The proposed Red Sands SEZ has potential for containing significant cultural resources, especially in the dune and playa areas in the eastern portion of the SEZ. Section 5.15 discusses the types of effects that could occur on any significant cultural resources found to be present within the proposed Red Sands SEZ. Impacts would be minimized through the implementation of required programmatic design features as described in Appendix A, Section A.2.2. Programmatic design features assume that the necessary surveys, evaluations, and consultations will occur.

Visual impacts on several property types are possible within this SEZ. Several properties listed in the NRHP and a National Historic Landmark are within the 25-mi (40-km) viewshed distance from the SEZ. The Sacramento and San Andres ranges are also likely important to the Mescalero Apache (see Section 12.3.18) and could contain traditional cultural properties. Additional analysis on the visual effects of solar development on historic properties would be needed prior to any development. See Section 12.3.14 for an initial evaluation of visual effects.

1 Both El Camino Real de Tierra Adentro National Historic Trail and the Butterfield Trail are over
2 40 mi (64 km) from the proposed SEZ and would not be affected by solar development within
3 this SEZ.
4

5 Additional dune areas with a high potential for sites are located adjacent to the SEZ.
6 However, programmatic design features to reduce water runoff and sedimentation would reduce
7 the likelihood of indirect impacts on cultural resources resulting from erosion outside the SEZ
8 boundary (including ROWs).
9

10 No needs for new transmission lines or access corridors have currently been identified,
11 assuming existing corridors would be used; therefore, no new areas of cultural concern would be
12 made accessible as a result of development within the proposed Red Sands SEZ. Indirect impacts
13 resulting from vandalism or theft of cultural resources is not anticipated related to new pathways,
14 but could still occur along the facility boundary. Impacts on cultural resources related to the
15 creation of new corridors not assessed in this PEIS would be evaluated at the project-specific
16 level if new road or transmission construction or line upgrades are to occur.
17
18

19 **12.3.17.3 SEZ-Specific Design Features and Design Feature Effectiveness**

20

21 Programmatic design features to mitigate adverse effects on significant cultural
22 resources, such as avoidance of significant sites and features and cultural awareness training for
23 the workforce on the sensitivity of certain types of cultural resources, including resources of
24 concern to Native Americans (see also Section 12.3.18), but also possible properties of
25 significance to the Hispanic population in this area, are provided in Appendix A, Section A.2.2.
26

27 SEZ-specific design features would be determined in consultation with the New Mexico
28 SHPO and affected Tribes and would depend on the results of future cultural investigations.
29

30 See Section 12.3.14.3 for recommended design features for reducing visual impacts on
31 the White Sands National Monument. Similar design features can be used if other NRHP
32 properties and their visual settings are determined to be adversely affected by solar development
33 in the proposed SEZ. The Launch Complex 33 National Historic Landmark would not likely
34 require additional mitigation. The following is an SEZ-specific design feature for historic
35 properties:
36

- 37 • Coordination with White Sands National Monument and local historical
38 societies is encouraged.
39
40

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

This page intentionally left blank.

1 **12.3.18 Native American Concerns**
2

3 Native Americans tend to view their environment holistically, and share environmental
4 and socioeconomic concerns with other ethnic groups. For a discussion of issues of possible
5 Native American concern shared with the population as a whole, several sections in this PEIS
6 should be consulted. General topics of concern are addressed in Section 4.16. With regard to
7 the proposed Red Sands SEZ, Section 12.3.17 discusses archaeological sites, structures,
8 landscapes, and traditional cultural properties; Section 12.3.8 discusses mineral resources;
9 Section 12.3.9.1.3 discusses water rights and water use; Section 12.3.10 discusses plant species;
10 Section 12.3.11 discusses wildlife species; Section 12.3.13 discusses air quality; Section 12.3.14
11 discusses visual resources; and Sections 12.3.19 and 12.3.20 discuss socioeconomics
12 and environmental justice, respectively. Issues of human health and safety are discussed in
13 Section 5.21. This section focuses on concerns that are specific to Native Americans and to
14 which Native Americans bring a distinct perspective.
15

16 All federally recognized Tribes with traditional ties to the proposed Red Sands SEZ have
17 been contacted so that they could identify their concerns regarding solar energy development.
18 The Tribes contacted who have traditional ties to the Red Sands SEZ are listed in
19 Table 12.3.18-1. Appendix K lists all federally recognized Tribes contacted for this PEIS.
20

21
22 **12.3.18.1 Affected Environment**
23

24 The proposed Red Sands SEZ lies within the traditional range of the mountain-dwelling
25 groups of the Mescalero Apache or “earth crevice people” (Opler 1983b). Neighboring groups
26 such as the Chiricahua Apache, Manso, and Piro, may have been familiar with the area as well.
27 The Indian Claims Commission included the area in the judicially established Mescalero Apache
28 traditional territory (Royster 2008).
29
30

**TABLE 12.3.18-1 Federally Recognized Tribes with
Traditional Ties to the Proposed Red Sands SEZ**

Tribe	Location	State
Fort Sill Apache Tribe of Oklahoma	Apache	Oklahoma
Jicarilla Apache Nation	Dulce	New Mexico
Mescalero Apache Tribe	Mescalero	New Mexico
San Carlos Apache Tribe	San Carlos	Arizona
White Mountain Apache Tribe	Whiteriver	Arizona
Ysleta del Sur Pueblo	El Paso	Texas

1 **12.3.18.1.1 Territorial Boundaries**

2
3
4 **Mescalero Apache**

5
6 The traditional territory of the Mescalero Apache encompassed southeastern New
7 Mexico, southwestern Texas, and parts of the adjacent Mexican states of Chihuahua and
8 Coahuila. In New Mexico, their range stretched eastward from the Rio Grande as far north as
9 Socorro to the modern Texas border and beyond, although their base camps were located
10 primarily west of the Pecos River. While the San Andres, Sacramento, and Guadalupe mountain
11 ranges formed the core of their territory, hunting bison and trading with and raiding neighboring
12 Tribes and Spanish and Euro-American settlements took them eastward onto the plains,
13 northward as far as Santa Fe, and southward into northern Mexico. Descendants are to be found
14 primarily on the Mescalero Apache reservation in New Mexico (Opler 1983b; Castetter and
15 Opler 1936; Tweedie 1968).

16
17
18 **Manso**

19
20 The Manso were a smaller group affiliated with the Jano and Jocomo. Traditionally, they
21 inhabited a strip of land along the modern southern border of New Mexico stretching from the
22 valley of the Rio Grande westward to the Cedar Mountains (Griffen 1983). Manso descendants
23 may be found among the members of the Ysleta del Sur Pueblo and in the Tortuga Community
24 in Las Cruces (Houser 1979).

25
26
27 **Piro**

28
29 The Piro Pueblos were originally located along the Rio Grande from Mogollon Gulch
30 north to the Rio Solado. They moved south with the Spanish during the Pueblo Revolt of 1680
31 and settled near El Paso. Today Piro descendants can be found in the Ysleta del Sur Pueblo and
32 in the Tortuga Community (Houser 1979; Schroeder 1979).

33
34
35 **12.3.18.1.2 Plant Resources**

36
37 This section focuses on those Native American concerns that have an ecological as well
38 as cultural component. For many Native Americans, the taking of game or the gathering of plants
39 or other natural resources may have been seen as both a sacred and secular act
40 (Stoffle et al. 1990).

41
42 The proposed Red Sands SEZ is located on relatively dry, level valley bottom, flanked by
43 the two of the mountain ranges traditionally inhabited by the Mescalero. The Mescalero Apache
44 were primarily hunters and gathers. As such, it is likely that the plant and animal resources to be
45 found on the proposed SEZ would have been exploited by the Mescalero, particularly during the
46 winter months, when the higher elevations would have been snowbound. Agave was a principal

1 source of wild plant food. Gathered in the spring, its crowns were roasted to form mescal, which
 2 when sun-dried was storable for long periods of time. The foothills of the nearby Sacramento
 3 Mountains were a traditional source of mescal and stool (Basehart 1960) and continue to be an
 4 important source of the agave or mescal spring harvest (BLM 2005). Later in the year, the
 5 Mescalero also gathered mesquite pods, cactus fruit, and a variety of berries as they ripened
 6 (Opler 1983b; Castetter and Opler 1936). Little is known of the Manso before they joined the
 7 Ysleta. Certainly thereafter they would have engaged in irrigation agriculture supplemented by
 8 hunting and gathering, as was the case with the Piro (Houser 1979; Schroeder 1979). The
 9 proposed Red Sands SEZ supports plants that would have been attractive to the Apache groups
 10 in the adjacent mountains and Puebloan groups along the Rio Grande.

11
 12 The plant communities observed or likely to be present at the proposed Red Sands SEZ
 13 are discussed in Section 12.3.10. As shown in SWReGAP, the proposed Red Sands SEZ supports
 14 a patchwork of plant cover types. Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub
 15 dominate in the southwestern portion of the proposed SEZ and are found in patches throughout.
 16 In the north, there are areas of Chihuahuan Mixed Salt Desert Scrub, interspersed with patches of
 17 Apacherian-Chihuahuan Semi-desert Grassland and Scrub, Chihuahuan Creosotebush Mixed
 18 Desert and Thorn Scrub, North American Warm Desert Pavement, and Chichuahuan
 19 Gypsophilous Grassland and Steppe (USGS 2005b). While vegetation is sparse most of the year,
 20 seasonal rains often result in a florescence of ephemeral herbaceous species.

21
 22 Past ethnobotanical studies have shown that the Mescalero Apache traditionally made use
 23 of over a hundred native plants (Castetter and Opler 1936; Castetter 1935). Table 12.3.18.1-1
 24
 25

TABLE 12.3.18.1-1 Plant Species Important to Native Americans Observed or Likely To Be Present in the Proposed Red Sands SEZ

Common Name	Scientific Name	Status
Agave (mescal)	<i>Agave</i> spp.	Possible
Buckwheat	<i>Eriogonum</i> spp.	Possible
Bunch grass	<i>Sporobolus airoides</i>	Possible
Gramma grass	<i>Bouteloua</i> spp.	Possible
Honey mesquite	<i>Prosopis Glandolosa</i>	Observed
Muhly	<i>Muhlenbergia</i> spp.	Possible
Oak	<i>Quercus</i> spp.	Possible
Prickly pear cactus	<i>Opuntia</i> spp.	Possible
Sage	<i>Artemisia trifolia</i>	Possible
Screwbean mesquite	<i>Prosopis pubescens</i>	Possible
Snakeweed	<i>Gutierrezia</i> sp.	Possible
Sotol	<i>Dasyilirion wheeleri</i>	Possible
Sumac	<i>Rhus microphylla</i>	Possible
Yucca	<i>Yucca</i> spp.	Observed

Sources: Field visit; Opler (1983b); Castetter and Opler (1936); USGS (2005b).

1 lists plants traditionally used by the Mescalero that were either observed at the proposed Red
2 Sands SEZ or are probable members of the cover type plant communities identified for the SEZ.
3 These plants are the dominant species; however, other plants important to Native Americans
4 could occur in the SEZ, depending on local conditions and the season. Much of the proposed Red
5 Sands SEZ is flat, open terrain supporting desert scrub including creosotebush and mesquite.
6 Other areas support native grasses. Cacti and agave are possible. Mesquite was among the most
7 important food plants; its long bean-like pods were harvested in the summer, could be stored,
8 and were widely traded.

11 ***12.3.18.1.3 Other Resources***

13 Water issues are often of concern to Tribes in the arid southwest. The proposed SEZ is
14 located in the eastern Tularosa sub-basin, down gradient from the Mescalero Apache reservation,
15 in the mountains 16 mi (26 km) to the northwest. The Sacramento and White mountains are
16 relatively well watered and the Mescalero receive much of their water from the Tularosa River
17 upstream of the SEZ (Opler 1983b). However, Tribes are usually concerned with the availability
18 and quality of ground water.

19
20 Located in the midst of the mountainous terrain favored by the Apache, it is likely that
21 the Tularosa Basin, where the proposed Red Sands SEZ is situated, was a seasonal hunting
22 ground. While the Apache favored highland hunting, they also sought the resources of the
23 lowlands. Highland animals, such as deer, elk (wapiti), and bighorn sheep, the principal
24 Mescalero game animals, are found in the adjacent Sacramento Mountains (Basehart 1960). Deer
25 were an important source of food and of bone, sinew, and hide used to make a variety of
26 implements. Deer were especially sought after in the fall, when meat and hides were thought to
27 be best. Both white-tail and mule deer can also be found on valley floors. The proposed SEZ is
28 within the range of both white-tail deer and mule deer. In the lowlands, the Mescalero ranged
29 onto the plains to hunt bison and also hunted antelope. While bison are absent in the SEZ, it is
30 within the range of pronghorn antelope. While big game was highly prized by the Mescalero,
31 smaller animals, such as desert cottontail, woodrats, and squirrels (all potentially present in the
32 SEZ), traditionally also added protein to their diet. They also hunted mink, beaver, muskrat, and
33 weasel for their pelts. Birds such as eagles, turkeys, and turkey buzzards were sought for their
34 feathers (Opler 1983a,b; Castetter and Opler 1936; USGS 2005b). Wildlife likely to be found in
35 the proposed Red Sands SEZ is described in Section 12.3.11. Native American game species
36 whose ranges include the SEZ are listed in Table 12.3.18.1-2.

37
38 In other parts of the Southwest, Native Americans have expressed concern over
39 ecological segmentation, that is, development that fragments animal habitat and does not provide
40 corridors for movement. They would prefer solar energy development take place on land that has
41 already been disturbed, such as abandoned farmland, rather than on undisturbed ground
42 (Jackson 2009).

TABLE 12.3.18.1-2 Animal Species used by Native Americans whose Range Includes the Proposed Red Sands SEZ

Common Name	Scientific Name	Status
Bald eagle	<i>Haliaeetus leucocephalus</i>	Winter
Black-tailed prairie-dog	<i>Cynomys ludovicianus</i>	All year
Desert cottontail	<i>Silvilagus audubonii</i>	All year
Golden eagle	<i>Aquila chrysaetos</i>	Possible
Mountain lion	<i>Puma concolor</i>	Possible
Mule deer	<i>Odocoileus hemionus</i>	All year
Pronghorn antelope	<i>Antilocarpus Americana</i>	Possible
Southern plains woodrat	<i>Neotoma micropus</i>	All year
Ringtail cat	<i>Bassariscus astutus</i>	All year
Weasel	<i>Mustela frenata</i>	All year
White-tailed deer	<i>Odocoileus virginianus</i>	All year

Sources: Opler (1983b); Castetter and Opler (1936); Basehart 1960; USGS (2005b).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

12.3.18.2 Impacts

To date, no comments have been received from the Tribes specifically referencing the proposed Red Sands SEZ. However, the Tribal Historic Preservation Officer (THPO) for the Ysleta del Sur Pueblo, in response to the 2008 notification of the impending PEIS, stated that the Ysleta did not believe that the solar energy PEIS would adversely affect traditional, religious, or cultural sites important to Ysleta Pueblo, but did request that Ysleta Pueblo be consulted if any burials or Native American Graves Protection and Repatriation Act (NAGPRA) artifacts were encountered during the development and operation of solar facilities (Loera 2010).

The impacts that would be expected from solar energy development within the proposed Red Sands SEZ on resources important to Native Americans fall into two major categories: impacts on the landscape and impacts on discrete localized resources.

Potential landscape-scale impacts are those caused by the presence of an industrial facility within a sacred or culturally important landscape that includes sacred mountains and other geophysical features often tied together by a network of trails. Impacts may be visual—the intrusion of an industrial feature in sacred space; audible—noise from the construction, operation or decommissioning of a facility detracting from the traditional cultural values of the site; or demographic—the presence of a larger number of outsiders in the area that would increase the chance that the cultural importance of the area would be degraded by more foot and motorized traffic. The proposed Red Sands SEZ is not remote, pristine wilderness. It is already adjacent to developed land. It is located 5 mi (8 km) southwest of the town of Alamogordo. It is adjacent to the Alamogordo White Sands Regional Airport, across the highway from Holloman Air Force Base and bordered by U.S. 70 and U.S. 54. White Sands National Monument, 6 mi (10 km) from

1 the proposed SEZ, preserves the landscape, but it also draws tourists to the area. The southern
2 portion of the proposed SEZ is flanked by the White Sands Missile Range and the Fort Bliss
3 McGregor Range, which, while they preclude civilian activities, are locations of weapons testing.
4 The construction, operation, and decommissioning of a utility-scale solar energy facility would
5 add incrementally to an already developed area. However, as consultation with the affected
6 Tribes continues and project-specific analyses are undertaken, it is possible that there will be
7 Native American concerns expressed over potential visual effects of solar energy development
8 within the proposed SEZ on the landscape of their traditional homeland.
9

10 Localized effects could occur both within the proposed SEZ and in adjacent areas. Within
11 the SEZ these effects would include the destruction or degradation of plant resources, destroying
12 the habitat of and impeding the movement of culturally important animal species, destroying
13 archaeological sites and burials, and the degradation or destruction of trails. Plant resources
14 traditionally important to Native Americans are likely to exist in the SEZ. Any ground-disturbing
15 activity associated with the development within the SEZ has the potential for destruction of
16 localized resources. However, significant areas of mesquite and associate plants important to
17 Native Americans would remain outside the SEZ, and anticipated overall effects on these plant
18 populations would be small. As noted above, animal species important to Native Americans are
19 shown in Table 12.3.18.1-2. While the construction of utility-scale solar energy facilities would
20 reduce the amount of habitat available to many of these species, similar habitat is abundant and
21 the effect on animal populations is likewise likely to be small.
22

23 Since solar energy facilities cover large tracts of land, even taking into account the
24 implementation of design features, it is unlikely that avoidance of all resources important to
25 Native Americans would be possible. Programmatic design features (see Appendix A,
26 Section A.2.2) assume that the necessary cultural surveys, site evaluations, and Tribal
27 consultations will occur. To the extent that the Mescalero rely on groundwater or groundwater-
28 fed springs, significant drawdown at the SEZ could have some effect. However, this is unlikely
29 since all groundwater in the basin is already allotted (see Section 12.3.9.1.3). Implementation of
30 programmatic design features as discussed in Appendix A, Section A.2.2, should eliminate
31 impacts on Tribes' reserved water rights and potential for groundwater contamination.
32
33

34 **12.3.18.3 SEZ-Specific Design Features and Design Feature Effectiveness**

35

36 Programmatic design features to address impacts of potential concern to Native
37 Americans, such as avoidance of sacred sites, water sources, and tribally important plant and
38 animal species, are provided in Appendix A, Section A.2.2.
39

40 The need for and nature of SEZ-specific design features regarding potential issues of
41 concern would be determined during government-to-government consultation with affected
42 Tribes listed in Table 12.3.18-1.
43

44 Mitigation of impacts on archaeological sites and traditional cultural properties is
45 discussed in Section 12.3.17.3, in addition to the mitigation strategies for historic properties
46 discussed in Section 5.15.

1 **12.3.19 Socioeconomics**

2
3
4 **12.3.19.1 Affected Environment**

5
6 This section describes current socioeconomic conditions and local community services
7 within the region of influence (ROI) surrounding the proposed Red Sands SEZ. The ROI is a
8 three-county area consisting of Dona Ana and Otero Counties in New Mexico and El Paso
9 County in Texas. It encompasses the area in which workers are expected to spend most of their
10 salaries and in which a portion of site purchases and nonpayroll expenditures are expected to
11 take place for the construction, operation, and decommissioning phases of solar development in
12 the proposed SEZ.

13
14
15 **12.3.19.1.1 ROI Employment**

16
17 In 2008, total employment in the ROI was 390,895 workers (Table 12.3.19.1-1). Over the
18 period 1999 to 2008, annual average employment growth rates were higher in Dona Ana County
19 (2.7%) and Otero County (2.4%) than in El Paso County (0.7%). At 1.2%, growth rates in the
20 ROI as a whole were somewhat less than the average state rates for New Mexico (1.5%) and
21 Texas (1.3%).

22
23 In 2006, the service sector provided the highest percentage of employment in the ROI
24 at 53.4%, followed by wholesale and retail trade with 20.3% (Table 12.3.19.1-2). Smaller
25 employment shares were held by manufacturing (7.6%), transportation and public utilities
26
27

TABLE 12.3.19.1-1 ROI Employment in the Proposed Red Sands SEZ

Location	1999	2008	Average Annual Growth Rate, 1999–2008 (%)
Dona Ana County, New Mexico	65,546	85,934	2.7
Otero County, New Mexico	19,898	25,237	2.4
El Paso County, Texas	261,213	279,724	0.7
ROI	346,657	390,895	1.2
New Mexico	793,052	919,466	1.5
Texas	9,766,299	11,126,436	1.3

Sources: U.S. Department of Labor (2009a,b).

TABLE 12.3.19.1-2 ROI Employment in the Proposed Red Sands SEZ by Sector, 2006

Industry	Dona Ana County		Otero County		El Paso County		ROI	
	Employment	% of Total	Employment	% of Total	Employment	% of Total	Employment	% of Total
Agriculture ^a	5,042	9.8	564	4.5	1,038	0.5	6,644	2.5
Mining	175	0.3	60	0.5	375	0.2	610	0.2
Construction	4,798	9.3	1,253	9.9	8,856	4.4	14,907	5.6
Manufacturing	2,586	5.0	187	1.5	17,401	8.6	20,174	7.6
Transportation and public utilities	1,240	2.4	458	3.6	12,159	2.0	13,857	5.2
Wholesale and retail trade	8,957	17.3	2,599	20.3	42,676	21.1	54,192	20.3
Finance, insurance, and real estate	2,430	4.7	644	5.1	10,574	5.2	13,648	5.1
Services	26,497	51.3	6,902	54.6	108,952	53.8	142,351	53.4
Other	14	0.0	10	0.1	75	0.0	99	0.0
Total	51,658		12,632		202,368		266,658	

^a Agricultural employment includes 2007 data for hired farmworkers.

Sources: U.S. Bureau of the Census (2009a); USDA (2009a,b).

1 (5.2%), and finance, insurance and real estate (5.1%). For the counties within the ROI, the
 2 distribution of employment across sectors was similar to that of the ROI as a whole, with a
 3 slightly higher percentage of employment in agriculture (12.6%) and construction (9.3%), and
 4 slightly lower percentages in manufacturing (5.0%) and wholesale and retail trade (17.3%) in
 5 Dona Ana County compared to the ROI as a whole. Employment shares in Otero County in
 6 agriculture (4.5%) and construction (9.9%) were larger than in the ROI as a whole, while
 7 employment in transportation and public utilities (3.6%), and manufacturing (1.5%) was less
 8 important than in the overall ROI.

9
10
11 **12.3.19.1.2 ROI Unemployment**
12

13 Unemployment rates have varied across the three counties in the ROI. Over the period
 14 1999 to 2008, the average rate in El Paso County was 7.0%, with lower rates of 5.8% in Dona
 15 Ana County, and 5.0% in Otero County (Table 12.3.19.1-3). The average rate in the ROI over
 16 this period was 6.7%, higher than the average state-wide rates for New Mexico (5.0%) and Texas
 17 (5.3%). Unemployment rates for the first five months of 2009 contrasted somewhat with rates for
 18 2008 as a whole; in El Paso County the unemployment rate increased to 8.2%, while rates
 19 reached 5.8% and 4.9% in Dona Ana County and Otero County, respectively. The average rates
 20 for the ROI (7.5%), New Mexico (5.6%), and Texas (6.6%) were also higher during this period
 21 than the corresponding average rates for 2008.

22
23
24 **12.3.19.1.3 ROI Urban Population**
25

26 The population of the ROI in 2008 was 81% urban; the largest city, El Paso, had an
 27 estimated 2008 population of 609,248; other cities in the ROI include Las Cruces (90,908),
 28 Alamogordo (35,979) and Socorro (32,056) (Table 12.3.19.1-4). In addition, eight smaller cities
 29 in the ROI had 2008 populations of less than 20,000.
30
31

**TABLE 12.3.19.1-3 ROI Unemployment Rates (%) for
the Proposed Red Sands SEZ**

Location	1999–2008	2008	2009 ^a
Dona Ana County, New Mexico	5.8	4.4	5.8
Otero County, New Mexico	5.0	4.1	4.9
El Paso County, Texas	7.0	6.3	8.2
ROI	6.7	5.7	7.5
New Mexico	5.0	4.2	5.6
Texas	5.3	4.9	6.6

^a Rates for 2009 are the average for January through May.

Sources: U.S. Department of Labor (2009a–c).

TABLE 12.3.19.1-4 ROI Urban Population and Income for the Proposed Red Sands SEZ

City	Population			Median Household Income (\$ 2008)		
	2000	2008	Average Annual Growth Rate, 2000–2008 (%)	1999	2006–2008	Average Annual Growth Rate, 1999 and 2006–2008 (%) ^a
Alamogordo	35,582	35,979	0.1	39,820	41,037	0.3
Anthony	3,850	4,330	1.5	33,855	NA ^b	NA
Clint	980	970	–0.1	43,776	NA	NA
Cloudcroft	749	891	2.2	52,524	NA	NA
El Paso	563,662	609,248	1.0	41,360	36,649	–1.3
Hatch	1,673	1,641	–0.2	27,360	NA	NA
Horizon City	5,233	13,019	12.1	62,559	NA	NA
Las Cruces	74,267	90,908	2.6	39,108	37,402	–0.5
Mesilla	2,180	2,196	0.1	54,430	NA	NA
Socorro	27,152	32,056	2.1	31,012	NA	NA
Sunland Park	13,309	14,436	1.0	25,961	NA	NA
Tularosa	2,864	3,044	0.8	35,435	NA	NA

^a Data are averages for the period 2006 to 2008.

^b NA = not available.

Source: U.S. Bureau of the Census (2009b-d).

1
2
3 Population growth rates in the ROI have varied over the period 2000 to 2008
4 (Table 12.3.19.1-4). Horizon City grew at an annual rate of 12.1% during this period, with higher
5 than average growth also experienced in Las Cruces (2.6%) and Socorro (2.1%). El Paso (1.0%)
6 experienced a lower growth rate between 2000 and 2008, while Hatch (–0.2%) and Clint (–0.1%)
7 experienced negative growth rates during this period.
8
9

10 **12.3.19.1.4 ROI Urban Income**

11
12 Median household incomes vary across cities in the ROI. Three cities for which data are
13 available for 2006 to 2008—Alamogordo (\$41,037), Las Cruces (\$37,402) and El Paso
14 (\$36,649)—had median incomes in 2006 to 2008 that were lower than the state averages for New
15 Mexico (\$43,202) and Texas (\$49,078) (Table 12.3.19.1-4).
16

17 Median household income growth rates between 1999 and 2006 to 2008 were small in
18 Alamogordo (0.3%), and negative in Las Cruces (–0.5%) and El Paso (–1.3%). The average
19 median household income growth rate for New Mexico as a whole over this period was -0.2%;
20 for Texas the growth rate was -0.5%.
21
22

1 **12.3.19.1.5 ROI Population**

2
3 Table 12.3.19.1-5 presents recent and projected populations in the ROI and states as a
4 whole. Population in the ROI stood at 1,047,566 in 2008, having grown at an average annual rate
5 of 1.7% since 2000. Growth rates for the ROI have been similar to the state-wide rates
6 for New Mexico (1.7%), and Texas (1.6%) over the same period.
7

8 Each county in the ROI has experienced growth in population since 2000. Dona Ana
9 County recorded a population growth rate of 2.1% between 2000 and 2008; El Paso County grew
10 by 1.7% over the same period; while Otero County grew at 0.6%. The ROI population is
11 expected to increase to 1,242,376 by 2021, and to 1,266,668 by 2023.
12

13
14 **12.3.19.1.6 ROI Income**

15
16 Personal income in the ROI stood at \$26.7 billion in 2007 and has grown at an annual
17 average rate of 2.9% over the period 1998 to 2007 (Table 12.3.19.1-6). ROI personal income per
18 capita also rose over the same period at a rate of 1.5%, increasing from \$22,238 to \$25,908. In
19 2007, per capita incomes were higher in El Paso County (\$26,237) than in Dona Ana County
20 (\$25,493) and Otero County (\$23,323). Personal income and per capita income growth rates
21 have been higher in Dona Ana County, and lower in Otero County, than for the state of
22 New Mexico as a whole. Personal income per capita was slightly higher in New Mexico
23
24

TABLE 12.3.19.1-5 ROI Population for the Proposed Red Sands SEZ

Location	2000	2008	Average Annual Growth Rate, 2000–2008 (%)	2021	2023
Dona Ana County, New Mexico	174,682	206,486	2.1	260,227	267,444
Otero County, New Mexico	62,298	65,373	0.6	71,344	71,931
El Paso County, Texas	679,622	775,707	1.7	910,804	927,293
ROI	916,602	1,047,566	1.7	1,242,376	1,266,668
New Mexico	1,819,046	2,085,115	1.7	2,573,667	2,640,712
Texas	20,851,820	23,711,019	1.6	28,255,284	28,925,856

Sources: U.S. Bureau of the Census (2009e,f); Texas Comptroller’s Office (2009); University of New Mexico (2009).

TABLE 12.3.19.1-6 ROI Personal Income for the Proposed Red Sands SEZ

Location	1998	2007	Average Annual Growth Rate, 1998–2007 (%)
Dona Ana County			
Total income ^a	3.8	5.1	3.0
Per capita income (\$)	22,254	25,493	1.4
Otero County			
Total income ^a	1.3	1.5	1.7
Per capita income (\$)	20,976	23,323	1.1
El Paso County			
Total income ^a	15.0	20.1	3.0
Per capita income (\$)	22,349	26,237	1.6
ROI			
Total income ^a	20.1	26.7	2.9
Per capita income (\$)	22,238	25,908	1.5
New Mexico			
Total income ^a	48.8	62.4	2.5
Per capita income (\$)	27,182	30,497	1.2
Texas			
Total income ^a	668.1	914.9	3.2
Per capita income (\$)	25,186	37,808	1.7

^a Unless reported otherwise, values are reported in \$ billion 2008.

Sources: U.S. Department of Commerce (2009); U.S. Bureau of Census (2009e,f).

1
2
3
4
5
6
7
8
9
10
11

(\$30,497) as a whole in 2007 than in both New Mexico counties. In El Paso County, per capita income growth rates and per capita incomes were slightly lower than for Texas as a whole (\$37,808).

Median household income in 2006 to 2008 varied from \$35,637 in El Paso County to \$39,903 in Otero County (U.S. Bureau of the Census 2009d).

1 **12.3.19.1.7 ROI Housing**
 2

3 In 2007, nearly 360,800 housing units were located in the three counties, with more than
 4 70% of these in El Paso County (Table 12.3.19.1-7). Owner-occupied units constituted about
 5 65% of the occupied units in the three counties, with rental housing making up 35% of the total.
 6 At 20.6%, vacancy rates in 2007 were significantly higher in Otero County than in Dona Ana
 7 (11.3%) and El Paso County (9.2%). With an overall vacancy rate of 10.6% in the ROI, there
 8 were 38,396 vacant housing units in the ROI in 2007, of which 11,792 (7,422 in El Paso County,
 9 2,690 in Dona Ana County, and 1,680 in Otero County) are estimated to be rental units that
 10 would be available to construction workers. There were 3,887 seasonal, recreational, or
 11 occasional-use units vacant at the time of the 2000 Census.
 12
 13

TABLE 12.3.19.1-7 ROI Housing Characteristics for the Proposed Red Sands SEZ

Parameter	2000	2007
Dona Ana County		
Owner occupied	40,248	44,251
Rental	19,348	23,913
Vacant units	5,654	8,641
Seasonal and recreational use	551	NA ^a
Total Units	65,210	76,805
Otero County		
Owner occupied	15,372	16,399
Rental	7,612	8,153
Vacant units	6,288	6,370
Seasonal and recreational use	2,451	NA
Total Units	65,210	30,922
El Paso County		
Owner occupied	133,624	149,345
Rental	76,398	80,310
Vacant units	14,425	23,385
Seasonal and recreational use	885	NA
Total Units	224,447	253,040
ROI Total		
Owner occupied	189,204	209,995
Rental	103,358	112,376
Vacant units	26,367	38,396
Seasonal and recreational use	3,887	NA
Total Units	318,929	360,767

^a NA = data not available.

Sources: U.S. Bureau of the Census (2009h-j).

1 Housing stock in the ROI as a whole grew at an annual rate of 1.8% over the period
2 2000 to 2007, with 41,838 new units (Table 12.3.19.1-7).

3
4 The median value of owner-occupied housing in 2008 varied between \$97,800 in El Paso
5 County and \$133,300 in Dona Ana County (U.S. Bureau of the Census 2009g).

6
7
8 **12.3.19.1.8 ROI Local Government Organizations**

9
10 The various local and county government organizations in the ROI are listed in
11 Table 12.3.19.1-8. There are no Tribal governments located in the ROI. However, there are
12 members of other Tribal groups located in the ROI, but whose Tribal governments are located in
13 adjacent counties or states.

14
15
16 **12.3.19.1.9 ROI Community and Social Services**

17
18 This section describes educational, health care, law enforcement, and firefighting
19 resources in the ROI.

20
21
**TABLE 12.3.19.1-8 ROI Local
Government Organizations and
Social Institutions for
the Proposed Red Sands SEZ**

Governments	
City	
Alamogordo	Horizon City
Anthony	Las Cruces
Clint	Mesilla
Cloudcroft	Socorro
El Paso	Sunland Park
Hatch	Tularosa
County	
Dona Ana County	El Paso County
Otero County	
Tribal	
None	

Sources: U.S. Bureau of the Census (2009b); U.S. Department of the Interior (2010).

1 **Schools**

2
3 In 2007, a total of 346 public and private elementary, middle, and high schools were
4 located in the three-county ROI (NCES 2009). Table 12.3.19.1-9 provides summary statistics for
5 enrollment, educational staffing, and two indices of educational quality—student-teacher ratios
6 and levels of service (number of teachers per 1,000 population). The student-teacher ratio in
7 Dona Ana County schools (15.3) is slightly higher than for schools in Otero County (14.9) and
8 El Paso County (14.9). The level of service is slightly higher in El Paso County (15.0), while
9 there are significantly fewer teachers per 1,000 population in Otero County (8.3).

10
11
12 **Health Care**

13
14 While El Paso County has a much larger number of physicians (1,557) than the two other
15 counties, the number of doctors per 1,000 population in is only slightly higher than in Dona
16 Ana County and significantly larger than in Otero County (1.3) (Table 12.3.19.1-10). The
17 smaller number of healthcare professionals in Otero County and Dona Ana County may mean
18 that residents of these counties have poorer access to specialized healthcare; a substantial number
19 of county residents might also travel to El Paso County for their medical care.

20
21
22 **Public Safety**

23
24 Several state, county, and local police departments provide law enforcement in the ROI.
25 Otero County has 31 officers and would provide law enforcement services to the SEZ
26 (Table 12.3.19.1-11), while Dona Ana County and El Paso County have 131 and 251 officers,
27 respectively (Table 12.3.19.1-11). There are currently 695 professional firefighters in El Paso
28 County, 195 in Dona Ana County, and only volunteers in Otero County (Table 12.3.19.1-11).
29 Levels of service in police protection in El Paso County (0.3) are significantly lower than for the
30
31

TABLE 12.3.19.1-9 ROI School District Data for the Proposed Red Sands SEZ, 2007

Location	Number of Students	Number of Teachers	Student-Teacher Ratio	Level of Service ^a
Dona Ana County, New Mexico	39,320	2,578	15.3	12.8
Otero County, New Mexico	8,018	538	14.9	8.3
El Paso County, Texas	170,382	11,443	14.9	15.0
ROI	217,720	14,558	15.0	14.1

^a Number of teachers per 1,000 population.

Source: NCES (2009).

TABLE 12.3.19.1-10 Physicians in the Proposed Red Sands SEZ ROI, 2007

Location	Number of Primary Care Physicians	Level of Service ^a
Dona Ana County, New Mexico	369	1.8
Otero County, New Mexico	84	1.3
El Paso County, Texas	1,557	2.0
ROI	2,010	1.9

^a Number of physicians per 1,000 population.

Source: AMA (2009).

1
2

TABLE 12.3.19.1-11 Public Safety Employment in the Proposed Red Sands SEZ ROI

Location	Number of Police Officers ^a	Level of Service ^b	Number of Firefighters ^c	Level of Service
Dona Ana County, New Mexico	131	0.6	195	0.9
Otero County, New Mexico	31	0.5	0	0.0
El Paso County, Texas	251	0.3	695	0.9
ROI	413	0.4	890	0.8

^a 2007 data.

^b Number per 1,000 population.

^c 2008 data; number does not include volunteers.

Sources: U.S. Department of Justice (2009c); Fire Departments Network (2009).

3
4
5
6
7
8

other two counties, while fire protection in Don Ana County and El Paso County are similar to that for the ROI as a whole (Table 12.3.19.1-11).

12.3.19.1.10 ROI Social Structure and Social Change

9
10
11
12
13
14

Community social structures and other forms of social organization within the ROI are related to various factors, including historical development, major economic activities, and sources of employment, income levels, race and ethnicity, and forms of local political organization. Although an analysis of the character of community social structures is beyond the

1 scope of the current programmatic analysis, project-level NEPA analyses would include a
 2 description of ROI social structures, contributing factors, their uniqueness, and, consequently,
 3 the susceptibility of local communities to various forms of social disruption and social change.
 4

5 Various energy development studies have suggested that once the annual population
 6 growth in smaller rural communities reached between 5 and 15%, alcoholism, depression,
 7 suicide, social conflict, divorce, and delinquency would increase and levels of community
 8 satisfaction would deteriorate (BLM 1980, 1983, 1996). Tables 12.3.19.1-12 and 12.3.19.1-13
 9 present data for the ROI for a number of indicators of social change, including violent crime and
 10 property crime rates, alcoholism and illicit drug use, and mental health and divorce, that might be
 11 used to indicate social change.
 12

13 Some variation exists in the level of crime across the ROI, with higher rates of property-
 14 related crime rates in Dona Ana County (29.9 per 1,000 population) and El Paso County (28.6)
 15 than in Otero County (20.2). Violent crime rates were the same in Dona Ana County and El Paso
 16 County (4.2 per 1,000 population), and lower in Otero County (2.0), meaning that overall crime
 17 rates in Dona Ana County (34.1) and El Paso County (32.8) were higher than in Otero County
 18 (22.2).
 19

20 Other measures of social change—alcoholism, illicit drug use, and mental health—are
 21 not available at the county level and thus are presented for the SAMHSA region in which the
 22 ROI is located. There is some variation across the two regions in which the two counties are
 23 located, with slightly higher rates for alcoholism and mental illness in the region in which
 24 Dona Ana County and Otero County are located and the same rates of illicit drug use in both
 25 regions (Table 12.3.19.1-13).
 26
 27

TABLE 12.3.19.1-12 County and ROI Crime Rates^a for the Proposed Red Sands SEZ ROI

Location	Violent Crime ^b		Property Crime ^c		All Crime	
	Offenses	Rate	Offenses	Rate	Offenses	Rate
Don Ana County, New Mexico	842	4.2	6,028	29.9	6,870	34.1
Otero County, New Mexico	124	2.0	1,281	20.2	1,405	22.2
El Paso County, Texas	3,068	4.2	21,147	28.6	24,215	32.8
ROI	4,034	4.0	28,456	28.4	32,490	32.4

^a Rates are the number of crimes per 1,000 population.

^b Violent crime includes murder and non-negligent manslaughter, forcible rape, robbery, and aggravated assault.

^c Property crime includes burglary, larceny, theft, motor vehicle theft, and arson.

Sources: U.S. Department of Justice (2009a,b).

TABLE 12.3.19.1-13 Alcoholism, Drug Use, Mental Health, and Divorce in the Proposed Red Sands SEZ ROI

Geographic Area	Alcoholism ^a	Illicit Drug Use ^a	Mental Health ^b	Divorce ^c
New Mexico Region 5 (includes Dona Ana County and Otero County)	8.3	3.0	9.9	NA ^d
Texas Region 10 (includes El Paso County)	7.0	3.0	8.3	NA
New Mexico	NA	NA	NA	4.3
Texas	NA	NA	NA	3.3

- ^a Data for alcoholism and drug use represent percentage of the population over 12 years of age with dependence on or abuse of alcohol or illicit drugs. Data are averages for 2004 to 2006.
- ^b Data for mental health represent percentage of the population over 18 years of age suffering from serious psychological distress. Data are averages for 2002 to 2004.
- ^c Divorce rates are the number of divorces per 1,000 population. Data are for 2007.
- ^d NA = data not available.

Sources: SAMHSA (2009); CDC (2009).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

12.3.19.1.11 ROI Recreation

Various areas in the vicinity of the proposed SEZ are used for recreational purposes, with natural, ecological, and cultural resources in the ROI attracting visitors for a range of activities, including hunting, fishing, boating, canoeing, wildlife watching, camping, hiking, horseback riding, mountain climbing, and sightseeing. These activities are discussed in Section 12.3.5.

Because the number of visitors using state and federal lands for recreational activities is not available from the various administering agencies, the value of recreational resources in these areas, based solely on the number of recorded visitors, is likely to be an underestimation. In addition to visitation rates, the economic valuation of certain natural resources can also be assessed in terms of the potential recreational destination for current and future users, that is, their nonmarket value (see Section 5.17.1.1.1).

Another method for evaluating the significance of recreation is to estimate the economic impact of the various recreational activities supported by natural resources on public land in the vicinity of the proposed solar facilities, by identifying sectors in the economy in which expenditures on recreational activities occur. Not all activities in these sectors are directly related to recreation on state and federal lands, with some activity occurring on private land (e.g., dude ranches, golf courses, bowling alleys, and movie theaters). Expenditures associated with recreational activities form an important part of the economy of the ROI. In 2007, 42,081 people were employed in the ROI in the various sectors identified as recreation-related, constituting 10.9% of total ROI employment (Table 12.3.19.1-14). Recreation spending also produced almost

TABLE 12.3.19.1-14 ROI Recreation Sector Activity in the Proposed Red Sands SEZ, 2007

ROI	Employment	Income (\$ million)
Amusement and recreation services	740	14.6
Automotive rental	2,440	191.6
Eating and drinking places	32,522	462.0
Hotels and lodging places	2,066	41.3
Museums and historic sites	44	4.4
Recreational vehicle parks and campsites	110	2.3
Scenic tours	2,311	118.3
Sporting goods retailers	1,848	29.8
Total ROI	42,081	864.3

Source: MIG, Inc. (2010).

\$864.3 million in income in the ROI in 2007. The primary sources of recreation-related employment were eating and drinking places.

12.3.19.2 Impacts

The following analysis begins with a description of the common impacts of solar development, including common impacts on recreation and on social change. These impacts would occur regardless of the solar technology developed in the SEZ. The impacts of solar development employing various solar energy technologies are analyzed in detail in subsequent sections.

12.3.19.2.1 Common Impacts

Construction and operation of a solar energy facility at the proposed Red Sands SEZ would produce direct and indirect economic impacts. Direct impacts would occur as a result of expenditures on wages and salaries, procurement of goods and services required for project construction and operation, and the collection of state sales and income taxes. Indirect impacts would occur as project wages and salaries, procurement expenditures, and tax revenues subsequently circulated through the economy of each state, thereby creating additional employment, income, and tax revenues. Facility construction and operation would also require in-migration of workers and their families into the ROI surrounding the site, which would affect population, rental housing, health service employment, and public safety employment. Socioeconomic impacts common to all utility-scale solar energy development are discussed in detail in Section 5.17. These impacts will be minimized through the implementation of programmatic design features described in Appendix A, Section A.2.2.

1 **Recreation Impacts**
2

3 Estimating the impact of solar facilities on recreation is problematic because it is not
4 clear how solar development in the SEZ would affect recreational visitation and nonmarket
5 values (i.e., the value of recreational resources for potential or future visits; see Appendix M).
6 While it is clear that some land in the ROI would no longer be accessible for recreation, the
7 majority of popular recreational locations would be precluded from solar development. It is also
8 possible that solar development in the ROI would be visible from popular recreation locations,
9 and that construction workers residing temporarily in the ROI would occupy accommodations
10 otherwise used for recreational visits, thus reducing visitation and consequently affecting the
11 economy of the ROI.
12

13 **Social Change**
14

15 Although an extensive literature in sociology documents the most significant components
16 of social change in energy boomtowns, the nature and magnitude of the social impact of energy
17 development in small rural communities are still unclear (see Section 5.17.1.1.4). While some
18 degree of social disruption is likely to accompany large-scale in-migration during the boom
19 phase, there is insufficient evidence to predict the extent to which specific communities are
20 likely to be impacted, which population groups within each community are likely to be most
21 affected, and the extent to which social disruption is likely to persist beyond the end of the boom
22 period (Smith et al. 2001). Accordingly, because of the lack of adequate social baseline data, it
23 has been suggested that social disruption is likely to occur once an arbitrary population growth
24 rate associated with solar energy development projects has been reached, with an annual rate of
25 between 5 and 10% growth in population assumed to result in a breakdown in social structures,
26 with a consequent increase in alcoholism, depression, suicide, social conflict, divorce,
27 delinquency, and deterioration in levels of community satisfaction (BLM 1980, 1983, 1996).
28

29 In overall terms, the in-migration of workers and their families into the ROI would
30 represent an increase of 0.1 % in ROI population during construction of the trough technology,
31 with smaller increases for the power tower, dish engine, and photovoltaic technologies, and
32 during the operation of each technology. While it is possible that some construction and
33 operations workers will choose to locate in communities closer to the SEZ, the lack of available
34 housing in smaller rural communities in the ROI to accommodate all in-migrating workers and
35 families, and insufficient range of housing choices to suit all solar occupations, many workers
36 are likely to commute to the SEZ from larger communities elsewhere in the ROI. This would
37 reduce the potential impact of solar development on social change. Regardless of the pace of
38 population growth associated with the commercial development of solar resources, and the likely
39 residential location of in-migrating workers and families in communities some distance from the
40 SEZ itself, the number of new residents from outside the region of influence is likely to lead to
41 some demographic and social change in small rural communities in the ROI. Communities
42 hosting solar development are likely to be required to adapt to a different quality of life, with a
43 transition away from a more traditional lifestyle involving ranching and taking place in small,
44 isolated, close-knit, homogenous communities with a strong orientation toward personal and
45 family relationships, toward a more urban lifestyle, with increasing cultural and ethnic diversity
46 and increasing dependence on formal social relationships within the community.

1 **Livestock Grazing Impacts**
2

3 Cattle ranching and farming supported 543 jobs, and \$4.7 million in income in the ROI in
4 2007 (MIG, Inc. 2010). The construction and operation of solar facilities in the proposed SEZ
5 could result in a decline in the amount of land available for livestock grazing, resulting in total
6 (direct plus indirect) impacts of the loss of 14 jobs and \$0.3 million in income in the ROI. There
7 would also be a decline in grazing fees payable to the BLM and to the USFS by individual
8 permittees based on the number of AUMs required to support livestock on public land.
9 Assuming the 2008 fee of \$1.35 per AUM, grazing fee losses would amount to \$2,685 annually
10 on land dedicated to solar development in the SEZ.
11

12
13 **12.3.19.2.2 Technology-Specific Impacts**
14

15 The potential socioeconomic impacts of solar energy development in the proposed SEZ
16 were measured in terms of employment, income, state tax revenues (sales and income), BLM
17 acreage rental and capacity fees, population in-migration, housing, and community service
18 employment (education, health, and public safety). More information on the data and methods
19 used in the analysis can be found in Appendix M.
20

21 The assessment of the impact of the construction and operation of each solar technology
22 was based on SEZ acreage, assuming 80% of the area could be developed. To capture a range of
23 possible impacts, solar facility size was estimated on the basis of the land requirements of
24 various solar technologies, assuming that 9 acres/MW (0.04 km²/MW) would be required for
25 power tower, dish engine, and PV technologies, and 5 acres/MW (0.02 km²/MW) would be
26 required for solar trough technologies. Impacts of multiple facilities employing a given
27 technology at each SEZ were assumed to be the same as impacts for a single facility with the
28 same total capacity. Construction impacts were assessed for a representative peak year of
29 construction, assumed to be 2021 for each technology. Construction impacts assumed that a
30 maximum of two projects could be constructed within a given year, with a corresponding
31 maximum land disturbance of up to 6,000 acres (24 km²). For operations impacts, a
32 representative first year of operations was assumed to be 2023 for each technology. The years of
33 construction and operations were selected as representative of the entire 20-year study period
34 because they are the approximate midpoint; construction and operations could begin earlier.
35

36
37 **Solar Trough**
38

39
40 **Construction.** Total construction employment impacts in the ROI (including direct and
41 indirect impacts) from the use of solar trough technology would be up to 10,667 jobs
42 (Table 12.3.19.2-1). Construction activities would constitute 2.2% of total ROI employment. A

TABLE 12.3.19.2-1 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Red Sands SEZ with Trough Facilities^a

Parameter	Maximum Annual Construction Impacts	Annual Operations Impacts
Employment (no.)		
Direct	3,488	785
Total	10,667	1,312
Income ^b		
Total	587.0	45.1
Direct state taxes ^b		
Sales	27.5	0.4
Income	12.6	1.2
BLM Payments ^b		
Rental	NA ^c	2.1
Capacity ^d	NA	23.7
In-migrants (no.)	1,486	100
Vacant housing ^e (no.)	743	90
Local community service employment		
Teachers (no.)	22	1
Physicians (no.)	3	0
Public safety (no.)	2	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 1,200 MW (corresponding to 6,000 acres [24 km²] of land disturbance) could be built. Operations impacts were based on full build-out of the site, producing a total output of 3,603 MW.

^b Unless indicated otherwise, values are reported in \$ million 2008.

^c NA = not applicable.

^d The BLM annual capacity payment was based on a fee of \$6,570 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), assuming a solar facility with no storage capability, and full build-out of the site. Projects with three or more hours of storage would generate higher payments, based on a fee of \$7,884 per MW.

^e Construction activities would affect vacant rental housing; operations activities would affect vacant owner-occupied housing.

1 solar development would also produce \$587.0 million in income. Direct sales taxes would be
2 \$27.5 million; direct income taxes, \$12.6 million.

3
4 Given the scale of construction activities and the likelihood of local worker availability in
5 the required occupational categories, construction of a solar facility would mean that some
6 in-migration of workers and their families from outside the ROI would be required, with
7 1,486 persons in-migrating into the ROI. Although in-migration may potentially affect local
8 housing markets, the relatively small number of in-migrants and the availability of temporary
9 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
10 construction on the number of vacant rental housing units would not be expected to be large,
11 with 743 rental units expected to be occupied in the ROI. This occupancy rate would represent
12 4.4% of the vacant rental units expected to be available in the ROI.

13
14 In addition to the potential impact on housing markets, in-migration also would affect
15 community service (education, health, and public safety) employment. An increase in such
16 employment would be required to meet existing levels of service in the ROI. Accordingly,
17 22 new teachers, 3 physician, and 2 public safety employees (career firefighters and uniformed
18 police officers) would be required in the ROI. These increases would represent 0.1% of total ROI
19 employment expected in these occupations.

20
21
22 **Operations.** Total operations employment impacts in the ROI (including direct and
23 indirect impacts) from a build-out using solar trough technologies would be 1,312 jobs
24 (Table 12.3.19.2-1). Such a solar development would also produce \$45.1 million in income.
25 Direct sales taxes would be \$0.4 million; direct income taxes, \$1.2 million. Based on fees
26 established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), acreage rental
27 payments would be \$2.1 million, and solar generating capacity payments would total at least
28 \$23.7 million.

29
30 Given the likelihood of local worker availability in the required occupational categories,
31 operation of a solar facility would mean that some in-migration of workers and their families
32 from outside the ROI would be required, with 100 persons in-migrating into the ROI. Although
33 in-migration may potentially affect local housing markets, the relatively small number of
34 in-migrants and the availability of temporary accommodations (hotels, motels, and mobile home
35 parks) mean that the impact of solar facility operation on the number of vacant owner-occupied
36 housing units would not be expected to be large, with 90 owner-occupied units expected to be
37 occupied in the ROI.

38
39 In addition to the potential impact on housing markets, in-migration would affect
40 community service (health, education, and public safety) employment. An increase in such
41 employment would be required to meet existing levels of service in the provision of these
42 services in the ROI. Accordingly, one new teacher would be required in the ROI.

1 **Power Tower**
2
3

4 **Construction.** Total construction employment impacts in the ROI (including direct and
5 indirect impacts) from the use of power tower technology would be up to 4,249 jobs
6 (Table 12.3.19.2-2). Construction activities would constitute 0.9% of total ROI employment.
7 Such a solar development would also produce \$233.8 million in income. Direct sales taxes would
8 be \$10.9 million; direct income taxes, \$5.0 million.
9

10 Given the scale of construction activities and the likelihood of local worker availability in
11 the required occupational categories, construction of a solar facility would mean that some
12 in-migration of workers and their families from outside the ROI would be required, with
13 592 persons in-migrating into the ROI. Although in-migration may potentially affect local
14 housing markets, the relatively small number of in-migrants and the availability of temporary
15 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
16 construction on the number of vacant rental housing units would not be expected to be large,
17 with 296 rental units expected to be occupied in the ROI. This occupancy rate would represent
18 1.8% of the vacant rental units expected to be available in the ROI.
19

20 In addition to the potential impact on housing markets, in-migration would affect
21 community service (education, health, and public safety) employment. An increase in such
22 employment would be required to meet existing levels of service in the ROI. Accordingly,
23 nine new teachers, one physician, and one public safety employee would be required in the
24 ROI. These increases would represent less than 0.1% of total ROI employment expected in
25 these occupations.
26
27

28 **Operations.** Total operations employment impacts in the ROI (including direct and
29 indirect impacts) from a build-out using power tower technologies would be 574 jobs
30 (Table 12.3.19.2-2). Such a solar development would also produce \$18.5 million in income.
31 Direct sales taxes would be less than \$0.1 million; direct income taxes, \$0.6 million. Based on
32 fees established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), acreage
33 rental payments would be \$2.1 million, and solar generating capacity payments would total at
34 least \$13.2 million.
35

36 Given the likelihood of local worker availability in the required occupational categories,
37 operation of a power tower facility would mean that some in-migration of workers and their
38 families from outside the ROI would be required, with 52 persons in-migrating into the ROI.
39 Although in-migration may potentially affect local housing markets, the relatively small number
40 of in-migrants and the availability of temporary accommodations (hotels, motels, and mobile
41 home parks) mean that the impact of solar facility operation on the number of vacant
42 owner-occupied housing units would not be expected to be large, with 46 owner-occupied units
43 expected to be required in the ROI.
44

45 In addition to the potential impact on housing markets, in-migration would affect
46 community service (education, health, and public safety) employment. An increase in such

TABLE 12.3.19.2-2 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Red Sands SEZ with Power Tower Facilities^a

Parameter	Maximum Annual Construction Impacts	Annual Operations Impacts
Employment (no.)		
Direct	1,389	405
Total	4,249	574
Income ^b		
Total	233.8	18.5
Direct state taxes ^b		
Sales	10.9	<0.1
Income	5.0	0.6
BLM Payments ^b		
Rental	NA ^c	2.1
Capacity ^d	NA	13.2
In-migrants (no.)	592	52
Vacant housing ^e (no.)	296	46
Local community service employment		
Teachers (no.)	9	1
Physicians (no.)	1	0
Public safety (no.)	1	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 667 MW (corresponding to 6,000 acres [24 km²] of land disturbance) could be built. Operations impacts were based on full build-out of the site, producing a total output of 2,002 MW.

^b Unless indicated otherwise, values are reported in \$ million 2008.

^c NA = not applicable.

^d The BLM annual capacity payment was based on a fee of \$6,570 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), assuming a solar facility with no storage capability, and full build-out of the site. Projects with three or more hours of storage would generate higher payments, based on a fee of \$7,884 per MW.

^e Construction activities would affect vacant rental housing; operations activities would affect vacant owner-occupied housing.

1 employment would be required to meet existing levels of service in the ROI. Accordingly,
2 one new teacher would be required in the ROI.

3 4 5 **Dish Engine**

6
7
8 **Construction.** Total construction employment impacts in the ROI (including direct and
9 indirect impacts) from the use of dish engine technology would be up to 1,727 jobs
10 (Table 12.3.19.2-3). Construction activities would constitute 0.4 % of total ROI employment.
11 Such a solar development would also produce \$95.0 million in income. Direct sales taxes would
12 be \$4.5 million; direct income taxes, \$2.0 million.

13
14 Given the scale of construction activities and the likelihood of local worker availability in
15 the required occupational categories, construction of a dish engine facility would mean that some
16 in-migration of workers and their families from outside the ROI would be required, with
17 241 persons in-migrating into the ROI. Although in-migration may potentially affect local
18 housing markets, the relatively small number of in-migrants and the availability of temporary
19 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
20 construction on the number of vacant rental housing units would not be expected to be large,
21 with 120 rental units expected to be occupied in the ROI. This occupancy rate would represent
22 0.7% of the vacant rental units expected to be available in the ROI.

23
24 In addition to the potential impact on housing markets, in-migration would affect
25 community service (education, health, and public safety) employment. An increase in such
26 employment would be required to meet existing levels of service in the ROI. Accordingly, four
27 new teachers would be required in the ROI. This increase would represent less than 0.1% of total
28 ROI employment expected in this occupation.

29
30
31 **Operations.** Total operations employment impacts in the ROI (including direct
32 and indirect impacts) from a build-out using dish engine technology would be 558 jobs
33 (Table 12.3.19.2-3). Such a solar development would also produce \$17.9 million in income.
34 Direct sales taxes would be less than \$0.1 million; direct income taxes, \$0.6 million. Based on
35 fees established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), acreage
36 rental payments would be \$2.1 million, and solar generating capacity payments would total at
37 least \$13.2 million.

38
39 Given the likelihood of local worker availability in the required occupational categories,
40 operation of a dish engine solar facility would mean that some in-migration of workers and their
41 families from outside the ROI would be required, with 50 persons in-migrating into the ROI.
42 Although in-migration may potentially affect local housing markets, the relatively small number
43 of in-migrants and the availability of temporary accommodations (hotels, motels, and mobile
44 home parks) mean that the impact of solar facility operation on the number of vacant owner-
45 occupied housing units would not be expected to be large, with 45 owner-occupied units
46 expected to be required in the ROI.

TABLE 12.3.19.2-3 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Red Sands SEZ with Dish Engine Facilities^a

Parameter	Maximum Annual Construction Impacts	Annual Operations Impacts
Employment (no.)		
Direct	565	394
Total	1,727	558
Income ^b		
Total	95.0	17.9
Direct state taxes ^b		
Sales	4.5	<0.1
Income	2.0	0.6
BLM Payments ^b		
Rental	NA ^c	2.1
Capacity ^d	NA	13.2
In-migrants (no.)	241	50
Vacant housing ^e (no.)	120	45
Local community service employment		
Teachers (no.)	4	1
Physicians (no.)	0	0
Public safety (no.)	0	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 667 MW (corresponding to 6,000 acres [24 km²] of land disturbance) could be built. Operations impacts were based on full build-out of the site, producing a total output of 2,002 MW.

^b Unless indicated otherwise, values are reported in \$ million 2008.

^c NA = not applicable.

^d The BLM annual capacity payment was based on a fee of \$6,570 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), assuming a solar facility with no storage capability, and full build-out of the site. Projects with three or more hours of storage would generate higher payments, based on a fee of \$7,884 per MW.

^e Construction activities would affect vacant rental housing; operations activities would affect vacant owner-occupied housing.

1 In addition to the potential impact on housing markets, in-migration would affect
2 community service (education, health, and public safety) employment. An increase in such
3 employment would be required to meet existing levels of service in the ROI. Accordingly,
4 one new teacher would be required in the ROI.
5

6 **Photovoltaic**

7

8
9
10 **Construction.** Total construction employment impacts in the ROI (including direct and
11 indirect impacts) from the use of PV technology would be up to 806 jobs (Table 12.3.19.2-4).
12 Construction activities would constitute 0.2% of total ROI employment. Such a solar
13 development would also produce \$44.3 million in income. Direct sales taxes would be
14 \$2.1 million; direct income taxes, \$1.0 million.
15

16 Given the scale of construction activities and the likelihood of local worker availability
17 in the required occupational categories, construction of a solar facility would mean that some
18 in-migration of workers and their families from outside the ROI would be required, with
19 112 persons in-migrating into the ROI. Although in-migration may potentially affect local
20 housing markets, the relatively small number of in-migrants and the availability of temporary
21 accommodations (hotels, motels, and mobile home parks) mean that the impact of solar facility
22 construction on the number of vacant rental housing units would not be expected to be large,
23 with 56 rental units expected to be occupied in the ROI. This occupancy rate would represent
24 0.3% of the vacant rental units expected to be available in the ROI.
25

26 In addition to the potential impact on housing markets, in-migration would affect
27 community service (education, health, and public safety) employment. An increase in such
28 employment would be required to meet existing levels of service in the ROI. Accordingly, two
29 new teachers would be required in the ROI. This increase would represent less than 0.1% of total
30 ROI employment expected in this occupation.
31

32
33 **Operations.** Total operations employment impacts in the ROI (including direct and
34 indirect impacts) from a build-out using PV technologies would be 56 jobs (Table 12.3.19.2-4).
35 Such a solar development would also produce \$1.8 million in income. Direct sales taxes would
36 be less than \$0.1 million; direct income taxes, \$0.1 million. Based on fees established by the
37 BLM in its Solar Energy Interim Rental Policy (BLM 2010c), acreage rental payments would be
38 \$2.1 million, and solar generating capacity payments would total at least \$10.5 million.
39

40 Given the likelihood of local worker availability in the required occupational categories,
41 operation of a PV solar facility would mean that some in-migration of workers and their families
42 from outside the ROI would be required, with five persons in-migrating into the ROI. Although
43 in-migration may potentially affect local housing markets, the relatively small number of
44 in-migrants and the availability of temporary accommodations (hotels, motels, and mobile home
45 parks) mean that the impact of solar facility operation on the number of vacant owner-occupied
46

TABLE 12.3.19.2-4 ROI Socioeconomic Impacts Assuming Full Build-out of the Proposed Red Sands SEZ with PV Facilities^a

Parameter	Maximum Annual Construction Impacts	Annual Operations Impacts
Employment (no.)		
Direct	263	39
Total	806	56
Income ^b		
Total	44.3	1.8
Direct state taxes ^b		
Sales	2.1	<0.1
Income	1.0	0.1
BLM Payments ^b		
Rental	NA ^c	2.1
Capacity ^d	NA	10.5
In-migrants (no.)	112	5
Vacant housing ^e (no.)	56	5
Local community service employment		
Teachers (no.)	2	0
Physicians (no.)	0	0
Public safety (no.)	0	0

^a Construction impacts are based on the development at the site in a single year; it was assumed that several facilities with a combined capacity of up to 667 MW (corresponding to 6,000 acres [24 km²] of land disturbance) could be built. Operations impacts were based on full build-out of the site, producing a total output of 2,002 MW.

^b Unless indicated otherwise, values are reported in \$ million 2008.

^c NA = not applicable.

^d The BLM annual capacity payment was based on a fee of \$5,256 per MW, established by the BLM in its Solar Energy Interim Rental Policy (BLM 2010c), assuming full build-out of the site.

^e Construction activities would affect vacant rental housing; operations activities would affect owner-occupied housing.

1 housing units would not be expected to be large, with five owner-occupied units expected to be
2 required in the ROI.

3
4 No new community service employment would be required to meet existing levels of
5 service in the ROI.

6 7 8 **12.3.19.3 SEZ-Specific Design Features and Design Feature Effectiveness** 9

10 No SEZ-specific design features addressing socioeconomic impacts have been identified
11 for the proposed Red Sands SEZ. Implementing the programmatic design features described in
12 Appendix A, Section A.2.2, as required under BLM's Solar Energy Program would reduce the
13 potential for socioeconomic impacts during all project phases.
14

1 **12.3.20 Environmental Justice**

2
3
4 **12.3.20.1 Affected Environment**

5
6 On February 11, 1994, the President signed E.O. 12898 “Federal Actions to Address
7 Environmental Justice in Minority Populations and Low-Income Populations,” which formally
8 requires federal agencies to incorporate environmental justice as part of their missions (*Federal*
9 *Register*, Volume 59, page 7629, Feb. 11, 1994). Specifically, it directs them to address, as
10 appropriate, any disproportionately high and adverse human health or environmental effects of
11 their actions, programs, or policies on minority and low-income populations.
12

13 The analysis of the impacts of solar energy projects on environmental justice issues
14 follows guidelines described in the Council on Environmental Quality’s (CEQ’s) *Environmental*
15 *Justice Guidance under the National Environmental Policy Act* (CEQ 1997). The analysis
16 method has three parts: (1) a description is undertaken of the geographic distribution of low-
17 income and minority populations in the affected area; (2) an assessment is conducted to
18 determine whether construction and operation would produce impacts that are high and adverse;
19 and (3) if impacts are high and adverse, a determination is made as to whether these impacts
20 disproportionately affect minority and low-income populations.
21

22 Construction and operation of solar energy projects in the proposed SEZ could affect
23 environmental justice if any adverse health and environmental impacts resulting from either
24 phase of development were significantly high and if these impacts disproportionately affected
25 minority and low-income populations. If the analysis determines that health and environmental
26 impacts are not significant, there can be no disproportionate impacts on minority and low-income
27 populations. In the event impacts are significant, disproportionality would be determined by
28 comparing the proximity of any high and adverse impacts with the location of low-income and
29 minority populations.
30

31 The analysis of environmental justice issues associated with the development of solar
32 facilities considered impacts within the SEZ and in a 50-mi (80-km) radius around the boundary
33 of the SEZ. A description of the geographic distribution of minority and low-income groups in
34 the affected area was based on demographic data from the 2000 Census (U.S. Bureau of the
35 Census 2009k,1). The following definitions were used to define minority and low-income
36 population groups:
37

- 38 • **Minority.** Persons are included in the minority category if they identify themselves as
39 belonging to any of the following racial groups: (1) Hispanic, (2) Black (not of
40 Hispanic origin) or African American, (3) American Indian or Alaska Native,
41 (4) Asian, or (5) Native Hawaiian or Other Pacific Islander.
42

43 Beginning with the 2000 Census, where appropriate, the census form allows
44 individuals to designate multiple population group categories to reflect their ethnic or
45 racial origins. In addition, persons who classify themselves as being of multiple racial
46 origin may choose up to six racial groups as the basis of their racial origins. The term

1 minority includes all persons, including those classifying themselves in multiple
2 racial categories, except those who classify themselves as not of Hispanic origin and
3 as White or “Other Race” (U.S. Bureau of the Census 2009k).

4
5 The CEQ guidance proposed that minority populations be identified where either
6 (1) the minority population of the affected area exceeds 50% or (2) the minority
7 population percentage of the affected area is meaningfully greater than the minority
8 population percentage in the general population or other appropriate unit of
9 geographic analysis.

10
11 The PEIS applies both criteria in using the Census Bureau data for census block
12 groups, wherein consideration is given to the minority population that is both greater
13 than 50% and 20 percentage points higher than in the state (the reference geographic
14 unit).

- 15
16 • **Low-Income.** Individuals who fall below the poverty line. The poverty line takes into
17 account family size and age of individuals in the family. In 1999, for example, the
18 poverty line for a family of five with three children below the age of 18 was \$19,882.
19 For any given family below the poverty line, all family members are considered as
20 being below the poverty line for the purposes of analysis (U.S. Bureau of the
21 Census 2009l).

22
23 The data in Table 12.3.20.1-1 show the minority and low-income composition of the total
24 population in the proposed SEZ area based on 2000 Census data and CEQ guidelines.
25 Individuals identifying themselves as Hispanic or Latino are included in the table as a separate
26 entry. However, because Hispanics can be of any race, this number also includes individuals
27 identifying themselves as being part of one or more of the population groups listed in the table.

28
29 A large number of minority and low-income individuals are located in the 50-mi (80-km)
30 area around the boundary of the SEZ. Within the 50-mi (80-km) radius in New Mexico, 54.9%
31 of the population is classified as minority, while 20.9% is classified as low-income. The number
32 of minority individuals exceeds 50% of the total population in the area and exceeds the state
33 average by 20 percentage points or more; thus, there is a minority population in the New Mexico
34 portion of the SEZ area based on 2000 Census data and CEQ guidelines. The number of low-
35 income individuals does not exceed the state average by 20 percentage points or more and does
36 not exceed 50% of the total population in the area; thus, there are no low-income populations in
37 the New Mexico portion of the 50-mi (80-km) area around the boundary of the SEZ.

38
39 Within the 50-mi (80-km) radius in Texas, 75.6% of the population is classified as
40 minority, while 21.1% is classified as low income. The number of minority individuals exceeds
41 50% of the total population in the area and exceeds the state average by 20 percentage points or
42 more; thus, there is a minority population in the Texas portion of the SEZ area based on
43 2000 Census data and CEQ guidelines. The number of low-income individuals does not exceed
44 the state average by 20 percentage points or more and does not exceed 50% of the total

TABLE 12.3.20.1-1 Minority and Low-Income Populations within the 50-mi (80-km) Radius Surrounding the Proposed Red Sands SEZ

Parameter	New Mexico	Texas
Total population	231,243	15,051
White, non-Hispanic	104,266	3,673
Hispanic or Latino	111,594	9,278
Non-Hispanic or Latino minorities	15,383	2,100
One race	12,085	1,860
Black or African American	4,557	1,469
American Indian or Alaskan Native	4,722	56
Asian	1,940	257
Native Hawaiian or Other Pacific Islander	128	43
Some other race	738	35
Two or more races	3,298	240
Total minority	126,977	11,378
Low income	48,410	3,183
Percentage minority	54.9	75.6
State percentage minority	33.2	29.0
Percentage low-income	20.9	21.1
State percentage low-income	18.4	15.4


Source: U.S. Bureau of the Census (2009k,l).

1
2
3 population in the area; thus, there are no low-income populations in the Texas portion of the
4 50-mi (80-km) area around the boundary of the SEZ.

5
6 Figures 12.3.20.1-1 and 12.3.20.1-2 show the locations of the minority and low-income
7 population groups within the 50-mi (80-km) area around the boundary of the SEZ.

8
9
10 **12.3.20.2 Impacts**


11
12 Environmental justice concerns common to all utility-scale solar energy development are
13 described in detail in Section 5.18. These impacts will be minimized through the implementation
14 of programmatic design features described in Appendix A, Section A.2.2, which address the



1

2 **FIGURE 12.3.20.1-1 Minority Population Groups within the 50-mi (80-km) Area Surrounding**
 3 **the Proposed Red Sands SEZ**

4



1

2 **FIGURE 12.3.20.1-2 Low-Income Population Groups within the 50-mi (80-km) Radius**
 3 **Surrounding the Proposed Red Sands SEZ**

1 underlying environmental impacts contributing to the concerns. The potentially relevant
2 environmental impacts associated with solar facilities within the proposed SEZ include noise and
3 dust during the construction of solar facilities; noise and EMF effects associated with solar
4 project operations; the visual impacts of solar generation and auxiliary facilities, including
5 transmission lines; access to land used for economic, cultural, or religious purposes; and effects
6 on property values. These issues are areas of concern that might potentially affect minority and
7 low-income populations. Minority populations have been identified within 50 mi (80 km) of the
8 proposed SEZ; no low-income populations are present (Section 12.3.20.1).

9
10 Potential impacts on low-income and minority populations could be incurred as a result
11 of the construction and operation of solar development involving each of the four technologies.
12 Although impacts are likely to be small, there are minority populations, as defined by CEQ
13 guidelines (Section 12.3.20.1), within the 50-mi (80-km) radius around the boundary of the SEZ;
14 thus any adverse impacts of solar projects could disproportionately affect minority populations.
15 Because there are low-income populations within the 50-mi (80-km) radius, according to CEQ
16 guidelines, there could be impacts on low-income populations.

17 18 19 **12.3.20.3 SEZ-Specific Design Features and Design Feature Effectiveness**

20
21 No SEZ-specific design features addressing environmental justice impacts have been
22 identified for the proposed Red Sands SEZ. Implementing the programmatic design features
23 described in Appendix A, Section A.2.2, as required under BLM's Solar Energy Program would
24 reduce the potential for environmental justice impacts during all project phases.

1 **12.3.21 Transportation**
2

3 The proposed Red Sands SEZ is accessible by road, rail, and air networks. Two
4 U.S. highways, one major railroad, and a small regional airport serve the area. General
5 transportation considerations and impacts are discussed in Sections 3.4 and 5.19, respectively.
6

7
8 **12.3.21.1 Affected Environment**
9

10 The proposed Red Sands SEZ is southwest of the junction of U.S. 54 and U.S. 70 in
11 Alamogordo, New Mexico, as shown in Figure 12.3.21.1-1. U.S. 70 borders portions of the
12 northern edge of the SEZ and extends to Las Cruces, New Mexico, 70 mi (113 km) southwest of
13 Alamogordo. U.S. 54 borders portions of the eastern edge of the SEZ and continues to El Paso,
14 Texas, 90 mi (145 km) south of Alamogordo. Both U.S. 54 and U.S. 70 are four-lane divided
15 highways in the area of the SEZ. A few local dirt roads cross the SEZ, with Old Las Cruces
16 Highway extending east-west across the southern section of the SEZ. In the White Sands
17 Resource Area RMP (BLM 1986c), the area in the SEZ is among the 1,526,180 acres
18 (6,176 km²) in the group of lands designated for OHV and vehicle use as “Open.” Annual
19 average traffic volumes for the major roads are provided in Table 12.3.21.1-1.
20

21 The UP railroad serves the area. The railroad parallels U.S. 54 as it passes along the
22 eastern side of the SEZ on its way to El Paso to the south and Kansas City, Kansas, to the
23 northeast. The nearest rail stops are at Alamogordo and Omlee, directly east of the SEZ (UP
24 Railroad 2009).
25

26 Four small and one larger airport open to the public are within a driving distance of less
27 than 75 mi (121 km) of the proposed Red Sands SEZ, as listed in Table 12.3.21.1-2. With the
28 exception of Alamogordo–White Sands Regional Airport, none of the small airports have
29 regularly scheduled passenger service. The nearest public airport is Alamogordo–White Sands
30 Regional Airport, about 2 mi (3 km) northeast of the SEZ along U.S. 70. The airport is served by
31 New Mexico Airlines (City of Alamogordo 2010), with 379 passengers having departed from
32 and 437 passengers having arrived at the airport in 2008 (BTS 2009). The nearest larger airport
33 is in El Paso, about a 71-mi (114-km) drive south-southwest of the SEZ. The El Paso
34 International Airport is served by a number of major U.S. airlines, with 1.90 million passengers
35 having departed from and 1.88 million passengers having arrived at the airport in 2008
36 (BTS 2009). For the same year, 60.8 million lb (27.6 million kg) of freight were shipped from
37 El Paso International Airport and 80.7 million lb (36.6 million kg) of freight were received.
38

39 Holloman Air Force Base is situated directly north of the proposed Red Sands SEZ on the
40 north side of U.S. 70. Condron Army Air Field, within the White Sands Missile Range, is 25 mi
41 (40 km) southwest of the proposed Red Sands SEZ.
42
43
44




FIGURE 12.3.21.1-1 Local Transportation Network Serving the Proposed Red Sands SEZ

1

2

TABLE 12.3.21.1-1 2008 AADT on Major Roads near the Proposed Red Sands SEZ

Road	General Direction	Location	AADT (Vehicles)
U.S. Highway 54	North-south	South of Alamogordo/north of Valmont South of Valmont	6,430 3,760
U.S. Highway 54/70	North-south	North of Alamogordo	13,200
U.S. Highway 70	Southwest-northeast	Between Holloman Air Force Base and Alamogordo Southwest of Holloman Air Force Base	14,600 9,030

Source: NM DOT (2010).

12.3.21.2 Impacts

As discussed in Section 5.19, the primary transportation impacts are anticipated to be from commuting worker traffic. U.S. 54 and U.S. 70 provide the regional traffic corridors that would experience small impacts for single projects that may have up to 1,000 daily workers, with an additional 2,000 vehicle trips per day (maximum). Such an increase would range from less than 15% of the current traffic on U.S. 70 by the northeastern border of the SEZ between Holloman Air Force Base and Alamogordo to more than 50% of the current traffic on U.S. 54 as it passes the southern section of the SEZ. Light to moderate congestion impacts could occur on either highway, primarily near site access points.

Should up to two large projects with about 1,000 daily workers each be under development simultaneously, an additional 4,000 vehicle trips per day could be added to U.S. 54 and U.S. 70 in the vicinity of the SEZ, assuming ride-sharing programs were not implemented. This additional traffic would be about a 110% increase in the current average daily traffic level on segments of U.S. 54 near the southern portion of the SEZ, if all SEZ-related traffic used U.S. 54, and would have moderate impacts on traffic flow during peak commuter times. The extent of the problem would depend on the relative locations of the projects within the SEZ, where the worker populations originate, and the work schedules. Local road improvements would be necessary in any portion of the SEZ near U.S. 54 that might be developed so as not to overwhelm the local roads near any site access points. Traffic on U.S. 70 could also be moderately affected near site access points if design features were not implemented.

Solar development within the SEZ would affect public access along OHV routes designated open and available for public use. If open routes within a proposed project area were identified during project-specific analyses, they would be re-designated as closed (see Section 5.5.1 for more details on how routes coinciding with proposed solar facilities would be treated).

TABLE 12.3.21.1-2 Airports Open to the Public in the Vicinity of the Proposed Red Sands SEZ

Airport	Location	Owner/Operator	Runway 1 ^{a,b}			Runway 2 ^b		
			Length (ft [m])	Type	Condition	Length (ft [m])	Type	Condition
Alamogordo-White Sands Regional	2 mi (3 km) west of the northern section of the SEZ along U.S. 70	City of Alamogordo	3,512 (1,070)	Dirt	Fair	7,006 (2,135)	Asphalt/ Porous Friction Courses	Good
Carrizozo Municipal	North of the SEZ on U.S. 54, about a 64 mi (103 km) drive	Town of Carrizozo	2,500 (762)	Dirt	Fair	4,900 (1,494)	Asphalt	Excellent
Las Cruces International	Approximately 70 mi (113 km) southwest of the SEZ taking U.S. 70 to I-10	City of Las Cruces	6,069 (1,850)	Asphalt	Good	7,499 (2,286)	Concrete/ Grooved	Excellent
			7,499 (2,286)	Asphalt	Fair	NA ^c	NA	NA
El Paso International	South-southwest of the SEZ taking U.S. 54 to El Paso, near I-10, about a 71 mi (114 km) drive	City of El Paso	5,499 (1,676)	Asphalt	Fair	9,025 (2,751)	Asphalt/ Grooved	Excellent
			12,020 (3,664)	Asphalt/ Grooved	Good	NA	NA	NA
Sierra Blanca Regional	71 mi (114 km) drive northeast of the SEZ	Village of Ruidoso	6,500 (1,981)	Asphalt	Good	8,099 (2,469)	Asphalt/ Porous Friction Courses	Fair

^a Las Cruces International and El Paso International each have three runways. In each case, information on two of the runways is presented in the “Runway 1” column, and information on the third is in the “Runway 2” column.

^b Source: FAA (2010).

^c NA = not applicable.

1 **12.3.21.3 SEZ-Specific Design Features and Design Feature Effectiveness**
2

3 The programmatic design features described in Appendix A, Section A.2.2, including
4 local road improvements, multiple site access locations, staggered work schedules, and ride-
5 sharing, would all provide some relief from traffic congestion on local roads leading to the site.
6 Depending on the location of solar facilities within the SEZ, more specific access locations and
7 local road improvements could be implemented.
8

9 A proposed design feature specific to the proposed SEZ includes:

- 10
- 11 • Siting of power towers with respect to the air traffic associated with Alamogordo-
12 White Sands Regional Airport and Holloman Air Force Base should be carefully
13 considered so as not to pose a hazard to navigation or to interfere with Air Force
14 operations.
15

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank.

1 **12.3.22 Cumulative Impacts**
2

3 The analysis presented in this section addresses the potential cumulative impacts in the
4 vicinity of the proposed Red Sands SEZ in Otero County, New Mexico. The CEQ guidelines for
5 implementing NEPA define cumulative impacts as environmental impacts resulting from the
6 incremental impacts of an action when added to other past, present, and reasonably foreseeable
7 future actions (40 CFR 1508.7). The impacts of other actions are considered without regard to
8 the agency (federal or nonfederal), organization, or person that undertakes them. The time frame
9 of this cumulative impacts assessment could appropriately include activities that would occur up
10 to 20 years in the future (the general time frame for PEIS analyses), but little or no information is
11 available for projects that could occur in the vicinity of the proposed Red Sands SEZ further than
12 5 to 10 years in the future.
13

14 The Red Sands SEZ is about 7 mi (11 km) south of the city of Alamogordo, New
15 Mexico. The nearest population center is the small community of Boles Acres (population
16 1,172 in 2000) located within 2 mi (3 km) east of the SEZ. The Holloman Air Force Base is
17 adjacent and northwest of the SEZ, and the White Sands Missile Range is adjacent and west of
18 the SEZ. Fort Bliss McGregor Range is within 1 mi (2 km) east of the SEZ. Within 50 mi
19 (80 km) of the SEZ, are about five Wilderness Study Areas. The Lincoln National Forest is
20 about 5 mi (8 km) east of the SEZ, and the White Sands National Monument is about 6 mi
21 (10 km) west. The Mescalero Apache Reservation is about 18 mi (km) northeast of the SEZ.
22 The San Andres National Wildlife Refuge is about 20 mi (32 km) west of the SEZ, and the
23 Agricultural Research Service’s Jornada Experimental Range is about 25 mi (40 km) west of
24 the SEZ. In addition, the Red Sands SEZ is a little over 50 mi (80 km) from both the Afton and
25 Mason Draw SEZs, and for some resource assessments, the geographic extent of effects for the
26 three SEZs overlaps.
27

28 The geographic extent of the cumulative impacts analysis for each potentially affected
29 resource on or near the proposed Red Sands SEZ is identified in Section 12.3.22.1. An overview
30 of ongoing and reasonably foreseeable future actions is presented in Section 12.3.22.2. General
31 trends in population growth, energy demand, water availability, and climate change are discussed
32 in Section 12.3.22.3. Cumulative impacts for each resource area are discussed in
33 Section 12.3.22.4.
34
35

36 **12.3.22.1 Geographic Extent of the Cumulative Impacts Analysis**
37

38 The geographic extent of the cumulative impacts analysis for each potentially affected
39 resource evaluated on or near the proposed Red Sands SEZ is provided in Table 12.3.22.1-1.
40 These geographic areas define the boundaries encompassing potentially affected resources. Their
41 extent may vary on the basis of the nature of the resource being evaluated and the distance at
42 which an impact may occur (thus, for example, the evaluation of air quality may have a greater
43 regional extent of impact than visual resources). The DoD, the BLM, the USFS, and the
44 Mescalero Apache Reservation administer most of the land around the SEZ. The BLM
45 administers about 15% of the lands within a 50-mi (80-km) radius of the SEZ.

TABLE 12.3.22.1-1 Geographic Extent of the Cumulative Impacts Analysis by Resource Area for the Proposed Red Sands SEZ

Resource Area	Geographic Extent
Land Use	Otero, Dona Ana, Sierra, Socorro, Lincoln, and Chaves Counties in New Mexico; El Paso and Hudspeth Counties in Texas
Specially Designated Areas and Lands with Wilderness Characteristics	Within a 25-mi (40-km) radius of the Red Sands SEZ
Rangeland Resources	
Grazing	Grazing allotments within 5 mi (8 km) of the Red Sands SEZ
Wild Horses and Burros	A 50-mi (80-km) radius from the center of the Red Sands SEZ
Recreation	Otero, Dona Ana, Sierra, Socorro, Lincoln, and Chaves Counties in New Mexico; El Paso and Hudspeth Counties in Texas
Military and Civilian Aviation	Otero, Dona Ana, Sierra, Socorro, Lincoln, and Chaves Counties in New Mexico; El Paso and Hudspeth Counties in Texas
Soil Resources	Areas within and adjacent to the Red Sands SEZ
Minerals	Otero, Dona Ana, Sierra, Socorro, Lincoln, and Chaves Counties in New Mexico; El Paso and Hudspeth Counties in Texas
Water Resources	
Surface Water	Holloman (Raptor) Lake, Foster Lake (dry lake), Tularosa Creek, Salt Creek, Big Salt Lake, Lake Lucero, headwaters for the Sacramento River and the Rio Penasco
Groundwater	Tularosa groundwater basin
Air Quality and Climate	A 31-mi (50-km) radius from the center of the Red Sands SEZ
Vegetation, Wildlife and Aquatic Biota, Special Status Species	A 50-mi (80-km) radius from the center of the Red Sands SEZ, including portions of Otero, Dona Ana, Sierra, Socorro, Lincoln, and Chaves Counties in New Mexico and El Paso and Hudspeth Counties in Texas
Visual Resources	Viewshed within a 25-mi (40-km) radius of the Red Sands SEZ
Acoustic Environment (noise)	Areas adjacent to the Red Sands SEZ
Paleontological Resources	Areas within and adjacent to the Red Sands SEZ
Cultural Resources	Areas within and adjacent to the Red Sands SEZ for archaeological sites; viewshed within a 25-mi (40-km) radius of the Red Sands SEZ for other properties, such as traditional cultural properties
Native American Concerns	Areas within and adjacent to the Red Sands SEZ; viewshed within a 25-mi (40-km) radius of the Red Sands SEZ

TABLE 12.3.22.1-1 (Cont.)

Resource Area	Geographic Extent
Socioeconomics	A 50-mi (80-km) radius from the center of the Red Sands SEZ
Environmental Justice	A 50-mi (80-km) radius from the center of the Red Sands SEZ
Transportation	I-10 and I-25; U.S. 54, 70, and 82; State Highways 24, 130, and 521.

1
2
3 **12.3.22.2 Overview of Ongoing and Reasonably Foreseeable Future Actions**
4

5 The future actions described below are those that are “reasonably foreseeable”; that is,
6 they have already occurred, are ongoing, are funded for future implementation, or are included in
7 firm near-term plans. Types of proposals with firm near-term plans are as follows:
8

- 9
- 10 • Proposals for which NEPA documents are in preparation or finalized;
 - 11 • Proposals in a detailed design phase;
 - 12
 - 13 • Proposals listed in formal NOIs published in the *Federal Register* or state
14 publications;
 - 15
 - 16 • Proposals for which enabling legislations has been passed; and
 - 17
 - 18 • Proposals that have been submitted to federal, state, or county regulators to begin a
19 permitting process.
20

21 Projects in the bidding or research phases or that have been put on hold were not included in the
22 cumulative impact analysis.
23

24 The ongoing and reasonably foreseeable future actions described below are grouped into
25 two categories: (1) actions that relate to energy production and distribution, including potential
26 solar energy projects under the proposed action (Section 12.3.22.2.1); and (2) other ongoing and
27 reasonably foreseeable actions, including those related to mining and mineral processing, grazing
28 management, transportation, recreation, water management, and conservation
29 (Section 12.3.22.2.2). Together, these actions and trends have the potential to affect human and
30 environmental receptors within the geographic range of potential impacts over the next 20 years.
31

32
33 **12.3.22.2.1 Energy Production and Distribution**
34

35 In March 2007, New Mexico passed Senate Bill 418, which expands the state’s
36 Renewable Energy Standard to 20% by 2020, with interim standards of 10% by 2011 and
37 15% by 2015. The bill also establishes a standard for rural electric cooperatives of 10% by 2020.

1 Furthermore, utilities are to set a goal of at least 5% reduction in total retail sales to New Mexico
 2 customers, adjusted for load growth, by January 1, 2020 (DSIRE 2010).

3
 4 Reasonably foreseeable future actions related to renewable energy production and
 5 energy distribution within 50 mi (80 km) of the proposed Red Sands SEZ are identified in
 6 Table 12.3.22.2-1 and are described in the following paragraphs. However, no foreseeable
 7 fast-track projects for solar, wind, or geothermal energy have been identified within this distance.
 8
 9

10 **Renewable Energy Development**

11
 12 Renewable energy ROW applications are considered in two categories—fast-track and
 13 regular-track applications. Fast-track applications, which apply principally to solar energy
 14 facilities, are those applications on public lands for which the environmental review and public
 15 participation process is underway and the applications could be approved by December 2010. A
 16 fast-track project would be considered foreseeable because the permitting and environmental
 17 review processes would be under way. There are no solar fast-track project applications within
 18 the ROI of the proposed Red Sands SEZ. Regular-track proposals are considered potential future
 19 projects, but not necessarily foreseeable projects, since not all applications would be expected to
 20 be carried to completion.
 21
 22

TABLE 12.3.22.2-1 Reasonably Foreseeable Future Actions Related to Energy Development and Distribution near the Proposed Red Sands SEZ

Description	Status	Resources Affected	Primary Impact Location
<i>Fast-Track Solar Energy Projects on BLM-Administered Land</i> None			
<i>Transmission and Distribution Systems</i>			
SunZia Southwest Transmission Project (two 500-kV lines)	NOI May 29, 2009; Draft EIS is expected to be available for review and comment by late 2010	Land use, terrestrial habitats, visual	Project study area includes the proposed Red Sands SEZ, most of central New Mexico, and a corridor through southwest New Mexico that connects to Arizona
High Plains Express Transmission Project (two 500-kV lines)	Feasibility Study Report June 2008	Land use, terrestrial habitats, visual	Conceptual route from northeast to southwest New Mexico via Luna, New Mexico to Arizona

1 **Pending Renewable Energy ROW Applications on BLM-Administered Lands.** No solar
2 or geothermal regular-track ROW applications have been submitted to the BLM that would be
3 located within 50 mi (80 km) of the SEZ. However, there is one pending wind testing application
4 within 50 mi (80 km) of the SEZ. Table 12.3.22.2-2 provides information on the wind project
5 and Figure 12.3.22.2-1 shows the location of this application. The likelihood of the regular-track
6 wind application project actually being developed is uncertain but is generally assumed to be less
7 than that for fast-track applications.
8
9

10 **Transmission and Distribution**

11
12

13 **SunZia Southwest Transmission Project.** This proposed project would be for two
14 500-kV transmission lines with an estimated total capacity of 3,000 MW. The proposed 460-mi
15 (736-km) long transmission line would originate at a new substation in either Socorro County or
16 Lincoln County in the vicinity of Bingham or Ancho, New Mexico, and terminate at the Pinal
17 Central Substation in Pinal County near Coolidge, Arizona. The route and alternatives would
18 cross BLM lands for about 170 mi (272 km) in New Mexico and 45 mi (72 km) in Arizona,
19 along with state and private lands (BLM 2010d). The project study area includes the Red Sands
20 SEZ, most of central New Mexico, and a corridor through southwest New Mexico that connects
21 to Arizona. The project would transmit electricity generated by power generation resources,
22 including primarily renewable resources, to western power markets and load centers
23 (BLM 2010d). A Draft EIS is expected to be available for public review and comment by
24 late 2010. Other federal, state, and county permitting efforts are also underway. SunZia is
25 anticipated to be in service and delivering renewable energy by early 2014 (SunZia 2010).
26
27

28 **High Plains Express Transmission Project.** Two 500-kV transmission lines carrying up
29 to 4,000 MW of bulk power are proposed. This project would traverse 1,300 mi (2,100 km) from
30 east-central Wyoming, through eastern Colorado, across New Mexico, to Arizona. The
31 conceptual route for one 500-kV line would connect to a substation about 90 mi (144 km) west
32 of the Red Sands SEZ or interconnect with the proposed SunZia project for a portion of the route
33 near the SEZ. The project would strengthen the eastern portion of the western grid, increase
34 markets for renewable energy, increase system reliability, and allow economic transfers of
35 energy. The project is projected to cost more than \$5 billion (HPX 2008). Construction would
36 begin in 2015, and operation would start in 2018. A project feasibility study was completed
37 in 2008, and more detailed project studies are under way.
38
39

40 **12.3.22.2.2 Other Actions**


41

42 Other major ongoing and foreseeable actions identified within 50 mi (80 km) of the
43 proposed Red Sands SEZ are listed in Table 12.3.22.2-3 and are described in the following
44 subsections.
45
46

TABLE 12.3.22.2-2 Pending Renewable Energy Project ROW Applications on BLM-Administered Land within 50 mi (80 km) of the Red Sands SEZ

Serial No.	Project Name	Application Received	Size (acres ^a)	MW	Technology	Status	Field Office
<i>Wind Applications</i>							
NMNM 115687	Guadalupe Mountains Wind, LLC	Feb. 16, 2006	46,547	–	Wind	Authorized for Wind Site Testing	Carlsbad

^a To convert acres to km², multiply by 0.004047.



1

2

3

4

FIGURE 12.3.22.2-1 Locations of Renewable Energy Project ROW Applications within a 50-mi (80-km) Radius of the Proposed Red Sands SEZ

1 **Other Ongoing Actions**
2
3

4 **Fort Bliss.** The main cantonment area of Fort Bliss is located adjacent to El Paso, Texas,
5 about 50 mi (80 km) south–southwest of the SEZ. The installation, which also includes the
6 McGregor Range, the Dona Ana Range, the North Training Area in New Mexico, and the South
7 Training Area in Texas, occupies a total of 1.12 million acres (4530 km²). Fort Bliss comprises
8 a complex of facilities and conducts training and test activities. The original Army post was
9 established in 1854 (GlobalSecurity.org 2010a).
10
11

12 **Fort Bliss McGregor Range.** Fort Bliss McGregor Range, adjacent to the SEZ,
13 encompasses 608,335 acres (2,461 km²) of withdrawn public land, 71,083 acres (288 km²) of
14 Army fee-owned land, and 18,004 acres (73 km²) of USFS land. Mission activities include
15 training to maintain the operational readiness of active duty, reserve, and National Guard units
16 through training, operations, and field exercises. Field exercises include field operations,
17 communications, command and control, simulated enemy contact, smoke generation, and missile
18 and weapons firing. Participation in joint training involves 10,000 to 20,000 personnel per year
19 (GlobalSecurity.org 2010b).
20
21

22 **Fort Bliss Dona Ana Range.** Fort Bliss Dona Ana Range is 18 mi (28 km) south of the
23 proposed Red Sands SEZ. The multi-purpose range complex consists of target lanes with armor
24 stationary pits, moving and stationary targets, small arms ranges for mechanized infantry and
25 aerial gunnery, and smoke generators for training to screen friendly actions against aggressor
26 positions. Participation in joint training has involved more than 20,000 personnel per year
27 (GlobalSecurity.org 2010c).
28
29

30 **White Sands Missile Range (WSMR).** The White Sands Missile Range, the Department
31 of the Army’s largest installation, covers about 2.2 million acres (8,900 km²) and is located
32 adjacent to the proposed Red Sands SEZ. The facility began operating in 1945 and employs
33 about 2,700 military personnel and contractors. The primary mission is to support missile
34 development and test programs for the U.S. Army, Navy, Air Force, and NASA. WSMR
35 supports about 3,200 to 4,300 test events annually (GlobalSecurity.org 2010d; WSMR 2009).
36
37

38 **Jornada Experimental Range.** The Department of Agriculture’s Jornada Experimental
39 Range encompasses 193,000 acres (780 km²). The closest boundary is 24 mi (39 km) west of
40 the SEZ. The mission of the facility, which began operation in 1912, is to develop new
41 knowledge of ecosystem processes as a basis for management and remediation of desert
42 rangelands (USDA 2008).
43
44

TABLE 12.3.22.2-3 Other Major Actions near the Proposed Red Sands SEZ^a

Description	Status	Resources Affected	Primary Impact Location
Fort Bliss	Established in 1854	Land use, terrestrial habitats, air quality, visual	50 mi (80 km) south southwest of the SEZ
Fort Bliss McGregor Range	Operating since the 1940s	Land use, terrestrial habitats, air quality, visual	Adjacent to the SEZ
Fort Bliss Dona Ana Range	Operating	Land use, terrestrial habitats, air quality, visual	18 mi (28 km) south of the SEZ
White Sands Missile Range	Operating since 1945	Land use, terrestrial habitats, air quality, visual	Adjacent to the SEZ
Jornada Experimental Range	Operating since 1912	Land use	Nearest boundary 24 mi (39 km) west of the SEZ
Opening of Hunting on the San Andres National Wildlife Refuge (NWR)	EA issued February 2007	Terrestrial habitat, wildlife	Boundary 20 mi (32 km) west of the SEZ
Mountain Lion Management on the San Andres NWR	EA issued September 2002	Terrestrial habitat, wildlife	Boundary 20 mi (32 km) west of the SEZ
Beddown of Training F-35A Aircraft at Holloman Air Force Base	NOI December 28, 2009	Land use	Adjacent to the SEZ
Lake Holloman Recreation Area Development	EA issued January 2009	Aquatic biota, surface water	Adjacent to the SEZ
Apache Pit Operating and Reclamation Plan	Scoping Letter April 2010	Terrestrial habitat, air quality	20 mi (32 km) northeast of the SEZ
Alamogordo Regional Water Supply Project	DEIS issued August 2010	Surface water, groundwater, geology, aquatic biota	Wells 30 mi (48 km) north of the SEZ; Desalination Facility 5 mi (8km) NE of SEZ
Tularosa Basin Desalination Research Facility	Final EA issued July 2003.	Terrestrial habitat, groundwater, cultural	5 mi (8 km) northeast of the SEZ

^a Projects ongoing or in later stages of agency environmental review and project development.

1 **Other Foreseeable Actions**
2
3

4 **Opening of Hunting on the San Andres National Wildlife Refuge (NWR).** The USFWS
5 intends to remove exotic antelope oryx on the San Andres NWR through a limited hunting
6 program. The closest boundary of the NWR is 20 mi (32 km) west of the SEZ. The NWR
7 encompasses 57,215 acres (232 km²). The oryx, a large African antelope that was introduced in
8 the early 1970s, has caused habitat damage and is a potential carrier of disease for desert mule
9 deer and desert bighorn sheep (USFWS 2007).
10
11

12 **Mountain Lion Management on the San Andres NWR.** The USFWS intends to protect
13 desert bighorn sheep from predation by mountain lions during restoration efforts for desert
14 bighorn sheep in the San Andres Mountains. The closest boundary of the NWR is 20 mi (32 km)
15 west of the SEZ. The NWR encompasses 57,215 acres (232 km²). Control of mountain lions
16 would be concentrated in a limited area around the desert bighorn sheep release sites. Any
17 mature mountain lion perceived to be a threat would be killed (USFWS 2002).
18
19

20 **Bed-down of Training F-35A Aircraft at Holloman Air Force Base.** Holloman Air
21 Force Base, located adjacent to the SEZ on the north, encompasses 59,639 acres (241 km²). It is
22 the home to the 49th Fighter Wing and the German Air Force training. The base supports a
23 population of 21,000 active duty, Guard, and Reserve personnel; retirees; DoD civilians; and
24 family members. F-22A, T-38, QF-4, and Tornado aircraft operate from the base. The base was
25 opened in 1942 as Alamogordo Army Air Field, and renamed Holloman Air Force Base in 1948.
26 Holloman Air Force Base is one of the sites being considered for the bed-down of training
27 F-35A aircraft, and an EIS is being prepared for that action (Holloman Air Force Base 2010).
28
29

30 **Lake Holloman Recreation Area Development.** The 49th Fighter Wing proposes to
31 construct camping, beach, and picnic areas; nature trails; restrooms; and recreational vehicle
32 facilities at Lake Holloman and Lagoon G on Holloman Air Force Base. Currently, the areas
33 surrounding Lake Holloman and Lagoon G do not support organized recreational activities. The
34 lake, encompassing about 1,700 acres (6.9 km²), is on the southernmost part of Holloman Air
35 Force Base (Holloman Air Force Base 2009).
36
37

38 **Apache Pit Operating and Reclamation Plan.** The USFS has requested comments on the
39 proposed Apache Pit Operating and Reclamation Plan. The existing Apache Pit gravel site is
40 2 mi (3 km) east of Cloudercroft, New Mexico, and about 20 mi (32 km) northeast of the SEZ. The
41 existing pit covers 10 acres (0.04 km²) and has operated for more than 16 years. The objective is
42 to develop plan for an 18-acre (0.07-km²) pit expansion to provide 1.5 million yd³
43 (1.1 million m³) of material to allow for future mining for an estimated 30 years (USFS 2010).
44
45

1 **Alamogordo Regional Water Supply Project.** The City of Alamogordo, New Mexico,
2 plans to construct and operate 10 brackish groundwater wells, install water transmission lines to
3 Alamogordo, construct a desalination plant, and construct a booster pump station to deliver the
4 treated water into the municipal water system. The 10 wells would be drilled on about 20 acres
5 (0.08 km²) of BLM land 26 mi (42 km) north of Alamogordo and 30 mi (48 km) north of the
6 SEZ. They would withdraw 4,000 ac-ft/yr (4.9 million m³/yr) of brackish water. The reverse-
7 osmosis desalination facility will be co-located on the 99-acre (0.40-km²) site of the Tularosa
8 Basin Desalination Research Facility in Alamogordo, about 5 mi (8km) northeast of the closest
9 SEZ boundary. The water transmission line will run parallel to U.S. 54 (BLM 2010e).

10
11 **Tularosa Basin Desalination Research Facility.** The Bureau of Reclamation (BOR) has
12 operated the Tularosa Basin Desalination Research Facility since 2007. The goal of the facility is
13 to improve the existing desalination technologies. The 99-acre (0.40-km²) site, located at the
14 intersection of U.S. 70 and U.S. 54 in Alamogordo, New Mexico, is about 5 mi (8 km) northeast
15 of the closest SEZ boundary. The site contains a 16,000-ft² (1,500-m²) office and research
16 building, a 4- to 5-acre (0.016- to 0.020-km²) area for the evaluation of renewable energy
17 desalination applications, a 4- to 5-acre (0.016- to 0.020-km²) area for the concentrated disposal
18 and minimization, and 4 to 5 acres (0.016 to 0.020 km²) of concentrated reuse for agricultural
19 applications (BOR 2003; Hightower 2004).

20 21 22 **Grazing Allotments**

23
24 Four grazing allotments overlap the Red Sands SEZ. Within 50 mi (80 km) of the SEZ,
25 most of the grazing allotments are to the north and southeast.

26 27 28 **Mining**

29
30 Within 50 mi (80 km) of the Red Sands SEZ, the BLM GeoCommunicator database
31 (BLM and USFS 2010b) shows several active mining claims on file with the BLM. The highest
32 density (101 to 200 claims per township) is about 45 mi (75 km) north of the SEZ.

33 34 35 **12.3.22.3 General Trends**

36 37 38 **12.3.22.3.1 Population Growth**

39
40 Over the period 2000 to 2008, the counties in the ROI experienced growth in population.
41 During that period, the population in Dona Ana County in New Mexico grew at an annual rate of
42 2.1%; Otero County in New Mexico grew by 0.6%; and El Paso County in Texas grew by 1.7%.
43 The population of the three-county surrounding ROI for the proposed Red Sands SEZ in 2008
44 was 1,047,566, having grown at an average annual rate of 1.7% since 2000. The growth rate for
45 the state of New Mexico as a whole was 1.7% (Section 12.3.10.1).

1 **12.3.22.3.2 Energy Demand**
2

3 The growth in energy demand is related to population growth through increases in
4 housing, commercial floorspace, transportation, manufacturing, and services. Given that
5 population growth is expected in Dona Ana, Otero, and El Paso Counties between 2006
6 and 2016, an increase in energy demand is also expected. However, the Energy Information
7 Administration (EIA) projects a decline in per-capita energy use through 2030, mainly because
8 of the high cost of oil and improvements in energy efficiency throughout the projection period.
9 Primary energy consumption in the United States between 2007 and 2030 is expected to grow by
10 about 0.5% each year; the fastest growth is projected for the commercial sector (at 1.1% each
11 year). Transportation, residential, and industrial energy consumption are expected to grow by
12 about 0.5%, 0.4%, and 0.1% each year, respectively (EIA 2009).
13

14
15 **12.3.22.3.3 Water Availability**
16

17 As described in Section 12.3.9, depth to groundwater in the vicinity of the Red Sand SEZ
18 is about 75 feet (23 m). Groundwater pumping in the Tularosa Basin underlying the SEZ has led
19 to drawdown of the water table elevation. Water levels have dropped between 15 and 35 ft (5 and
20 11 m) between 1954 and 1996 east of the proposed SEZ near well fields serving the Holloman
21 Air Force Base. Annual recharge to the basin is estimated range from 14,500 to 29,920 ac-ft
22 (18 million to 37 million m³).
23

24 In 2005, water withdrawals from surface waters and groundwater in Otero County were
25 40,711 ac-ft/yr (50.2 million m³/yr), of which 27% came from surface waters and 73% from
26 groundwater. The largest water use category was agricultural irrigation, at 36,743 ac-ft/yr
27 (45.3 million m³/yr). Public supply water use accounted for 3,408 ac-ft/yr (4.2 million m³/yr),
28 which was provided by groundwater only.
29

30 The Tularosa Basin is recognized by the New Mexico Office of the State Engineer as a
31 mined basin, in which groundwater withdrawals exceed recharge, and use is administered to a
32 specified amount of dewatering during a 40-year planning period. The estimated maximum
33 groundwater use, if mined, is 63,250 ac-ft/yr (78 million m³/yr).
34

35
36 **12.3.22.3.4 Climate Change**
37

38 A report on global climate change in the United States prepared by the U.S. Global
39 Change Research Program (GCRP 2009) documents current temperature and precipitation
40 conditions and historic trends. Excerpts of the conclusions from this report indicate the following
41 for the southwestern region of the United States, which includes western and central
42 New Mexico:
43

- 44 • Decreased precipitation, with a greater percentage of that precipitation coming from
45 rain, will result in a greater likelihood of winter and spring flooding and decreased
46 stream flow in the summer.

- 1 • Increased frequency and altered timing of flooding will increase risks to people,
2 ecosystems, and infrastructure.
3
- 4 • The average temperature in the Southwest has already increased by about 1.5°F
5 (0.8°C) compared to a 1960 to 1979 baseline, and by the end of the century, the
6 average annual temperature is projected to rise 4°F to 10°F (2°C to 6°C).
7
- 8 • A warming climate and the related reduction in spring snowpack and soil moisture
9 have increased the length of the wildfire season and the intensity of forest fires.
10
- 11 • Later snow and less snow coverage in ski resort areas could force ski areas to shut
12 down before the season would otherwise end.
13
- 14 • Much of the Southwest has experienced drought conditions since 1999. This
15 represents the most severe drought in the last 110 years. Projections indicate an
16 increasing probability of drought in the region.
17
- 18 • As temperatures rise, the landscape will be altered as species shift their ranges
19 northward and upward to cooler climates.
20
- 21 • Temperature increases, when combined with urban heat island effects for major cities
22 such as Albuquerque, present significant stress to health and electricity and water
23 supplies.
24
- 25 • Increased minimum temperatures and warmer springs extend the range and lifetime
26 of many pests that stress trees and crops, and lead to northward migration of weed
27 species.
28
29

30 **12.3.22.4 Cumulative Impacts on Resources** 31

32 This section addresses potential cumulative impacts in the proposed Red Sands SEZ on
33 the basis of the following assumptions: (1) because of the moderate size of the proposed SEZ
34 (>10,000 and <30,000 acres [>40.5 and <121 km²]), up to two projects could be constructed at a
35 time, and (2) maximum total disturbance over 20 years would be about 18,016 acres (73 km²)
36 (80% of the entire proposed SEZ). For purposes of analysis, it is also assumed that no more than
37 3,000 acres (12.1 km²) would be disturbed per project annually and up to 250 acres (1.01 km²)
38 monthly on the basis of construction schedules planned in current applications. Since a 115-kV
39 line runs through the SEZ, no analysis of impacts has been conducted for the construction of a
40 new transmission line outside of the SEZ that might be needed to connect solar facilities to the
41 regional grid (see Section 12.3.1.2). Regarding site access, the nearest major roads are U.S. 70,
42 which runs by the northernmost boundary of the SEZ, and U.S. 54, which runs along a portion of
43 the eastern boundary. It is assumed that no new access roads would need to be constructed to
44 reach either road and to support solar development in the SEZ.
45

1 Cumulative impacts that would result from the construction, operation, and
2 decommissioning of solar energy development projects within the proposed SEZ when added
3 to other past, present, and reasonably foreseeable future actions described in the previous
4 section in each resource area are discussed below. At this stage of development, because of the
5 uncertain nature of future projects in terms of size, number, and location within the proposed
6 SEZ and the types of technology that would be employed, the impacts are discussed qualitatively
7 or semiquantitatively, with ranges given as appropriate. More detailed analyses of cumulative
8 impacts would be performed in the environmental reviews for the specific projects in relation to
9 all other existing and proposed projects in the geographic area.

12 12.3.22.4.1 *Lands and Realty*

13
14 The area covered by the proposed Red Sands SEZ is largely rural and undeveloped. The
15 area surrounding the SEZ is mostly rural, with some industrial/commercial and residential
16 development near the northern and eastern borders. The SEZ also borders three different
17 U.S. military installations, including Holloman Air Force Base to the north, while the White
18 Sands National Monument lies 4 mi (6.4 km) to the west. U.S. 70 and U.S. 54 would provide
19 access to the SEZ, while the interior of the SEZ is accessible via several dirt/gravel roads
20 (Section 12.3.2.1).

21
22 Development of the SEZ for utility-scale solar energy production would establish a
23 new industrial area that would exclude many existing and potential uses of the land, perhaps
24 in perpetuity. There is little development within the SEZ, while several industrial facilities lie
25 along U.S. 70 to the north. Thus, utility-scale solar energy development within the SEZ would
26 not be a new land use in the area but would convert additional rural land to such use. Access to
27 portions of the SEZ holding solar facilities by both the general public and much wildlife, for
28 current uses, would be eliminated. Roads and trails that provide public access to the area,
29 especially from the east, would be blocked or rerouted by solar energy development.

30
31 As shown in Table 12.3.22.2-2 and Figure 12.3.22.2-1, there are currently no solar
32 applications on the SEZ or on public land within a 50-mi (80-km) radius of the proposed SEZ.
33 There is one wind testing application and no geothermal applications within this distance. Other
34 ongoing and currently foreseeable projects identified in Section 12.3.22.2.2 are mainly military
35 training bases and related activities (Section 12.3.22.2), which dominate land use near the SEZ.
36 The proposed Afton and Mason Draw SEZs are located about 50 mi (80 km) to the southwest.

37
38 The development of utility-scale solar projects in the proposed Red Sands SEZ in
39 combination with other ongoing and foreseeable actions within the 50-mi (80-km) geographic
40 extent of effects could have small-to-moderate cumulative effects on land use through impacts
41 on land access and use for other purposes, due to the large amounts of surrounding lands already
42 committed to military and other uses. It is not anticipated that approval of solar energy
43 development within the SEZ would have a significant impact on the amount of public lands
44 available for future ROWs outside the SEZ, however (Section 12.3.2.2.1).

1 ***12.3.22.4.2 Specially Designated Areas and Lands with Wilderness Characteristics***
2

3 Six specially designated areas are within 25 mi (40 km) of the proposed Red Sands SEZ
4 in New Mexico and potentially could be affected by solar energy development within the SEZ
5 from impacts on scenic and wilderness characteristics (Section 12.3.3.1). The potential exists for
6 cumulative visual impacts on these areas from the construction of utility-scale solar energy
7 facilities within the SEZ and other development outside the SEZ within the geographic extent of
8 effects. The magnitude of cumulative effects from currently foreseeable development, however,
9 would be low due to the small number of projects identified. Existing military, commercial, and
10 residential development to the north and east of the SEZ would contribute to cumulative visual
11 impacts on sensitive areas.
12

13
14 ***12.3.22.4.3 Rangeland Resources***
15

16 The proposed Red Sands SEZ covers from 13 to 51% of five existing grazing allotments,
17 while additional grazing lands on private or state lands within the outer boundary of the SEZ
18 may also be affected (Section 12.3.4.1.1). If utility-scale solar facilities were constructed on the
19 SEZ, those areas occupied by the solar projects would be excluded from grazing. However, there
20 would be a minimal impact on livestock use within the Las Cruces District of no more than about
21 0.6% of total AUMs. Other foreseeable projects within 50 mi (80 km) of the SEZ are not
22 expected to significantly affect grazing because of the nature and small number of the proposed
23 projects. Thus, cumulative impacts on grazing would be small.
24

25 The proposed Red Sands SEZ is about 90 mi (145 km) or more from the nearest wild
26 horse and burro HMA managed by the BLM and 200 mi (322 km) from any wild horse and burro
27 territories administered by the USFS; thus solar energy development within the SEZ would not
28 directly or indirectly affect wild horses and burros (Section 12.3.4.2.2). The SEZ would not,
29 therefore, contribute to cumulative effects on wild horses and burros.
30

31
32 ***12.3.22.4.4 Recreation***
33

34 There is little current recreational use within the area of the proposed SEZ, mainly hiking,
35 biking, backcountry driving, and hunting (Section 12.3.5.1). Construction of utility-scale solar
36 projects on the SEZ would preclude recreational use of the affected lands for the duration of the
37 projects, while access restrictions within the SEZ could affect access to recreational areas within
38 and outside the SEZ. Such effects are expected to be small due to low current use. However,
39 much of the surrounding land is also closed to recreation and alternate recreational areas may
40 require additional travel by users. Effects on wilderness characteristics in surrounding specially
41 designated areas from visual impacts of solar facilities are more difficult to assess, but small
42 cumulative impacts on these areas from solar development in the proposed SEZ could accrue.
43 Other foreseeable actions within the geographic extent of effects are limited and would not
44 contribute significantly to cumulative impacts on recreation.
45
46

1 **12.3.22.4.5 Military and Civilian Aviation**
2

3 The proposed Red Sands SEZ is located in the center of a concentration of MTRs and
4 SUAs that support activities at surrounding military installations. The military has expressed
5 concerns over potential impacts from solar facilities on flight operations, especially with regard
6 to Holloman Air Force Base to the north of the SEZ. In addition, the Alamogordo-White Sands
7 Regional Airport is within the 3 mi (4.8 km) of the SEZ (Section 12.3.6.1). FAA regulations,
8 including height restrictions on solar facilities and transmission lines to prevent conflicts with
9 civilian airport operations, would come into effect to protect civilian flight operations there.
10 Foreseeable development within 50 mi (80 km) of the SEZ would not affect military or civilian
11 aviation; thus, there would be no cumulative impacts.
12

13
14 **12.3.22.4.6 Soil Resources**
15

16 Ground-disturbing activities (e.g., grading, excavating, and drilling) during the
17 construction phase of a solar project, including the construction of any associated transmission
18 line connections and new roads, would contribute to soil loss due to wind erosion. Road use
19 during construction, operations, and decommissioning of the solar facilities would further
20 contribute to soil loss. Programmatic design features would be employed to minimize erosion
21 and loss. Residual soil losses with mitigations in place would be in addition to losses from
22 ongoing activities outside of the proposed SEZ, including military training operations and OHV
23 use. Cumulative impacts on soil resources from other ongoing and foreseeable projects within
24 the region are unlikely, because these projects are few in number and generally do not produce
25 significant soil disturbance (Section 12.3.22.2). Cumulative impacts from solar facilities in the
26 proposed Red Sands SEZ would depend on the number and size of facilities ultimately built, but
27 are expected to remain small with mitigations in place.
28

29 Landscaping of solar energy facility areas in the SEZ could alter drainage patterns and
30 lead to increased siltation of surface water streambeds, in addition to that from other activities
31 outside the SEZ. However, with the expected programmatic design features in place, cumulative
32 impacts would likewise be small.
33

34
35 **12.3.22.4.7 Minerals (Fluids, Solids, and Geothermal Resources)**
36

37 As discussed in Section 12.3.8, there are currently no active oil and gas leases or mining
38 claims within the proposed Red Sands SEZ, and there are no pending proposals for geothermal
39 energy development. Because of the generally low level of mineral production in the proposed
40 SEZ and surrounding area, and the expected low impact on mineral accessibility of other
41 foreseeable actions within the geographic extent of effects, no cumulative impacts on mineral
42 resources are expected.
43
44
45

1 **12.3.22.4.8 Water Resources**
2

3 Section 12.3.9.2 describes the water requirements for various technologies if they were to
4 be employed on the proposed SEZ to develop utility-scale solar energy facilities. The amount of
5 water needed during the peak construction year for evaluated solar technologies would be up to
6 about 3,200 ac-ft/yr (3.9 million m³/yr). During operations, with full development of the SEZ
7 on more than 80% of its available land area, the amount of water needed for evaluated solar
8 technologies would range from 102 to 54,098 ac-ft/yr (126,000 to 67 million m³/yr). The amount
9 of water needed during decommissioning would be similar to or less than the amount used
10 during construction. In 2005, water withdrawals from surface waters and groundwater in Otero
11 County were 40,711 ac-ft/yr (50.2 million m³/yr), of which 27% came from surface waters and
12 73% came from groundwater. The largest water use category was agricultural irrigation, at
13 36,743 ac-ft/yr (45.3 million m³/yr). Public supply water use accounted for 3,408 ac-ft/yr
14 (4.2 million m³/yr), which was provided for by groundwater only (Section 12.3.9.1.3).
15 Therefore, cumulatively, the additional water resources needed for solar facilities in the SEZ
16 during operations would constitute from a small (0.25%) to a very large (133%) increment (the
17 ratio of the annual water requirement for operations to the annual amount withdrawn in Otero
18 County), depending on the solar technology used (PV technology at the low end and the wet-
19 cooled parabolic trough technology at the high end). As discussed in Section 12.3.9.1.2, the
20 proposed Red Sands SEZ is located on the Tularosa Groundwater Basin. Estimated groundwater
21 recharge in the vicinity of the Alamogordo-Tularosa Management Area is 11,890 ac-ft/yr (14.7
22 million m³/yr) in a normal year. Thus, using wet cooling for a full build-out of the Red Sands
23 SEZ would consume up to 450% of the entire estimated recharge in a normal year, while dry-
24 cooling technologies, which would use up to 5,455 ac-ft (6.7 million m³), could use up to 46% of
25 the recharge in a normal year (Section 12.3.9.2.2).
26

27 While solar development of the proposed SEZ with water-intensive technologies that
28 would use groundwater would likely be judged infeasible because of concerns for groundwater
29 supplies, if employed, intensive groundwater withdrawals could cause drawdown of
30 groundwater, disturbance of regional groundwater flow and recharge pattern, and potentially
31 affect ecological habitats. Cumulative impacts on groundwater could occur when combined
32 with other current and future projects in the region, including potential effects of the planned
33 Alamogordo Regional Water Supply Project, which would draw 4,000 ac-ft/yr
34 (4.9 million m³/yr) from wells located about 30 mi (48 km) north of the SEZ to support a
35 growing population. Groundwater pumping in the Tularosa Basin has already led to drawdown
36 of the water table, as observed in the Tularosa irrigation district, the City of Alamogordo, Boles
37 Acres, White Sands, and elsewhere (Section 12.3.9.1.2). Drawdown of groundwater surface
38 elevations in the vicinity of White Sands National Monument is a particular concern because of
39 the importance of the groundwater table for preserving the gypsum sand dunes. Water use by
40 solar energy facilities in the proposed Red Sands SEZ could thus contribute to impacts on
41 groundwater in the Tularosa Basin. Cumulative impacts on groundwater resources might be
42 offset to some degree by conversion of existing water rights for use by solar facilities or by use
43 of reclaimed municipal or industrial wastewater for such use.
44
45

1 Small quantities of sanitary wastewater would be generated during the construction and
2 operation of the potential utility-scale solar energy facilities. The amount generated from solar
3 facilities would be in the range of 19 to 148 ac-ft/yr (23,000 to 183,000 m³/yr) during the peak
4 construction year and 2 to 50 ac-ft/yr (up to 62,000 m³/yr) during operations. Because of the
5 small quantity, the sanitary wastewater generated by the solar energy facilities would not be
6 expected to put undue strain on available sanitary wastewater treatment facilities in the general
7 area of the SEZ. For technologies that rely on conventional wet-cooling systems, there would
8 also be 569 to 1,024 ac-ft/yr (0.70 million to 1.3 million m³/yr) of blowdown water from cooling
9 towers. Blowdown water would need to be either treated on-site or sent to an off-site facility.
10 Any on-site treatment of wastewater would have to ensure that treatment ponds are effectively
11 lined in order to prevent any groundwater contamination. Thus, blowdown water would not
12 contribute to cumulative effects on treatment systems or on groundwater.
13
14

15 ***12.3.22.4.9 Vegetation***

16
17 The proposed Red Sands SEZ is located primarily within the Chihuahuan Basins and
18 Playas ecoregion, which support communities of desert shrubs and grasses. The predominant
19 cover types within the proposed SEZ are Apacherian–Chihuahuan Piedmont Semi-Desert
20 Grassland and Steppe, Chihuahuan Stabilized Coppice Dune and Sand Flat Scrub, and
21 Chihuahuan Mixed Salt Desert Scrub. Dominant species are burrograss, Alkali sacaton, mesa
22 dropseed, soap tree yucca, creosote bush, honey mesquite, and fourwing saltbush. Sensitive
23 habitats on the SEZ include wetlands, riparian areas, desert dry washes, playas, and sand dunes.
24 Dry washes generally do not support wetland habitats. In addition, several palustrine wetlands,
25 with varying levels and types of vegetation and covering about 17 acres (0.07 km²), and two
26 riverine wetlands of about 0.3 mi (0.4 km) in total length, occur on the SEZ. In the 5-mi (8-km)
27 area of indirect effects, the predominant cover types are Chihuahuan Stabilized Coppice Dune
28 and Sand Flat Scrub, Chihuahuan Mixed Salt Desert Scrub, and Apacherian–Chihuahuan
29 Piedmont Semi-Desert Grassland and Steppe. This area holds numerous wetlands, including
30 lacustrine open water and flats, palustrine scrub-shrub and open water, and riverine wetlands
31 (Section 12.3.10.1).
32

33 If utility-scale solar energy projects were to be constructed within the SEZ, all vegetation
34 within the footprints of the facilities would likely be removed during land-clearing and land-
35 grading operations. Full development of the SEZ over 80% of its area would result in large
36 impacts on the North American Warm Desert Pavement cover type, moderate impacts on the
37 Chihuahuan Mixed Salt Desert Scrub and North American Warm Desert Playa cover types, and
38 small impacts on all other cover types in the affected area (Section 12.3.10.2.1).
39

40 Intermittently flooded areas downgradient from solar projects could be affected by
41 ground-disturbing activities. Alteration of surface drainage patterns or hydrology, sedimentation,
42 and siltation could adversely affect on-site and downstream wetland communities, particularly
43 the playa areas to the west of the SEZ. Plant communities supported by groundwater, such as
44 some mesquite communities, could also be affected by lower groundwater levels if solar projects
45 were to draw heavily on this resource. Groundwater drawdown has already been observed in the
46 underlying Tularosa Basin.

1 The fugitive dust generated during the construction of the solar facilities could increase
2 the dust loading in habitats outside a solar project area, in combination with that from other
3 construction, agriculture, recreation, transportation activities, and military training activities in
4 the region. The cumulative dust loading could result in reduced productivity or changes in plant
5 community composition. Programmatic design features would be used to reduce the impacts
6 from solar energy projects and thus reduce the overall cumulative impacts on plant communities
7 and habitats.
8

9 While most of the cover types within the SEZ are relatively common in the SEZ region, a
10 number of cover types are relatively uncommon, representing less than 1% of the land area
11 within the region. In addition, sensitive areas are present within the SEZ, including desert dry
12 washes, riparian areas, playas, sand dunes, and areas with cryptogamic soil crusts. Thus, future
13 solar facilities and other ongoing and reasonably foreseeable future actions could have a
14 cumulative effect on sensitive and rare cover types and habitat types, as well as on those that are
15 more abundant. Such effects would likely be small for foreseeable development due to the
16 abundance of most of the cover types and habitats and the small number of foreseeable actions
17 within the geographic extent of effects.
18
19

20 ***12.3.22.4.10 Wildlife and Aquatic Biota*** 21

22 Wildlife species that could potentially be affected by the development of utility-scale
23 solar energy facilities in the proposed Red Sands SEZ include amphibians, reptiles, birds, and
24 mammals. The construction of utility-scale solar energy projects in the SEZ and any associated
25 transmission lines and roads in or near the SEZ would affect wildlife through habitat disturbance
26 (i.e., habitat reduction, fragmentation, and alteration), wildlife disturbance, loss of connectivity
27 between natural areas, and wildlife injury or mortality. In general, species with broad
28 distributions and a variety of habitats would be less affected than species with narrowly defined
29 habitats within a restricted area. The use of programmatic design features would reduce the
30 severity of impacts on wildlife. These programmatic design features may include pre-disturbance
31 biological surveys to identify key habitat areas used by wildlife, followed by avoidance or
32 minimization of disturbance to those habitats.
33

34 Impacts from full build-out over 80% of the proposed SEZ would result in small impacts
35 on amphibian, reptile, bird, and mammal species (Section 12.3.11). Impacts from ongoing and
36 foreseeable development within the 50-mi (80-km) geographic extent of effects would add to
37 those of the SEZ. Because few foreseeable projects have been identified (Section 12.3.22.2),
38 cumulative effects in the region would be small for most species. Two future actions have been
39 identified that would benefit wildlife in the region: (1) removing introduced exotic antelope oryx
40 on the San Andres NWR and (2) protecting desert bighorn sheep from predation by mountain
41 lions in the San Andres Mountains.
42

43 There are no perennial water bodies or streams within the proposed Red Sands SEZ or
44 within a 5-mi (8-km) radius of indirect effects. There are 0.3 mi (0.4 km) of intermittent stream
45 wetlands as well as small ephemeral washes and unnamed dry lakes within the SEZ, however,
46 that support minimal aquatic or riparian habitats and species adapted to such conditions.

1 Wetlands occur in some abundance, however, within the 50-mi (80-km) geographic extent of
2 effects, especially to the west of the SEZ and near Holloman Lake, a permanent water body
3 (Section 12.3.11.4.1). Holloman Lake and the associated surface waters provide habitat to
4 aquatic biota. Disturbance of land areas within the SEZ for solar energy facilities could result in
5 transport of soil into ephemeral washes on-site and to aquatic habitats in the area of indirect
6 effects. Such impacts would be mitigated, however, and no contributions to cumulative impacts
7 on aquatic biota and habitats are expected in combination with the limited other foreseeable
8 actions in the region. Groundwater drawdown from solar facilities might contribute to small
9 cumulative impacts on supported aquatic habitats, including in Holloman Lake.

10
11
12 ***12.3.22.4.11 Special Status Species (Threatened, Endangered, Sensitive,
13 and Rare Species)***
14

15 On the basis of recorded occurrences or suitable habitat, as many as 43 special status
16 species could occur within the proposed Red Sands SEZ. Of these species, 17 are known or are
17 likely to occur within the affected area of the SEZ (including the SEZ and the 5-mi [8-km] area
18 of indirect effects). Alamo beardtongue, golden columbine, grama grass cactus, Sacramento
19 Mountains prickly-poppy, Scheer's pincushion cactus, Villard pincushion cactus, White Sands
20 pupfish, Texas horned lizard, American peregrine falcon, Baird's sparrow, black tern, gray vireo,
21 interior least tern, northern aplomado falcon, western burrowing owl, white-faced ibis, and
22 spotted bat. Four ESA-listed species may occur in the affected area, including two species
23 already mentioned: northern aplomado falcon, Kuenzler's hedgehog cactus, Sacramento
24 Mountains prickly-poppy, and interior least tern. Section 12.3.12.1 discusses the nature of the
25 special status listing of these species within state and federal agencies. Numerous additional
26 species that may occur on or in the vicinity of the SEZ are listed as threatened or endangered
27 by the State of New Mexico or listed as a sensitive species by the BLM. Design features to be
28 used to reduce or eliminate the potential for effects on these species from the construction and
29 operation of utility-scale solar energy facilities in the SEZ include avoidance of habitat and
30 minimization of erosion, sedimentation, and dust deposition. Ongoing effects on special status
31 species within the 50-mi (80-km) geographic extent of effects include those from roads,
32 transmission lines, agriculture, military training operations, and urban development in the area,
33 particularly to the north and east of the SEZ. Special status species are also likely present in areas
34 outside the SEZ within the 50-mi (80-km) geographic extent of effects that would be affected by
35 future development. However, cumulative impacts on protected species are expected to be low
36 for foreseeable development, because few projects have been identified (Section 12.3.22.2).
37 Projects would employ mitigation measures to limit effects.

38
39
40 ***12.3.22.4.12 Air Quality and Climate***
41

42 While solar energy generates minimal emissions compared with fossil fuels, the site
43 preparation and construction activities associated with solar energy facilities would be
44 responsible for some amount of air pollutants. Most of the emissions would be particulate matter
45 (fugitive dust) and emissions from vehicles and construction equipment. When these emissions
46 are combined with those from other nearby activities outside the proposed Red Sands SEZ, or

1 when they are added to natural dust generation from winds and windstorms, the air quality in the
2 general vicinity of the projects could be temporarily degraded. For example, during construction
3 of solar facilities the maximum 24-hour PM₁₀ concentration at or near the SEZ boundaries could
4 at times exceed the applicable standard of 150 µg/m³. Dust generation from construction
5 activities can be controlled by implementing aggressive dust control measures, such as increased
6 watering frequency or road paving or treatment.

7
8 Ozone, PM₁₀, and PM_{2.5} are of regional concern in the area because of high
9 temperatures, abundant sunshine, and windblown dust from occasional high winds and dry soil
10 conditions. Construction of solar facilities in the SEZ in addition to ongoing and potential future
11 sources in the geographic extent of effects could contribute cumulatively to short-term ozone and
12 PM increases. Cumulative air quality effects due to dust emissions are expected to be small and
13 short term.

14
15 Over the long term and across the region, the development of solar energy may have
16 beneficial cumulative impacts on the air quality and atmospheric values by offsetting the need
17 for energy production that results in higher levels of emissions, such as coal, oil, and natural gas.
18 As discussed in Section 12.3.13.2.2, air emissions from operating solar energy facilities are
19 relatively minor, while the displacement of criteria air pollutants, VOCs, TAPs, and GHG
20 emissions currently produced from fossil fuels could be significant. For example, if the Red
21 Sands SEZ were fully developed (80% of its acreage) with solar facilities, the quantity of
22 pollutants avoided could be as large as 18% of all emissions from the current electric power
23 systems in New Mexico.

24 25 26 ***12.3.22.4.13 Visual Resources***

27
28 The proposed Red Sands SEZ, located in Otero County in southern New Mexico, lies
29 within the Tularosa Valley, a flat, generally treeless valley, with the strong horizon line and
30 surrounding buttes and the Sacramento Escarpment being the dominant visual features
31 (Section 12.3.14.1). The area is rural in character, with Holloman Air Force Base and
32 commercial and residential areas nearby. Cultural modifications in the SEZ include dirt and
33 gravel roads, existing transmission towers, a gravel pit, and grazing facilities. In addition,
34 U.S. 70 runs along the northern SEZ boundary and U.S. 54 along the eastern boundary. The VRI
35 values for the SEZ and immediate surroundings are mostly VRI Class III, but with three very
36 small areas of Class II values, indicating moderate, and high visual values, respectively. The
37 inventory indicates moderate scenic quality for the SEZ and its immediate surroundings;
38 however, the inventory indicates high sensitivity for the Lone Butte area. Locations with high
39 scenic value lie in the surrounding areas and highlands.

40
41 Construction of utility-scale solar facilities on the SEZ would alter the natural scenic
42 quality of the immediate area, while the broader area, which is already affected by urban,
43 industrial, and agricultural development, would be further altered. Because of the large size of
44 utility-scale solar energy facilities and the generally flat, open nature of the proposed SEZ, some
45 lands outside the SEZ would also be subjected to visual impacts related to the construction,
46 operation, and decommissioning of utility-scale solar energy facilities. Visual impacts resulting

1 from solar energy development within the SEZ would be in addition to impacts caused by other
2 potential projects in the area, such as other solar facilities on private lands, transmission lines,
3 and other renewable energy facilities (e.g., wind mills). The presence of new facilities would
4 normally be accompanied by increased numbers of workers in the area, traffic on local roadways,
5 and support facilities, all of which would add to cumulative visual impacts.
6

7 There are currently no pending solar applications on the SEZ or on public lands within
8 50 mi (80 km) of the SEZ. There is one wind site testing application and no geothermal
9 applications within this distance (Figure 12.3.22.2-1). Little other foreseeable development has
10 been identified (Section 12.3.22.2.2). While the number of foreseeable and potential projects
11 within the geographic extent of visual effects is low, it may be concluded that the general visual
12 character of the landscape on and within the immediate vicinity of the SEZ could be
13 cumulatively affected by the presence of solar facilities on the SEZ and any other new and
14 existing infrastructure within the viewshed. The degree of cumulative visual impacts would
15 depend in large part on the number and location of solar facilities built on the proposed SEZ.
16 Because of the topography of the region, solar facilities would be visible at great distances. In
17 addition, facilities would be located near major roads and thus would be viewable by motorists,
18 who would also be viewing transmission lines, towns, and other infrastructure, as well as the
19 road system itself.
20

21 As additional facilities are added, several projects might become visible from one
22 location, or in succession, as viewers move through the landscape, as by driving on local roads.
23 In general, the new facilities would be expected to vary in appearance, and depending on the
24 number and type of facilities, the resulting visual disharmony could exceed the visual absorption
25 capability of the landscape and add significantly to the cumulative visual impact. Considering the
26 low level of currently foreseeable development in the region, however, small cumulative visual
27 impacts would occur within the geographic extent of effects from future solar and other existing
28 and future development.
29
30

31 ***12.3.22.4.14 Acoustic Environment*** 32

33 The areas around the proposed Red Sands SEZ range from rural to industrial. Existing
34 noise sources around the SEZ include road traffic, railroad traffic, commercial/military aircraft
35 flyover, livestock grazing, and the surrounding military ranges and communities.
36 The construction of solar energy facilities could increase the noise levels periodically for up to
37 3 years per facility, but there would be little or minor noise impacts during the operation of solar
38 facilities, except from solar dish engine facilities and from parabolic trough or power tower
39 facilities using TES, which could affect nearby residences.
40

41 Other ongoing and reasonably foreseeable and potential future activities in the general
42 vicinity of the SEZ are described in Section 12.3.22.2. Because few proposed projects lie nearby
43 outside the SEZ and noise from facilities built within the SEZ would be short range, cumulative
44 noise effects during the construction or operation of solar facilities are unlikely.
45
46

1 **12.3.22.4.15 Paleontological Resources**
2

3 The proposed Red Sands SEZ has a low potential for containing significant
4 paleontological resources; there are no known localities of paleontological resources within the
5 SEZ or within 5 mi (8 km) of its boundaries (Section 12.3.16.1). Prior to solar development, the
6 preliminary PFYC classifications of Classes 1 and 2 for the SEZ would require confirmation, but
7 paleontological surveys would not likely be needed (Section 12.3.16.2). Any resources
8 unexpectedly encountered during solar facility construction would be mitigated to the extent
9 possible. Cumulative impacts on paleontological resources within the geographic extent of
10 effects are not expected.
11

12
13 **12.3.22.4.16 Cultural Resources**
14

15 The proposed Red Sands SEZ is rich in cultural history, with settlements dating as far
16 back as 12,000 years, and has the potential to contain significant cultural resources. About 7% of
17 the area of the SEZ has been surveyed for cultural resources. Surveys have recorded 18 cultural
18 resource sites within the SEZ. About 11% of the area within 5 mi (8 km) of the SEZ has been
19 surveyed, resulting in the recording of 849 sites within this range (Section 12.3.17.1.5). Areas
20 with potential for significant sites within the proposed SEZ include dune and playa areas in the
21 eastern portion of the SEZ (Section 12.3.17.2). It is possible that the development of utility-scale
22 solar energy projects in the SEZ, when added to other potential projects likely to occur in the
23 area would contribute cumulatively to cultural resource impacts occurring in the region. Little
24 foreseeable development has been identified within the 25-mi (40-km) geographic extent of
25 effects (Section 12.3.22.2). While any future solar projects would disturb large areas, the specific
26 sites selected for future projects would be surveyed; historic properties encountered would be
27 avoided or mitigated to the extent possible. Through ongoing consultation with the New Mexico
28 SHPO and appropriate Native American governments, it is likely that most adverse effects on
29 significant resources in the region could be mitigated to some degree. While mitigation of all
30 impacts may not be possible, particularly visual impacts outside the SEZ, it is unlikely that any
31 sites recorded in the SEZ would be of such individual significance that development would
32 cumulatively cause an irretrievable loss of information about a significant resource type, but this
33 would depend on the results of future surveys and evaluations.
34
35

36 **12.3.22.4.17 Native American Concerns**
37

38 Government-to-government consultation is under way with federally recognized Native
39 American Tribes with possible traditional ties to the Red Sands area. All such Tribes have been
40 contacted and provided an opportunity to comment or consult regarding this PEIS. To date, no
41 specific concerns have been raised to the BLM regarding the proposed Red Sands SEZ.
42 However, the Pueblo of Ysleta del Sur has requested that they be consulted if human remains or
43 other NAGPRA materials are encountered during development, implying concern for human
44 burials and objects of cultural patrimony. Impacts of solar development on water resources in the
45 SEZ and in the surrounding area are likely to be of major concern to affected Tribes, as are
46 intrusions on the landscape and impacts on plants and game and on traditional resources at

1 specific locations (Section 12.3.18). The development of solar energy facilities in combination
2 with the development of other foreseeable projects in the area could reduce the traditionally
3 important plant and animal resources available to the Tribes. Such effects would be small for
4 foreseeable development due to the abundance of the most culturally important plant species and
5 the small number and minor effects of foreseeable actions within the geographic extent of
6 effects. Continued discussions with area Tribes through government-to-government consultation
7 is necessary to effectively consider and address the Tribes' concerns tied to solar energy
8 development in the Red Sands SEZ.

9
10
11 ***12.3.22.4.18 Socioeconomics***
12

13 Solar energy development projects in the proposed Red Sands SEZ could cumulatively
14 contribute to socioeconomic effects in the immediate vicinity of the SEZ and in the surrounding
15 ROI. The effects could be positive (e.g., creation of jobs and generation of extra income,
16 increased revenues to local governmental organizations through additional taxes paid by the
17 developers and workers) or negative (e.g., added strain on social institutions such as schools,
18 police protection, and health-care facilities). Impacts from solar development would be most
19 intense during facility construction, but of greatest duration during operations. Construction
20 would temporarily increase the number of workers in the area needing housing and services in
21 combination with temporary workers involved in any other new development in the area,
22 including other renewable energy projects. The number of workers involved in the construction
23 of solar projects in the peak construction year could range from about 260 to 3,500, depending
24 on the technology being employed, with solar PV facilities at the low end and solar trough
25 facilities at the high end. The total number of jobs created in the area could range from
26 approximately 800 (solar PV) to as high as 10,700 (solar trough). Cumulative socioeconomic
27 effects in the ROI from the construction of solar facilities would occur to the extent that multiple
28 construction projects of any type were ongoing at the same time. It is a reasonable expectation
29 that this condition would occur within a 50-mi (80-km) radius of the SEZ occasionally over the
30 20-year or more solar development period.

31
32 Annual impacts during the operation of solar facilities would be less, but of 20- to
33 30-year duration, and could combine with those from other new projects in the area. Additional
34 employment could occur at other new, but not yet foreseen, facilities within 50 mi (80 km) of the
35 proposed SEZ. On the basis of the assumption of full build-out of the SEZ (Section 12.3.19.2.2),
36 the number of workers needed at the solar facilities in the SEZ would range from 39 to 785, with
37 approximately 56 to 1,300 total jobs created in the region. Population increases would contribute
38 to general upward trends in the region in recent years. The socioeconomic impacts overall would
39 be positive, through the creation of additional jobs and income. The negative impacts, including
40 some short-term disruption of rural community quality of life, would not likely be considered
41 large enough to require specific mitigation measures.

1 **12.3.22.4.19 Environmental Justice**
2

3 Any impacts from solar development could have cumulative impacts on minority or low-
4 income populations within 50 mi (80 km) of the proposed SEZ in combination with other
5 development in the area. Such impacts could be both positive, such as from increased economic
6 activity, and negative, such as from visual impacts, noise, and exposure to fugitive dust
7 (Section 12.3.20.2). Actual impacts would depend on where minority or low-income populations
8 are located relative to solar and other proposed facilities, and on the geographic range and
9 duration of effects. Overall, effects from facilities within the SEZ are expected to be small, while
10 those from other foreseeable actions would be minor and would not likely combine with negative
11 effects from the SEZ on minority or low-income populations. It is not expected that the proposed
12 Red Sands SEZ would contribute to cumulative impacts on minority or low-income populations.
13

14 **12.3.22.4.20 Transportation**
15

16 U.S. 70 lies adjacent to the northernmost border, and U.S. 54 lies along part of the eastern
17 border of the proposed Red Sands SEZ. The nearest public airport is Alamogordo–White Sands
18 Regional Airport located 2 mi (3 km) to the northeast of the SEZ on U.S. 70. The nearest rail
19 stops are at Alamogordo and Omlee directly to the east of the SEZ. During construction of
20 utility-scale solar energy facilities, up to 1,000 workers could be commuting to the construction
21 site at the SEZ at a given time for a single project, which could increase the AADT on these
22 roads by 2,000 vehicle trips for each facility under construction. Light to moderate congestion
23 impacts could occur on either U.S. 70 or U.S. 54 near SEZ access points (Section 12.3.21.2).
24 This increase in highway traffic from construction workers could likewise represent small to
25 moderate cumulative impacts in combination with existing traffic levels and increases from any
26 additional future development in the area. Impacts would be greatest if two solar facility projects
27 were constructed on the SEZ at the same time. Local road improvements might be necessary on
28 affected portions of U.S. 70 or U.S. 54 and on any other affected roads. Any impacts during
29 construction activities would be temporary. The impacts can also be mitigated, to some degree,
30 by staggered work schedules and ride-sharing programs. Traffic increases during operation
31 would be relatively small because of the low number of workers needed to operate the solar
32 facilities and it would have little contribution to cumulative impacts.
33
34
35
36
37

1
2
3
4
5
6
7
8
9
10
11
12
13
14

This page intentionally left blank.

12.3.23 References

Note to Reader: This list of references identifies Web pages and associated URLs where reference data were obtained for the analyses presented in this PEIS. It is likely that at the time of publication of this PEIS, some of these Web pages may no longer be available or their URL addresses may have changed. The original information has been retained and is available through the Public Information Docket for this PEIS.

AECOM (Architectural Engineering, Consulting, Operations and Maintenance), 2009, *Project Design Refinements*. Available at http://energy.ca.gov/sitingcases/beacon/documents/applicant/refinements/002_WEST1011185v2_Project_Design_Refinements.pdf. Accessed Sept. 2009.

AMA (American Medical Association), 2009, *Physician Characteristics and Distribution in the U.S.*, Chicago, Ill. Available at <http://www.ama-assn.org/ama/pub/category/2676.html>.

Bailie, A., et al., 2006, *Appendix D: New Mexico Greenhouse Gas Inventory and Reference Case Projections, 1990–2020*, prepared by the Center for Climate Strategies for the New Mexico Environment Department, Nov. Available at <http://www.nmenv.state.nm.us/cc/documents/CCAGFinalReport-AppendixD-EmissionsInventory.pdf>. Accessed Aug. 22, 2010.

Balch, R.S., et al., 2010, *The Socorro Midcrustal Magma Body*, Earth and Environmental Science, New Mexico Tech. Available at <http://www.ees.nmt.edu/Geop/magma.html>. Accessed Aug. 24, 2010.

Ball, M., 2000, “Sacred Mountains, Religious Paradigms, and Identity among the Mescalero Apache,” *Worldviews* (4):264–282.

Basehart, H.W., 1960, *Mescalero Apache Subsistence and Socio-Political Organization*, A Report of the Mescalero-Chiricahua Land Claims Project, University of New Mexico, Albuquerque.

Beacon Solar, LLC, 2008, *Application for Certification for the Beacon Solar Energy Project*, submitted to the California Energy Commission, March. Available at <http://www.energy.ca.gov/sitingcases/beacon/index.html>.

Bennett, J., and D. Wilder, 2009, *Physical Resources Foundation Report, White Sands National Monument*, Natural Resource Report NPS/NRPC/NRR—2009/166, National Park Service, Fort Collins, Colo.

Beranek, L.L., 1988, *Noise and Vibration Control*, rev. ed., Institute of Noise Control Engineering, Washington, D.C.

BLM (Bureau of Land Management), 1980, *Green River – Hams Fork Draft Environmental Impact Statement: Coal*, U.S. Department of the Interior.

1 BLM, 1983, *Final Supplemental Environmental Impact Statement for the Prototype Oil Shale*
2 *Leasing Program*, Colorado State Office, Denver, Colo.
3
4 BLM, 1984, *Visual Resource Management*, BLM Manual Handbook 8400, Release 8-24,
5 U.S. Department of the Interior, Washington, D.C.
6
7 BLM, 1986a, *Visual Resource Inventory*, BLM Manual Handbook 8410-1, Release 8-28,
8 U.S. Department of the Interior, Washington, D.C., Jan.
9
10 BLM, 1986b, *Visual Resource Contrast Rating*, BLM Manual Handbook 8431-1, Release 8-30,
11 U.S. Department of the Interior, Washington, D.C., Jan.
12
13 BLM, 1986c, *White Sands Resource Area Resource Management Plan*, Oct. Available at
14 http://www.blm.gov/nm/st/en/fo/Las_Cruces_District_Office/LCDO_Planning.html.
15
16 BLM, 1993, *Mimbres Resource Management Plan*, U.S. Department of the Interior, Las Cruces
17 District Office, Las Cruces, N.M., Dec.
18
19 BLM, 1996, *White River Resource Area: Proposed Resource Management Plan and Final*
20 *Environmental Impacts Statement*, White River Resource Area, Craig, Colo.
21
22 BLM, 2001, *New Mexico Water Rights Fact Sheet*. Available at [http://www.blm.gov/nstc/](http://www.blm.gov/nstc/WaterLaws/pdf/Utah.pdf)
23 [WaterLaws/pdf/Utah.pdf](http://www.blm.gov/nstc/WaterLaws/pdf/Utah.pdf). Accessed June 16, 2010.
24
25 BLM, 2005, *McGregor Range Draft Resource Management Plan and Environmental Impact*
26 *Statement*. U.S. Department of the Interior, Bureau of Land Management, Las Cruces District
27 Office, Las Cruces, N.M., Jan.
28
29 BLM, 2008, *Special Status Species Management*, BLM Manual 6840, Release 6-125,
30 U.S. Department of the Interior, Washington, D.C., Dec. 12.
31
32 BLM, 2009a, *Las Cruces District Office Mule Deer Range*, New Mexico State Office, Santa Fe,
33 N.M., May 13.
34
35 BLM, 2009b, *Las Cruces District Office Pronghorn Range*, New Mexico State Office, Santa Fe,
36 N.M., May 13.
37
38 BLM, 2009c, *Rangeland Administration System*. Available at [http://www.blm.gov/ras/](http://www.blm.gov/ras/index.htm)
39 [index.htm](http://www.blm.gov/ras/index.htm). Last updated Aug. 24, 2009. Accessed Nov. 24, 2009.
40
41 BLM, 2010a, *Wild Horse and Burro Statistics and Maps*, Washington, D.C. Available at
42 [http://www.blm.gov/wo/st/en/prog/wild_horse_and_burro/wh_b_information_center/statistics_](http://www.blm.gov/wo/st/en/prog/wild_horse_and_burro/wh_b_information_center/statistics_and_maps/ha_and_hma_data.html)
43 [and_maps/ha_and_hma_data.html](http://www.blm.gov/wo/st/en/prog/wild_horse_and_burro/wh_b_information_center/statistics_and_maps/ha_and_hma_data.html). Accessed June 25, 2010.
44
45 BLM, 2010b, *Draft Visual Resource Inventory*, U.S. Department of the Interior, Las Cruces
46 District Office, Las Cruces, N.M., May.

1 BLM, 2010c. *Solar Energy Interim Rental Policy*, U.S. Department of Interior. Available at
2 [http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_](http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_instruction/2010/IM_2010-141.html)
3 [instruction/2010/IM_2010-141.html](http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_instruction/2010/IM_2010-141.html).
4

5 BLM, 2010d, *SunZia Transmission Line Project*. Available at [http://www.blm.gov/nm/st/en/](http://www.blm.gov/nm/st/en/prog/more/lands_realty/sunzia_southwest_transmission.html)
6 [prog/more/lands_realty/sunzia_southwest_transmission.html](http://www.blm.gov/nm/st/en/prog/more/lands_realty/sunzia_southwest_transmission.html). Accessed Aug. 19, 2010.
7

8 BLM, 2010e, *Alamogordo Regional Water Supply Project Draft Environmental Impact*
9 *Statement*, BLM/NM/PL-10-02-1793, Aug. Available at [http://www.blm.gov/pgdata/](http://www.blm.gov/pgdata/etc/medialib/blm/nm/field_offices/las_cruces/las_cruces_planning/alamogordo_water_project.Pa)
10 [etc/medialib/blm/nm/field_offices/las_cruces/las_cruces_planning/alamogordo_water_project.Pa](http://www.blm.gov/pgdata/etc/medialib/blm/nm/field_offices/las_cruces/las_cruces_planning/alamogordo_water_project.Pa)
11 [r.99216.File.dat/ARWSP_DRAFT_EIS_August_printversion_JES.pdf](http://www.blm.gov/pgdata/etc/medialib/blm/nm/field_offices/las_cruces/las_cruces_planning/alamogordo_water_project.Pa). Accessed Oct. 19, 2010.
12

13 BLM and USFS (Bureau of Land Management and U.S. Forest Service), 2010a,
14 *GeoCommunicator: Energy Map Viewer*. Available at [http://www.geocommunicator.gov/](http://www.geocommunicator.gov/GeoComm/index.shtm)
15 [GeoComm/index.shtm](http://www.geocommunicator.gov/GeoComm/index.shtm). Accessed March 26, 2010.
16

17 BLM and USFS, 2010b, *GeoCommunicator: Mining Claim Map*. Available at
18 <http://www.geocommunicator.gov/GeoComm/index.shtm>. Accessed Aug. 5, 2010
19

20 Bolluch, E.H., Jr., and R.E. Neher, 1980, *Soil Survey of Doña Ana County Area New Mexico*.
21 U.S. Department of Agriculture, Soil Conservation Service.
22

23 BOR (Bureau of Reclamation), 2003, *Tularosa Basin Desalination Research Facility Final*
24 *Environmental Assessment*, July. Available at <http://wrri.nmsu.edu/tbndrc/EAfinal.pdf>. Accessed
25 Oct. 20, 2010.
26

27 Brown, D., 1994, *Chihuahuan Desertscrub*, in: *Biotic Communities, Southwestern United States*
28 *and Northwestern Mexico*, D. Brown (editor), University of Utah Press, Salt Lake City.
29

30 BTS (Bureau of Transportation Statistics), 2009, *Air Carriers: T-100 Domestic Segment*
31 *(All Carriers)*, Research and Innovative Technology Administration, U.S. Department of
32 Transportation, Dec. Available at http://www.transtats.bts.gov/Fields.asp?Table_ID=311.
33 Accessed March 5, 2010.
34

35 Castetter, E.F., 1935, *Ethnobiological Studies in the American Southwest, I. Uncultivated Native*
36 *Plants Used as Sources of Food*, The University of New Mexico Bulletin No. 266.
37

38 Castetter, E.F., and M.E. Opler, 1936, *Ethnobiological Studies in the American Southwest, III.*
39 *The Ethnobiology of the Chiricahua and Mescalero Apache, A. The Use of Plants for Foods,*
40 *Beverages, and Narcotics*, The University of New Mexico Bulletin No. 297.
41

42 CDC (Centers for Disease Control and Prevention), 2009, *Divorce Rates by State: 1990, 1995,*
43 *1999–2007*. Available at [http://www.cdc.gov/nchs/data/nvss/Divorce%20Rates%2090%](http://www.cdc.gov/nchs/data/nvss/Divorce%20Rates%2090%2095%20and%2099-07.pdf)
44 [2095%20and%2099-07.pdf](http://www.cdc.gov/nchs/data/nvss/Divorce%20Rates%2090%2095%20and%2099-07.pdf).
45

1 CDFG (California Department of Fish and Game), 2008, *Life History Accounts and Range*
2 *Maps—California Wildlife Habitat Relationships System*, Sacramento, Calif. Available at
3 <http://dfg.ca.gov/biogeodata/cwhr/cawildlife.aspx>. Accessed Feb. 19, 2010.
4

5 CEQ (Council on Environmental Quality), 1997, *Environmental Justice Guidance under the*
6 *National Environmental Policy Act*, Executive Office of the President, Washington, D.C., Dec.
7 Available at <http://ceq.hss.doe.gov/nepa/regs/ej/justice.pdf>.
8

9 Chapin, C.E., 1988, “Axial Basins of the Northern and Central Rio Grande Rifts,” pp. 165–170
10 in *Sedimentary Cover – North American Craton (U.S.)*, Geological Society of America, *Geology*
11 *of North America*, L.L. Sloss (editor), D-2.
12

13 City of Alamogordo, 2006. *City of Alamogordo 40-year Water Development Plan 2005–2045*.
14 Available at http://ci.alamogordo.nm.us/Water_Conservation.htm.
15

16 City of Alamogordo, 2010, *Alamogordo – White Sands Regional Airport*. Available at
17 <http://ci.alamogordo.nm.us/coa/publicworks/Airport.htm>. Accessed Aug. 23, 2010.
18

19 CLABS (Center for Latin American and Border Studies), 2001, *New Mexico’s Border with*
20 *Mexico: Creating a Viable Agenda for Growth*. Available at [http://www.nmfirst.org/townhalls/](http://www.nmfirst.org/townhalls/TH27bkgrrpt.pdf)
21 [TH27bkgrrpt.pdf](http://www.nmfirst.org/townhalls/TH27bkgrrpt.pdf). Accessed July 2010.
22

23 Contaldo, G.J., and J.E. Mueller, 1991, “Earth Fissures and Land Subsidence of the Mimbres
24 Basin, Southwestern New Mexico, USA,” in *Land Subsidence*, proceedings of the Fourth
25 International Symposium on Land Subsidence, May.
26

27 Cowherd, C., et al., 1988, *Control of Open Fugitive Dust Sources*, EPA 450/3-88-008,
28 U.S. Environmental Protection Agency, Research Triangle Park, N.C.
29

30 CSC (Coastal Services Center), 2010, *Historical Hurricane Tracks*, National Oceanic and
31 Atmospheric Administration (NOAA). Available at <http://csc-s-maps-q.csc.noaa.gov/hurricanes/>.
32 Accessed Aug. 13, 2010.
33

34 DOE (U.S. Department of Energy), 2009, *Report to Congress, Concentrating Solar Power*
35 *Commercial Application Study: Reducing Water Consumption of Concentrating Solar Power*
36 *Electricity Generation*, Jan. 13.
37

38 DSIRE (Database of State Incentives for Renewables and Efficiency), 2010, *New Mexico*
39 *Incentives/Policies for Renewables & Efficiency*. Available at [http://www.dsireusa.org/](http://www.dsireusa.org/incentives/incentive.cfm?Incentive_Code=NM05R&re=1&ee=1)
40 [incentives/incentive.cfm?Incentive_Code=NM05R&re=1&ee=1](http://www.dsireusa.org/incentives/incentive.cfm?Incentive_Code=NM05R&re=1&ee=1). Accessed Aug. 17, 2010.
41

42 EIA (Energy Information Administration), 2009, *Annual Energy Outlook 2009 with Projections*
43 *to 2030*, DOE/EIA-0383, U.S. Department of Energy, March.
44

45 Eldred, K.M., 1982, “Standards and Criteria for Noise Control—An Overview,” *Noise Control*
46 *Engineering* 18(1):16–23.

1 EPA (U.S. Environmental Protection Agency), 1974, *Information on Levels of Environmental*
2 *Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety*,
3 EPA-550/9-74-004, Washington, D.C., March. Available at [http://www.nonoise.org/library/](http://www.nonoise.org/library/levels74/levels74.htm)
4 [levels74/levels74.htm](http://www.nonoise.org/library/levels74/levels74.htm). Accessed Nov. 17, 2008.
5
6 EPA, 2009a, *Energy CO₂ Emissions by State*. Available at [http://www.epa.gov/climatechange/](http://www.epa.gov/climatechange/emissions/state_energyco2inv.html)
7 [emissions/state_energyco2inv.html](http://www.epa.gov/climatechange/emissions/state_energyco2inv.html). Last updated June 12, 2009. Accessed June 23, 2009.
8
9 EPA, 2009b, *Preferred/Recommended Models—AERMOD Modeling System*. Available at
10 http://www.epa.gov/scram001/dispersion_prefrec.htm. Accessed Nov. 8, 2009.
11
12 EPA, 2009c, *eGRID*. Available at [http://www.epa.gov/cleanenergy/energy-resources/egrid/](http://www.epa.gov/cleanenergy/energy-resources/egrid/index.html)
13 [index.html](http://www.epa.gov/cleanenergy/energy-resources/egrid/index.html). Last updated Oct. 16, 2008. Accessed Jan. 12, 2009.
14
15 EPA, 2009d, *National Primary Drinking Water Regulations and National Secondary Drinking*
16 *Water Regulation*. Available at <http://www.epa.gov/safewater/standard/index.html>.
17
18 EPA, 2010a, *National Ambient Air Quality Standards (NAAQS)*. Available at
19 <http://www.epa.gov/air/criteria.html>. Last updated June 3, 2010. Accessed June 4, 2010.
20
21 EPA, 2010b, *AirData: Access to Air Pollution Data*. Available at <http://www.epa.gov/oar/data/>.
22 [Accessed Aug. 13, 2010.](http://www.epa.gov/oar/data/)
23
24 EPA, 2010c, *Primary Distinguishing Characteristics of Level III Ecoregions of the Continental*
25 *United States*, July. Available at [ftp://ftp.epa.gov/wed/ecoregions/us/Eco_Level_III_](ftp://ftp.epa.gov/wed/ecoregions/us/Eco_Level_III_descriptions.doc)
26 [descriptions.doc](ftp://ftp.epa.gov/wed/ecoregions/us/Eco_Level_III_descriptions.doc).
27
28 FAA (Federal Aviation Administration), 2010, *Airport Data (5010) & Contact Information*,
29 information current as of June 3, 2010. Available at [http://www.faa.gov/airports/airport_safety/](http://www.faa.gov/airports/airport_safety/airportdata_5010/)
30 [airportdata_5010/](http://www.faa.gov/airports/airport_safety/airportdata_5010/). Accessed July 19, 2010.
31
32 Fallis, T., 2010, “Archaeological Site and Survey Data for New Mexico,” personal
33 communication from Fallis (New Mexico State Historic Preservation Office, New Mexico State
34 Historic Preservation Division, Albuquerque, N.M.) to B. Cantwell (Argonne National
35 Laboratory, Argonne, Ill.), Jan. 12.
36
37 FEMA (Federal Emergency Management Agency), 2009, *FEMA Map Service Center*. Available
38 at <http://www.fema.gov>. Accessed Nov. 20, 2009.
39
40 Fire Departments Network, 2009, *Fire Departments by State*. Available at
41 <http://www.firedepartments.net/>.
42
43 Fryberger, S.G., 2010, *Geological Overview of White Sands National Monument*. Available at
44 <http://www.nature.nps.gov/geology/parks/whsa/geows/>. Accessed on Sept. 2, 2010.
45

1 GCRP (U.S. Global Change Research Program), 2009, *Global Climate Change Impacts in the*
2 *United States: A State of Knowledge Report from the U.S. Global Change Research Program*,
3 Cambridge University Press, Cambridge, Mass. Available at [http://downloads.globalchange.gov/](http://downloads.globalchange.gov/usimpacts/pdfs/climate-impacts-report.pdf)
4 [usimpacts/pdfs/climate-impacts-report.pdf](http://downloads.globalchange.gov/usimpacts/pdfs/climate-impacts-report.pdf). Accessed Jan. 25, 2010.
5
6 Giffen, R., 2009, “Rangeland Management Web Mail,” personal communication from Giffen
7 (USDA Forest Service, Rangelands Management, Washington, D.C.) to W. Vinikour (Argonne
8 National Laboratory, Argonne, Ill.), Sept. 22, 2009.
9
10 GlobalSecurity.org, 2010a, *Fort Bliss*. Available at [http://www.globalsecurity.org/military/](http://www.globalsecurity.org/military/facility/fort-bliss.htm)
11 [facility/fort-bliss.htm](http://www.globalsecurity.org/military/facility/fort-bliss.htm). Accessed Aug. 18, 2010.
12
13 GlobalSecurity.org, 2010b, *Fort Bliss McGregor Range*. Available at [http://www.globalsecurity.org/military/](http://www.globalsecurity.org/military/facility/mcgregor.htm)
14 [facility/mcgregor.htm](http://www.globalsecurity.org/military/facility/mcgregor.htm). Accessed Aug. 17, 2010.
15
16 GlobalSecurity.org, 2010c, *Fort Bliss Dona Ana Range*. Available at [http://www.globalsecurity.org/military/](http://www.globalsecurity.org/military/facility/dona-ana.htm)
17 [facility/dona-ana.htm](http://www.globalsecurity.org/military/facility/dona-ana.htm). Accessed Aug. 17, 2010.
18
19 GlobalSecurity.org, 2010d, *White Sands Missile Range*. Available at
20 <http://www.globalsecurity.org/space/facility/wsmr.htm>. Accessed Aug. 17, 2010.
21
22 Graham, T.B., 2001, *Survey of Ephemeral Pool Invertebrates at Wupatki NM: An Evaluation of*
23 *the Significance of Constructed Impoundments as Habitat*, WUPA-310, final report for Wupatki
24 National Monument and Southwest Parks and Monuments Association, Sept.
25
26 Griffen, W.B., 1983, “Southern Periphery: East,” pp. 329–342 in *Handbook of North American*
27 *Indians, Vol. 10, Southwest*, A. Ortiz (editor), Smithsonian Institution, Washington, D.C.
28
29 Griffith, G., et al., 2006, *Ecoregions of New Mexico* (color poster with map, descriptive text,
30 summary tables, and photographs) (map scale 1:1,400,000), U.S. Geological Survey, Reston, Va.
31
32 Hanson, C.E., et al., 2006, *Transit Noise and Vibration Impact Assessment*,
33 FTA-VA-90-1003-06, prepared by Harris Miller Miller & Hanson Inc., Burlington, Mass., for
34 U.S. Department of Transportation, Federal Transit Administration, Washington, D.C., May.
35 Available at http://www.fta.dot.gov/documents/FTA_Noise_and_Vibration_Manual.pdf.
36
37 Harter, T., 2003. *Reference: Water Well Design and Construction*, University of California
38 Division of Agriculture and Natural Resources Publication 8086, Farm Water Quality Planning
39 Series Reference Sheet 11.3.
40
41 Hester, P., 2009, “GIS Data,” personal communication with attachment from Hester (BLM,
42 New Mexico State Office, Santa Fe, N.M.) to K. Wescott (Argonne National Laboratory,
43 Argonne, Ill.), June 12.
44

1 Hewitt, R., 2009a, "Archaeological Sites for Las Cruces District Office," personal
2 communication from Hewitt (GIS Specialist, BLM, Las Cruces District Office, Las Cruces,
3 N.M.) to B. Cantwell (Argonne National Laboratory, Argonne, Ill.), May 13.
4
5 Hewitt, R., 2009b, "GIS Data for the Las Cruces District Office," personal communication with
6 attachment from Hewitt (Biologist, BLM, Las Cruces District Office, Las Cruces, N.M.) to
7 Karen Smith (Argonne National Laboratory, Argonne, Ill.), May 13.
8
9 Heywood, C.E., and R.M. Yager, 2003, *Simulated Ground-Water Flow in the Hueco Bolson, an*
10 *Alluvial-Basin Aquifer System near El Paso, Texas*, U.S. Geological Survey, Water Resources
11 Investigations Report 02-4108.
12
13 Hightower, M., 2004. *Tularosa Basin National Desalination Research Facility Design and*
14 *Construction Update*, Sept. Available at [http://wrri.nmsu.edu/publish/watcon/proc49/](http://wrri.nmsu.edu/publish/watcon/proc49/hightower.pdf)
15 [hightower.pdf](http://wrri.nmsu.edu/publish/watcon/proc49/hightower.pdf). Accessed Oct. 20, 2010.
16
17 Holloman Air Force Base, 2009, *Draft Lake Holloman Recreational Area Development*
18 *Environmental Assessment*, 49th Fighter Wing, Holloman Air Force Base, N.M., Jan.
19 Available at <http://www.holloman.af.mil/shared/media/document/AFD-090127-074.pdf>.
20 Accessed Sept. 1, 2010.
21
22 Holloman Air Force Base, 2010, *F-35A Training Environmental Impact Statement*, Holloman
23 Air Force Base, N.M. Available at [http://www.F-5ATrainingEIS.com/resources/05%20F35A](http://www.F-5ATrainingEIS.com/resources/05%20F35A%20Poster%20Holloman%20AFB%20-%202010-01-15%20-%20Final.pdf)
24 [%20Poster%20Holloman%20AFB%20-%202010-01-15%20-%20Final.pdf](http://www.F-5ATrainingEIS.com/resources/05%20F35A%20Poster%20Holloman%20AFB%20-%202010-01-15%20-%20Final.pdf). Accessed
25 Aug. 19, 2010.
26
27 Houser, N.P., 1979, "Tigua Pueblo," pp. 336–342 in *Handbook of North American Indians*,
28 *Vol. 9, Southwest*, A. Ortiz (editor), Smithsonian Institution, Washington, D.C.
29
30 HPX, 2008, *High Plains Express Transmission Project Feasibility Study Report*, final report,
31 June.
32
33 Huff, G.F., 2004, *Simulation of Ground Water Flow in the Basin-Fill Aquifer of the Tularosa*
34 *Basin, South-Central New Mexico, Predevelopment through 2040*, U.S. Geological Survey
35 Scientific Investigations Report 2004-5197, prepared in cooperation with Holloman Air Force
36 Base and the City of Alamogordo.
37
38 Jackson, M., Sr., 2009, "Quechan Indian Tribe's Comments on Programmatic Environmental
39 Impact Statement for Solar Energy Development," personal communication from Jackson
40 (President, Quechan Indian Tribe, Fort Yuma, Ariz.) to Argonne National Laboratory (Argonne,
41 Ill.), Sept. 3.
42
43 Katz, S.R., and P. Katz, 1994, "Prehistory of the Pecos Country; Southeastern New Mexico" in
44 *The Archaeological Record of Southern New Mexico*, S.R. Katz and P. Katz (editors), prepared
45 for the Historic Preservation Division, State of New Mexico, Albuquerque, N.M.
46

- 1 Kenny, J.F., et al., 2009, *Estimated Use of Water in the United States in 2005*, U.S. Geological
2 Survey, Circular 1344. Available at <http://pubs.usgs.gov/circ/1344>. Accessed Jan. 4, 2010.
3
- 4 Keyes, E., 2005, *Revised Model of the Tularosa Basin*, New Mexico Office of the State
5 Engineer, Technical Division Hydrology Report 05-01. Available at [http://www.ose.state.nm.us/
6 PDF/Publications/Library/HydrologyReports/TDH-05-01.pdf](http://www.ose.state.nm.us/PDF/Publications/Library/HydrologyReports/TDH-05-01.pdf). Accessed July 2010.
7
- 8 Kirkpatrick, D.T., et al., 2001, “Basin and Range Archaeology: An Overview of Prehistory in
9 South-Central New Mexico” in *The Archaeological Record of Southern New Mexico*, S.R. Katz
10 and P. Katz (editors), prepared for the Historic Preservation Division, State of New Mexico,
11 Albuquerque, N.M.
12
- 13 Kottowski, F.E., 1955, *Cenozoic Sedimentary Rocks in South-Central New Mexico*, New
14 Mexico Geological Society, Guidebook of South-Central New Mexico, Sixth Field Conference,
15 Nov. 11-13.
16
- 17 Langford, R.P., et al., 2009, “Groundwater Salinity as a Control on Development of Eolian
18 Landscape: An example from the White Sands of New Mexico,” *Geomorphology* 105:39-49.
19
- 20 Lee, J.M., et al., 1996, *Electrical and Biological Effects of Transmission Lines: A Review*,
21 Bonneville Power Administration, Portland, Ore., Dec.
22
- 23 Leith, B., 2010, “EHP Earthquake Question—LgGS Magnitude,” personal communication from
24 Leith (Earthquake Hazards Program, U.S. Geological Survey), to T. Patton (Argonne National
25 Laboratory, Argonne, Ill.), Aug. 8.
26
- 27 Loera, J., 2010, personal communication from Lorea (Ysleta del Sur Pueblo, El Paso, Texas)
28 to S.J. Borchard (California Desert District, Bureau of Land Management, Riverside, Calif.),
29 Feb. 23.
30
- 31 Lovich, J., and D. Bainbridge, 1999, “Anthropogenic Degradation of the Southern California
32 Desert Ecosystem and Prospects for Natural Recovery and Restoration,” *Environmental
33 Management* 24(3):309–326.
34
- 35 Machete, M.N. (compiler), 1996a, *Fault Number 2053b, San Andres Mountains Fault—Central
36 Section (Class A)*, in Quaternary Fault and Fold Database of the United States: U.S. Geological
37 Survey. Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Sept. 2, 2010.
38
- 39 Machete, M.N. (compiler), 1996b, *Fault Number 2053c, San Andres Mountains Fault—Southern
40 Section (Class A)*, in Quaternary Fault and Fold Database of the United States: U.S. Geological
41 Survey. Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed Sept. 2, 2010.
42
- 43 Machete, M.N., and K.I. Kelson (compilers), 1996a, *Fault Number 2054b, Alamogordo Fault—
44 Sacramento Section (Class A)*, in Quaternary Fault and Fold Database of the United States:
45 U.S. Geological Survey. Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed
46 Sept. 2, 2010.

1 Machete, M.N., and K.I. Kelson (compilers), 1996b, *Fault Number 2054c, Alamogordo Fault—*
2 *McGregor Section (Class A)*, in Quaternary Fault and Fold Database of the United States:
3 U.S. Geological Survey. Available at <http://earthquakes.usgs.gov/regional/qfaults>. Accessed
4 Sept. 2, 2010.
5

6 MacMillan, J.R., et al., 1976, *Prediction and Numerical Simulation of Subsidence Associated*
7 *with Proposed Groundwater Withdrawal in the Tularosa Basin, New Mexico*, Publication
8 No. 121, International Association of Hydrological Sciences, Proceedings of the Anaheim
9 Symposium, Dec.
10

11 MacNeish, R.S., and P.H. Beckett, 1987, *The Archaic Chichuahua Tradition of South-Central*
12 *New Mexico and Chihuahua, Mexico*, Monograph No. 7, COAS Publishing and Research,
13 Las Cruces, N.M.
14

15 Mancini, K.M., et al., 1988, *Effects of Aircraft Noise and Sonic Booms on Domestic Animals and*
16 *Wildlife: A Literature Synthesis*, NERC-88/29, U.S. Fish and Wildlife Service, National Ecology
17 Research Center, Ft. Collins, Colo.
18

19 McCollough, R., 2009, “New Mexico TES Data Request,” personal communication with
20 attachment from McCollough (Data Services Manager, Natural Heritage New Mexico,
21 Albuquerque, N.M.) to L. Walston (Argonne National Laboratory, Argonne, Ill.), Sept. 17.
22

23 McLean, J.S., 1970, *Saline Ground-Water Resources of the Tularosa Basin, New Mexico*,
24 U.S. Department of the Interior, Office of Saline Water Research and Development, Progress
25 Report 561.
26

27 MIG (Minnesota IMPLAN Group) Inc., 2010, *State Data Files*, Stillwater, Minn.
28

29 Miller, N.P., 2002, “Transportation Noise and Recreational Lands,” in *Proceedings of Inter-*
30 *Noise 2002*, Dearborn, Mich., Aug. 19–21. Available at [http://www.hmmh.com/cmsdocuments/](http://www.hmmh.com/cmsdocuments/N011.pdf)
31 [N011.pdf](http://www.hmmh.com/cmsdocuments/N011.pdf). Accessed Aug. 30, 2007.
32

33 Montoya, J., 2010, personal communication from Montoya (BLM New Mexico, Las Cruces
34 District Office Planning and Environmental Coordinator) to J. May (Argonne National
35 Laboratory, Denver, Colo.), Aug. 2010.
36

37 National Research Council, 1996, *Alluvial Fan Flooding*, Committee on Alluvial Fan Flooding,
38 Water Science and Technology Board, and Commission on Geosciences, Environment, and
39 Resources, National Academies Press, Washington, D.C.
40

41 NatureServe, 2010, *NatureServe Explorer: An Online Encyclopedia of Life (Web Application)*,
42 Version 7.1, Arlington, Va. Available at <http://www.natureserve.org/explorer>. Accessed
43 March 15, 2010.
44

1 NCDC (National Climatic Data Center), 2010a, *Climates of the States (CLIM60): Climate of*
2 *New Mexico*, National Oceanic and Atmospheric Administration, Satellite and Information
3 Service. Available at <http://cdo.ncdc.noaa.gov/cgi-bin/climatenormals/climatenormals.pl>.
4 Accessed Aug. 13, 2010.
5
6 NCDC, 2010b, *Integrated Surface Data (ISD), DS3505 Format*, database, Asheville, N.C.
7 Available at <ftp://ftp3.ncdc.noaa.gov/pub/data/noaa>. Accessed Aug. 13, 2010.
8
9 NCDC, 2010c, *Storm Events*, National Oceanic and Atmospheric Administration, Satellite and
10 Information Service. Available at [http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwEvent](http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwEvent~Storms)
11 [~Storms](http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwEvent~Storms). Accessed Aug. 13, 2010.
12
13 NCES (National Center for Education Statistics), 2009, *Search for Public School Districts*,
14 U.S. Department of Education. Available at <http://www.nces.ed.gov/ccd/districtsearch/>.
15
16 New Mexico Rare Plant Technical Council, 1999, *New Mexico Rare Plants*, Albuquerque, N.M.
17 Available at <http://www.nmrareplants.unm.edu/>. Last update July 22, 2010. Accessed
18 Aug. 17, 2010.
19
20 NMBGMR (New Mexico Bureau of Geology and Mineral Resources), 2006, *New Mexico—*
21 *Earth Matters: Volcanoes of New Mexico*, Winter.
22
23 NMDA (New Mexico Department of Agriculture), 2009, *New Mexico Noxious Weed List*,
24 updated April. Available at [http://nmdaweb.nmsu.edu/animal-and-plant-protection/noxious-](http://nmdaweb.nmsu.edu/animal-and-plant-protection/noxious-weeds/weed_memo_list.pdf)
25 [weeds/weed_memo_list.pdf](http://nmdaweb.nmsu.edu/animal-and-plant-protection/noxious-weeds/weed_memo_list.pdf). Accessed Aug. 27, 2010.
26
27 NMDGF (New Mexico Department of Game and Fish), 2010, *Biota Information System of*
28 *New Mexico (BISON-M)*, Santa Fe, N.M. Available at <http://www.bison-m.org>. Accessed
29 Aug. 17, 2010.
30
31 NM DOT (New Mexico Department of Transportation), 2009, *2008 Annual Traffic Report*,
32 April. Available at <http://nmshtd.state.nm.us/main.asp?secid=14473>. Accessed Aug. 21, 2010.
33
34 NM DOT, 2010, *Traffic Flow Maps 2007 & 2008*. Available at [http://nmshtd.state.nm.us/](http://nmshtd.state.nm.us/main.asp?secid=16260)
35 [main.asp?secid=16260](http://nmshtd.state.nm.us/main.asp?secid=16260). Accessed Aug. 16, 2010.
36
37 NMED (New Mexico Environment Department), 2000, *Dust Storms and Health*, March.
38 Available at <http://www.health.state.nm.us/eheb/rep/air/DustStormsAndHealth.pdf>. Accessed
39 Aug. 23, 2009.
40
41 NMED, 2010, *The Storm Water Regulatory Program at the Surface Water Quality Bureau*,
42 *NMED*. Available at <http://www.nmenv.state.nm.us/swqb/stormwater/>. Accessed Aug. 18, 2010.
43
44

1 NMOSE (New Mexico Office of the State Engineer), 1997, *Tularosa Underground*
2 *Water Basin Administrative Criteria for the Alamogordo-Tularosa Area*. Available at
3 http://www.ose.state.nm.us/PDF/WaterRights/WR-RulesRegs/tularosa_area.pdf. Accessed
4 July 2010.
5
6 NMOSE, 2004, *Part 13: Active Water Resource Management*, Title 19: Natural Resources and
7 Wildlife, Chapter 25: Administration and Use of Water—General Provisions, Dec. 30.
8
9 NMOSE, 2005a, *Rules and Regulations Governing the Appropriation and Use of the Surface*
10 *Waters of New Mexico*. Available at http://www.ose.state.nm.us/water_info_rights_rules.html.
11 Accessed June 16, 2010.
12
13 NMOSE, 2005b, *Rules and Regulations Governing Well Driller Licensing; Construction,*
14 *Repair, and Plugging of Wells*. Available at [http://www.ose.state.nm.us/water_info_rights_](http://www.ose.state.nm.us/water_info_rights_rules.html)
15 [rules.html](http://www.ose.state.nm.us/water_info_rights_rules.html). Accessed Aug. 18, 2010.
16
17 NMOSE, 2006, *Rules and Regulations Governing the Appropriation and Use of Groundwater in*
18 *New Mexico*. Available at http://www.ose.state.nm.us/water_info_rights_rules.html. Accessed
19 June 16, 2010.
20
21 NMOSE, 2010a, *Active Water Resource Management*. Available at [http://www.ose.state.nm.us/](http://www.ose.state.nm.us/water_info_awrm.html)
22 [water_info_awrm.html](http://www.ose.state.nm.us/water_info_awrm.html). Accessed June 17, 2010.
23
24 NMOSE, 2010b, *Water Information*. Available at [http://www.ose.state.nm.us/](http://www.ose.state.nm.us/water_info_index.html)
25 [water_info_index.html](http://www.ose.state.nm.us/water_info_index.html). Accessed June 16, 2010.
26
27 NMOSE, 2010c, *Priority Administration*. Available at [http://www.ose.state.nm.us/](http://www.ose.state.nm.us/water_info_awrm_admin.html)
28 [water_info_awrm_admin.html](http://www.ose.state.nm.us/water_info_awrm_admin.html). Accessed June 18, 2010.
29
30 NMSU (New Mexico State University), 2007, *Weed Information Database Search*. Available at
31 <http://weeds.nmsu.edu/databasesearch.php>. Accessed Aug. 27, 2010.
32
33 NPS (National Park Service) and BLM, 2004, *El Camino Real de Tierra Adentro National*
34 *Historic Trail: Comprehensive Management Plan/Final Environmental Impact Statement*,
35 prepared by Long Distance Trails Group—Santa Fe, National Park Service, and New Mexico
36 State Office, Bureau of Land Management, Santa Fe, N.M.
37
38 NRCS (Natural Resources Conservation Service), 2008, *Soil Survey Geographic (SSURGO)*
39 *Database for Otero County, New Mexico*. Available at: <http://SoilDataMart.nrcs.usds.gov>.
40
41 NRCS (Natural Resources Conservation Service), 2010, *Custom Soil Resource Report for Otero*
42 *County (covering the proposed Red Sands SEZ), New Mexico*, U.S. Department of Agriculture,
43 Washington, D.C., Aug. 17.
44

1 Opler, M.E., 1983a, "Apachean Culture Pattern and Its Origins," pp. 368–392 in *Handbook of*
2 *North American Indians, Vol. 10, Southwest*, A. Ortiz (editor), Smithsonian Institution,
3 Washington, D.C.
4

5 Opler, M.E., 1983b, "Mescalero Apache," pp. 419–439 in *Handbook of North American Indians,*
6 *Vol. 10, Southwest*, A. Ortiz (editor), Smithsonian Institution, Washington, D.C.
7

8 Orr, B. R., R. G. Meyers, 1986, *Water Resources in the Basin-fill Deposits in the Tularosa*
9 *Basin, New Mexico*, U.S. Geological Survey, Water Resources Investigations Report 85-4219.
10

11 Robson, S.G., and E.R. Banta, 1995, *Ground Water Atlas of the United States: Arizona,*
12 *Colorado, New Mexico, Utah*, U.S. Geological Survey, HA 730-C.
13

14 Royster, J., 2008, "Indian Land Claims," pp. 28–37 in *Handbook of North American Indians,*
15 *Vol. 2, Indians in Contemporary Society*, G.A. Bailey (editor), Smithsonian Institution,
16 Washington, D.C.
17

18 SAMHSA (Substance Abuse and Mental Health Services Administration), 2009, *National*
19 *Survey on Drug Use and Health, 2004, 2005 and 2006*, Office of Applied Studies,
20 U.S. Department of Health and Human Services. Available at [http://oas.samhsa.gov/](http://oas.samhsa.gov/substate2k8/StateFiles/TOC.htm#TopOfPage)
21 [substate2k8/StateFiles/TOC.htm#TopOfPage](http://oas.samhsa.gov/substate2k8/StateFiles/TOC.htm#TopOfPage).
22

23 Sandia National Laboratories, 2002, *Tularosa Basin National Desalination Research Facility*
24 *Study*. Available at <http://www.sandia.gov/water/docs/TBrpt0203ev1.pdf>. Accessed July 2010.
25

26 Sanford, A.R., and K. Lin, 1998, *Strongest Earthquakes in New Mexico: 1860 to 1998*,
27 New Mexico Tech Geophysics Open File Report 87, June.
28

29 Sanford, A.R., et al., 2002, *Earthquake Catalogs for New Mexico and Bordering Areas:*
30 *1869–1998*, Circular 210, New Mexico Bureau of Geology and Mineral Resources.
31

32 Sanford, A.R., et al., 2006, "Earthquake Catalogs for New Mexico and Bordering Areas II:
33 1999–2004," *New Mexico Geology* 28 (4).
34

35 Scholle, P.A., 2003, *Geologic Map of New Mexico (1:500,000)*, New Mexico Bureau of Geology
36 and Mineral Resources, published in cooperation with the U.S. Geological Survey.
37

38 Schroeder, A.H., 1979, "Pueblos Abandoned in Historic Times," pp. 236–254 in *Handbook of*
39 *North American Indians, Vol. 9, Southwest*, A. Ortiz (editor), Smithsonian Institution,
40 Washington, D.C.
41

42 SCMRCDC (South Central Mountain Resource Conservation and Development Council), 2002,
43 *Tularosa Basin and Salt Basin Regional Water Plan, 2000–2040*. Available at <http://scmrtd.org>.
44

1 SES (Stirling Energy Systems) Solar Two, LLC, 2008, *Application for Certification*, submitted
2 to the Bureau of Land Management, El Centro, Calif., and the California Energy Commission,
3 Sacramento, Calif., June. Available at [http://www.energy.ca.gov/sitingcases/solartwo/](http://www.energy.ca.gov/sitingcases/solartwo/documents/applicant/afc/index.php)
4 [documents/applicant/afc/index.php](http://www.energy.ca.gov/sitingcases/solartwo/documents/applicant/afc/index.php). Accessed Oct. 1, 2008.
5
6 Sheng, Z., et al., 2001, “The Hueco Bolson: An Aquifer at the Crossroads,” in *Aquifers of West*
7 *Texas*, R.E. Mace et al. (editors), Texas Water Development Board Report 356, Dec.
8
9 Smith, M. D., et al., 2001, “Growth, Decline, Stability and Disruption: A Longitudinal Analysis
10 of Social Well-Being in Four Western Communities,” *Rural Sociology* 66:425–450.
11
12 Sonnichsen, C.L., 1973, *The Mescalero Apache*, 2nd ed., University of Oklahoma Press,
13 Norman, Okla.
14
15 Stebbins, R.C., 2003, *A Field Guide to Western Reptiles and Amphibians*, Houghton Mifflin
16 Company, Boston, Mass.
17
18 Stoeser, D.B., et al., 2007, *Preliminary Integrated Geologic Map Databases for the United*
19 *States: Central States – Montana, Wyoming, Colorado, New Mexico, North Dakota, South*
20 *Dakota, Nebraska, Kansas, Oklahoma, Texas, Iowa, Missouri, Arkansas, and Louisiana,*
21 *Version 1.2*, U.S. Geological Survey Open File Report 2005-1351, updated Dec.
22
23 Stoffle, R.W., et al., 1990, *Native American Cultural Resource Studies at Yucca Mountain,*
24 *Nevada*, University of Michigan, Ann Arbor, Mich.
25
26 Stout, D., 2009, personal communication from Stout (U.S. Fish and Wildlife Service, Acting
27 Assistant Director for Fisheries and Habitat Conservation, Washington, D.C.) to L. Jorgensen
28 and L. Resseguie (Bureau of Land Management, Washington, D.C.), Sept. 14.
29
30 SunZia, 2010, *Welcome to the SunZia Southwest Transmission Project*. Available at
31 <http://www.sunzia.net/>. Accessed Aug. 23, 2010.
32
33 Texas Comptroller’s Office, 2009, *Texas County Population Projections: 2000 to 2030:*
34 *Total Population*. Available at [http://www.window.state.tx.us/ecodata/popdata/](http://www.window.state.tx.us/ecodata/popdata/cpacopop1990_2030.xls)
35 [cpacopop1990_2030.xls](http://www.window.state.tx.us/ecodata/popdata/cpacopop1990_2030.xls).
36
37 Tweedie, M.J., 1968, “Notes on the History and Adaptation of the Apache Tribes,” *American*
38 *Anthropologist* 70(6):1132–1142.
39
40 University of New Mexico, 2009, *Population Projections for New Mexico and Counties*, Bureau
41 of Business and Economic Research. Available at <http://bber.unm.edu/demo/table1.htm>.
42
43 UP (Union Pacific) Railroad, 2009, *Allowable Gross Weight Map*. Available at
44 http://www.uprr.com/aboutup/maps/attachments/allow_gross_full.pdf. Accessed March 4, 2010.
45

1 U.S. Bureau of the Census, 2009a, *County Business Patterns, 2008*. Washington, D.C. Available
2 at <http://www.census.gov/ftp/pub/epcd/cbp/view/cbpview.html>.
3

4 U.S. Bureau of the Census, 2009b, *GCT-T1. Population Estimates*. Available at
5 <http://factfinder.census.gov/>.
6

7 U.S. Bureau of the Census, 2009c, *QT-P32. Income Distribution in 1999 of Households and
8 Families: 2000. Census 2000 Summary File (SF 3) – Sample Data*. Available at
9 <http://factfinder.census.gov/>.
10

11 U.S. Bureau of the Census, 2009d, *S1901. Income in the Past 12 Months. 2006–2008 American
12 Community Survey 3-Year Estimates*. Available at <http://factfinder.census.gov/>.
13

14 U.S. Bureau of the Census, 2009e, *GCT-PH1. Population, Housing Units, Area, and
15 Density: 2000. Census 2000 Summary File (SF 1) – 100-Percent Data*. Available at
16 <http://factfinder.census.gov/>.
17

18 U.S. Bureau of the Census, 2009f, *T1. Population Estimates*. Available at <http://factfinder.census.gov/>.
19
20

21 U.S. Bureau of the Census, 2009g, *GCT2510. Median Housing Value of Owner-Occupied
22 Housing Units (Dollars). 2006-2008 American Community Survey 3-Year Estimates*. Available
23 at <http://factfinder.census.gov/>.
24

25 U.S. Bureau of the Census, 2009h, *QT-H1. General Housing Characteristics, 2000. Census 2000
26 Summary File 1 (SF 1) 100-Percent Data*. Available at <http://factfinder.census.gov/>.
27

28 U.S. Bureau of the Census, 2009i, *GCT-T9-R. Housing Units, 2008. Population Estimates*.
29 Available at <http://factfinder.census.gov/>.
30

31 U.S. Bureau of the Census, 2009j, *S2504. Physical Housing Characteristics for Occupied
32 Housing Units 2006-2008 American Community Survey 3-Year Estimates*. Available at
33 <http://factfinder.census.gov/>.
34

35 U.S. Bureau of the Census, 2009k, *Census 2000 Summary File 1 (SF 1) 100-Percent Data*.
36 Available at <http://factfinder.census.gov/>.
37

38 U.S. Bureau of the Census, 2009l, *Census 2000 Summary File 3 (SF 3) - Sample Data*. Available
39 at <http://factfinder.census.gov/>.
40

41 USDA (U.S. Department of Agriculture), 2004, *Understanding Soil Risks and Hazards—Using
42 Soil Survey to Identify Areas with Risks and Hazards to Human Life and Property*, G.B. Muckel
43 (editor).
44

45 USDA, 2008, *Jornada Experimental Range*. Available at [http://www.ars.usda.gov/main/site_](http://www.ars.usda.gov/main/site_main.htm?modecode=62-35-15-00)
46 [main.htm?modecode=62-35-15-00](http://www.ars.usda.gov/main/site_main.htm?modecode=62-35-15-00). Accessed Aug. 17, 2010.

1 USDA, 2009a, *2007 Census of Agriculture: New Mexico State and County Data, Volume 1, Geographic Area Series*, National Agricultural Statistics Service, Washington, D.C. Available at
2 [http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_L](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/NewMexico/index.asp)
3 [evel/NewMexico/index.asp](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/NewMexico/index.asp).
4
5
6 USDA, 2009b, *2007 Census of Agriculture: Texas State and County Data, Volume 1, Geographic Area Series*, National Agricultural Statistics Service, Washington, D.C. Available at
7 [http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_L](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/Texas/index.asp)
8 [evel/Texas/index.asp](http://www.agcensus.usda.gov/Publications/2007/Full_Report/Volume_1,_Chapter_2_County_Level/Texas/index.asp).
9
10
11 USDA, 2010, *Plants Database*, Natural Resources Conservation Service. Available at
12 <http://plants.usda.gov/>. Accessed June 23, 2010.
13
14 U.S. Department of Commerce, 2009, *Local Area Personal Income*, Bureau of Economic
15 Analysis. Available at <http://www.bea.doc.gov/bea/regional/reis/>.
16
17 U.S. Department of the Interior, 2010, *Native American Consultation Database*, National
18 NAGPRA Online Databases, National Park Service. Available at [http://grants.cr.nps.gov/](http://grants.cr.nps.gov/nacd/index.cfm)
19 [nacd/index.cfm](http://grants.cr.nps.gov/nacd/index.cfm).
20
21 U.S. Department of Justice, 2009a, “Table 8: Offences Known to Law Enforcement, by State and
22 City,” *2008 Crime in the United States*, Federal Bureau of Investigation, Criminal Justice
23 Information Services Division. Available at http://www.fbi.gov/ucr/cius2008/data/table_08.html.
24
25 U.S. Department of Justice, 2009b, “Table 10: Offences Known to Law Enforcement, by State
26 and by Metropolitan and Non-metropolitan Counties,” *2008 Crime in the United States*, Federal
27 Bureau of Investigation, Criminal Justice Information Services Division. Available at
28 http://www.fbi.gov/ucr/cius2008/data/table_10.html.
29
30 U.S. Department of Justice, 2009c, *Crime in the United States: 2007*, Federal Bureau of
31 Investigation. Available at http://www.fbi.gov/ucr/cius2006/about/table_title.html.
32
33 U.S. Department of Labor, 2009a, *Local Area Unemployment Statistics: States and Selected*
34 *Areas: Employment Status of the Civilian Noninstitutional Population, 1976 to 2007. Annual*
35 *Averages*, Bureau of Labor Statistics. Available at <http://www.bls.gov/lau/staadata.txt>.
36
37 U.S. Department of Labor, 2009b, *Local Area Unemployment Statistics: Unemployment Rates*
38 *for States*, Bureau of Labor Statistics. Available at <http://www.bls.gov/web/laumstrk.htm>.
39
40 U.S. Department of Labor, 2009c, *Local Area Unemployment Statistics: County Data*, Bureau of
41 Labor Statistics. Available at <http://www.bls.gov/lau>.
42
43 USFS (U.S. Forest Service), 2007, *Wild Horse and Burro Territories*, Rangelands, Washington,
44 D.C. Available at [http://www.fs.fed.us/rangelands/ecology/wildhorseburro//territories/](http://www.fs.fed.us/rangelands/ecology/wildhorseburro//territories/index.shtml)
45 [index.shtml](http://www.fs.fed.us/rangelands/ecology/wildhorseburro//territories/index.shtml). Accessed Oct. 20, 2009.
46

1 USFS, 2010, *Apache Pit Operating and Reclamation Plan*, April. Available at
2 [http://a123.g.akamai.net/7/123/11558/abc123/forestservic.download.akamai.com/11558/www/
3 nepa/2050_FSPLT1_028295.pdf](http://a123.g.akamai.net/7/123/11558/abc123/forestservic.download.akamai.com/11558/www/nepa/2050_FSPLT1_028295.pdf). Accessed Aug. 20, 2010.
4
5 USFWS (U.S. Fish and Wildlife Service), undated, *National Wetland Inventory, Tres Hermanos,
6 New Mexico*, 15 minute quadrangle, prepared by Office of Biological Services.
7
8 USFWS, 2002, *Environmental Assessment Mountain Lion Management to Protect the State
9 Endangered Desert Bighorn Sheep*, Sept. Available at [http://www.fws.gov/southwest/refuges/
10 newmex/sanandres/PDF/Final%20Lion%20EA%20902.pdf](http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/Final%20Lion%20EA%20902.pdf). Accessed Aug. 18, 2010.
11
12 USFWS, 2007, *Environmental Assessment Opening of Hunting for San Andres National Wildlife
13 Refuge*, Feb. Available at [http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/
14 ENVIRONMENTALASSESSMENT.pdf](http://www.fws.gov/southwest/refuges/newmex/sanandres/PDF/ENVIRONMENTALASSESSMENT.pdf). Accessed Aug. 18, 2010.
15
16 USFWS, 2009, *National Wetlands Inventory*. Available at <http://www.fws.gov/wetlands/>.
17
18 USFWS, 2010, *Environmental Conservation Online System (ECOS)*, U.S. Fish and Wildlife
19 Service. Available at <http://www.fws.gov/ecos/ajax/ecos/indexPublic.do>. Accessed
20 May 28, 2010.
21
22 USGS (U.S. Geological Survey), 2004, *National Gap Analysis Program, Provisional Digital
23 Land Cover Map for the Southwestern United States*. Version 1.0, RS/GIS Laboratory, College
24 of Natural Resources, Utah State University. Available at [http://earth.gis.usu.edu/swgap/
25 landcover.html](http://earth.gis.usu.edu/swgap/landcover.html). Accessed March 15, 2010.
26
27 USGS, 2005a, *National Gap Analysis Program, Southwest Regional GAP Analysis Project—
28 Land Cover Descriptions*. RS/GIS Laboratory, College of Natural Resources, Utah State
29 University. Available at http://earth.gis.usu.edu/swgap/legend_desc.html. Accessed
30 March 15, 2010.
31
32 USGS, 2005b, *Southwest Regional GAP Analysis Project*, U.S. Geological Survey National
33 Biological Information Infrastructure. Available at [http://fws-nmcfwru.nmsu.edu/swregap/
34 habitatreview/Review.asp](http://fws-nmcfwru.nmsu.edu/swregap/habitatreview/Review.asp).
35
36 USGS, 2007, *National Gap Analysis Program, Digital Animal-Habitat Models for the
37 Southwestern United States*, Version 1.0, Center for Applied Spatial Ecology, New Mexico
38 Cooperative Fish and Wildlife Research Unit, New Mexico State University. Available at
39 <http://fws-nmcfwru.nmsu.edu/swregap/HabitatModels/default.htm>. Accessed March 15, 2010.
40
41 USGS, 2008, *National Seismic Hazard Maps—Peak Horizontal Acceleration (%g) with 10%
42 Probability of Exceedance in 50 Years (Interactive Map)*. Available at [http://gldims.cr.usgs.gov/
43 nshmp2008/viewer.htm](http://gldims.cr.usgs.gov/nshmp2008/viewer.htm). Accessed Aug. 17, 2010.
44

1 USGS, 2010a, *National Earthquake Information Center (NEIC) – Circular Area Database*
2 *Search (within 100-km of the center of the proposed Red Sands SEZ)*. Available at
3 http://earthquake.usgs.gov/earthquakes/eqarchives/epic/epic_circ.php. Accessed Aug. 25, 2010.
4
5 USGS, 2010b, *Water Resources of the United States—Hydrologic Unit Maps*. Available at
6 <http://water.usgs.gov/GIS/huc.html>. Accessed April 12, 2010.
7
8 USGS, 2010c, *Groundwater Levels for the Nation*. Available at [http://nwis.waterdata.usgs.gov/](http://nwis.waterdata.usgs.gov/usa/nwis/gwlevels/?site_no=324539105573401)
9 [usa/nwis/gwlevels/?site_no=324539105573401](http://nwis.waterdata.usgs.gov/usa/nwis/gwlevels/?site_no=324539105573401). Accessed July 2010.
10
11 USGS, 2010d, *National Biological Information Infrastructure, Gap Analysis Program (GAP),*
12 *National Land Cover, South Central Dataset*. Available at [http://www.gap.uidaho.edu/Portal/](http://www.gap.uidaho.edu/Portal/DataDownload.html)
13 [DataDownload.html](http://www.gap.uidaho.edu/Portal/DataDownload.html). Accessed Aug. 17, 2010.
14
15 USGS, 2010e, *Glossary of Terms on Earthquake Maps – Magnitude*. Available at
16 <http://earthquake.usgs.gov/earthquakes/glossary.php#magnitude>. Accessed Aug. 8, 2010.
17
18 USGS and NMBMMR (New Mexico Bureau of Mines and Mineral Resources), 2009,
19 *Quaternary Fault and Fold Database for the United States*. Available at [http://earthquake.usgs.](http://earthquake.usgs.gov/regional/qafaults/)
20 [gov/regional/qafaults/](http://earthquake.usgs.gov/regional/qafaults/). Accessed Sept. 11, 2009.
21
22 Welsh, M., 1995, *Dunes and Dreams: A History of White Sands National Monument,*
23 *Professional Paper No.55, Administrative History, White Sands National Monument, National*
24 *Park Service, Division of History, Intermountain Cultural Resources Center, Santa Fe, N.M.*
25
26 Wolf, J.A., and J.N. Gardner, 1995, “Is the Valles Caldera Entering a New Cycle of Activity?”
27 *Geology*, Vol. 23, No. 5.
28
29 WRAP (Western Regional Air Partnership), 2009, *Emissions Data Management System*
30 *(EDMS)*. Available at <http://www.wrapeds.org/default.aspx>. Accessed June 4, 2009.
31
32 WRCC (Western Regional Climate Center), 2010a, *Monthly Climate Summary, White Sands*
33 *National Monument, New Mexico, 299686*. Available at [http://www.wrcc.dri.edu/cgibin/](http://www.wrcc.dri.edu/cgibin/cliMAIN.pl?nm9686)
34 [cliMAIN.pl?nm9686](http://www.wrcc.dri.edu/cgibin/cliMAIN.pl?nm9686). Accessed Aug. 30, 2010.
35
36 WRCC, 2010b, *Monthly Climate Summary, Mountain Park, New Mexico, 295960*. Available at
37 <http://www.wrcc.dri.edu/cgibin/cliMAIN.pl?nm5960>. Accessed Aug. 30, 2010.
38
39 WRCC, 2010c, *Average Pan Evaporation Data by State*. Available at [http://www.wrcc.dri.edu/](http://www.wrcc.dri.edu/htmlfiles/westevap.final.html)
40 [htmlfiles/westevap.final.html](http://www.wrcc.dri.edu/htmlfiles/westevap.final.html). Accessed Jan. 19, 2010.
41
42 WRCC, 2010d, *Western U.S. Climate Historical Summaries*. Available at
43 <http://www.wrcc.dri.edu/Climsum.html>. Accessed Aug. 13, 2010.
44
45 WRRRI (Water Resources Research Institute), 2010, *Tularosa Basin*. Available at
46 <http://river.nmsu.edu/website/tularosa/>. Accessed Sept. 2010.

1 WSMR (White Sands Missile Range), 1998, *White Sands Missile Range Range-Wide*
2 *Environmental Impact Statement*, White Sands Missile Range, N.M., Jan.
3
4 WSMR, 2009, *Draft Environmental Impact Statement for Development and Implementation of*
5 *Range-Wide Mission and Major Capabilities at White Sands Missile Range, New Mexico*, Feb.
6 Available at http://aec.army.mil/usaec/nepa/wsmrdeis_feb09.pdf. Accessed Aug. 17, 2010.
7